STUDENT SERVICES
INFORMATION SYSTEM

REQUIREMENTS CHECKLIST

Implementation status against the supplied CCS109 SSIS System Requirements Plan

Reviewed on October 4, 2026 against the current project source, SQL schema, seed data, and live local database-backed model queries. This is an implementation checklist, not a production certification.

Done	Partial	Not implemented	Not verified
33	16	7	2

How to read this checklist

DONE	Working backend behavior is visible in source and/or database queries.
PARTIAL	Some functionality exists, but a requirement or its coverage is incomplete.
OPEN	Missing, simulated, or not implemented in the current project.
UNVERIFIED	Requires runtime, deployment, load, or browser testing that source inspection cannot prove.

Overall assessment

The student, registrar workflow, cashier payments/clearance, shared notifications, and database foundation have substantial working implementation. The biggest remaining gaps are Admin persistence, account reset/lockout enforcement, registrar student-account management, the Department dashboard, and several reporting/security requirements.

Priority sequence

1. Connect Admin user management, temporary-password/reset actions, system settings, and catalog maintenance to the database.
2. Complete authentication hardening: force temporary-password changes, implement the five-attempt/15-minute lockout, and repair the reset-request path.
3. Add Registrar student record/account management and the Department dashboard.
4. Extend reporting: registrar document type/status breakdowns, cashier daily/status/method filters, and Admin operational totals.
5. Complete student clearance resubmission, broadcast notification delivery, request-slip printing, and audit coverage.
6. Finish common UI requirements, then run role-by-role security, workflow, browser, mobile, performance, and deployment checks.

Foundation and access

13 checks: 8 done, 3 partial, 2 open, 0 not verified.

Requirement	Status	Implementation evidence / remaining work
One shared PDO connection is used by the application.	DONE	Central connection is in models/Database.php and models obtain it through Database::getConnection(). (Spec pp. 2, 8)
Schema and starter seed data cover the main SSIS entities.	DONE	ssis-schema.sql and ssis-seed.sql define users, students, roles, terms, enrollments, grades, clearance, requests, payments, notifications, announcements, audit, and settings. (Spec pp. 8-9)
Seed data includes test accounts across roles and sample student records.	DONE	ssis-seed.sql includes Admin, Registrar, Cashier, Department, and multiple Student accounts for local workflow trials. (Spec p. 14)
Relational keys, fixed statuses, and core indexes are defined.	DONE	The schema defines primary/foreign keys, enum status values, and indexes for key lookups. (Spec pp. 8-9)
Five role areas and server-side role guards are present.	DONE	Student, Registrar, Cashier, Department, and Admin page folders exist; guarded pages use php/includes/auth.php. (Spec pp. 3-4, 13)
Login uses usernames/student numbers, password hashes, and role redirects.	DONE	models/User.php verifies password hashes; login.php records the login and redirects by role. (Spec p. 4)
Inactive accounts are blocked on guarded page requests.	DONE	The shared access guard checks current account status against the database on each guarded request. (Spec p. 4)
Logout destroys the session; login rotates the session ID; idle expiry is enforced.	DONE	login.php regenerates the session ID; php/logout.php clears and destroys the session; auth.php enforces a 30-minute idle limit and records expiry. (Spec pp. 4, 12)
Cookie and response protections are in place for local/live use.	PARTIAL	HttpOnly, SameSite, conditional Secure cookies, and several security headers are set. Production HTTPS/HSTS and friendly 403/404/500 pages are not evidenced. (Spec p. 12)
CSRF checks and backend validation cover every state-changing form.	PARTIAL	Core student, registrar, cashier, clearance, and notification actions validate tokens and inputs. Coverage is not complete; some Admin forms are visual-only. (Spec pp. 12-13)
Five failed attempts lock the account and IP for 15 minutes.	OPEN	Login attempts are saved, but models/User.php has no lockout window or rejection check. (Spec p. 4)
Temporary passwords force a change at next login; reset requests are functional.	OPEN	must_change_password is read and can be cleared by password change code, but no forced-change route/guard exists. forgotPassword.php posts to a missing underscored route and has no backend handler. (Spec pp. 4, 7)
All sensitive actions are covered by audit events.	PARTIAL	Login success/failure, logout, enrollment, grades, payments, document requests, and clearance decisions are logged. Account/profile/settings/password event coverage is incomplete. (Spec pp. 10, 13)

Student portal

8 checks: 7 done, 1 partial, 0 open, 0 not verified.

Requirement	Status	Implementation evidence / remaining work
Dashboard shows live profile, term workflow, grades, requests, and financial/clearance summaries.	DONE	models/StudentDashboard.php queries data by the logged-in user and includes active announcements. (Spec p. 5)
Student profile updates are limited to allowed fields and password changes verify the current password.	DONE	StudentProfileController.php and StudentProfile.php validate and persist profile/password changes. (Spec p. 5)
Enrollment requests validate program subjects, unit limit, duplicate active requests, and pending cancellation.	DONE	models/Enrollment.php validates selected subjects, reads max_units_per_enrollment, enforces one active request, and applies allowed transitions. (Spec pp. 5, 10-11)
Students see only their own released grades and can filter by term.	DONE	Student grade queries are scoped to the authenticated student and Released status; the page has a term selector. (Spec p. 5)
Clearance status, requirements, reasons, and cleared-only printing are available.	PARTIAL	Current term items and overall state are displayed; print is gated until Cleared. A student resubmission action for rejected items is not implemented. (Spec pp. 5, 11)
Document requests support document type, purpose, copies, fees, status, and payment references.	DONE	Student request and payment-reference flows are connected to DocumentRequests and Payments models. (Spec pp. 5-6, 10-11)
Students can cancel only eligible unpaid requests and free requests skip payment.	DONE	Cancellation and fee-based payment creation are enforced by backend workflow transitions. (Spec pp. 6, 10-11)
Notifications list, unread state, mark-read, and related-page links work per user.	DONE	Shared notification data/list code scopes records to the session user and supports read/read-all. (Spec p. 6)

Registrar module

9 checks: 5 done, 3 partial, 1 open, 0 not verified.

Requirement	Status	Implementation evidence / remaining work
Registrar can create/edit student records and create linked student accounts.	OPEN	No working registrar student-record management page is present; Admin account-management UI is not connected to persistence. (Spec p. 6)
Enrollment queue supports review, subject adjustment, approval, rejection reason, and Enrolled confirmation.	DONE	Registrar enrollment page and Enrollment model apply the allowed status transitions and record decisions. (Spec pp. 6, 10-11)
Grade entry supports Draft, Release, and reasoned correction with audit/notification.	DONE	Grades model/controller enforce the workflow and notify students of releases/corrections. (Spec pp. 6, 11-12)
Registrar clearance items can be approved/rejected with reasons and overall status is visible.	DONE	Clearance controller/model enforce reviewer office scope, update overall state, audit, and notify the student. (Spec pp. 6, 11-12)
Document request queue supports allowed transitions, rejection reasons, and completion.	DONE	DocumentRequests model enforces transitions and notifies relevant roles/students. (Spec pp. 6, 10-12)
Registrar notifications are live and can be marked read.	DONE	The page uses shared user-scoped database notification handling. (Spec pp. 6, 12)
Announcements and direct student messages persist and appear in student-facing pages.	PARTIAL	Broadcasts persist and display on student dashboards; direct messages create student notifications. Audience support is All/Students only, and broadcast publishing does not create audience notification entries. (Spec pp. 6, 12)
Registrar reports show enrollment by program/status, document requests by type/status, and grades released by term.	PARTIAL	Live term/program/status/date filters and per-program enrollment, total/pending requests, and grade-release rates exist. Document breakdown by type and request status is missing. (Spec p. 14)
Registrar searches cover student ID/name, program, year, request number, and status across queues.	PARTIAL	Some pages have working local search/status filters; full, consistent search coverage and pagination across registrar lists is not complete. (Spec p. 6)

Cashier module

8 checks: 7 done, 1 partial, 0 open, 0 not verified.

Requirement	Status	Implementation evidence / remaining work
Cashier payment queue shows student/request/payment records and supports filtering/search.	DONE	Payments model supplies database-backed queue and transaction data; page filters/search and actions are wired. (Spec pp. 6-7)
Walk-in payments validate fee, method, reference, and generate printable receipts.	DONE	Payment model validates and records walk-in transactions; receipt page uses browser printing. (Spec pp. 6-7)
Submitted payment references can be verified or rejected with a reason.	DONE	Backend updates payment and request state, then notifies the student and Registrar as applicable. (Spec pp. 7, 10-12)
Refunds require a reason and are limited to cancelled/rejected requests.	DONE	Refund transition is checked in the Payments model and audited. (Spec pp. 7, 11)
Transaction history and receipt printing work.	DONE	Paid/refunded transactions have a printable receipt route. (Spec p. 7)
Cashier clearance checks balances and validates the student receipt/reference before clearing.	DONE	Clearance review validates outstanding balance and reference ownership in the backend. (Spec pp. 7, 11)
Cashier dashboard and payment-queue notifications use the logged-in cashier and database data.	DONE	Cashier dashboard aggregates live data; queue notifications are backfilled idempotently on dashboard/inbox visits. (Spec pp. 6, 12)
Cashier reports support required date, status, and method filters and daily totals.	PARTIAL	Date-range collection totals and cash/online grouping are available. The full report filter set and explicit daily grouping are not complete. (Spec p. 14)

Department module

6 checks: 4 done, 1 partial, 1 open, 0 not verified.

Requirement	Status	Implementation evidence / remaining work
Department staff see only clearance items for their assigned department.	DONE	Clearance query scopes department staff to their assigned department ID and requirement office. (Spec pp. 3, 7)
Department reviewers can approve/reject their items with a required rejection reason.	DONE	Shared Clearance controller/model validates office scope and reason, audits the result, and notifies the student. (Spec pp. 7, 11-12)
Department staff can search/filter their pending work and view the permitted student fields.	PARTIAL	The queue has local filters and limits displayed data, but no full department student-search workspace or single pending-work dashboard. (Spec p. 7)
Department dashboard shows pending clearance totals.	OPEN	There is no php/department/dashboard.php; login currently routes Department users to clearance. (Spec p. 7)
Department report shows live pending/cleared students by program and year.	DONE	The report now loads current-term clearance rows for the signed-in department. Program/year filters and counts use DepartmentReports via its AJAX controller. (p. 14)
Department notifications list and mark-read actions work.	DONE	The inbox is scoped to the signed-in user; mark-read and mark-all use notificationsController through jQuery $.post(). (Spec pp. 6, 12)

Admin module

5 checks: 1 done, 2 partial, 2 open, 0 not verified.

Requirement	Status	Implementation evidence / remaining work
Admin can manage users/roles/departments, enable/disable accounts, and issue/reset passwords.	OPEN	php/admin/userManagement.php is currently static; its forms and buttons show success messages or generated passwords in JavaScript without database updates. (Spec p. 7)
Admin can manage departments, programs, subjects, terms, document types, and clearance requirements.	OPEN	php/admin/systemSettings.php displays sample rows and simulated actions; changes do not persist to the database. (Spec p. 7)
Admin can update global settings that govern units, lockout, and session timeout.	PARTIAL	Settings table and enrollment unit-limit lookup exist, but settings page save is simulated; lockout and timeout values are not applied dynamically. (Spec pp. 7, 14)
Audit viewer filters and displays system events; activity data is available.	DONE	Admin monitoring/report pages use audit-page-data.php and AuditLog queries for logs and login summaries. (Spec pp. 7, 14)
Admin reports show user totals per role and operational enrollment/request/payment totals.	PARTIAL	Audit/activity reporting is data-backed, but the full operational totals report is not evidenced as live. (Spec p. 7, 14)

Shared UI, data rules, and operations

9 checks: 1 done, 5 partial, 1 open, 2 not verified.

Requirement	Status	Implementation evidence / remaining work
Printing uses the browser for receipt and fully cleared student clearance.	DONE	Receipt and clearance pages invoke browser printing. (Spec p. 2)
A request slip print view is available to the student.	OPEN	No dedicated printable request-slip action was found in the student request workflow. (Spec p. 2)
Responsive navigation and scrollable wide tables are used across modules.	PARTIAL	Many pages include mobile menu controls and horizontally scrollable tables; consistency and device testing are not complete. (Spec p. 13)
Staff pages use the specified left sidebar; shared reusable components are used consistently.	PARTIAL	The UI is modern and some logic is shared, but staff pages mainly use top navigation and duplicate page markup. (Spec pp. 2, 13)
Tables provide search, filters, sorting, and 10–15 row pagination with empty states.	PARTIAL	Several queues have functional search/filter and empty states. Sorting and consistent server-side pagination are generally missing. (Spec p. 13)
Action confirmation, accessible labels, and duplicate-submit/loading states are consistent.	PARTIAL	Some actions use confirmation modals, labels, and loading feedback; coverage is inconsistent. (Spec p. 13)
Operational pages avoid hard-coded demo records and read from seed/database data.	PARTIAL	Core student/registrar/cashier workflows are database-backed; Admin management/settings and Department report still show hard-coded sample content. (Spec pp. 2, 14)
Performance target, 50 concurrent users, browser compatibility, HTTPS deployment, and uptime have been verified.	UNVERIFIED	No load, browser-matrix, production HTTPS, or uptime evidence is in the repository. (Spec p. 14)
Database backup is taken before deployment.	UNVERIFIED	A schema and seed exist, but no deployment backup procedure/evidence is present. (Spec p. 14)