1. Cataloguing

Before you start cataloging in Alma you're going to want to do some basic setup. Refer to the Implementation Checklist for a full list of these things. Most importantly you're going to want to make sure that your MARC Bibliographic Frameworks are all defined the way you want.

You can also use OCLC Connexion to send records directly in to Alma. For more information on that please review the OCLC Connexion Gateway setup Appendix.

- *Get there:* Resources > Open Metadata Editor (MDE)

Bibliographic Records

In Alma the bibliographic record contains the main information related to the material. This includes things like the title, author, ISBN, etc. This information is stored in Alma in Marc (different flavors of Marc are supported in Alma). Once this information is saved, Item Records can be attached.

Adding Records

Records can be added to Alma via original or copy cataloging. You can also choose to use the basic or advanced cataloging interface for all of your work.

If you would like to catalog a record using a blank template in the basic editor Click

- Open the Metadata editor > New



- Choose the framework you would like to base your record off.
- If you want to catalog a record based on an existing record at another library in the editor used (basic or advanced) Click Search & Browse > Search Resources



Search for the item you would like to catalog

Note:

If no results are found, try searching for fewer fields, not all Search Resources targets can search all of the fields above.

- Search targets can be altered by using the Search Resources area.
- From the results you can view the MARC or Card view for the records or choose to Import them into Alma.



- In addition to the Import link to the right of each title, you can click on the title you're interested in and a menu will pop up with links to preview the record and import it.

25 years of the Department of Library Science (1956-1981) / Department of Library Science, University of Ka...

Record | View Only

LDR		00915cam#a2200241la#4500
001		ocm09932844
005		20221114052826.0
008		830921s1981####pk#a##########000#0#eng#d
035		$$a (OCoLC)9932844
035		$$a (OCoLC)ocm09932844#
040		$$a WID $$b eng $$c WID $$d OCLCQ $$d OCLCO $$d OCLCA $$d OCLCF
092		$$a 020 711549 $$b T918
245 0	0	$$a 25 years of the Department of Library Science (1956-1981) / $$c Department of Library Science, University of Karachi
260		$$a Karachi : $$b The Department, $$c 1981
300		$$a 36 pages ; $$c 30 cm
336		$$a text $$b txt $$2 rdacontent
337		$$a unmediated $$b n $$2 rdamedia
338		$$a volume $$b nc $$2 rdacarrier
610 2	0	$$a University of Karachi. $$b Department of Library Science $$x History
610 2	7	$$a University of Karachi. $$b Department of Library Science. $$2 fast $$0 (OCoLC)fst01854046
655	7	$$a History. $$2 fast $$0 (OCoLC)fst01411628
948		$$h NO HOLDINGS IN KUSTR - 3 OTHER HOLDINGS
994		$$a Z0 $$b KUSTR

Back to results | 4/7 | Import | Execute

- If you don't find the title you need in your Search Resources results you can click the Try Another Search by clicking button at the bottom left of your results "Back to results".

25 years of the Department of Library Science (1956-1981) / Department of Library Science, University of Ka...

Record | View Only

LDR		00915cam#a2200241la#4500
001		ocm09932844
005		20221114362826.0
008		630921s1961####pk#a#########000#0#eng#d
035		$$a (OCoLC)9932844
035		$$a (OCoLC)ocm09932844#
040		$$a WID $$b eng $$c WID $$d OCLCQ $$d OCLCO $$d OCLCA $$d OCLCF
092		$$a 020.711549 $$b T918
245 0	0	$$a 25 years of the Department of Library Science (1956-1981) / $$c Department of Library Science, University of Karachi
260		$$a Karachi : $$b The Department, $$c 1981
300		$$a 36 pages ; $$c 30 cm
336		$$a text $$b txt $$2 rdacontent
337		$$a unmediated $$b n $$2 rdamedia
338		$$a volume $$b nc $$2 rdacarrier
610 2	0	$$a University of Karachi. $$b Department of Library Science $$x History
610 2	7	$$a University of Karachi. $$b Department of Library Science. $$2 fast $$0 (OCoLC)fst01854046
655	7	$$a History. $$2 fast $$0 (OCoLC)fst01411628
948		$$h NO HOLDINGS IN KUSTR - 3 OTHER HOLDINGS
994		$$a Z0 $$b KUSTR

Back to results | 4/7 | Import | Execute

Basic Editor Cataloging

In the basic editor once you've opened a blank framework or imported a record via Search Resources you will be presented with the form to continue cataloging



- To expand a collapsed tag click on the tag description
- To get help from the Library of Congress on a Marc tag click the three dotes "*field information*" to the right side of end each field number.
- Authority records can be leveraged in Alma. When a field has the sample icon next to it, means that the bibliographic heading is linked to a authority record.





- Let's add new filed which is new subject or Author go to edit action and add filed and for the subject put in the second indicator (0) to indicate that this is a library Congress subject heading. Make sure to choose an authority subject. Start typing and click function key F3. The library of Congress subject headings opens because of the second indicator. Select one of these subject of LC, some of the Subject does not have star next to it because it is non-preferred heading. View an authority record, and if you like what you see, select it to populate the file.

- From the results list click 'view or select' to bring that into your catalog record
- To duplicate a field press on the 'Ctrl + F8 or click on Editing Actions > Add Field icon. To duplicate a field with same content as the in the source flied we have to choose editing action > copy field + paste the content of a field, that will create new subfields with the same content as in the source field.'
- To remove a subfield (if there is more than one of the same type), click the field and active it then press delete button.



- To use a plugin, click on the three dots to the right of the field



- Some fixed fields have editors that will change based on the material type you're cataloging (for example the 006 and the 008 fields)



- Once you've finished, click the 'Save' button at the top and choose whether you want to save and view the bib record you have created or continue on to add/edit items attached to the record when you done or save it as draft for later checking. don't forget to save and Release Record on the last stage of editing.



- If you are about to add a duplicate record to the system you will be warned before saving .



Editing Records

To edit a record, you can click the Edit button on the Right of the bibliographic record or by opining the bibliographic record and choosing Edit.

The record will open in the MARC editor



The alternative is to search via Search Resources to overlay your record with a fuller record found at another library. You can do this by choosing 'Search Resources' from the function menu.



Once you choose that you will be brought to a Search Resources window to search other libraries for the record in question.

Once you have made your edits (via either method) you can click 'Save' the top left of the function menu.

Duplicating Records

Sometimes a copy of the record you need to catalog can't be found via Search Resources. In these cases, you can create a duplicate of similar record and edit the necessary pieces to create a new record. To duplicate an existing record, click on the existing record and in the tool function click on Record Actions > Duplicate Records.



This will open a new MARC record with the fields filled in with the values from the original Bibliographic Record.

Merging Records

Merging Bibliographic Records

To merge bibliographic records, you must have the following role:

- Cataloger Extended.

To merge two bibliographic records using the MD Editor:

1. Locate the two bibliographic records that you want to merge. The primary record will be updated with the information from the secondary record.
2. Edit both records so that they both appear under the Records tab in the MD Editor.



Bibliographic Records under the Records Tab

3. From the Navigation pane under the Records tab, select the primary record.



4. Select the **Split Editor** icon and select the secondary record so that it appears on the right.





5. Select **Record Actions > Merge Records & Combine**.



The **Merge Records and Combine Inventory** dialog box appears.

When doing Merge & Combine, the inventory of the secondary (non-preferred) record to be moved is shown in the counter only if it is a local record. This is true in both the below cases: if you are logged in to the institution that has a local (cached) version.

When Merge & Combine is performed in a standalone institution, where both records are local in any case,

6. Review any messages displayed. In particular, note that this operation is not reversible.

   Under **You are about to move the following**, the system lists the changes that will occur after the merge. In addition, holdings requests, loans, and reading lists attached to the secondary record will be updated. Plus, in a record related to the secondary record, the MMS ID specified in any of the 76X–78X fields of the related record will be changed to the MMS ID of the primary record specified in the Merge Records and Combine Inventory process.
7. Select a merge routine from the drop-down list. The merge routines that appear in the list are pulled from the Merge Rules list under the Rules tab in the MD Editor.



8. To preview the merge results, select **Show merge preview**. Select **OK** to close the Merge Preview view.





Merge Preview

9. Optionally, select **Update holdings call number**. When you select this option, the system updates the call number information (using the bibliographic call number) for all the holdings associated with the primary record. This change is applied to the holdings associated with the primary record after the bibliographic merge was processed. Note that if one of the call number fields is updated in the bibliographic record, this may affect the call number that eventually appears in the holdings records.
10. Select how you want to handle the secondary bibliographic record (after the merge) from the following options:
    - Delete
    - Suppress
    - Keep it
11. When you are ready to merge the two records, select **OK**.

If there is a constraint that prevents merging the two bibliographic records, such as if the primary record is linked to the Community Zone, or there is a fulfillment issue with the secondary record, the system will not merge the bibliographic records and provide warning messages.

For records related to the secondary record, the Related Records status (after a merge and combine) in the Other Details tab (of search results) is updated to reflect the new relationship to the primary record only after the MMS - Build Record Relations (Repository) job is run.



Related Record Indication Prior to Overnight Job

When the secondary record has a related record with the MMS ID of the secondary record specified in any of the 76X–78X fields, then during the merge process the MMS ID is updated to the MMS ID of the primary record in order to maintain a relationship (and avoid having a related record with no parent relationship, an "orphan record").





Record Related to Secondary Record Prior to Merge / MMS ID in 773$w



Secondary Record with Related Record Prior to Merge

Note:

If you would like you can also use the Lists tool for merging records together.

Deleting Records

To delete an individual bibliographic record:

- Select **Delete Bibliographic Record** under **Record Actions**.



Bibliographic records can only be deleted one all holdings and items have been deleted. If you try to delete a bibliographic record with items still attached you will see that the Confirmation required box appears



Holding Records

Holdings records identify the physical location of items. They exist for physical materials only.

You cannot create an item record without first creating a corresponding holding, though many processes in Alma will create the holdings record for you (ordering, quick item creation, etc.).

All holdings must be linked to bibliographic records, and all items must be linked to holdings.

If you start by creating an order (a Purchase Order Line or POL) or from the Quick Cataloging menu, Alma will create a stub holding for you.

Holdings are viewable in the main Alma interface, and editable in the Metadata Editor.

Only item-less holdings can be deleted, as can be seen in the following diagram.



A single MD record may have multiple holdings records linked to it.

A single holdings record may have multiple item records attached to it.

To create a holding for existing bibliographic record > open the bib record > choose Holdings > +Add new Holdings > fill the needed information > save.



OR

From the bib (or an existing holding record) open in the Main Pane > Select the menu option Add Inventory > Add MARC21 Holdings > Books (Default) > fill the needed information > save.

Copies that will be shelved together share one holdings record

If the copies will be shelved in more than one locations, there will be one holdings record for each location



Item Records

In Alma each bibliographic record can have one or more items attached. These items are sometimes referred to as holdings. Each item includes information to the physical copy the library has.

Adding Items

After saving a new bibliographic record, you will be redirected to a blank item record so that you can attach an item to the bibliographic record after creating holdings as following:

1. Open the record that needed to add item/items.
2. Click on the three dote button "More Actions menu"
3. Click on View Items
4. Select Add Item
5. Enter the Material Type & Provenance, then click in the Barcode field and scan a new barcode (this will save and close the item screen).


Monitor Jobs | Review (PO line) | Receiving Department Items | Open Metadata Editor | Search Resources
List of Items
Real-time lecture [(video recording]. IEEE March 1998.
1 - 1 of 1
Barcode
Sort routine
0 rows selected
Manage Selected
Add Item
Status : All
Year : All
Volume : All
Description : All
Receive Date : All
Barcode
Library
Location
Call Number
Item Call Number
Temporary Location
Year
Volume
Description
Status
Process type
Access Number
Receiving date
V258
MCL
Multi...
No
Item in place
09/06...

Physical Item Editor



Editing Items

In ALMA, enter search strategy in the persistent search box at the top of the page to identify item to edit. It is recommended to use the PHYSICAL ITEM search.

When identified, click on the three dote button "More Actions menu" > select ITEMS > click on the three dote button "More Actions menu"> Edit > item screen will pop up for make the appropriate changes to the record, such as:

- Barcode
- Permanent Location
- Temporary Location

Click Save > Click Back (or < arrow)

جامعة خليفة Khalifa University	KU LIBRARIES	Date: 05/12/2022
	Alma Manual	

To change item records from a set using the "Change Physical Items" job:

1. Create a logical or itemized set of physical items
2. Run the "Change Physical Items" job on the set

- Go to *Admin>Manage Jobs and Sets>Run a Job*
- Select the Change physical items job
- Click Next
- Click on the radio button next to the itemized set created in step 1
- Click Next
- The Run a Job - Enter Task Parameters screen open
- Select the parameters to be changed and conditions on how the parameters should be changed
- Click Next
- Click Confirm when the pop-up confirmation message appears
- Click Submit



	Name	Description	Content Type	Type
2...	Marc21 Bib Re-sequence	Marc21 Bib Re-sequence	Bibliographic title	Marc 21 Bib normalization
2...	Marc21 Bib normalize on save	Normalize Marc 21 Bib while saving	Bibliographic title	Marc 21 Bib normalization
2...	Marc21 Bib Initial Normalization	Initial normalization for Marc21 Bib record	Bibliographic title	Marc 21 Bib normalization
2...	Legal Deposit Annual Receipt Task	Legal Deposit Annual Receipt Task Chain	VENDOR	Vendor reports
2...	Import CZ Records from CN members task	Import CZ Records from CN members task.	CN import CZ members	Import
2...	Identifying Brief Level	Calculates the brief level of the record	Bibliographic title	Management tags
3...	Export Physical items labels	Export Physical items labels for printing	Physical item	Export
3...	Export Physical items	Export Physical items	Physical item	Export
3...	Export Bibliographic records	Export a set of Bibliographic records	Bibliographic title	Export
3...	Export Authority records	Export a set of Authority records	Authority record	Export
3...	Delete local Authority records	Delete a set of local Authority records	Authority record	Withdraw
3...	Delete Bibliographic records	Delete a set of Bibliographic records	Bibliographic title	Withdraw
3...	Create Physical item move requests	Update Physical item information and initiate moving a set of Physical items to a new location	Physical item	Information Update
3...	Change Record DC Application Profile	Change the schema of DC/MI records	Digital title	Metadata Management
3...	Change PO Lines Status	Change PO Lines Status for PO Line set	Purchase order line	Update PO lines
3...	Change Physical items information	Update Physical item information for a set of Physical items or Physical titles	Physical item	Information Update
4...	Change Holdings information	Update Holdings information for a set of Physical items or Physical titles	Physical item	Information Update

Duplicating Items

You can easily duplicate each item by Opening the bib records and click items > click on the three dote button "More Actions menu"> the left of each item on the list items screen > click on Duplicating



Item Information

To the bottom of every bibliographic record there is a tab to view the items.

Clicking that tab will give you basic information about the items. From here you can see basic information about the item such as the home library, collection code, call number. You can also see and edit the status information. If an item is marked missing or withdrawn you will also see the date that status was applied.

A barcode is an active link that you can click and see more information about the item.

Moving Items

Moving an Item to an Existing Holding on a Different Bib Record:

Let's say book was accidentally received as the English edition when in fact it's the Korean edition.

1. Click on Items to see the List of Items
2. Select the item you want to move using the checkbox, then click on Relink to another Bib
3. Click on Select from a bib to search for the bib record you want to move the item to; again, it's helpful to have specific information like the OCLC number on hand.
4. Select the bib record you want from the list to see the list of holdings
5. Use the checkbox to select the target holding and choose Select in the upper right corner
6. You'll see a message that the item was successfully relinked

Moving an Item to a New Holding on a Different Bib Record:

From this same spot, I can show you that if you needed to move an item to a new holdings record on a new bib record, you'd follow these exact same steps:

1. Search for the Title
2. Click on Items to see the List of Items
3. Find the item you want to move
4. Tick on the checkbox
5. Click on Relink to another Bib
6. Search for the bib record you want to move it to

7. Instead of selecting an existing holdings, click on Add new holdings
8. The MD Editor will open with a blank holdings record
9. At minimum, you need to add the 852 information - open the form, choose the location and shelving location
10. Continue adding any relevant holdings information
11. When you're done, Save & Release the record
12. Select the Back button in the upper right corner. This will take you back to your relinking page.
13. Your new holding is now in the list of holdings, with the circle to select it already selected
14. Click on Select.
15. You'll see a message that the item record was successfully relinked to the new holding on the new bib

Deleting Items

There are many ways to delete item records. If you only need to delete one item, you can do this by opening up the detail page for the bib record and clicking the 'items' button at the bottom.

You will be presented with a list of items and next to each one will be the three dote button "More Actions menu"> Click that button and choose "Withdraw".

If you know that all of the items attached to your record are not currently checked out, you can use the Delete all items by checkboxes appear to the left of each items you would like to delete and click withdraw. it will remove all items from the record.



Finally you can use the batch delete tool to delete a batch of items.

Missing Item Records

"Lost" items are defined as items that have been loaned to a patron, have been declared lost by the patron, or the item is acutely overdue and presumed lost as a result.

- Items should only be marked as "Lost" when they are on loan and are considered lost based on the above parameters
  - Items cannot be changed to a process type of "Lost" from the item record
  - The Item's process type should be changed to "Lost" in Fulfillment from the patron record
- Items should be marked "Missing" if they are not found in the library collection and they are not on loan

Repository Search for Missing Items in Alma
Missing items can be found by performing an advanced repository search in the Institution Zone (IZ) for **Physical Titles or Physical Items: Physical Item: Process Type: Equals: Missing**

Manually Mark an Item as Missing

1. Perform a Physical Titles repository search in the Institution Zone
2. Click Items from the ellipses
3. Click Toggle Missing Status from the ellipses of the item that needs to be marked as missing
4. The item's process type will be "Missing" and the item's status is now changed from "Item in Place" to "Item Not in Place"

	Barcode	Location	Description	Status	Process type	Receiving date	Item Call Number	Call Number	
1	30264009029600	Circulating Collection	-	Item not in place	Missing	01/06/2014	-	RA781.7 .B4713 2003	...

Manually Change a Missing Item Back to Available

1. Perform a Physical Titles repository search in the Institution Zone
2. Click Items from the ellipses
3. Click Toggle Missing Status from the ellipses of the item that is no longer missing
4. The item process type will be empty and the item's status will be change from "Item Not in Place" to "Item in Place"

	Barcode	Location	Description	Status	Process type	Receiving date	Item Call Number	Call Number	
1	30264009029600	Circulating Collection	-	Item in place	-	01/06/2014	-	RA781.7 .B4713 2003	...

Marking a set of Items as Missing or in Place

The "Change Physical Items" job can be run on a set of physical items to change the item process type to "Missing" and change the item status from "Item In Place" to "Item Not In Place," or to change it back to Item in Place:

1. Create a logical or itemized set of physical items:
    1. Scan the barcodes in Excel and save the set as an Excel file or .csv
        - Make sure the Header for the barcode column is Barcode
    2. Go to Admin>Manage Jobs and Sets>Manage Sets
    3. Click Add Set
    4. Select Itemized
    5. The Set Details screen opens
        - Name: [mandatory]
        - Description: [optional]
        - Set Content Type: Physical Items
        - Private: [Defaults to Yes, can change it to No if others need access to the set]
        - Active: Yes
        - Add Contents from file to set: From file
        - Upload the file by clicking on the file icon
        - Click Save
2. Run a job on the set
    1. Go to Admin>Manage Jobs and Sets>Run a Job
    2. Select the Change physical items job

3. Click Next
4. Click on the radio button next to the itemized set created in step 1
5. Click Next
    - Under Change other fields:
        1. Click on the check box next to missing
        2. From the Missing drop-down select Missing or leave it blank if you're switching to Item in place
        3. Condition: [keep unconditional]
        4. Click Next
        5. Review the job parameters
        6. Click Submit
        7. Click Confirm when the pop-up confirmation message appears

Authorities

Authority records are a way of controlling fields in your MARC records. Using authority records will provide you with control over subject headings, personal names and places.

Search for Authorities

Press F3 to browse authority headings. (There does not seem to be an equivalent of F3 through the menus). You are then presented with a list of authorities derived from the Alma Community Zone.
Let's add new 650 filed which is new subject go to edit action and add filed and for the second indicator add 0 to indicate that this is a library Congress subject heading. Make sure to choose an authority subject. Start typing and click function key F3, the library of Congress subject headings opens because of the second indicator, you can select one of these subject of LC.

Note the symbols on the left of the headings:

- A link symbol 🔗 indicates an authorised heading to which the current heading is already linked
- A star symbol ★ indicates an authorised heading.

- No symbol indicates a non-preferred term



Click on the "View" button on the right of the screen to view the MARC21 authority record. The editing window is then split with the list of headings on the left and the MARC21 authority record on the right.

You can click on the "Bibliographic Records (##)" tab to view a list of Alma bibliographic records which contain that heading. (The number in brackets is a count of records with that heading.):



It is possible to change the search in the list of headings. Click on and edit the field above the list of headings then press the search button. However, this also changes the heading in the record itself.

Click on the "Select" button next to a heading to select it. The heading is linked and editing is returned to the bibliographic record.

If you do not wish to select a heading, click on cancel and you will be returned to the bibliographic record. (Note that Alma will attempt to link the heading to an authority record when it saves anyway.)

If Alma has linked a heading to an authority record, a binoculars symbol will appear to the left of the heading in the Metadata Editor:



After making changes to the record, don't forget to save it by clicking Save. You can also save the record as a Draft, if you don't want the changes to appear yet in discovery. The top ribbon indicates this record is a Draft, until you save it again.



Upon saving, Alma does some normalization on the record, such as adding the MMS ID (which is the record's ID in Alma) to the 001 field.



Adding Authority Records for Headings with no Match:

To add authority records for headings with no match:

- Open a new or existing bibliographic record in the MD Editor.
- In an authority-controlled field, enter headings information that you know does not exist in an authority record and press **F3**. The field appears in the normal manner with the addition of the **Create Authority Record** option.

Create Authority Record Option

- Select **Create Authority Record**. The new authority record is created and displays in the MD Editor in the side-by-side, split screen format.



Quick Authority Record Created

- The list of authority records in the MD Editor also shows the new authority record that you created.



List of Authority Records in the MD Editor

- When you create authority records using Create Authority Record and the focus field when you press F3 is a non-preferred field such as the 600 field, the content is placed in the preferred field 100 in the new authority records that is created.
- Complete processing the bibliographic record as you normally would.

For more option on Authorities open the below link :
Working with Authority Records - Ex Libris Knowledge Center (exlibrisgroup.com)

Saving and Releasing Records

Saving and Releasing Records

➢ Auto-save

Alma automatically saves a record that is being edited. This happens 30 seconds after any change is made. This is the same as the manual Save Draft. Auto-Save should not be relied on as a standard way of saving a record.

There are various different ways of saving records in Alma:

- Save Draft
- Save Record
- Save and Release Record
- Release record
- Save as Template



Note on releasing records. When you release a record, two things happen:

1. The record is released for other cataloguers to edit. A record is automatically released for editing one hour after you last edited it anyway
2. The record is removed from your list of records. There is no easy way to see what you have recently edited, so make sure you are sure you want to release any records.

➢ Save Draft

Click on *Save >Save Draft* (or: Ctrl+Alt+S). (This function is the same as auto-save.)

Does:
Validate the record
Save the record on user's account

Does not:
Save the record on Alma for others to see
Release the record for others to edit
Make any changes visible on Primo

- **Save Record**

Click on *Save>Save* Record (or: Ctrl+S)

OR

Does:
Validate the record
Save the record on user's account
Save the record on Alma for others to see
Make any changes visible on Primo

Does not:

Release the record for others to edit

When you try to save a record, Alma will sometimes ask if you want to view matched records in the catalogue before saving. These matches are unlikely to be exact in many cases, so just click *No*.

- **Save and Release Record**

Click Save > Save and Release Record (or: Ctrl+Alt+R)

Does:
Validate the record
Save the record on user's account
Save the record on Alma for others to see
Release the record for others to edit
Make any changes visible on Primo

Does not:

N/A

- **Release Record**

Click on Record Actions > Release Record (or: Alt+Shift+R)

Does:

Release the record for others to edit

Does not:
Validate the record
Save the record on user's account
Save the record on Alma for others to see
Make any changes visible on Primo



You can also release all currently displayed records in the Navigation bar via the Release Records icon .



Alma also validates the record upon save, and will display any warnings and errors in the bottom panel .



Expand the panel to see the warnings, and click on each individual warning to jump to that field and correct the warning.

Cataloging Guides

Bibliographic Record Cataloging Cheat Sheet

Tag	Label	Description	Instructions
000	LEADER	Describes the record(i.e. surrogate) -- is it a record for a monograph? A serial?	Click in this field to fill it in. Then set "Bibliographic level" to 'a' for articles or 's' for serials. Otherwise, leave everything as is.
001	CONTROL NUMBER	Accession number.	Enter the accession number written inside the item here. For articles and items which do not have accession numbers, leave blank.
003	CONTROL NUMBER IDENTIFIER	Your MARC Organizational Code	Click in this field to fill it in (will auto fill if you have your MARCOrgCode preference set).
005	D & T LATEST TRANSACTION	Current date and time.	Click in this field to fill it in.
008	FIXED-LENGTH DATA ELEMENTS	Field containing computer-readable representations of a number of things.	Generally you will only use 's' (single) or 'm' (multiple) options for position 06- use the former when the item was published in a single year, the latter when it was published over the course of several. If there is a single date, only enter a date in the first date field (positions 07-10). Enter the three-digit country code in positions 15-17, being sure to add spaces if the country code is fewer than three characters long. If there is an index, note that fact in position 31. Enter the three-letter language code in positions 35-37.
010	LCCN	A number assigned by the Library of Congress to uniquely identify the work.	Check on the copyright page of the book (if it was published in the US) or the LC catalog for this number. If you can't find it, don't worry about it.
020	ISBN	Unique number used by publishers to identify books.	If this number isn't listed on the book, there probably isn't one.

Tag	Label	Description	Instructions
022	ISSN	Unique number used by publishers to identify serials.	If this number isn't listed on the book, there probably isn't one.
033	DATE/TIME OF EVENT	Used for auction dates. Required for auction catalogs.	For auctions that took place on only one day, enter the date of the auction in the format YYYYMMDD in the subfield 'a' and a '0' in the first indicator. For auctions that took place over two consecutive days or any number of non-consecutive days, create a subfield 'a' for each day with the date in the format YYYYMMDD, and put a '1' in the first indicator. For auctions that took place over more than two consecutive days, create a subfield 'a' (in format YYYYMMDD) for the first day and a subfield 'a' (also in format YYYYMMDD) for the last day, and put a '2' in the first indicator.
040	CATALOGING SOURCE	Identifies which libraries created and modified the record.	For imported records, add a subfield 'd' with your OCLC code as the value. For new records, make sure that the subfield 'c' with your OCLC code as the value.
041	LANGUAGE CODE	Identifies all the languages used in an item, when two or more languages are present.	For significant portions of a text in a given language, there should be a subfield 'a' with that language code. If there are only summaries or abstracts in a specific language, create a subfield 'b' with that language code.
100	MAIN ENTRY--PERSONAL	Authorized form of the main author's name	See Authorized headings sheet and AACR2. The first indicator should generally be a '1', to indicate that the entry is surname first. If the name consists only of a forename, however, the first indicator should be '0'.
110	MAIN ENTRY--CORPORATE	Authorized form of the name of the main corporate author. Required for auction catalogs.	Auction catalogs should use a 110 field rather than a 100 field. See Authorized headings sheet and AACR2. Set the first indicator to '2'.
111	MAIN ENTRY--MEETING	Authorized form of the name of a meeting which acted as a main	See Authorized headings sheet and AACR2. Set the first indicator to '2'.

Tag	Label	Description	Instructions
		offer (e.g. conference proceedings)	
245	TITLE STATEMENT	Transcription of the title statement from the title page (or chief source of information)	Enter the title in subfield 'a', the subtitle in subfield 'b', and the statement of responsibility in subfield 'c'. If you are creating a record for a single volume or part of a multi-part item, you should put the part number in subfield 'n' and the part title in subfield 'p.' For auction catalogs, the date (in 'MM/DD/YYYY' format) should be listed in square brackets in subfield 'f'. See ISBD punctuation sheet. Set the first indicator to '0' if there is no author, otherwise set it to '1'. Set the second indicator to the number of non-filing characters (i.e. characters in an initial articles plus the space... for "The " set the second indicator to '4').
246	VARYING FORM OF TITLE	Alternate form of title for searching and filing purposes	If the patron might look for the work under a different title, enter it here. Do not include initial articles. The first indicator should be '3', unless the title is merely a variant spelling, in which case the first indicator should be '1'.
250	EDITION STATEMENT	Transcription of the edition statement from the title page (or chief source of information)	Transcribe the edition statement exactly as it appears on the title-page. You may abbreviate if the edition statement is very long.
264	PUBLICATION (IMPRINT)	Publication information.	Put the location of publication in subfield 'a', the publisher in subfield 'b', and the year (or probable year) in subfield 'c'. See ISBD punctuation sheet.
300	PHYSICAL DESCRIPTION	Physical description	Enter the pagination statement in subfield 'a', a brief description of "special" contents such as illustrations or maps in subfield 'b' (see AACR2), and the size of the item in subfield 'c'. See ISBD punctuation sheet.
490	SERIES STATEMENT	Shows the series statement exactly as it appears on the item.	Transcribe the series statement into subfield 'a' with the volume number in subfield 'v'. See ISBD punctuation sheet. Set the first indicator to '1' if

Tag	Label	Description	Instructions
			you are using an 830. As a general rule, you should do so.
500	GENERAL NOTE	Notes that don't fit anywhere else.	Enter notes as full sentences, with a separate 500 field for each distinct topic.
501	WITH NOTE	Notes whether the work is bound with the works described by other records.	Put description of relationship in subfield 'a'.
504	BIBLIOGRAPHY, ETC. NOTE	Indicates whether the work includes a bibliography.	If the work includes a bibliography and index, put the text "Includes bibliographical references (p. XXX-XXX) and index." in subfield 'a'. If the work does not include an index, remove that part of the sentence. If the references are scattered throughout the work and not gathered into a distinct sentence, remove the parenthetical statement.
505	FORMATTED CONTENTS	List of contents in a standard format. Unformatted contents can be listed in a 500 (General Note) field.	See ISBD punctuation sheet. Set the first indicator to '0'. If you are separately coding authors and titles, set the second indicator to '0'. Otherwise, leave the second indicator blank.
518	DATE/TIME OF EVENT NOTE	Used for auction dates.	For auction catalogs, enter the date of the auction in the format 'January 2, 1984' in the subfield 'a'
520	SUMMARY, ETC.	A brief summary or abstract of the book or article.	In general you do not need to write a summary. A summary might be called for, however, with items that cannot be easily reviewed by a patron, such as books with highly acidic paper or CD-ROMs.
546	LANGUAGE NOTE	Note describing the languages used in the work	Only needed for works in multiple languages. See ISBD punctuation sheet.
561	PROVENANCE INFORMATION	Describes the previous ownership of the item.	Used only for rare books.
563	BINDING INFORMATION	Describes the binding of the item.	Used only for rare books.

Tag	Label	Description	Instructions
590	LOCAL NOTE	Local notes. Required for auction catalogs.	Used for auction catalogs to indicate what types of coins are sold in the auction- Roman, Greek, etc.
600	SUBJECT ADDED--PERSONAL	Authorized form of personal names for people discussed in the work	See Authorized headings sheet and AACR2. The first indicator should generally be a '1', to indicate that the entry is surname first. If the name consists only of a forename, however, the first indicator should be '0'. If you found the name in the LC authority file, set the second indicator to '0'. Otherwise set the second indicator to '4'.
610	SUBJECT ADDED--CORPORATE	Authorized form of corporate names for organizations discussed in the work	See Authorized headings sheet and AACR2. Set the first indicator to '2'. If you found the name in the LC authority file, set the second indicator to '0'. Otherwise set the second indicator to '4'.
611	SUBJECT ADDED--MEETING	Authorized form of meeting names for meetings discussed in the work	See Authorized headings sheet and AACR2. Set the first indicator to '2'. If you found the name in the LC authority file, set the second indicator to '0'. Otherwise set the second indicator to '4'.
630	SUBJECT ADDED--UNIFORM TITLE	Authorized form of titles for other works discussed in the work	See Authorized headings sheet and AACR2. Set the first indicator to the number of non-filing characters (i.e. characters in an initial articles plus the space... for "The " set the first indicator to '4'). If you found the name in the LC authority file, set the second indicator to '0'. Otherwise set the second indicator to '4'.
650	SUBJECT ADDED--TOPICAL	Library of Congress Subject Heading terms describing the subject of the work	See Authorized headings sheet and AACR2. If you found the name in the LC authority file, set the second indicator to '0'. Otherwise set the second indicator to '4'.
651	SUBJECT ADDED--GEOGRAPHICAL	Library of Congress Subject Heading geographical terms describing the subject of the work	See Authorized headings sheet and AACR2. If you found the name in the LC authority file, set the second indicator to '0'. Otherwise set the second indicator to '4'.

Tag	Label	Description	Instructions
655	INDEX TERM--GENRE/FORM	Describes what an item is as opposed to what the item is about.	Generally used only for auction catalogs, which should have the genre heading "Auction catalogs." (make sure to find the authorized heading!) If you found the name in the LC authority file, set the second indicator to '0'. If you are using a term from a specific thesaurus, set the second indicator to '7' and put the code for the thesaurus in subfield '2'. Otherwise set the second indicator to '4'.
690	LOCAL SUBJECT ADDED--TOPICAL	Used for headings from any custom subject authority file.	If there is no appropriate LCSH term, you can use a 690 with subject headings you find on other items in the catalog.
691	LOCAL SUBJECT ADDED--GEOGRAPHICAL	Used for headings from any custom subject authority file.	If there is no appropriate LCSH term, you can use a 691 with subject headings you find on other items in the catalog.
700	ADDED ENTRY--PERSONAL	Used for second authors and other persons related to the production of the work.	See Authorized headings sheet and AACR2. The first indicator should generally be a '1', to indicate that the entry is surname first. If the name consists only of a forename, however, the first indicator should be '0'.
710	ADDED ENTRY--CORPORATE	Used for corporate bodies related to the production of the work (e.g. publishers).	See Authorized headings sheet and AACR2. Set the first indicator to '2'.
711	ADDED ENTRY--MEETING	Used for meetings related to the production of the work (e.g. symposia that contributed to the work).	See Authorized headings sheet and AACR2. Set the first indicator to '2'.
730	ADDED ENTRY--UNIFORM TITLE	Used for uniform titles related to the production of the work (e.g. a work that inspired the present work)	See Authorized headings sheet and AACR2. Set the first indicator to the number of non-filing characters (i.e. characters in an initial articles plus the space... for "The " set the first indicator to '4').

Tag	Label	Description	Instructions
773	HOST ITEM ENTRY	Describes the larger bibliographic unit that contains the work (e.g. book or journal containing the article being described in the current record)	If the host publication is author main entry, enter the authorized form of the author's name in subfield 'a'. Put the title in subfield 't'. If the host publication is an independent work, put publication information in subfield 'd'. When available, ISSN and ISBN should always be used in, in subfields 'x' and 'z' respectively. Relationship information (e.g. volume number, page number, etc.) goes in subfield 'g'. Subfield 'q' contains an encoded representation of the location of the item: volume, issue, and section numbers are separated by colons, and the first page is entered following a '<' at the end of the subfield. See ISBD punctuation sheet. Set the first indicator to '0'. If you want the label "In:" to be generated, leave the second indicator blank. If you want something else displayed before the 773 text, set the second indicator to '8' and add a subfield 'i' with the label you want at the beginning of the field (e.g. "$iOffprint from:").
830	SERIES ENTRY--UNIFORM TITLE	Authorized form of the series name transcribed in the 490 field. Often this will just be the same as the 490.	See Authorized headings sheet and AACR2. Set the second indicator to the number of non-filing characters (i.e. characters in an initial articles plus the space... for "The " set the second indicator to '4').
852	LOCATION/CALL NUMBER	Provides the section name for pre-barcode books, pamphlets, and some articles and serials.	Do not put anything in this field if you are cataloging a volume which gets only one record and a barcode. If the item does not get a barcode, or you are currently creating a record for an article in a volume, put the section in subfield 'a' (see ANS cataloging documentation), and the call number in subfield 'i'. Set the first indicator to '8'.
856	ELECTRONIC ACCESS	Links to material available online.	Put the URL of any electronic copies or summaries, etc. in subfield 'u' and a link title in subfield 'y'. Set the first indicator to '4'.

Tag	Label	Description	Instructions
942	ADDED ENTRY ELEMENTS (KOHA)	Used for Koha-specific data.	Set the subfield 'c' to the appropriate item type.

Table: Cataloging Guide

Item/Holdings Record Cataloging Guide

This table represents the default embedded holdings data in Alma. This information can be used for migration or importing data purposes

MARC21 Tag/subfield	Data Element	Description	Notes
952$0	Withdrawn status	Default values: • 0 = Not withdrawn • 1 = Withdrawn	Coded value, matching Authorized Value category ('WITHDRAWN' in default installation)
952$1	Lost status	Default values: • 0 = Available • 1 = Lost • 2 = Long Overdue (Lost) • 3 = Lost and Paid For • 4 = Missing in Inventory • 5 = Missing in Hold Queue	It's possible to configure Primo so that lost items don't display with the hidelostitems system preference. Coded value, matching Authorized Value category ('LOST' in default installation)
952$2	Classification	Classification scheme that defines	A choice of classification sources as they are defined in administration. If no classification

MARC21 Tag/subfield	Data Element	Description	Notes
		filing rules used for sorting call numbers.	scheme is entered, the system will use the value entered in the DefaultClassificationSource preference.
952$3	Materials specified	Specific issues of serials or multi-part items.	Displayed when items are checked out and in to tell the staff how many pieces the item has. Copy/volume data is stored in 952$h and $t for display in Normal views.
952$4	Damaged status	Default values: • 0 = Not damaged • 1 = Damaged	Coded value, matching Authorized Value category ('DAMAGE' in default installation)
952$5	Use restrictions	Default values: • 0 = No use restrictions • 1 = Restricted Access	Coded value, matching Authorized Value category ('RESTRICT' in default installation). This value has no effect on circulation.
952$7	Not for loan	Default values: • -1 = Ordered • 0 = Available for loans • 1 = Not for Loan • 2 = Staff Collection	Coded value, matching Authorized Value category ('NOT_LOAN' in default installation). Negative number values can still be placed on hold.
952$8	Collection code	Coded value	Coded value, matching Authorized Value category ('CCODE' in default installation)
952$9	Item number	System-generated item number.	Does not display in the item record.

MARC21 Tag/subfield	Data Element	Description	Notes
952$a	Owning Library **	Branch code	**Required.** Code must be defined in Libraries, Branches and Groups
952$b	Holding library ** (usually the same as 952$a)	Branch code	**Required.** Code must be defined in Libraries, Branches and Groups
952$c	Shelving location code		Coded value, matching Authorized Value category ('LOC' in default installation)
952$d	Date acquired	YYYY-MM-DD	Date formats in the 952 subfields are required to be in the system internal format for data loading and subsequent item editing: YYYY-MM-DD
952$e	Source of acquisition	Coded value or vendor string	Filled in automatically with the Koha assigned vendor id by Acquisitions when an item is received.
952$g	Purchase price	Decimal number, no currency symbol (ex. 10.00)	Filled in automatically by Acquisitions when an item is received.
952$h	Serial enumeration		Filled in automatically by Serials if the issue is received there.
952$o	Koha full call number		Can be filled in automatically based on the itemcallnumber system preference.
952$p	Barcode *	Max 20 characters	
952$t	Copy number	Max 32 characters	
952$u	Uniform Resource Identifier	Item specific URL	Full URL starting with http:// Only needed if your item has its own URL, not necessary if the bib record has a 856$u that applies to all items on the record.
952$v	Replacement price	Decimal number, no currency symbol (ex. 10.00)	Filled in automatically by Acquisitions when an item is received.

MARC21 Tag/subfield	Data Element	Description	Notes
952$w	Price effective from	YYYY-MM-DD	Date formats in the 952 subfields are required to be in the system internal format for data loading and subsequent item editing: YYYY-MM-DD. Filled in automatically by Acquisitions when an item is received.
952$x	Nonpublic note		This is a note field for notes that will not appear in the OPAC. Right now this note does not appear anywhere but in the item edit screen in the staff client.
952$y	Koha item type **	Coded value, required field for circulation	**Required.** Coded value, must be defined in Item types
952$z	Public note		

Table: Koha Embedded Holdings Data

* - required for circulation

** - required by Koha

Approval Authority	Signature and Date
Document Owner **Libraries Director** Dr. Abdulla Alhefiti	20/12/2022
Endorsed by **SVP Academics & Student Services** Dr. Ahmed Alshoaibi	Ahmed 20/12/2022