جامعة خليفة
Khalifa University

Approved for Implementation By:

Mr. Belal Irshaid
EH&S Manager

جامعة خليفة
Khalifa University

Content

Section Number	Document Title	Issue Number	Total No. of Pages
KU-FD-EHS-REG-01/A	Content	01	1
KU-FD-EHS-REG-01/B	Document Control Sheet	01	1
KU-FD-EHS-REG-01/C	Document Distribution Sheet	01	1
KU-FD-EHS-REG-01/D	Record of Reviews and Revision Sheet	01	1
KU-FD-EHS-REG-01/E	EHS Generic Risk Register	01	29

Copies of this document available in KU EHS Intranet are only the latest, valid and controlled documents. All other copies are uncontrolled and valid only on the date printed. Last printed: 4/5/2020 3:08:00 PM

جامعة خليفة
Khalifa University

Document Control Sheet

Title of Document : EHS Generic Risk Register
Document No. : KU – FD – EHS – REG – 01

Issue No. : 01
Issue Date : 04/09/2012

Revision No. : 04
Revision Date : 05/04/2020

Activity	Name / Designation	Signature	Date
Prepared by	Roberto Macahig EHS Inspector		30/03/2020
Reviewed / Updated by	Navaz Kannu EHS Compliance Senior Specialist		30/03/2020
Approval & Issue by	Belal Irshaid EHS Manager		05/04/2020

Copies of this document available in KU EHS Intranet are only the latest, valid and controlled documents. All other copies are uncontrolled and valid only on the date printed. Last printed: 4/5/2020 3:08:00 PM

Document Distribution Sheet

This EHS Risk Register (soft copy with password protection), is distributed through' KU Intranet and access provided to concerned KU personnel.

The EHS Risk Register, available in KU Intranet, is the latest version and controlled by the Management Representative, Thro' use of **"**proper document control practices**"**.
The EHS Risk Register available in KU Intranet is a "CONTROLLED" document and it becomes "UNCONTROLLED" when it is printed out

جامعة خليفة
Khalifa University

Record of Reviews & Revisions

REVISION		DESCRIPTION OF REVISION		REVIEWED BY	AUTHORIZED BY
NUMBER	DATE	PAGE NO	COMMENT		
01	12/08/2018	Throughout	Change of Logo	Roberto M.	Belal I.
		Throughout	Hazard identified reassessed	Fadi Al Jallad	Belal I.
02	14/03/2019	Throughout	Activities been revised	Roberto M.	Belal I.
03	19/02/2020	27	Activities been revised and adverse weather included	Navaz K.	Belal I.
		Throughout	Color coded	Navaz K.	Belal I.
		Throughout	Legal requirements connected with control measures where required	Navaz K.	Belal I.
04	05/04/2020	28	Includes hazard of Communicable / Pandemic disease- Corona -etc.,	Navaz K.	Belal I.

Copies of this document available in KU EHS Intranet are only the latest, valid and controlled documents. All other copies are uncontrolled and valid only on the date printed. Last printed: 4/5/2020 3:08:00 PM

EHS Risk Register – Environment, Health & Safety Risk

Copies of this document available in KU EHS Intranet are only the latest, valid and controlled documents. All other copies are uncontrolled and valid only on the date printed. Last printed: 4/5/2020 3:08:00 PM

جامعة خليفة
Khalifa University

Location Name: All Premises	Description of Task/Activity/Area/Premises etc.: Generic activities (Office, Facilities and accommodation)

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
1.	Using Display Screen Equipment	Employees Students	3	2	6	• Office safety, ergonomics principles and computer workstation ergonomics self-evaluation guidelines have been developed. • All screens with low radiation.	• All workstations to be reorganized in a healthy and safe way to ensure workstations meet minimum standards. • Proper planning of work to ensure regular break and /or changing of activities. • All employees to be trained on the safe use of DSE • Ergonomic workstations to be provided including the adjustable chairs and monitors • Monitors to be provided with radiation protection screens.	Facility Manage ment	2016	90%	3	1	3
2.	Working with Other Office Equipment	Employees Students	3	2	6	• Office Safety guidelines have been developed. • Training for office boys conducted. • Office tools such as cutter, binder kept in dedicated area. • Printers located in open area.	• Training and awareness for all employees and users • Access to risky equipment must be restricted to only authorize person. • Equipment maintenance and PAT test • All maintenance to be carried out by competent person only • Printers to be located in a	Facility Manage ment	2016	90%	2	1	2

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
						• Maintenance contract for copy machines.	well-ventilated area						
3.	Room Dimension and Spacing, and untidiness offices	Employees	2	2	4	• Office safety, ergonomics principles have been established.	• More spacing to be provided (i.e. Each individual needs a free space of 11 cubic meters at least) • A workplace must keep tidy. • Walkways must keep clean without any obstructions. • Shelves and other storage cabinets to be provided.	Facility Manage ment	2016	90%	1	1	1
4.	Working inside a building:- Slips, trips and falls, Fire in building, Working after-hours/ working alone	Employees Students Visitors	3	3	9	• Office safety guidelines have been established. • Ramps have been made in all uneven areas. • Working alone and after-hours work guidelines have been establish. • The high and medium risk laboratories with permission. • Security patrolling.	• Comply with OSHAD CoP 23.0 Working at Heights • Office layout and distribution of furniture inside office to be redesigned and organized to provide sufficient access and egress within the office space. • Office Activities that might result in Tripp and/or slip hazards such as cleaning works to be conducted out of working time. • Non-slip rubber mat to be provided in all locations where slip hazards exist especially toilets and kitchens. • Floor surface to be	Facility Manage ment	2015	70%	2	2	4

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
							inspected and maintained regularly • Broken tiles to be repaired • No cables should be lying on the ground all cables to be installed either underground or next to walls						
5.	Environment comfort in Office areas	Employees	2	2	4	• Guidelines have been established for ergonomics principles, noise management and hearing conservation, air and heath monitoring. • Environment monitoring for both campuses has been carried out. • Mitigation measures and plan in place.	• Proper ventilation to be provided in all areas • Sufficient workspace to be provided for occupants (i.e. 11 cubic meters as per standards) • Proper access and egress to and from the office. • Temperature monitoring tools thermometers to be provided in each room • The temperature level to be maintained within the acceptable level (i.e. Between 18 to 23) • Maintain the levels of illumination required for your activity (for office activities between 300 and 750 lux) • Maintain the recommended humidity level (between 40 and 70 % RH) • HVAC system to be inspected and maintained	Facility Management	2015	80%	1	1	1

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
							regularly • Investigation of the reason of mold, moisture, and fungus in some areas, then walls to be treated and proper controls to be implemented • Train employees on health hazards						
6.	Using kitchen appliances and cleaning products	Employees Students	3	2	6	• Signs for access limitation. • All hot surfaces signed. • Induction conducted	• Access to kitchens should be limited to office boys only • More space to be provided to enable proper management of safe distribution and storage of hazard equipment • Hot surfaces to be placed where the possibility of contact with persons and/or other surfaces is unlikely • Any Materials with low flash point to be clearly identified, and stored away from any source of heat. • Heaters and other source of heat to be turned off when not using. • Access to kitchens to be restricted and warning signs to be installed. • Avoid carrying hot liquids	Facility Manage ment	2016	100%	2	1	2

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
							and materials if there is a risk of spillage • Hot surfaces to be clearly marked. • Company policy to turn off the source of heat when out of use. • Cooling down all hot surfaces before attempting to clean it. • Awareness program to be delivered • Proper storage of sharp tools (i.e. knives, forks, scissors…. etc.) • Sharp tools must not keep in water (inside the washing basin), office boys to be trained and instructed, and signs to be posted. • Awareness program to be delivered						
7.	Dealing with telephone, Email and face to face enquires	Employees	3	2	6		• Employees to be trained on responding to different enquiries, and how to manage unexpected situations such as violence. • Panic response instructions to be developed and communicated to front office employees. • Emergency drills for	Facility Manage ment	2016	90%	2	2	4

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
							violence response to be conducted. • Where applicable a barrier to be installed for front offices to control the access of public.						
8.	Manual Handling include Lifting and Moving objects	Employees	3	3	9	• Use lifting equipment	• Comply with OSHAD CoP 34.0 Safe Use of Lifting Equipment and Lifting Accessories • No heavy lifting to be permitted • Proper planning of manual handling operation • Avoid storing materials at high levels • Deliver training on manual handling to all employees • Use safe lifting techniques • Seek help for heavy lifts and use mechanical aid, such as trolleys, block chain…. etc.	Facility Manage ment	2015	100%	2	2	4
9.	Using step stools and ladders	Employees	3	4	12	• Ladders used without understanding the ladder standards	• Comply with OSHAD CoP 37.0 Ladders • To follow the manufacturer's instructions • Step stool to be examined periodically by carrying out an inspection • Insure that the step stool is	Facility Manage ment	2015	100%	1	3	3

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
							stable and anti-slip rubber on its base is in good condition. • User shall not wear a shoes and/or clothes that could result on slip or trip during the mounting of the steps • Proper planning of the task and moves the step into a new position rather than risk losing the balance when overreaching for access to an item • Clear instructions to be given to users to not carry items in both hands when mounting the step. • Proper storage Plan to minimize working at height and manual handling risks. • To follow health and safety procedures for working at heights • Formal written instructions should be provided for the safe use of step. • Continuous inspection and testing protocol						
10.	Social Functions	Employees	3	3	9		• Where food catering will be exist then Caterers observe sound food management practices to	Facilities Manage ment	2016	100%	2	1	2

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
							ensuring proper storage and refrigeration and personal hygiene prior to use to prevent food contamination and to follow all ADFCA requirements • Function organizer to meet requirements for safety of set up operation • Manual handling training for staff who do the setup • EHS plan for the function to be developed and implemented, the plan shall consider but not limited to the following topics: • Risk management. • Emergency response • Induction and training. • Crowd control. • Emergency team. • First aid.						
11.	Working alone or after hours	Employees	3	2	6		• Comply With OSHAD CoP 30.0 Lone working and or in Remote Locations • Avoid lone working • Clear identification of job roles • Policy for after working hours • The employees who stay in	Facility Management	2016	100%	2	2	4

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
							office after the normal working hours must obtain their manager's approval and ensure that at least one security guard available in their area, and they have been provided with proper communication tools • Line manager to approve any lone works • Security guards • Communication devices provided (i.e. Blackberry) • Training and awareness of emergency procedures for lone workers to be provided. • The Lone working procedure to be developed and implemented where minimum requirements include but not limited to (physical situation of the person, approval process, emergency response plan)						
12.	Lighting Insufficient Too much Glare	Employees Students	3	3	9		• Light levels in all areas to be measured and suitable light levels to be identified based on the tasks to be performed. • Use blinds for too much light	Facility Manage ment	2016	70%	2	2	4

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
							• Inadequate light levels – stronger bulbs • Look at using lamps or adding more lights • Have the office surveyed with a light meter • Arrange the equipment so screen and staff are not affected by glare						
13.	Photocopier Ozone Toner	Employees & Environment	3	3	9		• Have a trained technician change toner cartridges if it is an issue • Use sealed toner cartridges. • Use photocopier in well-ventilated area as machine creates ozone and other by products	Facility Management	2016	90%	2	2	4
14.	Aggressive visitors/parents/ students Robbery threat Intimidation	Employees Students Visitors	3	2	6		• Comply with OSHAD CoP 13.0 Violence in the Workplace • Develop good cash handling procedures. This includes regular banking • Develop a guideline on how to deal with up normal situation and Train staff on this guidance. • Staff trained in dealing with difficult people • Incident procedure to	Facility Management	2015	100%	1	2	2

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
							include steps to deal with any incidents like a hostage situation or angry, violent person • Security could also be given self-defense training						
15.	Noise	Employees Students Visitors Environment	3	2	6		• Comply with OSHAD CoP3.0 Occupational Noise • Possible source of noise to be identified and isolated where possible. • Consider reducing noise by using sound reducing acoustic ceiling tiles and wall panels • Consider using microphone system for the class • Avoid student gathering in corridors and next to offices and keep it at designated areas. • Regular noise monitoring by measuring noise levels periodically. • Provide a barrier between staff and foyer to reduce noise level and distraction of children passing by during breaks • Provide suitable PPE where required	Facility Management	2016	100%	1	2	2

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
16.	Congested entrances Supplies Even of emergency	Employees Students Visitors	3	3	9	• Contractors entrance segregation • Student entrance identified and maintained	• Keep entrances and exits clear of deliveries etc. • Change procedures if this is an issue • Engineering design to be developed where expected number of users considered in all different situations, and door dimensions are sufficient to ensure no disturbance of the movement flow.	Facility Manage ment	2016	90%	2	2	4
17.	Furniture Broken /damaged Sharp corners	Employees Students	3	2	6		• Regular inspection to identify and Remove broken furniture immediately • New furniture to be inspected prior to start using • Round off sharp corners to be protected by either carpentry job or using a rubber cover. • Assess design of any new furniture before purchase. You may need to seek expert advice	Facility Manage ment	2016	90%	2	2	4
18.	Property Maintenanc e (Machinery, Electrical, Chemicals, Waste	Employees , Students Visitors	2	3	6	• PPM	• All maintenance activities to be completed out of working hours or on weekends. • Managing of contractor procedure to be developed	Facility Manage ment	2015	90%	2	2	4

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
							and implemented • Ensure all staff are aware of the maintenance activities hazards, risks, and control measures by conduct a training program for them. • All chemicals and/or hazardous materials to be stored out of the building in a secured area and labels to be posted to identify the type of materials. • Have Material Safety Data Sheets with chemicals • Develop safe handling and use procedures for chemicals • Where possible substitute less toxic chemicals • Emergency procedures in place for spills and contamination of people or environment • Keep waste storage areas where vermin could breed clean. Remove rubbish frequently noise down areas. Remove boxes • Develop litter control policies • Have an expert contractor remove sharps and						

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
							hazardous chemicals • Develop a pest control plan for things like mice, wasps etc.						
19.	Electrical	Employees Students Visitors	3	3	9		• Comply with OSHAD CoP15.0 Electrical Safety • Single line diagram to be developed and kept available for the maintenance team. • ELCB to be installed where required, and to be maintained periodically. • Inspection and repair when faults reported • All faulty electrical equipment and appliances to be identified and removed from offices • Selection, supply, and installation of electrical equipment to be carried out by competent person only • All electrical equipment and appliances must comply with relevant international standards • Protective system (i.e. Fuse, earth, isolation) to be provided for existing faulty equipment	Facility Management	2016	100%	2	2	4

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
							• More power points to be installed in order to avoid using extension cords and multi sockets. • Extension cords and multi socket boards to be removed • Regular inspection and maintenance regime • Proper control of private electrical equipment (i.e. Phone chargers, laptops…etc.) • All electrical rooms and DBs to be closed and signs to be posted • Access to electrical points and/or sockets to be kept free of obstructions • Proper cable management plan and layout to be developed and implemented • PAT test to be conducted for appliances as required • Electrical safety training to be delivered to all employees • Lighting level to be tested and maintained as required						
20.	Using papers in photocopier	Environment	3	2	6		• Procedure to reduce paper use	Facility Management	2016	90%	2	2	4

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
	s/printers Disposal of paper						• Awareness program for reducing paper use • Setup the default printing option to print on 2 sides • Papa reuse and recycling program • Develop procedure for paper use and recycle • Set environmental targets • Design environmental programs including awareness						
21.	Power use for electrical equipment (computers, printers, copiers), lighting & air conditioning	Environment	3	2	6		• Procedure to reduce usage of electricity • Awareness program for reducing electricity use • Use natural light instead of electricity • Turn of electricity after working hours • Install energy saving devices, (i.e. motion sensors for all lights) • Develop procedure for usage of electricity • Set environmental targets • Design environmental programs including awareness • Install energy saving devices in all premises	Facility Management	2016	90%	2	2	4

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
22.	Water use in toilets ablutions/ kitchens	Environment	3	2	6		• A procedure to reduce usage of water • An awareness program for reducing water use • Install water saving devices • Develop procedure for usage of water • Set environmental targets • Design environmental programs including awareness • Install water saving devices in all premises	Facility Management	2015	90%	2	2	4
23.	Motor vehicle use	Environment	3	2	6		• The procedure for using motor vehicles • Awareness program covering the environmental impacts of using motor vehicles, and spill training to be designed and delivered • Regular maintenance program for all vehicles • Procedure to use group transport (i.e. Busses bring employees to work and return them home) • Develop all required procedure • Design and deliver awareness program	Facility Management	2014	80%	2	2	4

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
							• Plan and design group transport program for all employees						
24.	Waste (hazardous and non-hazardous waste e.g. plastics phone batteries, redundant computer equipment)	Environment	3	3	9		• Comply with OSHAD CoP 54.0 Waste Management • Waste recycling and disposal procedure • Awareness program	Facility Management	2015	90%	2	2	4
25.	Fire and emergency in academic/ research buildings /accommodations.	Employees Students Visitors Properties	3	3	9		• Comply with OSHAD CoP 18.0 Employer Supplied Accommodation General Requirements • Install Smoke detectors • Define Fire escape routes and exits • Develop and communicate the Fire action plan • Fire extinguishers to be distributed all around the building • Fire hydrants to be installed in many different areas • Provide a day to day supervision • Proper electrical	Facility Management	2016	70%	2	2	4

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
							management plan • Proper storage facilities for combustible materials (i.e. Fire resistance cupboards, and drawers) • No smoking policy • Smoking areas to be identified, clearly marked, and equipped with proper firefighting equipment • Installation of proper risk based firefighting system (i.e. Sprinklers, fire blankets) where needed (i.e. Archive rooms, kitchens) • Install fire doors in corridors • High Flammable materials (i.e. Chemicals) to be stored off-site • A safe system of work for any source of activities involve ignition source • Good housekeeping practices, including clean desk policy • Emergency escape routes to be free of obstructions including especially inside offices where office layout and furniture create obstructing the evacuation						

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
							• Fire and emergency planning to be developed communicated and implemented • Fire warden team to be selected and trained • First aiders to be selected and trained • More first aid boxes to be provided on each floor • Emergency mocks drill to be conducted regularly • Proper control of using scent (Bakhor), either to be prohibited (replaced with other less harmful air fresher) or properly controlled • Proper training on emergency procedures for all employees and specially the new joiners						
26.	Evacuation of People of Determination (People with Special Needs) during an emergency	Employees Students Visitors	3	3	9		• Comply with OSHAD CoP 16.0 OSH Requirements for People of Determination (People with Special Needs) • Provide Evac-chairs at critical areas • Define Fire escape routes and exits • Develop and communicate	Facility Manage ment	2016	70%	2	2	4

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
							the emergency response plan • Emergency escape routes to be free of obstructions including especially inside offices where office layout and furniture create obstructing the evacuation • Fire and emergency planning to be developed communicated and implemented • Fire warden team to be selected and trained • First aiders to be selected and trained • More first aid boxes to be provided on each floor • Proper training on emergency procedures for all employees and specially the new joiners						
27.	Adverse weather conditions	Employees Students Visitors	3	3	9		• Comply with OSHAD Technical Guidelines 11.0 Dealing with Adverse Weather Conditions. • Review any work at height and outdoor working when the wind speed reaches or gusts higher than 38km/h • Issue alerts and notifications to all employees during adverse	Facility Manage ment	2019	80%	2	2	4

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
							weather conditions through the HR Department. • Follow up regularly the weather notifications and conditions from concerned official authorities.						
28.	Communicable/Pandemic diseases in campus, accommodation – COVID-19, etc.,	Employees Students Contractors Visitors	3	4	12	• Implementation of disinfection plan in campus, accommodation during communicable diseases spread. • Providing and refilling of hand sanitizers at prominent location. • First aid clinic provided with resources to extent work timing and facilities such as isolation room and disposable PPE kit for treating with suspected patients.	• Regular Updates / Advice on risks, symptoms and control measures passed onto employees through regular updates from EHS & HR department. • Introduction of Mandatory social distancing • DOH provides updated advice on what communicable disease such as COVID19 is, what the risks are, the symptoms, how COVID19 is spread, and how to avoid catching or spreading germs (simple Do's and Don'ts): https://doh.gov.ae/covid-19 • The WHO (World Health Organization) provides information and a free	FM/EHS	As advised by MoHAP	100	1	4	4

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
							3hour online training course for emerging respiratory viruses, including COVID19: https://openwho.org/courses/COVID-19-IPC-EN • Outbreak monitored daily on DOH websites & accordingly updates given by FM-EHS/HR department to all stakeholders at KU. • Guidelines on when to self-isolate passed onto employees by HR dept as advised by MoHAP. • Introduction of KU Web Meeting service instead of face-to-face meeting and e-learning for students • Providing regular advice and guidance on travelling restrictions has been passed onto employees • Providing advice on isolation methods if returning from international travel. • Thermal Imaging cameras installation at entry points to measure temperature. • Increase the frequency of disinfection in common						

جامعة خليفة
Khalifa University

SN	Step 1	Step 2	Step 3					Step 4					
	Hazard	Who might be at risk	Risk Rating			What have you already been doing (List all the Control measure already in place)	Control Measure (Refer to Hierarchy of Control) What further action, if any, is necessary, if so what Action is to be taken by whom and by when?	Actions and Implementation			Residual Risk		
			Probability (P)	Severity (S)	Rating (P X S)			Action Whom	Action By When	Done %	Probability (P)	Severity (S)	Rating (P X S)
							areas. • Working from home option provided and encouraged. • Staff are encouraged to liaise with suppliers/buyers and other interested parties prior to meetings to identify potential risk to exposure						

		• Review your assessment to make sure you are still improving, or at least not sliding back. • If there is a significant change in your workplace, remember to check your risk assessment and when necessary amend it.
	Step 5 : Review Date:04/04/2021	• Review your assessment to make sure you are still improving, or at least not sliding back. • If there is a significant change in your workplace, remember to check your risk assessment and when necessary amend it.

Conducted by: _____ (Signature over printed Name)

Endorsed by: _____ (Signature over printed Name)

Approved by: _____ (Signature over printed Name)

جامعة خليفة
Khalifa University

PROBABILITY	SEVERITY				
	Insignificant (1)	Minor (2)	Moderate (3)	Major (4)	Catastrophic (5)
Rare (1)	1	2	3	4	5
Possible (2)	2	4	6	8	10
Likely (3)	3	6	9	12	15
Often (4)	4	8	12	16	20
Frequent/Almost Certain (5)	5	10	15	20	25

15 - 25	Extreme Risk	Absolutely Unacceptably High Activity or industry should not proceed in current form
8 - 12	High Risk	Unacceptably High Activity or industry should be modified to include remedial planning and action and be subject to detailed HSE assessment
4 – 6	Moderate Risk	Acceptable but must be managed at “As Low As Reasonably Practicable” (ALARP) Activity or industry can operate subject to management and / or modification
1 -3	Low Risk	Acceptable without required further action No action required unless escalation of risk is possible

Hierarchy of Control (Controls identified may be a mixture of the hierarchy in order to provide minimum operator exposure)

Elimination	Eliminate the hazard.
Substitution	Provide an alternative that is capable of performing the same task and is safer to use.
Engineering Controls	Provide or construct a physical barrier or guard or technical measures
Administrative Controls	Develop policies, procedures practices and guidelines, in consultation with employees, to mitigate the risk. Provide training, instruction and supervision about the hazard.
Personal Protective Equipment	Personal equipment designed to protect the individual from the hazard.