جامعة خليفة
Khalifa University

Approved for Implementation
By:

Mr. Belal Asad Irshaid
Environment, Health & Safety Manager

Copies of this document available in KU EHS Intranet are only the latest, valid and controlled documents. All other copies are uncontrolled and valid only on the date printed. Last printed: 28/10/2022 11:35:00 AM

Content

Section Number	Document Title	Issue Number	Total No. of Pages
KU-FD-EHS-REG-02/A	Content	01	1
KU-FD-EHS-REG-02/B	Document Control Sheet	01	1
KU-FD-EHS-REG-02/C	Document Distribution Sheet	01	1
KU-FD-EHS-REG-02/D	Record of Reviews and Revision Sheet	01	1
KU-FD-EHS-REG-02/E	EHS Legal and Other Requirements Register	01	58

Copies of this document available in KU EHS Intranet are only the latest, valid and controlled documents. All other copies are uncontrolled and valid only on the date printed. Last printed: 28/10/2022 11:35:00 AM

جامعة خليفة
Khalifa University

Document Control Sheet

Title of Document: EHS Legal and Other Requirements Register
Document No.: KU – FD – EHS – REG – 02

Issue No.: 02
Issue Date: 29/09/2021

Revision No.: 04
Revision Date: 18/10/2022

Activity	Name / Designation	Signature	Date
Prepared by	Roberto Macahig Labs Safety Specialist		21/9/2021
Reviewed / Updated by	Navaz Kannu EHS Compliance Senior Specialist		23/9/2021
Endorsed for Approval by	Belal Irshaid Manager, EHS		26/9/2021

Document Distribution Sheet

This EHS Legal and Other Requirements Register (soft copy with password protection), is distributed through' KU Intranet and access provided to concerned KU personnel.

The EHS Legal and Other Requirements Register, available in KU Intranet, is the latest version and controlled by the Management Representative, Thro' use of **"**proper document control practices**"**. The EHS Legal and Other Requirements Register available in KU Intranet is a "CONTROLLED" document and it becomes "UNCONTROLLED" when it is printed out.

جامعة خليفة
Khalifa University

Record of Reviews & Revisions

REVISION		DESCRIPTION OF REVISION		REVIEWED BY	AUTHORIZED BY
NUMBER	DATE	PAGE NO	COMMENT		
01	12/08/2016	All Pages	Status of Compliance	Belal Irshaid	Belal I.
02	07/06/2018	All	Change of logo	Roberto M.	Belal I.
		Throughout	Change from KUSTAR to KU	Roberto M.	Belal I.
		Throughout	Change the reference from AD EHSMS to OSHAD-SF	Roberto M.	Belal I.
		02	Prepared by Reviewed / Updated by, Endorsed for Approval by, and Approval & Issue by	Roberto M.	Belal I.
		08	Change the reference from AD EHS Center to OSHAD	Roberto M.	Belal I.
		08	Reference Standard from ISO 14001:2004 to ISO 14001:2015	Roberto M.	Belal I.
		08	Reference Standard from OHSAS 18001 2007 to ISO 45001:2018	Roberto M.	Belal I.
		32	Ministerial Decree No. 33 of January 30, 2012 Regulation for Handling and Use of HCFCs	Navaz K.	Belal I.
03	13/11/2018	34-46	Deleted obsolete OSHAD CoP's	Navaz K.	Belal I.
04	05/05/2019	49	HASSANTUK and MCC has been included	Navaz K.	Belal I.
05	13/10/2019	Page 29	OHSAS-SF CoP 1.0 Hazardous Materials Version updated. (Version 3.0 July 2016 updated as Version 3.1 June 2018).	A. Basheer	Belal I.
		Page 49	Ministerial Decree No. 401 of 2015, concerning the Determination of Midday Working Hours	A. Basheer	Belal I.

			UAE Fire and Life Safety Code of Practice- 2018 included.	A. Basheer	Belal I.
06	20/02/2020	Throughout	OHSAS-SF CoP Version updated. (Version 3.1)	Navaz K.	Belal I.
		51	General Secretariat of the Executive Council Circular No. (1) Of 2016.	Navaz K.	Belal I.
		51	Federal Decree-Law No. (2) of 2011	Navaz K.	Belal I.
		51	UAE Occupational Health and Safety Management System (OHSMS) national standard AE/SCNS/NCEMA 6000:2016	Navaz K.	Belal I.
07	01/04/2020	51	Federal Law No. 14 of 2014 in the matter of combating communicable diseases	Navaz K.	Belal I.
		52	International Health Regulations (2015)	Navaz K.	Belal I.
		52	UAE Attorney General resolution No. (38) of 2020- Fines to curb spread of corona	Navaz K.	Belal I.
		52	Executive council Announcement 1/2020- disinfecting the public government and private entities	Navaz K.	Belal I.
08	25/11/2020	54	Guidelines issued by DOH,MOE,MOHAP relating to Covid-19	Navaz K.	Belal I.
		54	Electricity wiring regulation 2020, UAE Energy Strategy 2050, ADDC Regulations, CoP, Manual relating to Energy Management system	Navaz K.	Belal I.
		54	Civil Aviation Law-UAV/drone registration	Navaz K.	Belal I.

		53	Abu Dhabi-HR Authority circular 160f 2020- Relating to fines for COVID-19 violations	Navaz K.	Belal I.
9	31/05/21	53	Home Quarantine and Arrival procedures 2021 from ADPHC explains the procedure of quarantine duration, frequency of testing and Electric watch removal.	Navaz K.	Belal I.
		54	Updated travel Procedure For Those Vaccinated Effective from 3rd May,2021 from Abu Dhabi Emergency Crisis and Disaster Committee for COVID-19 Pandemic	Navaz K.	Belal I.
		54	Executive council- Executive committee circular 4 of 2021 Dt 25/5/2021 regarding increased attendance at the workplace in government entities and companies - increased to 60%	Navaz K.	Belal I.
		55	UAE Biosafety Biosecurity Guideline 1st July, 2020	Navaz K.	Belal I.
		55	Cabinet Order No.37 of 2001 for Executive Order of Federal Law No. 24 of 1999 for Regulation of Handling Hazardous Materials, Hazardous Waste and Medical Waste.	Navaz K.	Belal I.
		57	Emirates Authority for Standardization & Metrology (ESMA)- Conformity assessment system for the lighting products, cabinet decision 34 of 2013	Navaz K.	Belal I.
		57	Emirates Authority For Standardization & Metrology (ESMA) UAE.S 5010 - 5 :2019 Labeling – Energy efficiency label for electrical appliances - Part five: commercial and central Air conditioners	Navaz K.	Belal I.

		57	Emirates Authority For Standardization & Metrology (ESMA) Implementing guidelines principles for the enforcement of the 2019 version of the UAE.S 5010-1:2019 and UAE.S 5010-5:2019	Navaz K.	Belal I.
		58	Abu Dhabi International Energy Conservation Code 2013	Navaz K.	Belal I.
10	26/09/21	56	MOE, National Protocol for the Operation of Educational Establishments during the Pandemic- Eighth release	Navaz K.	Belal I.
		56	Decree No. 20G 9/2008 issued by the Executive Committee of the Executive Council of the Emirate of Abu Dhabi The Integrated Hazardous Materials Management System (IHMMS) system available in hazmat.ae.	Navaz K.	Belal I.
01	25/11/2021	58	MOE, National Protocol for the Operation of Educational Establishments during the Pandemic- Ninth release	Navaz K.	Belal I.
02	27/04/2022	59	MOE, National Protocol for the Operation of Educational Establishments during the Pandemic- Tenth release	Navaz K.	Belal I.
03	29/08/2022	59	MOE, National Protocol for the Operation of Educational Establishments during the Pandemic- Eleventh release	Navaz. K	Dr. Fatima
04	18/10/2022	59	MOE, National Protocol for the Operation of Educational Establishments during the Pandemic- Eleventh release	Navaz K	Dr. Fatima

جامعة خليفة
Khalifa University

EHS Legal and Other Requirements Register

Copies of this document available in KU EHS Intranet are only the latest, valid and controlled documents. All other copies are uncontrolled and valid only on the date printed. Last printed: 28/10/2022 11:35:00 AM

Law/ Regulation/ Standard	***Ministerial Order No.32 of 1982*** *The Determination of Retentive Methods & Measures for the Protection of Workers from the Risks Work*
Date of Approval	07/06/2018
Issue Number	02

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses /Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks/ Compliance status as of latest revision
		KU/ Contractor	Responsibility						
1	Every employer shall provide the appropriate preventive measures for the protection of workers from risks of injuries or occupational diseases, which may occur during working hours and against fire risks, and all other risks, which may result from the use of machineries and other equipment. The employer shall also adopt other preventive measures specified by the Ministry of Labor and Social Affairs. The worker shall use the protective equipment and clothes supplied for this purpose, shall comply with all the instructions of the employer aiming to protect him from the risks, and shall refrain from doing any work, which impedes the implementation of such instructions.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS. All necessary PPE and cloths are provided to personnel. As per KU Policy provide appropriate health, safety and environmental training for all labs staff and students inducted KU providing all required PPE to all labs user	Audit and Inspection	Inspection /Audit Report, inspection Report and List of PPEs provided for students, employees and contractors	Complied
2	Every employer shall display in prominent and conspicuous place, detailed and clear instructions on measures for the prevention of fire and the protection of workers from the dangers which they may be exposed to during the performance of their work and ways and means of dealing with occurring accidents; and the displayed instruction shall be written in Arabic and in other language understood by workers if necessary. The employer shall place warning signs in front of dangerous	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Clear EHS instruction signboards are displayed. KU has provided Emergency Response Plan and poster in all building Safety Signage distributed in all locations	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses /Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks/ Compliance status as of latest revision
		KU/ Contractor	Responsibility						
	sites.								
3	Every employer or his representative shall brief his employees before they assume work on the occupational risks such as fire and machinery risks, dangers of falling and relevant occupational diseases and other risks.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Periodical Safety talks, safety meetings, etc. are carried out in KU operations	Audit and Inspection	Inspection /Audit Report	Complied
4	Every employer shall assign the task of supervising first aid treatment to a specialist in first and treatment and shall provide for the first aid box the contents specified in table No. (3) attached to this Decision.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	First Aid Facilities are provided and trained first aiders are available. First Aid Clinic and paramedics is available in all building (emergency response team), and First Aid Box.	Audit and Inspection	Inspection /Audit Report	Complied
5	The employer shall take the necessary measures to ensure that the conditions prevailing in the place of work provide sufficient protection for the health and safety of the worker working in the establishment and that he shall give special attention to the following. a. The space assigned to each person shall not be less than 400 cubic feet. This measurement, however, shall exclude any height of over 14 feet. b. Avoid any insufficiency in the necessary amount of clean air or delays in renewing this air, and keep out all harmful air drafts or sudden changes in temperature and, as far as possible, eliminate excessive humidity, excessively high or low temperatures and bad-smelling air currents. c. Provide sufficient and appropriate lighting, natural or artificial, by ensuring that windows and other accesses to natural lights are open and that the sources of	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS Welfare facilities like drinking water, food outlets, toilets are provided as per legal requirements	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses /Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks/ Compliance status as of latest revision
		KU/ Contractor	Responsibility						
	natural or artificial lighting avoid direct forceful illumination and appreciable difference in the distribution of lights in close quarters. d. Provide appropriate lighting for operations varying in the degree of their accuracy, using the guiding measures provided in the table (1) attached. e. Prevent or reduce the noise and tremors, which may endanger the health of workers in compliance with the permissible scientific standards. f. Provide a place for meals in cases where it is prohibited for workers to have their meals at the work place. Food shall not be served in the place of work under any of the following conditions: When the work involves the use or handling of poisonous or harmful substances, which may spread in the workplace in the form of dust, smoke or vapor. 1. Works in which workers are vulnerable to detrimental radiations. 2. Works where parts of the body such as the hands or the head, or the workers' clothes may come in contact with harmful substances. 3. Works where parts of the body such as the hands or the head, or the workers' clothes may come in contact with harmful substances. g. Provide adequate number of washing basins for the workers to wash their hands and apply the appropriate cleaning materials for that purpose. Also supplying sufficient and adequate toilets for workers and suitable places for dressing and keeping clothes and ensuring that the clothes are regularly clean and kept in good condition. And in all cases separate facilities of such kind shall be assigned to each sex of workers.								
6	The employer shall take practical and appropriate measures to prevent or reduce the health risks in the workplace and he	All KU and Contractor Employees	All Division Directors /	All KU Premises	Yes	Through EHSMS Risk Assessments	Audit and Inspection	Inspection /Audit Report and list of provided PPEs	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses /Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks/ Compliance status as of latest revision
		KU/ Contractor	Responsibility						
	shall give particular attention to the following: a) That carrying out industrial operations or otherwise are not detrimental to the workers' health or safety. b) The operations, which are harmful to health, shall be carried out in separate equipment to prevent contact with harmful substances, gases, vapor, dust, fibers or smoke shall not be allowed to spread in the place of work in quantities harmful to health. c) Veiling dangerous radiations from the workers. d) Dispose of substances harmful to health so that the quantities of such substances used in industrial operations do not exceed the limits shown in the table (2), attached. e) Promptly dispose of harmful dust, spreading gases, vapors or fibers at the source of their formation by means of employing exhaustive equipment or by other appropriate engineering means or by supplying adequate ventilation system. Provide workers with protective clothes equipped with the appropriate equipment for personal safety, if the other adopted measures proved to be impractical or insufficient for the safety of the workers, after training the workers in the use of the equipment supplied and after providing the necessary facilities for cleaning, disinfecting and keeping in good condition the said clothes according to the safety standards required by the conditions of the work in question.		Section Mangers / Unit Heads			are carried out and all necessary EHS control measures are implemented in the operational areas of KU. Risk Assessment Procedure has been developed and established in KU IMS.			
7	Particular attention shall be given to the following conditions at the workplace: a) The floor of the workroom shall have an even surface made of material suitable for the work in progress. b) Sufficient space shall be left around the machinery and units allowing space for workers to move and perform their ordinary duties without obstacles and allowing for repair of the machinery or shifting the materials used. c) The passages shall be free of holes of unfixed manhole covers, projecting nails, pipes or other installations which may, cause a risk of collision, and the floors of the passages shall not be made of substances that may cause slipping.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS Maintenance provided in daily basis Outsource professional company contracted	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses /Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks/ Compliance status as of latest revision
		KU/ Contractor	Responsibility						
	d) Passages shall not be damped with materials, work-equipment, products or objects that may impede the movement of the workers and subject them to the risks of collisions or falling. e) Staircases, elevated passages and similar places must be made of floors which do not cause slipping. f) Staircases shall be surrounded by side-railings made of bars set at narrow distances to prevent object passing through the openings, or to have such opening covered by hinged metallic covers to prevent the fall of objects on persons below, which may endanger their safety. g) The steps of the staircases shall be of sufficient strength and wide enough to allow safe passage and shall be surrounded by side-railings from both sides when one of its sides is not a wall. Mobile ladders shall be of adequate strength and their steps must be of suitable dimensions, and their base or top must be so designed to reduce the risk of falling. However, ladders made of wood shall not be painted with any kind of paint.								
8	The employer shall provide necessary facilities for the prevention of fire and fire-extinguishers appropriate for the type of materials used in the establishment and he shall observe the following: 1) Provide entry, exit and ladders in the workplace in order to facilitate the speedy exit of workers when fire breaks out in the establishment or in any part of it without stampeding. 2) The fire-extinguishing equipment must be always kept in a condition suitable for the purpose they are designated for and must be placed in locations of easy access, and a sufficient number of workers must be trained to use them. 3) There must be a fire alarming (warning) system and the workers must be trained to respond to fire warnings. 4) Where there are several workrooms or chambers in the work place connected to one another they must be separated by doors which prevent the spread of fire from one room to the other. 5) Signs containing instructions for the prevention of fire	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS AD Civil Defense has approved the building "completion certificate issued" Fire extinguishers and protective equipment maintained regularly by certified outsource company.	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses /Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks/ Compliance status as of latest revision
		KU/ Contractor	Responsibility						
	shall be displayed in the inflammable places of work. Such signs shall be projected in conspicuous positions indicating the places of exits and written in Arabic and in other language understood by the workers, if necessary.								
9	The employer shall undertake necessary precautionary measures to protect workers from the dangers of falling, falling objects, flying metals or sharp bodies or caustic liquid materials, or hot or inflammable or explosive materials or other harmful materials. He shall also make the appropriate precautions for protection of workers from the dangers of compressed gases and electricity and means of providing persons protection equipment designated for such purpose or by providing personal protection facilities such as protective glasses, gloves, belts, uniforms, mask or other protective clothes suitable for the kind of work.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS site supervision and monitoring is being carried out.	Audit and Inspection	Inspection /Audit Report	Complied
10	The employer shall always provide constant protective barriers to be installed around the exposed mobile parts of generators or motors and around dangerous machinery, mobile or immobile, except when such parts are designed in a manner providing the required safety standard.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	All necessary machinery guards are provided in all machineries.	Audit and Inspection	Inspection /Audit Report	Complied
11	The employer when installing barriers referred to in the preceding article, shall observe the following: a) Provide full protection against the dangers for which they installed. b) Prevent the contact of worker or part of his body with the dangerous area throughout the period of work and at the same time do not impede his performance. c) They do not impede production or the work of the machine. d) They do not impede the adjustment or repair of the machine or its inspection with the least service. e) They must be fire-resistant and rustproof. They may not be a possible cause for the accident which may result from the barrier, protruding parts or because of its sharp edges or rough extensions.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Fall protection devices and falls protective equipment are supplied to all personnel working at heights. Risk Assessments have been carried out and implemented	Audit and Inspection	Inspection /Audit Report and list of PPEs provided	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses /Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks/ Compliance status as of latest revision
		KU/ Contractor	Responsibility						
12	When installing new machines or operating equipment or parts, the employer shall ensure that they are provided with the protection facilities which meet the required protection standards.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS All machines or operating equipment with third party certification	Audit and Inspection	Inspection /Audit Report	Complied
13	The employer may not allow any person to remove or install any barrier or any other part of the protective equipment while the machine is running, and the machine shall not be operated unless being re-installed in its place.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	All necessary machine guards are installed to protect personnel interference	Audit and Inspection	Inspection /Audit Report and list of PPEs provided	Complied
14	The employer shall display instruction signboards at the locations of machinery or operations stating the necessary technical measures and such instructions shall be written in Arabic or other language understood by the workers, if necessary.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS. All necessary machinery hazard warning sign boards are posted to make awareness among personnel.	Audit and Inspection	Inspection /Audit Report	Complied
15	Each worker shall comply with the orders and instructions related to the precautions taken for his safety and security of work. The workers shall use safety equipment and shall care for such equipment in his possession. The worker shall be prohibited from doing any act which prevents the implementation of the said instructions or misuse the equipment designed for protecting the health and safety of the workers or damage such equipment. The employer may impose disciplinary punishments for any worker who violates the regulations stated in the preceding paragraph.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS. EHS Disciplinary action procedures are developed and established at KU.	Audit and Inspection	Inspection /Audit Report	Complied
16	When using steam boilers, the employer shall observe the following: Each boiler must have a suitable safety valve, a suitable	All KU and Contractor Employees	All Division Directors / Section Mangers /	All KU Premises	Yes	Through EHSMS.	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses /Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks/ Compliance status as of latest revision
		KU/ Contractor	Responsibility						
	closing valve, and apparatus for measuring the water level, and another for measuring the steam pressure and that all such equipment must be kept in good working condition as long as the boiler is in use. A suitably constructed room must be allocated for the boiler, and shall be kept at a distance of at least three meters away from any other building in the establishment and the room shall have good lighting. A qualified person must be assigned to supervise the boiler and a suitable place shall be arranged for him either inside or outside the boiler room so that he can supervise effectively. The maintenance and cleaning of the boiler must be performed at least once every two months by a qualified person who shall comply with all safety measures. The boiler must be checked at least once a year by a qualified person licensed to do so by the competent labor department. The person who checks the boiler must prepare a report on the condition of the boiler and the steps taken in performing the check-up, provided that the employer shall send a copy of such report to the competent labor department and keep one copy with the establishment. When using pressure appliances, they must be made of material which do not react to chemical materials or rust, and must be examined once a year by a qualified person licensed by the competent labor department who shall prepare a report thereon and send a copy of such report to the competent labor department.		Unit Heads						
17	The workers shall be prevented from entering the work site when machines are in operation except when they are wearing the suitable outfits as determined by the establishment to secure their safety.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS. Site security measures have been taken into the consideration	Audit and Inspection	Inspection /Audit Report	Complied
18	The employer shall take precautionary measures to protect the workers from dangerous materials by keeping them stored safely in special places or by placing such materials inside suitable barriers or fences. When such materials are kept in	All KU and Contractor Employees	All Division Directors / Section Mangers /	All KU Premises	Yes	Through EHSMS. All necessary precautionary measures to	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses /Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks/ Compliance status as of latest revision
		KU/ Contractor	Responsibility						
	containers, such containers must be closed tightly bearing labels displaying the name of the contents and the correct method of using them, and the appropriate warnings against their dangers which must be written in Arabic and in other language understood by the workers if necessary.		Unit Heads			protect the workers from dangerous materials by storing in designated areas with warning signs and barriers.			
19	The employer shall take precautionary measures to protect the workers who are engaged in construction, demolition or digging from the risks of work by observing the following: **In digging and demolition work:** When digging a trench or hole, the digging must always start from upward to downward while maintaining a slope suitable to the type of land being dug. The sides of a pit over 1.5 meters deep must be planked with strong wooden bars to prevent implosions, and safe passages must be kept and warning signs must be put at the edge of holes to avoid dangers of falling. The dust or sand dug from the pit must not be dumped in heaps next to the edges of the pit but must be placed at an appropriate distance from the pit to prevent the risk of a fallback into the pit. The demolition operations must start with the upper stories after taking sufficient protective measures to enforce the projecting walls which must be technically separated before the demolition work starts. An experienced demolition supervisor must be present throughout the demolition work. The debris must not be thrown down from above but shall be removed either by hoisting machines or through sloping fenced passages. The site where the debris is gathered must be enclosed by a fence. **In Construction work:** Scaffolding and stands must be wide enough to allow for the safe passage of workers and must have side-barriers or fences	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS. Excavation safety procedures have been established in the IMS of KU.	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses /Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks/ Compliance status as of latest revision
		KU/ Contractor	Responsibility						
	when installed at heights over 8 meters from the ground. Workers must be provided with safety belts, which protect them against the danger of falling. The ground must be fenced if the nature of work requires the workers to climb to the roof. The shafts must be fenced or covered in a manner to prevent falling of persons or objects. Strong protective shelters must be built at sufficient width to protect workers or passers-by from the dangers of falling objects.								
20	The employer shall take precautionary measures to protect the workers who are engaged in construction, demolition or digging from the risks of work by observing the following: **In digging and demolition work:** When digging a trench or hole, the digging must always start from upward to downward while maintaining a slope suitable to the type of land being dug. The sides of a pit over 1.5 meters deep must be planked with strong wooden bars to prevent implosions, and safe passages must be kept and warning signs must be put at the edge of holes to avoid dangers of falling. The dust or sand dug from the pit must not be dumped in heaps next to the edges of the pit but must be placed at an appropriate distance from the pit to prevent the risk of a fallback into the pit. The demolition operations must start with the upper stories after taking sufficient protective measures to enforce the projecting walls which must be technically separated before the demolition work starts. An experienced demolition supervisor must be present throughout the demolition work. The debris must not be thrown down from above but shall be removed either by hoisting machines or through sloping fenced passages. The site where the debris is gathered must be enclosed by a fence.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS. Excavation safety procedures have been established in the IMS of KU.	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses /Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks/ Compliance status as of latest revision
		KU/ Contractor	Responsibility						
	In Construction work: Scaffolding and stands must be wide enough to allow for the safe passage of workers and must have side-barriers or fences when installed at heights over 8 meters from the ground. Workers must be provided with safety belts, which protect them against the danger of falling. The ground must be fenced if the nature of work requires the workers to climb to the roof. The shafts must be fenced or covered in a manner to prevent falling of persons or objects. Strong protective shelters must be built at sufficient width to protect workers or passers-by from the dangers of falling objects.								
21	The establishment, which assigns to a contractor construction or building works of any kind must inform the competent labor department, at least six months, on the following: a) The name of the establishment main contractor b) The name of the sub-contractor c) The type of works d) The site where the work will take place e) The date of commencement of work and the period of time which the execution will take.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Contractor details and project details are displayed in all site operations.	Audit and Inspection	Inspection /Audit Report	Complied
22	The responsibility in providing industrial security equipment for contracting works by the employer, main contractor and sub-contractors shall be according to the following: The employer shall be responsible for the industrial security conditions related to the work-site and the equipment which he uses. Personal safety equipment for workers shall be provided by the contracting company.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS	Audit and Inspection	Inspection /Audit Report	Complied
23	The competent labor inspector shall take a sample or samples	All KU and Contractor	All Division	All KU Premises	Yes	Through EHSMS	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses /Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks/ Compliance status as of latest revision
		KU/ Contractor	Responsibility						
	of the materials used in the manufacturing process or other materials which are subject to inspection and which may have a harmful effect on the workers' health or safety. Such samples shall be collected for the purpose of analyzing them and determining their effect on the workers, and the inspector shall notify the employer or his representative of the results of the analysis and of any measures required to be taken in this concern. The inspector may demand if necessary that a medical examination be carried out on the establishment's workers and that other clinical and laboratory examination be made to ensure that the appropriate conditions are provided. Such checks and examinations shall be made during the official working hours when they are conducted in the establishment as specified by the provision of Article (175) of Law No. (8) 1980 concerning the regulation of labor relations.	Employees	Directors / Section Mangers / Unit Heads						
24	The employer shall notify the competent labor department on accidents which that may occur during working hours in his establishment and which may cause the following: a) The death of a worker b) Fires or explosions c) Rendering any of the workers unfit to perform his work for three or more days. The employer shall give notice of such accident in the form shown in table (4) attached to this decision, provided that notification shall be as follows: 1. In case of the death of a worker, fire or explosion, notice must be given immediately after the occurrence of the accident through the fastest means of communication available. 2. When a worker becomes unable doing his work for three or more days, notice must be given within 24 hours following the occurrence of the accident. 3. In all cases, however, the employer shall present to the competent labor department, a report in two copies, once every three months, containing an account of the injuries of work and occupational diseases in the form designated for	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS Accident/incident reporting, emergency management were made available and communicated the same to all employees through EHS induction as essential safety training	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses /Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks/ Compliance status as of latest revision
		KU/ Contractor	Responsibility						
	that purpose, provided that the said report shall not be delayed for more than 15 days from the expiry date of the three month period referred to herein. The employer shall keep a third copy of the said report at his establishment so that the competent labor inspector may have easy access to it when he visits the establishment.								
25	The labor inspector entrusted with the tasks specified in this Decision shall have the following qualifications: When undertaking duties related to industrial security he must be an engineer or a technician experienced in this field. When undertaking duties related to health, he must be a doctor specialized in vocational health. Each industrial establishment employing not less than 150 workers shall appoint a full-time industrial security officer whose job shall be to supervise the precautionary measures taken against the various risks and the implementation of the provisions of the law in this connection. The industrial security officer appointed by an establishment employing more than one thousand workers shall be an engineer or a technician qualified in industrial security and the officer appointed by an establishment employing less than one thousand workers shall be a graduate of an industrial secondary school with experience in industrial security. The concerned labor department shall certify the qualifications of the industrial security officers who are to be appointed in compliance with the provisions of this Article.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS. Doctor has been appointed in the KU 3 visit a year	Audit and Inspection	Inspection /Audit Report	Complied

Law/ Regulation/ Standard	***Federal Law No.8/1980 (Amended 2007), Chapter 5:*** *Workers Safety, Protection, Health & Social Care*
Date of Approval	19/11/2012
Issue Number	01

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
1	Every employer must provide adequate means of protection for the employee from the hazards of injuries and vocational diseases that may occur during work as well as the hazards of fire and other hazards arising from use of machines and other tools, and he must apply all other means of protection as approved by the Ministry of Labour & Social Affairs, and the employee must use protective equipment and clothing provided to him for such purpose and he must abide by all instructions of the employer aiming at his protection from dangers and must not act in a way that may obstruct the application of said instruction.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS. All necessary precautionary measures have been taken into consideration for all operations of KU. Necessary precautions to prevent any possible occupational illness or diseases are taken care.	Audit and Inspection	Inspection /Audit Report	Complied
2	Every employer must display at a conspicuous point in the place of business detailed instructions concerning methods to prevent fires and protect employees from dangers while they perform their duties. Said instructions shall read in Arabic and, if necessary, in another language understood by the employees.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes,	Through EHSMS. Firefighting equipment are installed in designated locations.	Audit and Inspection	Inspection /Audit Report	Complied
3	Each employee has to arrange for one medical aid box(s), supplied with medicines, bandages disinfectants and other relief aids, to be fixed in a conspicuous place within the reach of employees and to be used by a specialist in handling first aids, and every one hundred employees should be provided with an aid box. Each first- aid box shall be sufficient for every	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes,	Through EHSMS. Doctor has been appointed in KU. Necessary First Aid facilities have been provided.	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	100 employees.								
4	Without prejudice to the provisions of bylaws and regulations issued by concerned government authorities, the employer must provide proper cleanliness and ventilation in each place of business and must provide such places with adequate illumination, potable water and toilets.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes, .	Through EHSMS, housekeeping procedures has been developed and established. Periodical inspections are carried out to ensure cleanliness and hygienic working environment	Audit and Inspection	Inspection /Audit Report	Complied
5	The employer must appoint one physicians(s) to do full medical check-up at least once each 6 months regularly for his employees who are exposed to the danger of infection with any of the occupational diseases reserved in the schedule attached hereto, and to record the results in his registers and in the personal files of such employees and the cases of occupational diseases must be reported instantly by the doctors to the employers and the Labor Department after these become certain through medical and laboratory analysis. The physician in charge of regular medical checkup may ask for second medical checkups for any employee who is exposed to occupational diseases before the lapse of the time limit stated in the para. Under this article if the case of the employee so requires.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes,	Doctor has been appointed in KU 3 visit a year.	Audit and Inspection	Inspection /Audit Report	Complied
6	The employer must provide employees with means of medical care according to the standards decided by the Minister of Labor and Social Affairs in collaboration with the Minister of Health. The Minister of Labor and Social Affairs has the capacity in consultation with the Ministry of Health, to determine the general Measures for health prevention applicable to all establishments having staff and in particular such measures relating to safety, illumination, ventilation and dining rooms, as well as supply of potable and cleaning water and measures relating to purification of atmosphere form dust and smoke and	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes,	Through EHSMS. Periodical medical checkups and surveillance are taking care.	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	to stipulate precautionary measures against fire and electric current.								
7	The employer or his representative at the time of appointment must keep employees informed of the dangers related to their profession and preventive measures they have to take. Moreover, the employer must display detailed written instructions in this respect at places of business.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes,	Through EHSMS. The EHS Induction training procedure has been developed and established. All fresh personnel are undergoing EHS Induction trainings. Site-specific safety talks are carried out to make aware of all employees on all potential hazards in their activities.	Audit and Inspection	Inspection /Audit Report	Complied
8	The employer or his representative at the time of appointment must keep employees informed of the dangers related to their profession and preventive measures they have to take. Moreover, the employer must display detailed written instructions in this respect at places of business.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes,	Through EHSMS All fresh personnel are undergoing EHS Induction trainings. Site-specific safety talks are carried out to make aware of all employees on all potential hazards in their activities.	Audit and Inspection	Inspection /Audit Report	Complied
9	Employers, agents of the employers or any other persons having authority on employees may not permit entry of any kind of alcoholic drinks into the places of business for consumption threat, and they may not permit entrance into or stay at the establishment or any intoxicated person.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes,	Through EHSMS. Anti-Drug Awareness has been made among the personnel of KU. Disciplinary action procedures have been developed and established at KU.	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
10	The employee shall abide by the instructions and orders related to business safety and precautions, and adopt precautionary methods and pledge to care for items thereof in his possession. It is prohibited for an employee to act in any way that may contravene enforcement of said instructions or misuse methods placed for health and safety protection of employees or which may cause loss or damage to the same.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes,	Through EHSMS	Audit and Inspection	Inspection /Audit Report	Complied
11	Each employer who employs employees in areas that are remote from cities where there is no access to normal means of transportation shall provide employees with the following facilities: a) Adequate means of transport b) Adequate accommodation c) Drinking water d) Proper foodstuff e) Medical aid equipment f) Entertainment and sports amenities. Areas to which all or part of the provisions of this Article apply shall be stated by the decision of the Minister of Labor & Social Affairs. With exception of foodstuff, all services referred to in this Article shall be at the expense of the employer and nothing hereof is to be borne by the employee.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes, .	Through EHSMS, All necessary welfare facilities for KU employees are provided. Welfare facilities monitoring and inspection procedures are developed and maintaining	Audit and Inspection	Inspection /Audit Report	Complied

Law/ Regulation/ Standard	***Federal Law No.24/1999.*** *For the Protection & Development of Environment.*
Date of Approval	19/11/2012
Issue Number	01

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
1	**ENVIRONMENTAL IMPACT OF ESTABLISHMENTS** The Agency, in consultation with the competent authorities and concerned parties shall set the standards, specifications, principles and regulations for the assessment of the environmental impact of projects and establishments applying for a license and shall specially undertake the following:	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS necessary environmental conservation procedures are developed and maintaining	Audit and Inspection	Inspection /Audit Report	Complied
2	**SECTION 1 ENVIRONMENTAL IMPACT OF ESTABLISHMENTS** Without contravention to the provisions of the above article, the Agency, in coordination with the Competent Authorities and Concerned Parties shall undertake the evaluation of the environmental impact of the project and establishment to be licensed. No project or establishment shall start the activity before obtaining the license aforementioned in the previous article including environmental impact assessment.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	3rd party consultants have carried out environmental Impact Assessment.	Audit and Inspection	Inspection /Audit Report	Complied
3	**SECTION 1 ENVIRONMENTAL IMPACT OF ESTABLISHMENTS** The applicant for a license shall attach with his application a complete statement on the project or activity intended to be undertaken including all information required in accordance with the Executive Order and forms included therein.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS	Audit and Inspection	Inspection /Audit Report	Complied
4	**SECTION 1. ENVIRONMENTAL IMPACT OF ESTABLISHMENTS ARTICLE 7** Owners of projects or establishments approved by the license	All KU and Contractor Employees	All Division Directors / Section Mangers /	All KU Premises	Yes	Through EHSMS, waste water monitoring air quality	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	shall undertake regular analysis of wastes and monitor the properties of discharge and pollutants generated from such projects including degradable materials and keeping monitoring records and sending reports with the results to the Agency and the Competent Authorities.		Unit Heads			monitoring, VOC emissions testing is carried out and reporting to authorities			
5	**SECTION 3. ENVIRONMENTAL MONITORING** The Agency shall, in coordination with the Competent Authorities and Concerned Parties, develop a national system for environmental monitoring. The Competent Authorities shall undertake the establishment, operation and supervision of the environmental monitoring networks.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS	Audit and Inspection	Inspection /Audit Report	Complied
6	**SECTION 3. ENVIRONMENTAL MONITORING** The environmental monitoring networks shall notify the Agency, Competent Authorities and Concerned Parties of any violation of the permissible limits of environmental pollutants, and should submit periodical reports of the results in accordance with the provisions of the Executive Order.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Competent 3rd party consultants are performing the noise, wastewater and air.	Audit and Inspection	Inspection /Audit Report	Complied
7	**SECTION 4 EMERGENCY PLANS FOR COMBATING ENVIRONMENTAL DISASTERS** The Agency shall, in coordination with the Competent Authorities and cooperation and consultation with the Concerned Parties in the State, establish plans to combat environmental emergencies and disasters. Such plans and their budgets shall be approved by a resolution issued by the Cabinet of Ministers	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS Emergency Preparedness and Response Procedure have been developed and established at KU.	Audit and Inspection	Inspection /Audit Report	Complied
8	**SECTION 4. EMERGENCY PLANS FOR COMBATING ENVIRONMENTAL DISASTERS** All parties and individuals in the State shall endeavor to offer their help and potentials needed to combat environmental disasters.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS Emergency Preparedness and Response Procedure have been developed and established at KU	Audit and Inspection	Inspection /Audit Report	Complied
9	**PROTECTION OF WATER AND ENVIRONMENT** **SECTION 1. THE SCOPE OF ENVIRONMENTAL**	All KU and Contractor Employees	All Division Directors / Section	All KU Premises	Yes	Through EHSMS A water	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	PROTECTION 1. Protection of water environment from pollution aims to achieve the following: 2. Protection of the coasts, beaches and seaports of the State from all kinds and forms of pollution. 3. Protection of the marine environment and its living and non- living natural resources by prevention, reduction and control of pollution regardless of its source. 4. Protection of drinking water and ground water and development of water resources		Mangers / Unit Heads			conservation program has been established.			
10	**PROTECTION OF SOIL** It is prohibited in accordance with the Executive Order to undertake any activity contributing directly or indirectly, to damaging, disturbing the natural properties or polluting the soil in any way that may affect its productivity	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes,	Through EHSMS	Audit and Inspection	Inspection /Audit Report	Complied
11	**PROTECTION OF AIR FROM POLLUTION** Establishments, in practicing their activities, shall ensure that air pollutant must not exceed the acceptable permissible limits specified in the Executive Order	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes,	Through EHSMS	Audit and Inspection	Inspection /Audit Report	Complied
12	Machines, engines or vehicles producing exhaust gases that exceed the limits specified in the Executive Order shall not be used.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS The Vehicle Maintenance Program has been established at KU.by Al Gazal Transportation Company	Audit and Inspection	Inspection /Audit Report	Complied
13	All parties and individuals undertaking the product or service or other activities especially when operating machines, equipment, warning devices and loudspeakers, shall not exceed the permissible limits for noise.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes,	Noise monitoring is carried out periodically and adequate maintenance of vehicles and equipment are	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	The Executive Order shall indicate the permissible limits for the intensity and exposure time of noise.					carrying out.			
14	**HANDLING OR DEALING WITH HAZARDOUS SUBSTANCES** Handling or dealing with hazardous substances, hazardous wastes and medical wastes are prohibited without a license from the Competent Authorities. The Executive Order shall specify the conditions and regulations for license issuance.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes,	Through EHSMS. Hazardous substances handling procedure have been developed and established at KU	Audit and Inspection	Inspection /Audit Report	Complied
15	Disposal of hazardous wastes and medical wastes shall be undertaken in accordance with the conditions and criteria specified by the Executive Order. It is prohibited to establish any facilities for the treatment of hazardous wastes without a license issued by the Competent Authorities.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes,	Through EHSMS Hazardous waste management procedures have been developed and established at KU. Waste Management Records are maintained.	Waste Disposal Report and Regular Inspection	Inspection /Audit Report	Complied
16	Persons in charge of the production or handling of hazardous substances, whether in gas, liquid or solid states, shall take all the necessary precautions to ensure that no damage to the environment occurs. The Executive Order shall stipulate such precautions. The owner of the establishment undertaking activities resulting in the production of hazardous wastes according to this Law shall keep a registry for such hazardous wastes, methods of disposal and the parties contracted to receive such wastes. The Executive Order shall indicate the information and the party authorized to review the registry to ensure that the information conforms to applied practices.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes,	Only EAD and AD Waste Center Approved hazardous waste management contractor is carrying out the transportation and disposal.	Waste Disposal Report and Regular Inspection	Inspection /Audit Report	Complied
17	Provide adequate facilities for storage, treatment, and disposal through their own capabilities or through the private sector. Restrict waste collection contracts to Environmental service	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Necessary waste management facilities are available at KU.	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	providers permitted by the competent authority. Submit periodical reports to the competent authority on extent of progress in waste management. Provide organization structure, workforce and necessary financial capability to achieve sound waste management.					Waste management records are maintained.			
18	Reduce the generated waste by means of implementing the regulations , methods, techniques and alternatives approved in the emirate sorting, reduce or recycling of waste. Classify the generated waste to hazardous and non-hazardous waste as indicated in the approved relevant guidelines. Enforce its waste generating facilities with occupational health and safety requirements with all relevant regulations, guidelines and codes of practice and to comply with regulations set out by the competent authority in this regard. In case of contact with the private sector for transporting, storage, treatment or disposal of waste, the following must be carried out; a) Restrict waste contracts to Environmental service providers permitted by the competent authority. b) Inform parties interested in contracting of all wastes that are classified as hazardous wastes, and furnish such parties with all data available therewith on the description and specification of such wastes. c) Medical or hazardous waste must not be delivered to any party interested in contracting unless such parties specify the means that they shall apply to such waste and provide the approval of the competent authority. d) Complete delivery and transport of wastes as per the approved regulations and guidelines.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS All generated wastes are collected, segregated and disposed of in an environmentally friendly manner.	Waste Disposal Report and Regular Inspection	Inspection /Audit Report	Complied
19	**RADIATION** Federal Law No. (1) 2002 Regarding The: Regulation And Control Of The Use Of Radiation Sources and Protection Against Their Hazards	All KU And Contractor Employees	Lab. Division Director / Section Managers /	All KU Premises	Yes	Through EHSMS Entity License For Use Of Radiation In	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	Code Of Practice OHSAS-SF Cop 1.0 Version 3.1 June 2018 Hazardous Materials.		Radiation Unit Heads			Place. Competent And Qualified Employees			
20	**NOISE** Council of the minister's decision No 12 / 2006 regarding protection of Air from pollution (1/05/2006) Regulation Regarding Protection of Air from Pollution • Air pollutants must not exceed the acceptable permissible limits specified • Machines, engines or vehicles producing exhaust gases that exceed the limits specified shall not be used. • Prohibited to throw, treat or burn garbage and solid wastes except in places designated • Precautions at the time of exploration, drilling, construction, demolition or transportation of wastes or dusts produced • Adequate ventilation in the workplace. • Measures to prohibit smoking in closed public places. • Disposal of hazardous wastes and medical wastes, activities resulting in the production of hazardous wastes shall keep a registry for such hazardous wastes, Code of practice OHSAS-SF CoP 3.0 version 3.0 July 2016-Occupational Noise Annex 6 Allowance limits for noise level in different areas Industrial areas (heavy industry) Day from 7 a.m. to 8 p.m. : 60 -70 dB	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS All Major Noise Generating Locations periodically monitor by 3rd party consultants and recording.	Internal sampling for the labs, offices and classrooms Regular Inspection Measuring the levels and emissions for hazardous substances	Air quality Monitoring Report	Complied
21	**WASTE** Local law NO. 21 of 2005 on the waste management in Emirate of Abu Dhabi and Code of practice OHSAS-SF CoP 54.0 Waste Management Version 2.01 April 2015. Local law NO. 21 of 2005 on the waste management in Emirate of Abu Dhabi (Chapter IV, Article 5).	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes,	Through EHSMS Waste Management Procedure has been developed and established at KU. Proper waste disposal facilities	Waste Disposal Report and Regular Inspection Audit twice a year	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	Reduction, classification, storage, transporting Management of waste					have been implemented. EAD Approved Waste Disposal contractor is assigned for the handling, transportation and disposal of all kinds of wastes in KU.			

Law/ Regulation/ Standard	*Ministerial Decree No. 33 of January 30, 2012* *Regulation for Handling and Use of HCFCs*
Date of Approval	19/11/2012
Issue Number	01

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
1	Article 7: The MOEW shall put program to gradually reduce the HCFC and put annual% quota for registered companies by June 01 2012 as per the following schedule: ▪ Freeze average level 2009-2010 by 2013 ▪ 10% reduction by 2015 ▪ 35% reduction by 2020 ▪ 67.5% reduction by 2025 ▪ Consumption phase out by 2030 ▪ Allowed for existing equipment for services until full phase-out by 2040	All KU and Contractor Employees	Facilities Management Department	All KU Premises	Yes	Through EHSMS. All necessary precautionary measures have been taken into consideration for all operations of KU. Necessary precautions to prevent any possible occupational illness or diseases are taken care.	Audit and Inspection	Contractor Report & Reduction Program (recovery, recycling and reuse of refrigerant)	Complied

Law/ Regulation/ Standard	***AD Occupational Safety and Health System Framework (OSHAD-SF) Version 3.1 ,2018***
Date of Approval	19/11/2018
Issue Number	01

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
1	**Decree No (42) of 2009 concerning AD EHSMS** This Decree aims to implement the Environment, Health and Safety Management System in the Emirate through provision of a unified tool of an Emirate level to facilitate implementation of legislations relevant to environment, health and safety and for protection of human health and safety and the environment and conservation of natural resources	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes,	Through EHSMS	Audit and Inspection	Inspection /Audit Report	Complied
2	**OSHAD System Framework Version 3.1 March 2017** OSHAD-SF Elements – Mandatory System Requirements EHS Regulatory Instruments: • Management System Elements – Defines the mandatory management system components to be incorporated into an entity's OSHMS • Code of Practice – Mandatory EHS technical Requirements – subject specific • Mechanisms – Mandatory system implementation processes and procedures Guidelines: Guidelines: • Technical Guidelines: A Technical Guideline provides non-mandatory information and guidance on how to achieve a requirement as defined in the OSHAD-SF. • OSHAD-SF Guidance Documents: A Guidance Document provides non-mandatory information, guidance and interpretation of an OSHAD-SF concept and/or principle. • Occupational Standards and Guideline Values: OSH Standards and Guideline Values are currently non-	All KU and Contractor Employees To demonstrate compliant as per the A regulatory framework to ensure a systematic approach is adopted and implemented	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes,	Through EHSMS KU EHS MS Documentation & Records	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	mandatory requirements, however are based on international and local best practice.								
3	**The following OSHAD Codes of Practices:** **1.0 Hazardous Materials (V3.1)** **1.1 Management of Asbestos Containing Materials (V3.0)** **1.2 Lead Exposure Management (V3.1)** This Regulation applies to the use and storage of hazardous substances and mixtures, All persons who work with asbestos or have a duty to manage premises where asbestos containing material(s) (ACM) have been identified or presumed to be present have to provide all the technical information they require to meet Federal and Local legislative requirements It covers all construction, maintenance, manufacturing, recycling, surface preparation, sandblasting, painting, and any other work site where employees could have an exposure to airborne lead at any level.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records	Audit and Inspection	Air Quality Measuring Report	Complied
4	**2.0 Personal Protective Equipment (V3.1)** The requirements or measures to be taken to ensure Personal Protective Equipment (referred to as PPE) is introduced carefully, used properly and regularly maintained and monitored.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS PPE Issuance Register Inspection Reports	Audit and Inspection	Inspection /Audit Report	Complied
5	**3.0 Occupational Noise (V3.1)** **3.1 Vibration (V3.1)** Employee's exposure to noise levels in excess of 85 decibels (dB) at any time during a work shift of 8 hours. Ensure employees are not exposed to continuous, intermittent, or impact noise levels above 130 decibels, unless the appropriate hearing protection is provided; develop a written "Hearing Conservation Program" when they have noise hazards that exceed 85 decibels The requirements relevant to the Building and Construction Sector and applies to the planning, assessment and controls and conduct of occupational health	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS Noise monitoring and employee dosimeter records Medical records relating to vibration	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	and safety work practices in connection with Hand Arm / Whole Body Vibration which will be referred to as HAV.								
6	**(54) First Aid and Medical Emergency Treatment (V3.1)** To ensure that adequate first aid facilities and procedures are established and ensure that competent persons are readily available within the workplace to provide the services and necessary supplies and equipment are present and maintained in the workplace suitable to the first aid or medical services required.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS All first aid and Medical treatment cases records.	Audit and Inspection	Inspection /Audit Report	Complied
7	**5.0 Occupational Health Screening and Medical Surveillance (V3.1)** Occupational health screening shall be undertaken with regards to the potential exposures expected related to the employee's occupation and before an employee is exposed to a hazardous work environment.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS Occupational health screening and medical surveillance programs	Audit and Inspection	Inspection /Audit Report	Complied
8	**8.0 General Workplace Amenities (V3.1)** This code of practice applies to the amenities found in the workplace and involves ensuring the availability of the minimum EHS requirements in this regard and the validity of control measures in place.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records	Audit and Inspection	Inspection /Audit Report	Complied
9	**9.0 Workplace Wellness (V3.0)** **9.1 New and Expectant Mothers (V3.1)** **9.2 Managing Work-Related Stress (V3.1)** Requirements and standards for workplace wellness and health promotion in the work and living environments (labor accommodation), promotion of awareness, education, and wellness programs to employees and contractors in order to encourage employees, contractors and their families to adopt healthy lifestyles and to prevent and control health and lifestyle related issues.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
10	**10.0 Rehabilitation / Return to Work (V3.1)** Requirements for workplace rehabilitation and return-to work to ensure that employees receive the appropriate treatment and benefits, including assistance in returning to their normal duties after a workplace injury, disorder or disease.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records	Audit and Inspection	Inspection /Audit Report	Complied
11	**11.0 Safety in the Heat (V3.1)** Working in high temperature environments. High temperature environments include both weather (working outside in summer months) and site operations (furnaces, ovens, other high temperature operations).	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS Details of training, awareness resources and materials communicated to employees regarding working in hot environments	Audit and Inspection	Inspection /Audit Report	Complied
12	**12.0 Prevention and Control of Legionnaires Disease (V3.1)** Applies to all employers and places of business within the Emirate of Abu Dhabi that have equipment that uses, stores, or disseminates warm water.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS Maintenance and disinfection schedule & records.	Audit and Inspection	Inspection /Audit Report	Complied
13	**13.0 Violence in Workplace – (V3.0)** Bullying and Violence includes verbal abuse, spreading rumors and interfering with personal property or work equipment. Indirect bullying may involve unjustified criticism, denying access to information, withholding vital information, setting unreasonable tasks, excessive scrutiny or changing work arrangements to cause inconvenience.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records	Audit and Inspection	Inspection /Audit Report	Complied
14	**14.0 Manual Handling and Ergonomics (V3.1)** **14.1 Manual Tasks Involving the Handling of People (V3.1)** Requirements regarding Manual handling which is any transporting or supporting of a load (including the lifting, putting down, pushing, pulling, carrying or moving thereof) by hand or by bodily force. The management of risks associated with manual handling tasks.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS Risk Assessment	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
15	**15.0 Electrical Safety (V3.1)** Requirements to establish standards and principles that promote the design, construction and operation of safe and efficient systems of wiring in buildings and other premises. Requirements for eliminating, preventing and controlling electrical hazards.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records	Audit and Inspection	Inspection /Audit Report	Complied
16	**16.0 OSH Requirements for people of determination (people with special needs) (V3.1)** Requirements as mentioned in the CoP to be provided.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records	Audit and Inspection	Inspection /Audit Report	Complied
17	**17.0 Safety Signage and Signals (V3.1)** This Code of Practice requires employers to use safety signage where there is a significant EHS risk that has not been avoided or controlled by the methods required, provided the use of a sign can help reduce the risks. Safety signs are not a substitute for those other methods of controlling risks such as engineering controls and safe systems of work.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records.	Audit and Inspection	Inspection /Audit Report	Complied
18	**18.0 Employer Supplied Accommodation general Requirements (V3.1)** Requirements for EHS regulations related to worker camps and other accommodation provided.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records.	Audit and Inspection	Inspection /Audit Report	Complied
19	**19.0 Occupational Food Handling and Food Preparation Areas (V3.0)** This Code of Practice establishes the requirements and standards for occupational food handling and food preparation. The intent of the standard is to help ensure employees health and fitness by providing detailed guidance and best practice to equip both the employer and the employee with the knowledge to enable them to avoid or eliminate the hazards, and thus reduce the risk in their day-to-day activities.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records.	Audit and Inspection	Inspection /Audit Report	Complied
20	**20.0 Safety in Design (V3.1)** Regulation to eliminate or reduce risk that can arise through	All KU and Contractor Employees	All Division Directors / Section	All KU Premises	Yes	Through EHSMS	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	construction or end use of a structure or piece of equipment. At each stage of design, designers should ensure that all foreseeable risks have been identified and analyzed to reduce the risk to as low as reasonably practicable.		Mangers / Unit Heads			EHSMS Documentation & Records.			
21	**21.0 Permit to Work Systems (V3.1)** Requirements related to permit-to-work system. The communication between site/installation management, plant supervisors and operators and those who carry out the hazardous work. Essential features of permit-to-work systems.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records.	Audit and Inspection	Inspection /Audit Report	Complied
22	**22.0 Barricading of Hazards (V3.1)** This Code of Practice establishes the requirements and standards so that the risks of certain physical hazards can be prevented or reduced through the installation and maintenance of barricades.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS Risk Assessment.	Audit and Inspection	Inspection /Audit Report	Complied
23	**23.0 Working at Heights (V3.0)** This Code of Practice covers the requirements relevant to the planning, preparation and conduct of health and safety work practices in connection with working at heights: **(55)** Existing places of work and means of access for working at height; (ii) Fall prevention; (iii) Guardrail systems; (iv) Safety nets; (v) Fall arrest systems; and (vi) Working platforms.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS Risk Assessment.	Audit and Inspection	Inspection /Audit Report	Complied
24	**24.0 lockout / Tag-out (Isolation) (V3.0)** This applies to the servicing and maintenance of machines and equipment in which the unexpected energization or startup of the machines or equipment, or release of stored energy could cause injury to workers. Establishes minimum performance requirements for the control of such hazardous energy.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS Risk Assessment.	Audit and Inspection	Inspection /Audit Report	Complied
25	**25.0 Driver fatigue prevention (V3.1)** This code of practice applies to the requirements of preventing and reducing accidents of transportation due to driver fatigue at the workplace.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes.	Through EHSMS Risk Assessment	Audit and Inspection	Inspection /Audit Report	Complied
26	**26.0 Scaffolding (V3.0)**	All KU and Contractor	All Division Directors /	All KU Premises	Yes	Through EHSMS	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	The requirements and standards to ensure that the risks associated with the use of scaffolding are assessed, that control measures are implemented in accordance with the hierarchy of controls and those measures are taken to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities.	Employees	Section Mangers / Unit Heads			Risk Assessment.			
27	**27.0 Confined Spaces (V3.1)** This Code of Practice establishes the requirements and standards so that the risks associated with confined Spaces are assessed, that control measures are implemented in accordance with the hierarchy of controls and those measures are taken to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS Risk Assessment.	Audit and Inspection	Inspection /Audit Report	Complied
28	**28.0 Hot Work Operations (Welding and Cutting) (V3.0)** The requirements that the risks associated with hot work operations (welding and cutting), are assessed, that control measures are implemented in accordance with the hierarchy of controls and that measures are taken to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS Risk Assessment.	Audit and Inspection	Inspection /Audit Report	Complied
29	**29.0 Excavation (V3.0)** The requirements for risks associated with excavation control measures, to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS Risk Assessment.	Audit and Inspection	Inspection /Audit Report	Complied
30	**30.0 Lone Work and/or in Remote Locations (V3.0)** **30.1 Working in International locations (V3.1)** The requirements for risks associated with lone working or remote & international locations and to ensure control measures are implemented.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS Risk Assessment.	Audit and Inspection	Inspection /Audit Report	Complied
31	**31.0 Working on, Over or Adjacent to Water (V3.0)** This Code of Practice established the requirements and standards so that the risks associated with working on, over or adjacent to the water is assessed, that control measures are implemented in accordance with the hierarchy of controls and that measures are taken to prevent injury, illness and disease to persons who might be exposed to risks arising from those	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS Risk Assessment.	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	activities.								
32	**33.0 Working On, or Adjacent to a Road (V3.0)** This Code of Practice establishes the requirements and standards so that the risks associated with roadwork's, as applied to both new highway construction works and the reconstruction or resurfacing of existing highways, are assessed, that control measures are implemented in accordance with the hierarchy of controls and that measures are taken to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS Risk Assessment.	Audit and Inspection	Inspection /Audit Report	Complied
33	**34.0 Safe Use of Lifting Equipment and Lifting Accessories (V3.0)** The requirements for risks associated with the use of lifting equipment and lifting accessories are assessed, that control measures are implemented in accordance with the hierarchy of controls and that measures are taken to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records Risk Assessments Log books and inspection check sheets	Audit and Inspection	Inspection /Audit Report	Complied
34	**35.0 Portable Power Tools (V3.0)** The requirements for risks associated with the use of portable power tools are assessed, that control measures are implemented in accordance with the hierarchy of controls and that measures are taken to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records Risk Assessments and inspection checklist.	Audit and Inspection	Inspection /Audit Report	Complied
35	**36.0 Plant and Equipment (V3.0)** This Code of Practice establishes the requirements and standards so that the risks associated with the use of plant and equipment are assessed, that control measures are implemented in accordance with the hierarchy of controls and those measures are taken to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records Risk Assessments and inspection checklist.	Audit and Inspection	Inspection /Audit Report	Complied
36	**37.0 Ladders (V3.0)**	All KU and Contractor	All Division Directors /	All KU Premises	Yes	Through EHSMS	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	The requirements and standards so that the risks associated with the use of ladders are assessed, that control measures are implemented in accordance with the hierarchy of controls and that measures are taken to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities.	Employees	Section Mangers / Unit Heads			EHSMS Documentation & Records Risk Assessment tests, maintenance, inspections carried out on ladders.			
37	**38.0 Concrete Placing Equipment (V3.0)** The requirements for risks associated with the use of concrete placing equipment are assessed, that control measures are taken to prevent injury, illness and disease to persons. The safe operation of all types of concrete pumps and associated placing equipment used in pumping or spraying.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records Risk Assessments Log books and inspection check sheets.	Audit and Inspection	Inspection /Audit Report	Complied
38	**39.0 Overhead and Underground Services (V3.0)** This Code of Practice covers the requirements relevant to the planning, preparation and conduct of health and safety work practices in connection with overhead and underground services.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records Risk Assessments Inspection Records.	Audit and Inspection	Inspection /Audit Report	Complied
39	**40.0 Falsework (Formwork) (V3.0)** This Code of Practice establishes the requirements and standards so that the risks associated with false-work is assessed, that control measures are implemented in accordance with the hierarchy of controls and those measures are taken to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records Risk Assessments Inspection Records.	Audit and Inspection	Inspection /Audit Report	Complied
40	**41.0 Steel Erection (V3.0)** This Code of Practice establishes the requirements and standards so that the risks associated with steel erection are assessed, that control measures are implemented in accordance with the hierarchy of controls and that measures	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records Risk Assessments	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	are taken to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities.					Inspection Records.			
41	**42.0 Tilt-Up and Pre-Cast Construction (V3.0)** This Code of Practice establishes the requirements and standards so that the risks associated with tilt-up and pre-cast concrete elements are assessed, that control measures are implemented in accordance with the hierarchy of controls and that measures are taken to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records Risk Assessments Inspection Records.	Audit and Inspection	Inspection /Audit Report	Complied
42	**43.0 Temporary Structures (Office Buildings, Tents, etc.) (V3.0)** This Code of Practice establishes the requirements and standards so that the risks associated with temporary structures can be prevented or reduced through the introduction of planning and physical control measures.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation, Records Risk Assessments, Inspection Records & Training Record.	Audit and Inspection	Inspection /Audit Report	Complied
43	**44.0 Traffic Management and Logistics (V3.0)** This Code of Practice establishes the requirements and standards so that the risks associated with site traffic and logistics can be prevented or reduced through the introduction of planning and physical control measures.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation, Records Risk Assessments, Inspection Records & Training Record.	Audit and Inspection	Inspection /Audit Report	Complied
44	**45.0 Underwater Activities (V3.0)** The following Code of Practice applies to every place of employment within the waters of Abu Dhabi, UAE. It covers all diving and related support operations conducted in connection with all types of work and employments, including general industry, construction, recreational diving, commercial diving, ship repairing, shipbuilding, shipbreaking, and long-shoring.	Research Staff, Lab Engineers	Research Department	Wave Tank Lab	Yes	Guidelines/ Training	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
45	**46.0 Underground Construction (V3.0)** This Code of Practice establishes the requirements and standards so that the risks associated with underground construction are assessed, that control measures are implemented in accordance with the hierarchy of controls and that measure are taken to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities.	Contractor	Facilities Management	Constructions / new extension/new projects	Applicable	Medical building / wind tunnel lab	Inspection	External Authorities Inspection / Consultant	Complied
46	**47.0 Machine Guarding (V3.0)** This Code of Practice establishes the requirements and standards so that the risks associated with the guarding of machinery are assessed, that control measures are implemented in accordance with the hierarchy of controls and those measures are taken to prevent injury, illness and disease to persons who might be exposed to risks arising from those activities.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records, Risk Assessments. Tests, maintenance, inspections carried	Audit and Inspection	Inspection /Audit Report	Complied
47	**48.0 Spray Painting (V3.0)** Requirements for spray finishing operations including spray painting that uses compressed gases including compressed air. Determine the risks associated to identify areas where control measures and safe work practices are required to reduce employee's exposures to hazards associated with spray finishing operations and hazardous materials/chemicals.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	Workshops / Facilities Maintenance	Yes	Through EHSMS EHSMS Documentation & Records Risk Assessments Emergency Response Plan.	Audit and Inspection	Inspection /Audit Report	Complied
48	**49.0 Compressed Gases and Air (V3.0)** This sets requirements on how to use, store and transport compressed gases. Determine the risks associated to identify areas compressed gas control measures and safe work practices are required to reduce employee's exposures to compressed gases and hazardous materials/chemicals.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records Risk Assessments Emergency Response Plan.	Audit and Inspection	Air Quality Measuring Report And Gas Certification	Complied
49	**50.0 Abrasive Blasting and associated Protective**	All KU and	All Division	All KU	Yes	Through	Audit and Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	Coating Work (V3.0) This sets requirements for abrasive blasting operations. Engineering controls are evaluated and implemented to remove or reduce employee exposure to hazards associated with abrasive blasting operations.	Contractor Employees	Directors / Section Mangers / Unit Heads	Premises		EHSMS EHSMS Documentation & Records Risk Assessments Emergency Response Plan.			
50	**51.0 Powered Fork Trucks (V3.0)** The following code of Practice sets out the requirements for the use of lift trucks. Entities shall evaluate each site or operation to determine what hazards are present in relation to the use of powered lift trucks and shall assess the risk using risk management practices.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes		Audit and Inspection	Inspection /Audit Report	Complied
51	**52.0 Local Exhaust Ventilation (V3.0)** Requirements on how to control gas, vapor, dust, fume and mist in workplace air using local exhaust ventilation (LEV) to extract contaminants before they enter employee's breathing zones.	Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation, Records Risk Assessments, Inspection Records & Training Record.	Inspection and measuring the Air quality	Air Quality Measuring Report	Complied
52	**53.0 EHS Management During "Construction Work" (V3.1)** **53.1 EHS-CMP (V3.1)** The requirements for the EHS management of construction projects/activities and for compiling: Pretender Environment, Health and Safety Plans; environment, health and safety construction management plans (EHSCMP) Site Environment, Health and Safety Meetings; Environment, Health and Safety Files.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation, Records Risk Assessments, Inspection Records & Training Record.	Audit and Inspection	Inspection /Audit Report	Complied
53	**54.0 Waste Management (V3.1)** Requirements for the development and implementation of the Waste Management requirements to the production, handling,	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation	Inspection and waste Management Report	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	keeping, safe storage, transport, collection and disposal of all waste generated.					& Records, Risk Assessments, Inspection Records, Waste record			
54	**Federal Law By Decree No 6 of 2009** Regulation of FNAR REG – 01 to REG – 24. • Nuclear Facility Construction • Import/ Export Controls • Safeguards and Material Control and Accounting • Application for a License to Operate a Nuclear • Facility • Design Modifications during Operation • Operational Safety including Testing, Surveillance and Reporting • Certification of Operations Personnel • Administrative Liabilities and Penalties • Criminal Penalties • Application for an Operating License Extension of a Nuclear Facility • Decommissioning • Decommissioning Trust Fund • Security of Radioactive Sources	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records, Laboratory Inspection Record, Risk Assessment.	Audit and Inspection	Inspection /Audit Report, FNAR Licensing	Complied
55	**Ministerial Decision No. (587) of 2009 and (26) of 2009 Regarding Working Hours in the Sun** 1. Asphalt mix laying works, concreting if the same cannot be carried out or completed during the afternoon period. 2. Works necessary to avoid any danger or rectify any damage or fault or accidental losses. These works include the repair of: • Water supply line disconnection • Drainage line disconnection • Electric current disconnection • Traffic suspension in highways • Oil or gas pipeline interruption 3. Works, the carrying out of which, require a permit from	All KU and Contractor	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS Announcement and communication records	Inspection	Inspection /Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	a competent governmental authority due to its impact on the traffic movement and services, if the permission provides for its completion continuously. These works include: • Suspension or conversion of main highways • Electric current interruption • Etisalat line disconnection 4. Any other works approved by the Director General of the Ministry If work continues by virtue of the above mentioned articles, the employer should provide the following: • Cold potable water in conformity with the number of • Workers and safety and general health conditions. • Means of quenching such as salts and lemon as those • Approved by the health authorities in UAE. • First aid on site. • Industrial cooling means. • Sunshades.								
56	**Council of Ministers Decree No. 37 of 2001** The Environmental Impact Assessment of Projects, Handling of Hazardous Substances, Hazard wastes and Medical Wastes, the protection of Marine Environment, Agricultural Pesticides and Fertilizers and protection of air Pollution.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records, Risk Assessments, Inspection Records.	Inspection and waste Management Report	Inspection /Audit Report	Complied
57	**ESMA Standard UAE.S GSO 209 : 1995 – Industrial Safety and Health Regulations – Occupational Health and Environmental Control** Industrial Safety and Health Regulations – Occupational Health and Environmental Control.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records, Risk Assessments, Inspection Records.	Audit and Inspection	Inspection /Audit Report	Complied
58	**ESMA Standard UAE.S GSO 212 : 1994 – Personal Protective Equipment** Industrial Safety and Health regarding Personal Protective	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records, Risk	Audit and Inspection	Inspection / Audit Report and list of PPEs	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	Equipment. Employers are to ensure that PPE is hygienic and otherwise free of risk to health, and that PPE is provided to a person for their personal use only. The PPE must meet the national criteria stated in the council of minister Decision No. 3 of 2016 regarding the UAE regulation for Personal Protective Equipment, the international standards stated in regulation, and any international standards approved by the Emirates Authority for Standardization and Metrology (ESMA in fulfillment of that regulation. The national regulation allows ESMA to approve any product carrying the Emirates Quality Mark or any Mark that is approved by ESMA.					Assessments, Inspection Records.			
59	**ESMA Standard UAE.S GSO 215 : 1995 – Industrial Safety and Health Regulations – Equipment- Tanks, Pressure vessels, Boilers and Compressed gas equipment;** Industrial Safety and Health Regulations – Equipment- Tanks, Pressure vessels, Boilers and Compressed gas equipment.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records, Risk Assessments, Inspection Records.	Audit and Inspection	Inspection /Audit Report	Complied
60	**ESMA Standard UAE.S GSO 217 : 1995 – Industrial Safety and Health Regulations – Equipment Scaffolding** Industrial Safety and Health Regulations – Equipment Scaffolding.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records, Risk Assessments, Inspection Records.	Audit and Inspection	Inspection /Audit Report	Complied
61	**ESMA Standard UAE.S GSO 220 : 1995 – Industrial Safety and Health Regulations – Welding, Cutting and Brazing** Industrial Safety and Health Regulations – Welding, Cutting and Brazing.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS EHSMS Documentation & Records, Risk Assessments, Inspection Records.	Audit and Inspection	Inspection /Audit Report	Complied
62	**ISO 45001:2018 – OCCUPATIONAL HEALTH & SAFETY**	All KU and Contractor	All Division Directors /	All KU Premises	Yes	Through EHSMS	Audit and Inspection	External Audit Report	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	MANAGEMENT SYSTEM – Requirements Occupational Health and Safety Management standard – ISO 45001:2018	Employees	Section Mangers / Unit Heads			EHSMS Documentation & Records, Risk Assessments, Inspection Records.			
63	**ISO 14001:2015 – ENVIRONMENT MANAGEMENT SYSTEM – Requirements with Guidance for Use** Environment Management System – ISO 14001:2015	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS	Audit and Inspection	External Audit Report	Complied
64	**ISO 31000:2009 – RISK MANAGEMENT — PRINCIPLES AND GUIDELINES** Risk Management - ISO 31000:2009	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS	Audit and Inspection	External Audit Report	Complied
65	**UAE Cabinet Resolution No. (24) of 2012 & Ministerial Resolution 505 of 2012.** Hassantuk is a smart city initiative protecting lives and properties across the UAE by connecting all Buildings & Properties to Hassantuk Alarm Receiving center (ARC) via an Alarm transmission equipment (ATE) which is installed in each building. Every building owner is responsible for the payment of installation and fixed annual subscription fees which are to be paid in accordance with the MOI Ministerial Resolution.	All KU Campuses	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS	Audit and Inspection	Hassantuk Certificates	Stage one completed and stage two In process (final stage)
66	**Abu Dhabi Law Executive Regulations No.5 of 2011 ("MCC Regulations')** The public and private facilities in Abu Dhabi are required to have the monitoring and control systems in accordance with the terms and conditions set by the MCC: ▪ Hotels, hotel apartments and residences ▪ Banks, exchange offices and monetary and financial institutions ▪ Shopping centers, entertainment centers and clubs ▪ Fuel stations ▪ Gold and jewelry shops ▪ Deposits and warehouses of precious material and	All KU Campuses	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS	Audit and Inspection	MCC Certificates	SAN Campus Certified, while main campus in process due to the new extension execution

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	hazardous substances ▪ Hospitals and medical centers ▪ Sports clubs ▪ Ports, airports and land ports ▪ Commercial buildings ▪ Public and private schools, universities and institutes								
67	**Ministerial Decree No. 401 of 2015** **Concerning the Determination of Midday Working Hours** The working hours are determined for the works performed under the sun and in open areas provided that labor shall not be present at the working site after 12:30 PM. No business shall be resumed before 3:00 PM. The employer shall provide an appropriate shelter for such Labour to rest therein during this period. This law will be applied for three months (from June 15 to September 15).	All KU Campuses	All Division Directors / Section Mangers / Unit Heads/ Contractors	All KU Premises	Yes	Through EHSMS	Inspection	Email communication & Audit	Complied
68	**UAE Fire and Life Safety Code of Practice- 2018** Purpose of this code is to prescribe minimum guidelines for determining design, construction, modification & installation of buildings, structures, occupancies, fire detection systems, fire protection systems, fire prevention systems and life safety systems to achieve safe societies. 'UAE Fire and Life Safety Code of Practice' will cover the following areas; ▪ Fire service access ▪ Means of egress ▪ Fire extinguishers ▪ Exit signs ▪ Emergency lighting ▪ Emergency voice evacuation systems ▪ Fire detection and alarm systems ▪ Fire protection systems ▪ Smoke control and management systems ▪ Flammable and Combustible liquids ▪ Emergency action plans and evacuation procedures	All KU Campuses	All Division Directors / Section Mangers / Unit Heads/ Contractors	All KU Premises	Yes	Through EHSMS	Audit& Inspection	Audit & Inspection reports	Complied
69	**General Secretariat of the Executive Council Circular No. (1) Of 2016.** Concerning the Road Traffic Safety of the Employees in Bad	All KU Campuses	HR/ All Division Directors / Section	All KU Premises	Yes	Through EHSMS HR	Audit & Inspection	Audit & Inspection reports	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	Weather Condition and Poor Visibility, 2016. For the safety of employees and in order to prevent road traffic accidents, the necessary regulations, controls and procedures shall be laid down, to ensure the flexibility of attendance and leave system for the employees in the weather conditions.		Mangers / Unit Heads/ Contractors			Announcement			
70	**Federal Decree-Law No. (2) of 2011 In Respect of the Establishment of the National Emergency, Crisis and Disasters Management Authority (NCEMA), As Amended by Federal Decree-Law No. (6) of 2013 And Federal Decree-Law No. (8) of 2015** Article (21) All entities shall be committed to applying the Occupational and Institutional Security and Safety system to reduce the occurrence of incidents in industrial projects and minimize their effects upon their occurrence.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS KU EHS MS Documentation & Records MCC Certification	Audit and Inspection	Audit & Inspection reports	Complied
71	**UAE Occupational Health and Safety Management System (OHSMS) national standard AE/SCNS/NCEMA 6000:2016** The United Arab Emirates (UAE) Occupational Health and Safety Management System (OHSMS) National Standard (the Standard) specifies the requirements for an organization to establish, implement and maintain an OHSMS to manage OHS risks to as low as reasonably practicable.	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS KU EHS MS Documentation & Records	Audit and Inspection	Audit & Inspection reports	Complied
72	**Federal Law No. 14 of 2014 in the matter of combating communicable diseases** Article (1) defines Isolation & Quarantine Article (14) the Ministry and the health authority shall grant the injured or suspected of sick leave Article (26) The Ministry and the health authorities shall organize the medical examination procedures Article (27) It is prohibited to place any restrictions or special requirements on people with communicable diseases that prevent them from obtaining the rights prescribed to them in the legislation in force in the state, and taking into account their health condition, without prejudice to the measures necessary to reduce and prevent communicable diseases. Article (28) infected with communicable diseases specified in the executive regulations of this law, the right to receive	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS KU EHS MS Documentation & Records	Audit and Inspection	Audit & Inspection reports	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	the necessary health care and treatment in government health facilities, in accordance with the procedures determined by the executive regulations of the law, provided that this is free of charge for diseases of Section A of Table No. 1 Appended to this law unless it is covered by health insurance Article (29) Persons with communicable diseases have the right to protect the confidentiality of their information related to the disease Article (30) Based on the provisions of Article 4 of this Law, any person, in order to detect communicable diseases specified by the executive regulations of this law, may voluntarily conduct a non-nominal examination in the health centers and institutions for which the ministry or the health agency issues a decision in this regard. Article (31) First paragraph prohibits a person who knows that he or she is infected with any communicable diseases specified by the relevant department, including those in schedule (1) attached to this law, to travel to any place other than the health facility except with the approval of the ministry or the health authority. Article (32) when the person is aware of a disease contained in schedule (1) attached to this law and contacts with the ministry of health or health authorities for treatment, counselling and awareness of the risks of infection and the methods of transmission. Article (38) states that if anyone violates any provision of sections (1 and 2) of article (31), articles 32 and (33) of this law shall be punished with imprisonment, and a fine of not less than 10,000 dirhams and not more than 50,000 dirhams, or one of these penalties								
73	**International Health Regulations (2005)** Article (18) recommendations concerning persons, luggage, goods, containers, transport, goods and parcels according to the 2005 International Health Regulations are made by WHO to States parties for persons; it is recommended that quarantine or other health measures shall be implemented for suspected persons Article (31) on health measures relating to the entry of traveler's referred to "health measures in place that prevent or combat the spread of the disease, including isolation, quarantine or placing the passenger under the control of	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS KU EHS MS Documentation & Records	Audit and Inspection	Audit & Inspection reports	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	public health authorities								
74	**UAE Attorney General Resolution #38 of 2020 Fines to curb spreading of corona** The UAE Attorney General has issued resolution No. (38) of 2020 following Cabinet Decision No. 17 of 2020 regarding the implementation of regulations for spreading communicable diseases. The resolution covers 15 penalties, ranging from AED 500 to AED 50,000, which aim to curb the spread of the novel coronavirus in the UAE	All KU and Contractor Employees	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	Through EHSMS KU EHS MS Documentation & Records	Audit and Inspection	Audit & Inspection reports	Complied
75	**Executive council executive committee (28/2/2020)** Disinfection the public area in private and government entities	KU Campuses and premises	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	KU EHSMS Record and document	Inspection	Audit & Inspection reports	Complied
76	**Home/ Institutional Quarantine Guide for COVID-19(for official use) Dt: 17 March 2020**	KU Campuses and premises	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	KU EHSMS Record and document	Inspection	Audit / Inspection reports/announcements	Complied
77	**Contact Tracing for Covid-19 positive cases –DOH guidelines Dt :21st April 2020**	KU Campuses and premises	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	KU EHSMS Record and document	Inspection	Audit / Inspection reports//announcements	Complied
78	**Operation of Educational Establishments during the Pandemic: Protocols & Procedures Fifth Release 5.0 Ministry of Education, UAE.**	KU Campuses and premises	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	KU EHSMS Record and document	Inspection	Audit / Inspection reports//announcements	Complied
79A	**Abu Dhabi-HR Authority circular 16 of 2020-** Relating to fines for COVID-19 violations.	KU Campuses	All department chairs/ R&D directors/ FM directors	KU Campuses and event premises	KU Campuses and event premises	KU EHSMS Record and document	Inspections /Audits	Violations records	Complied
79B	**Executive council- Executive committee circular 4 of 2021 Dt 25/5/2021** Update to deal with COVID-19 pandemic regarding the attendance at the workplace in government entities and companies - increased to 60%	KU Campuses	All department chairs/ R&D directors/	KU Campuses and event premises	KU Campuses and event premises	KU EHSMS Record and document	Inspections /Audits	Violations records	Measures taken to implement

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
			FM directors						
79C	**Updated travel Procedure For Those Vaccinated Effective date: 3rd May,2021 from Abu Dhabi Emergency Crisis and Disaster Committee for Covid -19 Pandemic** This procedure explains the travel procedure for citizens and residents who are vaccinated /unvaccinated and arriving from Green /Other countries	KU Campuses and premises	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	KU EHSMS Record and document	Inspection	Audit & Inspection reports	Complied
79D	**Home Quarantine and Arrival procedures 2021 from ADPHC** The procedure explains the procedure of quarantine duration, frequency of testing and Electric watch removal.	KU Campuses and premises	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	KU EHSMS Record and document	Inspection	Audit & Inspection reports	Complied
80	**The Electricity Wiring Regulations 2020 DOE** These Regulations apply to all distribution companies, customers, owners, licensed contractors, or any other persons involved in the design, construction, installation, maintenance or operation of low-voltage electrical installations in all premises within the Emirate of Abu Dhabi. 10.1.1 The power factor at the Connection Point between the Distribution Company and the Owner's Electrical Installation shall be maintained between 0.9 lagging and unity.	KU Campuses and premises	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	KU EHSMS Record and document	Inspection	Audit & Inspection reports; FM /ADDC records	Complied
81	**UAE Energy Strategy 2050** **https://u.ae/en/about-the-uae/strategies-initiatives-and-awards/federal-governments-strategies-and-plans/uae-energy-strategy-2050** The strategy aims to increase the contribution of clean energy in the total energy mix from 25 per cent to 50 per cent by 2050 and reduce carbon footprint of power generation by 70 percent, thus saving AED 700 billion by 2050. It also seeks to increase consumption efficiency of individuals and corporates by 40 per cent.	KU Campuses and premises	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	KU EHSMS Record and document; Research activities in KU	Inspection	Audit & Inspection reports; Research activities in line with Energy strategy - 2050 Advanced Power and Energy Center - Khalifa University (ku.ac.ae) Action plan to achieve Energy strategy -2050	Complied
82	**Manual on the Efficient Use of Electricity in the Government Sector-ADDC,ADWEA** This manual presents information and resources for facility managers for government buildings on how to reduce electricity use throughout their buildings. The purpose of this manual is to help increase energy efficiencies and reduce the associated electricity costs of	KU Campuses and premises	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	KU EHSMS Record and document ; Temperature settings in	Inspection	Audit & Inspection reports project records on Thermostat controls retrofitting	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
	buildings in order to maximize building efficiency potentials.					rooms with thermostats			
83	**ADDC Code of Practice for Efficient Use of Water & Electricity** This Code of Practice outlines the ways that ADDC will provide its customers with guidance on the efficient use of water and electricity, as well as how it will keep customers informed of measures to improve the efficient use of these resources.	KU Campuses and premises	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	KU EHSMS Record and document ; Energy consumption analysis	Inspection	Audit / Inspection reports. Energy consumption analysis.	Complied
84	**General Civil Aviation Authority-Unmanned Aircraft systems (UAS) and Operations:** This reregulation prescribes the requirements to be met by person or organization operating Unmanned Aircraft for the purpose of: a) commercial and non-commercial activities; b) experimentation and research and development activities; c) UA event; and d) Demonstration flights.	KU Campuses and event premises	All department chairs/ R&D directors/ FM directors	KU Campuses and event premises	KU Campuses and event premises	License from GCAA	Inspections /Audits	Drone registration records	Complied
85	**Federal Act No 20 of 1991** The civil Aviation Law – Article 69&70 Deals with fines and imprisonments for not registering UAV/Drones.	KU Campuses and event premises	All department chairs/ R&D directors/ FM directors	KU Campuses and event premises	KU Campuses and event premises	License from GCAA	Inspections /Audits	Drone registration records	Complied
86	**UAE Biosafety Biosecurity Guideline 1st July, 2020** To implement the bio risk management in relevant organizations including health, animals, and research.	Medical School	Medical School department chairs	Medical School	Medical School	KU EHSMS Record and document	Inspections /Audits	Audit / Inspection reports	Complied
87	**Cabinet Order No.37 of 2001 for Executive Order of Federal Law No. 24 of 1999 for Regulation of Handling Hazardous Materials, Hazardous Waste and Medical Waste.** This Regulation consisting of 19 articles and 3 Annexes aims at implementing Federal Law No. 24 of 1999 on the Environment Protection and Development. It establishes that for handling or dealing in hazardous material, hazardous waste and medical wastes is needed a license issued by the competent authorities	KU Campuses, Medical school	All department chairs/ R&D directors/ FM directors	KU Campuses and premises	KU Campuses and premises	KU EHSMS Record and document / Regular Internal Inspection / AD ERP System control of substances	Inspection	Audit / Inspection reports	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
88	Emirates Authority for Standardization & Metrology- Conformity assessment system for the lighting products, cabinet decision 34 of 2013 Annex 2 – Energy Efficiency Requirements for Lamps such as Energy Efficiency Classes, Calculation of Energy Consumption-etc.,	KU Campuses and premises	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	KU EHSMS Record and document; New projects involving /replacement with lightings meeting efficiency requirements.	Inspection	Audit / Inspection reports LED lights replacement. Projects.	Complied
89	Emirates Authority For Standardization & Metrology (ESMA) UAE.S 5010 - 5 :2019 Labeling – Energy efficiency label for electrical appliances - Part five: commercial and central Air conditioners This standard deals with the energy efficiency labels and the minimum energy performance standard (MEPS) requirements for factory-made residential, commercial and industrial, electrically driven, mechanical-compression of : - ducted air conditioners using air and water-cooled condensers and ducted air-to-air heat pumps - Water-source heat pumps - Water-Chilling Packages - Multiple split-system air-conditioners and air-to-air heat pumps	KU Campuses and premises	All Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	KU EHSMS Record and document ; Scope of work for new package units replacement	Inspection	Audit / Inspection reports; SOW-package unit replacement.	Complied
90	Emirates Authority For Standardization & Metrology (ESMA) Implementing guidelines principles for the enforcement of the 2019 version of the UAE.S 5010-1:2019 and UAE.S 5010-5:2019 Manufacturers, suppliers and traders is given an additional 6-months (until the end of June-2021) to continue selling EXISTING UNITS/MODELS in the UAE that are compliant to UAE-5:2016 INCOMING UNITS/MODELS arriving 01-January-2020 shall be accompanying by a valid ECAS/EQM Certificate of Conformity indicating compliance to the latest applicable standard.	KU Campuses and premises	FM Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	KU EHSMS Record and document ; ECAS EQM certificate of conformity	Inspection	Audit / Inspection reports; ECAS EQM certificate of conformity for all future package units.	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
91	Abu Dhabi International Energy Conservation Code 2013 This code shall regulate the design and construction of buildings for the effective use of energy. This code intended to provide flexibility to permit the use of innovative approaches and techniques to achieve the effective use of energy.	KU Campuses and premises	FM Division Directors / Section Mangers / Unit Heads	All KU Premises	Yes	KU EHSMS Record and document ;;Evidence of innovative approach for effective use of energy	Inspection	Audit / Inspection reports.. Modification of Chiller new project for Plant Manger controls for auto Operation of water cooled chillers	Complied
92	**Ministry of Education-Operation of Educational Establishments during the Pandemic: Protocols & Procedures Eighth Release 8.0 1st September 2021** This document outlines the protocols, requirements, and precautionary measures that all educational establishments in the UAE should follow in order to achieve a safe, healthy, and learning-stimulating learning environment when educational establishments are opened during the outbreak of the Covid-19 pandemic	KU Campuses, Medical school	All department chairs/ R&D directors/ FM directors	KU Campuses and premises	KU Campuses and premises	KU EHSMS Record and document	Inspection	Audit / Inspection reports	Complied
93	**Decree No. 20G 9/2008 issued by the Executive Committee of the Executive Council of the Emirate of Abu Dhabi** The Integrated Hazardous Materials Management System (IHMMS) system available in hazmat.ae is an electronic model for the integrated and core management of hazardous materials (chemicals, radioactive, pesticides… etc.), as well as to provide the necessary information in an integrated manner for the involved decision-makers on the types, locations and quantities of hazardous materials used.	KU Campuses, Medical school	All department chairs/ R&D directors/ FM directors	KU Campuses and premises	KU Campuses and premises	KU EHSMS Record and document / AD ERP System control substances	Inspection / Hazardous Chemical List	Audit / Inspection reports	Complied
94	**Ministry of Education-Operation of Educational Establishments during the Pandemic: Protocols & Procedures Ninth Release 9.0 18th November 2021** This document outlines the protocols, requirements, and precautionary measures that all educational establishments in the UAE should follow in order to achieve a safe, healthy, and learning-stimulating learning environment when educational establishments are opened during the outbreak of the Covid-19 pandemic	KU Campuses, Medical school	All department chairs/ R&D directors/ FM directors	KU Campuses and premises	KU Campuses and premises	KU EHSMS Record and document	Inspection	Audit / Inspection reports	Complied

S#	Applicable Legal Requirements	Applicability		Area of Applicability	Status of Compliance	Licenses / Compliance Records Required	Method of Measuring	Compliance Evaluation	Remarks
		KU / Contractor	Responsibility						
95	**Ministry of Education-Operation of Educational Establishments during the Pandemic: Protocols & Procedures Tenth Release 10.0 21st April 2022** This document outlines the protocols, requirements, and precautionary measures that all educational establishments in the UAE should follow in order to achieve a safe, healthy, and learning-stimulating learning environment when educational establishments are opened during the outbreak of the Covid-19 pandemic	KU Campuses, Medical school	All department chairs/ R&D directors/ FM directors	KU Campuses and premises	KU Campuses and premises	KU EHSMS Record and document	Inspection	Audit / Inspection reports	Complied
96	**Ministry of Education-Operation of Educational Establishments during the Pandemic: Protocols & Procedures Eleventh Release 11.0 24th August 2021** This document outlines the protocols, requirements, and precautionary measures that all educational establishments in the UAE should follow in order to achieve a safe, healthy, and learning-stimulating learning environment when educational establishments are opened during the outbreak of the Covid-19 pandemic	KU Campuses, Medical school	All department chairs/ R&D directors/ FM directors	KU Campuses and premises	KU Campuses and premises	KU EHSMS Record and document	Inspection	Audit / Inspection reports	Complied
97	**Ministry of Education-Operation of Educational Establishments during the Pandemic: Protocols & Procedures Twelfth Release 12.0 27th September 2022** This document outlines the protocols, requirements, and precautionary measures that all educational establishments in the UAE should follow in order to achieve a safe, healthy, and learning-stimulating learning environment when educational establishments are opened during the outbreak of the Covid-19 pandemic	KU Campuses, Medical school	All department chairs/ R&D directors/ FM directors	KU Campuses and premises	KU Campuses and premises	KU EHSMS Record and document	Inspection	Audit / Inspection reports	Complied