On-site Assessment Report

Khalifa University of Science and Technology

Assessment dates	01/11/2022 to 03/11/2022 (Please refer to Appendix for details)
Assessment Location(s)	Abu Dhabi (000), Abu Dhabi (001)
Report Author	Darshan Kumar Vaidya
Assessment Standard(s)	ISO 45001:2018, ISO 14001:2015

...making excellence a habit.™

Table of contents

Executive Summary 3
Changes in the organization since last assessment 4
NCR summary graphs 4
Your next steps 6
NCR close out process 6
Assessment objective, scope and criteria 6
Statutory and regulatory requirements 6
Assessment Participants 7
Assessment conclusion 10
Findings from this assessment 11
Top Management: 11
Khalifa University (Main campus & Sas Al Nakhl Campus) - OHSMS & EMS: 12
Sas Al Nakhal Site Visit: 16
Main Campus Visit: 18
Minor (12) nonconformities arising from this assessment. 22
Next visit objectives, scope and criteria 33
Next Visit Plan 34
Appendix: Your certification structure & ongoing assessment programme 37
Scope of Certification 37
Assessed location(s) 37
Certification assessment program 40
Expected outcomes for accredited certification. 42
Definitions of findings: 43
How to contact BSI 43
Notes 43
Regulatory compliance 44

...making excellence a habit.™

Executive Summary

The assessment was carried out on site at the premises of Khalifa University.

No changes were made in the scope and scope was reconfirmed.

The strategic direction was to move in the direction of sustainability. Overall perspective was to ensure increased automation in the system and increase the use of tools to manage the EHS management system. Intended outcome was to ensure zero accidents. In the past several years, no serious incidents were recorded as a line of sight objective evidence.

Areas of strength were as follows:
- Increased recycling percentage in 2022 because of waste segregation at source in 2022.
- Lab Safety Sign,
- Internal audit,
- Housekeeping

Areas where more focus is required:
- Operational control,
- Environmental aspects, and
- Management review.

...making excellence a habit.™

Changes in the organization since last assessment

There is no significant change of the organization structure and key personnel involved in the audited management system.

No change in relation to the audited organization's activities, products or services covered by the scope of certification was identified.

There was no change to the reference or normative documents which is related to the scope of certification.

NCR summary graphs

Areas of the standard(s) where BSI recorded findings



...making excellence a habit.™

Which standard(s) BSI recorded findings against



Where BSI recorded findings



...making excellence a habit.™

Your next steps

NCR close out process

There were no outstanding nonconformities to review from previous assessments.

12 minor nonconformities requiring attention were identified. These, along with other findings, are contained within subsequent sections of the report.
A minor nonconformity relates to a single identified lapse, which in itself would not indicate a breakdown in the management system's ability to effectively control the processes for which it was intended. It is necessary to investigate the underlying cause of any issue to determine corrective action. The proposed action will be reviewed for effective implementation at the next assessment.

Please refer to Assessment Conclusion and Recommendation section for the required submission and the defined timeline.

Assessment objective, scope and criteria

The objective of the assessment was to conduct a surveillance assessment and look for positive evidence to ensure that elements of the scope of certification and the requirements of the management standard are effectively addressed by the organisation's management system and that the system is demonstrating the ability to support the achievement of statutory, regulatory and contractual requirements and the organisation's specified objectives, as applicable with regard to the scope of the management standard, and to confirm the on-going achievement and applicability of the forward strategic plan and where applicable to identify potential areas for improvement of the management system.

The scope of the assessment is the documented management system with relation to the requirements of ISO14001:2015 and ISO45001:2018 and the defined assessment plan provided in terms of locations and areas of the system and organisation to be assessed.

ISO14001:2015 and ISO45001:2018
BSI Scheme Manual
Applicable Regulatory and Statutory Requirements of UAE
Khalifa University's Management System Policies and Procedures

Statutory and regulatory requirements

Khalifa University of Science and Technology was established through a Presidential Decree.

...making excellence a habit.™

Assessment Participants

Name	Position	Role	Opening Meeting	Closing Meeting	Interviewed (processes)	Justification
Adnan Jasem Al Mansoori	Vice President, Administration, Facilities and EHS	Top management (legal responsibility for H&S)			X	Member of the EHS Steering Committee
Fatima Mohsen Abdulla AlFaqeeh	Manager, Environment Health and Safety	Manager or employee (H&S role)	X	X	X	
Navaz Mytheen Kannu	Labs Safety Senior Specialist	Manager or employee (H&S role)	X	X	X	
Ahammed Padinjare	Labs Safety Senior Specialist	Manager or employee (H&S role)	X		X	
Nadia Hasan Ebrahim Al Blooshi	EHS Specialist	Responsible for health monitoring	X	X	X	
Sultan Ali Naser AlHemeiri	Labs Safety Specialist	Manager and employee (general) – both permanent and temporary	X	X	X	
Muruganandham Radhakrishnan	MEP Engineer ,Imdaad	Contractor manager or employee			X	
Sampath Weerasinghe	MEP Engineer, Imdaad	Contractor manager or employee			X	
Humayun Kabir	Supervisor, West coast	Contractor manager or employee			X	
Thanapal Mathiyalagan	Supervisor, West coast	Contractor manager or employee			X	
Abeer Shunnar	Lab Specialist, Chemistry	Manager and employee (general) – both permanent and			X	

		temporary				
Johnson Manuel	Lab Specialist, Chemistry	Manager and employee (general) – both permanent and temporary			X	
Mohamed Aslam	Lab Specialist, Chemistry	Manager and employee (general) – both permanent and temporary			X	
Mimoune kissami	Lab Engineer, Petroleum Engineering	Manager and employee (general) – both permanent and temporary			X	
Sundharamoorthy Venugopal	Lab Technician, Civil Engineering	Manager and employee (general) – both permanent and temporary			X	
Abdul Harees Abdul Kareem	Lab Engineer, Industrial and Systems Engineering	Manager and employee (general) – both permanent and temporary			X	
Shrinivas Bojanampati	Lab Engineer, Mechanical Engineering	Manager and employee (general) – both permanent and temporary			X	
Syed M. Tariq	Senior lab Engineer, Mechanical Engineering	Manager and employee (general) – both permanent and temporary			X	

Jeffrey Mediarito	Clinic Nurse	Contractor manager or employee			X	
Meetu Anniekurien	Clinic Nurse	Contractor manager or employee			X	
Linto Yohannan	QHSE officer, Imdaad	Contractor manager or employee			X	
Vyshakh Haridas	HVAC Supervisor	Employee H&S representative			X	Consultative role
Daniel Johannes Van Tonder	Lab Assistant ,Anatomy and Cell Biology	Manager and employee (general) – both permanent and temporary			X	

Assessment conclusion

BSI assessment team

Name	Position
Darshan Kumar Vaidya	Team Leader

Assessment conclusion and recommendation

The audit objectives have been achieved and the certificate scope remains appropriate. The audit team concludes based on the results of this audit that the organization does fulfil the standards and audit criteria identified within the audit report and it is deemed that the management system continues to achieve its intended outcomes.

RECOMMENDED - Corrective Action Plan Required ('Minor' findings only): The audited organization may be recommended for continued certification, based upon the acceptance of a satisfactory corrective action plan for all 'Minor' findings as shown in this report. Effective implementation of corrective actions will be reviewed during the next surveillance audit.

Please submit a plan through the BSI Connect Portal detailing the nonconformity, the root cause, correction and your proposed corrective action, with responsibilities and timescales allocated. The plan is to be submitted no later than 01/12/2022. If the corrective action plan is not received by this date you may be putting your certification status at risk.

For any questions please contact your local BSI office, referencing the report number 3460901, 3460900, 3757415, 3757416.

Use of certification documents, mark / logo or report

The use of the BSI certification documents and mark / logo is effectively controlled.

...making excellence a habit.™

Findings from this assessment

Top Management:

Vision
- Unique organization
- Unique laboratories,
- New equipment are introduced,
- Future - automate the processes of EHS,
- Aim to be paperless,
- Integrate with other department and other system,
- Systems - CAFM system to be deployed,
- Trainings - interactive EHS trainings -
- Leading training Centre for EHS - NEBOSH certificates and OSHA Certificate,
- Train the experienced professionals - through certificates,
- Awards and certificates - IMS - implementation - for other ISOs - four standards to be implemented.

Future
- EHS Monitoring in a smart ways,
- Engagement with service providers was being explored, and
- Facial recognitions cameras.

Strategic Direction
- Enhance the services,
- Sustainability - Pillar - EHS - Energy provides an important role,
- Lead - Sustainability Resource was being looked at,
- All initiatives would be combined into one overall strategy.

Stakeholders
- Permit to Work
- Monitoring the contractors,
- Develop the system to increase efficiencies,
- Training the contractors,
- Mindset about EHS -
- EHS Awards for Lab - different perception for EHS - drive people to achieve awards,

Participation and Consultation
- More gathering - students separate gathering
- Survey was conducted about the EHS services,
- Survey participation result was 40%.
- Physical trainings.

EHS Committee
- New members - new charter was being drafted,
- Committee members were isolated from the EHS people - EHS team were non-voting members.

EHS Commitment
- Access to lab is controlled through trainings,
- Critical labs - facial recognition access,
- Inspection were conducted from time to time,
- Communication of all findings was taking place,

- Labs have been closed because of lapse,

Walkthroughs
- Site visits - with respect of many angles,
- WhatsApp - pictures -

Electricity
- Phased manner of replacement of lights was taking place - LED lights were being deployed - 2025 all lights would be replaced by LED.
- Replacement of HVAC system,

Occupational Health
- Integration of PCR with Al Hosn status,
- Medical College - PCR test was ongoing,
- Clinics in different areas - Dorm clinics were 24 hours,
- Musculoskeletal focus was encouraged,
- Engaged with authorities to encourage awareness amongst staff.
- Awareness leaflets were being also circulated.

Achievements
- Improved recycling 40% was achieved,
- Recycling - reuse the material.

Khalifa University (Main campus & Sas Al Nakhl Campus) - OHSMS & EMS:

Policy
- Environment, Health & Safety Policy dated 08 June 2018 was seen.
- Policy was in line with the requirements of the standard.
- The policy was displayed at the reception.

Manual
- Khalifa University EHS Manual (KU-FD-EHS-MAN-01, Rev. 04, Dated 30 Nov 2020. Scope was mentioned in details.
- Participation and consultation was mentioned.

Context of the Organization
- Context of the Organization, Risks/Opportunities Assessment Procedure (KU-FD-EHS-MSM022, Issue 01, Rev. 01, Dated 03 Sep 2020)
- EHS Steering Committee Representative
- Internal issues were captured - "Organizational performance including financial "Budget for EHS services" was not sourced from SWOT. It was not clear as to what is the relationship between the Internal and External issues captured as a list with the issues captured as part of SWOT. SWOT was also performed for Energy, Water, Waste, Air Quality, Biodiversity, Transport, Legal and Miscellaneous.
- EHS Interested Parties Register (KU-FD-EHS-FOR-142) dated 21 Nov 2020 was seen.
- Total of 21 interested parties - Transport Contractor
- Environmental Requirements for Products and Services was mentioned however no OH&S related needs were mentioned.
- Visitors were not covered as an interested party.

Risks and Opportunities
Risk and Opportunities Action Register (ROAR) KU-FD-EHS-REG-01/D) issue 02, Dated 30 Nov 2020.
- In the ROAR, the Issues. Threats identified from SWOT were related to operational risks and not organization risks derived from Internal and External issues - Needs and Expectations of Interested Parties.

Life Cycle Perspective
- Life Cycle Perspective (KU-FD-EHS-FOR-146) dated 16 July 2018, Issue 01
- Stages of life cycle were captured and efforts were ongoing to establish clarity regarding factors that can be influenced was not clearly documented.

Legal
- No legal notices/violations/penalties were issued by any legal authority.
- No EHS Legal cases were recorded.
- No public complaints have been recorded regarding any EHS matters.

Objectives 2021
- KPI 05.2021 - Reduction of water consumption 3% from Baseline Data (2019)
- 2019 water consumption was 312728m3. In 2021, the water consumption was 299042m3 which was a reduction of 4%.
- KPI 07-2021 - Increase in Fuel Consumption Efficiency (KM driven/litre of fuel) by 2% as compared to 2019.
- 2019 fuel efficiency 5.69kms/litre of fuel, In 2021, the fuel efficiency was 3.45kms/litre of fuel which was a reduction of %. Due to COVID19, seating capacity restrictions led to more trips and increased stops.
- Reduce the occurrence or re-occurrence of workplace injuries and illnesses (food poisoning, musculoskeletal disorders) - less than 2.5% per quarter - no incidents or no illnesses were recorded in 2020 as well as in 2021.
- Reduce the total number of incidents - by 10%
- Incidents - Near miss, First aid and Property Damage incidents were included in the calculations - a reduction of 76% was achieved in 2021.

Objectives 2022
- Attain one or more EHS International Awards and or certification,
- 90% accomplishment EHS Induction training of KU Community,
- KPI 05.2022 - Reduction of water consumption 3% from Baseline Data (2019)
- KPI 07-2022 - Increase in Fuel Consumption Efficiency (KM driven/litre of fuel) by 2% as compared to 2019
- KPI 08-2022 - Reduce the occurrence or re-occurrence of workplace injuries and illnesses (food poisoning, musculoskeletal disorders) - less than 2.5% per quarter -
- Reduce the total number of incidents - by 10% - which was achieved.
- Status was monitored on a quarterly basis.

Monitoring and Measurement
- EHS Annual Report 2021 (FDEHS/REP01-0/FEB/2022) was reviewed.
- First aids cases were 2,
- Near misses were 37.
- Waste Generation -
- 2021 for Non-Hazardous Waste Generation - 150905kgs (Main Campus) and 346789kgs (Sas Al Nakhal Campus).
- Recycled - 12505kgs was recycled.

- 2021 for Hazardous Waste Generation - 4948kgs (Main Campus) and 1711kgs (Sas Al Nakhal Campus).
- Waste Generation -
- 2022 for Non-Hazardous Waste Generation - 142185kgs (Main Campus) and 288449kgs (Sas Al Nakhal Campus).
- Recycled - 20062kgs was recycled till Sep 30, 2022.
- 2022 for Hazardous Waste Generation - 1997kgs (Main Campus) and 1744kgs (Sas Al Nakhal Campus) till Sep 30, 2022. Chemical labs were shifted to Sas Al Nakhal Campus.
- Indoor air quality
- Test report dated 19 Oct 2022 was seen in which Indoor Air quality Monitoring was done on 04 Oct 2022.
- All limits were within the specifications.

Training
- EHS Training Dashboard was reviewed.
- 3018 - 2021 - EHS Induction,
- In 2022 - 1445 - EHS Induction was conducted.
- Basic Fire Safety - validity was five years,
- In 2022, 208 in Basic Fire Safety was given for the Students and Faculty.
- All security guards were trained in Fire Safety.
- Dated 20 June 2022 - Sampled the Fire Safety Level 2 certificate.
- Emergency Preparedness and Response
- Training Dated 27 Sep 2022 was seen.
- ISO50001 implementer training was done.

Legal Register
- EHS Legal and other requirements Register (KU-DF-EHS-REG-02) Rev. 04, Dated 18 Oct 2022 was reviewed.
- Federal Law No. 33 of 2021 was not identified as part of the Legal Register.
- UAE Ministerial Resolution No. (505) of 2012 on Issuing the Regulation of the Cabinet Resolution No. (24) of 2012 concerning Regulating Civil Defense Services in the State was not identified as part of the Legal Register.
- Federal Law No. 12 of 2018 on the Integrated Waste Management was not identified in the EHS Legal and other requirements Register (KU-DF-EHS-REG-02) Rev. 04, Dated 18 Oct 2022.
- Federal Law No. 12 of 2006 - Article 2 was not identified in the EHS Legal and other requirements Register (KU-DF-EHS-REG-02) Rev. 04, Dated 18 Oct 2022.

Management Review
All required agenda items were not covered as required in the management review meeting.
- Last management review was conducted on Nov 08, 2021 however following agenda items were not covered as required:
- Trends of Results of evaluation of compliance,
- Extent to which objectives and target have been met,
- Monitoring and Measurement Results, and
- Consultation and Participation of Workers.
- Trends of results of evaluation of compliance,
- Extent to which objectives and target have been met,
- Trends on Monitoring and Measurement Results, and
- Trends on audit results.

Internal Audit
- EHS Audit Internal and External Procedure (KU-FD-EHS-MSMS-19, Issue 01, Dated 19 Nov 2012) - latest updated on 07 June 2018.
- Item 5.12 of the EHS Audit Internal and External Procedure (KU-FD-EHS-MSMS-19, Issue 01, Dated 19 Nov 2012) - latest updated on 07 June 2018 - required root cause identification, correction and corrective action identification which was not in evidence for the raised non-conformities.
- Assessment plan dated 17 Oct 2022 to 20 Oct 2022.
- EHS Internal Audit Report 2022 (FDEHS/REP09-21/Oct/2022) was conducted on 21 Oct 2022.
- Total of thirty positive points were identified.
- Minor Non-conformities were 69 and Areas for Improvements were 29.
- No major non-conformity was identified.
Sampled:
- AFEHS-EHS/REP M05-18Oct/2022
- NCRs were raised. Corrective Action Plan was raised.
- AFEHS-EHS/REP M07-19Oct/2022
- NCRs were raised. Corrective Action Plan was raised.
- AFEHS-EHS/REP M11-20Oct/2022
- NCRs were raised. Corrective Action Plan was raised.

Emergency Management
- Mock Drill Plan 2022 was reviewed. All drills were tabulated and timeline was specified.
- Chemical, Medical and Fire drills were conducted.
- Fire drills
- Conducted on 04 Oct 2022 - Main Campus - Total time taken for the drill was 38minutes.
- Findings were documented and actions were ongoing to address all findings.
- Conducted on 05 Oct 2022 - SAN Campus - Total time taken for the drill was 8minutes.
- Findings were documented and actions were ongoing to address all findings.
- Conducted on 04 Oct 2022 - Main Campus - Total time taken for the drill was 38minutes.
- Findings were documented and actions were ongoing to address all findings.
- Emergency Spill Drill Report - 14 Oct 2022
- Main Campus - no findings were recorded.
- LPG Leak Drill was done
- ADNH Compass - Emergency BCP Test Report was seen dated 18 Aug 2022 was seen.
- Findings were documented and actions were ongoing to address all findings.
- Medical Emergency
- Main Campus - 16 Oct 2022 was conducted.
- Corrective actions were implemented.

Finding Reference	2268842-202211-I1	**Certificate Reference**	EMS 622677
Certificate Standard	ISO 14001:2015	**Clause**	8.1
Location reference	0047539899-000		
Assessment Number	3460900		
Category	Opportunity for Improvement		

...making excellence a habit.™

Area/Process:	Khalifa University (Main campus & Sas Al Nakhl Campus) - OHSMS & EMS
Details	- Life Cycle Perspective (KU-FD-EHS-FOR-146) dated 16 July 2018, Issue 01 was reviewed. - Stages of life cycle were captured however clarity regarding factors that can be influenced was not clearly documented. Sampled: Factors that can be influenced for eg. service workshops - recycling of used oil.

Sas Al Nakhal Site Visit:

Fire Pump Room
- Monthly Inspection Record not checked in Oct 2022 "Fire Pump Controller" and "Jockey Pump Controller"
- At the time of assessment, it was not clear whether Pressure Gauge in the Fire Pump Room was calibrated.
- Diesel Tank was 75% full.
- Fire extinguishers were serviced as required. Carbon Dioxide fire extinguishers serviced on Aug 2022.

Material Store
- Cleaning materials were kept in the Material Store.
- MSDS was not available at Material Store for Thinner and Citrus Pine Disinfectant.
- No evidence of inspection was available for the Step Ladder kept in the Material store.

Delma B26
- In Delma B26 building, assembly point indications were not corresponding to the actual assembly points.
- First aid box was reviewed. Washproof Plasters (Expiry on June 2023), First Aid Spray (Expiry on Jan 2025) and Burn Soothe (Expiry on Jan 2023
- No inspection record was available for the First Aid Box kept near the Security Desk at Dema B26 building. Scissors were missing.

Imdaad Store
- At Imdaad Store, Refrigerant Lubricant, National Paint Can, Jotun Paint Can, Lubricant, Oil can were kept however no secondary containment was provided in case of loss of containment. Moreover, they were not stored as required.

2034-2035 Chemistry Lab
- MSDS were kept as required.
- Sampled:
- Toluene,
- Ammonium Nitrate.
- Dates of MSDS were also verified which indicated that latest version was available in the MSDS file.
- EHS Folder (KU-FD-EHS-FOR-02, Issue 02, Dated 07 June 2018) was reviewed on 20 Feb 2022.
- Risks related to use of fume hood for handling of Organic Volatile Chemicals was reviewed.
- Laboratory Risk Assessments were being conducted however document control code was not given. sampled; Synthesis and analysis of the Hydrogarnet.
- Chemical spill kits were available. Chemical Spill Kit Lab 112 was seen. Bottle containing spillage collection materials were kept in the spill kit.
- No inspection sticker was seen for Fume Hood number 5 in the 2034-2035 Chemistry Lab.

3134 Petroleum Engineering Lab
- Fume Hood Inspections were conducted.
- Sampled:
- Fume Hood number KU00076548 valid till 26 Jan 2023, and
- Fume Hood number KU00076549 valid till 26 Jan 2023.
- In the 3134 Petroleum Engineering Lab, Eye Wash was last inspected on 09 Feb 2022. Next inspection was to be conducted on 08 July 2022.

3134b - Supply store
- All the liquid chemicals were kept inside secondary containment trays,
- Fume hood inspection was conducted.
- Sampled:
- KU00094086 valid till 26 Jan 2023.

Planned activities were reviewed and have been generally realized as these are monitored on day-to-day basis and reviewed during regular meetings. Planned activities were generally the outcome of context, monitoring requirements of the organization and contributing requirements towards achieving objectives, targets and actions plans.

Method for determining results of the process and functions are defined and are monitored with defined frequency such as monthly, weekly and quarterly. Activities and processes are monitored and intervened appropriately by the managers. Internal audit processes, periodic review by managers helps in achievement of the results.

Desired results/ planned results are realized through defined statistics performance measures, objectives, implementation of the action plan and reviewing performance periodically. Objectives, performance results are reported to top management periodically and are reviewed during management reviews.

Activities and processes reviewed indicated that they are being carried out as per defined procedures and controls; these are noted to be effective in achieving the desired results except in the areas where findings were raised.

Finding Reference	2268842-202211-I2	**Certificate Reference**	OHS 622678
Certificate Standard	ISO 45001:2018	**Clause**	8.2
Location reference	0047539899-001		
Assessment Number	3757415		
Category	Opportunity for Improvement		
Area/Process:	Sas Al Nakhal Site Visit		
Details	- Fire Pump Room - Monthly Inspection Record not checked in Oct 2022 "Fire Pump Controller" and "Jockey Pump Controller", and - It was not clear whether Pressure Gauges in the Fire Pump Room was calibrated.		

...making excellence a habit.™

Finding Reference	2268842-202211-I3	Certificate Reference	OHS 622678
Certificate Standard	ISO 45001:2018	Clause	7.5.3
Location reference	0047539899-001		
Assessment Number	3757415		
Category	Opportunity for Improvement		
Area/Process:	Sas Al Nakhal Site Visit		
Details	- In Sas Al Nakhl, at 2034-2035 Chemistry Laboratory Risk Assessments were being conducted however document control code was not given. Sampled; Synthesis and analysis of the Hydrogarnet.		

Main Campus Visit:

Processes implemented
- Electrical
- Civil and
- HVAC
- Fire alarm system maintenance
- Water Tank cleaning
- Changing lights

Risk Assessment
- Method Statement and Risk Assessment were reviewed.
- Water Tank Cleaning and Disinfection
- 01 Oct 2022 was reviewed.
- Risk Assessment - dated 01 Oct 2022.
- Use of Multi-Gas Detector was required for Oxygen, LEL, H2S and Carbon Monoxide.
- Multi-Gas Detector Certificate was seen for testing of Oxygen, H2S, LEL and Carbon Monoxide.
- Risk Assessment for the Electrical Maintenance Activity was reviewed.
- "Hazard identification and Assessment for Risk and Opportunities Register" (Review 30 June 2022) - contract was risk assessment.
- Not considered in the Risk Register.

Inspection
- Step Ladders were being inspected however the correct check should be for "Straight Ladder" - Access Equipment Inspection Checklist - dated 23 Sep 2022 - IMD-001. Monthly inspection was being done.
- Safety harness inspection checklist - five harnesses - last checked was done on 31 Oct 2022.
- Lifting Equipment - Boom Lift - Serial Number 3552 - Mobile Elevated Work Platform
- Inspection was conducted on 10 Oct 2022 valid till 05 April 2023.
- Suspended Access Equipment - Equipment ID - BMU01 - Serial Number 4160304
- Inspection was conducted on 05 Oct 2022 valid till 04 April 2023.
- Ladder Inspection was carried out.
- Fifteen Ladders - last inspection was done on Sep 2022

...making excellence a habit.™

Competency Document
- Water tank cleaning activity
- Authorised Gas Tested - valid till 08 Dec 2023,
- Confined Space Entry Qualification - 07 Oct 2023,
- Basic First Aid valid till 31 March 2023.

Permit to Work
- Cold Work Permit,
- issued on 01 Nov 2022 -MACCPTW-0691 was issued. Tool Box talks was done.
- Confined Space Permit,
- Dated 13 Oct 202 - Permit Number MACCPTW-0275
- Tool Box Talks also done.
- Hot Work Permit
- No hot work was conducted and hence no hot work permit was issued.

Induction
- Induction Presentation was seen.
- Induction was conducted for two personnel.

Environmental Aspect
- Hazard Aspect Owner - Environmental Aspect Register - All facilities and Activities - last updated on 15 June 2022 - no risk impact rating was documented for the below sampled activities.
- Hazardous waste was the biggest impact.
- Cleaning Toilets,
- Cleaning open area, and
- Using HVAC System.

Participation and Consultation
- EHS Steering Committee Minutes of Meeting dated Oct 07 2022
- EHS Steering Committee Minutes of Meeting dated Nov 08 2021
- EHS Meeting with Contractors - Sep 01, 2022.
- Townhall Meetings
- was conducted on 11 April 2022.

Incident Investigation
- Incident Record for 2022 was reviewed.
- Four near misses and one property damage incident was recorded.
- Sep 2022 - Smoke Incident was recorded.
- 06 Sep 2022 - Initial investigation report was reviewed.
- Actions were documented and taken.

Environment Laboratory 602017 - Civil Engineering
- PPE symbols were seen at the entrance indicated the hazard level of the lab.
- Laboratory participants acknowledgement was seen dated 13 Sep 2022.
- General Risk Assessment Environment Engineering Lab was seen which was last updated on 12 Oct 2022.
- Sampled:
- Autoclave Risk Assessment was reviewed. Control measures were having action date mentioned such as 01 Oct 2020 however required actions were not yet evidenced to be implemented.
- First aid box was maintained.

- List of First aiders was displayed.
- Emergency contact information was also displayed.
- Emergency Eye wash was provided and examined to be in working order.
- Fire sand bucket was provided.
- EHS Risk Register Form (KU-FD-EHS-FOR-2, Issue 6) updated on 15 June 2022 was seen.
- Universal Spill Kit was provided.
- PPM was conducted on 17 Nov 2022 for Fume Hood Serial Number 140389789B

C03023 - Production Lab
- Specific PPE to be used was displayed.
- Records of Induction were kept.
- Laboratory Participation Acknowledgement was obtained from all Laboratory students and records retained.
- Awareness about fire exits was demonstrated.
- First aid training was given and list of first aiders was displayed.
- First aid box was seen. Inspection was conducted. Contents were within expiry.
- Large dressing - expiry on April 2025, Sterile dressing - Sep 2023.
- Risk assessment was seen last updated on 30 June 2022.
- Sampled:
- ASRC machine,
- Augmented Welding.
- Control measures were specified.

Chemical Waste Storage
- Chemicals waste storage room was visited.
- All chemicals were kept as required.
- Spill kits were provided.

Medical Waste Storage
- No sharps were kept.
- Medical waste kept was from the clinic and stored as required.

C00061 - Building C - Solid Mechanics Laboratory
- Fire extinguishers were services as required.
- Risk Assessment was seen for MTS Machine C0061 dated 09 Nov 2021.
- MSDS were available for the chemicals kept.
- Sampled:
- Ethanol,
- Diapro.
- Quarterly self inspection was being conducted.
- Last Laboratory EHS self - inspection checklist dated 22 Sep 2022 was seen.

Fire Pump Room (New Building A to F)
- Chemicals were conducted.
- All pumps were on auto mode.

Clinic
- Contact number of the nurses was displayed.
- Both Nurses were registered with the Department of Health.
- Defibrillator Sr. number 8370 was seen valid till 13 Jan 2023.
- Oxygen cylinder was last checked on July 2022.

- Adequate pressure was noted.
- Medicines expiry date was checked.
- Sampled:
- Adol - expiry in 2025.
- Glucometer – not inside the Emergency Bag although it was available in the Clinic.

Anatomy Lab
- Risk assessment for Storage and Dissection of Cadaver material A0092 was seen.
- Evidence of inspection was not available for the Jib Crane (ME-015-14, 4000lb) and the Cadaver Lift (036AJ - due in Dec 2020) kept in the Anatomy Laboratory at the Main Campus.
- In the Anatomy Lab, in the first aid box, Rayon Ball - four pieces - were kept which had expired in April 2021.
- Spillage of chemicals was not included in the risks assessment.

Planned activities were reviewed and have been generally realized as these are monitored on day-to-day basis and reviewed during regular meetings. Planned activities were generally the outcome of context, monitoring requirements of the organization and contributing requirements towards achieving objectives, targets and actions plans.

Method for determining results of the process and functions are defined and are monitored with defined frequency such as monthly, weekly and quarterly. Activities and processes are monitored and intervened appropriately by the managers. Internal audit processes, periodic review by managers helps in achievement of the results.

Desired results/ planned results are realized through defined statistics performance measures, objectives, implementation of the action plan and reviewing performance periodically. Objectives, performance results are reported to top management periodically and are reviewed during management reviews.

Activities and processes reviewed indicated that they are being carried out as per defined procedures and controls; these are noted to be effective in achieving the desired results except in the areas where findings were raised.

Finding Reference	2268842-202211-I4	**Certificate Reference**	OHS 622678
Certificate Standard	ISO 45001:2018	**Clause**	8.2
Location reference	0047539899-000		
Assessment Number	3460901		
Category	Opportunity for Improvement		
Area/Process:	Main Campus Visit		
Details	At the time of assessment, Glucometer was not kept inside the Emergency Bag although it was available in the Clinic at the main campus.		

Minor (12) nonconformities arising from this assessment.

Finding Reference	2268842-202211-N1	**Certificate Reference**	OHS 622678
Certificate Standard	ISO 45001:2018	**Clause**	4.2
Location reference	0047539899-000		
Assessment Number	3460901		
Category	Minor		
Area/Process:	Khalifa University (Main campus & Sas Al Nakhl Campus) - OHSMS & EMS		
Statement of non conformance:	Process of determining interested parties was not effectively implemented.		
Clause requirements	Understanding the needs and expectations of workers and other interested parties The organization shall determine: a) the other interested parties, in addition to workers, that are relevant to the OH&S management system; b) the relevant needs and expectations (i.e. requirements) of workers and other interested parties; c) which of these needs and expectations are or could become legal requirements and other requirements		
Objective Evidence	- EHS Interested Parties Register (KU-FD-EHS-FOR-142) dated 21 Nov 2020 was seen. - Total of 21 interested parties - Transport Contractor - Environmental Requirements for Products and Services was mentioned however no OH&S related needs were mentioned. - Visitors were not covered as an interested party.		
Cause			
Correction/containment			
Corrective action			

Finding Reference	2268842-202211-N2	**Certificate Reference**	OHS 622678
Certificate Standard	ISO 45001:2018	**Clause**	6.1.1
Location reference	0047539899-000		
Assessment	3460901		

...making excellence a habit.™

Number	
Category	Minor
Area/Process:	Khalifa University (Main campus & Sas Al Nakhl Campus) - OHSMS & EMS
Statement of non conformance:	Risks and opportunities processes were not effectively determined and consideration of internal/external issues, needs and expectations of interested parties was not demonstrated.
Clause requirements	Actions to address risks and opportunities When planning for the OH&S management system, the organization shall consider the issues referred to in 4.1 (context), the requirements referred to in 4.2 (interested parties) and 4.3 (the scope of its OH&S management system) and determine the risks and opportunities that need to be addressed to: a) give assurance that the OH&S management system can achieve its intended outcome(s); b) prevent, or reduce, undesired effects; c) achieve continual improvement. ----
Objective Evidence	Risk and Opportunities Action Register (ROAR) KU-FD-EHS-REG-01/D) issue 02, Dated 30 Nov 2020. - In the ROAR, the Issues. Threats identified from SWOT were related to operational risks and not organizational risks derived from Internal and External issues - Needs and Expectations of Interested Parties.
Cause	
Correction/containment	
Corrective action	

Finding Reference	2268842-202211-N3	**Certificate Reference**	OHS 622678
Certificate Standard	ISO 45001:2018	**Clause**	10.2
Location reference	0047539899-000		
Assessment Number	3460901		
Category	Minor		
Area/Process:	Khalifa University (Main campus & Sas Al Nakhl Campus) - OHSMS & EMS		
Statement of non conformance:	Process of identifying root cause, correction and corrective action was not effectively implemented.		
Clause requirements	Incident, nonconformity and corrective action		

...making excellence a habit.™

	---- When an incident or a nonconformity occurs, the organization shall: a) react in a timely manner to the incident or nonconformity, and, as applicable: 1) take action to control and correct it; 2) deal with the consequences; b) evaluate, with the participation of workers (see 5.4) and the involvement of other relevant interested parties, the need for corrective action to eliminate the root cause(s) of the incident or nonconformity, in order that it does not recur or occur elsewhere, by: ---- 2) determining the cause(s) of the incident or nonconformity; ---- d) determine and implement any action needed, including corrective action, in accordance with the hierarchy of controls (see 8.1.2) and the management of change (see 8.1.3); ----
Objective Evidence	- Item 5.12 of the EHS Audit Internal and External Procedure (KU-FD-EHS-MSMS-19, Issue 01, Dated 19 Nov 2012) - latest updated on 07 June 2018 - required root cause identification, correction and corrective action identification which was not in evidence for the raised non-conformities.
Cause	
Correction/containment	
Corrective action	

Finding Reference	2268842-202211-N4	**Certificate Reference**	OHS 622678
Certificate Standard	ISO 45001:2018	**Clause**	9.3
Location reference	0047539899-000		
Assessment Number	3460901		
Category	Minor		
Area/Process:	Khalifa University (Main campus & Sas Al Nakhl Campus) - OHSMS & EMS		
Statement of non conformance:	All required agenda items were not covered as required in the management review meeting.		
Clause requirements	Management review Top management shall review the organization's OH&S management system, at planned intervals, to ensure its continuing suitability, adequacy and effectiveness.		

	The management review shall include consideration of: ---- c) the extent to which the OH&S policy and the OH&S objectives have been met; d) information on the OH&S performance, including trends in: ---- 2) monitoring and measurement results; ---- 5) consultation and participation of workers; ----
Objective Evidence	- Last management review was conducted on Nov 08, 2021 - Extent to which objectives and target have been met, - Trends of Results of evaluation of compliance, - Trends of Monitoring and Measurement Results, and - Trends of Consultation and Participation of Workers.
Cause	
Correction/containment	
Corrective action	

Finding Reference	2268842-202211-N5	**Certificate Reference**	EMS 622677
Certificate Standard	ISO 14001:2015	**Clause**	9.3
Location reference	0047539899-000		
Assessment Number	3460900		
Category	Minor		
Area/Process:	Khalifa University (Main campus & Sas Al Nakhl Campus) - OHSMS & EMS		
Statement of non conformance:	All required agenda items were not covered as required in the management review meeting.		
Clause requirements	Management review ---- The management review shall include consideration of: ---- c) the extent to which environmental objectives have been achieved; d) information on the organization's environmental performance, including trends in: ---- 2) monitoring and measurement results; 3) fulfilment of its compliance obligations;		

	4) audit results; ----
Objective Evidence	- Last management review was conducted on Nov 08, 2021 - The extent to which environmental objectives have been achieved; - Trends on fulfilment of its evaluation of compliance, - Trends on monitoring and measurement results, and - Trends on audit results.
Cause	
Correction/containment	
Corrective action	

Finding Reference	2268842-202211-N6	**Certificate Reference**	OHS 622678
Certificate Standard	ISO 45001:2018	**Clause**	6.1.3
Location reference	0047539899-000		
Assessment Number	3460901		
Category	Minor		
Area/Process:	Khalifa University (Main campus & Sas Al Nakhl Campus) - OHSMS & EMS		
Statement of non conformance:	Process to determine applicable legal requirements was not implemented effectively.		
Clause requirements	Determination of legal requirements and other requirements The organization shall establish, implement and maintain a process(es) to: a) determine and have access to up-to-date legal requirements and other requirements that are applicable to its hazards, OH&S risks and OH&S management system; ----		
Objective Evidence	- EHS Legal and other requirements Register (KU-DF-EHS-REG-02) Rev. 04, Dated 18 Oct 2022 was reviewed. - Federal Law No. 33 of 2021 was not identified as part of the Legal Register. - UAE Ministerial Resolution No. (505) of 2012 on Issuing the Regulation of the Cabinet Resolution No. (24) of 2012 concerning Regulating Civil Defense Services in the State was not identified as part of the Legal Register.		
Cause			

Correction/containment
Corrective action

Finding Reference	2268842-202211-N7	**Certificate Reference**	EMS 622677
Certificate Standard	ISO 14001:2015	**Clause**	6.1.3
Location reference	0047539899-000		
Assessment Number	3460900		
Category	Minor		
Area/Process:	Khalifa University (Main campus & Sas Al Nakhl Campus) - OHSMS & EMS		
Statement of non conformance:	Process to determine applicable legal requirements was not implemented effectively.		
Clause requirements	Compliance obligations The organization shall: a) determine and have access to the compliance obligations related to its environmental aspects; b) determine how these compliance obligations apply to the organization; c) take these compliance obligations into account when establishing, implementing, maintaining and continually improving its environmental management system. The organization shall maintain documented information of its compliance obligations.		
Objective Evidence	- EHS Legal and other requirements Register (KU-DF-EHS-REG-02) Rev. 04, Dated 18 Oct 2022 was reviewed. - Federal Law No. 12 of 2018 on the Integrated Waste Management was not identified in the EHS Legal and other requirements Register (KU-DF-EHS-REG-02) Rev. 04, Dated 18 Oct 2022. - Federal Law No. 12 of 2006 - Article 2 was not identified in the EHS Legal and other requirements Register (KU-DF-EHS-REG-02) Rev. 04, Dated 18 Oct 2022.		
Cause			
Correction/containment			
Corrective action			

...making excellence a habit.™

Finding Reference	2268842-202211-N8	**Certificate Reference**	OHS 622678
Certificate Standard	ISO 45001:2018	**Clause**	8.1.1
Location reference	0047539899-001		
Assessment Number	3757415		
Category	Minor		
Area/Process:	Sas Al Nakhal Site Visit		
Statement of non conformance:	Operational controls were not effectively implemented as required.		
Clause requirements	Operational planning and control - General The organization shall plan, implement, control and maintain the processes needed to meet requirements of the OH&S management system, and to implement the actions determined in Clause 6, by: ---- b) implementing control of the processes in accordance with the criteria; ----		
Objective Evidence	At the time of assessment, following points were noted: - MSDS was not available at Material Store for Thinner and Citrus Pine Disinfectant. - No evidence of inspection was available for the Step Ladder kept in the Material store. - In Delma B26 building, assembly point indications were not corresponding to the actual assembly points. - No inspection record was available for the First Aid Box kept near the Security Desk at Dema B26 building. Scissors were missing. - No inspection sticker was seen for Fume Hood number 5 in the 2034-2035 Chemistry Lab. - In the 3134 Petroleum Engineering Lab, Eye Wash was last inspected on 09 Feb 2022. Next inspection was to be conducted on 08 July 2022. - Evidence of inspection was not available for the Jib Crane (ME-015-14, 4000lb) and the Cadaver Lift (036AJ - due in Dec 2020) kept in the Anatomy Laboratory at the Main Campus. - In the Anatomy Lab, in the first aid box, Rayon Ball - four pieces - were kept which had expired in April 2021.		
Cause			
Correction/containment			
Corrective action			

...making excellence a habit.™

Finding Reference	2268842-202211-N9	**Certificate Reference**	EMS 622677
Certificate Standard	ISO 14001:2015	**Clause**	6.1.2
Location reference	0047539899-001		
Assessment Number	3757416		
Category	Minor		
Area/Process:	Sas Al Nakhal Site Visit		
Statement of non conformance:	Process of identification of environmental aspects was not implemented as required.		
Clause requirements	Environmental aspects Within the defined scope of the environmental management system, the organization shall determine the environmental aspects of its activities, products and services that it can control and those that it can influence, and their associated environmental impacts, considering a life cycle perspective. ----		
Objective Evidence	- Risk Assessment (KU-FD-EHS-FOR-02) reviewed on 20 Feb 2022 was reviewed however environmental aspects were not identified as required in the Chemistry Lab at the SAN campus and Anatomy Lab in the Main Campus (in which spills of chemicals was not included).		
Cause			
Correction/containment			
Corrective action			

Finding Reference	2268842-202211-N10	**Certificate Reference**	EMS 622677
Certificate Standard	ISO 14001:2015	**Clause**	8.1
Location reference	0047539899-001		
Assessment Number	3757416		
Category	Minor		
Area/Process:	Sas Al Nakhal Site Visit		
Statement of non conformance:	Operational controls were not effectively implemented as required.		

...making excellence a habit.™

Clause requirements	Operational planning and control The organization shall establish, implement, control and maintain the processes needed to meet environmental management system requirements, and to implement the actions identified in 6.1 and 6.2, by: ---- — implementing control of the process(es), in accordance with the operating criteria. ----
Objective Evidence	- At Imdaad Store, Refrigerant Lubricant, National Paint Can, Jotun Paint Can, Lubricant, Oil can were kept however no secondary containment was provided in case of loss of containment. Moreover, they were not stored as required. - No secondary containment was provided for Thinner kept at the Material Store.
Cause	
Correction/containment	
Corrective action	

Finding Reference	2268842-202211-N11	**Certificate Reference**	EMS 622677
Certificate Standard	ISO 14001:2015	**Clause**	6.1.2
Location reference	0047539899-000		
Assessment Number	3460900		
Category	Minor		
Area/Process:	Main Campus Visit		
Statement of non conformance:	Environmental aspects determination and evaluation process was not implemented effectively.		
Clause requirements	Environmental aspects Within the defined scope of the environmental management system, the organization shall determine the environmental aspects of its activities, products and services that it can control and those that it can influence, and their associated environmental impacts, considering a life cycle perspective. ----		
Objective Evidence	- At the main campus, Hazard Aspect Owner - Environmental Aspect Register - All facilities and Activities - last updated on 15 June 2022 was reviewed - no risk impact rating was documented for the below sampled activities.		

...making excellence a habit.™

	- Cleaning Toilets, - Cleaning open area, and - Using HVAC System.
Cause	
Correction/containment	
Corrective action	

Finding Reference	2268842-202211-N12	**Certificate Reference**	OHS 622678
Certificate Standard	ISO 45001:2018	**Clause**	8.1.2
Location reference	0047539899-000		
Assessment Number	3460901		
Category	Minor		
Area/Process:	Main Campus Visit		
Statement of non conformance:	Process to specify and implement control measures was not effective.		
Clause requirements	Eliminating hazards and reducing OH&S risks The organization shall establish, implement and maintain a process(es) for the elimination of hazards and reduction of OH&S risks using the following "hierarchy of control": a) eliminate the hazard; b) substitute with less hazardous processes, operations, materials or equipment; c) use engineering controls and reorganization of work; d) use of administrative controls, including training; e) use of adequate personal protective equipment. NOTE: In many countries, legal requirements and other requirements include the requirement that personal protective equipment (PPE) is provided at no cost to workers.		
Objective Evidence	- General Risk Assessment Environment Engineering Lab at the main campus was seen which was last updated on 12 Oct 2022. - Sampled: - Autoclave Risk Assessment was reviewed. Control measures were having action date mentioned such as 01 Oct 2020 however required actions were not yet evidenced to be implemented. - In the general risk assessment, specific PPE requirements were not		

	clearly specified. In the control measures, one of the points mentioned was "Appropriate PPE to be worn" however it was not clearly specified as to which exact PPEs would be required.
Cause	
Correction/containment	
Corrective action	

...making excellence a habit.™

Next visit objectives, scope and criteria

The objective of the assessment is to conduct a re-assessment of the existing certification to ensure the elements of the proposed scope of registration and the requirements of the management standard are effectively addressed by the organisation's management system.

The scope of the assessment is the documented management system with relation to the requirements of ISO14001:2015 and ISO45001:2018 and the defined assessment plan provided in terms of locations and areas of the system and organisation to be assessed.

ISO14001:2015 and ISO45001:2018
BSI Scheme Manual
Applicable Regulatory and Statutory Requirements of UAE
Khalifa University's Management System Policies and Procedures

Please note that BSI reserves the right to apply a charge equivalent to the full daily rate for cancellation of the visit by the organization within 60 days of an agreed visit date. It is a condition of Registration that a deputy management representative be nominated. It is expected that the deputy would stand in should the management representative find themselves unavailable to attend an agreed visit within 60 days of its conduct.

...making excellence a habit.™

Next Visit Plan

Date	Auditor	Time	Area/Process	Clause
01/10/2023		09:30	Opening meeting	
		10:00	Top management interaction "Leadership and commitment"	ISO14001/45001: 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 7.1, 9.3, 10.1 & 10.3
		11:00	Confirmation of Scope / Changes and Updates to the management systems and overall in the organization	
		11:30	Khalifa University (Main campus & Sas Al Nakhl Campus)-OHSMS & EMS: Verifying previous NCs (if any), HSE policy, context of organization, Environmental aspects, life cycle perspective, Hazards identification, Legal and other requirements, Objectives and programme(s), Resources, roles, responsibility and authority, Competence, training and awareness, Communication, Consultation, Participation Documentation, Control of documents, Operational control, Emergency preparedness and response, Monitoring, Incident Investigation.	ISO14001/45001: 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 6.2, 7.1, 7.2, 7.3, 7.4, 7.5, 8.1, 8.2, 9.1, 9.2, 9.3, 10.1, 10.2 & 10.3, ISO45001 – 5.4
		12:30	Lunch	
		13:30	Khalifa University (Main campus & Sas Al Nakhl Campus)-OHSMS & EMS (Contd.)	
		17:00	Interim Meeting	
02/10/2023		09:00	Khalifa University main campus: Laboratories: - Cellular Biology lab - Organic Chemistry lab - Computer lab	ISO14001/45001: 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 6.2, 7.1, 7.2, 7.3, 7.4, 7.5, 8.1, 8.2, 9.1, 9.2, 9.3, 10.1, 10.2 & 10.3, ISO45001 – 5.4
		12:30	Lunch	
		13:30	Khalifa University main campus: Tour: - Facilities Management-Buildings - First aid clinic	ISO14001/45001: 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 6.2, 7.1, 7.2, 7.3, 7.4, 7.5, 8.1, 8.2, 9.1,

			- Procurement, Store	9.2, 9.3, 10.1, 10.2 & 10.3, ISO45001 – 5.4
		15:30	Khalifa University - Main Campus: - Visit to contractor stores	ISO14001/45001: 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 6.2, 7.1, 7.2, 7.3, 7.4, 7.5, 8.1, 8.2, 9.1, 9.2, 9.3, 10.1, 10.2 & 10.3, ISO45001 – 5.4
		17:00	Interim Meeting	
03/10/2023		09:00	Khalifa University main campus: Laboratories: - Civil Engineering Lab - ARIC Lab - Environmental Lab - Advanced Manufacturing Lab - Physics I lab	ISO14001/45001: 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 6.2, 7.1, 7.2, 7.3, 7.4, 7.5, 8.1, 8.2, 9.1, 9.2, 9.3, 10.1, 10.2 & 10.3, ISO45001 – 5.4
		12:30	Lunch	
		13:30	Khalifa University Main Campus - Advance Manufacturing Lab, - Physics I Lab, Environmental Radiation Lab	ISO14001/45001: 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 6.2, 7.1, 7.2, 7.3, 7.4, 7.5, 8.1, 8.2, 9.1, 9.2, 9.3, 10.1, 10.2 & 10.3, ISO45001 – 5.4
		17:00	Interim Meeting	
04/10/2023		09:00	Khalifa University Sas Al Nakhl Campus: Academic buildings including class rooms & laboratories - Chemistry lab II - Chemistry lab I	ISO14001/45001: 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 6.2, 7.1, 7.2, 7.3, 7.4, 7.5, 8.1, 8.2, 9.1, 9.2, 9.3, 10.1, 10.2 & 10.3, ISO45001 – 5.4
		11:00	Khalifa University Sas Al Nakhl Campus: - Administration buildings - Student center	ISO14001/45001: 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 6.2, 7.1, 7.2, 7.3, 7.4, 7.5, 8.1, 8.2, 9.1, 9.2, 9.3, 10.1, 10.2 & 10.3, ISO45001 – 5.4
		12:30	Lunch	
		13:30	Khalifa University - Sas Al Nakhl Campus: - Visit to contractor stores	ISO14001/45001: 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 6.2, 7.1, 7.2, 7.3, 7.4, 7.5, 8.1, 8.2, 9.1, 9.2, 9.3, 10.1, 10.2 & 10.3, ISO45001 – 5.4
		17:00	Interim Meeting	
05/10/2023		09:00	Khalifa University main campus:	ISO14001/45001: 4.1,

			Laboratories: - Manufacturing Lab - Nuclear Material & Chemistry lab - Environmental Radiation lab - Material Testing Lab - Radiation Science Teaching Lab - Robotics lab	4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 6.2, 7.1, 7.2, 7.3, 7.4, 7.5, 8.1, 8.2, 9.1, 9.2, 9.3, 10.1, 10.2 & 10.3, ISO45001 – 5.4
			Lunch	
			Main Campus Lab Visit Contd.	
06/10/2023		09:00	Interaction with OH&S Representatives	ISO14001/45001: 4.1, 4.2, 4.3, 5.1, 5.2, 5.3, 6.1, 6.2, 7.1, 7.2, 7.3, 7.4, 7.5, 8.1, 8.2, 9.1, 9.2, 9.3, 10.1, 10.2 & 10.3, ISO45001 – 5.4
		12:30	Lunch	
		13:30	Report Preparation	
		16:00	Closing Meeting	
		17:00	End of Assessment	

...making excellence a habit.™

Appendix: Your certification structure & ongoing assessment programme

Scope of Certification

EMS 622677 (ISO 14001:2015)
Provision of facilities and administrative services for education and research in engineering, science and technology.

OHS 622678 (ISO 45001:2018)
Provision of facilities and administrative services for education and research in engineering, science and technology. Previously certified to OHSAS 18001:2007 since 07/01/2015.

Assessed location(s)

The audit has been performed at Central Office, Permanent Locations.

Abu Dhabi / OHS 622678 (ISO 45001:2018)

Location reference	**0047539899-000**
Address	Khalifa University of Science and Technology Al saada St. Old Airport Rd JN, Abu Dhabi 127788 United Arab Emirates
Visit type	Continuing assessment (surveillance)
Assessment number	3460901
Assessment dates	02/11/2022
Deviation from Audit Plan	No
Total number of Employees	390
Effective number of Employees	45
Scope of activities at the site	Main Certificate Scope applies.
Assessment duration	1 day(s)

Abu Dhabi / EMS 622677 (ISO 14001:2015)

Location reference	**0047539899-000**
Address	Khalifa University of Science and Technology Al saada St. Old Airport Rd JN, Abu Dhabi

...making excellence a habit.™

	127788 United Arab Emirates
Visit type	Continuing assessment (surveillance)
Assessment number	3460900
Assessment dates	01/11/2022
Deviation from Audit Plan	No
Total number of Employees	390
Effective number of Employees	45
Scope of activities at the site	Main Certificate Scope applies.
Assessment duration	0.5 day(s)

Abu Dhabi / OHS 622678 (ISO 45001:2018)

Location reference	**0047539899-001**
Address	Khalifa University Sas Al Nakhl Campus PO Box: 2533 Abu Dhabi United Arab Emirates
Visit type	Continuing assessment (surveillance)
Assessment number	3757415
Assessment dates	03/11/2022
Deviation from Audit Plan	No
Total number of Employees	100
Effective number of Employees	25
Scope of activities at the site	Main Certificate Scope applies.
Assessment duration	1 day(s)

Abu Dhabi / EMS 622677 (ISO 14001:2015)

Location reference	**0047539899-001**
Address	Khalifa University Sas Al Nakhl Campus PO Box: 2533 Abu Dhabi United Arab Emirates
Visit type	Continuing assessment (surveillance)
Assessment number	3757416
Assessment dates	01/11/2022
Deviation from Audit Plan	No

...making excellence a habit.™

Total number of Employees	100
Effective number of Employees	25
Scope of activities at the site	Main Certificate Scope applies.
Assessment duration	0.5 day(s)

...making excellence a habit.™

Certification assessment program

Certificate Number - EMS 622677
Location reference - 0047539899-000

		Audit1	Audit2	Audit3
Business area/Location	**Date (mm/yy):**	10/21	10/22	10/23
	Duration (days):	4	4	6
Opening meeting		X	X	X
Top management interaction "Leadership and commitment"				X
Confirmation of Scope / Changes and Updates to the management systems and overall in the organization		X	X	X
Khalifa University (Main campus & Sas Al Nakhl Campus)- OHSMS & EMS: Verifying previous NCs (if any), HSE policy, context of organization, Environmental aspects, life cycle perspective, Hazards identification, Legal and other requirements, Objectives and programme(s), Resources, roles, responsibility and authority, Competence, training and awareness, Communication, Consultation, Participation Documentation, Control of documents, Operational control, Emergency preparedness and response, Monitoring, Incident Investigation.		X	X	X
Khalifa University main campus: Tour: - Facilities Management-Buildings - First aid clinic - Procurement, Store				X
Khalifa University main campus: Laboratories: - Cellular Biology lab - Organic Chemistry lab - Computer lab			X	X
Khalifa University main campus: Laboratories: - Civil Engineering Lab - ARIC Lab - Environmental Lab - Advanced Manufacturing Lab - Physics I lab		X		X
Khalifa University main campus: Laboratories: - Manufacturing Lab - Nuclear Material & Chemistry lab - Environmental Radiation lab - Material Testing Lab - Radiation Science Teaching Lab				X

...making excellence a habit.™

- Robotics lab			
Khalifa University Sas Al Nakhl Campus: Student accommodation buildings	X		
Khalifa University Sas Al Nakhl Campus: Academic buildings including class rooms & laboratories - Chemistry lab II - Chemistry lab I		X	X
Khalifa University Sas Al Nakhl Campus: - Administration buildings - Student center			X
Khalifa University - Sas Al Nakhl Campus: - Visit to contractor stores			X
Khalifa University - Main Campus: - Visit to contractor stores			X
Re-certification assessment			X
Report preparation	X	X	X
Closing meeting	X	X	X

Certificate Number - EMS 622677
Location reference - 0047539899-001

		Audit1
Business area/Location	**Date (mm/yy):**	
	Duration (days):	
x		

Certificate Number - OHS 622678
Location reference - 0047539899-000

		Audit1
Business area/Location	**Date (mm/yy):**	
	Duration (days):	
-		

Certificate Number - OHS 622678
Location reference - 0047539899-001

		Audit1
Business area/Location	**Date (mm/yy):**	

	Duration (days):	
-		

Expected outcomes for accredited certification.

What accredited management system certification means?

To achieve an organization's objectives related to the Expected Outcomes intended by the management systems standard, the accredited management system certification is expected to provide confidence that the organization has a management system that conforms to the applicable requirements of the specific ISO standard.

In particular, it is to be expected that the organization

• has a system which is appropriate for its organizational context and certification scope, a defined policy appropriate for the intent of the specific management system standard and to the nature, scale and impacts of its activities, products and services over their lifecycles, is addressing risks and opportunities associated with its context and objectives;
• analyses and understands customer needs and expectations, as well as the relevant statutory and regulatory requirements related to its products, processes and services;
• ensures that product, process and service characteristics have been specified in order to meet customer and applicable statutory/regulatory requirements;
• has determined and is managing the processes needed to achieve the Expected Outcomes intended by the management system standard;
• has ensured the availability of resources necessary to support the operation and monitoring of these products, processes and services;
• monitors and controls the defined product process and service characteristics;
• aims to prevent nonconformities, and has systematic improvement processes in place including the addressing of complaints from interested parties;
• has implemented an effective internal audit and management review process;
• is monitoring, measuring, analysing, evaluating and improving the effectiveness of its management system and has implemented processes for communicating internally, as well as responding to and communicating with interested external parties.

What accredited management systems certification does not mean?

It is important to recognize that management system standards define requirements for an organization's management system, and not the specific performance criteria that are to be achieved (such as product or service standards, environmental performance criteria etc).

Accredited management systems certification should provide confidence in the organization's ability to meet its objectives related to the intent of the management system standard. A management systems audit is not a full legal compliance audit, and does not necessarily ensure ethical behaviour or that the organization will always achieve 100% conformity and legal compliance, though this should of course be a permanent goal.

Within its scope of certification, accredited management systems certification does not imply or ensure, for example:
• that the organization is providing a superior product and service, or

• that the organization's product and service itself is certified as meeting the requirements of an ISO (or any other) standard or specification.

Definitions of findings:

Nonconformity:
Non-fulfilment of a requirement.

Major nonconformity:
Nonconformity that affects the capability of the management system to achieve the intended results. Nonconformities could be classified as major in the following circumstances:
- If there is a significant doubt that effective process control is in place, or that products or services will meet specified requirements;
- A number of minor nonconformities associated with the same requirement or issue could demonstrate a systemic failure and thus constitute a major nonconformity.

Minor nonconformity:
Nonconformity that does not affect the capability of the management system to achieve the intended results.

Opportunity for improvement:
It is a statement of fact made by an assessor during an assessment, and substantiated by objective evidence, referring to a weakness or potential deficiency in a management system which if not improved may lead to nonconformity in the future. We may provide generic information about industrial best practices but no specific solution shall be provided as a part of an opportunity for improvement.

How to contact BSI

Visit the BSI Connect Portal, our web-based self-service tool to access all your BSI assessment and testing data at a time that's convenient to you. View future audit schedules, submit your corrective action plans and download your reports and Mark of Trust logos to promote your achievement. Plus, you can benchmark your performance using our dashboards to help with your continual improvement journey.

Should you wish to speak with BSI in relation to your certification, please contact your local BSI office – contact details available from the BSI website:
https://www.bsigroup.com/en-AE/Contact-us/

Notes

This report and related documents are prepared for and only for BSI's client and for no other purpose. As such, BSI does not accept or assume any responsibility (legal or otherwise) or accept any liability for or in connection with any other purpose for which the Report may be used, or to any other person to whom the Report is shown or in to whose hands it may come, and no other persons shall be entitled to

...making excellence a habit.™

rely on the Report. If you wish to distribute copies of this report external to your organisation, then all pages must be included.

BSI, its staff and agents shall keep confidential all information relating to your organisation and shall not disclose any such information to any third party, except that in the public domain or required by law or relevant accreditation bodies. BSI staff, agents and accreditation bodies have signed individual confidentiality undertakings and will only receive confidential information on a 'need to know' basis.

This audit was conducted through document reviews, interviews and observation of activities. The audit method used was based on sampling the organization's activities and it was aimed to evaluate the fulfilment of the audited requirements of the relevant management system standard or other normative document and confirm the conformity and effectiveness of the management system and its continued relevance and applicability for the scope of certification.

As this audit was based on a sample of the organization's activities, the findings reported do not imply to include all issues within the system.

Regulatory compliance

BSI conditions of contract for this visit require that BSI be informed of all relevant regulatory non-compliance or incidents that require notification to any regulatory authority. Acceptance of this report by the client signifies that all such issues have been disclosed as part of the assessment process and agreement that any such non-compliance or incidents occurring after this visit will be notified to the BSI client manager as soon as practical after the event.

...making excellence a habit.™