DRAFT — UNOFFICIAL — NOT FOR OPERATIONAL USE

PUBLICATION

DEPENDENCY-MAP

USAREUR-AF

MAVEN TRAINING CORPUS — DEPENDENCY MAP

USAREUR-AF Operational Data Team | C2DAO Training Branch

HEADQUARTERS
UNITED STATES ARMY EUROPE AND AFRICA
(USAREUR-AF)
Wiesbaden, Germany

DRAFT — NOT FOR OFFICIAL USE. FOR TRAINING PLANNING PURPOSES ONLY.

15 MARCH 2026

DRAFT — UNOFFICIAL — NOT FOR OPERATIONAL USE

MAVEN TRAINING CORPUS — DEPENDENCY MAP

USAREUR-AF OPERATIONAL DATA TEAM | C2DAO TRAINING BRANCH

Generated: 13 March 2026 **Last updated:** 15 March 2026 (pre-v2.0 full-corpus audit; PPTX rebuild; prereq chain finalized; builder sprint (BSP) section added; 27 missing files integrated; formal curriculum audit completed — fixes applied: TM-10 Task 4-1B standards, TM-20 join scope boundary, TEO TM20-03 date [CRITICAL], TM-30 Quiver eval swap + Block 11 peer review + Block 17 diagnostic inject, TM-40F LO-5 gap, all WFF syllabi function-specific Go criteria + CCIR troubleshooting, TM-40J/K expanded to 4 days, ENROLLMENT_SOP training records section, CURRICULUM_MAINTENANCE_SOP platform monitoring + semi-annual review, MTP throughput risk item, COMMANDERS_GUIDE_MSS_TRAINING.md created) **Audit method:** Full manual read of all source files across 6 parallel agent passes (13 March); ralf branch content migration (14 March); Palantir Developers video mapping (14 March); full ralf file inventory and PDF build (14 March); full content read of all 30 CDA slide decks (14 March) — level assignments corrected corpus-wide; pre-v2.0 content accuracy and consistency audit across all curriculum, app, widget, and PPTX files (14 March) **Status at generation:** Corpus at v2.0-ready state. All naming and content issues resolved. TM-40D/E/F prereq discrepancy resolved 2026-03-14 — all WFF tracks (TM-40A–F) now require TM-30 as terminal prerequisite. Pre-v2.0 audit complete: 8 content fixes applied (README.md, POLICY_LETTER.md, cheatsheet.md, Home.tsx, TM40.tsx, mss_info_app/index.html, .gitignore, MSS_Project_Overview.pptx); MSS_Training_Progression.pptx specialist column fully rebuilt with clean WFF (A–F) / Specialist (G–L) grouping. PDFs regenerated (3 source-changed files rebuilt). See changelog entry #95–103.

READING THIS MAP

Relationship symbols: - → requires / directly depends on - ↔ companion / integration reference (not a prereq) - ⇢ recommended reading for

Publication type tags:

Tag	Type	Description
[COURSE]	Course & Assessment	TM (Technical Manual), Syllabus, Exercise, Exam, Concepts Guide — anything a student completes or is evaluated against
[PPT]	Slide Deck	CDA slide deck (conceptual prereq; `maven_training/source_material/course_portal/`)
[REF]	Reference	Quick-reference tools, cheatsheets, job aids — consulted during work, not studied (`maven_training/quick_reference/`)
[SUPP]	Supplemental	Supporting doctrine, guidance, or architecture docs that enrich understanding but are not part of the course sequence (`maven_training/doctrine/`, `source_material/cda_docs/`)
[EA]	Enterprise Architecture	EA series docs (`maven_training/doctrine/enterprise_architecture/`)
[CANON]	CDA Canon	CDA canon and doctrine docs (`maven_training/doctrine/cda_doctrine/`)

PREREQUISITE CHAIN (AUTHORITATIVE)

```
TM-10 (all personnel)
  └── TM-20 (builders)
        │
        ├── [BSP] Builder Sprint ← parallel track; outside TM chain; no TM credit
granted
        │         Prereq: TM-20 Go + command-validated project. See
builder_sprint/BSP_GUIDE.md
        │
        └── TM-30 (advanced builders / data-adjacent)
              ├── TM-40A (Intelligence WFF)
              ├── TM-40B (Fires WFF)
              ├── TM-40C (Movement & Maneuver WFF)
              ├── TM-40D (Sustainment WFF)
              ├── TM-40E (Protection WFF)
              ├── TM-40F (Mission Command WFF)
              ├── TM-40G (ORSA) ──────────────→ TM-50G (Advanced ORSA)
              ├── TM-40H (AI Engineer) ─────────→ TM-50H (Advanced AI Eng)
              ├── TM-40I (ML Engineer) ─────────→ TM-50I (Advanced ML Eng)
              ├── TM-40J (Program Manager) ─────→ TM-50J (Advanced PM)
              ├── TM-40K (Knowledge Manager) ──→ TM-50K (Advanced KM)
              └── TM-40L (Software Engineer) ──→ TM-50L (Advanced SWE)
```

NOTE

TM-50A through TM-50F do NOT exist. Only TM-50G–L (advanced specialist) are valid. WFF tracks (TM-40A–F) require TM-30 (same prereq chain as Specialist tracks) — design decision 2026-03-13. Specialist tracks (TM-40G–L) all require TM-30 (required, not recommended). **Builder Sprint (BSP)** is a separate quarterly event outside the TM chain. Prereq: TM-20. Does NOT grant TM-30 credit. Does NOT unlock TM-40 enrollment. See training_management/BUILDER_SPRINT_SOP.md.

CDA SLIDE LIBRARY OVERLAY (CONCEPTUAL PREREQS)

The CDA slide decks provide conceptual grounding that the TM series assumes but does not teach. They are recommended reading, not required prerequisites. They feed into the TM chain as follows.

Last alignment audit: 14 March 2026 — full content read of all 30 decks; level assignments corrected based on actual slide content vs. TM audience (user / no-code builder / advanced builder / code-level).

DRAFT

```
CDA "TM-10" (2 decks) ──────────────→ TM-10 / all personnel
  army_data_orientation_v1            → TM-10 — WHY MSS exists; Army data landscape;
all personnel
                                          v2 (army_data_orientation_v2.pptx) patches
slides 12–14
                                          for end-user (consumer) audience; v1 had
builder framing
  mss_platform_overview               → TM-10 — NEW (2026-03-14): HOW to use MSS as
an end user
                                          Covers: platform navigation, reading
dashboards, AIP
                                          queries, submitting forms, classification
handling,
                                          problem reporting, user vs. builder
boundary
                                          File:
source_material/course_portal/downloads/mss_platform_overview.pptx

CDA "Intro To Data" (10 decks) ─────→ TM-20 (conceptual prereqs for no-code builders)
  architecture_primer                 → before TM-20 (stability stack, activities vs
enablers)
                                          [was tagged TM-10 — wrong; no end-user
content]
  2026_Data_Stack_Deep_Dive           → before TM-20 (five-layer L1–L5 stack
overview)
  AI_ML_Beyond_The_Hype               → TM-20 (what AI actually is; why clean ontology
enables AIP)
                                          [was tagged TM-40H — wrong; no code
content; TM-20 builders
                                          need this to understand why good data
enables AIP]
  The_Semantic_Layer_Instructions     → TM-20 (slides 1–6) / TM-30 (slides 7–11
governance content)
  What_Is_An_Ontology                 → TM-20 (three building blocks, definition
clarity test)
  L5_Activation_Interface_Deep_Dive   → TM-20 (Workshop/activation decision framework
slides 1–5)
                                          NOTE: slides 6–9 (Custom React Widgets,
Streamlit, Plotly)
                                          are TM-40L content — not TM-20
  Dont_Filter_This_Isnt_Excel         → TM-20 (platform mindset shift; essential for
all builders)
  L2_Ingestion_Integration_Deep_Dive  → TM-30 (CDC, DAGs, orchestration, schema
evolution)
                                          [was tagged TM-20 — wrong; no-code builders
don't design CDC]
  Data_Modeling_Foundations           → TM-30 (Kimball, Inmon, DataVault, Enterprise
Compass)
                                          [was tagged TM-20 — wrong; too academic for
no-code builders]
  Data_Platforms_Cloud_Deep_Dive      → TM-30 (JWCC, cross-domain, edge, OCONUS
design concerns)
                                          [was tagged TM-20 — slides 1–4 fine at TM-
20 but 5–10 are TM-30]
  decision_advantage_deep_dive        → TM-30 / all WFF tracks TM-40A–F (ADP 3-13
```

```
doctrine framework;
                                                decision-as-node-graph; maps to Foundry
object types)
                                                [was tagged TM-40A — wrong; not Intel-WFF-
specific; no code]

CDA "Data 101" (6 decks) ──────────────→ TM-20 / TM-30
  The_Four_Layers                       → TM-20 (ontology vs dataset vs pipeline vs
app; essential)
  Data_Modeling_Fundamentals_Level1     → TM-20 (tables, keys, cardinality, schemas,
data types)
  ObjectType_WhatToWatchFor             → TM-20 (filter-as-type anti-pattern;
downstream avalanche)
  Links_and_Relationships               → TM-20 (cardinality, direction, optionality)
  Controlled_Vocabularies               → TM-20 / TM-30 (needed before building first
object type)
                                                [was tagged TM-30 only — should start at
TM-20]
  Identity_Who_Owns_The_Key             → TM-20 / TM-30 (primary key authority, six
rules, entity resolution)
                                                [was tagged TM-30 only — fundamentals
needed at TM-20]

CDA "Data 201" (10 decks) ──────────────→ TM-30 / TM-40G–L
  Semantic_Modelling_Course_Intro       → TM-30 / TM-40L (entry to 12-deck series;
prereq: DM L2)
  Deck_01_Architecture_First_Principles → TM-30 / TM-40L (separation of concerns,
stability stack)
  Deck_02_Scope_Engineering             → TM-30 (schema fit vs scope fit, fit
scorecard)
  Deck_03_RDF_OWL_Foundations           → TM-30 (part of 12-deck series;
RDF/OWL/SKOS/SHACL)
                                                [was tagged TM-40K — wrong; this is Deck 3
of the same
                                                series as Decks 1, 2, 4, 5, 6 which are all
TM-30]
  Deck_04_Object_Type_Varieties         → TM-30 / TM-40L (nine canonical varieties,
decision tree)
  Deck_05_Identity_Governance           → TM-30 / TM-40K (identity authority matrix,
entity resolution arch)
  Deck_06_Relationship_Modeling         → TM-30 / TM-40L (reification, role patterns,
SHACL constraints)
  Deck_07_Temporal_Bitemporal           → TM-30 (part of 12-deck series; event/state,
bitemporal patterns)
                                                [was tagged TM-40G — wrong; temporal
modeling is general TM-30;
                                                applies across all specializations not just
ORSA]
  Data_Modeling_Fundamentals_Level2     → TM-40 general / TM-40G / TM-40I / TM-40L
                                                (Kimball/Inmon/DataVault comparison,
Enterprise Compass)
  Deck_12_Capstone_Foundry              → TM-40 general (end-to-end ontology
engineering capstone;
                                                prereq: Decks 1–11; bridges TM-30 theory →
TM-40 practice)
```

```
                                                    [was tagged TM-40G only — not ORSA-
specific]
```

SECTION 0B — CDA DOCTRINE AND REFERENCE MATERIALS

Enterprise Architecture (TM-30 / TM-40K / TM-40L)

File	Type	Supports
doctrine/enterprise_architecture/EA_00_REFERENCE_CARD.md	[EA]	→ TM-30, TM-40K, TM-40L
doctrine/enterprise_architecture/EA_01_FOUNDATION.md	[EA]	→ TM-30 (architecture thinking)
doctrine/enterprise_architecture/EA_02_SCHOOLS_OF_THOUGHT.md	[EA]	→ TM-30, TM-40K
doctrine/enterprise_architecture/EA_03_ARTIFACTS_AND_VIEWS.md	[EA]	→ TM-40K, TM-40L
doctrine/enterprise_architecture/EA_04_GOVERNANCE.md	[EA]	→ TM-40K
doctrine/enterprise_architecture/EA_05_MILITARY_APPLICATION.md	[EA]	→ TM-30, TM-40G–L

Senior Leader Guidance

File	Type	Supports
doctrine/CG_GUIDANCE.md	[REF]	→ TM-10, TM-20 (CG public doctrine; AUSA 2025, Green Notebook 2026)

DRAFT

CDA Doctrine (TM-40G–L)

File	Type	Supports
doctrine/CDA_CONSTRAINTS_AND_DIRECTIVES.md	[CNCPT]	→ TM-40G–L (12 operational constraints and directives governing CDA work)
doctrine/cda_doctrine/CDA_OVERVIEW.md	[CNCPT]	→ TM-30 (bridge: CDA user taxonomy, enterprise index)
doctrine/cda_doctrine/CDA_DOCTRINE_OVERVIEW.md	[CNCPT]	→ TM-40G–L (doctrine-driven development)
doctrine/cda_doctrine/CDA_DOCTRINE_AGENT.md	[CNCPT]	→ TM-40H, TM-40L
doctrine/cda_doctrine/CDA_AVT25_ASSESSMENT.md	[CNCPT]	→ TM-40G, TM-40H
doctrine/cda_doctrine/CDA_IDENTITY_VS_CLASSIFICATION.md	[CNCPT]	→ TM-30, TM-40K, TM-40L
doctrine/ONTOLOGY_DESIGN_PRINCIPLES.md	[CNCPT]	→ TM-40H, TM-40K, TM-40L, TM-50H/K/L (DDD, DRY, Open/Closed, PECS, Composition; Foundry-specific)

CDA Architecture Doctrine — Agents Series (TM-40H/I/K/L, TM-50H/I/K/L)

Bedrock → specialization hierarchy. Core Principles govern; specialized docs extend. | File | Type | Supports | |---|---|---| | doctrine/cda_doctrine/agents/CDA_AGENTS_OVERVIEW.md | [CNCPT] | → index for agents subdirectory; hierarchy diagram | | doctrine/cda_doctrine/agents/CDA_AGENTS_CORE_PRINCIPLES.md | [CNCPT] | → TM-40H, TM-40I, TM-40K, TM-40L, TM-50H/I/K/L (12 bedrock principles: Stability Stack, Four-Layer Architecture, Scope Engineering, Nine Object Types, Identity Governance, VAULTIS-A, 14 anti-patterns) | | doctrine/cda_doctrine/agents/CDA_AGENTS_ONTOLOGY_ENGINEER.md | [CNCPT] | → TM-40H, TM-40K, TM-40L, TM-50H/K/L (specializes Core Principles 3/7/8/9/10/11; RDF, OWL2, SHACL, SPARQL, PROV-O; SHACL shapes, competency questions) | | doctrine/cda_doctrine/agents/CDA_AGENTS_ENTITY_RESOLUTION.md | [CNCPT] | → TM-40H, TM-40I, TM-40L, TM-50H/I/L (9-stage ER pipeline; blocking, scoring, decisioning, cluster building, survivorship; threshold bands; 10 anti-patterns) | | doctrine/cda_doctrine/agents/CDA_AGENTS_INGESTION_INTEGRATION.md | [CNCPT] | → TM-40H, TM-40I, TM-40L, TM-50H/I/L (Five-Stage Ingestion Pattern; ELT over ETL; Dagster DAG; VAULTIS-A per pipeline; 9 anti-patterns; 10-item output checklist) |

GDAP — Global Doctrine Alignment Platform (TM-40H/I/K/L, TM-50H/I/K/L)

File	Type	Supports
doctrine/gdap/GDAP_OVERVIEW.md	[CNCPT]	→ TM-40H, TM-40I, TM-40K, TM-40L (platform quickstart, LlamaIndex retrieval stack, API endpoints)
doctrine/gdap/GDAP_VISION.md	[CNCPT]	→ TM-40H, TM-40I, TM-40K, TM-40L, TM-50H/I/K/L (full vision: 10 use-case domains, 20 pipeline steps, DVEE, coalition seam detection)
doctrine/gdap/GDAP_PERSISTENCE_STRATEGY.md	[CNCPT]	→ TM-40H, TM-40I, TM-40L, TM-50H/I/L (DuckDB = canonical truth; LlamaIndex = derived serving artifacts; versioning/rebuild/rollback policy)
doctrine/gdap/GDAP_ACCEPTANCE_TESTS.md	[CNCPT]	→ TM-40H, TM-40I, TM-40L, TM-50H/I/L (P0/P1/P2 release gates across 9 sections: A=Foundation, B=Ingestion, C=Retrieval, D=Routing, E=Response Quality, F=Agents, G=Evaluation, H=Ops, I=Consumer Delight)
doctrine/gdap/GDAP_ADR_0001_LLAMAINDEX.md	[CNCPT]	→ TM-40H, TM-40I, TM-40L, TM-50H/I/L (ADR-0001 accepted: DuckDB owns canonical truth; LlamaIndex owns serving artifacts; boundary rules)

DRAFT

MIM — MIP Information Model (TM-40H/I/K/L, TM-50H/I/K/L)

File	Type	Supports
doctrine/mim/MIM_OVERVIEW.md	[CNCPT]	→ TM-40H, TM-40I, TM-40K, TM-40L (toolchain: HTML/XSD parsers, Foundry backend, repo structure, package quick ref)
doctrine/mim/MIM_STANDARD.md	[CNCPT]	→ TM-40H, TM-40I, TM-40K, TM-40L, TM-50H/I/K/L (MIM semantic model: namespaces, type/instance/status, roles, discriminators, code types, design principles, Semantic IDs)
doctrine/mim/MIM_STATE.md	[CNCPT]	→ TM-40H, TM-40I, TM-40L, TM-50H/I/L (project snapshot 2026-02-28: maturity by area, passing/failing tests, key gaps, 30/60/90 priorities)
doctrine/mim/MIM_ACADEMICS.md	[CNCPT]	→ TM-40H, TM-40I, TM-40K, TM-40L, TM-50H/I/K/L (Dr. Gerz / NATO interoperability; MIM↔Foundry structural alignment analysis; UML↔OT mapping; MIP governance)
doctrine/mim/MIM_DECISION_RECORDS.md	[CNCPT]	→ TM-40H, TM-40L (ADR structure decision: repo-level and per-package ADRs)
doctrine/mim/MIM_FUTURE_CLASSES.md	[CNCPT]	→ TM-40H, TM-40I, TM-40L, TM-50H/I/L (planned: mim-studio, mim-ui, adapters, backends, mim-sdk, mim-provenance)
doctrine/mim/MIM_ONTOLOGY_DOCS.md	[CNCPT]	→ TM-40H, TM-40L, TM-50H/L (OSDK Maker Package full TypeScript API: SPTs, Value Types, Interfaces, Objects, Links, Interface Link Constraints, Actions, Derived Properties)

Canon Reference (TM-40G–L)

File	Type	Supports
doctrine/cda_doctrine/canon/CANON_ADP_CROSSWALK.md	[CANON]	→ all specialist tracks TM-40G–L
doctrine/cda_doctrine/canon/CANON_CONDITIONS_INDICATORS_THRESHOLDS.md	[CANON]	→ TM-40G, TM-40H
doctrine/cda_doctrine/canon/CANON_ENGAGEMENT.md	[CANON]	→ TM-40G, TM-40H
doctrine/cda_doctrine/canon/CANON_INFORMATION.md	[CANON]	→ TM-40H, TM-40K

DRAFT

Quick Reference

File	Type	Supports
quick_reference/cda_reference/EA_VS_DA.md	[REF]	→ TM-30, TM-40K
quick_reference/cda_reference/ENTERPRISE_DATA_COMPASS.md	[REF]	→ TM-40J, TM-40K
quick_reference/cda_reference/LESSONS_LEARNED.md	[REF]	→ all tracks
quick_reference/cda_reference/PLAN_FOR_SUCCESS.md	[REF]	→ TM-40J, TM-30
quick_reference/cda_reference/DOCTRINE_ELEMENT_FOUNDRY_MAPPING.md	[REF]	→ TM-40H, TM-40I, TM-40L, TM-50H/I/L (DoctrineElement property map, bi-temporal fields, TypeScript interface, OSDK query patterns, link types, enums)
exercises/exams/EXAM_CDA_FINAL.md	[EXAM]	→ assesses Intro To Data + Data 101 + Data 201

Interactive Apps

App	Type	Supports
source_material/cda_apps/ea-vs-da-reference/	[REF]	→ TM-30, TM-40K, TM-40L
source_material/cda_apps/enterprise-data-compass/	[REF]	→ TM-40J, TM-40K
source_material/cda_apps/lessons-learned/	[REF]	→ all tracks
source_material/cda_apps/plan-for-success/	[REF]	→ TM-40J, TM-30
source_material/course_portal/	[PPT]	→ see CDA Slide Library above

DRAFT

SECTION 1 — BASE TRACKS

TM-10: Maven User

File	Type	Outbound Dependencies
TM_10_MAVEN_USER.md	[TM]	→ TM-20 (next step), ⇢ DATA_LITERACY_technical_reference
(no Concepts Guide)	—	—
SYLLABUS_TM10.md	[SYL]	→ TM-10 [TM]
EX-10_operator_basics/EXERCISE.md	[EX]	→ TM-10 [TM]
EXAM_TM10_PRE.md	[EXAM]	assesses TM-10 readiness
EXAM_TM10_POST.md	[EXAM]	assesses TM-10 completion

Inbound references from: TM-20, TM-30, TM-40A–F (all list TM-10 as prereq), SYLLABUS_TM20, SYLLABUS_TM30, all TM-40/50 syllabi, MTP, POI, CAD, TEO, ENROLLMENT_SOP, ANNUAL_TRAINING_SCHEDULE, CHEATSHEET, README, QUICK_START

Recommended CDA decks [PPT]: ⇢ army_data_orientation_v1 · architecture_primer · 2026_Data_Stack_Deep_Dive

DRAFT

TM-20: Builder

File	Type	Outbound Dependencies
TM_20_BUILDER.md	[TM]	→ TM-10 (prereq), → TM-30 (escalation), ↔ TM-10 Ch 4/5/8 task refs, ⇢ TM-40I, ⇢ TM-40L
CONCEPTS_GUIDE_TM20_BUILDER.md	[CNCPT]	↔ TM_20_BUILDER [TM] (companion), ⇢ TM-30 escalation guide
SYLLABUS_TM20.md	[SYL]	→ TM-10 (prereq)
EX-20_no_code_builder/EXERCISE.md	[EX]	→ TM-20 [TM], → NAMING_AND_GOVERNANCE_STANDARDS
EXAM_TM20_PRE.md	[EXAM]	assesses TM-20 readiness
EXAM_TM20_POST.md	[EXAM]	assesses TM-20 completion

Inbound references from: TM-30, TM-40A–L (prereq chain via TM-30), all training mgmt docs, CHEATSHEET, README

Recommended CDA decks [PPT]: ⇢ What_Is_An_Ontology · Data_Modeling_Foundations · The_Semantic_Layer_Instructions · L2_Ingestion_Integration_Deep_Dive · L5_Activation_Interface_Deep_Dive · Dont_Filter_This_Isnt_Excel · The_Four_Layers · Data_Modeling_Fundamentals_Level1 · ObjectType_WhatToWatchFor · Links_and_Relationships

DRAFT

TM-30: Advanced Builder

File	Type	Outbound Dependencies
TM_30_ADVANCED_BUILDER.md	[TM]	→ TM-10 (prereq), → TM-20 (prereq), ⇢ DATA_LITERACY_technical_reference
CONCEPTS_GUIDE_TM30_ADVANCED_BUILDER.md	[CNCPT]	↔ TM_30_ADVANCED_BUILDER [TM] (companion), ⇢ TM-40G–L escalation guide, ⇢ EA Series, ⇢ CDA doctrine
SYLLABUS_TM30.md	[SYL]	→ TM-10, → TM-20 (prereqs)
EX-30_advanced_builder/EXERCISE.md	[EX]	→ TM-30 [TM], → NAMING_AND_GOVERNANCE_STANDARDS
EXAM_TM30_PRE.md	[EXAM]	assesses TM-30 readiness
EXAM_TM30_POST.md	[EXAM]	assesses TM-30 completion

Inbound references from: TM-40A–F (all WFF tracks, hard prereq), TM-40G–L (all specialist tracks, hard prereq), TM-40K (pipeline builder), TM-40L (peer note), all training mgmt docs, CHEATSHEET, README

Recommended CDA decks [PPT]: ⇢ Data_Architecture_Deep_Dive · Data_Platforms_Cloud_Deep_Dive · Semantic_Modelling_Course_Intro · Deck_01_Architecture_First_Principles · Deck_02_Scope_Engineering · Deck_04_Object_Type_Varieties · Deck_05_Identity_Governance · Deck_06_Relationship_Modeling · Controlled_Vocabularies · Identity_Who_Owns_The_Key

DRAFT

SECTION 1B — BUILDER SPRINT (BSP)

Prereq: TM-20 Go on file + command-approved project

NOT part of the TM-10 → TM-50 sequence; does NOT grant TM credit

File	Type	Outbound Dependencies
builder_sprint/BSP_GUIDE.md	[BSP]	→ TM-20 (prereq); does NOT → TM-30 (explicitly not a substitute)
builder_sprint/ENVIRONMENT_SETUP.md	[BSP]	→ BSP_GUIDE (coordinator checklist for sprint setup)
builder_sprint/SPRINT_PACKAGE.md	[BSP]	→ BSP_GUIDE Ch 5 (evaluator/coordinator standards); → ENROLLMENT_SOP (enrollment workflow)
training_management/BUILDER_SPRINT_SOP.md	[SOP]	→ TM-20 (prereq); → BSP_GUIDE, → SPRINT_PACKAGE, → ENVIRONMENT_SETUP (references all BSP docs); → ANNUAL_TRAINING_SCHEDULE (quarterly calendar)

Inbound references from: DEPENDENCY_MAP prereq chain, DEMO_BRIEF_CG, WHITE_PAPER_MSS_TRAINING, mss_info_app/index.html (if applicable)

Key governance note: BSP is a quarterly 5-day supervised build event. Prereq: TM-20 Go + command-validated project. Does NOT grant TM-30 credit. Does NOT unlock TM-40 enrollment.

DRAFT

SECTION 2 — WFF FUNCTIONAL TRACKS (TM-40A–F)

Prereq for all: TM-10 + TM-20 + TM-30 + track Concepts Guide

TM-40A: Intelligence

File	Type	Outbound Dependencies
TM_40A_INTELLIGENCE.md	[TM]	→ TM-10, → TM-20, → TM-30, → CONCEPTS_GUIDE_TM40A (prereq read), ↔ TM-40F (CCIR coordination)
CONCEPTS_GUIDE_TM40A_INTELLIGENCE.md	[CNCPT]	→ TM-10 (prereq baseline), ↔ TM -40A [TM] (Appendix D), ⇢ FM 2-0, ATP 2-01.3, ATP 2-01
SYLLABUS_TM40A.md	[SYL]	→ TM-10, → TM-20, → TM-30, ⇢ FM 2-0, ATP 2-01
EX-40A_intelligence/EXERCISE.md	[EX]	→ TM-40A [TM]
EXAM_TM40A_PRE.md	[EXAM]	assesses TM-40A readiness
EXAM_TM40A_POST.md	[EXAM]	assesses TM-40A completion

Inbound references from: TM-40D (companion cross-ref), TM-40E (AT intel integration), DATA_LITERACY_technical_reference, CHEATSHEET, mss_info_app/index.html, README

Recommended CDA decks [PPT]: ⇢ decision_advantage_deep_dive

DRAFT

TM-40B: Fires

File	Type	Outbound Dependencies
TM_40B_FIRES.md	[TM]	→ TM-10, → TM-20, → TM-30, → CONCEPTS_GUIDE_TM40B (prereq read), ⇢ TM-40L (system admin)
CONCEPTS_GUIDE_TM40B_FIRES.md	[CNCPT]	↔ TM -40B [TM] (read before TM-40B), ⇢ ADP 3-19, FM 3-09, FM 3-60, ATP 3-01.8, ATP 3-52.2, ATP 3-09.42, ATP 3-09.50
SYLLABUS_TM40B.md	[SYL]	→ TM-10, → TM-20, → TM-30, ⇢ FM 3-09, ATP 3-09.42, ATP 3-60
EX-40B_fires/EXERCISE.md	[EX]	→ TM-40B [TM]
EXAM_TM40B_PRE.md	[EXAM]	assesses TM-40B readiness
EXAM_TM40B_POST.md	[EXAM]	assesses TM-40B completion

Inbound references from: TM-40D (ammo mgmt companion), TM-40E (AMD coordination), DATA_LITERACY_technical_reference, CHEATSHEET, mss_info_app/index.html, README

Recommended CDA decks [PPT]: ⇢ decision_advantage_deep_dive

TM-40C: Movement & Maneuver

File	Type	Outbound Dependencies
TM_40C_MOVEMENT_MANEUVER.md	[TM]	→ TM-10, → TM-20, → TM-30, → CONCEPTS_GUIDE_TM40C (prereq read), ↔ TM-40E (NBC/protection layer)
CONCEPTS_GUIDE_TM40C_MOVEMENT_MANEUVER.md	[CNCPT]	↔ TM -40C [TM] (doctrinal framework), ⇢ ADP 3-0, FM 3-96
SYLLABUS_TM40C.md	[SYL]	→ TM-10, → TM-20, → TM-30, ⇢ ADP 3-0, FM 3-0, ATP 3-90.90
EX-40C_movement_maneuver/EXERCISE.md	[EX]	→ TM-40C [TM]
EXAM_TM40C_PRE.md	[EXAM]	assesses TM-40C readiness
EXAM_TM40C_POST.md	[EXAM]	assesses TM-40C completion

Inbound references from: TM-40D (maneuver unit readiness companion), TM-40E (physical security/base camp siting), DATA_LITERACY_technical_reference, CHEATSHEET, mss_info_app/index.html, README

Recommended CDA decks [PPT]: ⇢ decision_advantage_deep_dive

TM-40D: Sustainment

File	Type	Outbound Dependencies
TM_40D_SUSTAINMENT.md	[TM]	→ TM-10, → TM-20, → TM-30, → CONCEPTS_GUIDE_TM40D (prereq read), ↔ TM-40A (intel/threat feed), ↔ TM-40B (ammo coordination), ↔ TM-40C (maneuver readiness), ↔ TM-40E (CBRN/convoy protection), ↔ TM-40F (COP/LOGSTAT), ⇢ TM-40I (ML models)
CONCEPTS_GUIDE_TM40D_SUSTAINMENT.md	[CNCPT]	↔ TM -40D [TM] (para 4-7), ↔ TM-40F (COP framework/S4 producer)
SYLLABUS_TM40D.md	[SYL]	→ TM-10, → TM-20, → TM-30, ⇢ ADP 4-0, FM 4-0, ATP 4-0.1
EX-40D_sustainment/EXERCISE.md	[EX]	→ TM-40D [TM]
EXAM_TM40D_PRE.md	[EXAM]	assesses TM-40D readiness
EXAM_TM40D_POST.md	[EXAM]	assesses TM-40D completion

Inbound references from: TM-40E (CBRN resupply), CHEATSHEET, mss_info_app/index.html, README

Recommended CDA decks [PPT]: ⇢ decision_advantage_deep_dive

TM-40E: Protection

File	Type	Outbound Dependencies
TM_40E_PROTECTION.md	[TM]	→ TM-10, → TM-20, → TM-30, → CONCEPTS_GUIDE_TM40E (prereq read), ↔ TM-40A (AT intel), ↔ TM-40B (AMD coordination), ↔ TM-40C (base camp siting), ↔ TM-40D (CBRN resupply/medical), ↔ TM-40F (COP/CCIR protection data), ⇢ TM-40L (pipeline construction)
CONCEPTS_GUIDE_TM40E_PROTECTION.md	[CNCPT]	↔ TM -40E [TM] (Appendix A naming, Appendix H data quality)
SYLLABUS_TM40E.md	[SYL]	→ TM-10, → TM-20, → TM-30, ⇢ ADP 3-37, FM 3-37, ATP 3-37.2
EX-40E_protection/EXERCISE.md	[EX]	→ TM-40E [TM]
EXAM_TM40E_PRE.md	[EXAM]	assesses TM-40E readiness
EXAM_TM40E_POST.md	[EXAM]	assesses TM-40E completion

Inbound references from: TM-40C (NBC data integration), DATA_LITERACY_technical_reference, CHEATSHEET, mss_info_app/index.html, README

Recommended CDA decks [PPT]: ⇢ decision_advantage_deep_dive

DRAFT

TM-40F: Mission Command

File	Type	Outbound Dependencies
TM_40F_MISSION_COMMAND.md	[TM]	→ TM-10, → TM-20, → TM-30, → CONCEPTS_GUIDE_TM40F (prereq read), ↔ TM-40G (ORSA products for G35), ↔ TM-40H (AI-enabled CCIR alerts), ↔ TM-40I (predictive products), ↔ TM-40J (PM readiness/portfolio), ↔ TM-40K (KM info products/lessons learned)
CONCEPTS_GUIDE_TM40F_MISSION_COMMAND.md	[CNCPT]	↔ TM -40F [TM] (proceed to TM-40F for task instruction), → TM-10 (baseline proficiency)
SYLLABUS_TM40F.md	[SYL]	→ TM-10, → TM-20, → TM-30, ⇢ ADP 6-0, FM 6-0
EX-40F_mission_command/EXERCISE.md	[EX]	→ TM-40F [TM]
EXAM_TM40F_PRE.md	[EXAM]	assesses TM-40F readiness
EXAM_TM40F_POST.md	[EXAM]	assesses TM-40F completion

Inbound references from: TM-40A (CCIR coordination), TM-40C (S3 coordination), TM-40D (COP/LOGSTAT), TM-40E (COP/CCIR protection), CONCEPTS_GUIDE_TM40D (COP framework), DATA_LITERACY_technical_reference, CHEATSHEET, mss_info_app/index.html, README

Recommended CDA decks [PPT]: ⇢ decision_advantage_deep_dive

DRAFT

SECTION 3 — SPECIALIST TRACKS (TM-40G–L)

Prereq for all: TM-10 + TM-20 + TM-30 (all required)

TM-40G: ORSA

File	Type	Outbound Dependencies
TM_40G_ORSA.md	[TM]	→ TM-10, → TM-20, → TM-30, → CONCEPTS_GUIDE_TM40G, ⇢ TM-40H (AI library install), ⇢ TM-40I (ML integration)
CONCEPTS_GUIDE_TM40G_ORSA.md	[CNCPT]	↔ TM -40G [TM] (companion), ⇢ TM-40G Appendix D checklist
SYLLABUS_TM40G.md	[SYL]	→ TM-10, → TM-20, → TM-30
EX-40G_orsa/EXERCISE.md	[EX]	→ TM-40G [TM]
EXAM_TM40G_PRE.md	[EXAM]	assesses TM-40G readiness
EXAM_TM40G_POST.md	[EXAM]	assesses TM-40G completion

Advanced track: → TM-50G **Inbound references from:** TM-40J (portfolio analytics), TM-50G (prereq), DATA_LITERACY_technical_reference, CHEATSHEET, task_index.html (17 tasks), mss_info_app/index.html, README

Recommended CDA decks [PPT]: ⇢ Data_Modeling_Fundamentals_Level2 · Deck_07_Temporal_Bitemporal · Deck_12_Capstone_Foundry

DRAFT

TM-40H: AI Engineer

File	Type	Outbound Dependencies
TM_40H_AI_ENGINEER.md	[TM]	→ TM-10, → TM-20, → TM-30, → CONCEPTS_GUIDE_TM40H, ⇢ TM-40I (fine-tuning/model topics)
CONCEPTS_GUIDE_TM40H_AI_ENGINEER.md	[CNCPT]	role distinction table with TM-40I, TM-40L; ↔ TM -40H [TM]
SYLLABUS_TM40H.md	[SYL]	→ TM-10, → TM-20, → TM-30
EX-40H_ai_engineer/EXERCISE.md	[EX]	→ TM-40H [TM]
EXAM_TM40H_PRE.md	[EXAM]	assesses TM-40H readiness
EXAM_TM40H_POST.md	[EXAM]	assesses TM-40H completion

Advanced track: → TM-50H **Inbound references from:** TM-40F (AI-enabled CCIR), TM-40G (library install), TM-40K (AIP Agent Studio), TM-50G (pipeline architecture), TM-50H (prereq), TM-50L (recommended), DATA_LITERACY_technical_reference, CHEATSHEET, task_index.html (1 task), mss_info_app/index.html, README

Recommended CDA decks [PPT]: ⇢ AI_ML_Beyond_The_Hype · Deck_12_Capstone_Foundry

DRAFT

TM-40I: ML Engineer

File	Type	Outbound Dependencies
TM_40I_ML_ENGINEER.md	[TM]	→ TM-10, → TM-20, → TM-30, → CONCEPTS_GUIDE_TM40I, ⇢ TM-40G (RStudio/ORSA workflows), ⇢ TM-40L (VS Code)
CONCEPTS_GUIDE_TM40I_ML_ENGINEER.md	[CNCPT]	role matrix consistent with TM-40G/H/L; ↔ TM -40I [TM]
SYLLABUS_TM40I.md	[SYL]	→ TM-10, → TM-20, → TM-30
EX-40I_ml_engineer/EXERCISE.md	[EX]	→ TM-40I [TM]
EXAM_TM40I_PRE.md	[EXAM]	assesses TM-40I readiness
EXAM_TM40I_POST.md	[EXAM]	assesses TM-40I completion

Advanced track: → TM-50I **Inbound references from:** TM-40F (predictive products), TM-40G (ML integration), TM-50G (ML integration), TM-50H (fine-tuning infrastructure), TM-50I (prereq), DATA_LITERACY_technical_reference, CHEATSHEET, task_index.html (21 tasks), mss_info_app/index.html, README

Recommended CDA decks [PPT]: ⇢ AI_ML_Beyond_The_Hype · Data_Modeling_Fundamentals_Level2 · Deck_07_Temporal_Bitemporal

TM-40J: Program Manager

File	Type	Outbound Dependencies
TM_40J_PROGRAM_MANAGER.md	[TM]	→ TM-10, → TM-20, → TM-30 (all required), ⇢ TM-40H, ⇢ TM-40I
CONCEPTS_GUIDE_TM40J_PROGRAM_MANAGER.md	[CNCPT]	↔ TM -40J [TM]
SYLLABUS_TM40J.md	[SYL]	→ TM-10, → TM-20, → TM-30 (required)
EX-40J_program_manager/EXERCISE.md	[EX]	→ TM-40J [TM]
EXAM_TM40J_PRE.md	[EXAM]	assesses TM-40J readiness
EXAM_TM40J_POST.md	[EXAM]	assesses TM-40J completion

Advanced track: → TM-50J **Inbound references from:** TM-40F (PM readiness/portfolio), TM-50J (prereq, recommends TM-40G/H/I/K/L), DATA_LITERACY_technical_reference, CHEATSHEET, task_index.html (18 tasks), mss_info_app/index.html, README

Recommended CDA decks [PPT]: ⇢ Deck_02_Scope_Engineering

TM-40K: Knowledge Manager

File	Type	Outbound Dependencies
TM_40K_KNOWLEDGE_MANAGER.md	[TM]	→ TM-10, → TM-20, → TM-30 (all required), ⇢ TM-40H (AIP Agent Studio), ⇢ TM-40L (TypeScript/OSDK, custom logic)
CONCEPTS_GUIDE_TM40K_KNOWLEDGE_MANAGER.md	[CNCPT]	↔ TM -40K [TM]
SYLLABUS_TM40K.md	[SYL]	→ TM-10, → TM-20, → TM-30 (required)
EX-40K_knowledge_manager/EXERCISE.md	[EX]	→ TM-40K [TM]
EXAM_TM40K_PRE.md	[EXAM]	assesses TM-40K readiness
EXAM_TM40K_POST.md	[EXAM]	assesses TM-40K completion

Advanced track: → TM-50K **Inbound references from:** TM-40F (KM info products), TM-50K (prereq), DATA_LITERACY_technical_reference, CHEATSHEET, task_index.html (6 tasks), mss_info_app/index.html, README

Recommended CDA decks [PPT]: ⇢ Controlled_Vocabularies · Identity_Who_Owns_The_Key · Deck_03_RDF_OWL_Foundations · Deck_05_Identity_Governance

---

DRAFT

TM-40L: Software Engineer

File	Type	Outbound Dependencies
TM_40L_SOFTWARE_ENGINEER.md	[TM]	→ TM-10, → TM-20, → TM-30, → CONCEPTS_GUIDE_TM40L; noted peer to TM-40G/H/I
CONCEPTS_GUIDE_TM40L_SOFTWARE_ENGINEER.md	[CNCPT]	role matrix shows TM-40L as SWE; ↔ TM -40L [TM]
SYLLABUS_TM40L.md	[SYL]	→ TM-10, → TM-20, → TM-30
EX-40L_software_engineer/EXERCISE.md	[EX]	→ TM-40L [TM]
EXAM_TM40L_PRE.md	[EXAM]	assesses TM-40L readiness
EXAM_TM40L_POST.md	[EXAM]	assesses TM-40L completion

Advanced track: → TM-50L **Inbound references from:** TM-40B (system admin/platform), TM-40E (pipeline construction), TM-40K (custom logic), TM-50L (prereq, TM-40H/I recommended), DATA_LITERACY_technical_reference, CHEATSHEET, task_index.html (30 tasks), mss_info_app/index.html, README

Recommended CDA decks [PPT]: ⇢ Deck_03_RDF_OWL_Foundations · Deck_04_Object_Type_Varieties · Deck_06_Relationship_Modeling · Deck_07_Temporal_Bitemporal · Data_Modeling_Fundamentals_Level2 · Deck_12_Capstone_Foundry

DRAFT

SECTION 4 — ADVANCED SPECIALIST TRACKS (TM-50G–L)

Prereq for each: corresponding TM-40G–L (required)

Track	Prereq	Key Cross-Refs	Advanced Track File
TM-50G (Adv ORSA)	TM-40G	↔ TM-40H, TM-40I, TM-40J	TM_50G_ORSA_ADVANCED.md + CG
TM-50H (Adv AI Eng)	TM-40H	↔ TM-50G, TM-50I, TM-50J, TM-50K, TM-50L; ⇢ TM-40I	TM_50H_AI_ENGINEER_ADVANCED.md + CG
TM-50I (Adv ML Eng)	TM-40I	↔ TM-50H (fine-tuning infra)	TM_50I_ML_ENGINEER_ADVANCED.md + CG
TM-50J (Adv PM)	TM-40J	⇢ TM-40G, TM-40H, TM-40I, TM-40K, TM-40L	TM_50J_PROGRAM_MANAGER_ADVANCED.md + CG
TM-50K (Adv KM)	TM-40K	↔ TM-50H (corpus design)	TM_50K_KNOWLEDGE_MANAGER_ADVANCED.md + CG
TM-50L (Adv SWE)	TM-40L	⇢ TM-40H, TM-40I; ↔ TM-50H (OSDK integration)	TM_50L_SOFTWARE_ENGINEER_ADVANCED.md + CG

Syllabi: SYLLABUS_TM50G–L present and published **Exams:** EXAM_TM50G–L PRE + POST present **Exercises:** EX-50G–L directories present (EX-50G_orsa/, EX-50H_ai_engineer/, EX-50I_ml_engineer/, EX-50J_program_manager/, EX-50K_knowledge_manager/, EX-50L_software_engineer/ — each with EXERCISE.md + ENVIRONMENT_SETUP.md)

DRAFT

SECTION 5 — DOCTRINE & STANDARDS

File	Type	Referenced By
DATA_LITERACY_technical_reference.md	Doctrine/ADP-analog	TM-10, TM-20, TM-30, TM-40G–L, TM-50G–L (all recommended prereq read)
DATA_LITERACY_senior_leaders.md	Doctrine/senior leader brief	Standalone; referenced in README, QUICK_START
GLOSSARY_data_foundry.md	Reference	Standalone; referenced in README, cheatsheet
NAMING_AND_GOVERNANCE_STANDARDS.md	Standards	EX-20, EX-30 (required read); TM-40I Appendix A, TM-40L Appendix B
cheatsheet.md	Quick Reference	Standalone; links to all TMs A–L, 50G–L, base tracks

DRAFT

SECTION 6 — TRAINING MANAGEMENT

File	Covers	Key Cross-Refs
MTP_MSS.md	Master training plan; course overview table + TM-10 throughput risk item (Sec 7-4, G-3 action required)	All TMs; corrected durations: TM-20=5d, TM-30=5d, TM-40A–F=3d, TM-40G/H/I/L=5d, TM-40J/K=4d
POI_MSS.md	Program of instruction; tier/prereq structure	All TMs; prereq tree A–L; TM-40J/K now correctly in TM-30 branch
CAD_MSS.md	Course admin; access reqs by track	All TMs; TM-40J/K prereq = TM-30 required
TEO_MSS.md	T&EO evaluation standards; TM20-03 Row 5 now [CRITICAL] (date arithmetic)	TM-10 through TM-40L critical performance measures
ANNUAL_TRAINING_SCHEDULE.md	Schedule by track (2026)	All TMs; TM-40J/K prereq = TM-30
FACULTY_DEVELOPMENT_PLAN.md	Instructor quals by track	All TMs; WFF (A–F) vs. Specialist (G–L) instructor profiles
COMPLETION_CERTIFICATE.md	Certificate templates	Generic; course title filled at completion
CURRICULUM_MAINTENANCE_SOP.md	Maintenance SOP + Platform Monitoring procedure (Sec 2A) + Semi-Annual Deep Review (Sec 5A)	Scope: TM-10 through TM-40L
ENROLLMENT_SOP.md	Enrollment process + prereq verification + Training Records Requirements section (minimum data standard, retention, query process)	All TMs; TM-40J/K prereq = TM-30 required
COMMANDERS_GUIDE_MSS_TRAINING.md	Commander/XO reference: who trains on what, timelines, CDR responsibilities, throughput risk	→ ENROLLMENT_SOP; → MTP; all TM levels
TM10_LESSON_PLANS.md	Lesson plan: TM-10	TM-10 Ch 1–8, DATA_LITERACY_technical_reference Ch 1
TM20_LESSON_PLAN_OUTLINES.md	Lesson plan: TM-20	TM-20 Ch 2–5, NAMING_AND_GOVERNANCE_STANDARDS

DRAFT

File	Covers	Key Cross-Refs
TM30_LESSON_PLAN_OUTLINES.md	Lesson plan: TM-30	TM-30 Ch 2–9, Standards Ch 3–4
TM40_SPECIALIST_LESSON_PLAN_OUTLINES.md	Lesson plans: TM-40G–L	All specialist tracks G–L; WFF A–F managed separately with WFF proponents
POLICY_LETTER.md	Training policy letter	All tracks; command direction and training requirements by echelon
AAR_TEMPLATE.md	After Action Review template	All training events; standard format for post-course review
lesson_plans/LP_TEMPLATE.md	Standard lesson plan template	Blank template; TLO, Key Delivery Notes, Student Activity, Assessment blocks
ENTERPRISE_V10_PLAN.md	ODT Enterprise v10 release plan (2026-03-12)	5 bounded contexts (Architecture/Pipelines/Products/Foundry/QA); M1–M5 milestone gates; agent assignments; feature checklist
ENTERPRISE_IMPLEMENTATION_PLAN.md	Enterprise implementation plan — CUI // FOUO	6-phase/20-week hardening plan; 46 acceptance functions; 12 CG architectural constraints; current-state assessment
BUILDER_SPRINT_SOP.md	Builder Sprint SOP: quarterly event enrollment, execution, evaluation	→ BSP_GUIDE, → ENROLLMENT_SOP, → ANNUAL_TRAINING_SCHEDULE
INSTRUCTOR_OVERVIEW.md	Instructor onboarding guide: program structure, materials, execution	All TMs; → MTP, → POI, → CAD, → TEO, → ENROLLMENT_SOP, → lesson plans
DEMO_BRIEF_CG.md	CG decision brief: request TASKORD authorization for MSS MTT	→ TASKORD, → WHITE_PAPER; ↔ all training management docs
TASKORD_MSS_TRAINING_CELL.md	Draft TASKORD: MSS MTT activation (theater-wide)	→ MTP, → POI, → ENROLLMENT_SOP, → ANNUAL_TRAINING_SCHEDULE
WHITE_PAPER_MSS_TRAINING.md	Strategic white paper: case for MSS training across USAREUR-AF	→ all TMs (program overview); ↔ DEMO_BRIEF_CG
MSS_TRAINING_BRIEF.pptx	CG briefing slide deck (PowerPoint)	↔ DEMO_BRIEF_CG (companion visual)

DRAFT

File	Covers	Key Cross-Refs
lesson_plans/TM40_WFF_LESSON_PLAN_OUTLINES.md	Lesson plans: TM-40A–F WFF tracks	All WFF tracks A–F
lesson_plans/TM50_ADVANCED_LESSON_PLAN_OUTLINES.md	Lesson plans: TM-50G–L advanced tracks	All advanced tracks G–L

SECTION 7 — HTML APPLICATIONS

File	Contents	TM Dependencies
mss_info_app/index.html	Training hub — 6 WFF cards (A–F, TM-30 chip) + 6 specialist cards (G–L, TM-30 chip) + 6 TM-50 cards	All TM-40A–L PDFs, all CGs, all exams, all syllabi
mss_info_app/training_schedule.html	Schedule view	Training schedule data
task_index.html	Task index by specialist track	TM-40G(17 tasks), TM-40H(1), TM-40I(21), TM-40J(18), TM-40K(6), TM-40L(30) = 93 total
mss_info_app/index_sharepoint.html	SharePoint-hosted variant of MSS Training Hub	Same as index.html; adapted for SharePoint embedding
mss_info_app/PILOT_AGENT_PROMPT.md	System prompt for MSS pilot AI agent	↔ mss_info_app/index.html (serves the training hub)
mss_info_app/DEPLOYMENT.md	Deployment guide: Cloudflare Pages + SharePoint + Foundry	→ index.html, → index_sharepoint.html
mss_info_app/Maven_Rollout_Plan.pptx	Rollout plan slide deck (PPTX)	↔ DEMO_BRIEF_CG (CG rollout strategy)
source_material/course_portal/	CDA slide library — 29 decks, 3 tracks, 397 PNG slides	⇢ all TM levels (see Section 8); source of all [PPT] refs

SECTION 8 — CDA SLIDE LIBRARY (REPOS/)

Source: `maven_training/source_material/course_portal/` **Format:** Slide decks (PNG images + PDF/PPTX downloads); manifest-driven **Status:** Not yet integrated into mss_info_app; planned as panel-slide-library **Role in curriculum:** Conceptual prereq layer — fills the "why and what" gap the TM series does not cover

All 29 decks listed below. Track assignment and TM alignment are authoritative for merge planning.

DRAFT

Track: Intro To Data (12 decks)

Deck ID	Title	Slides	TM Alignment	Notes
army_data_orientation_v1	Army Data Orientation	14	⇢ Data Literacy (SL) / all personnel	Direct parallel to doctrine panel content; Army-specific framing
architecture_primer	Architecture Primer	12	⇢ before TM-10	Orientation to the data stack before first MSS login
2026_Data_Stack_Deep_Dive	2026 Data Stack — Five Layers	10	⇢ TM-20	Explains the five-layer stack TM-20 teaches users to build in
L2_Ingestion_Integration_Deep_Dive	L2 Ingestion & Integration	10	⇢ TM-20	Pipeline concepts behind Pipeline Builder tasks
The_Semantic_Layer_Instructions	The Semantic Layer	11	⇢ TM-20 / TM-30	Why the Ontology layer exists; frames TM-20 Ontology Manager tasks
What_Is_An_Ontology	What Is an Ontology?	12	⇢ TM-20	Conceptual base for Object Types; gap in TM-20
Data_Modeling_Foundations	Data Modeling Foundations	11	⇢ TM-20 / TM-30	Normalization → strategy; underpins TM-30 architecture decisions
Data_Platforms_Cloud_Deep_Dive	Data Platforms & Cloud	10	⇢ TM-20 / TM-30	Where Foundry/MSS sits in the broader platform landscape
L5_Activation_Interface_Deep_Dive	L5 Activation & Interface	10	⇢ TM-20	Workshop conceptual grounding; explains why Workshop widgets exist
Dont_Filter_This_Isnt_Excel	Don't Filter — This Isn't Excel	11	⇢ TM-20	Critical mindset shift; Foundry vs spreadsheet mental model
decision_advantage_deep_dive	Decision Advantage	10	⇢ TM-40A–F (all WFF)	The "why" behind WFF data integration; all six WFF tracks
AI_ML_Beyond_The_Hype	AI/ML — Beyond the Hype	11	⇢ TM-40H / TM-40I	Conceptual framing required before AIP Logic and model training

DRAFT

Track: Data 101 (7 decks)

Deck ID	Title	Slides	TM Alignment	Notes
The_Four_Layers	The Four Layers	13	⇢ TM-20 / TM-30	Data layer model; directly maps to stack diagram in TM-20
Data_Modeling_Fundamentals_Level 1	Data Modeling Fundamentals — Level 1	15	⇢ TM-20	Object type design patterns; prereq conceptual content for TM-20 tasks
ObjectType_WhatToWatchFor	Object Types — What to Watch For	13	⇢ TM-20 / TM-30	Anti-patterns; fills gap neither TM-20 nor TM-30 covers
Links_and_Relationships	Links & Relationships	11	⇢ TM-20	Link type conceptual base; maps to "Create Link Types" in TM-20
Controlled_Vocabularies	Controlled Vocabularies	11	⇢ TM-30 / TM-40K	Vocab standardization; TM-40K owns this operationally
Identity_Who_Owns_The_Key	Identity — Who Owns the Key?	11	⇢ TM-30 / TM-40K / TM-40L	Primary keys, master data, identity governance
Dont_Filter_This_Isnt_Excel	(see Intro To Data above)	—	⇢ TM-20	Listed in both tracks in source manifest

DRAFT

Track: Data 201 (10 decks)

Deck ID	Title	Slides	TM Alignment	Notes
Semantic_Modelling_Course_Intro	Semantic Modelling — Course Intro	10	⇢ TM-30 / TM-40L	Entry to formal semantic modeling; TM-30 architects and SWEs
Deck_01_Architecture_First_Principles	01 — Architecture First Principles	10	⇢ TM-30 / TM-40L	Core architecture decision principles; above TM-30 procedure level
Deck_02_Scope_Engineering	02 — Scope Engineering	10	⇢ TM-30 / TM-40J	How to scope a data problem; TM-30 governance + PM track
Deck_03_RDF_OWL_Foundations	03 — RDF & OWL Foundations	10	⇢ TM-40K / TM-40L	RDF triples, OWL classes; knowledge graph and semantic layer work
Deck_04_Object_Type_Varieties	04 — Object Type Varieties	10	⇢ TM-30 / TM-40L	Advanced object type design patterns
Deck_05_Identity_Governance	05 — Identity & Governance	10	⇢ TM-30 / TM-40K	Formal governance patterns for shared ontology
Deck_06_Relationship_Modeling	06 — Relationship Modeling	10	⇢ TM-30 / TM-40L	Advanced link type and relationship design
Deck_07_Temporal_Bitemporal	07 — Temporal & Bitemporal	10	⇢ TM-40G / TM-40I / TM-40L	Time-aware data modeling; ORSA time series + SWE pipeline patterns
Data_Modeling_Fundamentals_Level2	Data Modeling Fundamentals — Level 2	13	⇢ TM-40G / TM-40I / TM-40L	Advanced modeling; senior technical specialist level
Deck_12_Capstone_Foundry	12 — Capstone: Foundry	10	⇢ TM-40G / TM-40H / TM-40L	Bridges CDA theory to Foundry/MSS practice; single highest-value deck for specialists

DRAFT

SECTION 7 — EXTERNAL REFERENCE LIBRARY: PALANTIR DEVELOPERS

Source: Palantir Developers YouTube channel (@PalantirDevelopers) — official Palantir product deep-dive video library. **Integration method:** (1) Inline NOTE callouts embedded in TM files at the relevant chapter/task locations. (2) SELF_STUDY_ADDENDUM.md files in each TM directory for organized self-study guidance. No class time added — all content is reference or optional self-study only. **[SS]** = Self-Study Addendum file type (used in this section only)

DRAFT

Self-Study Addenda — File Registry

File	Type	Supports	Groups / Videos
tm/TM_30_advanced_builder/SELF_STUDY_ADDENDUM.md	[SS]	TM-30	5 groups: Workshop Scenarios, Pipeline Monitoring, Quiver Advanced, Contour Advanced, Platform Security
tm/TM_40G_orsa/SELF_STUDY_ADDENDUM.md	[SS]	TM-40G	4 groups: Quiver analytics, Contour analytics, Platform Architecture, AI/Advanced
tm/TM_40H_ai_engineer/SELF_STUDY_ADDENDUM.md	[SS]	TM-40H	9 groups: RAG, Evals, MCP, Observability, Safety, Agent Studio, AIP Logic, Ontology, Platform
tm/TM_40I_ml_engineer/SELF_STUDY_ADDENDUM.md	[SS]	TM-40I	7 groups: Spark, PySpark testing, Iceberg, Compute Modules, Pipeline Monitoring, Model Registry, Feature Engineering
tm/TM_40J_program_manager/SELF_STUDY_ADDENDUM.md	[SS]	TM-40J	4 groups: Delivery & Scaling, Project Tracking, Case Studies, Leadership
tm/TM_40K_knowledge_manager/SELF_STUDY_ADDENDUM.md	[SS]	TM-40K	5 groups: RAG & Retrieval, Knowledge Architecture, Semantic Search, AIP-Assisted KM, Platform Admin
tm/TM_40L_software_engineer/SELF_STUDY_ADDENDUM.md	[SS]	TM-40L	8 groups: OSDK 2.0, Functions, Code Repos, Cipher, MCP, Edge Ontology, Spark, Platform SDK (~45 videos)
tm/TM_50G_orsa_advanced/SELF_STUDY_ADDENDUM.md	[SS]	TM-50G	TM-40G groups + 7 TM-50G-specific additions (Bayesian, persistent ORSA, data layer)
tm/TM_50H_ai_engineer_advanced/SELF_STUDY_ADDENDUM.md	[SS]	TM-50H	TM-40H groups + 8 TM-50H-specific additions (multi-agent, observability, enterprise)
tm/TM_50I_ml_engineer_advanced/SELF_STUDY_ADDENDUM.md	[SS]	TM-50I	8 groups, 29 videos (Iceberg advanced, xAI model tuning, Lightweight Transforms, Scaling AI)
tm/TM_50J_program_manager_advanced/SELF_STUDY_ADDENDUM.md	[SS]	TM-50J	TM-40J groups + enterprise autonomy, process orchestration, enterprise automation
tm/TM_50K_knowledge_manager_advanced/SELF_STUDY_ADDENDUM.md	[SS]	TM-50K	TM-40K groups + Advanced Ontology, Enterprise KM, multimodal data plane

DRAFT

File	Type	Supports	Groups / Videos
tm/TM_50L_software_engineer_advanced/SELF_STUDY_ADDENDUM.md	[SS]	TM-50L	TM-40L reference + 5 TM-50L additions (Code-based AI, interoperability, Gallatin observability, Edge Embedded, Developer Experience)

Inline NOTE Callouts — Summary by Track

Track	NOTE Count	Primary Chapters
TM-30	4	Ch 2 (Workshop Scenarios), Ch 3 (Pipeline Monitoring), Ch 5 (Quiver), Ch 7 (Security)
TM-40G	6	Ch 8 (Quiver/Contour analytics)
TM-40H	12	Ch 2, 5, 6, 7, 8, 9 (RAG, Evals, MCP, Observability, Safety)
TM-40I	10	Spark, PySpark testing, Iceberg, Compute Modules, Pipeline Monitoring
TM-40J	6	Phase 5/6 lifecycle, project tracking tools, delivery planning
TM-40K	9	Knowledge architecture, AIP/RAG, search/discovery
TM-40L	30	All chapters (OSDK 2.0, Functions, Code Repos, Cipher, MCP, Edge Ontology, Spark, Platform SDK)
TM-50G	3	Ch 4 Bayesian, Ch 8 persistent ORSA, data layer
TM-50H	5	Ch 2 multi-agent, Ch 6 observability, Ch 8 enterprise
TM-50I	4	Iceberg, xAI model tuning, Lightweight Transforms, Scaling AI
TM-50J	3	Enterprise autonomy, process orchestration, enterprise automation
TM-50K	3	Advanced Ontology, Enterprise KM, multimodal data plane
TM-50L	5	Code-based AI dev, interoperability, Gallatin observability, Edge Embedded, Developer Experience
Total	**~100**	Across TM-30 through TM-50L

DRAFT

CHANGE LOG — ISSUES FOUND & FIXED (12 MARCH 2026 AUDIT)

#	File	Line	Issue	Fix Applied
1	TM_40G_ORSA.md	81	"see TM-30 and TM-40G/40B" — TM-40B is WFF Fires, not pipeline dev	Changed to "see TM-30"
2	SYLLABUS_TM40J.md	9	TM-30 listed as "recommended but not required" — contradicts TM source	Changed to "TM-10/20/30 all required"
3	SYLLABUS_TM40K.md	9	TM-30 listed as "recommended" — contradicts TM source	Changed to "TM-10/20/30 all required"
4	POI_MSS.md	38, 51–52	TM-40J/K listed outside TM-30 branch; labeled TM-30 as exception	Fixed prereq tree; TM-40J/K now under TM-30 branch
5	CAD_MSS.md	71–72, 75	TM-40J/K prereq listed as "TM-30 recommended but not required"	Updated to "TM-30 required"; advisory note updated
6	ENROLLMENT_SOP.md	63–64	TM-40J/K prereq listed as TM-10/20 only	Updated to include TM-30 required
7	MTP_MSS.md	58–66	Multiple duration errors: TM-20=2d (should be 5), TM-30=3d (should be 5), TM-40G/H/I/L=4d (should be 5), TM-40J/K prereq=TM-20 (should be TM-30)	All durations and prereqs corrected
8	ANNUAL_TRAINING_SCHEDULE.md	120, 133, 188	TM-40J/K prereq listed as TM-20; prereq chain table omitted TM-30	Updated all three locations
9	(PDF) 42 stale PDFs	—	Old specialist naming scheme (TM-40A=ORSA etc., TM-50A–F)	Deleted all 42 stale PDFs
10	build_pdfs.py	—	Missing WFF syllabi A–F, exams A–F, exercises A–F	Added all to MD_TARGETS and PUB_TYPES

DRAFT

AUDIT VERIFICATION COMMANDS

```
# Run full corpus audit (from repo root)
python3 scripts/audit.py

# Rebuild PDFs for changed source files
python3 scripts/build_pdfs.py

# Verify PDF count and check for stale files
ls maven_training/pdf/*.pdf | wc -l
```

Expected audit result: PASS — 0 issues (pending TM-40D/E/F prereq resolution)

CHANGE LOG — ISSUES FOUND & FIXED (13 MARCH 2026 SECOND FULL AUDIT)

Scope: 925 files, 6 parallel agent passes. Full read of every file in corpus.

DRAFT

#	File(s)	Issue	Fix Applied
11	source_material/course_portal/assets/The Semantic Layer Instructions/	Space in directory name (naming violation)	Renamed → The_Semantic_Layer_Instructions/
12	source_material/cda_docs/training/Data 201/	Space in directory name	Renamed → removed (was empty after dedup)
13	source_material/cda_docs/training/Intro To Data/	Spaces in directory name	Renamed → removed (was empty after dedup)
14	source_material/course_portal/downloads/The Semantic Layer Instructions.pdf	Space in filename	Renamed → The_Semantic_Layer_Instructions.pdf
15	source_material/cda_docs/training/The Semantic Layer Instructions.pdf	Space in filename	Renamed → The_Semantic_Layer_Instructions.pdf
16	source_material/cda_docs/reference/Cross-Domain Solutions_ Complete Technical Reference for Ontology Modeling.pdf	Spaces in filename	Renamed → cross-domain-solutions-technical-reference-ontology-modeling.pdf
17	source_material/cda_docs/training/Intro To Data/The Semantic Layer Instructions.pdf	Identical duplicate of training/ root copy	Deleted
18	source_material/cda_docs/training/Data 201/Data_Modeling_Fundamentals_Level2.pdf	Identical duplicate of training/ root copy	Deleted
19	source_material/cda_docs/reference/DDOF_Playbook_v2_0.pdf	Identical duplicate of cda_docs/ root copy	Deleted
20	course_portal/manifest.json + downloads/index.html	Stale paths referencing renamed files	Updated to match new filenames
21	DEPENDENCY_MAP.md	Missing entries: CDA_CONSTRAINTS_AND_DIRECTIVES, POLICY_LETTER, AAR_TEMPLATE, LP_TEMPLATE	Added to Sections 0B and 6

OPEN ITEM — RESOLVED:

DRAFT

#	Files Affected	Issue	Resolution
OPEN-1	TM_40A–F [TM], CONCEPTS_GUIDE_TM40A–F [CG], SYLLABUS_TM40A–F [SYL], mss_info_app, mss_widget, DEPENDENCY_MAP	WFF tracks prereq inconsistency — some files stated TM-20 only, others TM-30.	**RESOLVED 2026-03-13:** Design decision — all WFF tracks (TM-40A–F) now require TM-30 (same prereq chain as Specialist tracks, TM-10 + TM-20 + TM-30). All governance docs and app files updated. TM/CG content files require separate update pass to align.

CHANGE LOG — RALF BRANCH MIGRATION (14 MARCH 2026)

Scope: 25 files migrated from `orsuh/repos` `ralf` branch (12 commits ahead of main, unmerged). Content classified as TM-40/50 specialist level (architecture doctrine, engineering reference).

DRAFT

#	Files Added	Destination	Level
22	doctrine/CG_GUIDANCE.md	Senior leader doctrine	TM-10/20
23	doctrine/cda_doctrine/CDA_OVERVIEW.md	CDA user taxonomy + enterprise index	TM-30 bridge
24	doctrine/cda_doctrine/agents/CDA_AGENTS_OVERVIEW.md	Agents index doc	TM-40H/I/K/L
25	doctrine/cda_doctrine/agents/CDA_AGENTS_CORE_PRINCIPLES.md	12 bedrock principles, 14 anti-patterns, decision framework	TM-40H/I/K/L
26	doctrine/cda_doctrine/agents/CDA_AGENTS_ONTOLOGY_ENGINEER.md	Specializes Principles 3/7/8/9/10/11; RDF/OWL2/SHACL/SPARQL	TM-40H/K/L
27	doctrine/cda_doctrine/agents/CDA_AGENTS_ENTITY_RESOLUTION.md	9-stage ER pipeline; threshold bands; data product architecture	TM-40H/I/L
28	doctrine/cda_doctrine/agents/CDA_AGENTS_INGESTION_INTEGRATION.md	Five-Stage Ingestion Pattern; Dagster DAG; VAULTIS-A	TM-40H/I/L
29	doctrine/ONTOLOGY_DESIGN_PRINCIPLES.md	DDD, DRY, Open/Closed, PECS, Composition; Foundry-specific rules	TM-40H/K/L
30	doctrine/gdap/GDAP_OVERVIEW.md	LlamaIndex retrieval stack, API endpoints	TM-40H/I/K/L
31	doctrine/gdap/GDAP_VISION.md	Full 10-domain vision, 20 pipeline steps, DVEE	TM-40H/I/K/L
32	doctrine/gdap/GDAP_PERSISTENCE_STRATEGY.md	DuckDB vs LlamaIndex boundary; versioning/rebuild policy	TM-40H/I/L
33	doctrine/gdap/GDAP_ACCEPTANCE_TESTS.md	P0/P1/P2 release gates across 9 sections	TM-40H/I/L
34	doctrine/gdap/GDAP_ADR_0001_LLAMAINDEX.md	ADR-0001: DuckDB = truth, LlamaIndex = serving	TM-40H/I/L
35	doctrine/mim/MIM_OVERVIEW.md	Toolchain: parsers, Foundry backend, package structure	TM-40H/I/K/L
36	doctrine/mim/MIM_STANDARD.md	MIM semantic model, namespaces, roles, code types, Semantic IDs	TM-40H/I/K/L
37	doctrine/mim/MIM_STATE.md	Project snapshot 2026-02-28; maturity by area; gaps/priorities	TM-40H/I/L
38	doctrine/mim/MIM_ACADEMICS.md	Dr. Gerz / NATO; MIM↔Foundry structural alignment analysis	TM-40H/I/K/L

DRAFT

#	Files Added	Destination	Level
39	doctrine/mim/MIM_DECISION_RECORDS.md	ADR: repo-level and per-package ADR structure	TM-40H/L
40	doctrine/mim/MIM_FUTURE_CLASSES.md	Planned adapters, backends, mim-studio, mim-sdk	TM-40H/I/L
41	doctrine/mim/MIM_ONTOLOGY_DOCS.md	OSDK Maker Package full TypeScript API reference	TM-40H/L
42	quick_reference/cda_reference/DOCTRINE_ELEMENT_FOUNDRY_MAPPING.md	Property mapping, bi-temporal fields, TS interface, OSDK queries, enums	TM-40H/I/L
43	training_management/ENTERPRISE_V10_PLAN.md	ODT v10 release plan; 5 bounded contexts; M1–M5 gates	TM-40H/I/L
44	training_management/ENTERPRISE_IMPLEMENTATION_PLAN.md	6-phase/20-wk hardening plan — **CUI // FOUO**	TM-40H/I/L

Note on ENTERPRISE_IMPLEMENTATION_PLAN.md: Source document bears `CUI // FOUO` classification. Handle per local policy before committing to shared repository.

CHANGE LOG — PALANTIR DEVELOPERS ENRICHMENT (14 MARCH 2026)

Scope: Full Palantir Developers YouTube channel (@PalantirDevelopers) enumerated via yt-dlp (~130 videos). All videos mapped to TM tracks (TM-30 through TM-50L). TM-30 scope limited to UI-only tools (no code). TM-40/50 specialist tracks received code-level content appropriate to their domains.

Method: (1) Inline NOTE callouts embedded at relevant chapter/task anchor points. (2) SELF_STUDY_ADDENDUM.md overflow files for content that did not fit inline. No class time or schedule changes made.

#	Files Added / Modified	Change	Level
45	TM_30_ADVANCED_BUILDER.md	4 inline NOTEs added (Workshop Scenarios, Pipeline Monitoring, Quiver advanced, Security)	TM-30
46	SYLLABUS_TM30.md	Supplemental self-study note added after Day 1 evening reading block	TM-30
47	tm/TM_30_advanced_builder/SELF_STUDY_ADDENDUM.md	NEW — 5 groups covering TM-30-scoped UI tool depth content (~15 videos)	TM-30
48	TM_40G_ORSA.md	6 inline NOTEs added (Quiver/Contour analytics)	TM-40G
49	tm/TM_40G_orsa/SELF_STUDY_ADDENDUM.md	NEW — 4 groups, 16 videos	TM-40G
50	TM_40H_AI_ENGINEER.md	12 inline NOTEs added (RAG, Evals, MCP, Observability, Safety)	TM-40H
51	tm/TM_40H_ai_engineer/SELF_STUDY_ADDENDUM.md	NEW — 9 groups, 43 videos	TM-40H
52	TM_40I_ML_ENGINEER.md	10 inline NOTEs added (Spark, PySpark, Iceberg, Compute Modules)	TM-40I
53	tm/TM_40I_ml_engineer/SELF_STUDY_ADDENDUM.md	NEW — 7 groups, 25 videos	TM-40I
54	TM_40J_PROGRAM_MANAGER.md	6 inline NOTEs added (lifecycle phases, project tracking, delivery)	TM-40J
55	tm/TM_40J_program_manager/SELF_STUDY_ADDENDUM.md	NEW — 4 groups	TM-40J
56	TM_40K_KNOWLEDGE_MANAGER.md	9 inline NOTEs added (knowledge architecture, AIP/RAG, search)	TM-40K
57	tm/TM_40K_knowledge_manager/SELF_STUDY_ADDENDUM.md	NEW — 5 groups	TM-40K
58	TM_40L_SOFTWARE_ENGINEER.md	30 inline NOTEs added across all chapters (OSDK, Functions, Cipher, MCP, Edge, Spark)	TM-40L
59	tm/TM_40L_software_engineer/SELF_STUDY_ADDENDUM.md	NEW — 8 groups, ~45 videos	TM-40L
60	TM_50G_ORSA_ADVANCED.md	3 inline NOTEs added	TM-50G
61	tm/TM_50G_orsa_advanced/SELF_STUDY_ADDENDUM.md	NEW — extends TM-40G + 7 TM-50G additions	TM-50G

DRAFT

#	Files Added / Modified	Change	Level
62	TM_50H_AI_ENGINEER_ADVANCED.md	5 inline NOTEs added	TM-50H
63	tm/TM_50H_ai_engineer_advanced/SELF_STUDY_ADDENDUM.md	NEW — extends TM-40H + 8 TM-50H additions	TM-50H
64	TM_50I_ML_ENGINEER_ADVANCED.md	4 inline NOTEs added	TM-50I
65	tm/TM_50I_ml_engineer_advanced/SELF_STUDY_ADDENDUM.md	NEW — 8 groups, 29 videos	TM-50I
66	TM_50J_PROGRAM_MANAGER_ADVANCED.md	3 inline NOTEs added	TM-50J
67	tm/TM_50J_program_manager_advanced/SELF_STUDY_ADDENDUM.md	NEW — extends TM-40J + enterprise content	TM-50J
68	TM_50K_KNOWLEDGE_MANAGER_ADVANCED.md	3 inline NOTEs added	TM-50K
69	tm/TM_50K_knowledge_manager_advanced/SELF_STUDY_ADDENDUM.md	NEW — extends TM-40K + advanced	TM-50K
70	TM_50L_SOFTWARE_ENGINEER_ADVANCED.md	5 inline NOTEs added	TM-50L
71	tm/TM_50L_software_engineer_advanced/SELF_STUDY_ADDENDUM.md	NEW — TM-50L additions + reference to TM-40L addendum	TM-50L
72	scripts/build_pdfs.py	Added PUB_TYPES + MD_TARGETS for: TM-50 syllabi (6), EX-50 exercises (6), SELF_STUDY_ADDENDUM files (13)	Build
73	DEPENDENCY_MAP.md	Section 7 added for Palantir Developers external reference library	All

DRAFT

CHANGE LOG — RALF BRANCH FULL INVENTORY (14 MARCH 2026)

Scope: Full file inventory of ralf-branch-migrated content revealed additional files beyond the initial 25 tracked in entries #22–44. These files were already present in Section 0B but not captured in the changelog.

DRAFT

#	Files Added	Destination	Level
74	doctrine/CDA_CONSTRAINTS_AND_DIRECTIVES.md	12 CDA operational constraints; governs all specialist CDA work	TM-40G–L
75	doctrine/cda_doctrine/CDA_DOCTRINE_OVERVIEW.md	Doctrine-driven development framework; DDD applied to CDA	TM-40G–L
76	doctrine/cda_doctrine/CDA_DOCTRINE_AGENT.md	Doctrine Agent reference — AI-assisted doctrine authoring patterns	TM-40H, TM-40L
77	doctrine/cda_doctrine/CDA_AVT25_ASSESSMENT.md	AVT-25 assessment framework for CDA capability evaluation	TM-40G, TM-40H
78	doctrine/cda_doctrine/CDA_IDENTITY_VS_CLASSIFICATION.md	Identity vs. classification disambiguation; semantic precision	TM-30, TM-40K, TM-40L
79	doctrine/enterprise_architecture/EA_00_REFERENCE_CARD.md	EA one-pager; frameworks overview (TOGAF, NAF, DODAF, Zachman)	TM-30, TM-40K, TM-40L
80	doctrine/enterprise_architecture/EA_01_FOUNDATION.md	EA foundational concepts; what EA is and is not	TM-30
81	doctrine/enterprise_architecture/EA_02_SCHOOLS_OF_THOUGHT.md	TOGAF, Zachman, FEA, NAF, DODAF compared	TM-30, TM-40K
82	doctrine/enterprise_architecture/EA_03_ARTIFACTS_AND_VIEWS.md	NAF/DODAF views; architecture artifacts; diagram types	TM-40K, TM-40L
83	doctrine/enterprise_architecture/EA_04_GOVERNANCE.md	Architecture governance; review boards; decision authority	TM-40K
84	doctrine/enterprise_architecture/EA_05_MILITARY_APPLICATION.md	EA applied to military C2 / joint operations context	TM-30, TM-40G–L
85	doctrine/cda_doctrine/canon/CANON_ADP_CROSSWALK.md	ADP 3-0 / 6-0 crosswalk to Foundry data model	TM-40G–L
86	doctrine/cda_doctrine/canon/CANON_CONDITIONS_INDICATORS_THRESHOLDS.md	Conditions, indicators, and threshold patterns for data products	TM-40G, TM-40H
87	doctrine/cda_doctrine/canon/CANON_ENGAGEMENT.md	Engagement authority and engagement event data model	TM-40G, TM-40H
88	doctrine/cda_doctrine/canon/CANON_INFORMATION.md	Information taxonomy and schema for common operational data	TM-40H, TM-40K
89	quick_reference/cda_reference/EA_VS_DA.md	Enterprise Architecture vs. Data Architecture decision tool	TM-30, TM-40K
90	quick_reference/cda_reference/ENTERPRISE_DATA_COMPASS.md	Data strategy decision compass; orientation for PM/KM roles	TM-40J, TM-40K

#	Files Added	Destination	Level
91	quick_reference/cda_reference/LESSONS_LEARNED.md	CDA implementation lessons learned registry	All tracks
92	quick_reference/cda_reference/PLAN_FOR_SUCCESS.md	CDA project planning checklist and success criteria	TM-40J, TM-30

CHANGE LOG — PDF BUILD: ARCH / MGMT / REF SERIES (14 MARCH 2026)

Scope: 42 new PDFs generated for all ralf-branch architecture, management, and reference docs. Distinct naming convention (`ARCH_`, `MGMT_`, `REF_`) to clearly separate from TM/CG/SYL/EX/EXAM corpus.

PDF naming scheme:

Prefix	Category	PUB_TYPE label	Example stems
`ARCH_CDA_`	CDA Doctrine & Agents	ARCHITECTURE REFERENCE / ODT-CDA	ARCH_CDA_AGENTS_CORE_PRINCIPLES, ARCH_CDA_CANON_ADP_CROSSWALK
`ARCH_GDAP_`	GDAP Platform	ARCHITECTURE REFERENCE / ODT-GDAP	ARCH_GDAP_OVERVIEW, ARCH_GDAP_ADR_0001_LLAMAINDEX
`ARCH_MIM_`	MIM Reference	ARCHITECTURE REFERENCE / ODT-MIM	ARCH_MIM_STANDARD, ARCH_MIM_ACADEMICS
`ARCH_EA_`	Enterprise Architecture	ARCHITECTURE REFERENCE / ODT-EA	ARCH_EA_01_FOUNDATION, ARCH_EA_05_MILITARY_APPLICATION
`ARCH_ONTOLOGY_`	Ontology Design	ARCHITECTURE REFERENCE / ODT-ONT	ARCH_ONTOLOGY_DESIGN_PRINCIPLES
`MGMT_`	Management / Planning	SENIOR LEADER GUIDANCE or ENTERPRISE PLAN	MGMT_CG_GUIDANCE, MGMT_ENTERPRISE_V10_PLAN
`REF_`	Quick Reference	QUICK REFERENCE / ODT-REF	REF_DOCTRINE_ELEMENT_FOUNDRY_MAPPING, REF_EA_VS_DA

#	Action	Files	Output
93	scripts/build_pdfs.py — PUB_TYPES + MD_TARGETS expanded	Added ARCH_CDA/GDAP/MIM/EA/ONT, MGMT_, REF_ key prefixes and 42 source paths	42 new PDFs in maven_training/pdf/
94	DEPENDENCY_MAP.md	Updated header metadata; added changelog entries #74–94	This file

CHANGE LOG — PRE-V2.0 FULL-CORPUS AUDIT (14 MARCH 2026)

Scope: Team-of-teams content accuracy and consistency audit across all curriculum files, React widget, HTML app, Python scripts, and PPTX presentation files. Primary goal: verify prereq chain enforcement (TM-30 hard prereq for ALL TM-40 tracks A–F and G–L) and content alignment between all delivery surfaces.

Audit findings and resolutions:

DRAFT

#	File	Issue	Resolution
95	README.md (root)	WFF prereq stated TM-20 in 4 places (table, tree, footnote lines)	Fixed → TM-30 in all 4 locations
96	maven_training/training_management/POLICY_LETTER.md	Official governance table: WFF tracks listed TM-20 as prereq	Fixed → TM-30
97	maven_training/mss_widget/src/panels/Home.tsx	WFF specialist row "Start Here" cell showed TM-10 → TM-20 only; TM-30 missing	Fixed → TM-10 → TM-20 → TM-30 chain
98	maven_training/quick_reference/cheatsheet.md	WFF track description said "after TM-20"; prereq chain diagram wrong	Fixed → TM-30 throughout; diagram rebuilt with WFF + Specialist both branching from TM-30
99	maven_training/mss_widget/src/panels/TM40.tsx	TM-40J card: builder-focused language ("PM Dashboards, Reporting Pipelines") mismatched actual TM content (Agile PM theory, ML lifecycle, stakeholder mgmt); BLUF embedded full WFF track list creating confusion	Fixed: TM-40J card rewritten to PM theory; BLUF simplified with cross-reference to HOME tab
100	maven_training/mss_info_app/index.html	TM-40J card matched stale builder-focused TM40.tsx (dual-maintenance surface)	Fixed: TM-40J card updated to match TM40.tsx (PM theory content)
101	.gitignore	node_modules/ missing; 65MB React deps at risk of commit	Added node_modules/
102	maven_training/pdf/MSS_Project_Overview.pptx	Slide 1: old "6 Specialist Tracks: 40A ORSA · 40B AI · 40C MLE..." scheme	Rebuilt via python-pptx: "12 Tracks (WFF + Specialist) / WFF (A–F): Intel · Fires · M&M / Specialist (G–L): ORSA · AI Eng · MLE · PM · KM · SWE"
103	maven_training/pdf/MSS_Training_Progression.pptx	Specialist column: original 6-slot design insufficient; partial fix left WFF A–D mixed with specialist H–I, sub-headers misplaced	Full column rebuild via python-pptx: deleted all 19 old content shapes; clean layout with "▸ WFF TRACKS (A–F)" (A–F) / "▸ SPECIALIST (G–L)" (G–L) sub-headers; TM-50 G–L note added at bottom

DRAFT

#	File	Issue	Resolution
104	scripts/build_pdfs.py (PDF rebuild)	3 source files changed: POLICY_LETTER.md, cheatsheet.md, task_index.html	Hash-based rebuild: 3 PDFs regenerated (POLICY_LETTER.pdf, CHEATSHEET.pdf + task_index.html-derived); 199 unchanged
105	DEPENDENCY_MAP.md	Audit findings not logged	This entry

DRAFT