

Lab-7 Ex5 - Christmas Tree Printer

Do you look forward to Christmas? I do! Let's make a Christmas Tree Printer in C so that we can feel better when we wait for her coming. Please ask user for number of rows for each chunk of the tree, and print the tree with height 2 times the user input. You can also notice that the tree has @ and * alternatively, as specified below:

User-input numbers are ***bold and italic*** in the following sample runs.

Sample run #1:

Rows (2-20)? ***5***

```
.....*.....
...*@*...
..*@*@*..
.*@*@*@*.
*@*@*@*@*
.....*.....
...*@*...
..*@*@*..
.*@*@*@*.
*@*@*@*@*
```

It is easy to notice that you can *easily* modify your **Lab-7 Ex2** solution to achieve our goal! Basically, we are doing almost the same thing, only we repeat ourselves 2 times, with alternating @ and * in the tree. More samples ahead:

Sample run #2:

Rows (2-20)? ***2***

```
.*.
*@*
.*.
*@*
```

Sample run #3:

Rows (2-20)? **19**

.....*

.....*.*

.....*.*.*

.....*.*.*.*

.....*.*.*.*.*

.....*.*.*.*.*.*

.....*.*.*.*.*.*.*

.....*.*.*.*.*.*.*.*

.....*.*.*.*.*.*.*.*.*

.....*.*.*.*.*.*.*.*.*.*

.....*.*.*.*.*.*.*.*.*.*.*

.....*.*.*.*.*.*.*.*.*.*.*.*

.....*.*.*.*.*.*.*.*.*.*.*.*.*

.....*.*.*.*.*.*.*.*.*.*.*.*.*.*

.....*.*.*.*.*.*.*.*.*.*.*.*.*.*.*

.....*.*.*.*.*.*.*.*.*.*.*.*.*.*.*.*

.....*.*.*.*.*.*.*.*.*.*.*.*.*.*.*.*.*

.....*.*.*.*.*.*.*.*.*.*.*.*.*.*.*.*.*.*

.....*

.....*.*

.....*.*.*

.....*.*.*.*

.....*.*.*.*.*

.....*.*.*.*.*.*

.....*.*.*.*.*.*.*

.....*.*.*.*.*.*.*.*

.....*.*.*.*.*.*.*.*.*

.....*.*.*.*.*.*.*.*.*.*

.....*.*.*.*.*.*.*.*.*.*.*

. * @ * @ * @ * @ * @ * @ * @ * @ *

. * @ * @ * @ * @ * @ * @ * @ * @ *

. * @ * @ * @ * @ * @ * @ * @ * @ *

. * @ * @ * @ * @ * @ * @ * @ * @ *

. * @ * @ * @ * @ * @ * @ * @ * @ *

. . . . * @ * @ * @ * @ * @ * @ * @ * @ * @ *

. . . * @ * @ * @ * @ * @ * @ * @ * @ * @ * @ * . . .

. . * @ * @ * @ * @ * @ * @ * @ * @ * @ * @ * @ * . .

. * @ * @ * @ * @ * @ * @ * @ * @ * @ * @ * @ * @ * .

* @ * @ * @ * @ * @ * @ * @ * @ * @ * @ * @ * @ * @ *