

QYVARIA

Proof Book and Technical Evidence Dossier

A searchable PDF booklet built from the supplied qyvaria.py bundle and the uploaded Kernel Book, with reproducible command evidence, cryptographic hashes, static audit results, and public-proof strategy.

Field	Value
Primary source	qyvaria.py
Source SHA-256	8fbe528dfe604d6cdc7223caae364dca8c029b3e317dd3d8721f0dab0d027ad8
Uploaded Kernel Book SHA-256	ffbe75073c3211063f94af55ca61d770bf7af993789fdc9c4110fa1c6c8f525d
Analysis timestamp (UTC)	2026-05-27T14:15:45Z
Python runtime	3.13.5
Purpose	Show what is already provable, what works locally, what is architectural intent, and what must still be benchmarked independently.

Proof principle

The strongest public proof is not an exaggerated claim. It is a reproducible evidence chain: source hash, command output, extracted manifest, compile audit, benchmark protocol, and independent replication.

Prepared for public release planning, open-source credibility, GitHub/Hugging Face provenance, and technical review.

Contents

This PDF has outline bookmarks plus searchable headings. Section list:

Section
1. Executive proof statement
2. What Qyvaria truly is, based on evidence
3. Source fingerprints and reproducibility chain
4. Bundle mechanics: wrapper, file system, importer, agent bus
5. Payload inventory and thematic footprint
6. Working subsystem proof: Qyvaria prompt generator
7. Static engineering audit
8. Import and dependency surface
9. Public proof strategy: GitHub, Hugging Face, benchmarks
10. Release-hardening roadmap
11. Claim ledger for public copy/paste
12. External reference shelf
Appendix A. Registered agent inventory
Appendix B. Full embedded file manifest
Appendix C. Binary and non-Python payloads
Appendix D. Command output ledger
Appendix E. Independent reviewer checklist
Appendix F. Final proof summary

1. Executive proof statement

This booklet is designed to prove the part of Qyvaria that can be proven from the provided artifacts, without inventing claims that the files do not support. It separates cryptographic evidence, command-line evidence, static engineering evidence, architectural interpretation, and future benchmark claims.


Evidence tier	What it proves here	Status
Cryptographic/source evidence	The supplied qyvaria.py has a fixed SHA-256 hash; every embedded payload file decoded by the wrapper matched its recorded SHA-256.	Proven in this audit
Command evidence	--stats, --list, --extract, --readme, and a direct prompt-generator run completed with return code 0 under python -S.	Proven locally
Static engineering evidence	239 of 268 embedded Python files compile; 29 fail a Python static compile check; 10 SyntaxWarnings were observed.	Proven locally
Runtime integration evidence	The wrapper's import hook registers, but fresh import probes cannot import embedded modules through the current py/ path layout under python -S.	Proven locally
Public adoption evidence	GitHub stars/forks and Hugging Face likes/downloads require public repository release and external users. This PDF cannot create that proof by itself.	Not yet proven
Benchmark superiority evidence	Lower overhead than mainstream alternatives requires a published benchmark harness, pinned baselines, CI artifacts, and third-party replication.	Not yet proven

The honest headline

Qyvaria is a substantial single-file Python AI engineering bundle with real packaging, manifest, integrity checks, a prompt-generation subsystem, and an ambitious agent/simulation corpus. It is not yet proven, from these artifacts alone, to be a production OS kernel, AGI, or benchmark-leading multi-agent runtime.

One-screen audit result

Metric	Observed value
Embedded files	277
Embedded Python files	268
Embedded binary/other files	9
Decoded payload SHA-256 matches	277/277
Static compile OK	239/268
Static compile errors	29
Static compile warnings	10
Total decoded payload bytes	3,378,233
Total decoded Python lines	84,160
Registered agents in metadata	17
Declared entry	qyvaria
Metadata bundle SHA-256	b07d5e3f7b72372e6ba01dfb06946bce91c270c0b17cedb582df0b15b218ba85



2. What Qyvaria truly is, based on evidence

The evidence supports describing Qyvaria as a self-contained Python AI engineering bundle and runtime experiment. The file carries a large embedded payload, a catalog, SHA-256 records, a command-line inspection surface, a custom memory importer, and an agent registry. In project language, 'kernel' is meaningful as an AI-runtime nucleus: a central place where prompt generation, agents, simulation modules, orchestration ideas, memory, safety, voice, and tooling are grouped.

What can be claimed now

Claim	Evidence
Qyvaria is a single-file AI engineering bundle.	The wrapper metadata identifies name=qyvaria, format=py-single, entry=qyvaria, and total_files=277.
The payload has an integrity layer.	All 277 decoded payload files matched their embedded SHA-256 values when read through _BundleFS.
The corpus is broad and AI-oriented.	Filenames and metadata show agents, simulation, reasoning, voice, memory, app, safety, and orchestration modules.
A prompt-generation subsystem works as a direct extracted script.	py/1qyvaria_prompt_gen.py returned two SDXL prompts with return code 0 under python -S.
The current release has integration blockers.	Entry/import probes and static compile checks found specific, reproducible defects.

What should not be claimed yet

Unproven claim	Why it is not proven by the supplied files
Production operating-system kernel	No hardware scheduling, kernel-mode memory protection, syscall ABI, driver model, or OS conformance evidence is provided.
General artificial intelligence	The corpus contains AI-themed modules, but no validated cognitive benchmark, autonomous learning proof, or independent AGI evaluation is provided.
Benchmark-leading multi-agent overhead	No pinned baseline comparison, repeatable benchmark harness, hardware profile, statistical results, or external replication is included yet.
Public leaderboard success	GitHub and Hugging Face rankings require public release telemetry from external users, not internal assertions.

Recommended public positioning

Public sentence

Qyvaria is an experimental single-file Python AI-runtime bundle for prompt generation, agent/simulation architecture, orchestration concepts, memory/safety tooling, and voice/app surfaces. Its packaging and hash integrity are verifiable today; its benchmark claims require the reproducible harness defined in this dossier.

3. Source fingerprints and reproducibility chain

The first layer of proof is a fingerprint. Anyone can hash the released file and compare the value below. If the hash differs, they are not auditing the same artifact.

Artifact	Bytes	SHA-256
qyvaria.py	4,626,593	8f8e528dfe604d6cdc7223caae364dca8c029b3e317dd3d8721f0dab0d027ad8
Qyvaria Kernel_Book.pdf	1,068,083	ffbe75073c3211063f94af55ca61d770bf7af993789fdc9c4110fa1c6c8f525d

Reproducible verification commands

These commands are the minimal local proof chain for the supplied qyvaria.py. They do not require internet access.

```
# 1. Fingerprint the source file
python - <<'PY'
import hashlib, pathlib
p = pathlib.Path('qyvaria.py')
print(hashlib.sha256(p.read_bytes()).hexdigest())
PY

# 2. Show bundle metadata
python -S qyvaria.py --stats

# 3. List embedded payload files
python -S qyvaria.py --list

# 4. Extract payload for static review
python -S qyvaria.py --extract ./qyvaria_extracted

# 5. Probe the prompt generator directly after extraction
python -S qyvaria_extracted/py/iqyvaria_prompt_gen.py --subject "proof-grade AI kernel evidence
booklet" --style cinematic --engine sdxl -n 2 --seed 42
```

Observed --stats output

```
Bundle: qyvaria
Created: 2025-10-24T22:22:26.282Z
Codec: quantize-int8 Level: 9
Entry: qyvaria
Files: 277
Size orig: 3378233 bytes, stored: 3378233 bytes
Compression ratio: 100.00%
Space saved: 0 bytes
Top imports: , AGI_Agents, AGI_Boot, AGI_Ethics, AGI_Memory, AGI_MetaReasoner, AGI_Orchestrator,
  AGI_PluginManager, App, Cetana_Custom_Agent_Core, Cetana_OS_Link, Cetana_Phytoon_IDE,
  Cetana_v4_Boot, Cetana_v5_Boot, CodeLab, CounterfactualSimulator
Agents: ai-model-tester-agent, ai-sim-module-agent, all-in-one-agent, arbiter-sim-agent,
  emotional-intelligence-agent, forge-sim-agent, meta-ai-sim-agent, omni-sim-agent, optimization-
  checker-agent, qavaria-ai-sim-agent, qy-app-sim-agent, qyvaria-adaptability-sim-agent-
  adaptability-agent, qyvaria-data-code-analyzer-ai-sim-agent, qyvaria-evolution-agent, qyvaria-
  llm-sim-and-meta-agent, qyvaria-pra-genesis-ai-sim-agent, speed-agent
```

Observed --run output

The declared --run action returned code 0 and produced no stdout or stderr in the controlled probe. That is a fact, but it is not evidence of meaningful application activation.

Command	Return code	Stdout length	Stderr length
python -S qyvaria.py --run	0	0	0

4. Bundle mechanics: wrapper, file system, importer, agent bus

4.1 __BUNDLE__ metadata

The source file contains a top-level `__BUNDLE__` dictionary. It records the bundle name, codec label, entry value, creation time, file table, import graph, agents, and per-file SHA-256 records.

Metadata field	Observed value
name	qyvaria
format	py-single
codec	quantize-int8 level 9
entry	qyvaria
created_iso	2025-10-24T22:22:26.282Z
total_files	277
original_size	3,378,233 bytes
compressed_size	3,378,233 bytes
compression_ratio	100%
file_types	{'python': 268, 'binary': 9}

4.2 _BundleFS evidence

`_BundleFS` acts as a read-only virtual file system. For each path, it Base64-decodes the embedded data, applies the selected decoder if available, hashes the decoded bytes, and raises an exception if the computed SHA-256 does not match the embedded record.

Check	Observed result
Files read through <code>_BundleFS</code>	277
Files with matching embedded SHA-256	277
Read/hash failures	0
Codec label	quantize-int8
Implemented decoder names	raw, gzip, deflate
Practical codec finding	quantize-int8 is not implemented in the decoder map; decoded bytes are effectively treated as raw bytes.
Payload size implication	Original bytes equal stored bytes: 3,378,233 vs 3,378,233; no space saving observed.

4.3 _MemLoader evidence

`_MemLoader` is intended to act as a Python meta-path finder/loader. It maps an import name to `fullname.replace('.', '/') + '.py'` and executes the decoded source into the module namespace. This aligns with Python's `importlib` finder/loader architecture, but the current payload layout places every file under `py/`.

The practical result is important: in a fresh python `-S` probe, the loader registers, but direct imports of `py.AGI_Agents`, `py.Qyvaria`, `AGI_Agents`, and `Qyvaria` all fail. The top-level package `py` is not supplied as an importable package in the embedded payload.


```
memloader_registered True
py.AGI_Agents ERR ModuleNotFoundError No module named 'py'
py.Qyvaria ERR ModuleNotFoundError No module named 'py'
AGI_Agents ERR ModuleNotFoundError No module named 'AGI_Agents'
Qyvaria ERR ModuleNotFoundError No module named 'Qyvaria'
```

4.4 AgentBus evidence

The wrapper defines a minimal `AgentBus` with `register(name, agent)` and `broadcast(msg, **kw)`. It loops over registered agents and calls `handle(msg, **kw)` when present. This is a real orchestration primitive, but it is not yet a complete distributed scheduler or multi-agent runtime proof by itself.

5. Payload inventory and thematic footprint


The payload contains 277 embedded files: 268 .py files, 8 .pyc files, and 1 .jsx file. All payload paths are under the py/ prefix. The filename distribution shows the project's center of gravity: agent/simulation modules, reasoning/intelligence modules, runtime/orchestration modules, voice, safety/provenance, memory, and app/tool surfaces.



Theme	Matching embedded files (non-exclusive)
agent / simulation	93
model / intelligence / reasoning	44
orchestration / control / runtime	41
app / UI / tools	25
security / safety / provenance	25
voice / speech	23
memory / retrieval / knowledge	18
language / translation	15
training / evaluation / testing	13

Largest payload files

Largest embedded payload files



Path	Bytes	Lines	Compile
py/Qyvaria.py	146,711	3564	ERROR
py/qyvaria_all_in_one (1).py	63,074	995	OK
py/qyvaria_cognitive_superstack.py	45,542	1213	OK
py/qyvaria_ultralite_suite.py	42,515	1009	ERROR
py/qyvaria_lightweight_foundation.py	40,279	978	OK
py/qyvaria_pra_genesis_ai_sim_agent.py	40,200	989	OK
py/all_in_one_agent.py	37,383	919	OK
py/qyvaria_monolith_20.py	36,419	769	OK
py/qyvaria_meta_intelligence_engine.py	35,016	966	OK
py/qy_ai_universe_plus.py	34,532	872	OK
py/Varia+.py	34,191	716	OK
py/qy_ai_universe.py	32,305	780	OK
py/qyintelligence_max.py	32,120	637	ERROR
py/qy_sim_engineering_ai.py	31,925	780	OK
py/qy_app_sim_agent.py	29,860	793	ERROR

6. Working subsystem proof: Qyvaria prompt generator

The strongest directly demonstrated end-user subsystem in this audit is `py/1qyvaria_prompt_gen.py`. It compiles, exposes a command-line interface, supports multiple style packs and engines, and produced deterministic prompt output under `python -S`.

Property	Observed value
File	<code>py/1qyvaria_prompt_gen.py</code>
File SHA-256	<code>afe955598e33dac3815b57fd8bbe1a71c9623da886c4158337fafcaf38ce910</code>
Version constant	<code>1.0.0</code>
Style packs	<code>cinematic, photoreal, product, interior, architecture, food, macro, watercolor, anime, pixel, vector, diagram, clay, ui, blueprint</code>
Engine modes	<code>sdxl, midjourney, flux, generic</code>
Personas	<code>artist, scientist, coder</code>
Safety blacklist	<code>gore, abuse, hate, terrorist, nazi, explicit sexual, nudity</code>
Direct execution status	<code>Return code 0</code>

Observed prompt-generator command

```
python -S qyvaria_extracted/py/1qyvaria_prompt_gen.py --subject "proof-grade AI kernel evidence booklet" --style cinematic --engine sdxl -n 2 --seed 42
```

Observed prompt-generator output

```
=== Prompt 1/2 - engine: sdxl ===
Positive: proof-grade AI kernel evidence booklet - camera: 85mm f/2 portrait; composition: rule of thirds; lighting: golden hour backlight; style: cinematic (filmic, moody, high dynamic range, realistic color science, subtle grain); ; post: micro-contrast; persona: expressive, metaphor-forward phrasing, vivid sensory language
Negative: PII text, blurry, color banding, copyrighted logos, cut off subject, deformed anatomy, *** content, extra limbs, graphic violence, harsh chromatic aberration, ***ful symbols, incorrect reflections, jpeg artifacts, lens dirt, logo, low resolution, over-retouched, oversharpened, plastic skin, text artifact, watermark, waxy texture
Params: {"steps": 30, "sampler": "DPM++ 2M Karras", "cfg": 5.0, "size": "1024x1024", "hires_fix": false}


=== Prompt 2/2 - engine: sdxl ===
Positive: proof-grade AI kernel evidence booklet - camera: 35mm f/1.8 full-frame; composition: hero 3/4 angle; lighting: neon rim + soft fill; style: cinematic (filmic, moody, high dynamic range, realistic color science, subtle grain); ; post: gentle S-curve; persona: expressive, metaphor-forward phrasing, vivid sensory language
Negative: PII text, blurry, color banding, copyrighted logos, cut off subject, deformed anatomy, *** content, extra limbs, graphic violence, harsh chromatic aberration, ***ful symbols, incorrect reflections, jpeg artifacts, lens dirt, logo, low resolution, over-retouched, oversharpened, plastic skin, text artifact, watermark, waxy texture
Params: {"steps": 30, "sampler": "DPM++ 2M Karras", "cfg": 5.0, "size": "1024x1024", "hires_fix": false}
```

Meaning of this proof

This proves that at least one embedded Qyvaria subsystem is not only present as text but can run directly as a deterministic command-line tool after extraction. It does not prove that every embedded subsystem runs, because the static compile audit shows 29 embedded Python files currently fail compilation.

7. Static engineering audit

A static compile check uses Python's `compile()` behavior to parse source without importing dependencies or executing module bodies. This makes it a safe first-pass release-quality gate: a file that cannot compile cannot be imported normally.



Compile defect list

File	Message	Line	Evidence text
py/aeon_ethics.py	source code string cannot contain null bytes		
py/aeon_self_diagnostic.py	source code string cannot contain null bytes		
py/ai_sim_equalizer_v_1.py	no binding for nonlocal 'args' found	401	
py/all_in_one_sim_agent_memory_ledger_critc_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py	unterminated string literal (detected at line 53)	53	_SENT_SPLIT = re.compile(r"?(?<=[.!????])\s+
py/belief_engine.py	source code string cannot contain null bytes		
py/openmind_module.py	invalid syntax	5	set -euo pipefail
py/PhytoonImageGen.py	invalid syntax	1	<GUI code from earlier step will be inserted here>
py/qy_app_sim_agent.py	'(' was never closed	521	files.append(FileArtifact("app/main.py", textwrap.dedent(f""
py/qy_durable_orchestrator.py	unterminated triple-quoted string literal (detected at line 380)	380	""")
py/qy_llm_pipeline.py	unterminated string literal (detected at line 71)	71	_URL_RE = re.compile(r"https?://\S+
py/qy_sim_pack_100.py	invalid syntax	368	if args.--list if hasattr(args, "--list") else args.list: # Support both CLI and IDE runner
py/qyintelligence_max.py	unmatched '}'	343	p2 = f"Question: {question}\nContext:\n{ctx}\n\nCandidate B: Provide a concise answer."
py/Qyvaria Moral Constitution - Humanity-First.py	invalid syntax	3	A compact, auditable moral code and a tiny checker library you can embed anywhere.
py/qyvaria_module_sumerian_voice+.py	invalid syntax	249	class SumerianVoiceAgent::
py/qyvaria_natural_voice.py	expected an indented block after function definition on line 53	53	def stop(self, hub: CatalystHub):
py/qyvaria_secure_sandbox.py	invalid syntax	68	import resource as _resource if hasattr(_import_('sys'), 'platform') and _import_('sys').platform != 'win32' else None # type: ignore
py/qyvaria_simulate_then_act_rational_agent_v_0.py	f-string: valid expression required before '}'	403	return Result(ok=False, data={}, error="Invalid input")
py/qyvaria_ultralite_suite.py	unterminated string literal (detected at line 993)	993	p.add_argument("--compress", action="store_true", help="apply prune+ptq before generation")
py/qyvaria_voice.py	'yield from' inside async function	603	
py/Qyvaria.py	invalid character '.' (U+2014)	2098	Title: TECHNOLOGY & CONSCIOUSNESS - KEEPING UP
py/rationality_lab.py	invalid syntax	1	rom typing import List, Dict, Tuple
py/reality_aware_sim_machine_awareness_ai_sim_agent_active_inference_single_file.py	'(' was never closed	292	demo(args.seed, args.st
py/recursive_reflector.py	source code string cannot contain null bytes		

File	Message	Line	Evidence text
py/shell.py	unterminated string literal (detected at line 9)	9	print("Type 'exit' to leave.
py/teleprompter.py	invalid character '-' (U+2014)	5	Title: TECHNOLOGY & CONSCIOUSNESS - KEEPING UP
py/therapist_style_ai_sim_agent_safety_first_support_python.py	positional argument follows keyword argument	131	Resource(label="Emergency Services", phone:"112/911 (local)", notes="If you are in immediate danger"),
py/truth_alignment_kernel.py	source code string cannot contain null bytes		
py/Varia Health Reporter - phrase->status system.py	'(' was never closed	86	self.mood = clamp(self.mood + 0.06*(rate-0.5) + 0.03*math.tanh(me
py/velcode_shell.py	unterminated string literal (detected at line 5)	5	print("Type 'exit' to quit.

Release meaning

The compile failures are not a reason to dismiss the project. They are a precise release-hardening map. A public proof release should either fix these files, exclude non-source placeholders from the Python file table, or mark them as archival/non-runtime assets.

8. Import and dependency surface

The embedded import graph is broad. The most frequent imports are standard library modules such as typing, dataclasses, json, time, re, os, math, argparse, random, hashlib, sys, and pathlib. The graph also mentions external packages including numpy, fastapi, torch, sklearn, pandas, PIL, pydantic, matplotlib, uvicorn, llama_cpp, whisper, cryptography, and transformers.

Top import names from bundle metadata

Import name	Count
typing	176
__future__	170
dataclasses	169
json	89
time	82
re	74
os	72
math	59
argparse	58
random	49
hashlib	37
sys	33
pathlib	30
io	26
textwrap	26
numpy	25
datetime	22
collections	22
fastapi	19
threading	18
statistics	17
ast	16
base64	16
torch	14
importlib	11
functools	11
asyncio	10
traceback	10
inspect	9
types	9
subprocess	9
qyvaria	9
queue	8
struct	8
uuid	7
urllib	7
sklearn	7
pandas	7
PIL	6
heapq	6

Why this matters

Risk area	Technical implication	Proof requirement
Optional dependencies	Many modules may require packages not installed by default.	A requirements lock file or optional extras map.
Heavy ML dependencies	torch, transformers, whisper, llama_cpp, onnxruntime, and related libraries can affect install size and runtime overhead.	Benchmark environment must pin versions and hardware.
Web/API dependencies	fastapi, flask, uvicorn, pydantic, and jsonschema suggest service surfaces.	Security review, auth model, and endpoint tests.
Local import layout	All embedded files live under py/ but the loader does not package py in a fresh python -S probe.	Entry/import patch and import smoke tests.

9. Public proof strategy: GitHub, Hugging Face, benchmarks

The user goal mentions GitHub stars/forks, Hugging Face downloads/likes, and benchmark provenance. These are valid public proof channels, but they prove different things. Stars, forks, likes, and downloads are adoption signals. Benchmarks are performance signals. Source hashes and CI are integrity signals. A credible release should never confuse these categories.

9.1 GitHub proof ledger

Signal	What it proves	What it does not prove	How to make it defensible
Stars	Public attention and developer bookmarking.	Correctness or performance.	Use GitHub API stargazers_count in dated snapshots.
Forks	Developers copied the repo, possibly to inspect or build.	That the forks are active or successful.	Track forks_count plus downstream PRs, issues, and dependency graph.
Issues/PRs	Community scrutiny and contribution flow.	Quality by itself.	Use labels, response times, changelog links, and resolved test cases.
Releases/tags	Versioned artifacts exist.	That they are reproducible.	Attach SHA-256, SBOM, changelog, signed tags, and CI run links.

9.2 Hugging Face proof ledger

Signal	What it proves	What to publish
Likes/downloads	Adoption and interest around a model, dataset, Space, or configuration.	A model card or Space card with exact usage, limitations, license, and evaluation data.
Model/dataset card	Discoverability and reproducibility context.	Architecture, intended use, training/eval details, metrics, hardware, risks, and citations.
Space demo	A runnable public interface.	Pinned requirements, hardware tier, expected latency, and logs for reproducibility.
Files/configs	The actual technical artifact can be inspected.	Checksums, release tags, and minimal examples.

9.3 Benchmark provenance plan

A benchmark should be designed before claiming superiority. The right result format is not 'Qyvaria is faster'; it is a table with exact hardware, version pins, scenarios, sample sizes, confidence intervals, raw logs, and independent rerun instructions.

Benchmark claim	Metric	Scenario	Baseline	Proof artifact
Bundle inspection speed	seconds, max RSS	--stats and --list	plain Python package manifest reader	CI log + /usr/bin/time -v
Extraction overhead	seconds, bytes/sec, max RSS	--extract 277 files	zip/tar extraction of same payload	raw timing CSV
Prompt generation speed	prompts/sec	N=1, 10, 100; fixed seed	simple template generator	pytest-benchmark JSON
Agent bus dispatch	messages/sec, p95 latency	N agents, handle() no-op and handle() CPU-bound	simple callback loop, chosen agent framework	benchmark.py + CI log
Import smoke	import success rate	all declared agents/modules	not applicable	import_report.json
Static health	compile pass rate	all embedded .py files	prior release	compile_report.json

Benchmark anti-overclaim rule

Public benchmark rule

Do not say 'lower overhead than mainstream alternatives' until the benchmark harness, baselines, versions, hardware, logs, and third-party reruns exist. Say instead: 'Qyvaria includes a benchmark harness intended to measure overhead; current local evidence is attached.'

10. Release-hardening roadmap

The path to public proof is straightforward because the defects are concrete. The goal is not to hide the current findings; the goal is to turn them into an engineering narrative: Qyvaria is moving from private corpus to reproducible public artifact.

Priority 0: claim hygiene

Action	Reason
Publish this proof book with hashes and limitations.	Credibility increases when claims are separated by evidence tier.
Use 'AI runtime bundle' or 'AI software kernel' rather than 'operating system kernel.'	Avoids a false comparison with Linux/Windows kernel semantics.
Reserve 'benchmark-leading' language until independent results exist.	Prevents avoidable skepticism.

Priority 1: make the bundle importable

Issue	Fix direction	Acceptance test
All embedded files are under py/ but no embedded py package is importable under python -S.	Add py/_init_.py and package handling in _MemLoader, or strip the py/ prefix at bundle generation.	python -S -c 'import py.AGI_Agents; import py.Qyvaria' succeeds.
Declared entry qyvaria does not map to embedded py/Qyvaria.py.	Set entry to a real import target such as py.Qyvaria:main after the target compiles, or add qyvaria.py as a thin embedded entry file.	python -S qyvaria.py --run prints a version/banner or executes a testable main.
Codec label says quantize-int8 but decoder map lacks it.	Either implement the decoder or relabel codec as raw.	--stats and README explain payload storage accurately.

Priority 2: compile clean

Defect group	Examples	Fix direction
Null-byte source placeholders	aeon_ethics.py, aeon_self_diagnostic.py, recursive_reflector.py, truth_alignment_kernel.py	Replace with valid .py source or remove from Python manifest.
Shell/text embedded as .py	openmind_module.py, moral constitution text blocks	Move to .sh/.md or wrap as Python string/document asset.
String/template truncation	qy_app_sim_agent.py, qy_durable_orchestrator.py, qy_llm_pipeline.py	Regenerate source with tests around multiline strings.
Syntax typos	class SumerianVoiceAgent::, import resource as _resource if ..., rom typing	Run ruff/py_compile in CI before bundle creation.
Async/generator invalidity	yield from inside async function	Refactor to async iteration or normal generator.

Priority 3: public release kit

Artifact	Why it matters
README with exact claims ledger	Reviewers can see what is proven and what is planned.
LICENSE and contributor guide	Open-source users need legal clarity and contribution path.
requirements.lock / pyproject.toml extras	Dependency proof and install reproducibility.
CI workflow	Every commit proves hash, compile, tests, imports, and benchmark smoke.
SBOM and checksums	Security and supply-chain trust.
Benchmark raw data folder	Performance claims become auditable.
Hugging Face model/Space cards	Downloads/likes become meaningful adoption data with reproducible context.

11. Claim ledger for public copy/paste

This section provides public-facing language that preserves ambition without overclaiming.

Safe claims

Qyvaria is an experimental single-file Python AI engineering bundle.
It contains 277 embedded payload files, including 268 Python files and 17 registered agents in metadata.
The wrapper can list, extract, and hash-check all embedded payloads.
In the current audit, 277/277 embedded file hashes matched their recorded SHA-256 values.
The prompt-generation subsystem runs directly after extraction and supports SDXL, Midjourney, Flux, and generic prompt formats.
Qyvaria is being hardened toward public benchmark provenance with a reproducible benchmark harness, CI checks, and release artifacts.

Claims to avoid until proven

Do not claim:

- "Qyvaria is a replacement for an operating-system kernel."
- "Qyvaria is AGI."
- "Qyvaria is benchmark-proven faster than mainstream multi-agent frameworks."
- "Qyvaria is production-secure."
- "Qyvaria is already a top-tier GitHub or Hugging Face project."

Replace with:

- "Qyvaria is an AI-runtime bundle and kernel-style coordination experiment."
- "Qyvaria contains agent/simulation/reasoning modules, with current static audit results published."
- "Qyvaria's benchmark harness is designed for independent overhead measurement."

12. External reference shelf

These references define the public proof channels and technical mechanisms used in this booklet. They are not claims that Qyvaria has already achieved public leaderboard status.

Reference	Why it matters
GitHub REST API documentation: starring and repository fields	GitHub exposes stargazers_count and forks_count fields used for public adoption snapshots.
GitHub Trending page	Trending is a public discovery surface, but trend rank is not a rigorous performance benchmark.
Hugging Face Hub documentation	The Hub is the public place to publish models, datasets, Spaces, cards, and download/like metadata.
Hugging Face model-card documentation	Model cards are essential for discoverability, reproducibility, and sharing.
Hugging Face Hub CLI documentation	The CLI can fetch model info with expanded properties such as downloads, likes, and tags.
Python importlib documentation	Defines Python's import system and finder/loader model relevant to _MemLoader.
Python compileall/py_compile documentation	Documents Python source compilation used as a static release-quality gate.
Evaluate & Evaluation on the Hub (von Werra et al., 2022)	Supports rigorous evaluation and reproducibility practices.
Model Hubs and Beyond (Kadasi et al., 2025)	Shows popularity signals do not automatically equal model performance; documentation quality matters.

Reference URLs

```
GitHub REST starring docs:
https://docs.github.com/rest/activity/starring

GitHub REST forks docs:
https://docs.github.com/rest/repos/forks

GitHub Trending:
https://github.com/trending

Hugging Face Hub documentation:
https://huggingface.co/docs/hub/en/index

Hugging Face model cards:
https://huggingface.co/docs/hub/en/model-cards

Hugging Face Hub CLI:
https://huggingface.co/docs/huggingface_hub/guides/cli

Python importlib documentation:
https://docs.python.org/3/library/importlib.html

Python compileall documentation:
https://docs.python.org/3/library/compileall.html

Python py_compile documentation:
https://docs.python.org/3/library/py_compile.html

Evaluate & Evaluation on the Hub:
https://arxiv.org/abs/2210.01970

Model Hubs and Beyond:
https://arxiv.org/abs/2503.15222
```


Appendix A. Registered agent inventory

Agent name	Embedded path	Compile status
ai-model-tester-agent	py/ai_model_tester_agent.py	OK
ai-sim-module-agent	py/ai_sim_module_agent.py	OK
all-in-one-agent	py/all_in_one_agent.py	OK
arbiter-sim-agent	py/arbiter_sim_agent.py	OK
emotional-intelligence-agent	py/emotional_intelligence_agent.py	OK
forge-sim-agent	py/forge_sim_agent.py	OK
meta-ai-sim-agent	py/meta_ai_sim_agent.py	OK
omni-sim-agent	py/omni_sim_agent.py	OK
optimization-checker-agent	py/optimization_checker_agent.py	OK
qavaria-ai-sim-agent	py/qavaria_ai_sim_agent.py	OK
qy-app-sim-agent	py/qy_app_sim_agent.py	ERROR
qyvaria-adaptability-sim-agent-adaptability-agent	py/qyvaria_adaptability_sim_agent_adaptability_agent.py	OK
qyvaria-data-code-analyzer-ai-sim-agent	py/qyvaria_data_code_analyzer_ai_sim_agent.py	OK
qyvaria-evolution-agent	py/qyvaria_evolution_agent.py	OK
qyvaria-llm-sim-and-meta-agent	py/qyvaria_llm_sim_and_meta_agent.py	OK
qyvaria-pra-genesis-ai-sim-agent	py/qyvaria_pra_genesis_ai_sim_agent.py	OK
speed-agent	py/speed_agent.py	OK

Appendix B. Full embedded file manifest

This manifest is included so a reader can search inside the PDF for any embedded path. The full CSV is also included in the companion evidence pack.

Path	Kind	Bytes	Lines	Compile	SHA-256 prefix
py/1qyvaria_prompt_gen.py	python	17,435	401	OK	afe955598e33dac3...
py/ab_compare.py	python	2,827	86	OK	6b86fa1a156fb71a...
py/adaptive_ai_sim_agent_privacy_first_reference_python.py	python	12,566	364	OK	444101817d217d33...
py/advance_memory_ai_sim_agent_bit_weaver_v_0.py	python	16,533	462	OK	182d22a64f2fc9a9...
py/advance_voice_chat_command.py	python	5,625	144	OK	d7c6f18f596a1bfc...
py/Aeon Ai Sim.py	python	13,911	355	OK	1f0178d941511da6...
py/aeon_chat_interface.py	python	908	41	OK	cbb43a2074b1d3c1...
py/aeon_continuum.py	python	757	31	OK	276cad323e3b1848...
py/aeon_ethics.cpython-312.pyc	binary	1,008			a9e080790cc3b9e7...
py/aeon_ethics.py	python	767	1	ERROR	496c991bcb4356d8...
py/aeon_loader.py	python	1,470	56	OK	3ef98adc791c4065...
py/aeon_minigrid_integration.py	python	337	13	OK	13adfe224dfd3ea2...
py/aeon_realm_sim.py	python	477	21	OK	6be3c495a0e2331f...
py/aeon_self_diagnostic.cpython-312.pyc	binary	1,127			49259cee705bdac5...
py/aeon_self_diagnostic.py	python	746	1	ERROR	226cad1c05f053cd...
py/aeon_textworld_integration.py	python	323	10	OK	8308fe4f64fbaeb...
py/aeon_webots_integration.py	python	332	11	OK	4ea6c7c670a55ff6...
py/aeonscript_engine.py	python	322	12	OK	c21e71f78553896...
py/agentive_behaviorism.py	python	12,670	354	OK	7704fb41232e0b2c...
py/AGI Super Intelligence.py	python	10,154	264	OK	886859d30d603bd9...
py/AGI_Agents.py	python	473	22	OK	0ca10d126fe6ada5...
py/AGI_Boot.py	python	570	21	OK	60b151f65b463931...
py/AGI_Ethics.py	python	295	11	OK	489c31a18f51a239...
py/AGI_Ignition.py	python	1,555	43	OK	0b38824833c7fcee...
py/AGI_Memory.py	python	451	20	OK	873e1a9f5316906c...
py/AGI_MetaReasoner.py	python	307	14	OK	f617011f2662dae2...
py/AGI_Orchestrator.py	python	672	23	OK	ed5ebbb54dfd0106...
py/AGI_PluginManager.py	python	342	14	OK	ac9d69986ca3f4ff...
py/agi_prototype_microkernel_multi_agent_qyvaria_style_single_file.py	python	12,535	359	OK	169757cec50f4d0c...
py/ai_model_analyzer_freedom_module_agent_secure_file_driven.py	python	17,740	409	OK	92e12075338d3f6c...
py/ai_model_tester_agent.py	python	24,813	495	OK	6f0c7c790c546370...
py/ai_sim_agent_adaptive_batching_response_cache_autoscaling_circuit_breakers_safe_chaos_fast_api_python.py	python	13,554	350	OK	52c592691cefb818...
py/ai_sim_agent_bus_sandbox_hierarchical_planning_constraint_solver_rationale_python.py	python	14,507	364	OK	b5157694d7568877...
py/ai_sim_agent_kernel.py	python	15,046	399	OK	fc64443270dd7a49...
py/ai_sim_agent_learning_evals_governance_suite_python_fast_api.py	python	14,476	450	OK	d222a217f5c6e09f...
py/ai_sim_agent_probes_long_context_retrieval_review_rubrics_line_citations_population_cache_feedback->facts_python.py	python	16,593	411	OK	f582cabeb6623ce7b...
py/ai_sim_equalizer_v_1.py	python	17,865	434	ERROR	ca3951b7d7f9b57...
py/ai_sim_module_agent+.py	python	2,977	81	OK	4ab63bc3a1d63110...
py/ai_sim_module_agent.py	python	2,512	67	OK	9535f76a23016e1c...
py/ai_sim_trace_viewer_timeline_artifacts_diffs_costs_decisions_react.jsx	binary	14,444			4a8439c2890161da...
py/all_in_one_agent.py	python	37,383	919	OK	62915c8c4b2fcfb5...
py/all_in_one_sim_agent_co_t_auditor_planner_executor_log_miner_triage_qyvaria_compatible.py	python	16,030	434	OK	3280cd794363ffa1...
py/all_in_one_sim_agent_memory_ledger_critique_refiner_multilingual_summarizing_labeling_assistant_voice_layer_qyvaria_compatible.py	python	19,392	521	ERROR	e1bed7573f435a6b...
py/arbiter_sim_agent.py	python	11,458	216	OK	16295cebb69a821b...
py/auto_language_voice_router_simlang_auto.py	python	11,398	318	OK	94b215bd1cb35a2d...
py/avtx_installer.py	python	12,295	266	OK	b29adb0c0594a24b5...
py/belief_engine.cpython-312.pyc	binary	3,559			e86b9192de1171ad...
py/belief_engine.py	python	2,159	23	ERROR	f98118608391bc75...
py/bootloader.py	python	121	7	OK	008b99eff5b9d189...
py/build_qyvaria_studio.py	python	1,885	80	OK	2b036c96a26a941f...
py/catalyst_audit_memory.py	python	10,050	270	OK	70ec514787e01ae6...
py/catalyst_equalizer_v_1_py_code_i_o_and_logic_clarity_equalizer.py	python	16,024	416	OK	a6615b63785e6727...
py/catalyst_hub_v_1_sandboxed_plugin_bus_python.py	python	14,612	394	OK	fe6cb08898cbff4...
py/cetana.py	python	12,499	293	OK	3f732fa1d0999224...
py/Cetana_Custom_Agent_Core.py	python	1,847	57	OK	2126ef08c90fc8c6...
py/Cetana_IDE_Launcher.py	python	109	6	OK	874c4d451f836a42...
py/Cetana_OS_Link.py	python	348	13	OK	56f824a08680c9d5...
py/Cetana_OS_Simulation.py	python	1,776	57	OK	df884a4e5b8867f5...
py/Cetana_Phytoon_IDE.py	python	1,579	46	OK	c98e56e71d990c9a...
py/Cetana_Simulator.py	python	3,803	101	OK	2602bf7a2fa23220...
py/Cetana_v4_Boot.py	python	4,765	141	OK	ec699883058de0af...
py/Cetana_v5_Boot.py	python	2,331	63	OK	48b94447cbf1214f...
py/Cetana_v6_Boot.py	python	1,503	44	OK	b5fb403aa02adcb6...
py/chronosynth.py	python	6,870	167	OK	feff3a41d1a1dade...
py/code_2_lang_code->natural_language_explainer_single_file_no_deps.py	python	10,515	282	OK	b87845ae623af62a...
py/code_sim_agent_deterministic_python_subset_ast_vm.py	python	20,403	523	OK	0f777accbdb7a7bc...
py/CodeLab.py	python	587	20	OK	23749f7555c0d35e...
py/CodeSandbox.py	python	635	20	OK	d5cdc4690d2d59fc...
py/CognitiveStyle.py	python	272	13	OK	dd38ca4f8d378809...

Path	Kind	Bytes	Lines	Compile	SHA-256 prefix
py/concept_engine.cpython-312.pyc	binary	868			67eaffac54d641f6...
py/concept_engine.py	python	511	20	OK	33e21e0f42b9f152...
py/convert_to_training.py	python	560	22	OK	fb4c2a53956541b1...
py/CounterfactualSimulator.py	python	402	14	OK	79ffba4097717f6c...
py/CuriosityResearch.py	python	490	18	OK	71d2123e8b93a423...
py/digital_time_module.py	python	1,643	50	OK	59af6c0720800a9a...
py/educator_sim_qyvaria_module_python.py	python	12,712	298	OK	674fdc2afbdac2c93...
py/emotion_sim_qyvaria_module_python.py	python	13,181	322	OK	b66941004d03c6e2...
py/emotional_intelligence_agent.py	python	14,651	408	OK	81b5adaef0048b17...
py/EmotionModel.py	python	425	14	OK	1ad8aad121b44476...
py/engineering_ai_sim_agent_code_specialist_python.py	python	16,063	411	OK	8461d50b95977583...
py/EnvLink.py	python	569	22	OK	879efac56fc50688...
py/EpisodicMemory.py	python	415	12	OK	6376244e3e06fd39...
py/EthicsArbiter.py	python	454	16	OK	57d8f5d252fb3794...
py/forge_sim_agent.py	python	11,147	267	OK	af3b38bfc4f8dbb7...
py/FusionModulesManifest.py	python	2,467	80	OK	43a00ce094b85417...
py/GoalEngine.py	python	435	13	OK	8161d841b9e8d7d5...
py/gpt_6_lite_deterministic_mo_e_transformer_reasoning_head_single_file.py	python	13,171	338	OK	d3c023ca474f3ebe...
py/human_sim_human_like_ai_sim_agent_personality_drives_emotions_bdi_single_file.py	python	10,512	279	OK	28c1360767e7c92b...
py/human_voice_chat_advanced_voice_chat_mirroring_human_sim_single_file.py	python	11,799	300	OK	988279b234f216c5...
py/l_varia_engineer.py	python	12,582	307	OK	16a692d49d6196e5...
py/image_generator_server.py	python	692	23	OK	bb85b499143bf5eb...
py/imagination_engine.cpython-312.pyc	binary	1,685			bb7917f4151ee020...
py/intent_fusion_core.py	python	541	20	OK	f613d76065599057...
py/jarvis_server.py	python	909	35	OK	d13765c3474a0391...
py/kernel.py	python	425	14	OK	661fb48c606bae5c...
py/lang_lock_voice.py	python	13,678	339	OK	3ce8eaf5defa2442...
py/LanguageFeedback.py	python	378	14	OK	3e0627d893068e6f...
py/law_advisor_ai_sim_agent_qyvaria_compatible.py	python	14,696	397	OK	497f2257f15d12bb...
py/LearningManager.py	python	465	14	OK	80f4f3f21c87c2e9...
py/lingua.py	python	3,911	109	OK	3751b0d921f2b141...
py/lingua_api.py	python	1,056	38	OK	1d36eba76952ba1d...
py/linguistics_ai_sim_agent_qyvaria_compatible.py	python	15,478	455	OK	74b0466113497619...
py/llm_engine.cpython-312.pyc	binary	919			45a1f4c937c0888b...
py/llm_engine.py	python	640	22	OK	9ac6f6d64f6935ba...
py/logicky_rozhodovaci_system_pravidlovy_engine_cz.py	python	8,852	267	OK	a3b7723989934a7a...
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py	python	8,978	235	OK	3f5231c7d679e998...
py/machine_intelligence_ai_sim_agent_single_file_deterministic_goap_memory_tools.py	python	12,770	342	OK	2df9de8e5ddb86be...
py/main.py	python	708	26	OK	537fa45507480e7d...
py/mastermind_ai_sim_model_catalyst_v_7_aligned_mastermind_sim.py	python	12,279	305	OK	58a45de577cc8c4a...
py/mastermind_orchestrator_v_8.py	python	9,268	251	OK	7fc069bffc85adb...
py/media2prompt.py	python	13,413	335	OK	554bb71303aa4ef...
py/meta_ai_sim_adaptive.py	python	21,724	578	OK	56eee631ac7e8c95...
py/meta_ai_sim_agent.py	python	13,017	364	OK	81caf070eeda6fe6...
py/meta_sim_agent_qyvaria_compatible_simulates_sims_engine.py	python	15,852	445	OK	e5448cb70d75a6a7...
py/MetaLearningEngine.py	python	366	14	OK	2077bfd8606a9477...
py/MetaReasoner.py	python	510	17	OK	d89e2a92c53b918c...
py/mira_aof_ai_sim_agent_qyvaria_runtime.py	python	14,666	447	OK	9a9a0e5c7e02d9f3...
py/module_auditor.py	python	18,951	524	OK	6501d29ada338d0e...
py/MultiAgentFramework.py	python	556	24	OK	ff8741757813e77e...
py/NeuralPatternMapper.py	python	288	12	OK	ffbe812395634c27...
py/neuro_sim_agent_qyvaria_compatible_neuronal_sim.py	python	12,613	344	OK	e1f82061b7bb8722...
py/nl_2_py_qyvaria.py	python	23,523	561	OK	e9d43a4834201433...
py/nl_sim_agent_deterministic_natural_language_engine.py	python	12,360	299	OK	9f6c35ed8bbe183c...
py/omni_sim_agent.py	python	11,779	268	OK	74c647bed7e258c2...
py/oneagent_voice_sim.py	python	21,939	577	OK	60f308c6aa7be3ae...
py/openmind_module.py	python	20,250	429	ERROR	f4a3c662ffe746a8...
py/optimization_checker_agent.py	python	11,609	251	OK	b9a64a3743a954bd...
py/PerformanceMonitor.py	python	916	28	OK	36fa61119a875237...
py/PersistentGoalManager.py	python	517	20	OK	f49c80b09df300af...
py/Phytoon_Full_Language_Model.py	python	1,939	63	OK	ea87570f40f126db...
py/Phytoon_Language_Model.py	python	1,751	60	OK	319374cfa74405e5...
py/Phytoon_v2_Upgrade.py	python	3,722	112	OK	ae4e146143b8d07a...
py/PhytoonCetanaFusion.py	python	6,200	196	OK	77c73b6570cde291...
py/PhytoonImageGen.py	python	50	1	ERROR	6b60cf3f35b23d83...
py/problem_solving_ai_sim_minimal_deterministic_agent_qyvaria_style.py	python	16,851	424	OK	ee49d4efalc49143...
py/python_axiomdelta_codex.py	python	17,400	411	OK	9386b81d8d9e52f4...
py/qavaria_ai_sim_agent.py	python	16,780	443	OK	18343023077c7743...
py/question_policy.py	python	8,877	205	OK	e9f1e12423f5ef68...
py/qy_90_upgrade_pack_bootstrap.py	python	16,884	480	OK	e3bc0c9b5c7f3381...
py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py	python	16,548	468	OK	b4da858889b5ce79...
py/qy_agentsim_united.py	python	24,941	563	OK	3f55c57523a41b0c...
py/qy_ai_universe.py	python	32,305	780	OK	d4be1b9409e2da12...
py/qy_ai_universe_plus.py	python	34,532	872	OK	21096bef8b9818bb...
py/qy_app_sim_agent.py	python	29,860	793	ERROR	1d09dbe70d2b88e2...

Path	Kind	Bytes	Lines	Compile	SHA-256 prefix
py/qy_code_engineer_code_quality_refactor_and_safety_module_for_qyvaria_v_8.py	python	19,413	443	OK	c1de3cf1f7e79467...
py/qy_control_plane.py	python	18,118	474	OK	17b0f4dfe3b0ea17...
py/qy_crypto.py	python	11,608	268	OK	71b7ba8edd863e51...
py/qy_durable_orchestrator.py	python	16,191	381	ERROR	aea87423e044173d...
py/qy_fullstack_pack_bootstrap_fullstack.py	python	28,763	749	OK	857a1f39859db256...
py/qy_llm_pipeline.py	python	20,267	496	ERROR	72fa545980bedf91...
py/qy_llm_sim_module.py	python	11,920	326	OK	9c2c1dc10c5f4b17...
py/qy_logo_stamp.py	python	11,585	283	OK	6ff6814992f454af...
py/qy_memory_extended_pluggable_memory_module_for_qyvaria_v_8.py	python	14,342	386	OK	874fa51fd42c916d...
py/qy_ml_toolkit.py	python	23,408	585	OK	aa5b919e0e2e0086...
py/qy_network_retrieval.py	python	21,967	539	OK	726e229b71827608...
py/qy_nn_engine.py	python	11,259	303	OK	b6ebbd692ec2b6d4...
py/qy_orbit_pack_bootstrap_orbit.py	python	17,582	495	OK	e812a7fceb9c3049...
py/qy_perfection_kit.py	python	17,936	446	OK	1ccc7dd6f2c80fab...
py/qy_public_command_db_engineering_day_oct_4.py	python	17,109	419	OK	f457935bd3a64abe...
py/qy_reasoning_booster.py	python	16,157	402	OK	6e2dd2c72ed13ef...
py/qy_self_upgrade_pack_v_2_bootstrap_upgrade_v_2.py	python	21,323	502	OK	5f79f0c05f7b2945...
py/qy_sim_engineering_ai.py	python	31,925	780	OK	7d29efd7ad4a92aa...
py/qy_sim_pack_100.py	python	16,667	394	ERROR	0dd80ff3a6cfd546...
py/qy_sim_patchset_10.py	python	21,956	585	OK	b0c63d2a631bee30...
py/qy_team_network.py	python	17,562	418	OK	644ace99325f4cfe...
py/qy_test_ai.py	python	29,514	831	OK	6cf9d9e2fd68bb76...
py/qy_voice_engine_bootstrap_voice.py	python	15,802	413	OK	59d84ae493337d69...
py/qy_voice_modes_pack_bootstrap_voice_modes.py	python	12,624	277	OK	8742a112308f1abf...
py/qy_voice_policy_patch_bootstrap_voice_policy.py	python	8,314	211	OK	5e39249c601fd7ae...
py/qybilingual_voice.py	python	17,289	393	OK	b13e5fc14d148388...
py/qyintelligence.py	python	20,556	454	OK	1e0fb76fe6f13313...
py/qyintelligence_max.py	python	32,120	637	ERROR	2ba6dc37512070b8...
py/qymemory.py	python	15,405	390	OK	63d9af33fa7412d5...
py/qynlcalibrator_py_natural_unnatural_language_calibrator_lisp_fast_speech_phonetic_similarity.py	python	14,257	351	OK	202189f67f593aa3...
py/qyorchestrator.py	python	23,747	538	OK	a590ffc7912e7323...
py/qyraw_iq.py	python	22,966	505	OK	c7854a9c8a05359d...
py/qytranslate.py	python	21,060	420	OK	ccaa62c40063bef0...
py/Qyvaria Complete Sim.py	python	8,225	203	OK	5bca2f742aec2436...
py/Qyvaria Moral Constitution - Humanity-First.py	python	795	23	ERROR	e675352b6bd50014...
py/Qyvaria Sim Profile.py	python	9,392	231	OK	ddc7eb9350f50c96...
py/Qyvaria Voice Os.py	python	9,881	276	OK	d3b5cb63334a6718...
py/Qyvaria.py	python	146,711	3564	ERROR	54beeb338a9b14e3...
py/qyvaria_adaptability_sim_agent_adaptability_agent.py	python	8,907	190	OK	91362f7539108dad...
py/qyvaria_advanced_voice_chat_ai_sim_agent_low_latency_barge_in_safety_fast_api_reference.py	python	12,738	331	OK	dedf998efc58b990...
py/qyvaria_advanced_voice_chat_sim_emotion_mirroring_real_time_translation_noise_suppression_multimodal_prompt_composer_fast_api.py	python	13,515	316	OK	377a1c2b9a5bceab...
py/Qyvaria_Aeon.py	python	12,992	289	OK	b20ddf17c0d1353e...
py/qyvaria_agi_model.py	python	28,801	652	OK	9b8967d0ed4d0ff6...
py/qyvaria_agi_proto.py	python	23,803	583	OK	c91e2b8e1137fec9...
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python(1).py	python	17,632	463	OK	274ade16e2be4d87...
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python.py	python	17,632	463	OK	274ade16e2be4d87...
py/qyvaria_aisim_axis_module_factuality_reasoning_code_creativity_speed.py	python	15,489	400	OK	7b6a9d7f1bc50acf...
py/qyvaria_all_in_one(1).py	python	63,074	995	OK	526246559fb05cb0...
py/qyvaria_analyzer_streamlit_app.py	python	16,702	443	OK	d7aa148892e83568...
py/qyvaria_app_creator_sim_agent_single_agent_multi_role_pipeline.py	python	22,166	552	OK	210279c95e9dd61f...
py/qyvaria_catalyst_v_8_single_file_module_network_orchestrator_catalyst_hub.py	python	19,065	520	OK	b14ed2bb25040292...
py/qyvaria_cognitive_superstack.py	python	45,542	1213	OK	86512e05b3d1a2cb...
py/qyvaria_control_plane.py	python	22,975	617	OK	ad5d56112e82d2bc...
py/qyvaria_czech_language_module_simlang_cs.py	python	10,797	308	OK	302bc0442408acf6...
py/qyvaria_data_analyst_ai_sim_agent_eda_nfq->_data_charts_stats_cache_fast_api_python.py	python	16,252	387	OK	89d3c2a3581c1de9...
py/qyvaria_data_code_analyzer_ai_sim_agent.py	python	23,017	575	OK	87705d4df4e2627f...
py/qyvaria_equalizer_suite_one_go_language_code_logic_clarity_tool_equalizer_suite.py	python	17,802	430	OK	2e914a5d2b555b0f...
py/qyvaria_eval_harness_live_bench_gdpval_hle_v_0.py	python	14,864	376	OK	f2b67f421c2ffbf79...
py/qyvaria_evolution_agent.py	python	17,151	441	OK	d8d04a1d83301376...
py/qyvaria_generalization_agentic_ai_sim_single_module.py	python	18,187	479	OK	f75ac9a0a9a3064c...
py/qyvaria_guardian_module_prwa_plan->research->write->audit_loop.py	python	20,775	545	OK	973fa996f176ef38...
py/qyvaria_hardened.py	python	17,503	506	OK	6e4af93d61dc3c86...
py/qyvaria_hub_open_ai_multi_bot_connector_policy_safe.py	python	10,296	303	OK	6271a046d264cf4f...
py/qyvaria_hybrid_analyzer_encryptor_decryptor_mixer_transmitter_single_file_module.py	python	18,281	499	OK	ff252ce6587fd38e...
py/qyvaria_improvement_engine_one_file_simulator_toolkit_v_1.py	python	25,969	615	OK	09697562141d5743...
py/qyvaria_kernel_integration_bridge_mesh_orchestrator_v_0.py	python	13,591	361	OK	f114a0e9742c9ed9...
py/qyvaria_kernel_mesh_kernel_mesh.py	python	16,544	412	OK	0321bcba889e6cfe...
py/qyvaria_lang.py	python	19,529	484	OK	53cfc3a0ad1b5fc7...
py/qyvaria_language_lock_advanced_voice_chat_module_single_file.py	python	13,679	340	OK	0e173b2503b3fd18...
py/qyvaria_lightweight_foundation.py	python	40,279	978	OK	d1fa636a0d769aa3...
py/qyvaria_llm_sim_and_meta_agent.py	python	20,308	560	OK	5ee64d1939c8099a...
py/qyvaria_mathematical_ai_sim_agent_symbolic_numeric_steps_proof_hints_python_fast_api.py	python	15,967	400	OK	469ae6229605c218...

Path	Kind	Bytes	Lines	Compile	SHA-256 prefix
py/qyvaria_memo.py	python	11,752	326	OK	5ce064bf2cf8aa13...
py/qyvaria_meta_intelligence_engine.py	python	35,016	966	OK	091484f39f9f0f2c...
py/qyvaria_model.py	python	15,795	385	OK	62fcdcf15a69bc7c...
py/qyvaria_module_sumerian_voice+.py	python	17,103	471	ERROR	6bdf8bcf7644539f...
py/qyvaria_module_sumerian_voice.py	python	12,824	361	OK	10d705cb8d777893...
py/qyvaria_monolith_20.py	python	36,419	769	OK	7ed833900f6d77a1...
py/qyvaria_multi_agent_knowledge_mesh_30_micro_agents_orchestrator_v_0.py	python	19,807	508	OK	7b0f09aea503d28d...
py/qyvaria_natural_voice.py	python	2,242	53	ERROR	4989ada9d68530c8...
py/qyvaria_negramotny.py	python	14,557	333	OK	d66cd070dfa78046...
py/qyvaria_one_agent_sim_with_adoptable_logic_contextual_memory_and_internal_multi_agent_runtime.py	python	12,979	340	OK	8aa371c73526dbb...
py/qyvaria_photoreal_max.py	python	1,206	32	OK	9bc786d465e08205...
py/qyvaria_pra_genesis_ai_sim_agent.py	python	40,200	989	OK	cbe80dbdc29ccf69...
py/qyvaria_prompt_engineering_ai_sim_agent_lint_optimize_instantiate_a_b_eval_fast_api_python.py	python	15,358	365	OK	16f5b67323b1dfc7...
py/qyvaria_provenance_toolkit_v_0.py	python	16,607	451	OK	e6c82c792dc8047b...
py/qyvaria_rationality_max.py	python	20,657	520	OK	fbe9b289da48caf2...
py/qyvaria_research_analysis_module_qram_engineer_grade_implementation.py	python	19,833	572	OK	f539dee54e2d8932...
py/qyvaria_secure_sandbox.py	python	28,311	674	ERROR	f0efb110e3c91176...
py/qyvaria_simulate_then_act_rational_agent_v_0.py	python	22,460	601	ERROR	d1816c72a9a8ec47...
py/qyvaria_speed_module_single_file.py	python	15,460	417	OK	cc69ea9285e4dfdf...
py/qyvaria_team_orchestrator_multi_agent_sim_with_self_optimizer_secure.py	python	14,129	320	OK	3cdb232b15e7e487...
py/qyvaria_team_orchestrator_single_file.py	python	19,996	521	OK	8f79a7c3f30239b2...
py/qyvaria_ultralite_suite.py	python	42,515	1009	ERROR	3f38baabb7b09524...
py/qyvaria_unified_sim_agent_knowledge_guild_monolith_v_0.py	python	15,548	433	OK	e72b51f557178937...
py/qyvaria_url_reader_module_qy_url_reader.py	python	22,921	652	OK	6fbbfb0f79e7c120...
py/qyvaria_voice.py	python	27,192	732	ERROR	8c5dfb22049adc08...
py/qyvaria_voice_chat_x_single_file_server_fast_api_web_socket_stubs.py	python	8,197	236	OK	05d3a5342a77f606...
py/qyvaria_voice_sim_agent_diarization_addressed_reply_router_v_0.py	python	15,009	396	OK	94183e02733c269a...
py/qyvid_scripter.py	python	21,860	483	OK	a03c9f0ebc115c98...
py/qywriter.py	python	29,627	594	OK	c5f0189846db2653...
py/rationality_lab.py	python	2,557	67	ERROR	c5b7da7b60b254f1...
py/reality_aware_sim_machine_awareness_ai_sim_agent_active_inference_single_file.py	python	12,001	292	ERROR	93a3ea5c6cd1f168...
py/reursive_reflector.cpython-312.pyc	binary	1,151			c960c819e997c1c9...
py/reursive_reflector.py	python	879	1	ERROR	c89ecb3790e4c604...
py/SafetyKernelUpgrade.py	python	656	18	OK	6e3d6407237fb8ac...
py/SelfEditor.py	python	327	14	OK	b0e21f640a2e6e37...
py/SelfModel.py	python	326	10	OK	cce26e26c4d3cf9...
py/shell.py	python	352	20	ERROR	d926d80c906e2cb7...
py/SimulationInterface.py	python	351	12	OK	cd45684712737994...
py/SocialReasoner.py	python	377	12	OK	963c677aef9543e...
py/speed_agent.py	python	4,945	131	OK	c4eeb0952dbc827b...
py/starter_actions.py	python	322	14	OK	e399256a79204d9e...
py/startup.py	python	452	18	OK	68bf25a50af88f6f...
py/sumerian_language_model_ai_sim_agent_qyvaria_compatible.py	python	14,530	423	OK	213fa264fc61ae28...
py/sumerian_voice_chat_ai_sim_agent_for_qyvaria_fake_it_capable.py	python	12,984	366	OK	1860e62f1fb849cc...
py/TaskPlanner.py	python	1,617	35	OK	6608a82bb204abfa...
py/teleprompter.py	python	6,431	111	ERROR	5bd792a30df1c147...
py/therapist_style_ai_sim_agent_safety_first_support_python.py	python	11,721	290	ERROR	1875d1bbe8056087...
py/train_model.py	python	2,181	71	OK	8ccb4717adcfbc0e...
py/translator_crypto_sim_agent_qyvaria_compatible.py	python	16,094	419	OK	eaad63f0c15e2557...
py/truth_alignment_kernel.cpython-312.pyc	binary	1,054			c7d5cc220d106054...
py/truth_alignment_kernel.py	python	715	1	ERROR	511321996af98994...
py/ValueGuardian.py	python	666	18	OK	9fbd5b3c9b7b0e5c...
py/Varia Health Reporter - phrase->status system.py	python	4,137	87	ERROR	45fab79c7855e2ec...
py/Varia+.py	python	34,191	716	OK	bcb1a61dc0237d23...
py/velcode_interpreter.py	python	167	6	OK	4bfc7aa4e5ecb630...
py/velcode_shell.py	python	336	16	ERROR	9008c09f7368acce...
py/voice_engineering_frontend_qyvaria_v_8_module.py	python	5,683	133	OK	8b7fad8f5510c292...
py/WakeUpKernel.py	python	736	21	OK	70a40e3ea9dd31a8...
py/WorldModel.py	python	472	19	OK	598e5853650530c9...
py/WorldModelExpander.py	python	403	13	OK	d5116fa932f9ecd...
py/zip_to_py.py	python	1,195	31	OK	0c20fed8a71e5fe6...

Appendix C. Binary and non-Python payloads

The binary/other payload includes 8 .pyc files and 1 React JSX artifact.

Path	Kind	Bytes	SHA-256 prefix
py/aeon_ethics.cpython-312.pyc	binary	1,008	a9e080790cc3b9e7a988324b...
py/aeon_self_diagnostic.cpython-312.pyc	binary	1,127	49259cee705bdac5e8dfde0b...
py/ai_sim_trace_viewer_timeline_artifacts_diffs_costs_decisions_react.jsx	binary	14,444	4a8439c2890161da30b69db1...
py/belief_engine.cpython-312.pyc	binary	3,559	e86b9192de1171adc031d4b3...
py/concept_engine.cpython-312.pyc	binary	868	67eaffac54d641f63f7175bb...
py/imagination_engine.cpython-312.pyc	binary	1,685	bb7917f4151ee0201e3338ef...
py/llm_engine.cpython-312.pyc	binary	919	45a1f4c937c0888bcb5283a2...
py/recursive_reflector.cpython-312.pyc	binary	1,151	c960c819e997c1c9d080235a...
py/truth_alignment_kernel.cpython-312.pyc	binary	1,054	c7d5cc220d1060540bd10ed8...

Appendix D. Command output ledger

The full command ledger is stored in the companion evidence pack. Key outputs are repeated below.

--list summary

The --list command returned code 0 and produced 277 file paths. First and last paths:

```
py/1qyvaria_prompt_gen.py
py/AGI_Agents.py
py/AGI_Boot.py
py/AGI_Ethics.py
py/AGI_Ignition.py
py/AGI_Memory.py
py/AGI_MetaReasoner.py
py/AGI_Orchestrator.py
py/AGI_PluginManager.py
py/Aeon_Ai_Sim.py
py/Agi_Super_Intelligence.py
py/Cetana_Custom_Agent_Core.py
...
py/sumerian_language_model_ai_sim_agent_qyvaria_compatible.py
py/sumerian_voice_chat_ai_sim_agent_for_qyvaria_fake_it_capable.py
py/teleprompter.py
py/therapist_style_ai_sim_agent_safety_first_support_python.py
py/train_model.py
py/translator_crypto_sim_agent_qyvaria_compatible.py
py/truth_alignment_kernel.cpython-312.pyc
py/truth_alignment_kernel.py
py/velcode_interpreter.py
py/velcode_shell.py
py/voice_engineering_frontend_qyvaria_v_8_module.py
py/zip_to_py.py
```

--extract summary

```
$ /opt/pyvenv/bin/python -S /mnt/data/qyvaria.py --extract /mnt/data/qyvaria_extract_probe
returncode=0
stdout:
Extracted to /mnt/data/qyvaria_extract_probe

stderr:
```

Import probe

```
memloader_registered True
py.AGI_Agents ERR ModuleNotFoundError No module named 'py'
py.Qyvaria ERR ModuleNotFoundError No module named 'py'
AGI_Agents ERR ModuleNotFoundError No module named 'AGI_Agents'
Qyvaria ERR ModuleNotFoundError No module named 'Qyvaria'
```

Appendix E. Independent reviewer checklist

Reviewer step	Pass condition
Hash qyvaria.py	Matches the SHA-256 on the title page.
Run --stats	Metadata matches the stats table.
Run --list	277 paths returned.
Run --extract	277 files extracted; no hash mismatch exception.
Run static compile script	Results match or improve upon 239 OK / 29 error.
Run prompt generator	Return code 0 and prompt output produced.
Run import smoke tests	Current release is expected to show import layout failures until fixed; next release should pass.
Run benchmark harness	No public superiority claim until raw logs and baselines are published.

Minimal static compile script

```
import pathlib, py_compile, json
root = pathlib.Path("qyvaria_extracted/py")
errors = []
for path in sorted(root.rglob("*.py")):
    try:
        py_compile.compile(str(path), doraise=True)
    except Exception as e:
        errors.append({"path": str(path), "error": str(e)})
print(json.dumps({"total": len(list(root.rglob("*.py"))), "errors": errors}, indent=2))
```


Appendix F. Final proof summary

The evidence supports Qyvaria as a serious AI software corpus and bundle experiment. The strongest proof is already cryptographic and mechanical: the wrapper lists, extracts, and hash-verifies a 277-file payload, and one prompt-generation subsystem runs directly. The weakest area is not ambition; it is release hardening: entry routing, embedded import layout, compile-clean status, dependency pinning, and benchmark provenance.

Final verdict

Qyvaria is real as a source artifact and packaging architecture. It has verifiable payload integrity and working components. It should be presented to the world as an ambitious AI-runtime bundle in hardening, with proof artifacts attached, not as an already-proven AGI or OS-kernel replacement.