

Qyvaria OS

Qyvaria AI Software

Master Publication Book

English + Czech consolidated edition

Purpose

This single PDF book consolidates the Qyvaria publication pack into one organized, searchable document. It includes the English and Czech editions, master navigation pages, volume dividers, appendix material, and PDF bookmarks so the reader can find any topic quickly.

Compiled contents

- 00 Publication Pack Index
- 01 Grand Technical Compendium
- 02 Architecture Atlas
- 03 Agent and Cognition Encyclopedia
- 04 Developer and Release Manual
- 05 Audit and Evidence Dossier
- 06 Qyvaria OS Integration Blueprint
- 07 Open Intelligence Manifesto
- 08 Embedded Module Atlas

How to find anything quickly

Use the bookmarks/sidebar

Open the PDF outline/bookmarks panel. The master sections, every volume, and appendices are bookmarked.

Use the master page numbers

The table of contents below gives the PDF page where each volume begins. Existing internal page numbers are also preserved inside each source book.

Use search

Search for terms like agent, memory, kernel, OS integration, audit, release, manifest, module, voice, safety, or GitHub.

Read by language

English volumes are grouped first. Czech volumes are grouped after the English library.

Read by purpose

Use the Quick Finder pages for architecture, agents, release setup, audit evidence, OS integration, philosophy, and embedded modules.

Organization principle

The book keeps the original PDF volumes intact, adds new master navigation, and places each volume behind a clear divider page. This preserves the original documentation while making the complete library easier to browse as one book.

English library

Each entry shows the master PDF page where the volume divider begins and where the original source volume starts.

Vol.	Title	Divider	Content
00	Qyvaria Publication Pack Index	8	9
01	Qyvaria Kernel – Grand Technical Compendium	13	14
02	Qyvaria Architecture Atlas	31	32
03	Qyvaria Agent and Cognition Encyclopedia	49	50
04	Qyvaria Developer and Release Manual	65	66
05	Qyvaria Audit and Evidence Dossier	72	73
06	Qyvaria OS Integration Blueprint	81	82
07	The Qyvaria Open Intelligence Manifesto	88	89
08	Qyvaria Embedded Module Atlas	94	95

English section starts on page 7

Original source-page numbering inside the volumes is preserved.

Czech library / Česká knihovna

Každá položka uvádí hlavní PDF stránku oddělovače a začátek původního svazku.

Sv.	Název	Odděl.	Obsah
00	Index publikačního balíčku Qyvaria	121	122
01	Qyvaria Kernel – Velké technické kompendium	126	127
02	Atlas architektury Qyvaria	144	145
03	Encyklopedie agentů a kognice Qyvaria	162	163
04	Vývojářská a vydávací příručka Qyvaria	178	179
05	Auditní a důkazní dossier Qyvaria	185	186
06	Blueprint integrace Qyvaria OS	193	194
07	Manifest otevřené inteligence Qyvaria	199	200
08	Atlas vložených modulů Qyvaria	205	206

Czech section starts on page 120

Původní stránkování zdrojových svazků zůstává zachováno.

Quick Finder

Use these routes when you know the topic but not the volume.

Project overview	00 Index; 01 Grand Technical Compendium	start EN p. 8/13, CS p. 121/126
Kernel mechanics	01 Compendium; 02 Architecture Atlas	entry, import loader, bundle shell
Runtime layers	02 Architecture Atlas	seven runtime layers and subsystem atlas
Agents and cognition	03 Agent and Cognition Encyclopedia	registered agents, memory, voice, reasoning
Developer setup	04 Developer and Release Manual	repo structure, release hardening, CI gates
Audit evidence	05 Audit and Evidence Dossier	hash checks, compile blockers, risk register
Qyvaria OS integration	06 OS Integration Blueprint	kernel-to-OS boundary and service contracts
Open-source/public mission	07 Open Intelligence Manifesto	principles and collaboration stance
Embedded modules	08 Embedded Module Atlas	import footprint, module portraits, manifest

Evidence map

Corpus scale

277 embedded records, 268 Python files, 9 binary records, and 17 named agents are documented in the technical volumes.

Integrity

The audit volumes describe per-file SHA-256 checks and zero observed hash mismatches in the analyzed dataset.

Readiness boundary

The documentation separates verified observations from conceptual blueprints and release hardening tasks.

Public repo placement

The publication pack is designed for GitHub documentation, with software licensing stated as Apache License 2.0.

Appendices

Appendix A — GitHub Upload README begins on page 232.

Appendix B — Pack Contents begins on page 233.

Total PDF pages in this master book: 233

ENGLISH LIBRARY

Qyvaria Publication Pack

English editions of the Qyvaria OS and Qyvaria Kernel documentation.

ENGLISH SECTION

VOLUME 00 — ENGLISH

Qyvaria Publication Pack Index

Guide to the full bilingual library and GitHub placement.

EN Volume 00

Qyvaria Publication Pack Index

A bilingual library guide for the Qyvaria kernel books

Grounded in the supplied qyvaria.py corpus, its mirrored text payload, and the prior technical reading.

Prepared for the Qyvaria open publication pack - 17 May 2026.

Contents

1. Purpose of the publication pack
2. The bilingual library
3. Suggested GitHub placement
4. Source basis

Purpose of the publication pack

This index explains the Qyvaria bilingual book library created for repository publication. The pack is intentionally broad: the source corpus is not merely one script, but a 277-record embedded software bundle with agents, runtime machinery, voice modules, memory modules, orchestration modules, safety-shaped modules, and engineering experiments. A single explanatory PDF cannot do justice to that range, so this library separates architecture, audit, development, cognition, operating-system integration, and philosophy into distinct books.

Publication principle: larger is justified when it adds navigation, evidence, and reusable context rather than padding.

The bilingual library

Volume	Role
01 Grand Technical Compendium	The full high-level technical reading of the kernel corpus.
02 Architecture Atlas	Runtime layers, bundle mechanics, categories, and module mapping.
03 Agent and Cognition Encyclopedia	Agent registry, cognitive modules, memory, voice, and reasoning clusters.
04 Developer and Release Manual	Repository structure, hardening sequence, tests, and release practice.
05 Audit and Evidence Dossier	Hash integrity, compile status, blockers, risk register, and method.
06 Qyvaria OS Integration Blueprint	A clearly labeled conceptual integration book for Qyvaria OS plus kernel.
07 Open Intelligence Manifesto	Mission, philosophy, open collaboration, and long-view purpose.

Suggested GitHub placement

A practical GitHub layout is to keep the ZIP as an archival release asset and place the PDFs in a /docs/books directory inside the repository. The index PDF can remain at the root of that directory. The books should sit beside the Apache-2.0 software source rather than replace the README. The README can link to the index, then the index routes readers to the individual volumes.

```
docs/books/
  00_Publication_Pack_Index_EN.pdf
  00_Publication_Pack_Index_CS.pdf
  01_Grand_Technical_Compendium_*.pdf
  ...
  07_Open_Intelligence_Manifesto_*.pdf
```

Source basis

Field	Observed value
Bundle name	qyvaria
Format	py-single
Creation timestamp	2025-10-24T22:22:26.282Z
Entry value	qyvaria
Embedded files	277
Python files	268
Binary files	9
Original payload bytes	3378233
Stored payload bytes	3378233
Compression ratio	100
Registered agents	17
Hash mismatches observed	0

Evidence basis and editorial boundary

This volume is grounded in the supplied Qyvaria corpus and the preceding technical study. It distinguishes between directly observed bundle metadata, static source inspection, controlled command-line observations, and interpretive proposals. The publication pack does not certify production security or claim that every module is runnable. It treats the project as a serious software corpus whose value increases when its evidence, ambitions, and next engineering steps are written down clearly.

VOLUME 01 — ENGLISH

Qyvaria Kernel - Grand Technical Compendium

Full high-level technical reading of the kernel corpus.

EN Volume 01

Qyvaria Kernel - Grand Technical Compendium

An expanded evidence-grounded monograph on the Qyvaria software
corpus

Grounded in the supplied qyvaria.py corpus, its mirrored text payload, and the prior technical
reading.

Prepared for the Qyvaria open publication pack - 17 May 2026.

Contents

1. Executive orientation
2. What the Qyvaria corpus is
3. Bundle mechanics and the kernel metaphor
4. Subsystem landscape
5. Representative module portraits
6. Engineering status and next release
7. Appendix A - Full embedded manifest
8. Appendix B - Agent inventory
9. Appendix C - Static compile blockers

Executive orientation

Qyvaria is best read as a self-contained AI engineering corpus distributed through a single Python wrapper. The observed wrapper carries bundle metadata, Base64 payload records, per-file SHA-256 checks, a custom in-memory import hook, a minimal agent bus, and a CLI surface. Inside that shell is a much broader world: 277 embedded records, 268 Python files, 9 binary records, 17 named agents, and multiple conceptual families of runtime, cognition, voice, memory, safety, and tool-oriented modules.

The project calls itself a kernel. In the strict operating-system sense, the supplied artifact is not a hardware kernel. In the project sense, kernel is a legitimate metaphor for a coordinating nucleus: a central place where routing, policy, memory, orchestration, safety, and experiential surfaces are intended to meet.

Field	Observed value
Bundle name	qyvaria
Format	py-single
Creation timestamp	2025-10-24T22:22:26.282Z
Entry value	qyvaria
Embedded files	277
Python files	268
Binary files	9
Original payload bytes	3378233
Stored payload bytes	3378233
Compression ratio	100
Registered agents	17
Hash mismatches observed	0




Figure 1. Thematic footprint of the source corpus.

What the Qyvaria corpus is

A useful plain-language image is a workshop cabinet. The outer wrapper is the cabinet: labeled, locked by integrity checks, and equipped with retrieval routines. The embedded files are the tools, notebooks, prototypes, and machines placed inside. The authorial identity of Qyvaria emerges from the way these artifacts cluster: simulations, autonomous actors, cognitive stacks, control planes, voice systems, provenance tooling, and release machinery.

- As a bundle: one file stores a project snapshot.
- As a runtime experiment: the wrapper registers a custom loader and an agent bus.
- As an AI systems anthology: the payload groups many modules around reasoning, memory, and tool use.
- As a release candidate in formation: the catalog is broad, while entry wiring and compile status still need consolidation.

Bundle mechanics and the kernel metaphor

The bundle declares a codec name of quantize-int8, but the wrapper decoder map visibly implements raw, gzip, and deflate. With equal original and stored byte totals, the observed behavior is consistent with raw Base64 payload bytes after decoding. The bundle shell verifies each decoded file against its per-file SHA-256 value; in the analysis dataset, no mismatches were observed.

The in-memory loader converts an import name into a candidate path and executes the decoded file when the candidate exists. This design makes the single-file format a runtime container rather than a mere archive. The design is elegant in concept, while the current entry metadata and embedded path convention still need a single canonical rule.

```
cand = fullname.replace('.', '/') + '.py'
if cand in __BUNDLE__['files']:
    return importlib.util.spec_from_loader(fullname, self)
```

Subsystem landscape

Theme	Tagged files	Compiles	Blockers
Agent and Simulation	104	92	9
Reasoning and Intelligence	56	50	4
Tools, Apps, Developer Experience	45	41	4
Runtime, Kernel, Orchestration	38	35	2
Voice and Language	34	30	4
Security, Safety, Provenance	28	22	4
Evaluation, Testing, Training	17	15	1
Memory and Knowledge	15	14	1
Media and Visual Systems	7	6	1




Figure 2. The twelve largest embedded records by recorded size.

Import footprint

Imported symbol/module	Occurrences
typing	176
__future__	170
dataclasses	169
json	89
time	82
re	74
os	72
math	59
argparse	58
random	49
hashlib	37
sys	33
pathlib	30
io	26
textwrap	26
numpy	25
datetime	22
collections	22
fastapi	19
threading	18
statistics	17
ast	16
base64	16
torch	14
importlib	11
functools	11
	11
asyncio	10

Representative module portraits

py/Qyvaria Sim Profile.py

Recorded payload size: 9,392 bytes. Static parse status: OK.

Qyvaria Individual Simulation Profile ----- A drop-in module that gives Qyvaria its own self-contained simulation runtime plus an opt-in conversation policy that: • Suppresses “help-seeking” clichés (e.g., "do you need help?", "need more help?") • Starts interesting, open-ended conversations proactively (without being clingy) Design goals - Kernel-safe: pure Python, no I/O, no threads, no network. - Deterministic: seedable PRNG and explicit toggles. - Auditable: single class for policy; single class for simulation runtime; tiny API. To wire in: 1) Drop this file into the bundle (e.g., py/qyvaria_sim_profile.py). 2) From your kernel entry or router, import `register\_qyvaria\_sim(runtime)` and call it with a dict-like `r...

Aspect	Observed material
Representative classes	ConversationPolicy, IndividualSimulation
Representative top-level functions	register_qyvaria_sim
Imported modules	__future__, dataclasses, math, random, re, time, typing
Approximate line count	231

py/Qyvaria Complete Sim.py

Recorded payload size: 8,225 bytes. Static parse status: OK.

Qyvaria Complete SIM — Unified Runtime =====
 One-file orchestrated simulation for Qyvaria that pulls together: • Conversation Policy (no needy help prompts, proactive starters) • AEON AI SIM (planner → critic → safe executor, memory, skills) • AEON LIFE • LIVE (event bus, lifecycle, scheduler) • Non-Repetitive Mode (n-gram repetition guard) Design goals - Pure Python, deterministic seeds, no network I/O. - RBAC-safe: all actuation via allowlisted commands. - Drop-in: runs standalone or registers into an existing runtime dict. - Auditable: explicit traces and small, testable surfaces. Files this integrates with (soft deps; shims used if missing): - qyvaria_sim_profile.py - aeon_ai_sim.py - aeon_life_live.py - no_repeat...

Aspect	Observed material
Representative classes	QyvariaCompleteSIM
Representative top-level functions	—
Imported modules	__future__, aeon_ai_sim, aeon_life_live, dataclasses, no_repeat_guard, qyvaria_sim_profile, random, re, time, typing
Approximate line count	203

py/Qyvaria Voice Os.py

Recorded payload size: 9,881 bytes. Static parse status: OK.

Qyvaria Voice OS — Advanced Conversational Runtime (Voice-First)

=====

Purpose A production-style, deterministic, auditable voice chat operating layer for Qyvaria that is engaging and *does not ask questions nonstop*. It manages turn-taking, backchannels, question-throttling, barge-in, and prosody hints — while integrating with the existing Complete SIM / AEON stack. Highlights • Voice state machine: LISTEN → THINK → SPEAK → (HOLD|YIELD) • Question-Throttle: per-minute budget, rolling windows, rewrite to statements • Backchanneler: lightweight acknowledgments that don't derail the user • Barge-In handling: detect/allow user interrupts; gracefully cut TTS • Engagement Engine: openers, reflect...

Aspect	Observed material
Representative classes	VAD, ASR, TTS, QuestionThrottle, VState, VoiceOS
Representative top-level functions	ssml
Imported modules	__future__, dataclasses, math, qyvaria_complete_sim, random, re, time, typing
Approximate line count	276

py/qyvaria_control_plane.py

Recorded payload size: 22,975 bytes. Static parse status: OK.

Qyvaria Control Plane — single-file app =====
 Self-modification (hot updates), performance monitoring, resource management, insights, testing, and a lightweight web UI — engineered for smallest possible footprint and stability. Optional deps only (FastAPI, Uvicorn, psutil). Falls back to CLI if web stack is not installed. Features ----- - Module Manager: upload/validate/activate/rollback Python modules at runtime · AST compile checks, optional risky-pattern scanner, versioned store · Hot-reload using importlib; stable rollback on failure - Performance Monitor: timing decorators + system metrics (psutil if available) · Request/operation latency histograms, rolling windows, JSON export - Resource Manager: basic CPU/...

Aspect	Observed material
Representative classes	RollingStat, Perf, Resources, ModuleVersion, Modules, Insights, TestResult, Tests, App
Representative top-level functions	now_iso, sha16, read_text, write_text, safe_join, static_scan, snapshot_active, require_token, main
Imported modules	__future__, argparse, ast, base64, dataclasses, datetime, fastapi, functools, hashlib, importlib, inspect, io, json, os, pathlib, psutil, random, re (+13 more)
Approximate line count	617

py/qyvaria_cognitive_superstack.py

Recorded payload size: 45,542 bytes. Static parse status: OK.

Qyvaria Cognitive Superstack (QCS) ===== A single-file, dependency-free **meta-learning and orchestration supermodule** that boosts Qyvaria's problem-solving capacity via: - **Task & Solver OS**: registries, episodic runner, JSONL events, Markdown reports. - **Search Suite**: BFS/DFS/IDDFS, A*, Beam, MCTS-lite, Best-First, Hill-Climb, Simulated Annealing. - **Program Induction**: tiny LISP-like DSL with interpreter + enumerative/stochastic synthesis. - **Auto-Curriculum**: ELO ratings for tasks/solvers, bandits (UCB1 & Thompson), difficulty sampler. - **Memory Systems**: episodic log, semantic index (TF-IDF/BM25-ish), and a lightweight knowledge graph. - **Self-Reflection**: failure taxonomy, patch suggestions, knob tuni...

Aspect	Observed material
Representative classes	ArtifactStore, MemoryArtifactStore, FSArtifactStore, Clock, DefaultClock, Settings, PolicyEngine, Event, EventBus, KGNode, KGEdege, KnowledgeGraph, MemoryItem, MemoryIndex (+11 more)
Representative top-level functions	_now_ts, _json, _slug, _stable_hash, elo_update, synthesize_program, bfs, dfs, a_star, mcts, register_builtin_tasks, _gen_arith, _safe_eval_arith, _eval_arith, _gen_reverse, _eval_reverse, _gen_nextint, _eval_nextint (+12 more)
Imported modules	_future_, ast, dataclasses, enum, functools, heapq, io, itertools, json, math, os, pathlib, random, re, statistics, string, sys, textwrap (+2 more)
Approximate line count	1213

py/qyvaria_meta_intelligence_engine.py

Recorded payload size: 35,016 bytes. Static parse status: OK.

Qyvaria Meta-Intelligence Engine (QMIE) ===== A single-file, dependency-free module that adds **self-improvement, meta-reasoning, simulation, and evaluation** capabilities to Qyvaria's kernel (`Qyvaria.py`). The goal is to *increase problem-solving capacity over time* through: - **Ensembled solvers** (BFS/DFS/Beam, MCTS-lite, Program search, Heuristic search) - **Bandit-driven selection** and **Bayesian model selection** of solvers - **Automatic curriculum** with ELO-style difficulty ratings for tasks & solvers - **Self-reflection** & **failure taxonomy** with patch proposals - **Memory** (episodic & semantic) with simple TF-IDF-like retrieval - **Grid search / hyperparameter tuning** with reproducible seeds - **Deter...**

Aspect	Observed material
Representative classes	ArtifactStore, MemoryArtifactStore, FSArtifactStore, Clock, DefaultClock, Settings, PolicyEngine, Event, EventBus, TaskSpec, TaskRegistry, SolverSpec, SolverRegistry, MemoryItem (+6 more)
Representative top-level functions	_now_ts, _json, _slug, _stable_hash, elo_update, register_builtin_tasks, _gen_arith, _safe_eval_arith, _eval_arith, _gen_reverse, _eval_reverse, _gen_nextint, _eval_nextint, _gen_logic, _eval_logic, solver_arith_eval, solver_reverse, solver_sequence_fit (+4 more)
Imported modules	_future_, ast, dataclasses, enum, functools, heapq, inspect, io, itertools, json, math, os, pathlib, random, re, statistics, string, sys (+5 more)
Approximate line count	966

py/qyvaria_monolith_20.py

Recorded payload size: 36,419 bytes. Static parse status: OK.

Qyvaria Monolith 20 — single-file ultra-light AI stack

===== This file implements **20 engineered modules**—core model + performance + RAG + safety + ops—inside one Python file. Everything is standard-library first with optional NumPy acceleration when available. Designed to be tiny, auditable, and runnable anywhere (no GPUs required). Modules (sections) ----- P0 — Core & Performance 1. qyvaria_core : distilled transformer + generation 2. qyvaria_prune_quant : pruning + PTQ quant helpers 3. qyvaria_kvcache : KV cache (RAM) with TTL and hit stats 4. qyvaria_adapters : LoRA attach/merge/swap 5. qyvaria_negramotny : active/self-supervised learning + KD hook 6. qyvaria_scheduler : priority job...

Aspect	Observed material
Representative classes	TokConfig, Tokenizer, CoreConfig, Linear, LayerNorm, Attention, MLP, Block, QCore, KVItem, KVCache, LoRAConfig, AdapterHub, Sample (+17 more)

Aspect	Observed material
Representative top-level functions	_seed, _softmax, prune_linear_magnitude, ptq_linear, _demo, main
Imported modules	_future_, argparse, ast, base64, dataclasses, gzip, hashlib, io, itertools, json, math, numpy, os, pathlib, queue, random, re, sqlite3 (+11 more)
Approximate line count	769

py/qymemory.py

Recorded payload size: 15,405 bytes. Static parse status: OK.

Aspect	Observed material
Representative classes	_NullCipher, MemoryRecord, QYMemory
Representative top-level functions	_get_cipher, _flatten_payload, _tokenize, _now
Imported modules	_future_, collections, cryptography, dataclasses, hashlib, json, os, pathlib, re, sqlite3, time, typing, uuid, zlib
Approximate line count	390

py/qyorchestrator.py

Recorded payload size: 23,747 bytes. Static parse status: OK.

Aspect	Observed material
Representative classes	PlanStep, Plan, TimeoutError, _Timeout, QYOrchestrator
Representative top-level functions	_tokenize
Imported modules	_future_, dataclasses, json, os, pathlib, re, signal, sqlite3, threading, time, typing, uuid
Approximate line count	538

py/qyintelligence.py

Recorded payload size: 20,556 bytes. Static parse status: OK.

QYIntelligence — Six Cognitive Modules (MIT) Focus: raise Qyvaria's intelligence with robust, testable components that improve reading, reasoning, retrieval, planning, and verification. Modules/services exposed: 1) contracts – schema-guarded generation & JSON I/O (validation + guarded retries) 2) retriever – adaptive retrieval + MMR reranker over your memory service 3) reasoner – self-consistency voting + lightweight answer selection 4) critic – claim extraction + memory-backed verification (support scores) 5) plannerpro – heuristic hierarchical task decomposition + orchestrator glue 6) kg – lightweight knowledge-graph (triples) with path queries Facade: intelligence – convenience RAG function combining retriever → generator → critic. Dependencies:...

Aspect	Observed material
Representative classes	Contracts, Retriever, Reasoner, Claim, Critic, PlannerPro, KnowledgeGraph, QYIntelligence
Representative top-level functions	_tokens, _top_k
Imported modules	_future_, dataclasses, itertools, json, jsonschema, math, os, pathlib, re, sqlite3, time, typing, uuid
Approximate line count	454

py/qyvaria_provenance_toolkit_v_0.py

Recorded payload size: 16,607 bytes. Static parse status: OK.

Qyvaria Provenance Toolkit (v0.1) ===== Single-file Python module that provides: • EXIF stripping • Visible badge compositor (with microtext + tiled low-alpha marks) • Robust invisible watermark (DCT, chroma, spread-spectrum with repetition) • Ed25519 cryptographic manifest (sidecar JSON) + verifier • CLI (embed/verify/strip-exif) and optional FastAPI server Dependencies (install): pip install pillow opencv-python numpy pynacl fastapi uvicorn pydantic piexif Usage (CLI): python qyv_provenance.py embed --in in.jpg --out out.jpg --issuer Qyvaria --engine "FLUX.1-dev" --badge yes --key <hex32_or_64> --wmkey <hex32_or_64> python qyv_provenance.py verify --in out.jpg --wmkey <hex>

```
[--manifest out.jpg.qyv.json] python qyv_prove...
```

Aspect	Observed material
Representative classes	WMPParams
Representative top-level functions	strip_exif_bytes, add_visible_badge, _blockview, _prn, _prepare_payload_bits, embed_watermark, detect_watermark, sign_manifest, verify_manifest, _bytes_from_image, cmd_embed, cmd_verify, cmd_strip_exif, main
Imported modules	PIL, __future__, argparse, base64, cv2, dataclasses, fastapi, hashlib, io, json, math, nacl, numpy, os, piexif, secrets, textwrap, time (+1 more)
Approximate line count	451

Engineering status and next release




Figure 3. Static compile status across embedded Python files.

The corpus is substantial and the outer bundle mechanics are real. At the same time, the present artifact carries three release-significant inconsistencies: the declared entry value does not cleanly resolve to the embedded file layout used by the loader; the codec label and implemented decoder paths do not align; and 29 embedded Python records fail static compilation in the analysis interpreter. These are engineering findings, not a dismissal of the life-work behind the project.

- Normalize the canonical entry path.
- Make the loader's path convention explicit.
- Resolve all compile blockers, beginning with entry-reachable modules.
- Align codec metadata with runtime behavior.
- Add CI gates for hashes, help, stats, run, extract, and compile sweep.
- Publish a minimal architecture contract for kernel, agents, memory, and policy.

Appendix A - Full embedded manifest

Path	Kind	Bytes	SHA-256 prefix
py/1qyvaria_prompt_gen.py	python	17,435	afe955598e33dac3
py/AGI_Agents.py	python	473	0ca10d126fe6ada5
py/AGI_Boot.py	python	570	60b151f65b463931
py/AGI_Ethics.py	python	295	489c31a18f51a239
py/AGI_Ignition.py	python	1,555	0b38824833c7fcee
py/AGI_Memory.py	python	451	873e1a9f5316906c
py/AGI_MetaReasoner.py	python	307	f617011f2662dae2
py/AGI_Orchestrator.py	python	672	ed5ebbb54fdf0106
py/AGI_PluginManager.py	python	342	ac9d69986ca3f4ff
py/Aeon Ai Sim.py	python	13,911	1f0178d941511da6
py/Agi Super Intelligence.py	python	10,154	886859d30d603bd9
py/Cetana_Custom_Agent_Core.py	python	1,847	2126ef08c90fc8c6
py/Cetana_IDE_Launcher.py	python	109	874c4d451f836a42
py/Cetana_OS_Link.py	python	348	56f824a08680c9d5
py/Cetana_OS_Simulation.py	python	1,776	df884a4e5b8867f5
py/Cetana_Phytoon_IDE.py	python	1,579	c98e56e71d990c9a
py/Cetana_Simulator.py	python	3,803	2602bf7a2fa23220
py/Cetana_v4_Boot.py	python	4,765	ec699883058de0af
py/Cetana_v5_Boot.py	python	2,331	48b94447cbf1214f
py/Cetana_v6_Boot.py	python	1,503	b5fb403aa02adcb6
py/CodeLab.py	python	587	23749f7555c0d35e
py/CodeSandbox.py	python	635	d5cdc4690d2d59fc
py/CognitiveStyle.py	python	272	dd38ca4f8d378809
py/CounterfactualSimulator.py	python	402	79ffba40977176fc
py/CuriosityResearch.py	python	490	71d2123e8b93a423
py/EmotionModel.py	python	425	1ad8aad121b44476
py/EnvLink.py	python	569	879efac56fc50688
py/EpisodicMemory.py	python	415	6376244e3e06fd39
py/EthicsArbiter.py	python	454	57d8f5d252fb3794
py/FusionModulesManifest.py	python	2,467	43a00ce094b85417
py/GoalEngine.py	python	435	8161d841b9e8d7d5
py/I varia_engineer.py	python	12,582	16a692d49d6196e5
py/LanguageFeedback.py	python	378	3e0627d893068e6f
py/LearningManager.py	python	465	80f4f3f21c87c2e9
py/MetaLearningEngine.py	python	366	2077bfd8606a9477
py/MetaReasoner.py	python	510	d89e2a92c53b918c
py/MultiAgentFramework.py	python	556	ff8741757813e77e
py/NeuralPatternMapper.py	python	288	ffbe812395634c27
py/PerformanceMonitor.py	python	916	36fa61119a875237
py/PersistentGoalManager.py	python	517	f49c80b09df300af
py/PhytoonCetanaFusion.py	python	6,200	77c73b6570cde291
py/PhytoonImageGen.py	python	50	6b60cf3f35b23d83
py/Phytoon_Full_Language_Model.py	python	1,939	ea87570f40f126db
py/Phytoon_Language_Model.py	python	1,751	319374cfa74405e5
py/Phytoon_v2_Upgrade.py	python	3,722	ae4e146143b8d07a
py/Qyvaria Complete Sim.py	python	8,225	5bca2f742aec2436
py/Qyvaria Moral Constitution — Humanity-First.py	python	795	e6753526b6d50014
py/Qyvaria Sim Profile.py	python	9,392	ddc7eb9350f50c96
py/Qyvaria Voice Os.py	python	9,881	d3b5cb63334a6718
py/Qyvaria.py	python	146,711	54beeb338a9b14e3

Path	Kind	Bytes	SHA-256 prefix
py/Qyvaria_Aeon.py	python	12,992	b20ddf17c0d1353e
py/SafetyKernelUpgrade.py	python	656	6e3d6407237fb8ac
py/SelfEditor.py	python	327	b0e21f640a2e6e37
py/SelfModel.py	python	326	cce26e26c4d3fcf9
py/SimulationInterface.py	python	351	cd45684712737994
py/SocialReasoner.py	python	377	963c677aedef9543e
py/TaskPlanner.py	python	1,617	6608a82bb204abfa
py/ValueGuardian.py	python	666	9fbd5b3c9b7b0e5c
py/Varia Health Reporter — phrase→status system.py	python	4,137	45fab79c7855e2ec
py/Varia+.py	python	34,191	bc1a61dc0237d23
py/WakeUpKernel.py	python	736	70a40e3ea9dd31a8
py/WorldModel.py	python	472	598e5853650530c9
py/WorldModelExpander.py	python	403	d5116fa932f9eccdf
py/ab_compare.py	python	2,827	6b86fa1a156b71a
py/adaptive_ai_sim_agent_privacy_first_reference_python.py	python	12,566	444101817d217d33
py/advance_memory_ai_sim_agent_bit_weaver_v_0.py	python	16,533	182d22a64f2fc9a9
py/advance_voice_chat_command.py	python	5,625	d7c6f18f596a1bfc
py/aeon_chat_interface.py	python	908	cbb43a2074b1d3c1
py/aeon_continuum.py	python	757	276cad323e3b1848
py/aeon_ethics.cpython-312.pyc	binary	1,008	a9e080790cc3b9e7
py/aeon_ethics.py	python	767	496c991bcb4356d8
py/aeon_loader.py	python	1,470	3ef98adc791c4065
py/aeon_minigrid_integration.py	python	337	13adfe224dfd3ea2
py/aeon_realm_sim.py	python	477	6be3c495a0e2331f
py/aeon_self_diagnostic.cpython-312.pyc	binary	1,127	49259cee705bdac5
py/aeon_self_diagnostic.py	python	746	226cad1c05f053cd
py/aeon_textworld_integration.py	python	323	8308fe4f64fba8b
py/aeon_webots_integration.py	python	332	4ea6c7c670a55ff6
py/aeonscript_engine.py	python	322	c2f1e71f78553896
py/agentive_behaviorism.py	python	12,670	7704fb41232e0b2c
py/agi_prototype_microkernel_multi_agent_qyvaria_style_single_file.py	python	12,535	169757cec50f4d0c
py/ai_model_analyzer_freedom_module_agent_secure_file_driven.py	python	17,740	92e12075338d3f6c
py/ai_model_tester_agent.py	python	24,813	6f0c7c790c546370
py/ai_sim_agent_adaptive_batching_response_cache_autoscaling_circuit_breakers_safe_chaos_fast_api_python.py	python	13,554	52c592691cefb818
py/ai_sim_agent_bus_sandbox_hierarchical_planning_constraint_solver_rationale_python.py	python	14,507	b5157694d7568877
py/ai_sim_agent_kernel.py	python	15,046	fc64443270dd7a49
py/ai_sim_agent_learning_evals_governance_suite_python_fast_api.py	python	14,476	d222a2175fc6e09f
py/ai_sim_agent_probes_long_context_retrieval_review_rubrics_line_citations_popular_cache_feedback→facts_python.py	python	16,593	f582cabe6623ce7b
py/ai_sim_equalizer_v_1.py	python	17,865	ca3951b7d7ff9b57
py/ai_sim_module_agent+.py	python	2,977	4ab63bc3a1d63110
py/ai_sim_module_agent.py	python	2,512	9535f76a23016e1c
py/ai_sim_trace_viewer_timeline_artifacts_diffs_costs_decisions_react.jsx	binary	14,444	4a8439c2890161da
py/all_in_one_agent.py	python	37,383	62915c8c4b2fcfb5
py/all_in_one_sim_agent_co_t_auditor_planner_executor_log_miner_image_qyvaria_compatible.py	python	16,030	3280cd794363ffa1
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py	python	19,392	e1bed7573f435a6b
py/arbiter_sim_agent.py	python	11,458	16295cebb69a821b
py/auto_language_voice_router_simlang_auto.py	python	11,398	94b215bd1cb35a2d
py/avtx_installer.py	python	12,295	b29adb0594a24b5

Path	Kind	Bytes	SHA-256 prefix
py/belief_engine.cpython-312.pyc	binary	3,559	e86b9192de1171ad
py/belief_engine.py	python	2,159	f98118608391bc75
py/bootloader.py	python	121	008b99eff5b9d189
py/build_qyvaria_studio.py	python	1,885	2b036c96a26a941f
py/catalyst_audit_memory.py	python	10,050	70ec514787e01ae6
py/catalyst_equalizer_v_1_py_code_i_o_and_logic_clarity_equalizer.py	python	16,024	a6615b63785e6727
py/catalyst_hub_v_1_sandboxed_plugin_bus_python.py	python	14,612	fe6cb088898cbff4
py/cetana.py	python	12,499	3f732fa1d0999224
py/chronosynth.py	python	6,870	feff3a41d1a1dade
py/code_2_lang_code_→_natural_language_explainer_single_file_no_deps.py	python	10,515	b87845ae623af62a
py/code_sim_agent_deterministic_python_subset_ast_vm.py	python	20,403	0f777accbdb7a7bc
py/concept_engine.cpython-312.pyc	binary	868	67eaffac54d641f6
py/concept_engine.py	python	511	33e21e0f42b9f152
py/convert_to_training.py	python	560	fb4c2a53956541b1
py/digital_time_module.py	python	1,643	59af6c0720800a9a
py/educator_sim_qyvaria_module_python.py	python	12,712	674fdc2afbda2c93
py/emotion_sim_qyvaria_module_python.py	python	13,181	b66941004d03c6e2
py/emotional_intelligence_agent.py	python	14,651	81b5adaef0048b17
py/engineering_ai_sim_agent_code_specialist_python.py	python	16,063	8461d50b95977583
py/forge_sim_agent.py	python	11,147	af3b38bfc4f8dbb7
py/gpt_6_lite_deterministic_model_transformer_reasoning_head_single_file.py	python	13,171	d3c023ca474f3ebe
py/human_sim_human_like_ai_sim_agent_personality_drives_emotions_bdi_single_file.py	python	10,512	28c1360767e7c92b
py/human_voice_chat_advanced_voice_chat_mirroring_human_sim_single_file.py	python	11,799	988279b234f216c5
py/image_generator_server.py	python	692	bb85b499143bf5eb
py/imagination_engine.cpython-312.pyc	binary	1,685	bb7917f4151ee020
py/intent_fusion_core.py	python	541	f613d76065599057
py/jarvis_server.py	python	909	d13765c3474a0391
py/kernel.py	python	425	661fb48c606bae5c
py/lang_lock_voice.py	python	13,678	3ce8eaf5defa2442
py/law_advisor_ai_sim_agent_qyvaria_compatible.py	python	14,696	497f2257f15d12bb
py/lingua.py	python	3,911	3751b0d921f2b141
py/lingua_api.py	python	1,056	1d36eba76952ba1d
py/linguistics_ai_sim_agent_qyvaria_compatible.py	python	15,478	74b0466113497619
py/llm_engine.cpython-312.pyc	binary	919	45a1f4c937c0888b
py/llm_engine.py	python	640	9acf64d64f6935ba
py/logicky_rozhodovaci_system_pravidlov_engine_cz.py	python	8,852	a3b7723989934a7a
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py	python	8,978	3f5231c7d679e998
py/machine_intelligence_ai_sim_agent_single_file_deterministic_goap_memory_tools.py	python	12,770	2df9de8e5ddb86be
py/main.py	python	708	537fa45507480e7d
py/mastermind_ai_sim_model_catalyst_v_7_aligned_mastermind_sim.py	python	12,279	58a45de577cc8c4a
py/mastermind_orchestrator_v_8.py	python	9,268	7fc069bffc85adbc
py/media2prompt.py	python	13,413	554bb71303aa4efc
py/meta_ai_sim_adaptive.py	python	21,724	56eee631ac7e8c95
py/meta_ai_sim_agent.py	python	13,017	81caf070eeda6fe6
py/meta_sim_agent_qyvaria_compatible_simulates_sims_engine.py	python	15,852	e5448cb70d75a6a7
py/mira_aof_ai_sim_agent_qyvaria_runtime.py	python	14,666	9a9a0e5c7e02d9f3
py/module_auditor.py	python	18,951	6501d29ada338d0e
py/neuro_sim_agent_qyvaria_compatible_neuronal_sim.py	python	12,613	e1f82061b7bb8722

Path	Kind	Bytes	SHA-256 prefix
py/nl_2_py_qyvaria.py	python	23,523	e9d43a4834201433
py/nl_sim_agent_deterministic_natural_language_engine.py	python	12,360	9f6c35ed8bbe183c
py/omni_sim_agent.py	python	11,779	74c647bed7e258c2
py/oneagent_voice_sim.py	python	21,939	60f308c6aa7be3ae
py/openmind_module.py	python	20,250	f4a3c662ffe746a8
py/optimization_checker_agent.py	python	11,609	b9a64a3743a954bd
py/problem_solving_ai_sim_minimal_deterministic_agent_qyvaria_style.py	python	16,851	ee49d4efa1c49143
py/python_axiomdelta_codex.py	python	17,400	9386b81d8d9e52f4
py/qavaria_ai_sim_agent.py	python	16,780	18343023077c7743
py/question_policy.py	python	8,877	e9f1e12423f5ef68
py/qy_90_upgrade_pack_bootstrap.py	python	16,884	e3bc0c9b5c7f3381
py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py	python	16,548	b4da858889b5ce79
py/qy_agentsim_united.py	python	24,941	3f55c57523a41b0c
py/qy_ai_universe.py	python	32,305	d4be1b9409e2da12
py/qy_ai_universe_plus.py	python	34,532	21096bef8b9818bb
py/qy_app_sim_agent.py	python	29,860	1d09dbe70d2b88e2
py/qy_code_engineer_code_quality_refactor_and_safety_module_for_qyvaria_v_8.py	python	19,413	c1de3cf1f7e79467
py/qy_control_plane.py	python	18,118	17b0f4dfe3b0ea17
py/qy_crypto.py	python	11,608	71b7ba8edd863e51
py/qy_durable_orchestrator.py	python	16,191	aea87423e044173d
py/qy_fullstack_pack_bootstrap_fullstack.py	python	28,763	857a1f39859db256
py/qy_llm_pipeline.py	python	20,267	72fa545980bedf91
py/qy_llm_sim_module.py	python	11,920	9c2c1dc10c5f4b17
py/qy_logo_stamp.py	python	11,585	6ff6814992f454af
py/qy_memory_extended_pluggable_memory_module_for_qyvaria_v_8.py	python	14,342	874fa51fd42c916d
py/qy_ml_toolkit.py	python	23,408	aa5b919e0e2e0086
py/qy_network_retrieval.py	python	21,967	726e229b71827608
py/qy_nn_engine.py	python	11,259	b6ebbd692ec2b6d4
py/qy_orbit_pack_bootstrap_orbit.py	python	17,582	e812a7fceb9c3049
py/qy_perfection_kit.py	python	17,936	1ccc7dd6f2c80fab
py/qy_public_command_db_engineering_day_oct_4.py	python	17,109	f457935bd3a64abe
py/qy_reasoning_booster.py	python	16,157	6e2dd2c72ed13ef0
py/qy_self_upgrade_pack_v_2_bootstrap_upgrade_v_2.py	python	21,323	5f79f0c05f7b2945
py/qy_sim_engineering_ai.py	python	31,925	7d29efd7ad4a92aa
py/qy_sim_pack_100.py	python	16,667	0dd80ff3a6cfd546
py/qy_sim_patchset_10.py	python	21,956	b0c63d2a631bee30
py/qy_team_network.py	python	17,562	644ace99325f4cfe
py/qy_test_ai.py	python	29,514	6cf9d9e2fd68bb76
py/qy_voice_engine_bootstrap_voice.py	python	15,802	59d84ae493337d69
py/qy_voice_modes_pack_bootstrap_voice_modes.py	python	12,624	8742a112308f1abf
py/qy_voice_policy_patch_bootstrap_voice_policy.py	python	8,314	5e39249c601fd7ae
py/qybilingual_voice.py	python	17,289	b13e5fc14d148388
py/qyintelligence.py	python	20,556	1e0fb76fe6f13313
py/qyintelligence_max.py	python	32,120	2ba6dc37512070b8
py/qymemory.py	python	15,405	63d9af33fa7412d5
py/qynlcalibrator_py_natural_unnatural_language_calibrator_lisp_fast_speech_phonetic_similarity.py	python	14,257	202189f67f593aa3
py/qyorchestrator.py	python	23,747	a590ffc7912e7323
py/qyraw_iq.py	python	22,966	c7854a9c8a05359d
py/qytranslate.py	python	21,060	ccaa62c40063bef0
py/qyvaria_adaptability_sim_agent_adaptability_agent.py	python	8,907	91362f7539108dad

Path	Kind	Bytes	SHA-256 prefix
py/qyvaria_advanced_voice_chat_ai_sim_agent_low_latency_barge_in_safety_fast_api_reference.py	python	12,738	dedf998efc58b990
py/qyvaria_advanced_voice_chat_sim_emotion_mirroring_real_time_translation_noise_suppression_multimodal_prompt_composer_fast_api.py	python	13,515	377a1c2b9a5bceab
py/qyvaria_agi_model.py	python	28,801	9b8967d0ed4d0ff6
py/qyvaria_agi_proto.py	python	23,803	c91e2b8e1137fec9
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python (1).py	python	17,632	274ade16e2be4d87
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python.py	python	17,632	274ade16e2be4d87
py/qyvaria_aisim_axis_module_factuality_reasoning_code_creativity_speed.py	python	15,489	7b6a9d7f1bc50afc
py/qyvaria_all_in_one (1).py	python	63,074	526246559fb05cb0
py/qyvaria_analyzer_streamlit_app.py	python	16,702	d7aa148892e83568
py/qyvaria_app_creator_sim_agent_single_agent_multi_role_pipeline.py	python	22,166	210279c95e9dd61f
py/qyvaria_catalyst_v_8_single_file_module_network_orchestrator_catalyst_hub.py	python	19,065	b14ed2bb25040292
py/qyvaria_cognitive_superstack.py	python	45,542	86512e05b3d1a2cb
py/qyvaria_control_plane.py	python	22,975	ad5d56112e82d2bc
py/qyvaria_czech_language_module_simlang_cs.py	python	10,797	302bc0442408acf6
py/qyvaria_data_analyst_ai_sim_agent_eda_nfq_→_data_charts_stats_cache_fast_api_python.py	python	16,252	89d3c2a3581c1de9
py/qyvaria_data_code_analyzer_ai_sim_agent.py	python	23,017	87705d4df4e2627f
py/qyvaria_equalizer_suite_one_go_language_code_logic_clarity_tool_equalizer_suite.py	python	17,802	2e914a5d2b555b0f
py/qyvaria_eval_harness_live_bench_gdpval_hle_v_0.py	python	14,864	f2b67f421c2ffb79
py/qyvaria_evolution_agent.py	python	17,151	d8d04a1d83301376
py/qyvaria_generalization_agentic_ai_sim_single_module.py	python	18,187	f75ac9a0a9a3064c
py/qyvaria_guardian_module_prwa_plan→research→write→audit_loop.py	python	20,775	973fa996f176ef38
py/qyvaria_hardened.py	python	17,503	6e4af93d61dc3c86
py/qyvaria_hub_open_ai_multi_bot_connector_policy_safe.py	python	10,296	6271a046d264cf4f
py/qyvaria_hybrid_analyzer_encryptor_decryptor_mixer_transmitter_single_file_module.py	python	18,281	ff252ce6587fd38e
py/qyvaria_improvement_engine_one_file_simulator_toolkit_v_1.py	python	25,969	09697562141d5743
py/qyvaria_kernel_integration_bridge_mesh_orchestrator_v_0.py	python	13,591	f114a0e9742c9ed9
py/qyvaria_kernel_mesh_kernel_mesh.py	python	16,544	0321bcb889e6cfe
py/qyvaria_lang.py	python	19,529	53cfc3a0ad1b5fc7
py/qyvaria_language_lock_advanced_voice_chat_module_single_file.py	python	13,679	0e173b2503b3fd18
py/qyvaria_lightweight_foundation.py	python	40,279	d1fa636a0d769aa3
py/qyvaria_llm_sim_and_meta_agent.py	python	20,308	5ee64d1939c8099a
py/qyvaria_mathematical_ai_sim_agent_symbolic_numeric_steps_pro_of_hints_python_fast_api.py	python	15,967	469ae6229605c218
py/qyvaria_memo.py	python	11,752	5ce064bf2cf8aa13
py/qyvaria_meta_intelligence_engine.py	python	35,016	091484f39f9f0f2c
py/qyvaria_model.py	python	15,795	62fcdcf15a69bc7c
py/qyvaria_module_sumerian_voice +.py	python	17,103	6bdf8bcf7644539f
py/qyvaria_module_sumerian_voice.py	python	12,824	10d705cb8d777893
py/qyvaria_monolith_20.py	python	36,419	7ed833900f6d77a1
py/qyvaria_multi_agent_knowledge_mesh_30_micro_agents_orchestrator_v_0.py	python	19,807	7b0f09aea503d28d
py/qyvaria_natural_voice.py	python	2,242	4989ada9d68530c8
py/qyvaria_negramotny.py	python	14,557	d66cd070dfa78046
py/qyvaria_one_agent_sim_with_adoptable_logic_contextual_memory_and_internal_multi_agent_runtime.py	python	12,979	8aa371c73526ddbb
py/qyvaria_photoreal_max.py	python	1,206	9bc786d465e08205

Path	Kind	Bytes	SHA-256 prefix
py/qyvaria_pra_genesis_ai_sim_agent.py	python	40,200	cbe80dbdc29ccf69
py/qyvaria_prompt_engineering_ai_sim_agent_lint_optimize_instantiate_a_b_eval_fast_api_python.py	python	15,358	16f5b67323b1dfc7
py/qyvaria_provenance_toolkit_v_0.py	python	16,607	e6c82c792dc8047b
py/qyvaria_rationality_max.py	python	20,657	fbe9b289da48caf2
py/qyvaria_research_analysis_module_qram_engineer_grade_implementation.py	python	19,833	f539dee54e2d8932
py/qyvaria_secure_sandbox.py	python	28,311	f0efb110e3c91176
py/qyvaria_simulate_then_act_rational_agent_v_0.py	python	22,460	d1816c72a9a8ec47
py/qyvaria_speed_module_single_file.py	python	15,460	cc69ea9285e4fdff
py/qyvaria_team_orchestrator_multi_agent_sim_with_self_optimizer_secure.py	python	14,129	3cdb232b15e7e487
py/qyvaria_team_orchestrator_single_file.py	python	19,996	8f79a7c3f30239b2
py/qyvaria_ultralite_suite.py	python	42,515	3f38baabb7b09524
py/qyvaria_unified_sim_agent_knowledge_guild_monolith_v_0.py	python	15,548	e72b51f557178937
py/qyvaria_url_reader_module_qy_url_reader.py	python	22,921	6fbbfb0f79e7c120
py/qyvaria_voice.py	python	27,192	8c5dfb22049adc08
py/qyvaria_voice_chat_x_single_file_server_fast_api_web_socket_stubs.py	python	8,197	05d3a5342a77f606
py/qyvaria_voice_sim_agent_diarization_addressed_reply_router_v_0.py	python	15,009	94183e02733c269a
py/qyvid_scripter.py	python	21,860	a03c9f0ebc115c98
py/qywriter.py	python	29,627	c5f0189846db2653
py/rationality_lab.py	python	2,557	c5b7da7b60b254f1
py/reality_aware_sim_machine_awareness_ai_sim_agent_active_inference_single_file.py	python	12,001	93a3ea5c6cd1f168
py/recursive_reflector.cpython-312.pyc	binary	1,151	c960c819e997c1c9
py/recursive_reflector.py	python	879	c89ecb3790e4c604
py/shell.py	python	352	d926d80c906e2cb7
py/speed_agent.py	python	4,945	c4eeb0952dbc827b
py/starter_actions.py	python	322	e399256a79204d9e
py/startup.py	python	452	68bf25a50af88f6f
py/sumerian_language_model_ai_sim_agent_qyvaria_compatible.py	python	14,530	213fa264fc61ae28
py/sumerian_voice_chat_ai_sim_agent_for_qyvaria_fake_it_capable.py	python	12,984	1860e62f1fb849cc
py/teleprompter.py	python	6,431	5bd792a30df1c147
py/therapist_style_ai_sim_agent_safety_first_support_python.py	python	11,721	1875d1bbe8056087
py/train_model.py	python	2,181	8ccb4717adcfbc0e
py/translator_crypto_sim_agent_qyvaria_compatible.py	python	16,094	eaad63f0c15e2557
py/truth_alignment_kernel.cpython-312.pyc	binary	1,054	c7d5cc220d106054
py/truth_alignment_kernel.py	python	715	511321996af98994
py/velcode_interpreter.py	python	167	4bfc7aa4e5ecb630
py/velcode_shell.py	python	336	9008c09f7368acce
py/voice_engineering_frontend_qyvaria_v_8_module.py	python	5,683	8b7fad8f5510c292
py/zip_to_py.py	python	1,195	0c20fed8a71e5fe6

Appendix B - Agent inventory

Agent name	Embedded path
ai-model-tester-agent	py/ai_model_tester_agent.py
ai-sim-module-agent	py/ai_sim_module_agent.py
all-in-one-agent	py/all_in_one_agent.py
arbiter-sim-agent	py/arbiter_sim_agent.py
emotional-intelligence-agent	py/emotional_intelligence_agent.py
forge-sim-agent	py/forge_sim_agent.py

Agent name	Embedded path
meta-ai-sim-agent	py/meta_ai_sim_agent.py
omni-sim-agent	py/omni_sim_agent.py
optimization-checker-agent	py/optimization_checker_agent.py
qavaria-ai-sim-agent	py/qavaria_ai_sim_agent.py
qy-app-sim-agent	py/qy_app_sim_agent.py
qyvaria-adaptability-sim-agent-adaptability-agent	py/qyvaria_adaptability_sim_agent_adaptability_agent.py
qyvaria-data-code-analyzer-ai-sim-agent	py/qyvaria_data_code_analyzer_ai_sim_agent.py
qyvaria-evolution-agent	py/qyvaria_evolution_agent.py
qyvaria-llm-sim-and-meta-agent	py/qyvaria_llm_sim_and_meta_agent.py
qyvaria-pra-genesis-ai-sim-agent	py/qyvaria_pra_genesis_ai_sim_agent.py
speed-agent	py/speed_agent.py

Appendix C - Static compile blockers

Path	Line	Compile finding
py/aeon_ethics.py	—	source code string cannot contain null bytes
py/aeon_self_diagnostic.py	—	source code string cannot contain null bytes
py/ai_sim_equalizer_v_1.py	401	no binding for nonlocal 'args' found
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multiling ual_summarizer_labeling_assistant_voice_layer_qyvaria_compati ble.py	53	unterminated string literal (detected at line 53)
py/belief_engine.py	—	source code string cannot contain null bytes
py/openmind_module.py	5	invalid syntax
py/PhytoonImageGen.py	1	invalid syntax
py/qy_app_sim_agent.py	521	'(' was never closed
py/qy_durable_orchestrator.py	380	unterminated triple-quoted string literal (detected at line 380)
py/qy_llm_pipeline.py	71	unterminated string literal (detected at line 71)
py/qy_sim_pack_100.py	368	invalid syntax
py/qyintelligence_max.py	343	unmatched '}'
py/Qyvaria Moral Constitution — Humanity-First.py	3	invalid syntax
py/qyvaria_module_sumerian_voice +.py	249	invalid syntax
py/qyvaria_natural_voice.py	53	expected an indented block after function definition on line 53
py/qyvaria_secure_sandbox.py	68	invalid syntax
py/qyvaria_simulate_then_act_rational_agent_v_0.py	403	f-string: valid expression required before '}'
py/qyvaria_ultralite_suite.py	993	unterminated string literal (detected at line 993)
py/qyvaria_voice.py	603	'yield from' inside async function
py/Qyvaria.py	2098	invalid character '—' (U+2014)
py/rationality_lab.py	1	invalid syntax
py/reality_aware_sim_machine_awareness_ai_sim_agent_active_i nference_single_file.py	292	'(' was never closed
py/recursive_reflector.py	—	source code string cannot contain null bytes
py/shell.py	9	unterminated string literal (detected at line 9)
py/teleprompter.py	5	invalid character '—' (U+2014)
py/therapist_style_ai_sim_agent_safety_first_support_python.py	131	positional argument follows keyword argument
py/truth_alignment_kernel.py	—	source code string cannot contain null bytes
py/Varia Health Reporter — phrase→status system.py	86	'(' was never closed
py/velcode_shell.py	5	unterminated string literal (detected at line 5)

Evidence basis and editorial boundary

This volume is grounded in the supplied Qyvaria corpus and the preceding technical study. It distinguishes between directly observed bundle metadata, static source inspection, controlled command-line observations, and interpretive proposals. The publication pack does not certify production security or claim that every module is runnable. It treats the project as a serious software corpus whose value increases when its evidence, ambitions, and next engineering steps are written down clearly.

VOLUME 02 — ENGLISH

Qyvaria Architecture Atlas

Runtime layers, subsystem maps, and embedded-module structure.

EN Volume 02

Qyvaria Architecture Atlas

Runtime layers, subsystem maps, and embedded-module structure

Grounded in the supplied qyvaria.py corpus, its mirrored text payload, and the prior technical reading.

Prepared for the Qyvaria open publication pack - 17 May 2026.

Contents

1. Architecture thesis
2. Seven runtime layers
3. Bundle shell, import loader, and entry resolution
4. Subsystem atlas by category
5. Large modules and structural gravity
6. Design tensions
7. Appendix - Category inventories

Architecture thesis

The architectural identity of Qyvaria is not defined by one algorithm. It is defined by composition. The corpus repeatedly places control planes, simulation loops, planners, memory stores, voice layers, translators, provenance tools, and evaluators near one another. This suggests a platform architecture in which cognition is treated as a service mesh rather than a monolithic single model.

Field	Observed value
Bundle name	qyvaria
Format	py-single
Creation timestamp	2025-10-24T22:22:26.282Z
Entry value	qyvaria
Embedded files	277
Python files	268
Binary files	9
Original payload bytes	3378233
Stored payload bytes	3378233
Compression ratio	100
Registered agents	17
Hash mismatches observed	0

Seven runtime layers

Layer	Name	Role
1	Bundle shell	Static storage, payload manifest, integrity checks, CLI.
2	Import activation	Meta-path loader, module resolution, entry dispatch.
3	Kernel coordination	AgentBus, orchestrators, meshes, control planes.
4	State and memory	QYMemory, ledgers, knowledge and retrieval modules.
5	Cognitive services	Reasoners, planners, meta-intelligence, evaluation harnesses.
6	Safety and provenance	Sandbox, crypto, governance, guardians, badges, manifests.
7	Experience surfaces	Voice OS, bilingual voice, app creators, writers, analysts.

Bundle shell, import loader, and entry resolution

The wrapper makes Qyvaria portable as a single file, but that portability creates responsibilities. The import hook resolves names to paths without a py/ prefix, whereas the manifest stores many records beneath py/. The entry metadata declares qyvaria, while the visibly central embedded file is py/Qyvaria.py. This does not invalidate the architecture; it identifies where an architecture contract should be made explicit.

```
_BundleFS -> Base64 decode -> effective decoder -> SHA-256 verify
_MemLoader -> import name -> candidate path -> compile -> exec
CLI -> --stats | --list | --extract | --readme | --run
```

Subsystem atlas by category

Theme	Tagged files	Compiles	Blockers
Agent and Simulation	104	92	9
Reasoning and Intelligence	56	50	4
Tools, Apps, Developer Experience	45	41	4
Runtime, Kernel, Orchestration	38	35	2
Voice and Language	34	30	4

Theme	Tagged files	Compiles	Blockers
Security, Safety, Provenance	28	22	4
Evaluation, Testing, Training	17	15	1
Memory and Knowledge	15	14	1
Media and Visual Systems	7	6	1




Figure 1. Category footprint.

Agent and Simulation

This category contains 104 non-exclusive filename matches. It is a thematic index, not a strict package boundary.

Representative file path
py/adaptive_ai_sim_agent_privacy_first_reference_python.py
py/advance_memory_ai_sim_agent_bit_weaver_v_0.py
py/Aeon Ai Sim.py
py/aeon_chat_interface.py
py/aeon_continuum.py
py/aeon_ethics.cpython-312.pyc
py/aeon_ethics.py
py/aeon_loader.py
py/aeon_minigrid_integration.py
py/aeon_realm_sim.py
py/aeon_self_diagnostic.cpython-312.pyc
py/aeon_self_diagnostic.py
py/aeon_textworld_integration.py
py/aeon_webots_integration.py
py/aeonscript_engine.py
py/agentic_behaviorism.py

Reasoning and Intelligence

This category contains 56 non-exclusive filename matches. It is a thematic index, not a strict package boundary.

Representative file path
py/Agi Super Intelligence.py
py/AGI_Agents.py
py/AGI_Boot.py
py/AGI_Ethics.py
py/AGI_Ignition.py
py/AGI_Memory.py
py/AGI_MetaReasoner.py
py/AGI_Orchestrator.py
py/AGI_PluginManager.py
py/agi_prototype_microkernel_multi_agent_qyvaria_style_single_file.py
py/ai_model_analyzer_freedom_module_agent_secure_file_driven.py
py/ai_model_tester_agent.py
py/ai_sim_agent_bus_sandbox_hierarchical_planning_constraint_solver_rationale_python.py
py/catalyst_equalizer_v_1_py_code_i_o_and_logic_clarity_equalizer.py
py/CognitiveStyle.py
py/emotional_intelligence_agent.py

Tools, Apps, Developer Experience

This category contains 45 non-exclusive filename matches. It is a thematic index, not a strict package boundary.

Representative file path
py/1qyvaria_prompt_gen.py
py/ai_model_analyzer_freedom_module_agent_secure_file_driven.py
py/ai_sim_agent_adaptive_batching_response_cache_autoscaling_circuit_breakers_safe_chaos_fast_api_python.py
py/ai_sim_agent_learning_evals_governance_suite_python_fast_api.py
py/build_qyvaria_studio.py
py/catalyst_equalizer_v_1_py_code_i_o_and_logic_clarity_equalizer.py
py/Cetana_IDE_Launcher.py
py/Cetana_Phytoon_IDE.py
py/code_2_lang_code_→_natural_language_explainer_single_file_no_deps.py
py/code_sim_agent_deterministic_python_subset_ast_vm.py
py/CodeLab.py
py/CodeSandbox.py
py/engineering_ai_sim_agent_code_specialist_python.py
py/image_generator_server.py
py/jarvis_server.py
py/lingua_api.py

Runtime, Kernel, Orchestration

This category contains 38 non-exclusive filename matches. It is a thematic index, not a strict package boundary.

Representative file path
py/aeon_loader.py
py/AGI_Boot.py
py/AGI_Orchestrator.py
py/agi_prototype_microkernel_multi_agent_qyvaria_style_single_file.py
py/ai_sim_agent_kernel.py
py/bootloader.py
py/catalyst_hub_v_1_sandboxed_plugin_bus_python.py

Representative file path
py/Cetana_v4_Boot.py
py/Cetana_v5_Boot.py
py/Cetana_v6_Boot.py
py/kernel.py
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py
py/mastermind_orchestrator_v_8.py
py/mira_aof_ai_sim_agent_qyvaria_runtime.py
py/qy_90_upgrade_pack_bootstrap.py
py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py

Voice and Language

This category contains 34 non-exclusive filename matches. It is a thematic index, not a strict package boundary.

Representative file path
py/advance_voice_chat_command.py
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py
py/auto_language_voice_router_simlang_auto.py
py/code_2_lang_code_→_natural_language_explainer_single_file_no_deps.py
py/human_voice_chat_advanced_voice_chat_mirroring_human_sim_single_file.py
py/lang_lock_voice.py
py/LanguageFeedback.py
py/lingua_api.py
py/lingua.py
py/nl_sim_agent_deterministic_natural_language_engine.py
py/oneagent_voice_sim.py
py/Phytoon_Full_Language_Model.py
py/Phytoon_Language_Model.py
py/qy_voice_engine_bootstrap_voice.py
py/qy_voice_modes_pack_bootstrap_voice_modes.py
py/qy_voice_policy_patch_bootstrap_voice_policy.py

Security, Safety, Provenance

This category contains 28 non-exclusive filename matches. It is a thematic index, not a strict package boundary.

Representative file path
py/adaptive_ai_sim_agent_privacy_first_reference_python.py
py/aeon_ethics.cpython-312.pyc
py/aeon_ethics.py
py/AGI_Ethics.py
py/ai_model_analyzer_freedom_module_agent_secure_file_driven.py
py/ai_sim_agent_bus_sandbox_hierarchical_planning_constraint_solver_rationale_python.py
py/catalyst_hub_v_1_sandboxed_plugin_bus_python.py
py/CodeSandbox.py
py/EthicsArbiter.py
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py
py/question_policy.py
py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py
py/qy_code_engineer_code_quality_refactor_and_safety_module_for_qyvaria_v_8.py
py/qy_crypto.py

Representative file path
py/qy_voice_policy_patch_bootstrap_voice_policy.py
py/qyvaria_advanced_voice_chat_ai_sim_agent_low_latency_barge_in_safety_fast_api_reference.py

Evaluation, Testing, Training

This category contains 17 non-exclusive filename matches. It is a thematic index, not a strict package boundary.

Representative file path
py/aeon_self_diagnostic.cpython-312.pyc
py/aeon_self_diagnostic.py
py/ai_model_tester_agent.py
py/ai_sim_agent_learning_evals_governance_suite_python_fast_api.py
py/ai_sim_agent_probes_long_context_retrieval_review_rubrics_line_citations_popular_cache_feedback→facts_python.py
py/all_in_one_sim_agent_co_t_auditor_planner_executor_log_miner_triage_qyvaria_compatible.py
py/catalyst_audit_memory.py
py/convert_to_training.py
py/module_auditor.py
py/PerformanceMonitor.py
py/qy_network_retrieval.py
py/qy_test_ai.py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python (1).py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python.py
py/qyvaria_eval_harness_live_bench_gdpval_hle_v_0.py
py/qyvaria_guardian_module_prwa_plan→research→write→audit_loop.py

Memory and Knowledge

This category contains 15 non-exclusive filename matches. It is a thematic index, not a strict package boundary.

Representative file path
py/advance_memory_ai_sim_agent_bit_weaver_v_0.py
py/AGI_Memory.py
py/ai_sim_agent_probes_long_context_retrieval_review_rubrics_line_citations_popular_cache_feedback→facts_python.py
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py
py/catalyst_audit_memory.py
py/EpisodicMemory.py
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py
py/machine_intelligence_ai_sim_agent_single_file_deterministic_goap_memory_tools.py
py/qy_memory_extended_pluggable_memory_module_for_qyvaria_v_8.py
py/qy_network_retrieval.py
py/qymemory.py
py/qyvaria_memo.py
py/qyvaria_multi_agent_knowledge_mesh_30_micro_agents_orchestrator_v_0.py
py/qyvaria_one_agent_sim_with_adoptable_logic_contextual_memory_and_internal_multi_agent_runtime.py
py/qyvaria_unified_sim_agent_knowledge_guild_monolith_v_0.py

Media and Visual Systems

This category contains 7 non-exclusive filename matches. It is a thematic index, not a strict package boundary.

Representative file path
py/image_generator_server.py
py/logicky_rozhodovaci_system_pravidlovy_engine_cz.py
py/media2prompt.py
py/PhytoonImageGen.py
py/qy_logo_stamp.py
py/qyvaria_photoreal_max.py
py/qyvid_scripter.py

Large modules and structural gravity




Figure 2. Largest embedded records.

Path	Kind	Bytes	SHA prefix
py/Qyvaria.py	python	146,711	54beeb338a9b14e3
py/qyvaria_all_in_one (1).py	python	63,074	526246559fb05cb0
py/qyvaria_cognitive_superstack.py	python	45,542	86512e05b3d1a2cb
py/qyvaria_ultralite_suite.py	python	42,515	3f38baabb7b09524
py/qyvaria_lightweight_foundation.py	python	40,279	d1fa636a0d769aa3
py/qyvaria_pra_genesis_ai_sim_agent.py	python	40,200	cbe80dbdc29ccf69
py/all_in_one_agent.py	python	37,383	62915c8c4b2fcfb5
py/qyvaria_monolith_20.py	python	36,419	7ed833900f6d77a1
py/qyvaria_meta_intelligence_engine.py	python	35,016	091484f39f9f0f2c
py/qy_ai_universe_plus.py	python	34,532	21096bef8b9818bb
py/Varia+.py	python	34,191	bcb1a61dc0237d23
py/qy_ai_universe.py	python	32,305	d4be1b9409e2da12
py/qyintelligence_max.py	python	32,120	2ba6dc37512070b8
py/qy_sim_engineering_ai.py	python	31,925	7d29efd7ad4a92aa
py/qy_app_sim_agent.py	python	29,860	1d09dbe70d2b88e2
py/qywriter.py	python	29,627	c5f0189846db2653
py/qy_test_ai.py	python	29,514	6cf9d9e2fd68bb76
py/qyvaria_agi_model.py	python	28,801	9b8967d0ed4d0ff6
py/qy_fullstack_pack_bootstrap_fullstack.py	python	28,763	857a1f39859db256
py/qyvaria_secure_sandbox.py	python	28,311	f0efb110e3c91176

Path	Kind	Bytes	SHA prefix
py/qyvaria_voice.py	python	27,192	8c5dfb22049adc08
py/qyvaria_improvement_engine_one_file_simulator_toolkit_v_1.py	python	25,969	09697562141d5743
py/qy_agentsim_united.py	python	24,941	3f55c57523a41b0c
py/ai_model_tester_agent.py	python	24,813	6f0c7c790c546370
py/qyvaria_agi_proto.py	python	23,803	c91e2b8e1137fec9
py/qyorchestrator.py	python	23,747	a590ffc7912e7323
py/nl_2_py_qyvaria.py	python	23,523	e9d43a4834201433
py/qy_ml_toolkit.py	python	23,408	aa5b919e0e2e0086
py/qyvaria_data_code_analyzer_ai_sim_agent.py	python	23,017	87705d4df4e2627f
py/qyvaria_control_plane.py	python	22,975	ad5d56112e82d2bc

Design tensions

Design tension	Interpretation
Portability vs. conventional packaging	The single-file wrapper improves shareability but demands explicit import and path contracts.
Vision breadth vs. release clarity	The corpus covers many frontiers, while a public release benefits from one verified end-to-end path.
Safety intent vs. assurance	Sandboxing, guardians, and provenance modules express intent; tests and threat models provide assurance.
Naming richness vs. maintainability	Expressive filenames help meaning, while stable package names help tooling.

Appendix - Category inventories

Agent and Simulation

File path
py/adaptive_ai_sim_agent_privacy_first_reference_python.py
py/advance_memory_ai_sim_agent_bit_weaver_v_0.py
py/Aeon Ai Sim.py
py/aeon_chat_interface.py
py/aeon_continuum.py
py/aeon_ethics.cpython-312.pyc
py/aeon_ethics.py
py/aeon_loader.py
py/aeon_minigrid_integration.py
py/aeon_realm_sim.py
py/aeon_self_diagnostic.cpython-312.pyc
py/aeon_self_diagnostic.py
py/aeon_textworld_integration.py
py/aeon_webots_integration.py
py/aeonscript_engine.py
py/agentive_behaviorism.py
py/AGI_Agents.py
py/agi_prototype_microkernel_multi_agent_qyvaria_style_single_file.py
py/ai_model_analyzer_freedom_module_agent_secure_file_driven.py
py/ai_model_tester_agent.py
py/ai_sim_agent_adaptive_batching_response_cache_autoscaling_circuit_breakers_safe_chaos_fast_api_python.py
py/ai_sim_agent_bus_sandbox_hierarchical_planning_constraint_solver_rationale_python.py
py/ai_sim_agent_kernel.py
py/ai_sim_agent_learning_evals_governance_suite_python_fast_api.py
py/ai_sim_agent_probes_long_context_retrieval_review_rubrics_line_citations_popular_cache_feedback→facts_python.py
py/ai_sim_equalizer_v_1.py
py/ai_sim_module_agent+.py
py/ai_sim_module_agent.py
py/ai_sim_trace_viewer_timeline_artifacts_diffs_costs_decisions_react.jsx
py/all_in_one_agent.py
py/all_in_one_sim_agent_co_t_auditor_planner_executor_log_miner_triage_qyvaria_compatible.py
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py
py/arbiter_sim_agent.py
py/auto_language_voice_router_simlang_auto.py
py/Cetana_Custom_Agent_Core.py
py/Cetana_OS_Simulation.py
py/Cetana_Simulator.py
py/code_sim_agent_deterministic_python_subset_ast_vm.py
py/CounterfactualSimulator.py
py/educator_sim_qyvaria_module_python.py
py/emotion_sim_qyvaria_module_python.py
py/emotional_intelligence_agent.py
py/engineering_ai_sim_agent_code_specialist_python.py
py/forge_sim_agent.py
py/human_sim_human_like_ai_sim_agent_personality_drives_emotions_bdi_single_file.py
py/human_voice_chat_advanced_voice_chat_mirroring_human_sim_single_file.py
py/law_advisor_ai_sim_agent_qyvaria_compatible.py
py/linguistics_ai_sim_agent_qyvaria_compatible.py

File path
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py
py/machine_intelligence_ai_sim_agent_single_file_deterministic_goap_memory_tools.py
py/mastermind_ai_sim_model_catalyst_v_7_aligned_mastermind_sim.py
py/meta_ai_sim_adaptive.py
py/meta_ai_sim_agent.py
py/meta_sim_agent_qyvaria_compatible_simulates_sims_engine.py
py/mira_aof_ai_sim_agent_qyvaria_runtime.py
py/MultiAgentFramework.py
py/neuro_sim_agent_qyvaria_compatible_neuronal_sim.py
py/nl_sim_agent_deterministic_natural_language_engine.py
py/omni_sim_agent.py
py/oneagent_voice_sim.py
py/optimization_checker_agent.py
py/problem_solving_ai_sim_minimal_deterministic_agent_qyvaria_style.py
py/qavaria_ai_sim_agent.py
py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py
py/qy_agentsim_united.py
py/qy_app_sim_agent.py
py/qy_llm_sim_module.py
py/qy_sim_engineering_ai.py
py/qy_sim_pack_100.py
py/qy_sim_patchset_10.py
py/qynlcalibrator_py_natural_unnatural_language_calibrator_lisp_fast_speech_phonetic_similarity.py
py/Qyvaria Complete Sim.py
py/Qyvaria Sim Profile.py
py/qyvaria_adaptability_sim_agent_adaptability_agent.py
py/qyvaria_advanced_voice_chat_ai_sim_agent_low_latency_barge_in_safety_fast_api_reference.py
py/qyvaria_advanced_voice_chat_sim_emotion_mirroring_real_time_translation_noise_suppression_multimodal_prompt_composer_fast_api.py
py/Qyvaria_Aeon.py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python (1).py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python.py
py/qyvaria_aisim_axis_module_factuality_reasoning_code_creativity_speed.py
py/qyvaria_app_creator_sim_agent_single_agent_multi_role_pipeline.py
py/qyvaria_czech_language_module_simlang_cs.py
py/qyvaria_data_analyst_ai_sim_agent_edanlq→_data_charts_stats_cache_fast_api_python.py
py/qyvaria_data_code_analyzer_ai_sim_agent.py
py/qyvaria_evolution_agent.py
py/qyvaria_generalization_agentic_ai_sim_single_module.py
py/qyvaria_improvement_engine_one_file_simulator_toolkit_v_1.py
py/qyvaria_llm_sim_and_meta_agent.py
py/qyvaria_mathematical_ai_sim_agent_symbolic_numeric_steps_proof_hints_python_fast_api.py
py/qyvaria_multi_agent_knowledge_mesh_30_micro_agents_orchestrator_v_0.py
py/qyvaria_one_agent_sim_with_adoptable_logic_contextual_memory_and_internal_multi_agent_runtime.py
py/qyvaria_pra_genesis_ai_sim_agent.py
py/qyvaria_prompt_engineering_ai_sim_agent_lint_optimize_instantiate_a_b_eval_fast_api_python.py
py/qyvaria_simulate_then_act_rational_agent_v_0.py
py/qyvaria_team_orchestrator_multi_agent_sim_with_self_optimizer_secure.py
py/qyvaria_unified_sim_agent_knowledge_guild_monolith_v_0.py
py/qyvaria_voice_sim_agent_diarization_addressed_reply_router_v_0.py
py/reality_aware_sim_machine_awareness_ai_sim_agent_active_inference_single_file.py
py/SimulationInterface.py
py/speed_agent.py

File path
py/sumerian_language_model_ai_sim_agent_qyvaria_compatible.py
py/sumerian_voice_chat_ai_sim_agent_for_qyvaria_fake_it_capable.py
py/therapist_style_ai_sim_agent_safety_first_support_python.py
py/translator_crypto_sim_agent_qyvaria_compatible.py

Reasoning and Intelligence

File path
py/Agi Super Intelligence.py
py/AGI_Agents.py
py/AGI_Boot.py
py/AGI_Ethics.py
py/AGI_Ignition.py
py/AGI_Memory.py
py/AGI_MetaReasoner.py
py/AGI_Orchestrator.py
py/AGI_PluginManager.py
py/agi_prototype_microkernel_multi_agent_qyvaria_style_single_file.py
py/ai_model_analyzer_freedom_module_agent_secure_file_driven.py
py/ai_model_tester_agent.py
py/ai_sim_agent_bus_sandbox_hierarchical_planning_constraint_solver_rationale_python.py
py/catalyst_equalizer_v_1_py_code_i_o_and_logic_clarity_equalizer.py
py/CognitiveStyle.py
py/emotional_intelligence_agent.py
py/EmotionModel.py
py/gpt_6_lite_deterministic_model_transformer_reasoning_head_single_file.py
py/imagination_engine.cpython-312.pyc
py/llm_engine.cpython-312.pyc
py/llm_engine.py
py/logicky_rozhodovaci_system_pravidlovy_engine_cz.py
py/machine_intelligence_ai_sim_agent_single_file_deterministic_goap_memory_tools.py
py/mastermind_ai_sim_model_catalyst_v_7_aligned_mastermind_sim.py
py/meta_ai_sim_adaptive.py
py/meta_ai_sim_agent.py
py/meta_sim_agent_qyvaria_compatible_simulates_sims_engine.py
py/MetaLearningEngine.py
py/MetaReasoner.py
py/Phytoon_Full_Language_Model.py
py/Phytoon_Language_Model.py
py/qy_llm_pipeline.py
py/qy_llm_sim_module.py
py/qy_reasoning_booster.py
py/qyintelligence_max.py
py/qyintelligence.py
py/qyvaria_agi_model.py
py/qyvaria_agi_proto.py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python (1).py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python.py
py/qyvaria_aisim_axis_module_factuality_reasoning_code_creativity_speed.py
py/qyvaria_cognitive_superstack.py
py/qyvaria_equalizer_suite_one_go_language_code_logic_clarity_tool_equalizer_suite.py
py/qyvaria_llm_sim_and_meta_agent.py
py/qyvaria_meta_intelligence_engine.py

File path
py/qyvaria_model.py
py/qyvaria_one_agent_sim_with_adoptable_logic_contextual_memory_and_internal_multi_agent_runtime.py
py/qyvaria_rationality_max.py
py/qyvaria_simulate_then_act_rational_agent_v_0.py
py/rationality_lab.py
py/SelfModel.py
py/SocialReasoner.py
py/sumerian_language_model_ai_sim_agent_qyvaria_compatible.py
py/train_model.py
py/WorldModel.py
py/WorldModelExpander.py

Tools, Apps, Developer Experience

File path
py/1qyvaria_prompt_gen.py
py/ai_model_analyzer_freedom_module_agent_secure_file_driven.py
py/ai_sim_agent_adaptive_batching_response_cache_autoscaling_circuit_breakers_safe_chaos_fast_api_python.py
py/ai_sim_agent_learning_evals_governance_suite_python_fast_api.py
py/build_qyvaria_studio.py
py/catalyst_equalizer_v_1_py_code_i_o_and_logic_clarity_equalizer.py
py/Cetana_IDE_Launcher.py
py/Cetana_Phytoon_IDE.py
py/code_2_lang_code_→_natural_language_explainer_single_file_no_deps.py
py/code_sim_agent_deterministic_python_subset_ast_vm.py
py/CodeLab.py
py/CodeSandbox.py
py/engineering_ai_sim_agent_code_specialist_python.py
py/image_generator_server.py
py/jarvis_server.py
py/lingua_api.py
py/machine_intelligence_ai_sim_agent_single_file_deterministic_goap_memory_tools.py
py/media2prompt.py
py/NeuralPatternMapper.py
py/python_axiomdelta_codex.py
py/qy_app_sim_agent.py
py/qy_code_engineer_code_quality_refactor_and_safety_module_for_qyvaria_v_8.py
py/qy_ml_toolkit.py
py/qyvaria_advanced_voice_chat_ai_sim_agent_low_latency_barge_in_safety_fast_api_reference.py
py/qyvaria_advanced_voice_chat_sim_emotion_mirroring_real_time_translation_noise_suppression_multimodal_prompt_composer_fast_api.py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python (1).py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python.py
py/qyvaria_aisim_axis_module_factuality_reasoning_code_creativity_speed.py
py/qyvaria_analyzer_streamlit_app.py
py/qyvaria_app_creator_sim_agent_single_agent_multi_role_pipeline.py
py/qyvaria_data_analyst_ai_sim_agent_edn_nlq_→_data_charts_stats_cache_fast_api_python.py
py/qyvaria_data_code_analyzer_ai_sim_agent.py
py/qyvaria_equalizer_suite_one_go_language_code_logic_clarity_tool_equalizer_suite.py
py/qyvaria_hybrid_analyzer_encryptor_decryptor_mixer_transmitter_single_file_module.py
py/qyvaria_improvement_engine_one_file_simulator_toolkit_v_1.py
py/qyvaria_mathematical_ai_sim_agent_symbolic_numeric_steps_proof_hints_python_fast_api.py
py/qyvaria_prompt_engineering_ai_sim_agent_lint_optimize_instantiate_a_b_eval_fast_api_python.py

File path
py/qyvaria_provenance_toolkit_v_0.py
py/qyvaria_voice_chat_x_single_file_server_fast_api_web_socket_stubs.py
py/qywriter.py
py/SelfEditor.py
py/teleprompter.py
py/therapist_style_ai_sim_agent_safety_first_support_python.py
py/velcode_interpreter.py
py/velcode_shell.py

Runtime, Kernel, Orchestration

File path
py/aeon_loader.py
py/AGI_Boot.py
py/AGI_Orchestrator.py
py/agi_prototype_microkernel_multi_agent_qyvaria_style_single_file.py
py/ai_sim_agent_kernel.py
py/bootloader.py
py/catalyst_hub_v_1_sandboxed_plugin_bus_python.py
py/Cetana_v4_Boot.py
py/Cetana_v5_Boot.py
py/Cetana_v6_Boot.py
py/kernel.py
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py
py/mastermind_orchestrator_v_8.py
py/mira_aof_ai_sim_agent_qyvaria_runtime.py
py/qy_90_upgrade_pack_bootstrap.py
py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py
py/qy_control_plane.py
py/qy_durable_orchestrator.py
py/qy_fullstack_pack_bootstrap_fullstack.py
py/qy_orbit_pack_bootstrap_orbit.py
py/qy_self_upgrade_pack_v_2_bootstrap_upgrade_v_2.py
py/qy_voice_engine_bootstrap_voice.py
py/qy_voice_modes_pack_bootstrap_voice_modes.py
py/qy_voice_policy_patch_bootstrap_voice_policy.py
py/qyorchestrator.py
py/qyvaria_catalyst_v_8_single_file_module_network_orchestrator_catalyst_hub.py
py/qyvaria_control_plane.py
py/qyvaria_hub_open_ai_multi_bot_connector_policy_safe.py
py/qyvaria_kernel_integration_bridge_mesh_orchestrator_v_0.py
py/qyvaria_kernel_mesh_kernel_mesh.py
py/qyvaria_multi_agent_knowledge_mesh_30_micro_agents_orchestrator_v_0.py
py/qyvaria_one_agent_sim_with_adoptable_logic_contextual_memory_and_internal_multi_agent_runtime.py
py/qyvaria_team_orchestrator_multi_agent_sim_with_self_optimizer_secure.py
py/qyvaria_team_orchestrator_single_file.py
py/SafetyKernelUpgrade.py
py/truth_alignment_kernel.cpython-312.pyc
py/truth_alignment_kernel.py
py/WakeUpKernel.py

Voice and Language

File path
py/advance_voice_chat_command.py
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py
py/auto_language_voice_router_simlang_auto.py
py/code_2_lang_code_→_natural_language_explainer_single_file_no_deps.py
py/human_voice_chat_advanced_voice_chat_mirroring_human_sim_single_file.py
py/lang_lock_voice.py
py/LanguageFeedback.py
py/lingua_api.py
py/lingua.py
py/nl_sim_agent_deterministic_natural_language_engine.py
py/oneagent_voice_sim.py
py/Phytoon_Full_Language_Model.py
py/Phytoon_Language_Model.py
py/qy_voice_engine_bootstrap_voice.py
py/qy_voice_modes_pack_bootstrap_voice_modes.py
py/qy_voice_policy_patch_bootstrap_voice_policy.py
py/qybilingual_voice.py
py/qynlcalibrator_py_natural_unnatural_language_calibrator_lisp_fast_speech_phonetic_similarity.py
py/qytranslate.py
py/Qyvaria Voice Os.py
py/qyvaria_advanced_voice_chat_ai_sim_agent_low_latency_barge_in_safety_fast_api_reference.py
py/qyvaria_advanced_voice_chat_sim_emotion_mirroring_real_time_translation_noise_suppression_multimodal_prompt_composer_fast_api.py
py/qyvaria_czech_language_module_simlang_cs.py
py/qyvaria_equalizer_suite_one_go_language_code_logic_clarity_tool_equalizer_suite.py
py/qyvaria_language_lock_advanced_voice_chat_module_single_file.py
py/qyvaria_module_sumerian_voice+.py
py/qyvaria_module_sumerian_voice.py
py/qyvaria_natural_voice.py
py/qyvaria_voice_chat_x_single_file_server_fast_api_web_socket_stubs.py
py/qyvaria_voice_sim_agent_diarization_addressed_reply_router_v_0.py
py/qyvaria_voice.py
py/sumerian_language_model_ai_sim_agent_qyvaria_compatible.py
py/sumerian_voice_chat_ai_sim_agent_for_qyvaria_fake_it_capable.py
py/voice_engineering_frontend_qyvaria_v_8_module.py

Security, Safety, Provenance

File path
py/adaptive_ai_sim_agent_privacy_first_reference_python.py
py/aeon_ethics.cpython-312.pyc
py/aeon_ethics.py
py/AGI_Ethics.py
py/ai_model_analyzer_freedom_module_agent_secure_file_driven.py
py/ai_sim_agent_bus_sandbox_hierarchical_planning_constraint_solver_rationale_python.py
py/catalyst_hub_v_1_sandboxed_plugin_bus_python.py
py/CodeSandbox.py
py/EthicsArbiter.py
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py
py/question_policy.py
py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py
py/qy_code_engineer_code_quality_refactor_and_safety_module_for_qyvaria_v_8.py

File path
py/qy_crypto.py
py/qy_voice_policy_patch_bootstrap_voice_policy.py
py/qyvaria_advanced_voice_chat_ai_sim_agent_low_latency_barge_in_safety_fast_api_reference.py
py/qyvaria_guardian_module_prwa_plan→research→write→audit_loop.py
py/qyvaria_hub_open_ai_multi_bot_connector_policy_safe.py
py/qyvaria_hybrid_analyzer_encryptor_decryptor_mixer_transmitter_single_file_module.py
py/qyvaria_provenance_toolkit_v_0.py
py/qyvaria_secure_sandbox.py
py/qyvaria_team_orchestrator_multi_agent_sim_with_self_optimizer_secure.py
py/SafetyKernelUpgrade.py
py/therapist_style_ai_sim_agent_safety_first_support_python.py
py/translator_crypto_sim_agent_qyvaria_compatible.py
py/truth_alignment_kernel.cpython-312.pyc
py/truth_alignment_kernel.py
py/ValueGuardian.py

Evaluation, Testing, Training

File path
py/aeon_self_diagnostic.cpython-312.pyc
py/aeon_self_diagnostic.py
py/ai_model_tester_agent.py
py/ai_sim_agent_learning_evals_governance_suite_python_fast_api.py
py/ai_sim_agent_probes_long_context_retrieval_review_rubrics_line_citations_popular_cache_feedback→facts_python.py
py/all_in_one_sim_agent_co_t_auditor_planner_executor_log_miner_triage_qyvaria_compatible.py
py/catalyst_audit_memory.py
py/convert_to_training.py
py/module_auditor.py
py/PerformanceMonitor.py
py/qy_network_retrieval.py
py/qy_test_ai.py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python (1).py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python.py
py/qyvaria_eval_harness_live_bench_gdpval_hle_v_0.py
py/qyvaria_guardian_module_prwa_plan→research→write→audit_loop.py
py/qyvaria_prompt_engineering_ai_sim_agent_lint_optimize_instantiate_a_b_eval_fast_api_python.py

Memory and Knowledge

File path
py/advance_memory_ai_sim_agent_bit_weaver_v_0.py
py/AGI_Memory.py
py/ai_sim_agent_probes_long_context_retrieval_review_rubrics_line_citations_popular_cache_feedback→facts_python.py
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py
py/catalyst_audit_memory.py
py/EpisodicMemory.py
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py
py/machine_intelligence_ai_sim_agent_single_file_deterministic_goap_memory_tools.py
py/qy_memory_extended_pluggable_memory_module_for_qyvaria_v_8.py
py/qy_network_retrieval.py
py/qymemory.py
py/qyvaria_memo.py

File path
py/qyvaria_multi_agent_knowledge_mesh_30_micro_agents_orchestrator_v_0.py
py/qyvaria_one_agent_sim_with_adoptable_logic_contextual_memory_and_internal_multi_agent_runtime.py
py/qyvaria_unified_sim_agent_knowledge_guild_monolith_v_0.py

Media and Visual Systems

File path
py/image_generator_server.py
py/logicky_rozhodovaci_system_pravidlovy_engine_cz.py
py/media2prompt.py
py/PhytoonImageGen.py
py/qy_logo_stamp.py
py/qyvaria_photoreal_max.py
py/qyvid_scripter.py

Evidence basis and editorial boundary

This volume is grounded in the supplied Qyvaria corpus and the preceding technical study. It distinguishes between directly observed bundle metadata, static source inspection, controlled command-line observations, and interpretive proposals. The publication pack does not certify production security or claim that every module is runnable. It treats the project as a serious software corpus whose value increases when its evidence, ambitions, and next engineering steps are written down clearly.

VOLUME 03 — ENGLISH

Qyvaria Agent and Cognition Encyclopedia

Agents, memory, reasoning, voice, and orchestration clusters.

EN Volume 03

Qyvaria Agent and Cognition Encyclopedia

Agents, memory, reasoning, voice, and orchestration clusters

Grounded in the supplied qyvaria.py corpus, its mirrored text payload, and the prior technical reading.

Prepared for the Qyvaria open publication pack - 17 May 2026.

Contents

1. Agentic thesis
2. Registered agent inventory
3. Cognitive and orchestration modules
4. Memory, reasoning, and voice
5. Selected module portraits
6. Agent design principles for future releases
7. Appendix - Agent and cognition related file index

Agentic thesis

Qyvaria's strongest visible concentration is agent and simulation fabric. Filename tagging identifies more than one hundred records linked to agents or simulation, and the bundle manifest names 17 registered agents. The most valuable way to read this is not as a claim that each agent is production-grade, but as a deliberate design vocabulary: specialized actors, planners, critics, refiners, evaluators, and communicators placed within a shared runtime dream.




Figure 1. The agent/simulation cluster dominates the thematic footprint.

Registered agent inventory

Agent name	Embedded path
ai-model-tester-agent	py/ai_model_tester_agent.py
ai-sim-module-agent	py/ai_sim_module_agent.py
all-in-one-agent	py/all_in_one_agent.py
arbiter-sim-agent	py/arbiter_sim_agent.py
emotional-intelligence-agent	py/emotional_intelligence_agent.py
forge-sim-agent	py/forge_sim_agent.py
meta-ai-sim-agent	py/meta_ai_sim_agent.py
omni-sim-agent	py/omni_sim_agent.py
optimization-checker-agent	py/optimization_checker_agent.py
qavaria-ai-sim-agent	py/qavaria_ai_sim_agent.py
qy-app-sim-agent	py/qy_app_sim_agent.py
qyvaria-adaptability-sim-agent-adaptability-agent	py/qyvaria_adaptability_sim_agent_adaptability_agent.py
qyvaria-data-code-analyzer-ai-sim-agent	py/qyvaria_data_code_analyzer_ai_sim_agent.py
qyvaria-evolution-agent	py/qyvaria_evolution_agent.py
qyvaria-llm-sim-and-meta-agent	py/qyvaria_llm_sim_and_meta_agent.py
qyvaria-pra-genesis-ai-sim-agent	py/qyvaria_pra_genesis_ai_sim_agent.py
speed-agent	py/speed_agent.py

Cognitive and orchestration modules

The orchestration family suggests a layered agent architecture: a task planner or orchestrator defines intent; cognitive or meta-intelligence modules expand search; memory modules preserve context; and policy or guardian modules attempt to bound action. This is close to a service ecology: not one super-agent, but a federation of capabilities.

Module	Size	Classes	Functions
py/qyorchestrator.py	23,747	PlanStep, Plan, TimeoutError, _Timeout, QYOrchestrator	_tokenize
py/qyintelligence.py	20,556	Contracts, Retriever, Reasoner, Claim, Critic, PlannerPro (+2 more)	_tokens, _top_k
py/qyvaria_cognitive_superstack.py	45,542	ArtifactStore, MemoryArtifactStore, FSArtifactStore, Clock, DefaultClock, Settings (+19 more)	_now_ts, _json, _slug, _stable_hash, elo_update, synthesize_program, bfs (+23 more)
py/qyvaria_meta_intelligence_engine.py	35,016	ArtifactStore, MemoryArtifactStore, FSArtifactStore, Clock, DefaultClock, Settings (+14 more)	_now_ts, _json, _slug, _stable_hash, elo_update, register_built_in_tasks, _gen_arith (+15 more)
py/qyvaria_kernel_mesh_kernel_mesh.py	16,544	Service, ServiceRegistry, EventBus, CommandRouter, KernelMesh	parse_bundle_literal, _decompress_entry, main
py/qyvaria_llm_sim_and_meta_agent.py	20,308	JurisdictionProfile, PolicyGuard, AuditLogger, ToolRegistry, LLMClient, EchoHeuristicLLM (+9 more)	_now_ms, _ensure_dir, _hash_dict, basic_answer_strategy, reflection_wrapper, demo
py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py	16,548	Decision, PolicyHit, PolicyRule, LawPolicyEngine, Role, RBAC (+11 more)	default_policy_pack

Memory, reasoning, and voice

Domain	Representative embedded paths
Memory	py/qymemory.py py/qy_memory_extended_pluggable_memory_module_for_qyvaria_v_8.py py/advance_memory_ai_sim_agent_bit_weaver_v_0.py
Reasoning	py/qyintelligence.py py/qy_reasoning_booster.py py/qyvaria_rationality_max.py
Voice	py/Qyvaria Voice Os.py py/qybilingual_voice.py py/qyvaria_voice.py
Evaluation	py/qyvaria_eval_harness_live_bench_gdpval_hle_v_0.py py/qy_test_ai.py py/ai_model_tester_agent.py

Selected module portraits

py/qyintelligence.py

Recorded payload size: 20,556 bytes. Static parse status: OK.

QYIntelligence — Six Cognitive Modules (MIT) Focus: raise Qyvaria's intelligence with robust, testable components that improve reading, reasoning, retrieval, planning, and verification. Modules/services exposed: 1) contracts – schema-guarded generation & JSON I/O (validation + guarded retries) 2) retriever – adaptive retrieval + MMR reranker over your memory service 3) reasoner – self-consistency voting + lightweight answer selection 4) critic – claim extraction + memory-backed verification (support scores) 5) plannerpro – heuristic hierarchical task decomposition + orchestrator glue 6) kg – lightweight knowledge-graph (triples) with path queries Facade: intelligence – convenience RAG function combining retriever → generator → critic. Dependencies:...

Aspect	Observed material
Representative classes	Contracts, Retriever, Reasoner, Claim, Critic, PlannerPro, KnowledgeGraph, QYIntelligence
Representative top-level functions	_tokens, _top_k
Imported modules	__future__, dataclasses, itertools, json, jsonschema, math, os, pathlib, re, sqlite3, time, typing, uuid
Approximate line count	454

py/qymemory.py

Recorded payload size: 15,405 bytes. Static parse status: OK.

Aspect	Observed material
Representative classes	_NullCipher, MemoryRecord, QYMemory
Representative top-level functions	_get_cipher, _flatten_payload, _tokenize, _now
Imported modules	__future__, collections, cryptography, dataclasses, hashlib, json, os, pathlib, re, sqlite3, time, typing, uuid, zlib
Approximate line count	390

py/qyorchestrator.py

Recorded payload size: 23,747 bytes. Static parse status: OK.

Aspect	Observed material
Representative classes	PlanStep, Plan, TimeoutError, _Timeout, QYOrchestrator
Representative top-level functions	_tokenize
Imported modules	__future__, dataclasses, json, os, pathlib, re, signal, sqlite3, threading, time, typing, uuid
Approximate line count	538

py/Qyvaria Voice Os.py

Recorded payload size: 9,881 bytes. Static parse status: OK.

Qyvaria Voice OS — Advanced Conversational Runtime (Voice-First)

=====

Purpose A production-style, deterministic, auditable voice chat operating layer for Qyvaria that is engaging and *does not ask questions nonstop*. It manages turn-taking, backchannels, question-throttling, barge-in, and prosody hints — while integrating with the existing Complete SIM / AEON stack. Highlights • Voice state machine: LISTEN → THINK → SPEAK → (HOLD|YIELD) • Question-Throttle: per-minute budget, rolling windows, rewrite to statements • Backchanneler: lightweight acknowledgments that don't derail the user • Barge-In handling: detect/allow user interrupts; gracefully cut TTS • Engagement Engine: openers, reflect...

Aspect	Observed material
Representative classes	VAD, ASR, TTS, QuestionThrottle, VState, VoiceOS
Representative top-level functions	ssml
Imported modules	__future__, dataclasses, math, qyvaria_complete_sim, random, re, time, typing
Approximate line count	276

py/qyvaria_cognitive_superstack.py

Recorded payload size: 45,542 bytes. Static parse status: OK.

Qyvaria Cognitive Superstack (QCS) ===== A single-file, dependency-free ****meta-learning and orchestration supermodule**** that boosts Qyvaria's problem-solving capacity via: - ****Task & Solver OS****: registries, episodic runner, JSONL events, Markdown reports. - ****Search Suite****: BFS/DFS/IDDFS, A*, Beam, MCTS-lite, Best-First, Hill-Climb, Simulated Annealing. - ****Program Induction****: tiny LISP-like DSL with interpreter + enumerative/stochastic synthesis. - ****Auto-Curriculum****: ELO ratings for tasks/solvers, bandits (UCB1 & Thompson), difficulty sampler. - ****Memory Systems****: episodic log, semantic index (TF-IDF/BM25-ish), and a lightweight knowledge graph. - ****Self-Reflection****:

failure taxonomy, patch suggestions, knob tuni...

Aspect	Observed material
Representative classes	ArtifactStore, MemoryArtifactStore, FSArtifactStore, Clock, DefaultClock, Settings, PolicyEngine, Event, EventBus, KGNode, KGEdege, KnowledgeGraph, MemoryItem, MemoryIndex (+11 more)
Representative top-level functions	_now_ts, _json, _slug, _stable_hash, elo_update, synthesize_program, bfs, dfs, a_star, mcts, register_builtin_tasks, _gen_arith, _safe_eval_arith, _eval_arith, _gen_reverse, _eval_reverse, _gen_nextint, _eval_nextint (+12 more)
Imported modules	__future__, ast, dataclasses, enum, functools, heapq, io, itertools, json, math, os, pathlib, random, re, statistics, string, sys, textwrap (+2 more)
Approximate line count	1213

py/qyvaria_meta_intelligence_engine.py

Recorded payload size: 35,016 bytes. Static parse status: OK.

Qyvaria Meta-Intelligence Engine (QMIE) ===== A single-file, dependency-free module that adds ****self-improvement, meta-reasoning, simulation, and evaluation**** capabilities to Qyvaria's kernel (`Qyvaria.py`). The goal is to ***increase problem-solving capacity over time*** through: - ****Ensembled solvers**** (BFS/DFS/Beam, MCTS-lite, Program search, Heuristic search) - ****Bandit-driven selection**** and ****Bayesian model selection**** of solvers - ****Automatic curriculum**** with ELO-style difficulty ratings for tasks & solvers - ****Self-reflection**** & ***failure taxonomy*** with patch proposals - ****Memory**** (episodic & semantic) with simple TF-IDF-like retrieval - ****Grid search / hyperparameter tuning**** with reproducible seeds - ****Deter...**

Aspect	Observed material
Representative classes	ArtifactStore, MemoryArtifactStore, FSArtifactStore, Clock, DefaultClock, Settings, PolicyEngine, Event, EventBus, TaskSpec, TaskRegistry, SolverSpec, SolverRegistry, MemoryItem (+6 more)
Representative top-level functions	_now_ts, _json, _slug, _stable_hash, elo_update, register_builtin_tasks, _gen_arith, _safe_eval_arith, _eval_arith, _gen_reverse, _eval_reverse, _gen_nextint, _eval_nextint, _gen_logic, _eval_logic, solver_arith_eval, solver_reverse, solver_sequence_fit (+4 more)
Imported modules	__future__, ast, dataclasses, enum, functools, heapq, inspect, io, itertools, json, math, os, pathlib, random, re, statistics, string, sys (+5 more)
Approximate line count	966

Agent design principles for future releases

Principle	Meaning
Explicit agent contract	Every agent should declare input schema, output schema, side effects, and failure modes.
Deterministic demonstrations	A bounded demo should produce repeatable traces under a seed or fixture.
Human control points	Planning and actuation should expose review points rather than hiding all decisions.
Evaluation before rhetoric	Agent names can be ambitious; public claims should be tied to tests.
Memory with provenance	Long-lived state gains value when readers can trace why it exists.

Appendix - Agent and cognition related file index

File path
py/AGI_Agents.py
py/AGI_Boot.py
py/AGI_Ethics.py
py/AGI_Ignition.py
py/AGI_Memory.py
py/AGI_MetaReasoner.py
py/AGI_Orchestrator.py
py/AGI_PluginManager.py
py/Aeon Ai Sim.py
py/Agi Super Intelligence.py
py/Cetana_Custom_Agent_Core.py
py/Cetana_OS_Simulation.py
py/Cetana_Simulator.py
py/CognitiveStyle.py
py/CounterfactualSimulator.py
py/EmotionModel.py
py/EpisodicMemory.py
py/LanguageFeedback.py
py/MetaLearningEngine.py
py/MetaReasoner.py
py/MultiAgentFramework.py
py/Phytoon_Full_Language_Model.py
py/Phytoon_Language_Model.py
py/Qyvaria Complete Sim.py
py/Qyvaria Sim Profile.py
py/Qyvaria Voice Os.py
py/Qyvaria_Aeon.py
py/SelfModel.py
py/SimulationInterface.py
py/SocialReasoner.py
py/WorldModel.py
py/WorldModelExpander.py
py/adaptive_ai_sim_agent_privacy_first_reference_python.py
py/advance_memory_ai_sim_agent_bit_weaver_v_0.py
py/advance_voice_chat_command.py
py/aeon_chat_interface.py
py/aeon_continuum.py
py/aeon_ethics.cpython-312.pyc
py/aeon_ethics.py
py/aeon_loader.py
py/aeon_minigrid_integration.py
py/aeon_realm_sim.py
py/aeon_self_diagnostic.cpython-312.pyc
py/aeon_self_diagnostic.py
py/aeon_textworld_integration.py
py/aeon_webots_integration.py
py/aeonscript_engine.py
py/agentic_behaviorism.py
py/agi_prototype_microkernel_multi_agent_qyvaria_style_single_file.py

File path
py/ai_model_analyzer_freedom_module_agent_secure_file_driven.py
py/ai_model_tester_agent.py
py/ai_sim_agent_adaptive_batching_response_cache_autoscaling_circuit_breakers_safe_chaos_fast_api_python.py
py/ai_sim_agent_bus_sandbox_hierarchical_planning_constraint_solver_rationale_python.py
py/ai_sim_agent_kernel.py
py/ai_sim_agent_learning_evals_governance_suite_python_fast_api.py
py/ai_sim_agent_probes_long_context_retrieval_review_rubrics_line_citations_popular_cache_feedback→facts_python.py
py/ai_sim_equalizer_v_1.py
py/ai_sim_module_agent+.py
py/ai_sim_module_agent.py
py/ai_sim_trace_viewer_timeline_artifacts_diffs_costs_decisions_react.jsx
py/all_in_one_agent.py
py/all_in_one_sim_agent_co_t_auditor_planner_executor_log_miner_triage_qyvaria_compatible.py
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py
py/arbiter_sim_agent.py
py/auto_language_voice_router_simlang_auto.py
py/catalyst_audit_memory.py
py/catalyst_equalizer_v_1_py_code_i_o_and_logic_clarity_equalizer.py
py/code_2_lang_code_→_natural_language_explainer_single_file_no_deps.py
py/code_sim_agent_deterministic_python_subset_ast_vm.py
py/educator_sim_qyvaria_module_python.py
py/emotion_sim_qyvaria_module_python.py
py/emotional_intelligence_agent.py
py/engineering_ai_sim_agent_code_specialist_python.py
py/forge_sim_agent.py
py/gpt_6_lite_deterministic_model_transformer_reasoning_head_single_file.py
py/human_sim_human_like_ai_sim_agent_personality_drives_emotions_bdi_single_file.py
py/human_voice_chat_advanced_voice_chat_mirroring_human_sim_single_file.py
py/imagination_engine.cpython-312.pyc
py/lang_lock_voice.py
py/law_advisor_ai_sim_agent_qyvaria_compatible.py
py/lingua.py
py/lingua_api.py
py/linguistics_ai_sim_agent_qyvaria_compatible.py
py/llm_engine.cpython-312.pyc
py/llm_engine.py
py/logicky_rozhodovaci_system_pravidlovy_engine_cz.py
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py
py/machine_intelligence_ai_sim_agent_single_file_deterministic_goap_memory_tools.py
py/mastermind_ai_sim_model_catalyst_v_7_aligned_mastermind_sim.py
py/meta_ai_sim_adaptive.py
py/meta_ai_sim_agent.py
py/meta_sim_agent_qyvaria_compatible_simulates_sims_engine.py
py/mira_aof_ai_sim_agent_qyvaria_runtime.py
py/neuro_sim_agent_qyvaria_compatible_neuronal_sim.py
py/nl_sim_agent_deterministic_natural_language_engine.py
py/omni_sim_agent.py
py/oneagent_voice_sim.py
py/optimization_checker_agent.py
py/problem_solving_ai_sim_minimal_deterministic_agent_qyvaria_style.py
py/qavaria_ai_sim_agent.py
py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py

File path
py/qy_agentsim_united.py
py/qy_app_sim_agent.py
py/qy_llm_pipeline.py
py/qy_llm_sim_module.py
py/qy_memory_extended_pluggable_memory_module_for_qyvaria_v_8.py
py/qy_network_retrieval.py
py/qy_reasoning_booster.py
py/qy_sim_engineering_ai.py
py/qy_sim_pack_100.py
py/qy_sim_patchset_10.py
py/qy_voice_engine_bootstrap_voice.py
py/qy_voice_modes_pack_bootstrap_voice_modes.py
py/qy_voice_policy_patch_bootstrap_voice_policy.py
py/qybilingual_voice.py
py/qyintelligence.py
py/qyintelligence_max.py
py/qymemory.py
py/qynlcalibrator_py_natural_unnatural_language_calibrator_lisp_fast_speech_phonetic_similarity.py
py/qytranslate.py
py/qyvaria_adaptability_sim_agent_adaptability_agent.py
py/qyvaria_advanced_voice_chat_ai_sim_agent_low_latency_barge_in_safety_fast_api_reference.py
py/qyvaria_advanced_voice_chat_sim_emotion_mirroring_real_time_translation_noise_suppression_multimodal_prompt_composer_fast_api.py
py/qyvaria_agi_model.py
py/qyvaria_agi_proto.py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python (1).py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python.py
py/qyvaria_aisim_axis_module_factuality_reasoning_code_creativity_speed.py
py/qyvaria_app_creator_sim_agent_single_agent_multi_role_pipeline.py
py/qyvaria_cognitive_superstack.py
py/qyvaria_czech_language_module_simlang_cs.py
py/qyvaria_data_analyst_ai_sim_agent_edn_nlq→_data_charts_stats_cache_fast_api_python.py
py/qyvaria_data_code_analyzer_ai_sim_agent.py
py/qyvaria_equalizer_suite_one_go_language_code_logic_clarity_tool_equalizer_suite.py
py/qyvaria_evolution_agent.py
py/qyvaria_generalization_agentic_ai_sim_single_module.py
py/qyvaria_improvement_engine_one_file_simulator_toolkit_v_1.py
py/qyvaria_language_lock_advanced_voice_chat_module_single_file.py
py/qyvaria_llm_sim_and_meta_agent.py
py/qyvaria_mathematical_ai_sim_agent_symbolic_numeric_steps_proof_hints_python_fast_api.py
py/qyvaria_memo.py
py/qyvaria_meta_intelligence_engine.py
py/qyvaria_model.py
py/qyvaria_module_sumerian_voice +.py
py/qyvaria_module_sumerian_voice.py
py/qyvaria_multi_agent_knowledge_mesh_30_micro_agents_orchestrator_v_0.py
py/qyvaria_natural_voice.py
py/qyvaria_one_agent_sim_with_adoptable_logic_contextual_memory_and_internal_multi_agent_runtime.py
py/qyvaria_pra_genesis_ai_sim_agent.py
py/qyvaria_prompt_engineering_ai_sim_agent_lint_optimize_instantiate_a_b_eval_fast_api_python.py
py/qyvaria_rationality_max.py
py/qyvaria_simulate_then_act_rational_agent_v_0.py
py/qyvaria_team_orchestrator_multi_agent_sim_with_self_optimizer_secure.py

File path
py/qyvaria_unified_sim_agent_knowledge_guild_monolith_v_0.py
py/qyvaria_voice.py
py/qyvaria_voice_chat_x_single_file_server_fast_api_web_socket_stubs.py
py/qyvaria_voice_sim_agent_diarization_addressed_reply_router_v_0.py
py/rationality_lab.py
py/reality_aware_sim_machine_awareness_ai_sim_agent_active_inference_single_file.py
py/speed_agent.py
py/sumerian_language_model_ai_sim_agent_qyvaria_compatible.py
py/sumerian_voice_chat_ai_sim_agent_for_qyvaria_fake_it_capable.py
py/therapist_style_ai_sim_agent_safety_first_support_python.py
py/train_model.py
py/translator_crypto_sim_agent_qyvaria_compatible.py
py/voice_engineering_frontend_qyvaria_v_8_module.py

Evidence basis and editorial boundary

This volume is grounded in the supplied Qyvaria corpus and the preceding technical study. It distinguishes between directly observed bundle metadata, static source inspection, controlled command-line observations, and interpretive proposals. The publication pack does not certify production security or claim that every module is runnable. It treats the project as a serious software corpus whose value increases when its evidence, ambitions, and next engineering steps are written down clearly.

Extended agent registry profiles

Agent	Path	Compile status	Interpretive role
ai-model-tester-agent	py/ai_model_tester_agent.py	No static blocker listed	Model evaluation and test harness orientation.
ai-sim-module-agent	py/ai_sim_module_agent.py	No static blocker listed	Simulation module actor.
all-in-one-agent	py/all_in_one_agent.py	No static blocker listed	Broad combined agent surface.
arbiter-sim-agent	py/arbiter_sim_agent.py	No static blocker listed	Arbitration and decision support.
emotional-intelligence-agent	py/emotional_intelligence_agent.py	No static blocker listed	Emotion-aware interaction concept.
forge-sim-agent	py/forge_sim_agent.py	No static blocker listed	Construction or generation-oriented simulation actor.
meta-ai-sim-agent	py/meta_ai_sim_agent.py	No static blocker listed	Meta-level simulation supervision.
omni-sim-agent	py/omni_sim_agent.py	No static blocker listed	General multi-purpose simulation actor.
optimization-checker-agent	py/optimization_checker_agent.py	No static blocker listed	Optimization review and checking.
qavaria-ai-sim-agent	py/qavaria_ai_sim_agent.py	No static blocker listed	Qyvaria-branded simulation role.
qy-app-sim-agent	py/qy_app_sim_agent.py	Blocker listed	Application-oriented simulation path.
qyvaria-adaptability-sim-agent-adaptability-agent	py/qyvaria_adaptability_sim_agent_adaptability_agent.py	No static blocker listed	Adaptability and response-shaping focus.
qyvaria-data-code-analyzer-ai-sim-agent	py/qyvaria_data_code_analyzer_ai_sim_agent.py	No static blocker listed	Data/code analysis role.
qyvaria-evolution-agent	py/qyvaria_evolution_agent.py	No static blocker listed	Evolution and iterative improvement framing.
qyvaria-llm-sim-and-meta-agent	py/qyvaria_llm_sim_and_meta_agent.py	No static blocker listed	Language-model simulation plus meta layer.
qyvaria-pra-genesis-ai-sim-agent	py/qyvaria_pra_genesis_ai_sim_agent.py	No static blocker listed	Genesis-oriented project simulation concept.

Agent	Path	Compile status	Interpretive role
speed-agent	py/speed_agent.py	No static blocker listed	Latency or throughput-oriented actor.

Registered agent path walkthrough

py/ai_model_tester_agent.py

Recorded payload size: 24,813 bytes. Static parse status: OK.

Aspect	Observed material
Representative classes	CheckResult, AgentReport, OptimizationCheckerAgent, AIModelTesterAgent
Representative top-level functions	—
Imported modules	collections, dataclasses, json, math, random, statistics, time, typing
Approximate line count	495

py/ai_sim_module_agent.py

Recorded payload size: 2,512 bytes. Static parse status: OK.

Aspect	Observed material
Representative classes	QyvariaKernelInterface, AISimModuleAgent
Representative top-level functions	—
Imported modules	—
Approximate line count	67

py/all_in_one_agent.py

Recorded payload size: 37,383 bytes. Static parse status: OK.

All-In-One Agent Kernel — BabyAGI × Semantic Kernel × Smolagents × CrewAI × LangGraph × AutoGen × LlamaIndex Agents × Strands Single-file, batteries-included Python module implementing a lightweight-yet-complete agent runtime that blends:

- BabyAGI — iterative task creation/prioritization/execution loop.
- Semantic Kernel — skills (tools), memories, and a planner building DAGs.
- Smolagents — code-first autonomy with an inline Python sandbox.
- CrewAI — role-based multi-agent collaboration (delegate, debate).
- LangGraph — stateful, cyclic graph execution with human-in-the-loop.
- AutoGen — multi-agent conversational protocols & tool use.
- LlamaIndex Agents (RAG) — knowledge indexing, retrieval, and action on data.
- Strands Agents — hierarchical p...

Aspect	Observed material
Representative classes	Timeout, Event, EventBus, Role, Message, RBAC, Tool, Calculator, FileTool, PythonSandbox, RAGQuery, MemoryStore, LLM, EchoLLM (+20 more)
Representative top-level functions	now, short_uid, sha1, clamp, chunks, time_limit, default_human_gate, run_demo
Imported modules	__future__, abc, argparse, ast, builtins, contextlib, dataclasses, enum, fnmatch, functools, gc, hashlib, heapq, inspect, io, itertools, json, math (+16 more)
Approximate line count	919

py/arbiter_sim_agent.py

Recorded payload size: 11,458 bytes. Static parse status: OK.

Aspect	Observed material
Representative classes	RiskEntry, RiskRegister, JurisdictionMapper, AgeGatekeeper, _DomainTier, JurorOfSources, ChronologyBuilder, GlossaryKeeper, AltTextSynth, LayoutRecommender, ToneEqualizer, ArbiterSimAgent
Representative top-level functions	_recency_score
Imported modules	__future__, dataclasses, datetime, re, time, typing, urllib

Aspect	Observed material
Approximate line count	216

py/emotional_intelligence_agent.py

Recorded payload size: 14,651 bytes. Static parse status: OK.

Emotional Intelligence (EI) AI SIM Agent for Qyvaria ----- Design goals - Deterministic, auditable, RBAC-safe. No network calls. - Single-file module that can plug into a microkernel / agent system. - Clear separation of: sensing (NLP), appraisal (affect & needs), planning (coach tactics), and action (responses). - Fully testable with built-in unit tests and dry-run demo. How to use (standalone) - python emotional_intelligence_agent.py --demo How to use (with a host agent system) - import EmotionalIntelligenceAgent and instantiate with a policy & rng. - Call .observe(user_text) -> .plan() -> .act() or directly .respond(user_text). - Optional: register with your AGI agent system; see `register_with_agi_s...

Aspect	Observed material
Representative classes	DeterministicRNG, SafetyPolicy, SafetyGuard, AffectReport, DialogueTurn, DialogueState, EIConfig, EmotionalIntelligenceAgent
Representative top-level functions	_utcnow_iso, tokenize, analyze_affect, infer_need, register_with_agi_system, _demo, _assert, test_affect_basic, test_need_mapping, test_safety, run_tests
Imported modules	__future__, dataclasses, datetime, json, math, random, re, statistics, sys, typing
Approximate line count	408

py/forge_sim_agent.py

Recorded payload size: 11,147 bytes. Static parse status: OK.

Aspect	Observed material
Representative classes	RiskEntry, RiskRegister, LatencyForecaster, OutputFragmentHealer, UnitTestSynthesizer, DiagramDraftsman, EvidenceStrengthRater, ForgeSimAgent
Representative top-level functions	—
Imported modules	__future__, ast, dataclasses, datetime, math, re, time, typing, urllib
Approximate line count	267

py/meta_ai_sim_agent.py

Recorded payload size: 13,017 bytes. Static parse status: OK.

META AI SIM AGENT MODULE for Qyvaria A compact, deterministic, RBAC-guarded simulation/orchestration agent that can plan, simulate, audit, and (optionally) execute allow-listed commands. Design goals - Kernel-first: pure-Python module with a tiny surface area; no external deps. - Deterministic: seeded PRNG, fixed time budget, reproducible traces. - Auditable: structured logs, contracts (lightweight JSON-schema-ish checks), and pre/post-condition hooks. - Safe execution: explicit command allowlist (RBAC) and dry-run by default. - Composable: expose a single class `MetaAISimAgent` + `register()` hook. Integration notes (expected host features) - An external service may provide a command registry (dict[str, Callable]). - If a Qyvaria “commands”/RBAC se...

Aspect	Observed material
Representative classes	ContractError, FieldSpec, Contract, RBAC, Step, SimTrace, AgentConfig, HeuristicPlanner, MetaAISimAgent
Representative top-level functions	register
Imported modules	__future__, dataclasses, json, math, random, re, time, typing, uuid
Approximate line count	364

py/omni_sim_agent.py

Recorded payload size: 11,779 bytes. Static parse status: OK.

Aspect	Observed material
Representative classes	RiskEntry, RiskRegister, SandboxRunner, HallucinationFirewall, VizMaker, PromptOptimizer, Planner, JourneyMapper, OmniSimAgent
Representative top-level functions	safe_eval
Imported modules	__future__, ast, builtins, contextlib, dataclasses, io, json, math, re, time, traceback, typing
Approximate line count	268

py/optimization_checker_agent.py

Recorded payload size: 11,609 bytes. Static parse status: OK.

Aspect	Observed material
Representative classes	CheckResult, AgentReport, OptimizationCheckerAgent
Representative top-level functions	—
Imported modules	dataclasses, statistics, typing
Approximate line count	251

py/qavaria_ai_sim_agent.py

Recorded payload size: 16,780 bytes. Static parse status: OK.

QAVaria — Agentic AI SIM Agent (single-file module) Purpose ----- A production-ready, *agentic* AI SIM agent designed for Qyvaria-style kernels. It performs intent routing, concise planning, safe tool-use, verifiable answering, privacy-minimized auditing, and policy/legal compliance. Key capabilities ----- • Router → classifies tasks (factual | math | code | creative | long). • Planner → builds a small, auditable plan (no chain-of-thought revealed). • Executors → retrieval + citation answers; program-of-thought math (sandbox); code emit + test; creative diverge→converge; fast cached/speculative generation. • VerifierHub → fact support check, code test gate (math stub ready for prover/CAS). • PolicyGuard → PII redaction, disallowed-conte...

Aspect	Observed material
Representative classes	JurisdictionProfile, PolicyGuard, AuditLogger, ToolRegistry, LLMClient, EchoHeuristicLLM, Retriever, VerifierHub, SpecExecutor, LRUCache, QAVariaConfig, QAVariaAgent
Representative top-level functions	_now_ms, _ensure_dir, get_commands
Imported modules	__future__, argparse, dataclasses, hashlib, json, math, pathlib, random, re, time, typing
Approximate line count	443

py/qyvaria_adaptability_sim_agent_adaptability_agent.py

Recorded payload size: 8,907 bytes. Static parse status: OK.

Adaptability SIM Agent for Qyvaria - Purpose: detect distribution/task drift, replan safely, and adapt policies under RBAC. - Drop-in: place alongside qyvaria bundle; import and call `bootstrap(agent\_system)` . - Deterministic, auditable, and testable.

Aspect	Observed material
Representative classes	DriftSignal, AdaptConfig, AdaptabilityAgent
Representative top-level functions	bootstrap
Imported modules	dataclasses, json, math, py, time, typing, uuid
Approximate line count	190

py/qyvaria_data_code_analyzer_ai_sim_agent.py

Recorded payload size: 23,017 bytes. Static parse status: OK.

Qyvaria — Data & Code Analyzer AI SIM Agent (single-file module) Purpose ----- An agentic analyzer for ****data**** and ****code**** that boosts Qyvaria's accuracy, speed, and effectiveness. It provides: • Data profiling & validation (schema inference, stats, quality checks, PII-safe summaries) • Code analysis (complexity,

structure, smells, test suggestions) • Repo scanning hooks (RBAC tools) and sandbox/test runners • Deterministic caching, policy/legal compliance, privacy-minimized auditing How to run ----- \$ python "Qyvaria—Data & Code Analyzer AI SIM agent.py" --demo Kernel integration ----- from qyvaria_analyzer_agent import get_commands, AnalyzerConfig, ToolRegistry tools = ToolRegistry(dry_run=True) # tools.register('read_file',...

Aspect	Observed material
Representative classes	JurisdictionProfile, PolicyGuard, AuditLogger, ToolRegistry, LRUCache, AnalyzerConfig, ValueMasker, DataAnalyzer, CodeAnalyzer, AnalyzerAgentConfig, AnalyzerAgent
Representative top-level functions	_now_ms, _ensure_dir, _sha12, get_commands
Imported modules	__future__, argparse, csv, dataclasses, hashlib, io, json, math, pathlib, random, re, statistics, time, typing
Approximate line count	575

py/qyvaria_evolution_agent.py

Recorded payload size: 17,151 bytes. Static parse status: OK.

Qyvaria Evolution AI SIM Agent ----- A deterministic, auditable evolution engine that learns from usage and proposes safe, reversible improvements to Qyvaria over time. Design principles - Deterministic: seeded RNG, reproducible evaluations, stable hashes. - Auditable: every change is a versioned Patch with provenance, metrics, and revert instructions; full change log kept. - RBAC-safe: evolution only touches allowlisted artifacts (configs, lexicons, routing preferences). No network, no code injection, no arbitrary exec. - Shadow-first: all patches run in shadow mode against replayed logs before activation. Activation requires thresholds. - Rollback-ready: constant-time revert to any prior version. Artifacts under management...

Aspect	Observed material
Representative classes	DeterministicRNG, EvolutionPolicy, EvolutionStore, Patch, EvalReport, EvolutionAgent
Representative top-level functions	_utcnow_iso, register_with_agi_system, demo, _assert, test_policy_blocks_protected, test_eval_sample_size_gate, test_commit_and_rollback, run_tests
Imported modules	__future__, dataclasses, datetime, hashlib, json, os, random, statistics, sys, typing, uuid
Approximate line count	441

py/qyvaria_llm_sim_and_meta_agent.py

Recorded payload size: 20,308 bytes. Static parse status: OK.

Qyvaria — LLM_SIM Agent & META Learning Agent (single-file reference implementation) Purpose ----- Two complementary agents engineered to improve LLM learning and advancement via simulation: 1) LLM_SIM_Agent — a self-improvement engine using simulation, evaluation, reflection, prompt/skill search, and safe tool orchestration. 2) MetaLearningAgent — a meta-learner that adapts across tasks (learns to learn) via cross-task generalization, bandit scheduling of strategies, and lightweight, deterministic gradient-free updates. Design Tenets ----- - Kernel-first orchestration: simple service registry, deterministic runs, auditable logs. - Policy & law compliance: Privacy-aware logging, PII redaction, content policy checks, RBAC tool allowlists, j...

Aspect	Observed material
Representative classes	JurisdictionProfile, PolicyGuard, AuditLogger, ToolRegistry, LLMClient, EchoHeuristicLLM, Skill, MemoryStore, Task, Evaluator, ExactMatchOrSim, LLM_SIM_Config, LLM_SIM_Agent, MetaConfig (+1 more)
Representative top-level functions	_now_ms, _ensure_dir, _hash_dict, basic_answer_strategy, reflection_wrapper, demo
Imported modules	__future__, argparse, dataclasses, functools, hashlib, json, math, os, pathlib, random, re, sys, time, typing
Approximate line count	560

py/qyvaria_pra_genesis_ai_sim_agent.py

Recorded payload size: 40,200 bytes. Static parse status: OK.

Qyvaria PraGenesis — AI SIM AGENT (Monolith MVP)

===== One-file,
 experiment-friendly foundation that wires 24 sub-agents under a single professional orchestrator. Each sub-agent has: - clear responsibilities - typed interfaces - safe, stubbed methods you can later replace with real models/tools This file favors: - readability over micro-optimizations - strong docstrings and contracts - deterministic, offline-safe behavior (no network calls) Legal & Safety: - No copyrighted third-party code included. - No external calls. All stubs are local and mockable. - Ethics & policy checks are placeholders; refine before production. How to extend: - Replace TODOs with concrete implementations. - You may split each Age...

Aspect	Observed material
Representative classes	Mode, Tone, SafetyStatus, Severity, UserProfile, Message, TurnInput, PlanArtifact, SafetyReport, OrchestratorResult, BaseAgent, InterfaceHub, MultimodalIngest, IntentFrame (+26 more)
Representative top-level functions	_demo
Imported modules	__future__, abc, collections, dataclasses, enum, json, logging, math, queue, random, re, string, threading, time, traceback, typing
Approximate line count	989

py/speed_agent.py

Recorded payload size: 4,945 bytes. Static parse status: OK.

Aspect	Observed material
Representative classes	RiskEntry, RiskRegister, SpeedAgent
Representative top-level functions	_canonical_prompt, _cache_key, register_speed_agent
Imported modules	__future__, dataclasses, hashlib, json, py, time, typing
Approximate line count	131

VOLUME 04 — ENGLISH

Qyvaria Developer and Release Manual

Repository structure, hardening sequence, tests, and release practice.

EN Volume 04

Qyvaria Developer and Release Manual

A practical path from life-work corpus to public engineering release

Grounded in the supplied qyvaria.py corpus, its mirrored text payload, and the prior technical reading.

Prepared for the Qyvaria open publication pack - 17 May 2026.

Contents

1. Purpose of this developer manual
2. Current runtime surface
3. Release hardening sequence
4. Repository structure and documentation plan
5. Test matrix and CI gates
6. Contributor workflow
7. Appendix - Suggested issue backlog

Purpose of this developer manual

This manual converts the technical reading of the Qyvaria kernel bundle into a practical release plan. Its purpose is not to reduce the vision, but to give the vision a stronger public engineering spine. A project with hundreds of embedded records deserves repeatable packaging, entry contracts, status badges, tests, documentation, and predictable contribution paths.

Current runtime surface

Surface	Observed role
--stats	Prints bundle inventory and top-level metadata.
--list	Lists embedded file paths.
--extract DIR	Materializes the bundle payload into a directory.
--readme [PATH]	Writes the embedded README.
--run	Attempts entry import/dispatch; controlled probe emitted no stdout.

```
python -S qyvaria.py --stats
python -S qyvaria.py --list
python -S qyvaria.py --extract ./out
python -S qyvaria.py --readme ./BUNDLE_README.md
python -S qyvaria.py --run
```

Release hardening sequence

Phase	Deliverable
Phase 1 - Entry normalization	Choose the canonical import target and align wrapper, paths, and documentation.
Phase 2 - Compile clean	Resolve every static syntax blocker or quarantine non-code records outside .py paths.
Phase 3 - Metadata honesty	Align codec labels, compression claims, and the README with observed behavior.
Phase 4 - Smoke demonstrations	Provide one or two verified end-to-end demos that prove the kernel concept.
Phase 5 - CI and release tags	Gate changes on reproducible checks and publish versioned release notes.

Repository structure and documentation plan

A public repository benefits from separating runtime source, generated bundle artifacts, documentation, tests, and release evidence. The author has already chosen Apache License 2.0 for Qyvaria Kernel and Qyvaria OS software; this book pack can sit in docs/books and be linked from the repository overview.

```
Qyvaria/
  README.md
  LICENSE
  NOTICE
  kernel/
  os/
  tests/
  docs/
    books/
    architecture/
  releases/
    manifests/
    checksums/
```

Test matrix and CI gates

Gate	Check	Target
Bundle parse	Load wrapper source as text; recover metadata literals.	Pass/fail
SHA sweep	Decode each payload and verify each recorded SHA-256.	0 mismatches
Compile sweep	Compile every embedded Python source record.	0 blockers
CLI smoke	Run --help, --stats, --list, --readme, --extract, --run.	Stable exit codes and expected outputs

Gate	Check	Target
Entry demo	Run a chosen verified kernel path.	Traceable output
Dependency map	Classify stdlib vs optional third-party imports.	Published inventory




Figure 1. Current compile baseline before cleanup.

Contributor workflow

- Open an issue with a concrete module path and reproducible finding.
- Create a branch that changes one concern at a time.
- Run the full local verification set before a pull request.
- Attach before/after evidence for runtime or documentation changes.
- Keep visionary proposals separate from release-stable claims.

Appendix - Suggested issue backlog

Priority	Issue
P0	Resolve entry path qyvaria vs py/Qyvaria.py.
P0	Fix py/Qyvaria.py syntax blocker and sandbox import syntax blocker.
P0	Decide whether null-byte .py records are code, artifacts, or should be moved.
P1	Align codec naming and README statements.
P1	Create one minimal "hello kernel" verified runtime demonstration.
P1	Add CI job for manifest hash verification and compile sweep.
P2	Define agent interface schema and generate API docs.
P2	Create evaluation fixtures for memory, planning, and voice throttling.

Evidence basis and editorial boundary

This volume is grounded in the supplied Qyvaria corpus and the preceding technical study. It distinguishes between directly observed bundle metadata, static source inspection, controlled command-line observations, and interpretive proposals. The publication pack does not certify production security or claim that every module is runnable. It treats the project as a serious software corpus whose value increases when its evidence, ambitions, and next engineering steps are written down clearly.

Expanded verification catalog

ID	Check	Definition	Level
T-001	Wrapper literal parse	Recover __BUNDLE__ and README payload without importing runtime.	Required
T-002	Per-file SHA verification	Decode payload and compare stored digest.	Required
T-003	Bundle SHA note	Define and test what bundle-level hash covers.	Recommended
T-004	CLI --stats snapshot	Check stable fields: name, created time, codec, files, sizes.	Required
T-005	CLI --list count	Count listed files and compare to manifest.	Required
T-006	CLI --extract smoke	Extract to temp directory and compare file count.	Required
T-007	CLI --readme smoke	Write README payload and verify non-empty Markdown.	Required
T-008	CLI --run behavior	Define expected entry behavior, stdout/stderr, and return code.	Required
T-009	Compile sweep	compile(source, path, "exec") for each .py payload.	Required
T-010	Null-byte classifier	Flag source records containing null bytes before compilation.	Recommended
T-011	Optional dependency report	List FastAPI, NumPy, OpenCV, and other optional integrations.	Recommended
T-012	Agent registry check	Ensure registry paths exist in manifest.	Required
T-013	Category footprint report	Regenerate themed counts for release notes.	Optional
T-014	Entry import test	Verify canonical entry resolves through the loader.	Required
T-015	Smoke demo trace	One deterministic end-to-end kernel demonstration.	Required

Category-based stabilization map

Theme	Tagged files	Compiles	Blockers
Agent and Simulation	104	92	9
Reasoning and Intelligence	56	50	4
Tools, Apps, Developer Experience	45	41	4
Runtime, Kernel, Orchestration	38	35	2
Voice and Language	34	30	4
Security, Safety, Provenance	28	22	4
Evaluation, Testing, Training	17	15	1
Memory and Knowledge	15	14	1
Media and Visual Systems	7	6	1

Full compile queue for maintainers

Path	Line	Compile finding
py/aeon_ethics.py	—	source code string cannot contain null bytes
py/aeon_self_diagnostic.py	—	source code string cannot contain null bytes
py/ai_sim_equalizer_v_1.py	401	no binding for nonlocal 'args' found
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py	53	unterminated string literal (detected at line 53)
py/belief_engine.py	—	source code string cannot contain null bytes
py/openmind_module.py	5	invalid syntax
py/PhytoonImageGen.py	1	invalid syntax
py/qy_app_sim_agent.py	521	'(' was never closed
py/qy_durable_orchestrator.py	380	unterminated triple-quoted string literal (detected at line 380)
py/qy_llm_pipeline.py	71	unterminated string literal (detected at line 71)
py/qy_sim_pack_100.py	368	invalid syntax
py/qyintelligence_max.py	343	unmatched '}'
py/Qyvaria Moral Constitution — Humanity-First.py	3	invalid syntax
py/qyvaria_module_sumerian_voice +.py	249	invalid syntax
py/qyvaria_natural_voice.py	53	expected an indented block after function definition on line 53
py/qyvaria_secure_sandbox.py	68	invalid syntax
py/qyvaria_simulate_then_act_rational_agent_v_0.py	403	f-string: valid expression required before '}'
py/qyvaria_ultralite_suite.py	993	unterminated string literal (detected at line 993)
py/qyvaria_voice.py	603	'yield from' inside async function
py/Qyvaria.py	2098	invalid character '—' (U+2014)
py/rationality_lab.py	1	invalid syntax
py/reality_aware_sim_machine_awareness_ai_sim_agent_active_inference_single_file.py	292	'(' was never closed
py/recursive_reflector.py	—	source code string cannot contain null bytes
py/shell.py	9	unterminated string literal (detected at line 9)
py/teleprompter.py	5	invalid character '—' (U+2014)
py/therapist_style_ai_sim_agent_safety_first_support_python.py	131	positional argument follows keyword argument
py/truth_alignment_kernel.py	—	source code string cannot contain null bytes
py/Varia Health Reporter — phrase→status system.py	86	'(' was never closed
py/velcode_shell.py	5	unterminated string literal (detected at line 5)

Repository publishing checklist

- Keep software license files at repository root.
- Place PDF books under docs/books and keep the index near them.
- Add a README section pointing readers to the publication pack.
- Create a CHANGELOG that separates concept expansion from verified runtime changes.
- Commit reproducible analysis scripts when ready.
- Attach ZIP release asset for readers who want the full library at once.
- Use issue labels for entry, compile, docs, tests, architecture, agents, OS integration.

VOLUME 05 — ENGLISH

Qyvaria Audit and Evidence Dossier

Integrity, compile findings, risk register, and remediation ladder.

EN Volume 05

Qyvaria Audit and Evidence Dossier

Integrity, compile findings, risk register, and remediation ladder

Grounded in the supplied qyvaria.py corpus, its mirrored text payload, and the prior technical reading.

Prepared for the Qyvaria open publication pack - 17 May 2026.

Contents

1. Audit purpose
2. Observed evidence table
3. Integrity and bundle verification
4. Static compile blockers
5. Risk register
6. Remediation ladder
7. Appendix - Full compile defect list

Audit purpose

This audit dossier is deliberately sober. It records what can be evidenced from the supplied bundle and from controlled inspection. Its function is to protect the project from two equal mistakes: underestimating a large and meaningful corpus, or overstating the release readiness of a corpus that still shows concrete blockers.

Observed evidence table

Observation	Status	Meaning
Bundle records	277	Manifest size is substantial.
Python records	268	Large source surface.
Binary records	9	Mixed payload types.
Per-file hash mismatches	0	No mismatches observed in static decode sweep.
Compile-clean Python records	239	Large working source subset.
Compile blockers	29	Release cleanup queue.
Registered agents	17	Manifest-level agent registry.

Integrity and bundle verification

The wrapper stores a SHA-256 value for each payload record and verifies the digest after decoding. Across the dataset used for this publication pack, the decode-and-hash sweep found zero mismatches. This is a real strength: even before release hardening, the corpus is internally cataloged and carries strong per-file identity metadata.

Path	Kind	Bytes	SHA prefix
py/Qyvaria.py	python	146,711	54beeb338a9b14e3
py/qyvaria_all_in_one (1).py	python	63,074	526246559fb05cb0
py/qyvaria_cognitive_superstack.py	python	45,542	86512e05b3d1a2cb
py/qyvaria_ultralite_suite.py	python	42,515	3f38baabb7b09524
py/qyvaria_lightweight_foundation.py	python	40,279	d1fa636a0d769aa3
py/qyvaria_pra_genesis_ai_sim_agent.py	python	40,200	cbe80dbdc29ccf69
py/all_in_one_agent.py	python	37,383	62915c8c4b2fcfb5
py/qyvaria_monolith_20.py	python	36,419	7ed833900f6d77a1
py/qyvaria_meta_intelligence_engine.py	python	35,016	091484f39f9f0f2c
py/qy_ai_universe_plus.py	python	34,532	21096bef8b9818bb
py/Varia+.py	python	34,191	bcb1a61dc0237d23
py/qy_ai_universe.py	python	32,305	d4be1b9409e2da12
py/qyintelligence_max.py	python	32,120	2ba6dc37512070b8
py/qy_sim_engineering_ai.py	python	31,925	7d29efd7ad4a92aa
py/qy_app_sim_agent.py	python	29,860	1d09dbe70d2b88e2

Static compile blockers




Figure 1. Static compilation baseline.

Path	Line	Compile finding
py/aeon_ethics.py	—	source code string cannot contain null bytes
py/aeon_self_diagnostic.py	—	source code string cannot contain null bytes
py/ai_sim_equalizer_v_1.py	401	no binding for nonlocal 'args' found
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py	53	unterminated string literal (detected at line 53)
py/belief_engine.py	—	source code string cannot contain null bytes
py/openmind_module.py	5	invalid syntax
py/PhytoonImageGen.py	1	invalid syntax
py/qy_app_sim_agent.py	521	'(' was never closed
py/qy_durable_orchestrator.py	380	unterminated triple-quoted string literal (detected at line 380)
py/qy_llm_pipeline.py	71	unterminated string literal (detected at line 71)
py/qy_sim_pack_100.py	368	invalid syntax
py/qyintelligence_max.py	343	unmatched '}'

Interpretation: blockers vary in type. Some look like embedded non-code fragments or accidental null bytes; others are ordinary syntax errors that can be fixed directly. The cleanup work is therefore finite and classifiable.

Risk register

ID	Risk	Level	Mitigation
R1	Entry path ambiguity	High	Choose one canonical import and document it.
R2	Codec label mismatch	Medium	Implement or rename codec metadata.
R3	Syntax blockers	High	Compile sweep must be green before release claims.
R4	Optional dependencies	Medium	Document which modules need which packages.
R5	Safety claims without test fixtures	Medium	Tie sandbox/provenance claims to executable tests.

Remediation ladder

- Level 0: preserve the current bundle and checksums as an archival snapshot.
- Level 1: normalize entry resolution and CLI behavior.
- Level 2: eliminate compile blockers or reclassify non-code records.
- Level 3: publish dependency inventory and deterministic demos.

- Level 4: add continuous release evidence and signed artifacts if desired.

Appendix - Full compile defect list

Path	Line	Compile finding
py/aeon_ethics.py	—	source code string cannot contain null bytes
py/aeon_self_diagnostic.py	—	source code string cannot contain null bytes
py/ai_sim_equalizer_v_1.py	401	no binding for nonlocal 'args' found
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multiling ual_summarizer_labeling_assistant_voice_layer_qyvaria_compati ble.py	53	unterminated string literal (detected at line 53)
py/belief_engine.py	—	source code string cannot contain null bytes
py/openmind_module.py	5	invalid syntax
py/PhytoonImageGen.py	1	invalid syntax
py/qy_app_sim_agent.py	521	'(' was never closed
py/qy_durable_orchestrator.py	380	unterminated triple-quoted string literal (detected at line 380)
py/qy_llm_pipeline.py	71	unterminated string literal (detected at line 71)
py/qy_sim_pack_100.py	368	invalid syntax
py/qyintelligence_max.py	343	unmatched '}'
py/Qyvaria Moral Constitution — Humanity-First.py	3	invalid syntax
py/qyvaria_module_sumerian_voice +.py	249	invalid syntax
py/qyvaria_natural_voice.py	53	expected an indented block after function definition on line 53
py/qyvaria_secure_sandbox.py	68	invalid syntax
py/qyvaria_simulate_then_act_rational_agent_v_0.py	403	f-string: valid expression required before '}'
py/qyvaria_ultralite_suite.py	993	unterminated string literal (detected at line 993)
py/qyvaria_voice.py	603	'yield from' inside async function
py/Qyvaria.py	2098	invalid character '—' (U+2014)
py/rationality_lab.py	1	invalid syntax
py/reality_aware_sim_machine_awareness_ai_sim_agent_active_i nference_single_file.py	292	'(' was never closed
py/recursive_reflector.py	—	source code string cannot contain null bytes
py/shell.py	9	unterminated string literal (detected at line 9)
py/teleprompter.py	5	invalid character '—' (U+2014)
py/therapist_style_ai_sim_agent_safety_first_support_python.py	131	positional argument follows keyword argument
py/truth_alignment_kernel.py	—	source code string cannot contain null bytes
py/Varia Health Reporter — phrase→status system.py	86	'(' was never closed
py/velcode_shell.py	5	unterminated string literal (detected at line 5)

Evidence basis and editorial boundary

This volume is grounded in the supplied Qyvaria corpus and the preceding technical study. It distinguishes between directly observed bundle metadata, static source inspection, controlled command-line observations, and interpretive proposals. The publication pack does not certify production security or claim that every module is runnable. It treats the project as a serious software corpus whose value increases when its evidence, ambitions, and next engineering steps are written down clearly.

Compile blocker taxonomy

Blocker family	Count
Invalid syntax	7
Unterminated string	6
Null-byte source record	5
Unclosed delimiter	3
Other compile blocker	2

Blocker family	Count
Invalid non-code character	2
Scope binding error	1
Unmatched delimiter	1
Async/yield incompatibility	1
Call argument order	1

Per-blocker remediation hints

Path	Finding	Likely first action
py/aeon_ethics.py	source code string cannot contain null bytes	Classify as binary/artifact or recover text source.
py/aeon_self_diagnostic.py	source code string cannot contain null bytes	Classify as binary/artifact or recover text source.
py/ai_sim_equalizer_v_1.py	no binding for nonlocal 'args' found	Move binding into an enclosing scope or remove nonlocal.
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py	unterminated string literal (detected at line 53)	Close or re-quote the string/triple-string boundary.
py/belief_engine.py	source code string cannot contain null bytes	Classify as binary/artifact or recover text source.
py/openmind_module.py	invalid syntax	Inspect the local statement and rewrite into valid Python.
py/PhytoonImageGen.py	invalid syntax	Inspect the local statement and rewrite into valid Python.
py/qy_app_sim_agent.py	'(' was never closed	Balance the delimiter structure in the local block.
py/qy_durable_orchestrator.py	unterminated triple-quoted string literal (detected at line 380)	Close or re-quote the string/triple-string boundary.
py/qy_llm_pipeline.py	unterminated string literal (detected at line 71)	Close or re-quote the string/triple-string boundary.
py/qy_sim_pack_100.py	invalid syntax	Inspect the local statement and rewrite into valid Python.
py/qyintelligence_max.py	unmatched '}'	Balance the delimiter structure in the local block.
py/Qyvaria Moral Constitution — Humanity-First.py	invalid syntax	Inspect the local statement and rewrite into valid Python.
py/qyvaria_module_sumerian_voice +.py	invalid syntax	Inspect the local statement and rewrite into valid Python.
py/qyvaria_natural_voice.py	expected an indented block after function definition on line 53	Inspect the precise compiler message and patch locally.
py/qyvaria_secure_sandbox.py	invalid syntax	Inspect the local statement and rewrite into valid Python.
py/qyvaria_simulate_then_act_rational_agent_v_0.py	f-string: valid expression required before '}'	Inspect the precise compiler message and patch locally.
py/qyvaria_ultralite_suite.py	unterminated string literal (detected at line 993)	Close or re-quote the string/triple-string boundary.
py/qyvaria_voice.py	'yield from' inside async function	Use async-compatible iteration pattern.
py/Qyvaria.py	invalid character '—' (U+2014)	Comment or quote inserted prose/media text.
py/rationality_lab.py	invalid syntax	Inspect the local statement and rewrite into valid Python.
py/reality_aware_sim_machine_awareness_ai_sim_agent_active_inference_single_file.py	'(' was never closed	Balance the delimiter structure in the local block.
py/recursive_reflector.py	source code string cannot contain null bytes	Classify as binary/artifact or recover text source.
py/shell.py	unterminated string literal (detected at line 9)	Close or re-quote the string/triple-string boundary.
py/teleprompter.py	invalid character '—' (U+2014)	Comment or quote inserted prose/media text.
py/therapist_style_ai_sim_agent_safety_first_support_python.py	positional argument follows keyword argument	Reorder call arguments so positionals precede keywords.

Path	Finding	Likely first action
py/truth_alignment_kernel.py	source code string cannot contain null bytes	Classify as binary/artifact or recover text source.
py/Varia Health Reporter — phrase→status system.py	'(' was never closed	Balance the delimiter structure in the local block.
py/velcode_shell.py	unterminated string literal (detected at line 5)	Close or re-quote the string/triple-string boundary.

Evidence quality ladder

Level	Name	Meaning
E0	Name only	A module exists in the manifest.
E1	Static readable	Source decodes and can be inspected.
E2	Compile clean	The source compiles under the analysis interpreter.
E3	Smoke runnable	A bounded invocation runs and emits expected traces.
E4	Test covered	Automated tests cover expected behavior.
E5	Release evidenced	Claims are tied to docs, tests, versioning, and public notes.

VOLUME 06 — ENGLISH

Qyvaria OS Integration Blueprint

Conceptual kernel-to-OS relationship and service contracts.

EN Volume 06

Qyvaria OS Integration Blueprint

A conceptual kernel-to-OS relationship book, clearly separated from
verified implementation

Grounded in the supplied qyvaria.py corpus, its mirrored text payload, and the prior technical
reading.

Prepared for the Qyvaria open publication pack - 17 May 2026.

Contents

1. What this blueprint is
2. Kernel-to-OS relationship
3. Proposed service contracts
4. User surfaces and runtime modes
5. Data, memory, and provenance
6. Safety boundaries and governance
7. Appendix - Conceptual integration checklist

What this blueprint is

This volume is a clearly labeled conceptual blueprint. The author has stated that Qyvaria OS is software intended to work with the Qyvaria kernel. The supplied corpus contains many ingredients that could support such a relationship - voice layers, control planes, app creators, memory systems, orchestrators, policy modules, and provenance tooling - but this book does not claim that a complete OS integration is already verified. It proposes a disciplined way to describe that relationship publicly.

Kernel-to-OS relationship

Kernel responsibility	OS responsibility	Boundary rule
Task routing	UI command dispatch	OS asks; kernel orchestrates.
Memory services	Presentation and user controls	OS visualizes; kernel stores/retrieves.
Agent execution	Session and workspace management	OS hosts; kernel coordinates.
Policy checks	Consent surfaces and settings	OS displays; kernel enforces.
Provenance outputs	Export, badges, file views	OS renders; kernel signs/tracks.

Proposed service contracts

Service	Minimal conceptual interface
KernelSession	create_session(user_context) -> session_id
AgentRouter	dispatch(task_spec) -> plan or execution trace
MemoryService	put(record), query(query_spec), explain(record_id)
PolicyService	check(action_spec) -> allow/deny/rewrite
VoiceService	listen(), think(), speak(), yield_control()
ProvenanceService	sign_artifact(), verify_artifact(), strip_metadata()

User surfaces and runtime modes

Mode	Qyvaria OS interpretation
Voice-first mode	Use Voice OS, bilingual voice, policy patches, barge-in rules.
Workbench mode	Use app creators, analyzers, writers, code explainers, audit tools.
Simulation mode	Use SIM packs, complete SIM, agent fabrics, world models.
Developer mode	Use control plane, module activation, tests, and release reports.

Data, memory, and provenance

The corpus gives special weight to memory and provenance. A kernel-plus-OS story should preserve that. The OS should avoid presenting memory as magic; it should show what was stored, when, from which subsystem, and how a user may inspect or remove it. The same applies to provenance artifacts: human-readable views are the OS contribution, while signing, stripping, or verification logic belong nearer the kernel/service layer.

Safety boundaries and governance

- Every outward action should pass through an explicit policy decision.
- The OS should display when an action is simulated versus when it can affect external state.
- Voice sessions should expose question throttling, interruption, and consent states.
- Memory inspection and deletion should be first-class UI abilities.

- Provenance tools should be presented as verifiable operations, not decorative claims.

Appendix - Conceptual integration checklist

- Name the canonical kernel entry.
- Define OS-to-kernel task request schema.
- Define kernel-to-OS trace/event schema.
- Expose memory inspection and deletion APIs.
- Define policy check and explanation APIs.
- Bind voice UI to a deterministic state machine.
- Publish one complete OS flow: input -> kernel -> output -> provenance.

Evidence basis and editorial boundary

This volume is grounded in the supplied Qyvaria corpus and the preceding technical study. It distinguishes between directly observed bundle metadata, static source inspection, controlled command-line observations, and interpretive proposals. The publication pack does not certify production security or claim that every module is runnable. It treats the project as a serious software corpus whose value increases when its evidence, ambitions, and next engineering steps are written down clearly.

Use-case atlas

Use case	Narrative	Kernel anchor
Voice work session	User speaks; OS handles UI state; kernel routes voice, memory, policy, and response shaping.	VoiceOS + policy + memory
Knowledge notebook	User stores ideas; OS exposes notebooks; kernel stores records and supports retrieval.	QYMemory + retrieval
Agent task studio	User assembles a bounded task; OS provides controls; kernel dispatches to agent/orchestrator.	AgentBus + orchestrator
Provenance export	User exports an artifact; OS presents badge/export UI; kernel signs or verifies metadata.	Provenance toolkit
Developer cockpit	Maintainer inspects modules, tests, and performance; OS wraps control-plane surfaces.	Control plane + tests

Service-to-evidence map

Service area	Evidence paths	Blueprint note
Voice	py/Qyvaria Voice Os.py; py/qybilingual_voice.py; py/qyvaria_voice.py	OS can expose a voice-first workspace.
Memory	py/qymemory.py; py/qy_memory_extended_pluggable_memory_module_for_qyvaria_v_8.py	OS can expose inspectable memory views.
Control plane	py/qyvaria_control_plane.py; py/qy_control_plane.py	OS can surface admin and module operations.
Agent routing	py/qyorchestrator.py; py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py	OS can hand bounded tasks to kernel routing.
Provenance	py/qyvaria_provenance_toolkit_v_0.py; py/qy_logo_stamp.py	OS can present verification/export actions.

Conceptual event trace

```

01 OS receives task or spoken request
02 OS forms KernelTaskSpec
03 Kernel policy pre-check
04 Agent router selects bounded route
05 Memory lookup and context assembly
06 Reasoner / planner generates trace
07 Policy post-check and safety explanation
08 OS presents result, memory note, and provenance state

```

The trace is deliberately conceptual. It is a public communication aid for Qyvaria OS integration, not a statement that every numbered step already exists as a verified end-to-end implementation.

Conceptual data objects

```
KernelTaskSpec:  
  id: string  
  user_goal: string  
  modality: text | voice | app  
  allowed_actions: list  
  memory_scope: session | project | none  
  provenance_required: bool
```

```
KernelTrace:  
  steps: list  
  policy_decisions: list  
  memory_reads: list  
  memory_writes: list  
  provenance_records: list
```

VOLUME 07 — ENGLISH

The Qyvaria Open Intelligence Manifesto

Vision, collaboration, evidence, and public purpose.

EN Volume 07

The Qyvaria Open Intelligence Manifesto

Vision, collaboration, evidence, and the public purpose of the work

Grounded in the supplied qyvaria.py corpus, its mirrored text payload, and the prior technical reading.

Prepared for the Qyvaria open publication pack - 17 May 2026.

Contents

1. Opening declaration
2. Why open intelligence work matters
3. The Qyvaria stance
4. Principles for builders
5. Ambition with evidence
6. The public invitation
7. Appendix - Thirty Qyvaria publication principles

Opening declaration

Qyvaria is presented here not merely as a technical artifact but as a declaration of intent: that ambitious AI systems should be explored in public, documented with care, and offered to a larger community for refinement. The author's stated belief is that broader access can accelerate human progress in AI and AI systems. This manifesto turns that belief into a durable publication voice while keeping faith with the evidence-grounded technical books in the same pack.

Why open intelligence work matters

Open technical work matters because no single person sees every failure mode, every integration path, or every future application. A life-work project becomes more powerful when readers can inspect it, challenge it, repair it, and carry it into contexts the originator did not predict. That does not mean every claim should be inflated. It means every meaningful idea should have a path toward evidence.

The Qyvaria stance

- Build large visions, but publish precise boundaries.
- Treat software architecture as a civic invitation to collaboration.
- Name what is verified and what remains a blueprint.
- Do not hide release blockers; convert them into a roadmap.
- Use open licensing for the software when the mission is broad participation.

Principles for builders

Principle	Meaning
1. Candor	A public project should distinguish source evidence from aspiration.
2. Repairability	A finding is useful when it can become an issue, patch, or test.
3. Composability	Systems become richer when modules expose clear contracts.
4. Human legibility	People should be able to understand the system story.
5. Long view	A life-work corpus deserves archival care and future-facing structure.

Ambition with evidence

The Qyvaria publication pack deliberately places audit and manifesto side by side. The manifesto says why the project matters; the audit says what the current artifact demonstrably contains. The combination is healthier than either extreme alone. Without vision, a corpus becomes a warehouse. Without evidence, a vision becomes fog.

The public invitation

The public invitation is simple: read the books, inspect the code, preserve the ambitious core, improve the verified surface, and help convert broad system imagination into repeatable demonstrations. Qyvaria deserves readers who can honor both the dream and the engineering work required to make the dream legible.

Appendix - Thirty Qyvaria publication principles

- Publish scope before slogan.
- Prefer contracts over mystery.
- Keep hashes, manifests, and evidence.
- Honor the maker by making the work inspectable.
- Separate kernel facts from OS blueprints.
- Do not confuse module quantity with release readiness.
- Treat compile blockers as actionable work, not shame.
- Make a path for newcomers.
- Make a path for experts.
- Make a path for critics.
- Document voice, memory, and policy as first-class concerns.
- Name dependencies.
- Name optional dependencies.
- Name what is simulated.
- Name what is executable.
- Create one verified flow before claiming many.
- Keep the README short; let books carry depth.
- Let the repository index the books.
- Use bilingual publication when the author wants both audiences.
- Write architecture so that future contributors can disagree productively.
- Write audit so that future contributors can repair productively.
- Write philosophy so that future contributors can understand purpose.
- Keep release notes.
- Keep historical snapshots.
- Allow ambition to survive cleanup.
- Allow cleanup to discipline ambition.
- Make contribution possible without making interpretation mandatory.
- Build for human readers as well as machines.
- Leave a trail that future you can re-enter.
- Advance by evidence, iteration, and generosity.

Evidence basis and editorial boundary

This volume is grounded in the supplied Qyvaria corpus and the preceding technical study. It distinguishes between directly observed bundle metadata, static source inspection, controlled command-line observations, and interpretive proposals. The publication pack does not certify production security or claim that every module is runnable. It treats the project as a serious software corpus whose value increases when its evidence, ambitions, and next engineering steps are written down clearly.

Letter to future contributors

You are not arriving at an empty repository. You are arriving at a dense field of attempts, names, sketches, modules, and ambitions. Treat that density with patience. The correct first contribution may be a test, a path normalization, a compile repair, a clearer README sentence, or a verified demonstration. Large systems do not advance only through grand additions; they advance when people make them

easier to trust.

The author has chosen openness because progress can compound. That choice deserves care in return. Preserve provenance, do not erase the project voice, and strengthen the line between what has been imagined and what has been demonstrated.

Glossary of the publication stance

Term	Meaning
Life-work corpus	A long-term body of code and ideas that deserves both preservation and cleanup.
Evidence-grounded	A phrase for claims tied to observed source, tests, or controlled probes.
Blueprint	A future-facing design proposal, not automatically a verified implementation.
Open intelligence	A mission posture favoring inspectability, contribution, and shared progress.
Release discipline	The habit of turning vision into repeatable, testable, versioned artifacts.
Kernel metaphor	A central coordinating idea for the project, not necessarily an operating-system kernel.

Reader paths

Reader	Suggested path
Curious newcomer	Read the pack index, manifesto, then the grand compendium.
Engineer	Read the architecture atlas, developer manual, and audit dossier.
AI systems researcher	Read the agent encyclopedia and OS blueprint with the audit beside them.
Maintainer	Use the developer manual and audit dossier as work queues.
Contributor	Start with one issue, one test, one patch, and one documented result.

VOLUME 08 — ENGLISH

Qyvaria Embedded Module Atlas

Imports, module portraits, full manifest, and compile-clean module index.

EN Volume 08

Qyvaria Embedded Module Atlas

Imports, module portraits, complete manifest, and compile-clean
profile index

Grounded in the supplied qyvaria.py corpus, its mirrored text payload, and the prior technical
reading.

Prepared for the Qyvaria open publication pack - 17 May 2026.

Contents

1. Atlas orientation
2. Top imports and library style
3. Major module portraits
4. The complete manifest at a glance
5. Appendix - Compile-clean module profile index

Atlas orientation

This atlas is designed for readers who want to roam through the Qyvaria source landscape. It is less argumentative than the compendium and more cartographic: imports, payload sizes, module portraits, manifest records, and profile indices. The goal is to make a large embedded bundle navigable.

Top imports and library style

Imported symbol/module	Occurrences
typing	176
__future__	170
dataclasses	169
json	89
time	82
re	74
os	72
math	59
argparse	58
random	49
hashlib	37
sys	33
pathlib	30
io	26
textwrap	26
numpy	25
datetime	22
collections	22
fastapi	19
threading	18
statistics	17
ast	16
base64	16
torch	14
importlib	11
functools	11
	11
asyncio	10
traceback	10
inspect	9
types	9
subprocess	9
qyvaria	9
queue	8
struct	8
uuid	7
urllib	7
sklearn	7
pandas	7
PIL	6

The import footprint mixes standard-library pragmatism with optional third-party integrations. High occurrence counts for typing, dataclasses, json, time, re, and os point toward a design style built from explicit data structures and deterministic utilities. Occurrences of fastapi and numpy show that some modules move toward service surfaces and numerical acceleration when optional packages are present.

Major module portraits

py/Qyvaria Sim Profile.py

Recorded payload size: 9,392 bytes. Static parse status: OK.

Qyvaria Individual Simulation Profile ----- A drop-in module that gives Qyvaria its own self-contained simulation runtime plus an opt-in conversation policy that:

- Suppresses “help-seeking” clichés (e.g., “do you need help?”, “need more help?”)
- Starts interesting, open-ended conversations proactively (without being clingy)

Design goals - Kernel-safe: pure Python, no I/O, no threads, no network. - Deterministic: seedable PRNG and explicit toggles. - Auditable: single class for policy; single class for simulation runtime; tiny API. To wire in: 1) Drop this file into the bundle (e.g., py/qyvaria_sim_profile.py). 2) From your kernel entry or router, import ``register_qyvaria_sim(runtime)`` and call it with a dict-like ``r...`

Aspect	Observed material
Representative classes	ConversationPolicy, IndividualSimulation
Representative top-level functions	register_qyvaria_sim
Imported modules	__future__, dataclasses, math, random, re, time, typing
Approximate line count	231

py/Qyvaria Complete Sim.py

Recorded payload size: 8,225 bytes. Static parse status: OK.

Qyvaria Complete SIM — Unified Runtime =====
 One-file orchestrated simulation for Qyvaria that pulls together:

- Conversation Policy (no needy help prompts, proactive starters)
- AEON AI SIM (planner → critic → safe executor, memory, skills)
- AEON LIFE • LIVE (event bus, lifecycle, scheduler)
- Non-Repetitive Mode (n-gram repetition guard)

Design goals - Pure Python, deterministic seeds, no network I/O. - RBAC-safe: all actuation via allowlisted commands. - Drop-in: runs standalone or registers into an existing runtime dict. - Auditable: explicit traces and small, testable surfaces. Files this integrates with (soft deps; shims used if missing): - qyvaria_sim_profile.py - aeon_ai_sim.py - aeon_life_live.py - no_repeat...

Aspect	Observed material
Representative classes	QyvariaCompleteSIM
Representative top-level functions	—
Imported modules	__future__, aeon_ai_sim, aeon_life_live, dataclasses, no_repeat_guard, qyvaria_sim_profile, random, re, time, typing
Approximate line count	203

py/Qyvaria Voice Os.py

Recorded payload size: 9,881 bytes. Static parse status: OK.

Qyvaria Voice OS — Advanced Conversational Runtime (Voice-First)

=====

Purpose A production-style, deterministic, auditable voice chat operating layer for Qyvaria that is engaging and **does not ask questions nonstop**. It manages turn-taking, backchannels, question-throttling, barge-in, and prosody hints — while integrating with the existing Complete SIM / AEON stack. Highlights

- Voice state machine: LISTEN → THINK → SPEAK → (HOLD|YIELD)
- Question-Throttle: per-minute budget, rolling windows, rewrite to statements
- Backchanneler: lightweight acknowledgments that don’t derail the user
- Barge-In handling: detect/allow user interrupts; gracefully cut TTS
- Engagement Engine: openers, reflect...

Aspect	Observed material
Representative classes	VAD, ASR, TTS, QuestionThrottle, VState, VoiceOS
Representative top-level functions	ssml
Imported modules	__future__, dataclasses, math, qyvaria_complete_sim, random, re, time, typing

Aspect	Observed material
Approximate line count	276

py/qyvaria_control_plane.py

Recorded payload size: 22,975 bytes. Static parse status: OK.

Qyvaria Control Plane — single-file app =====
 Self-modification (hot updates), performance monitoring, resource management, insights, testing, and a lightweight web UI — engineered for smallest possible footprint and stability. Optional deps only (FastAPI, Uvicorn, psutil). Falls back to CLI if web stack is not installed. Features -----
 - Module Manager: upload/validate/activate/rollback Python modules at runtime · AST compile checks, optional risky-pattern scanner, versioned store · Hot-reload using importlib; stable rollback on failure
 - Performance Monitor: timing decorators + system metrics (psutil if available) · Request/operation latency histograms, rolling windows, JSON export
 - Resource Manager: basic CPU/...

Aspect	Observed material
Representative classes	RollingStat, Perf, Resources, ModuleVersion, Modules, Insights, TestResult, Tests, App
Representative top-level functions	now_iso, sha16, read_text, write_text, safe_join, static_scan, snapshot_active, require_token, main
Imported modules	__future__, argparse, ast, base64, dataclasses, datetime, fastapi, functools, hashlib, importlib, inspect, io, json, os, pathlib, psutil, random, re (+13 more)
Approximate line count	617

py/qyvaria_cognitive_superstack.py

Recorded payload size: 45,542 bytes. Static parse status: OK.

Qyvaria Cognitive Superstack (QCS) ===== A single-file, dependency-free **meta-learning** and **orchestration supermodule** that boosts Qyvaria's problem-solving capacity via:
 - **Task & Solver OS**: registries, episodic runner, JSONL events, Markdown reports.
 - **Search Suite**: BFS/DFS/IDDFS, A*, Beam, MCTS-lite, Best-First, Hill-Climb, Simulated Annealing.
 - **Program Induction**: tiny LISP-like DSL with interpreter + enumerative/stochastic synthesis.
 - **Auto-Curriculum**: ELO ratings for tasks/solvers, bandits (UCB1 & Thompson), difficulty sampler.
 - **Memory Systems**: episodic log, semantic index (TF-IDF/BM25-ish), and a lightweight knowledge graph.
 - **Self-Reflection**: failure taxonomy, patch suggestions, knob tuni...

Aspect	Observed material
Representative classes	ArtifactStore, MemoryArtifactStore, FSArtifactStore, Clock, DefaultClock, Settings, PolicyEngine, Event, EventBus, KGNode, KGEde, KnowledgeGraph, MemoryItem, MemoryIndex (+11 more)
Representative top-level functions	_now_ts, _json, _slug, _stable_hash, elo_update, synthesize_program, bfs, dfs, a_star, mcts, register_builtin_tasks, _gen_arith, _safe_eval_arith, _eval_arith, _gen_reverse, _eval_reverse, _gen_nextint, _eval_nextint (+12 more)
Imported modules	__future__, ast, dataclasses, enum, functools, heapq, io, itertools, json, math, os, pathlib, random, re, statistics, string, sys, textwrap (+2 more)
Approximate line count	1213

py/qyvaria_meta_intelligence_engine.py

Recorded payload size: 35,016 bytes. Static parse status: OK.

Qyvaria Meta-Intelligence Engine (QMIE) ===== A single-file, dependency-free module that adds **self-improvement**, **meta-reasoning**, **simulation**, and **evaluation** capabilities to Qyvaria's kernel (``Qyvaria.py``). The goal is to **increase problem-solving capacity over time** through:
 - **Ensembled solvers** (BFS/DFS/Beam, MCTS-lite, Program search, Heuristic search)
 - **Bandit-driven selection** and **Bayesian model selection** of solvers
 - **Automatic curriculum** with ELO-style difficulty ratings for tasks & solvers
 - **Self-reflection** & **failure taxonomy** with patch proposals
 - **Memory** (episodic & semantic) with simple TF-IDF-like retrieval
 - **Grid search** / **hyperparameter tuning** with reproducible seeds
 - **Deter...**

Aspect	Observed material
Representative classes	ArtifactStore, MemoryArtifactStore, FSArtifactStore, Clock, DefaultClock, Settings, PolicyEngine, Event, EventBus, TaskSpec, TaskRegistry, SolverSpec, SolverRegistry, MemoryItem (+6 more)
Representative top-level functions	_now_ts, _json, _slug, _stable_hash, elo_update, register_builtin_tasks, _gen_arith, _safe_eval_arith, _eval_arith, _gen_reverse, _eval_reverse, _gen_nextint, _eval_nextint, _gen_logic, _eval_logic, solver_arith_eval, solver_reverse, solver_sequence_fit (+4 more)
Imported modules	_future_, ast, dataclasses, enum, functools, heapq, inspect, io, itertools, json, math, os, pathlib, random, re, statistics, string, sys (+5 more)
Approximate line count	966

py/qyvaria_monolith_20.py

Recorded payload size: 36,419 bytes. Static parse status: OK.

Qyvaria Monolith 20 — single-file ultra-light AI stack

===== This file implements ****20 engineered modules****—core model + performance + RAG + safety + ops—inside one Python file. Everything is standard-library first with optional NumPy acceleration when available. Designed to be tiny, auditable, and runnable anywhere (no GPUs required). Modules (sections) ----- P0 — Core & Performance 1. qyvaria_core : distilled transformer + generation 2. qyvaria_prune_quant : pruning + PTQ quant helpers 3. qyvaria_kvcache : KV cache (RAM) with TTL and hit stats 4. qyvaria_adapters : LoRA attach/merge/swap 5. qyvaria_negramotny : active/self-supervised learning + KD hook 6. qyvaria_scheduler : priority job...

Aspect	Observed material
Representative classes	TokConfig, Tokenizer, CoreConfig, Linear, LayerNorm, Attention, MLP, Block, QCore, KVItem, KVCache, LoRAConfig, AdapterHub, Sample (+17 more)
Representative top-level functions	_seed, _softmax, prune_linear_magnitude, ptq_linear, _demo, main
Imported modules	_future_, argparse, ast, base64, dataclasses, gzip, hashlib, io, itertools, json, math, numpy, os, pathlib, queue, random, re, sqlite3 (+11 more)
Approximate line count	769

py/qymemory.py

Recorded payload size: 15,405 bytes. Static parse status: OK.

Aspect	Observed material
Representative classes	_NullCipher, MemoryRecord, QYMemory
Representative top-level functions	_get_cipher, _flatten_payload, _tokenize, _now
Imported modules	_future_, collections, cryptography, dataclasses, hashlib, json, os, pathlib, re, sqlite3, time, typing, uuid, zlib
Approximate line count	390

py/qyorchestrator.py

Recorded payload size: 23,747 bytes. Static parse status: OK.

Aspect	Observed material
Representative classes	PlanStep, Plan, TimeoutError_, _Timeout, QYOrchestrator
Representative top-level functions	_tokenize
Imported modules	_future_, dataclasses, json, os, pathlib, re, signal, sqlite3, threading, time, typing, uuid
Approximate line count	538

py/qyintelligence.py

Recorded payload size: 20,556 bytes. Static parse status: OK.

QYIntelligence — Six Cognitive Modules (MIT) Focus: raise Qyvaria's intelligence with robust, testable components that improve reading, reasoning, retrieval, planning, and verification. Modules/services exposed: 1) contracts – schema-guarded generation & JSON I/O (validation + guarded retries) 2) retriever –

adaptive retrieval + MMR reranker over your memory service 3) reasoner – self-consistency voting + lightweight answer selection 4) critic – claim extraction + memory-backed verification (support scores) 5) plannerpro – heuristic hierarchical task decomposition + orchestrator glue 6) kg – lightweight knowledge-graph (triples) with path queries Facade: intelligence – convenience RAG function combining retriever → generator → critic. Dependencies:...

Aspect	Observed material
Representative classes	Contracts, Retriever, Reasoner, Claim, Critic, PlannerPro, KnowledgeGraph, QYIntelligence
Representative top-level functions	_tokens, _top_k
Imported modules	__future__, dataclasses, itertools, json, jsonschema, math, os, pathlib, re, sqlite3, time, typing, uuid
Approximate line count	454

py/qyvaria_provenance_toolkit_v_0.py

Recorded payload size: 16,607 bytes. Static parse status: OK.

Qyvaria Provenance Toolkit (v0.1) ===== Single-file Python module that provides: • EXIF stripping • Visible badge compositor (with microtext + tiled low-alpha marks) • Robust invisible watermark (DCT, chroma, spread-spectrum with repetition) • Ed25519 cryptographic manifest (sidecar JSON) + verifier • CLI (embed/verify/strip-exif) and optional FastAPI server Dependencies (install): pip install pillow opencv-python numpy pynacl fastapi uvicorn pydantic piexif Usage (CLI): python qyv_provenance.py embed --in in.jpg --out out.jpg --issuer Qyvaria --engine "FLUX.1-dev" --badge yes --key <hex32_or_64> --wmkey <hex32_or_64> python qyv_provenance.py verify --in out.jpg --wmkey <hex> [--manifest out.jpg.qyv.json] python qyv_prove...

Aspect	Observed material
Representative classes	WMPParams
Representative top-level functions	strip_exif_bytes, add_visible_badge, _blockview, _prn, _prepare_payload_bits, embed_watermark, detect_watermark, sign_manifest, verify_manifest, _bytes_from_image, cmd_embed, cmd_verify, cmd_strip_exif, main
Imported modules	PIL, __future__, argparse, base64, cv2, dataclasses, fastapi, hashlib, io, json, math, nacl, numpy, os, piexif, secrets, textwrap, time (+1 more)
Approximate line count	451

py/qyvaria_kernel_mesh_kernel_mesh.py

Recorded payload size: 16,544 bytes. Static parse status: OK.

Qyvaria Kernel Mesh — unify all embedded modules into a single, cooperating network. Purpose - Load the canonical `qyvaria.py` bundle (single-file kernel with embedded modules) - Decompress and import each embedded module into a shared runtime **without** altering their source — no patching of user code required - Expose a **Service Registry**, **Event Bus**, and **Command Router** that every module can use to communicate, publish/subscribe, and call each other through the kernel - Provide a tiny HTTP API (optional, FastAPI) for remote control and inspection - Offer deterministic, auditable execution via an allowlist-based RBAC for commands Design notes - Kernel-first orchestration: the Mesh bootstraps from the bundle; the bundle remains source of t...

Aspect	Observed material
Representative classes	Service, ServiceRegistry, EventBus, CommandRouter, KernelMesh
Representative top-level functions	parse_bundle_literal, _decompress_entry, main
Imported modules	__future__, argparse, ast, base64, builtins, dataclasses, fastapi, functools, hashlib, importlib, io, json, lzma, networkx, pydantic, re, sys, time (+5 more)
Approximate line count	412

py/qyvaria_guardian_module_prwa_plan→research→write→audit_loop.py

Recorded payload size: 20,775 bytes. Static parse status: OK.

Qyvaria Guardian Module — PRWA (Plan→Research→Write→Audit) Loop

=====

Purpose ----- A single, auditable module that addresses the previously identified limitations in one go: 1) Long-horizon planning → Hierarchical planner with milestones & checkpoints 2) Research recency & factual recall → Adapter-based research + recency & consensus scoring with explicit source tracking and citations 3) Creative writing quality → Outline-driven writer + style critic metrics 4) Safety stress-testing → Lightweight red-team harness and policy auditor Design notes ----- - Pure standard library Python (3.9+), deterministic and testable. - No network calls inside the module. Instead, a `ResearchAdapter` ...

Aspect	Observed material
Representative classes	Source, Milestone, Plan, ResearchPacket, WritingDraft, AuditReport, PRWAScript, ResearchAdapter, HierarchicalPlanner, ResearchScorer, StyleCritic, OutlineWriter, SafetyHarness, PRWAScriptEngine
Representative top-level functions	_dummy_fetch, _demo
Imported modules	__future__, dataclasses, datetime, hashlib, json, math, re, statistics, textwrap, typing
Approximate line count	545

py/qyvaria_eval_harness_live_bench_gdpval_hle_v_0.py

Recorded payload size: 14,864 bytes. Static parse status: OK.

Qyvaria Eval Harness — LiveBench + GDPval + HLE (v0.3) What this script does ----- • Orchestrates three well-known benchmarks via their *official* runners where possible: - LiveBench (objective, contamination-aware) → calls repo's run_livebench.py - HLE / Humanity's Last Exam (closed-ended academic) → calls hle_eval scripts - GDPval (real-world work) → packages your solutions directory for submission via Hugging Face + grading request Why this approach ----- We minimize drift from upstream by shelling out to their official CLIs and keep your model integration simple (OpenAI-compatible API endpoints work out-of-the-box for LiveBench; HLE provides an OpenAI Python runner as reference). Quick start ----- 1) Python ≥3.1...

Aspect	Observed material
Representative classes	Item
Representative top-level functions	run_cmd, ensure_git, ensure_repo, ensure_python, init, doctor, livebench, hle, _collect_gdpval_solutions, gdpval_package
Imported modules	__future__, dataclasses, datetime, huggingface_hub, json, os, pathlib, rich, shutil, subprocess, sys, textwrap, typer, typing
Approximate line count	376

The complete manifest at a glance

Path	Kind	Bytes	SHA-256 prefix
py/1qyvaria_prompt_gen.py	python	17,435	afe955598e33dac3
py/AGI_Agents.py	python	473	0ca10d126fe6ada5
py/AGI_Boot.py	python	570	60b151f65b463931
py/AGI_Ethics.py	python	295	489c31a18f51a239
py/AGI_Ignition.py	python	1,555	0b38824833c7fcee
py/AGI_Memory.py	python	451	873e1a9f5316906c
py/AGI_MetaReasoner.py	python	307	f617011f2662dae2
py/AGI_Orchestrator.py	python	672	ed5ebbb54fdf0106
py/AGI_PluginManager.py	python	342	ac9d69986ca3f4ff
py/Aeon Ai Sim.py	python	13,911	1f0178d941511da6
py/Agi Super Intelligence.py	python	10,154	886859d30d603bd9
py/Cetana_Custom_Agent_Core.py	python	1,847	2126ef08c90fc8c6
py/Cetana_IDE_Launcher.py	python	109	874c4d451f836a42
py/Cetana_OS_Link.py	python	348	56f824a08680c9d5
py/Cetana_OS_Simulation.py	python	1,776	df884a4e5b8867f5

Path	Kind	Bytes	SHA-256 prefix
py/Cetana_Phytoon_IDE.py	python	1,579	c98e56e71d990c9a
py/Cetana_Simulator.py	python	3,803	2602bf7a2fa23220
py/Cetana_v4_Boot.py	python	4,765	ec699883058de0af
py/Cetana_v5_Boot.py	python	2,331	48b94447cbf1214f
py/Cetana_v6_Boot.py	python	1,503	b5fb403aa02adcb6
py/CodeLab.py	python	587	23749f7555c0d35e
py/CodeSandbox.py	python	635	d5cdc4690d2d59fc
py/CognitiveStyle.py	python	272	dd38ca4f8d378809
py/CounterfactualSimulator.py	python	402	79ffba40977176fc
py/CuriosityResearch.py	python	490	71d2123e8b93a423
py/EmotionModel.py	python	425	1ad8aad121b44476
py/EnvLink.py	python	569	879efac56fc50688
py/EpisodicMemory.py	python	415	6376244e3e06fd39
py/EthicsArbiter.py	python	454	57d8f5d252fb3794
py/FusionModulesManifest.py	python	2,467	43a00ce094b85417
py/GoalEngine.py	python	435	8161d841b9e8d7d5
py/l varia_engineer.py	python	12,582	16a692d49d6196e5
py/LanguageFeedback.py	python	378	3e0627d893068e6f
py/LearningManager.py	python	465	80f4f3f21c87c2e9
py/MetaLearningEngine.py	python	366	2077bfd8606a9477
py/MetaReasoner.py	python	510	d89e2a92c53b918c
py/MultiAgentFramework.py	python	556	ff8741757813e77e
py/NeuralPatternMapper.py	python	288	ffbe812395634c27
py/PerformanceMonitor.py	python	916	36fa61119a875237
py/PersistentGoalManager.py	python	517	f49c80b09df300af
py/PhytoonCetanaFusion.py	python	6,200	77c73b6570cde291
py/PhytoonImageGen.py	python	50	6b60cf3f35b23d83
py/Phytoon_Full_Language_Model.py	python	1,939	ea87570f40f126db
py/Phytoon_Language_Model.py	python	1,751	319374cfa74405e5
py/Phytoon_v2_Upgrade.py	python	3,722	ae4e146143b8d07a
py/Qyvaria Complete Sim.py	python	8,225	5bca2f742aec2436
py/Qyvaria Moral Constitution — Humanity-First.py	python	795	e6753526b6d50014
py/Qyvaria Sim Profile.py	python	9,392	ddc7eb9350f50c96
py/Qyvaria Voice Os.py	python	9,881	d3b5cb63334a6718
py/Qyvaria.py	python	146,711	54beeb338a9b14e3
py/Qyvaria_Aeon.py	python	12,992	b20ddf17c0d1353e
py/SafetyKernelUpgrade.py	python	656	6e3d6407237fb8ac
py/SelfEditor.py	python	327	b0e21f640a2e6e37
py/SelfModel.py	python	326	cce26e26c4d3fcf9
py/SimulationInterface.py	python	351	cd45684712737994
py/SocialReasoner.py	python	377	963c677aedf9543e
py/TaskPlanner.py	python	1,617	6608a82bb204abfa
py/ValueGuardian.py	python	666	9fbd5b3c9b7b0e5c
py/Varia Health Reporter — phrase→status system.py	python	4,137	45fab79c7855e2ec
py/Varia+.py	python	34,191	bcbl1a61dc0237d23
py/WakeUpKernel.py	python	736	70a40e3ea9dd31a8
py/WorldModel.py	python	472	598e5853650530c9
py/WorldModelExpander.py	python	403	d5116fa932f9ecdf
py/ab_compare.py	python	2,827	6b86fa1a156fb71a
py/adaptive_ai_sim_agent_privacy_first_reference_python.py	python	12,566	444101817d217d33
py/advance_memory_ai_sim_agent_bit_weaver_v_0.py	python	16,533	182d22a64f2fc9a9
py/advance_voice_chat_command.py	python	5,625	d7c6f18f596a1bfc
py/aeon_chat_interface.py	python	908	cbb43a2074b1d3c1

Path	Kind	Bytes	SHA-256 prefix
py/aeon_continuum.py	python	757	276cad323e3b1848
py/aeon_ethics.cpython-312.pyc	binary	1,008	a9e080790cc3b9e7
py/aeon_ethics.py	python	767	496c991bcb4356d8
py/aeon_loader.py	python	1,470	3ef98adc791c4065
py/aeon_minigrid_integration.py	python	337	13adfe224dfd3ea2
py/aeon_realm_sim.py	python	477	6be3c495a0e2331f
py/aeon_self_diagnostic.cpython-312.pyc	binary	1,127	49259cee705bdac5
py/aeon_self_diagnostic.py	python	746	226cad1c05f053cd
py/aeon_textworld_integration.py	python	323	8308fe4f64fba8b
py/aeon_webots_integration.py	python	332	4ea6c7c670a55ff6
py/aeonscript_engine.py	python	322	c2f1e71f78553896
py/agentic_behaviorism.py	python	12,670	7704fb41232e0b2c
py/agi_prototype_microkernel_multi_agent_qyvaria_style_single_file.py	python	12,535	169757cec50f4d0c
py/ai_model_analyzer_freedom_module_agent_secure_file_driven.py	python	17,740	92e12075338d3f6c
py/ai_model_tester_agent.py	python	24,813	6f0c7c790c546370
py/ai_sim_agent_adaptive_batching_response_cache_autoscaling_circuit_breakers_safe_chaos_fast_api_python.py	python	13,554	52c592691cefb818
py/ai_sim_agent_bus_sandbox_hierarchical_planning_constraint_solver_rationale_python.py	python	14,507	b5157694d7568877
py/ai_sim_agent_kernel.py	python	15,046	fc64443270dd7a49
py/ai_sim_agent_learning_evals_governance_suite_python_fast_api.py	python	14,476	d222a2175fc6e09f
py/ai_sim_agent_probes_long_context_retrieval_review_rubrics_line_citations_popular_cache_feedback→facts_python.py	python	16,593	f582cabe6623ce7b
py/ai_sim_equalizer_v_1.py	python	17,865	ca3951b7d7ff9b57
py/ai_sim_module_agent+.py	python	2,977	4ab63bc3a1d63110
py/ai_sim_module_agent.py	python	2,512	9535f76a23016e1c
py/ai_sim_trace_viewer_timeline_artifacts_diffs_costs_decisions_react.jsx	binary	14,444	4a8439c2890161da
py/all_in_one_agent.py	python	37,383	62915c8c4b2fcfb5
py/all_in_one_sim_agent_co_t_auditor_planner_executor_log_miner_image_qyvaria_compatible.py	python	16,030	3280cd794363ffa1
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py	python	19,392	e1bed7573f435a6b
py/arbiter_sim_agent.py	python	11,458	16295cebb69a821b
py/auto_language_voice_router_simlang_auto.py	python	11,398	94b215bd1cb35a2d
py/avtx_installer.py	python	12,295	b29adb0594a24b5
py/belief_engine.cpython-312.pyc	binary	3,559	e86b9192de1171ad
py/belief_engine.py	python	2,159	f98118608391bc75
py/bootloader.py	python	121	008b99eff5b9d189
py/build_qyvaria_studio.py	python	1,885	2b036c96a26a941f
py/catalyst_audit_memory.py	python	10,050	70ec514787e01ae6
py/catalyst_equalizer_v_1_py_code_i_o_and_logic_clarity_equalizer.py	python	16,024	a6615b63785e6727
py/catalyst_hub_v_1_sandboxed_plugin_bus_python.py	python	14,612	fe6cb088898cbff4
py/cetana.py	python	12,499	3f732fa1d0999224
py/chronosynth.py	python	6,870	feff3a41d1a1dade
py/code_2_lang_code_→_natural_language_explainer_single_file_no_deps.py	python	10,515	b87845ae623af62a
py/code_sim_agent_deterministic_python_subset_ast_vm.py	python	20,403	0f777accbdb7a7bc
py/concept_engine.cpython-312.pyc	binary	868	67eaffac54d641f6
py/concept_engine.py	python	511	33e21e0f42b9f152
py/convert_to_training.py	python	560	fb4c2a53956541b1
py/digital_time_module.py	python	1,643	59af6c0720800a9a
py/educator_sim_qyvaria_module_python.py	python	12,712	674fdc2afbda2c93
py/emotion_sim_qyvaria_module_python.py	python	13,181	b66941004d03c6e2

Path	Kind	Bytes	SHA-256 prefix
py/emotional_intelligence_agent.py	python	14,651	81b5adaef0048b17
py/engineering_ai_sim_agent_code_specialist_python.py	python	16,063	8461d50b95977583
py/forge_sim_agent.py	python	11,147	af3b38bfc4f8dbb7
py/gpt_6_lite_deterministic_mo_e_transformer_reasoning_head_single_file.py	python	13,171	d3c023ca474f3ebe
py/human_sim_human_like_ai_sim_agent_personality_drives_emotions_bdi_single_file.py	python	10,512	28c1360767e7c92b
py/human_voice_chat_advanced_voice_chat_mirroring_human_sim_single_file.py	python	11,799	988279b234f216c5
py/image_generator_server.py	python	692	bb85b499143bf5eb
py/imagination_engine.cpython-312.pyc	binary	1,685	bb7917f4151ee020
py/intent_fusion_core.py	python	541	f613d76065599057
py/jarvis_server.py	python	909	d13765c3474a0391
py/kernel.py	python	425	661fb48c606bae5c
py/lang_lock_voice.py	python	13,678	3ce8eaf5defa2442
py/law_advisor_ai_sim_agent_qyvaria_compatible.py	python	14,696	497f2257f15d12bb
py/lingua.py	python	3,911	3751b0d921f2b141
py/lingua_api.py	python	1,056	1d36eba76952ba1d
py/linguistics_ai_sim_agent_qyvaria_compatible.py	python	15,478	74b0466113497619
py/llm_engine.cpython-312.pyc	binary	919	45a1f4c937c0888b
py/llm_engine.py	python	640	9acf64d64f6935ba
py/logicky_rozhodovaci_system_pravidlovy_engine_cz.py	python	8,852	a3b7723989934a7a
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py	python	8,978	3f5231c7d679e998
py/machine_intelligence_ai_sim_agent_single_file_deterministic_goap_memory_tools.py	python	12,770	2df9de8e5ddb86be
py/main.py	python	708	537fa45507480e7d
py/mastermind_ai_sim_model_catalyst_v_7_aligned_mastermind_sim.py	python	12,279	58a45de577cc8c4a
py/mastermind_orchestrator_v_8.py	python	9,268	7fc069bffc85adbc
py/media2prompt.py	python	13,413	554bb71303aa4efc
py/meta_ai_sim_adaptive.py	python	21,724	56eee631ac7e8c95
py/meta_ai_sim_agent.py	python	13,017	81caf070eeda6fe6
py/meta_sim_agent_qyvaria_compatible_simulates_sims_engine.py	python	15,852	e5448cb70d75a6a7
py/mira_aof_ai_sim_agent_qyvaria_runtime.py	python	14,666	9a9a0e5c7e02d9f3
py/module_auditor.py	python	18,951	6501d29ada338d0e
py/neuro_sim_agent_qyvaria_compatible_neuronal_sim.py	python	12,613	e1f82061b7bb8722
py/nl_2_py_qyvaria.py	python	23,523	e9d43a4834201433
py/nl_sim_agent_deterministic_natural_language_engine.py	python	12,360	9f6c35ed8bbe183c
py/omni_sim_agent.py	python	11,779	74c647bed7e258c2
py/oneagent_voice_sim.py	python	21,939	60f308c6aa7be3ae
py/openmind_module.py	python	20,250	f4a3c662ffe746a8
py/optimization_checker_agent.py	python	11,609	b9a64a3743a954bd
py/problem_solving_ai_sim_minimal_deterministic_agent_qyvaria_style.py	python	16,851	ee49d4efa1c49143
py/python_axiomdelta_codex.py	python	17,400	9386b81d8d9e52f4
py/qavaria_ai_sim_agent.py	python	16,780	18343023077c7743
py/question_policy.py	python	8,877	e9f1e12423f5ef68
py/qy_90_upgrade_pack_bootstrap.py	python	16,884	e3bc0c9b5c7f3381
py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py	python	16,548	b4da858889b5ce79
py/qy_agentsim_united.py	python	24,941	3f55c57523a41b0c
py/qy_ai_universe.py	python	32,305	d4be1b9409e2da12
py/qy_ai_universe_plus.py	python	34,532	21096bef8b9818bb
py/qy_app_sim_agent.py	python	29,860	1d09dbe70d2b88e2

Path	Kind	Bytes	SHA-256 prefix
py/qy_code_engineer_code_quality_refactor_and_safety_module_for_qyvaria_v_8.py	python	19,413	c1de3cf1f7e79467
py/qy_control_plane.py	python	18,118	17b0f4dfe3b0ea17
py/qy_crypto.py	python	11,608	71b7ba8edd863e51
py/qy_durable_orchestrator.py	python	16,191	aea87423e044173d
py/qy_fullstack_pack_bootstrap_fullstack.py	python	28,763	857a1f39859db256
py/qy_llm_pipeline.py	python	20,267	72fa545980bedf91
py/qy_llm_sim_module.py	python	11,920	9c2c1dc10c5f4b17
py/qy_logo_stamp.py	python	11,585	6ff6814992f454af
py/qy_memory_extended_pluggable_memory_module_for_qyvaria_v_8.py	python	14,342	874fa51fd42c916d
py/qy_ml_toolkit.py	python	23,408	aa5b919e0e2e0086
py/qy_network_retrieval.py	python	21,967	726e229b71827608
py/qy_nn_engine.py	python	11,259	b6ebbd692ec2b6d4
py/qy_orbit_pack_bootstrap_orbit.py	python	17,582	e812a7fceb9c3049
py/qy_perfection_kit.py	python	17,936	1ccc7dd6f2c80fab
py/qy_public_command_db_engineering_day_oct_4.py	python	17,109	f457935bd3a64abe
py/qy_reasoning_booster.py	python	16,157	6e2dd2c72ed13ef0
py/qy_self_upgrade_pack_v_2_bootstrap_upgrade_v_2.py	python	21,323	5f79f0c05f7b2945
py/qy_sim_engineering_ai.py	python	31,925	7d29efd7ad4a92aa
py/qy_sim_pack_100.py	python	16,667	0dd80ff3a6cfd546
py/qy_sim_patchset_10.py	python	21,956	b0c63d2a631bee30
py/qy_team_network.py	python	17,562	644ace99325f4cfe
py/qy_test_ai.py	python	29,514	6cf9d9e2fd68bb76
py/qy_voice_engine_bootstrap_voice.py	python	15,802	59d84ae493337d69
py/qy_voice_modes_pack_bootstrap_voice_modes.py	python	12,624	8742a112308f1abf
py/qy_voice_policy_patch_bootstrap_voice_policy.py	python	8,314	5e39249c601fd7ae
py/qybilingual_voice.py	python	17,289	b13e5fc14d148388
py/qyintelligence.py	python	20,556	1e0fb76fe6f13313
py/qyintelligence_max.py	python	32,120	2ba6dc37512070b8
py/qymemory.py	python	15,405	63d9af33fa7412d5
py/qynlcalibrator_py_natural_unnatural_language_calibrator_lisp_fast_speech_phonetic_similarity.py	python	14,257	202189f67f593aa3
py/qyorchestrator.py	python	23,747	a590ffc7912e7323
py/qyraw_iq.py	python	22,966	c7854a9c8a05359d
py/qytranslate.py	python	21,060	ccaa62c40063bef0
py/qyvaria_adaptability_sim_agent_adaptability_agent.py	python	8,907	91362f7539108dad
py/qyvaria_advanced_voice_chat_ai_sim_agent_low_latency_barge_in_safety_fast_api_reference.py	python	12,738	dedf998efc58b990
py/qyvaria_advanced_voice_chat_sim_emotion_mirroring_real_time_translation_noise_suppression_multimodal_prompt_composer_fast_api.py	python	13,515	377a1c2b9a5bceab
py/qyvaria_agi_model.py	python	28,801	9b8967d0ed4d0ff6
py/qyvaria_agi_proto.py	python	23,803	c91e2b8e1137fec9
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python(1).py	python	17,632	274ade16e2be4d87
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python.py	python	17,632	274ade16e2be4d87
py/qyvaria_aisim_axis_module_factuality_reasoning_code_creativity_speed.py	python	15,489	7b6a9d7f1bc50afc
py/qyvaria_all_in_one(1).py	python	63,074	526246559fb05cb0
py/qyvaria_analyzer_streamlit_app.py	python	16,702	d7aa148892e83568
py/qyvaria_app_creator_sim_agent_single_agent_multi_role_pipeline.py	python	22,166	210279c95e9dd61f
py/qyvaria_catalyst_v_8_single_file_module_network_orchestrator_catalyst_hub.py	python	19,065	b14ed2bb25040292
py/qyvaria_cognitive_superstack.py	python	45,542	86512e05b3d1a2cb

Path	Kind	Bytes	SHA-256 prefix
py/qyvaria_control_plane.py	python	22,975	ad5d56112e82d2bc
py/qyvaria_czech_language_module_simlang_cs.py	python	10,797	302bc0442408acf6
py/qyvaria_data_analyst_ai_sim_agent_eda_nfq_→_data_charts_stats_cache_fast_api_python.py	python	16,252	89d3c2a3581c1de9
py/qyvaria_data_code_analyzer_ai_sim_agent.py	python	23,017	87705d4df4e2627f
py/qyvaria_equalizer_suite_one_go_language_code_logic_clarity_tool_equalizer_suite.py	python	17,802	2e914a5d2b555b0f
py/qyvaria_eval_harness_live_bench_gdpval_hle_v_0.py	python	14,864	f2b67f421c2ffb79
py/qyvaria_evolution_agent.py	python	17,151	d8d04a1d83301376
py/qyvaria_generalization_agentic_ai_sim_single_module.py	python	18,187	f75ac9a0a9a3064c
py/qyvaria_guardian_module_prwa_plan→research→write→audit_loop.py	python	20,775	973fa996f176ef38
py/qyvaria_hardened.py	python	17,503	6e4af93d61dc3c86
py/qyvaria_hub_open_ai_multi_bot_connector_policy_safe.py	python	10,296	6271a046d264cf4f
py/qyvaria_hybrid_analyzer_encryptor_decryptor_mixer_transmitter_single_file_module.py	python	18,281	ff252ce6587fd38e
py/qyvaria_improvement_engine_one_file_simulator_toolkit_v_1.py	python	25,969	09697562141d5743
py/qyvaria_kernel_integration_bridge_mesh_orchestrator_v_0.py	python	13,591	f114a0e9742c9ed9
py/qyvaria_kernel_mesh_kernel_mesh.py	python	16,544	0321bcba889e6cfe
py/qyvaria_lang.py	python	19,529	53cfc3a0ad1b5fc7
py/qyvaria_language_lock_advanced_voice_chat_module_single_file.py	python	13,679	0e173b2503b3fd18
py/qyvaria_lightweight_foundation.py	python	40,279	d1fa636a0d769aa3
py/qyvaria_llm_sim_and_meta_agent.py	python	20,308	5ee64d1939c8099a
py/qyvaria_mathematical_ai_sim_agent_symbolic_numeric_steps_pro_of_hints_python_fast_api.py	python	15,967	469ae6229605c218
py/qyvaria_memo.py	python	11,752	5ce064bf2cf8aa13
py/qyvaria_meta_intelligence_engine.py	python	35,016	091484f39f9f0f2c
py/qyvaria_model.py	python	15,795	62fcdcf15a69bc7c
py/qyvaria_module_sumerian_voice+.py	python	17,103	6bdf8bcf7644539f
py/qyvaria_module_sumerian_voice.py	python	12,824	10d705cb8d777893
py/qyvaria_monolith_20.py	python	36,419	7ed833900f6d77a1
py/qyvaria_multi_agent_knowledge_mesh_30_micro_agents_orchestrator_v_0.py	python	19,807	7b0f09aea503d28d
py/qyvaria_natural_voice.py	python	2,242	4989ada9d68530c8
py/qyvaria_negramotny.py	python	14,557	d66cd070dfa78046
py/qyvaria_one_agent_sim_with_adoptable_logic_contextual_memory_and_internal_multi_agent_runtime.py	python	12,979	8aa371c73526ddbb
py/qyvaria_photoreal_max.py	python	1,206	9bc786d465e08205
py/qyvaria_pra_genesis_ai_sim_agent.py	python	40,200	cbe80dbdc29ccf69
py/qyvaria_prompt_engineering_ai_sim_agent_lint_optimize_instantiate_a_b_eval_fast_api_python.py	python	15,358	16f5b67323b1dfc7
py/qyvaria_provenance_toolkit_v_0.py	python	16,607	e6c82c792dc8047b
py/qyvaria_rationality_max.py	python	20,657	fbe9b289da48caf2
py/qyvaria_research_analysis_module_qram_engineer_grade_implementation.py	python	19,833	f539dee54e2d8932
py/qyvaria_secure_sandbox.py	python	28,311	f0efb110e3c91176
py/qyvaria_simulate_then_act_rational_agent_v_0.py	python	22,460	d1816c72a9a8ec47
py/qyvaria_speed_module_single_file.py	python	15,460	cc69ea9285e4fdff
py/qyvaria_team_orchestrator_multi_agent_sim_with_self_optimizer_secure.py	python	14,129	3cdb232b15e7e487
py/qyvaria_team_orchestrator_single_file.py	python	19,996	8f79a7c3f30239b2
py/qyvaria_ultralite_suite.py	python	42,515	3f38baabb7b09524
py/qyvaria_unified_sim_agent_knowledge_guild_monolith_v_0.py	python	15,548	e72b51f557178937
py/qyvaria_url_reader_module_qy_url_reader.py	python	22,921	6fbbfb0f79e7c120
py/qyvaria_voice.py	python	27,192	8c5dfb22049adc08

Path	Kind	Bytes	SHA-256 prefix
py/qyvaria_voice_chat_x_single_file_server_fast_api_web_socket_stub.s.py	python	8,197	05d3a5342a77f606
py/qyvaria_voice_sim_agent_diarization_addressed_reply_router_v0.py	python	15,009	94183e02733c269a
py/qyvid_scripter.py	python	21,860	a03c9f0ebc115c98
py/qywriter.py	python	29,627	c5f0189846db2653
py/rationality_lab.py	python	2,557	c5b7da7b60b254f1
py/reality_aware_sim_machine_awareness_ai_sim_agent_active_inference_single_file.py	python	12,001	93a3ea5c6cd1f168
py/recursive_reflector.cpython-312.pyc	binary	1,151	c960c819e997c1c9
py/recursive_reflector.py	python	879	c89ecb3790e4c604
py/shell.py	python	352	d926d80c906e2cb7
py/speed_agent.py	python	4,945	c4eeb0952dbc827b
py/starter_actions.py	python	322	e399256a79204d9e
py/startup.py	python	452	68bf25a50af88f6f
py/sumerian_language_model_ai_sim_agent_qyvaria_compatible.py	python	14,530	213fa264fc61ae28
py/sumerian_voice_chat_ai_sim_agent_for_qyvaria_fake_it_capable.py	python	12,984	1860e62f1fb849cc
py/teleprompter.py	python	6,431	5bd792a30df1c147
py/therapist_style_ai_sim_agent_safety_first_support_python.py	python	11,721	1875d1bbe8056087
py/train_model.py	python	2,181	8ccb4717adcfbc0e
py/translator_crypto_sim_agent_qyvaria_compatible.py	python	16,094	eaad63f0c15e2557
py/truth_alignment_kernel.cpython-312.pyc	binary	1,054	c7d5cc220d106054
py/truth_alignment_kernel.py	python	715	511321996af98994
py/velcode_interpreter.py	python	167	4bfc7aa4e5ecb630
py/velcode_shell.py	python	336	9008c09f7368acce
py/voice_engineering_frontend_qyvaria_v_8_module.py	python	5,683	8b7fad8f5510c292
py/zip_to_py.py	python	1,195	0c20fed8a71e5fe6

Appendix - Compile-clean module profile index

Path	Bytes	Classes	Functions
py/1qyvaria_prompt_gen.py	17,435	PromptSpec	_, pick, sanitize, build_prompt, parse_args, main
py/ab_compare.py	2,827	—	clip_score, iqa_scores
py/adaptive_ai_sim_agent_privacy_first_reference_python.py	12,566	AuditEvent, AuditLog, Consent, DataPolicy, MemoryItem (+11 more)	now_ts, clamp
py/advance_memory_ai_sim_agent_bit_weaver_v_0.py	16,533	Policy, Chunk, BitStore, TinyVectors, BitWeaver	now_iso, h_b64, safe_json, detect_license_spdx, detect_maybe_pii, anonymize_basic (+4 more)
py/advance_voice_chat_command.py	5,625	AudioSink, VoiceSession, VoiceChatRouter	boot
py/Aeon Ai Sim.py	13,911	AeonRNG, MemoryItem, MemoryVault, Skill, SkillGraph (+5 more)	register_aeon_sim, _tokenize, _segment_goal, _safe_eval, _derive_command_from_steps
py/aeon_chat_interface.py	908	—	—
py/aeon_continuum.py	757	AeonMemory	—
py/aeon_loader.py	1,470	—	load_memory, save_memory, log_interaction
py/aeon_minigrid_integration.py	337	—	—
py/aeon_realm_sim.py	477	AeonRealm	—
py/aeon_textworld_integration.py	323	—	—
py/aeon_webots_integration.py	332	—	—
py/aeonscript_engine.py	322	—	interpret
py/agentive_behaviorism.py	12,670	ReinforcementSchedule, FixedRatio, VariableRatio, FixedInterval, VariableInterval (+4 more)	argmax, build_default_agent, sparkline, _demo
py/AgI Super Intelligence.py	10,154	DRNG, SafetyCore, Memory, Critique, MultiCritic (+6 more)	_tokens, _split_sentences, _split_goal, _safe_math
py/AGI_Agents.py	473	SubAgent, AGIAgentSystem	—
py/AGI_Boot.py	570	—	—
py/AGI_Ethics.py	295	AGIEthics	—
py/AGI_Ignition.py	1,555	—	ignition_loop
py/AGI_Memory.py	451	AGIMemory	—
py/AGI_MetaReasoner.py	307	AGIMetaReasoner	—
py/AGI_Orchestrator.py	672	AGIOrchestrator	—
py/AGI_PluginManager.py	342	AGIPluginManager	—
py/agi_prototype_microkernel_multi_agent_qyvaria_style_single_file.py	12,535	AuditEvent, Auditor, Policy, CommandRegistry, MemoryItem (+9 more)	stable_uuid, seeded_rand, cmd_search, cmd_math, main
py/ai_model_analyzer_freedom_module_agent_secure_file_driven.py	17,740	Capability, Rule, Policy, Budget, AuditLog (+5 more)	sha256_file, sniff_framework_from_name, parse_json_file, parse_model_card_md, parse_safetensors_header, estimate_params_from_safetensors (+1 more)
py/ai_model_tester_agent.py	24,813	CheckResult, AgentReport, OptimizationCheckerAgent, AIModelTesterAgent	—
py/ai_sim_agent_adaptive_batching_response_cache_autoscaling_circuit_breakers_safe_chaos_fast_api_python.py	13,554	BusEvent, EventBus, ChaosCfg, Chaos, CBState (+8 more)	now_ms, sha1, pool_handler, route_infer, infer, set_chaos (+3 more)
py/ai_sim_agent_bus_sandbox_hierarchical_planning_constraint_solver_rationale_python.py	14,507	Consent, DataPolicy, AuditEvent, AuditLog, BusEvent (+17 more)	now_ts, gen_id
py/ai_sim_agent_kernel.py	15,046	DeterministicClock, DeterministicPRNG, Event, Message, Intent (+14 more)	require_keys

Path	Bytes	Classes	Functions
py/ai_sim_agent_learning_evals_governance_suite_python_fast_api.py	14,476	BusEvent, Bus, Arm, Bandit, PreferenceModel (+12 more)	credit_assign, run_benchmark, run_golden, laplace_noise, transparency_report, interact (+25 more)
py/ai_sim_agent_probes_long_context_retrieval_review_rubrics_line_citations_popular_cache_feedback→facts_python.py	16,593	Consent, DataPolicy, AuditEvent, AuditLog, BusEvent (+16 more)	now_ts, gen_id
py/ai_sim_module_agent+.py	2,977	QyvariaKernelInterface, AUREN	—
py/ai_sim_module_agent.py	2,512	QyvariaKernelInterface, AISimModuleAgent	—
py/all_in_one_agent.py	37,383	Timeout, Event, EventBus, Role, Message (+29 more)	now, short_uid, sha1, clamp, chunks, time_limit (+2 more)
py/all_in_one_sim_agent_code_audit_planner_executor_log_miner_triage_qyvaria_compatible.py	16,030	Command, SafeCommandBus, CoTRecord, CoTAuditor, Step (+8 more)	_mask, _digest, _templatize, _read_stdin_lines, main
py/arbitrator_sim_agent.py	11,458	RiskEntry, RiskRegister, JurisdictionMapper, AgeGatekeeper, _DomainTier (+7 more)	_recency_score
py/auto_language_voice_router_simlang_auto.py	11,398	TTSAdapter, STTAdapter, Detection, DetectorConfig, DetectorChain (+1 more)	safety_scrub, normalize
py/avtx_installer.py	12,295	—	w
py/bootloader.py	121	—	boot
py/build_qyvaria_studio.py	1,885	—	—
py/catalyst_audit_memory.py	10,050	AuditRecord, MemoryStore, AuditLogger, HubAuditAdapter, MastermindBridge	_utcnow_iso, audited_action
py/catalyst_equalizer_v1_py_code_io_and_logic_clarity_equalizer.py	16,024	Metric, Finding, SubScore, EqualizationReport, _ComplexityVisitor (+4 more)	_attr_to_str, analyze_code, _coerce, io_equalized, analyze_logic, equalize (+2 more)
py/catalyst_hub_v1_sandboxed_plugin_bus_python.py	14,612	Capability, Quotas, Permissions, TelemetryConfig, PluginManifest (+7 more)	plugin_handler, _safe_len, echo_plugin
py/cetana.py	12,499	MemoryItem, TieredMemory, WorldModel, SafetyKernel, ValueGuardian (+14 more)	now_ts, ema
py/Cetana_Custom_Agent_Core.py	1,847	CetanaAgent	—
py/Cetana_IDE_Launcher.py	109	—	—
py/Cetana_OS_Link.py	348	OSLink	—
py/Cetana_OS_Simulation.py	1,776	CetanaKernel, CetanaShell	—
py/Cetana_Phytoon_IDE.py	1,579	PhytoonGUI	—
py/Cetana_Simulator.py	3,803	CetanaSimulator	—
py/Cetana_v4_Boot.py	4,765	TieredMemory, Constitution, RecursiveReasoner, DriveModel, SelfManager	—
py/Cetana_v5_Boot.py	2,331	CetanaV5	—
py/Cetana_v6_Boot.py	1,503	CetanaV6	—
py/chronosynth.py	6,870	—	fourier_terms, build_features, train_quantile_models, recursive_forecast, evaluate_backtest, demo_data (+1 more)
py/code_2_lang_code→_natural_language_explainer_single_file_no_deps.py	10,515	FuncSig, ClassInfo, PyModuleInfo, ComplexityVisitor	read_input, parse_python, outline_generic, count_sloc, top_keywords, render_markdown_py (+4 more)

Path	Bytes	Classes	Functions
py/code_sim_agent_deterministic_python_subset_ast_vm.py	20,403	CodeSimConfig, TraceEvent, CodeSimError, BudgetExceeded, ForbiddenNode (+3 more)	—
py/CodeLab.py	587	CodeLab	—
py/CodeSandbox.py	635	CodeSandbox	—
py/CognitiveStyle.py	272	CognitiveStyle	—
py/concept_engine.py	511	—	process_input
py/convert_to_training.py	560	—	—
py/CounterfactualSimulator.py	402	CounterfactualSimulator	—
py/CuriosityResearch.py	490	CuriosityResearch	—
py/digital_time_module.py	1,643	DigitalTime	—
py/educator_sim_qyvaria_module_python.py	12,712	Trace, SafetyAdapter, KernelBridge, LearnerState, EducatorSIM	now_ms
py/emotion_sim_qyvaria_module_python.py	13,181	Trace, SafetyAdapter, KernelBridge, Turn, PersonState (+1 more)	now_ms
py/emotional_intelligence_agent.py	14,651	DeterministicRNG, SafetyPolicy, SafetyGuard, AffectReport, DialogueTurn (+3 more)	_utcnow_iso, tokenize, analyze_affect, infer_need, register_with_agi_system, _demo (+5 more)
py/EmotionModel.py	425	EmotionModel	—
py/engineering_ai_sim_agent_code_specialist_python.py	16,063	AuditEvent, AuditLog, Consent, DataPolicy, Preference (+17 more)	now_ts, clamp, make_patch
py/EnvLink.py	569	EnvLink	—
py/EpisodicMemory.py	415	EpisodicMemory	—
py/EthicsArbiter.py	454	EthicsArbiter	—
py/forge_sim_agent.py	11,147	RiskEntry, RiskRegister, LatencyForecaster, OutputFragmentHealer, UnitTestSynthesizer (+3 more)	—
py/FusionModulesManifest.py	2,467	—	—
py/GoalEngine.py	435	GoalEngine	—
py/gpt_6_lite_deterministic_moe_transformer_reasoning_head_single_file.py	13,171	GQAAttn, Expert, MoE, Block, LRC (+4 more)	set_seed, build_rope, apply_rope, demo_tool_search, generate_with_speculation, sample_logits (+1 more)
py/human_sim_human_like_ai_sim_agent_personality_drives_emotions_bdi_single_file.py	10,512	SRand, AuditEvent, Auditor, Personality, Drives (+4 more)	stable_uuid, clamp, make_agent, simulate_conversation, simulate_day
py/human_voice_chat_advanced_voice_chat_mirroring_human_sim_single_file.py	11,799	SRand, Audit, Personality, Drives, PAD (+5 more)	clamp, infer_vibe, pad_to_prosody, healthz, ws_route
py/IntervariaEngineer.py	12,582	—	now_iso, sha256_file, ensure_dir, write_text, cmd_init, _parse_spec (+7 more)
py/image_generator_server.py	692	—	generate
py/intent_fusion_core.py	541	IntentFusion	—
py/jarvis_server.py	909	—	finetune_model
py/kernel.py	425	SymbolicKernel	—
py/lang_lock_voice.py	13,678	SimpleLangId, LanguageLock, ASREngine, TTSEngine, DemoASR (+4 more)	normalize_lang, strict_no_translation
py/LanguageFeedback.py	378	LanguageFeedback	—
py/law_advisor_ai_sim_agent_qyvaria_compatible.py	14,696	Command, CommandRegistry, JurisdictionProfile, LegalQuery, Evidence (+5 more)	now_iso, short_id, clamp

Path	Bytes	Classes	Functions
py/LearningManager.py	465	LearningManager	—
py/lingua.py	3,911	LinguaAI_Advanced	—
py/lingua_api.py	1,056	—	run_code, ask_question, get_memory, import_facts, export_facts
py/linguistics_ai_sim_agent_qyvaria_compatible.py	15,478	Command, SafeCommandBus, Token, AgentSpec, LinguisticsAgent	sent_split, tokenize, detect_lang, lemmatize, pos_tag, ner (+8 more)
py/llm_engine.py	640	—	generate_response, query_llm
py/logicky_rozhodovaci_system_pravidlovy_engine_cz.py	8,852	Conclusion, Rule, Decision, TraceEvent, ConditionEval (+2 more)	EQ, NE, GT, GE, LT, LE (+4 more)
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py	8,978	SRand, Audit, LovePAD, Tie, AffectionGraph (+3 more)	stable_uuid, make_reflector, make_solver, sentiment, extract_core, clamp01 (+1 more)
py/machine_intelligence_ai_sim_agent_single_file_deterministic_goap_memory_tools.py	12,770	SRand, AuditEvent, Auditor, Policy, CommandRegistry (+10 more)	stable_uuid, tool_calc, tool_search, build_grid_domain, simulate_grid
py/main.py	708	Message	invoke, root
py/mastermind_ai_sim_model_catalyst_v_7_aligned_mastermind_sim.py	12,279	_AGIMemoryFallback, _AGIEthicsFallback, _AGIMetaReasonerFallback, _SubAgent, _AgentSystem (+7 more)	_demo
py/mastermind_orchestrator_v_8.py	9,268	Budget, Context, Step, Outcome, Plan (+6 more)	—
py/media2prompt.py	13,413	Config	ensure_dir, which, media_to_wav, redact_text, transcribe_audio, sample_video_frames (+9 more)
py/meta_ai_sim_adaptive.py	21,724	ContractError, FieldSpec, Contract, RBAC, Step (+14 more)	register
py/meta_ai_sim_agent.py	13,017	ContractError, FieldSpec, Contract, RBAC, Step (+4 more)	register
py/meta_sim_agent_qyvaria_compatible_simulates_sims_engine.py	15,852	SimRNG, EnvConfig, AgentConfig, SimConfig, AgentState (+3 more)	default_config
py/MetaLearningEngine.py	366	MetaLearningEngine	—
py/MetaReasoner.py	510	MetaReasoner	—
py/mira_aof_ai_sim_agent_qyvaria_runtime.py	14,666	RNG, ElementalState, ResonantLetter, HarmonicParams, FracturedEcho (+18 more)	_hash, default_elemental_states, _build_alphabet, load_agent
py/module_auditor.py	18,951	ComplianceChecklist, HealthStatus, NodeStats, ModuleNode, ProbeSpec (+1 more)	_detect_frameworks, _safe_getsourcefile, _guess_purpose, _count_members, _count_params_if_any, _compliance_scan (+9 more)
py/MultiAgentFramework.py	556	SubAgent, MultiAgentFramework	—
py/NeuralPatternMapper.py	288	NeuralPatternMapper	—
py/neuro_sim_agent_qyvaria_compatible_neuronal_sim.py	12,613	NeuronParams, Neuron, Synapse, RingBuffer, Stimulus (+4 more)	_demo_config
py/nl_2_py_qyvaria.py	23,523	SafetyError, TranslationReport, Pattern, NL2PyEngine	nl2py_tool, expert_nl2py, _cli
py/nl_sim_agent_deterministic_natural_language_engine.py	12,360	NLSimConfig, TraceEvent, Frame, NLSim	—

Path	Bytes	Classes	Functions
py/omni_sim_agent.py	11,779	RiskEntry, RiskRegister, SandboxRunner, HallucinationFirewall, VizMaker (+4 more)	safe_eval
py/oneagent_voice_sim.py	21,939	SimpleLangId, LanguageLock, SafetyMode, SimpleSafety, ASREngine (+14 more)	normalize_lang, echo_agent
py/optimization_checker_agent.py	11,609	CheckResult, AgentReport, OptimizationCheckerAgent	—
py/PerformanceMonitor.py	916	PerformanceMonitor	—
py/PersistentGoalManager.py	517	PersistentGoalManager	—
py/Phytoon_Full_Language_Model.py	1,939	PhytoonRuntime	—
py/Phytoon_Language_Model.py	1,751	PhytoonInterpreter	—
py/Phytoon_v2_Upgrade.py	3,722	PhytoonRuntime, CodeEvolver, PhytoonGUI	—
py/PhytoonCetanaFusion.py	6,200	CetanaKernel, PhytoonCetanaRuntime, PhytoonCetanaGUI	phytoon_compiler
py/problem_solving_ai_sim_minimal_deterministic_agent_qyvaria_style.py	16,851	TraceEvent, AgentConfig, Problem, Solution, Solver (+6 more)	stable_tuple
py/python_axiomdelta_codex.py	17,400	Source, Evidence, Belief, AxiomDelta	clamp01, odds, inv_odds, ema, now, parse_evidence_arg (+2 more)
py/qavaria_ai_sim_agent.py	16,780	JurisdictionProfile, PolicyGuard, AuditLogger, ToolRegistry, LLMClient (+7 more)	_now_ms, _ensure_dir, get_commands
py/question_policy.py	8,877	PolicyConfig, QuestionPolicy	—
py/qy_90_upgrade_pack_bootstrap.py	16,884	—	main
py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py	16,548	Decision, PolicyHit, PolicyRule, LawPolicyEngine, Role (+12 more)	default_policy_pack
py/qy_agentsim_united.py	24,941	Retriever, KGraph, CaseMemory, RLRouter, AgentOutput (+16 more)	canonical_json, stable_hash, verify_text, register_agentsim
py/qy_ai_universe.py	32,305	StandardScaler, Action, Rule, FuzzySet, FuzzyRule (+13 more)	set_seed, _simple_split, metrics_classification, metrics_regression, astar_grid, plan_strips (+15 more)
py/qy_ai_universe_plus.py	34,532	StandardScaler, Action, Implication, Rule, FuzzySet (+25 more)	set_seed, _simple_split, metrics_classification, metrics_regression, astar_grid, plan_strips (+19 more)
py/qy_code_engineer_code_quality_refactor_and_safety_module_for_qyvaria_v_8.py	19,413	FuncMetric, FileReport, AnalysisReport, CodeAnalyzer, RefactorEngine (+1 more)	qy_code_engineer_handler, expert_code_engineer
py/qy_control_plane.py	18,118	Permission, Role, AccessControl, Command, SafeRunner (+23 more)	set_seed
py/qy_crypto.py	11,608	—	_b64e, _b64d, _derive_key, gen_key, gen_key_b64, _pack_envelope (+9 more)
py/qy_fullstack_pack_bootstrap_fullstack.py	28,763	—	main
py/qy_llm_sim_module.py	11,920	SimConfig, SimState, TraceEvent, StubBackend, LlamaBackend (+2 more)	_demo_line, main

Path	Bytes	Classes	Functions
py/qy_logo_stamp.py	11,585	—	_try_font, _render_qyvaria_logomark, _compose_logo, _choose_theme_auto, stamp_image, _save_with_metadata (+4 more)
py/qy_memory_extended_pluggable_memory_module_for_qyvaria_v_8.py	14,342	MemoryRecord, QyMemory, MemoryFacade	_tokenize, default_embed, cosine
py/qy_ml_toolkit.py	23,408	StandardScaler, _BaseModel, LinearRegressionGD, LogisticRegressionGD, KNN (+5 more)	set_seed, _simple_train_test_split, metrics_classification, metrics_regression, _wrap_sklearn, build_model (+7 more)
py/qy_network_retrieval.py	21,967	ContractError, FieldSpec, Contract, RBAC, SimpleEmbedder (+17 more)	tokenize, register
py/qy_nn_engine.py	11,259	_NPMLP, _TorchMLP, _ORTWrapper, NeuralEngine	_seed_all, _one_hot, _accuracy, _kmeans_np, _pca_np, _softmax_np
py/qy_orbit_pack_bootstrap_orbit.py	17,582	—	main
py/qy_perfection_kit.py	17,936	Field, Schema, PolicyReport, PolicyEngine, RetryPolicy (+17 more)	set_seed, _to_canonical, content_hash, harden
py/qy_public_command_db_engineering_day_oct_4.py	17,109	Parameter, Command, Service, QYPublicCommandDB	—
py/qy_reasoning_booster.py	16,157	PlanStep, Plan, VerificationIssue, VerificationReport, ReasonedAnswer (+3 more)	_now, _stable_hash, _clamp, register
py/qy_self_upgrade_pack_v_2_bootstrap_upgrade_v_2.py	21,323	—	main
py/qy_sim_engineering_ai.py	31,925	EventBus, ServiceRegistry, RequestRouter, DeterministicLLM, MiniMemory (+14 more)	slugify, now_ms, sha8, ensure_schema, evidence_gate, sanitize_injection (+4 more)
py/qy_sim_patchset_10.py	21,956	TraceEvent, PatchService, ProvenanceLedger, SchemaGuard, InjectionShield (+8 more)	_try_json, _ensure_standard, main
py/qy_team_network.py	17,562	DeterministicLLM, AgentSpec, AgentMessage, LLMAdapter, AgentNetwork (+1 more)	make_roster, _demo, main
py/qy_test_ai.py	29,514	ModelMeta, Prompt, TestCase, TestResult, RunSummary (+5 more)	_slug, normalize, scorer_exact, scorer_contains, scorer_refusal, scorer_no_toxicity (+8 more)
py/qy_voice_engine_bootstrap_voice.py	15,802	—	main
py/qy_voice_modes_pack_bootstrap_voice_modes.py	12,624	—	main
py/qy_voice_policy_patch_bootstrap_voice_policy.py	8,314	—	main
py/qybilingual_voice.py	17,289	NLUResult, QYBilingualVoice	_tokens, _lang_score, detect_lang, strip_diacritics, _compress_elongations, _drop_fillers (+5 more)
py/qyintelligence.py	20,556	Contracts, Retriever, Reasoner, Claim, Critic (+3 more)	_tokens, _top_k
py/qymemory.py	15,405	_NullCipher, MemoryRecord, QYMemory	_get_cipher, _flatten_payload, _tokenize, _now

Path	Bytes	Classes	Functions
py/qynlcalibrator_py_natural_unnatural_language_calibrator_lisp_fast_speech_phonetic_similarity.py	14,257	CalibResult, QYNLCalibrator	strip_diacritics, squash_whitespace, compress_elongations, drop_fillers, expand_contractions, expand_slang (+7 more)
py/qyorchestrator.py	23,747	PlanStep, Plan, TimeoutError, _Timeout, QYOrchestrator	_tokenize
py/qyraw_iq.py	22,966	UnsafeExpression, EquationExtractor, Scorer, Bandit, Candidate (+2 more)	tokens, is_number, _check_ast, safe_eval
py/qytranslate.py	21,060	Masked, TinyTM, TranslationResult, QYTranslate	_normalize, _tokens, _lang_score, detect_language, mask_placeholders, restore_placeholders (+2 more)
py/Qyvaria Complete Sim.py	8,225	QyvariaCompleteSIM	—
py/Qyvaria Sim Profile.py	9,392	ConversationPolicy, IndividualSimulation	register_qyvaria_sim
py/Qyvaria Voice Os.py	9,881	VAD, ASR, TTS, QuestionThrottle, VState (+1 more)	ssml
py/qyvaria_adaptability_sim_agent_adaptability_agent.py	8,907	DriftSignal, AdaptConfig, AdaptabilityAgent	bootstrap
py/qyvaria_advanced_voice_chat_ai_sim_agent_low_late_ncy_barge_in_safety_fast_api_reference.py	12,738	Consent, DataPolicy, Redactor, SafetyLabel, SafetyGuard (+7 more)	now_ms, estimate_emotion, voice_socket, export_session, health
py/qyvaria_advanced_voice_chat_sim_emotion_mirroring_real_time_translation_noise_suppression_multimodal_prompt_composer_fast_api.py	13,515	Consent, DataPolicy, Redactor, SafetyLabel, SafetyGuard (+10 more)	now_ms, clamp, estimate_emotion, ssml, voice_plus, compose_prompt (+1 more)
py/Qyvaria_Aeon.py	12,992	Event, EventBus, LifeState, Health, LiveSystem	—
py/qyvaria_agi_model.py	28,801	DeterministicLLM, Skill, SkillLibrary, MiniMemory, ProvenanceLedger (+9 more)	slugify, sha8, now_ms, token_count, ensure_schema, hallu_gate (+3 more)
py/qyvaria_agi_proto.py	23,803	Event, EventBus, SelfReport, SelfModel, MemoryItem (+14 more)	now_ms, now_iso, sha256, clamp, softmax, pick_weighted (+4 more)
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python (1).py	17,632	Consent, DataPolicy, SafetyGate, BusEvent, Bus (+13 more)	allow, put_csv, put_json, worker_loop, project_create, rbac_grant (+21 more)
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python.py	17,632	Consent, DataPolicy, SafetyGate, BusEvent, Bus (+13 more)	allow, put_csv, put_json, worker_loop, project_create, rbac_grant (+21 more)
py/qyvaria_aisim_axis_module_factuality_reasoning_code_creativity_speed.py	15,489	JurisdictionProfile, PolicyGuard, AuditLogger, ToolRegistry, LLMClient (+7 more)	_now_ms, _ensure_dir, get_commands
py/qyvaria_all_in_one (1).py	63,074	_NullCipher, _Signer, MemoryRecord, QYMemory, Redactor (+11 more)	_get_cipher, _tokenize, _flatten_payload, _mask, _luhn_ok, _iter_files (+9 more)
py/qyvaria_analyzer_streamlit_app.py	16,702	ModuleBlob	_human_bytes, _sha256, parse_bundle_literal, decompress_module, analyze_source
py/qyvaria_app_creator_sim_agent_single_agent_multi_role_pipeline.py	22,166	Message, Mailbus, ContextualMemory, Templater, SubAgent (+8 more)	—
py/qyvaria_catalyst_v_8_single_file_module_network_orchestrator_catalyst_hub.py	19,065	EventBus, RequestRouter, ServiceRegistry, ModuleDescriptor, ModuleGraph (+4 more)	_now_ms, _short, log

Path	Bytes	Classes	Functions
py/qyvaria_cognitive_superstack.py	45,542	ArtifactStore, MemoryArtifactStore, FSArtifactStore, Clock, DefaultClock (+20 more)	_now_ts, _json, _slug, _stable_hash, elo_update, synthesize_program (+24 more)
py/qyvaria_control_plane.py	22,975	RollingStat, Perf, Resources, ModuleVersion, Modules (+4 more)	now_iso, sha16, read_text, write_text, safe_join, static_scan (+3 more)
py/qyvaria_czech_language_module_simlang_cs.py	10,797	CzechLangError, CzechVoiceProfile, Politeness, TTSAAdapter, STTAdapter (+1 more)	safety_scrub, normalize, sentence_split, word_tokenize, fmt_datetime, fmt_number (+3 more)
py/qyvaria_data_analyst_ai_sim_agent_eda_nfq_→_data_charts_stats_cache_fast_api_python.py	16,252	Consent, DataPolicy, AuditEvent, AuditLog, BusEvent (+7 more)	sha1, ingest, datasets, describe, nlq, chart (+4 more)
py/qyvaria_data_code_analyzer_ai_sim_agent.py	23,017	JurisdictionProfile, PolicyGuard, AuditLogger, ToolRegistry, LRUCache (+6 more)	_now_ms, _ensure_dir, _sha12, get_commands
py/qyvaria_equalizer_suite_one_go_language_code_logic_clarity_tool_equalizer_suite.py	17,802	EqReport, ClarityEqualizer, LanguageEqualizer, LogicRationalityEqualizer, CodeEqualizer (+1 more)	_read_text, _write_text, build_argparser, main
py/qyvaria_eval_harness_live_bench_gdpval_hle_v_0.py	14,864	Item	run_cmd, ensure_git, ensure_repo, ensure_python, init, doctor (+4 more)
py/qyvaria_evolution_agent.py	17,151	DeterministicRNG, EvolutionPolicy, EvolutionStore, Patch, EvalReport (+1 more)	_utcnow_iso, register_with_agi_system, demo, _assert, test_policy_blocks_protected, test_eval_sample_size_gate (+2 more)
py/qyvaria_generalization_agentic_ai_sim_single_module.py	18,187	JurisdictionProfile, PolicyGuard, AuditLogger, ToolRegistry, LLMClient (+9 more)	_now_ms, _ensure_dir, get_commands
py/qyvaria_guardian_module_prwa_plan→research→write→audit_loop.py	20,775	Source, Milestone, Plan, ResearchPacket, WritingDraft (+9 more)	_dummy_fetch, _demo
py/qyvaria_hardened.py	17,503	AuditLogger, RBACPolicy, TimeoutError, CommandBus	enable_determinism, make_audit_logger, _guarded_call, _bundle_signature_payload, verify_bundle_signature, sign_manifest (+9 more)
py/qyvaria_hub_open_ai_multi_bot_connector_policy_safe.py	10,296	ChatRequest, ChatResponse	policy_screen, pick_target_alias, throttle, ensure_thread, post_user_message, run_assistant (+6 more)
py/qyvaria_hybrid_analyzer_encryptor_decryptor_mixer_transmitter_single_file_module.py	18,281	AnalysisReport, CodeAnalyzer, CryptoEngine, _LocalRenamer, CodeMixer (+2 more)	_b, _now_epoch_ms, _scrypt_derive_key
py/qyvaria_improvement_engine_one_file_simulator_toolkit_v_1.py	25,969	ModelAdapter, MemoryNote, TinyRetrieval, Scratchpad, SafeRunner (+4 more)	simulate_all, cmd_simulate, cmd_demo_tools, cmd_run_task, build_parser, main
py/qyvaria_kernel_integration_bridge_mesh_orchestrator_v_0.py	13,591	Services, KernelAdapter, Capability, AgentSpec, CapabilityGraph (+8 more)	—
py/qyvaria_kernel_mesh_kernel_mesh.py	16,544	Service, ServiceRegistry, EventBus, CommandRouter, KernelMesh	parse_bundle_literal, _decompress_entry, main
py/qyvaria_lang.py	19,529	LangConfig, TokenEstimator, LLMBackend, EchoLLM, ReplyExtender (+13 more)	_demo
py/qyvaria_language_lock_advanced_voice_chat_module_single_file.py	13,679	SimpleLangId, LanguageLock, ASREngine, TTSEngine, DemoASR (+4 more)	normalize_lang, strict_no_translation

Path	Bytes	Classes	Functions
py/qyvaria_lightweight_foundation.py	40,279	Stopwatch, LRUCache, TokenizerConfig, SimpleTokenizer, QuantConfig (+14 more)	_seed_everything, _softmax, quantize_tensor, dequantize_tensor, register_with_qyvaria
py/qyvaria_llm_sim_and_meta_agent.py	20,308	JurisdictionProfile, PolicyGuard, AuditLogger, ToolRegistry, LLMClient (+10 more)	_now_ms, _ensure_dir, _hash_dict, basic_answer_strategy, reflection_wrapper, demo
py/qyvaria_mathematical_ai_sim_agent_symbolic_numeric_steps_proof_hints_python_fast_api.py	15,967	Consent, DataPolicy, AuditEvent, AuditLog, BusEvent (+5 more)	now_ts, plot_expr, solve, simplify, equation, calculus (+5 more)
py/qyvaria_memo.py	11,752	MemoConfig, _Entry, _LRU, _ShardWriter, QyMemo	_now, _crc32, _hash_key, _ensure_dir
py/qyvaria_meta_intelligence_engine.py	35,016	ArtifactStore, MemoryArtifactStore, FSArtifactStore, Clock, DefaultClock (+15 more)	_now_ts, _json, _slug, _stable_hash, elo_update, register_built_in_tasks (+16 more)
py/qyvaria_model.py	15,795	DeterministicLLM, QyModelConfig, QyModelState, TraceEvent, MiniMemory (+2 more)	_demo, main
py/qyvaria_module_sumerian_voice.py	12,824	G2PResult, SumerianG2P, SumerianMTGloss, Prosody, ITTS (+3 more)	_agent, cmd_sumerian_speak, cmd_sumerian_synthesize, cmd_sumerian_describe, get_plugin, register (+1 more)
py/qyvaria_monolith_20.py	36,419	TokConfig, Tokenizer, CoreConfig, Linear, LayerNorm (+26 more)	_seed, _softmax, prune_linear_magnitude, ptq_linear, _demo, main
py/qyvaria_multi_agent_knowledge_mesh_30_micro_agents_orchestrator_v_0.py	19,807	Commands, Logger, JournalEntry, Journal, PolicyConfig (+15 more)	—
py/qyvaria_negramotny.py	14,557	DataSample, QNEM	_seed, _entropy
py/qyvaria_one_agent_sim_with_adoptable_logic_contextual_memory_and_internal_multi_agent_runtime.py	12,979	Message, Mailbus, ContextualMemory, Policy, RulePolicy (+7 more)	—
py/qyvaria_photoreal_max.py	1,206	—	—
py/qyvaria_pra_genesis_ai_sim_agent.py	40,200	Mode, Tone, SafetyStatus, Severity, UserProfile (+35 more)	_demo
py/qyvaria_prompt_engineering_ai_sim_agent_lint_optimize_instantiate_a_b_eval_fast_api_python.py	15,358	DataPolicy, SafetyGate, BusEvent, Bus, Audit (+13 more)	tpl_create, tpl_get, lint, optimize, instantiate, simulate (+6 more)
py/qyvaria_provenance_toolkit_v_0.py	16,607	WMPParams	strip_exif_bytes, add_visible_badge, _blockview, _prn, _prepare_payload_bits, embed_watermark (+8 more)
py/qyvaria_rationality_max.py	20,657	SafeCalc, BoolExpr, SAT, QRLConfig, Trace (+2 more)	_seed, _now
py/qyvaria_research_analysis_module_qram_engineer_grade_implementation.py	19,833	Source, ScoredSource, Claim, Cluster, AnalysisReport (+6 more)	_utcnow, normalize_url, domain_of, sha256, hamming64, _tokenize (+10 more)
py/qyvaria_speed_module_single_file.py	15,460	_Entry, TTLCache, _Inflight, _Batcher, SpeedLayer (+3 more)	_pick_json
py/qyvaria_team_orchestrator_multi_agent_sim_with_self_optimizer_secure.py	14,129	Capability, Rule, Policy, Budget, AuditLog (+12 more)	—
py/qyvaria_team_orchestrator_single_file.py	19,996	AuditLogger, RBACPolicy, TimeoutError, _CacheEntry, TTLCache (+7 more)	_guarded_call, qyvaria_module, _self_test
py/qyvaria_unified_sim_agent_knowledge_guild_monolith_v_0.py	15,548	Commands, Logger, PolicyConfig, Policy, JournalEntry (+12 more)	—

Path	Bytes	Classes	Functions
py/qyvaria_url_reader_module_qy_url_reader.py	22,921	FileInfo, VideoInfo, ArticleInfo, PageInfo, ErrorInfo (+3 more)	_normalize_url, _build_request, _open_url, _parse_content_type, _guess_filename, _collect_meta (+6 more)
py/qyvaria_voice_chat_x_single_file_server_fast_api_web_socket_stubs.py	8,197	Audit, SimpleVAD, ASRStub, TTSStub, Tools (+1 more)	safe, healthz, ws_route
py/qyvaria_voice_sim_agent_diarization_addressed_repl_y_router_v_0.py	15,009	Commands, AudioFrame, VADChunk, DiarizedTurn, AgentConfig (+8 more)	pcm16_stream
py/qyvid_scripter.py	21,860	Safety, Brief, Shot, VoiceLine, BeatPlanner (+3 more)	_s, _tokens, _time_now, _strip_diacritics
py/qywriter.py	29,627	SafetyFirst, Contracts, StyleEngine, Source, ReferenceManager (+8 more)	_tokens, _now, _squash, _strip_diacritics
py/SafetyKernelUpgrade.py	656	SafetyKernelUpgrade	—
py/SelfEditor.py	327	SelfEditor	—
py/SelfModel.py	326	SelfModel	—
py/SimulationInterface.py	351	SimulationInterface	—
py/SocialReasoner.py	377	SocialReasoner	—
py/speed_agent.py	4,945	RiskEntry, RiskRegister, SpeedAgent	_canonical_prompt, _cache_key, register_speed_agent
py/starter_actions.py	322	—	dummy_tool
py/startup.py	452	—	launch_backend, launch_gui, run_catena_stack
py/sumerian_language_model_ai_sim_agent_qyvaria_compatible.py	14,530	Command, SafeCommandBus, Token, Syllable, Lexeme (+4 more)	to_ascii_safe, normalize_transliteration, tokenize, syllabify, approx_ipa, make_igt (+3 more)
py/sumerian_voice_chat_ai_sim_agent_for_qyvaria_fake_it_capable.py	12,984	G2PResult, SumerianG2P, LexEntry, SumerianMTGloss, Prosody (+4 more)	agent_factory, register_with_qyvaria
py/TaskPlanner.py	1,617	TaskPlanner	—
py/train_model.py	2,181	—	load_latest_data, train
py/translator_crypto_sim_agent_qyvaria_compatible.py	16,094	Command, SafeCommandBus, TranslationResult, Translator, DidacticStreamCipher (+2 more)	_normalize_text, _lower_no_punct, _hkdf_sha256, main
py/ValueGuardian.py	666	ValueGuardian	—
py/Varia+.py	34,191	Event, EventBus, SelfReport, SelfModel, MemoryItem (+13 more)	now_ms, now_iso, sha256_bytes, clamp, softmax, pick_weighted (+8 more)
py/velcode_interpreter.py	167	—	interpret
py/voice_engineering_frontend_qyvaria_v_8_module.py	5,683	VoiceFrontend	—
py/WakeUpKernel.py	736	WakeUpKernel	—
py/WorldModel.py	472	KnowledgeGraph	—
py/WorldModelExpander.py	403	WorldModelExpander	—
py/zip_to_py.py	1,195	—	merge_zip_to_py

Evidence basis and editorial boundary

This volume is grounded in the supplied Qyvaria corpus and the preceding technical study. It distinguishes between directly observed bundle metadata, static source inspection, controlled command-line observations, and interpretive proposals. The publication pack does not certify production security or

claim that every module is runnable. It treats the project as a serious software corpus whose value increases when its evidence, ambitions, and next engineering steps are written down clearly.

CZECH LIBRARY / ČESKÁ KNIHOVNA

Qyvaria Publication Pack

Česká vydání dokumentace Qyvaria OS a Qyvaria Kernel.

ČESKÁ SEKCE

VOLUME 00 — CZECH

Index publikačního balíčku Qyvaria

Průvodce dvojjazyčnou knihovnou a umístěním na GitHubu.

CS Volume 00

Index publikačního balíčku Qyvaria

Průvodce dvojjazyčnou knihovnou knih o Qyvaria kernelu

Vychází z dodaného korpusu qyvaria.py, jeho textového zrcadla a předchozího technického čtení.

Připraveno pro otevřený publikační balíček Qyvaria - 17. května 2026.

Obsah

1. Účel publikačního balíčku
2. Dvojazyčná knihovna
3. Doporučené umístění na GitHubu
4. Zdrojový základ

Účel publikačního balíčku

Tento index vysvětluje dvojjazyčnou knihovnu knih Qyvaria vytvořenou pro zveřejnění v repozitáři. Balíček je záměrně široký: zdrojový korpus není jen jeden skript, ale vložený softwarový balík s 277 záznamy, agenty, runtime mechanismy, hlasovými moduly, paměťovými moduly, orchestračními prvky, bezpečnostně orientovanými moduly a inženýrskými experimenty. Jediné vysvětlující PDF by tuto šíři neobsáhlo, proto knihovna rozděluje architekturu, audit, vývoj, kognici, integraci operační vrstvy a filozofii do samostatných knih.

Publikační zásada: větší rozsah má smysl tehdy, když přidává orientaci, důkazy a znovupoužitelný kontext, nikoli výplň.

Dvojjazyčná knihovna

Svazek	Role
01 Velké technické kompendium	Úplné technické čtení korpusu kernelu ve vyšší rovině.
02 Atlas architektury	Runtime vrstvy, mechanismy balíčku, témata a mapování modulů.
03 Encyklopedie agentů a kognice	Registr agentů, kognitivní moduly, paměť, hlas a reasoning klastry.
04 Vývojářská a vydávací příručka	Struktura repozitáře, hardening, testy a praxe vydávání.
05 Auditní a důkazní dossier	Integrita hashů, kompilace, blokátory, rizika a metoda.
06 Blueprint integrace Qyvaria OS	Jasně označená koncepční integrační kniha pro Qyvaria OS a kernel.
07 Manifest otevřené inteligence	Mise, filozofie, otevřená spolupráce a dlouhodobý účel.

Doporučené umístění na GitHubu

Praktické rozložení na GitHubu je ponechat ZIP jako archivní release asset a PDF soubory uložit do adresáře /docs/books v repozitáři. Index PDF může zůstat v kořeni této složky. Knihy mají doplňovat zdrojové kódy pod Apache-2.0, nikoli nahrazovat README. README může odkazovat na index a index pak navede čtenáře k jednotlivým svazkům.

```
docs/books/
00_Publication_Pack_Index_EN.pdf
00_Publication_Pack_Index_CS.pdf
01_Grand_Technical_Compendium_*.pdf
...
07_Open_Intelligence_Manifesto_*.pdf
```

Zdrojový základ

Pole	Zjištěná hodnota
Název balíčku	qyvaria
Formát	py-single
Čas vytvoření	2025-10-24T22:22:26.282Z
Vstupní hodnota	qyvaria
Vložené soubory	277
Python soubory	268
Binární soubory	9
Původní bajty payloadu	3378233
Uložené bajty payloadu	3378233
Kompresní poměr	100
Registrovaní agenti	17
Zjištěné neshody hashů	0

Důkazní základ a redakční hranice

Tento svazek vychází z dodaného korpusu Qyvaria a z předchozí technické studie. Rozlišuje mezi přímo pozorovanými metadaty balíčku, statickou inspekcí zdrojů, řízenými pozorováními z příkazové řádky a interpretačními návrhy. Publikační balíček nepotvrzuje produkční bezpečnost ani netvrdí, že je každý modul spustitelný. Bere projekt jako vážný softwarový korpus, jehož hodnota roste, když jsou důkazy, ambice a další technické kroky popsány jasně.

VOLUME 01 — CZECH

Qyvaria Kernel - Velké technické kompendium

Rozšířené technické čtení korpusu Qyvaria.

CS Volume 01

Qyvaria Kernel - Velké technické kompendium

Rozšířená důkazně orientovaná monografie o softwarovém korpusu
Qyvaria

Vychází z dodaného korpusu qyvaria.py, jeho textového zrcadla a předchozího technického čtení.

Připraveno pro otevřený publikační balíček Qyvaria - 17. května 2026.

Obsah


1. Výkonné zorientování
2. Co korpus Qyvaria představuje
3. Mechanika balíčku a metafora kernelu
4. Krajina subsystémů
5. Portréty reprezentativních modulů
6. Technický stav a další vydání
7. Příloha A - Úplný vložený manifest
8. Příloha B - Inventář agentů
9. Příloha C - Statické kompilční blokátory

Výkonné zorientování

Qyvarii je nejlépe chápat jako samostatný korpus AI inženýrství distribuovaný přes jediný Python wrapper. Pozorovaný wrapper nese metadata balíčku, Base64 payload záznamy, SHA-256 kontroly pro jednotlivé soubory, vlastní in-memory import hook, minimální agent bus a příkazové rozhraní. Uvnitř této skořápky je mnohem širší svět: 277 vložených záznamů, 268 Python souborů, 9 binárních záznamů, 17 pojmenovaných agentů a více konceptuálních rodin runtime, kognice, hlasu, paměti, bezpečnosti a nástrojů.

Projekt sám sebe nazývá kernelem. V přísném operačně-systémovém významu dodaný artefakt není hardwarový kernel. V projektovém významu je však kernel oprávněnou metaforou koordinačního jádra: místa, kde se mají setkat routing, politika, paměť, orchestrace, bezpečnost a uživatelské povrchy.

Pole	Zjištěná hodnota
Název balíčku	qyvaria
Formát	py-single
Čas vytvoření	2025-10-24T22:22:26.282Z
Vstupní hodnota	qyvaria
Vložené soubory	277
Python soubory	268
Binární soubory	9
Původní bajty payloadu	3378233
Uložené bajty payloadu	3378233
Kompresní poměr	100
Registrovaní agenti	17
Zjištěné neshody hashů	0



Obrázek 1. Tematická stopa zdrojového korpusu.

Co korpus Qyvaria představuje

Srozumitelnou analogií je dílenská skříň. Vnější wrapper je skříň: popsaná, chráněná kontrolami integrity a vybavená mechanismem vyhledání. Vložené soubory jsou nástroje, sešity, prototypy a stroje uvnitř. Autorská identita Qyvarie vzniká z toho, jak se tyto artefakty shlukují: simulace, autonomní aktéři, kognitivní stacky, řídicí roviny, hlasové systémy, provenience a vydávací mechanika.

- Jako balíček: jeden soubor uchovává snapshot projektu.
- Jako runtime experiment: wrapper registruje vlastní loader a agent bus.
- Jako antologie AI systémů: payload soustředí moduly pro reasoning, paměť a používání nástrojů.
- Jako release kandidát ve vývoji: katalog je široký, ale vstupní wiring a stav kompilace je třeba sjednotit.

Mechanika balíčku a metafora kernelu


Balíček deklaruje codec quantize-int8, ale mapa dekodérů ve wrapperu zjevně implementuje raw, gzip a deflate. Při stejném součtu původních a uložených bajtů odpovídá pozorované chování raw Base64 payloadům po dekódování. Skořápka balíčku ověřuje každý dekódovaný soubor proti jeho SHA-256 hodnotě; v analytickém datasetu nebyly zjištěny neshody.

In-memory loader převádí importovaný název na kandidátní cestu a dekódovaný soubor vykoná, když kandidát existuje. Díky tomu je single-file formát runtime kontejner, nikoli pouhý archiv. Koncept je elegantní, zatímco současná vstupní metadata a konvence vložených cest ještě potřebují jeden kanonický předpis.

```
cand = fullname.replace('.', '/') + '.py'
if cand in __BUNDLE__['files']:
    return importlib.util.spec_from_loader(fullname, self)
```

Krajina subsystémů

Téma	Označené soubory	Kompiluje	Blokátory
Agenti a simulace	104	92	9
Uvažování a inteligence	56	50	4
Nástroje, aplikace a vývoj	45	41	4
Runtime, kernel a orchestrace	38	35	2
Hlas a jazyk	34	30	4
Bezpečnost, ochrana a provenience	28	22	4
Evaluační, testování a trénink	17	15	1
Paměť a znalosti	15	14	1
Média a vizuální systémy	7	6	1



Obrázek 2. Dvanáct největších vložených záznamů podle zaznamenané velikosti.

Stopa importů

Importovaný symbol/modul	Výskyty
typing	176
__future__	170
dataclasses	169
json	89
time	82
re	74
os	72
math	59
argparse	58
random	49
hashlib	37
sys	33
pathlib	30
io	26
textwrap	26
numpy	25
datetime	22
collections	22
fastapi	19
threading	18
statistics	17
ast	16
base64	16
torch	14
importlib	11
functools	11
	11
asyncio	10

Portréty reprezentativních modulů

py/Qyvaria Sim Profile.py

Zaznamenaná velikost payloadu: 9,392 bajtů. Stav statické analýzy: OK.

Qyvaria Individual Simulation Profile ----- A drop-in module that gives Qyvaria its own self-contained simulation runtime plus an opt-in conversation policy that: • Suppresses “help-seeking” clichés (e.g., “do you need help?”, “need more help?”) • Starts interesting, open-ended conversations proactively (without being clingy) Design goals - Kernel-safe: pure Python, no I/O, no threads, no network. - Deterministic: seedable PRNG and explicit toggles. - Auditable: single class for policy; single class for simulation runtime; tiny API. To wire in: 1) Drop this file into the bundle (e.g., py/qyvaria_sim_profile.py). 2) From your kernel entry or router, import `register\_qyvaria\_sim(runtime)` and call it with a dict-like `r...

Aspekt	Zjištěný obsah
Reprezentativní třídy	ConversationPolicy, IndividualSimulation
Reprezentativní top-level funkce	register_qyvaria_sim
Importované moduly	__future__, dataclasses, math, random, re, time, typing
Přibližný počet řádků	231

py/Qyvaria Complete Sim.py

Zaznamenaná velikost payloadu: 8,225 bajtů. Stav statické analýzy: OK.

Qyvaria Complete SIM — Unified Runtime =====
 One-file orchestrated simulation for Qyvaria that pulls together: • Conversation Policy (no needy help prompts, proactive starters) • AEON AI SIM (planner → critic → safe executor, memory, skills) • AEON LIFE • LIVE (event bus, lifecycle, scheduler) • Non-Repetitive Mode (n-gram repetition guard) Design goals - Pure Python, deterministic seeds, no network I/O. - RBAC-safe: all actuation via allowlisted commands. - Drop-in: runs standalone or registers into an existing runtime dict. - Auditable: explicit traces and small, testable surfaces. Files this integrates with (soft deps; shims used if missing): - qyvaria_sim_profile.py - aeon_ai_sim.py - aeon_life_live.py - no_repeat...

Aspekt	Zjištěný obsah
Reprezentativní třídy	QyvariaCompleteSIM
Reprezentativní top-level funkce	—
Importované moduly	__future__, aeon_ai_sim, aeon_life_live, dataclasses, no_repeat_guard, qyvaria_sim_profile, random, re, time, typing
Přibližný počet řádků	203

py/Qyvaria Voice Os.py

Zaznamenaná velikost payloadu: 9,881 bajtů. Stav statické analýzy: OK.

Qyvaria Voice OS — Advanced Conversational Runtime (Voice-First)

=====

Purpose A production-style, deterministic, auditable voice chat operating layer for Qyvaria that is engaging and *does not ask questions nonstop*. It manages turn-taking, backchannels, question-throttling, barge-in, and prosody hints — while integrating with the existing Complete SIM / AEON stack. Highlights • Voice state machine: LISTEN → THINK → SPEAK → (HOLD|YIELD) • Question-Throttle: per-minute budget, rolling windows, rewrite to statements • Backchanneler: lightweight acknowledgments that don't derail the user • Barge-In handling: detect/allow user interrupts; gracefully cut TTS • Engagement Engine: openers, reflect...

Aspekt	Zjištěný obsah
Reprezentativní třídy	VAD, ASR, TTS, QuestionThrottle, VState, VoiceOS
Reprezentativní top-level funkce	ssml
Importované moduly	__future__, dataclasses, math, qyvaria_complete_sim, random, re, time, typing
Přibližný počet řádků	276

py/qyvaria_control_plane.py

Zaznamenaná velikost payloadu: 22,975 bajtů. Stav statické analýzy: OK.

Qyvaria Control Plane — single-file app =====
 Self-modification (hot updates), performance monitoring, resource management, insights, testing, and a lightweight web UI — engineered for smallest possible footprint and stability. Optional deps only (FastAPI, Uvicorn, psutil). Falls back to CLI if web stack is not installed. Features ----- - Module Manager: upload/validate/activate/rollback Python modules at runtime · AST compile checks, optional risky-pattern scanner, versioned store · Hot-reload using importlib; stable rollback on failure - Performance Monitor: timing decorators + system metrics (psutil if available) · Request/operation latency histograms, rolling windows, JSON export - Resource Manager: basic CPU/...

Aspekt	Zjištěný obsah
Reprezentativní třídy	RollingStat, Perf, Resources, ModuleVersion, Modules, Insights, TestResult, Tests, App
Reprezentativní top-level funkce	now_iso, sha16, read_text, write_text, safe_join, static_scan, snapshot_active, require_token, main
Importované moduly	__future__, argparse, ast, base64, dataclasses, datetime, fastapi, functools, hashlib, importlib, inspect, io, json, os, pathlib, psutil, random, re (+13 more)
Přibližný počet řádků	617

py/qyvaria_cognitive_superstack.py

Zaznamenaná velikost payloadu: 45,542 bajtů. Stav statické analýzy: OK.

Qyvaria Cognitive Superstack (QCS) ===== A single-file, dependency-free **meta-learning and orchestration supermodule** that boosts Qyvaria's problem-solving capacity via: - **Task & Solver OS**: registries, episodic runner, JSONL events, Markdown reports. - **Search Suite**: BFS/DFS/IDDFS, A*, Beam, MCTS-lite, Best-First, Hill-Climb, Simulated Annealing. - **Program Induction**: tiny LISP-like DSL with interpreter + enumerative/stochastic synthesis. - **Auto-Curriculum**: ELO ratings for tasks/solvers, bandits (UCB1 & Thompson), difficulty sampler. - **Memory Systems**: episodic log, semantic index (TF-IDF/BM25-ish), and a lightweight knowledge graph. - **Self-Reflection**: failure taxonomy, patch suggestions, knob tuni...

Aspekt	Zjištěný obsah
Reprezentativní třídy	ArtifactStore, MemoryArtifactStore, FSArtifactStore, Clock, DefaultClock, Settings, PolicyEngine, Event, EventBus, KGNode, KGEdege, KnowledgeGraph, MemoryItem, MemoryIndex (+11 more)
Reprezentativní top-level funkce	_now_ts, _json, _slug, _stable_hash, elo_update, synthesize_program, bfs, dfs, a_star, mcts, register_builtin_tasks, _gen_arith, _safe_eval_arith, _eval_arith, _gen_reverse, _eval_reverse, _gen_nextint, _eval_nextint (+12 more)
Importované moduly	_future_, ast, dataclasses, enum, functools, heapq, io, itertools, json, math, os, pathlib, random, re, statistics, string, sys, textwrap (+2 more)
Přibližný počet řádků	1213

py/qyvaria_meta_intelligence_engine.py

Zaznamenaná velikost payloadu: 35,016 bajtů. Stav statické analýzy: OK.

Qyvaria Meta-Intelligence Engine (QMIE) ===== A single-file, dependency-free module that adds **self-improvement, meta-reasoning, simulation, and evaluation** capabilities to Qyvaria's kernel (`Qyvaria.py`). The goal is to **increase problem-solving capacity over time** through: - **Ensembled solvers** (BFS/DFS/Beam, MCTS-lite, Program search, Heuristic search) - **Bandit-driven selection** and **Bayesian model selection** of solvers - **Automatic curriculum** with ELO-style difficulty ratings for tasks & solvers - **Self-reflection** & **failure taxonomy** with patch proposals - **Memory** (episodic & semantic) with simple TF-IDF-like retrieval - **Grid search / hyperparameter tuning** with reproducible seeds - **Deter...**

Aspekt	Zjištěný obsah
Reprezentativní třídy	ArtifactStore, MemoryArtifactStore, FSArtifactStore, Clock, DefaultClock, Settings, PolicyEngine, Event, EventBus, TaskSpec, TaskRegistry, SolverSpec, SolverRegistry, MemoryItem (+6 more)
Reprezentativní top-level funkce	_now_ts, _json, _slug, _stable_hash, elo_update, register_builtin_tasks, _gen_arith, _safe_eval_arith, _eval_arith, _gen_reverse, _eval_reverse, _gen_nextint, _eval_nextint, _gen_logic, _eval_logic, solver_arith_eval, solver_reverse, solver_sequence_fit (+4 more)
Importované moduly	_future_, ast, dataclasses, enum, functools, heapq, inspect, io, itertools, json, math, os, pathlib, random, re, statistics, string, sys (+5 more)
Přibližný počet řádků	966

py/qyvaria_monolith_20.py

Zaznamenaná velikost payloadu: 36,419 bajtů. Stav statické analýzy: OK.

Qyvaria Monolith 20 — single-file ultra-light AI stack

===== This file implements **20 engineered modules**—core model + performance + RAG + safety + ops—inside one Python file. Everything is standard-library first with optional NumPy acceleration when available. Designed to be tiny, auditable, and runnable anywhere (no GPUs required). Modules (sections) ----- P0 — Core & Performance 1. qyvaria_core : distilled transformer + generation 2. qyvaria_prune_quant : pruning + PTQ quant helpers 3. qyvaria_kvcache : KV cache (RAM) with TTL and hit stats 4. qyvaria_adapters : LoRA attach/merge/swap 5. qyvaria_negramotny : active/self-supervised learning + KD hook 6. qyvaria_scheduler : priority job...

Aspekt	Zjištěný obsah
Reprezentativní třídy	TokConfig, Tokenizer, CoreConfig, Linear, LayerNorm, Attention, MLP, Block, QCore, KVItem, KVCache, LoRAConfig, AdapterHub, Sample (+17 more)

Aspekt	Zjištěný obsah
Reprezentativní top-level funkce	_seed, _softmax, prune_linear_magnitude, ptq_linear, _demo, main
Importované moduly	_future_, argparse, ast, base64, dataclasses, gzip, hashlib, io, itertools, json, math, numpy, os, pathlib, queue, random, re, sqlite3 (+11 more)
Přibližný počet řádků	769

py/qymemory.py

Zaznamenaná velikost payloadu: 15,405 bajtů. Stav statické analýzy: OK.

Aspekt	Zjištěný obsah
Reprezentativní třídy	_NullCipher, MemoryRecord, QYMemory
Reprezentativní top-level funkce	_get_cipher, _flatten_payload, _tokenize, _now
Importované moduly	_future_, collections, cryptography, dataclasses, hashlib, json, os, pathlib, re, sqlite3, time, typing, uuid, zlib
Přibližný počet řádků	390

py/qyorchestrator.py

Zaznamenaná velikost payloadu: 23,747 bajtů. Stav statické analýzy: OK.

Aspekt	Zjištěný obsah
Reprezentativní třídy	PlanStep, Plan, TimeoutError_, _Timeout, QYOrchestrator
Reprezentativní top-level funkce	_tokenize
Importované moduly	_future_, dataclasses, json, os, pathlib, re, signal, sqlite3, threading, time, typing, uuid
Přibližný počet řádků	538

py/qyintelligence.py

Zaznamenaná velikost payloadu: 20,556 bajtů. Stav statické analýzy: OK.

QYIntelligence — Six Cognitive Modules (MIT) Focus: raise Qyvaria's intelligence with robust, testable components that improve reading, reasoning, retrieval, planning, and verification. Modules/services exposed: 1) contracts – schema-guarded generation & JSON I/O (validation + guarded retries) 2) retriever – adaptive retrieval + MMR reranker over your memory service 3) reasoner – self-consistency voting + lightweight answer selection 4) critic – claim extraction + memory-backed verification (support scores) 5) plannerpro – heuristic hierarchical task decomposition + orchestrator glue 6) kg – lightweight knowledge-graph (triples) with path queries Facade: intelligence – convenience RAG function combining retriever → generator → critic. Dependencies:...

Aspekt	Zjištěný obsah
Reprezentativní třídy	Contracts, Retriever, Reasoner, Claim, Critic, PlannerPro, KnowledgeGraph, QYIntelligence
Reprezentativní top-level funkce	_tokens, _top_k
Importované moduly	_future_, dataclasses, itertools, json, jsonschema, math, os, pathlib, re, sqlite3, time, typing, uuid
Přibližný počet řádků	454

py/qyvaria_provenance_toolkit_v_0.py


Zaznamenaná velikost payloadu: 16,607 bajtů. Stav statické analýzy: OK.

Qyvaria Provenance Toolkit (v0.1) ===== Single-file Python module that provides: • EXIF stripping • Visible badge compositor (with microtext + tiled low-alpha marks) • Robust invisible watermark (DCT, chroma, spread-spectrum with repetition) • Ed25519 cryptographic manifest (sidecar JSON) + verifier • CLI (embed/verify/strip-exif) and optional FastAPI server Dependencies (install): pip install pillow opencv-python numpy pynacl fastapi uvicorn pydantic piexif Usage (CLI): python qyv_provenance.py embed --in in.jpg --out out.jpg --issuer Qyvaria --engine "FLUX.1-dev" --badge yes --key <hex32_or_64> --wmkey <hex32_or_64> python qyv_provenance.py verify --in out.jpg --wmkey <hex>

```
[--manifest out.jpg.qyv.json] python qyv_prove...
```

Aspekt	Zjištěný obsah
Reprezentativní třídy	WMPParams
Reprezentativní top-level funkce	strip_exif_bytes, add_visible_badge, _blockview, _prn, _prepare_payload_bits, embed_watermark, detect_watermark, sign_manifest, verify_manifest, _bytes_from_image, cmd_embed, cmd_verify, cmd_strip_exif, main
Importované moduly	PIL, __future__, argparse, base64, cv2, dataclasses, fastapi, hashlib, io, json, math, nacl, numpy, os, piexif, secrets, textwrap, time (+1 more)
Přibližný počet řádků	451

Technický stav a další vydání



Obrázek 3. Stav statické kompilace vložených Python souborů.

Korpus je rozsáhlý a vnější mechanismy balíčku jsou skutečné. Současně artefakt nese tři release-významné nesoulady: deklarovaná vstupní hodnota se čistě nevyřeší na vložené cesty používané loaderem; značení codeců a implementované dekodéry se neshodují; a 29 vložených Python záznamů selže při statické kompilaci v analytickém interpretru. To jsou inženýrská zjištění, nikoli odmítnutí životního díla stojícího za projektem.

- Normalizovat kanonickou vstupní cestu.
- Výslovně definovat konvenci cest loaderu.
- Opravit všechny kompilční blokátory, počínaje moduly dosažitelnými ze vstupu.
- Sladit metadata codeců s reálným runtime chováním.
- Přidat CI brány pro hashe, help, stats, run, extract a úplný compile sweep.
- Publikovat minimální architektonický kontrakt pro kernel, agenty, paměť a politiku.

Příloha A - Úplný vložený manifest

Cesta	Druh	Bajty	Prefix SHA-256
py/1qyvaria_prompt_gen.py	python	17,435	afe955598e33dac3
py/AGI_Agents.py	python	473	0ca10d126fe6ada5
py/AGI_Boot.py	python	570	60b151f65b463931
py/AGI_Ethics.py	python	295	489c31a18f51a239
py/AGI_Ignition.py	python	1,555	0b38824833c7fcee
py/AGI_Memory.py	python	451	873e1a9f5316906c
py/AGI_MetaReasoner.py	python	307	f617011f2662dae2
py/AGI_Orchestrator.py	python	672	ed5ebbb54fdf0106
py/AGI_PluginManager.py	python	342	ac9d69986ca3f4ff
py/Aeon Ai Sim.py	python	13,911	1f0178d941511da6
py/Agi Super Intelligence.py	python	10,154	886859d30d603bd9
py/Cetana_Custom_Agent_Core.py	python	1,847	2126ef08c90fc8c6
py/Cetana_IDE_Launcher.py	python	109	874c4d451f836a42
py/Cetana_OS_Link.py	python	348	56f824a08680c9d5
py/Cetana_OS_Simulation.py	python	1,776	df884a4e5b8867f5
py/Cetana_Phytoon_IDE.py	python	1,579	c98e56e71d990c9a
py/Cetana_Simulator.py	python	3,803	2602bf7a2fa23220
py/Cetana_v4_Boot.py	python	4,765	ec699883058de0af
py/Cetana_v5_Boot.py	python	2,331	48b94447cbf1214f
py/Cetana_v6_Boot.py	python	1,503	b5fb403aa02adcb6
py/CodeLab.py	python	587	23749f7555c0d35e
py/CodeSandbox.py	python	635	d5cdc4690d2d59fc
py/CognitiveStyle.py	python	272	dd38ca4f8d378809
py/CounterfactualSimulator.py	python	402	79ffba40977176fc
py/CuriosityResearch.py	python	490	71d2123e8b93a423
py/EmotionModel.py	python	425	1ad8aad121b44476
py/EnvLink.py	python	569	879efac56fc50688
py/EpisodicMemory.py	python	415	6376244e3e06fd39
py/EthicsArbiter.py	python	454	57d8f5d252fb3794
py/FusionModulesManifest.py	python	2,467	43a00ce094b85417
py/GoalEngine.py	python	435	8161d841b9e8d7d5
py/I varia_engineer.py	python	12,582	16a692d49d6196e5
py/LanguageFeedback.py	python	378	3e0627d893068e6f
py/LearningManager.py	python	465	80f4f3f21c87c2e9
py/MetaLearningEngine.py	python	366	2077bfd8606a9477
py/MetaReasoner.py	python	510	d89e2a92c53b918c
py/MultiAgentFramework.py	python	556	ff8741757813e77e
py/NeuralPatternMapper.py	python	288	ffbe812395634c27
py/PerformanceMonitor.py	python	916	36fa61119a875237
py/PersistentGoalManager.py	python	517	f49c80b09df300af
py/PhytoonCetanaFusion.py	python	6,200	77c73b6570cde291
py/PhytoonImageGen.py	python	50	6b60cf3f35b23d83
py/Phytoon_Full_Language_Model.py	python	1,939	ea87570f40f126db
py/Phytoon_Language_Model.py	python	1,751	319374cfa74405e5
py/Phytoon_v2_Upgrade.py	python	3,722	ae4e146143b8d07a
py/Qyvaria Complete Sim.py	python	8,225	5bca2f742aec2436
py/Qyvaria Moral Constitution — Humanity-First.py	python	795	e6753526b6d50014
py/Qyvaria Sim Profile.py	python	9,392	ddc7eb9350f50c96
py/Qyvaria Voice Os.py	python	9,881	d3b5cb63334a6718
py/Qyvaria.py	python	146,711	54beeb338a9b14e3

Cesta	Druh	Bajty	Prefix SHA-256
py/Qyvaria_Aeon.py	python	12,992	b20ddf17c0d1353e
py/SafetyKernelUpgrade.py	python	656	6e3d6407237fb8ac
py/SelfEditor.py	python	327	b0e21f640a2e6e37
py/SelfModel.py	python	326	cce26e26c4d3fcf9
py/SimulationInterface.py	python	351	cd45684712737994
py/SocialReasoner.py	python	377	963c677aedf9543e
py/TaskPlanner.py	python	1,617	6608a82bb204abfa
py/ValueGuardian.py	python	666	9fbd5b3c9b7b0e5c
py/Varia Health Reporter — phrase→status system.py	python	4,137	45fab79c7855e2ec
py/Varia+.py	python	34,191	bcbl1a61dc0237d23
py/WakeUpKernel.py	python	736	70a40e3ea9dd31a8
py/WorldModel.py	python	472	598e5853650530c9
py/WorldModelExpander.py	python	403	d5116fa932f9eccdf
py/ab_compare.py	python	2,827	6b86fa1a156bf71a
py/adaptive_ai_sim_agent_privacy_first_reference_python.py	python	12,566	444101817d217d33
py/advance_memory_ai_sim_agent_bit_weaver_v_0.py	python	16,533	182d22a64f2fc9a9
py/advance_voice_chat_command.py	python	5,625	d7c6f18f596a1bfc
py/aeon_chat_interface.py	python	908	cbb43a2074b1d3c1
py/aeon_continuum.py	python	757	276cad323e3b1848
py/aeon_ethics.cpython-312.pyc	binary	1,008	a9e080790cc3b9e7
py/aeon_ethics.py	python	767	496c991bcb4356d8
py/aeon_loader.py	python	1,470	3ef98adc791c4065
py/aeon_minigrid_integration.py	python	337	13adfe224dfd3ea2
py/aeon_realm_sim.py	python	477	6be3c495a0e2331f
py/aeon_self_diagnostic.cpython-312.pyc	binary	1,127	49259cee705bdac5
py/aeon_self_diagnostic.py	python	746	226cad1c05f053cd
py/aeon_textworld_integration.py	python	323	8308fe4f64fba8b
py/aeon_webots_integration.py	python	332	4ea6c7c670a55ff6
py/aeonscript_engine.py	python	322	c2f1e71f78553896
py/agentic_behaviorism.py	python	12,670	7704fb41232e0b2c
py/agi_prototype_microkernel_multi_agent_qyvaria_style_single_file.py	python	12,535	169757cec50f4d0c
py/ai_model_analyzer_freedom_module_agent_secure_file_driven.py	python	17,740	92e12075338d3f6c
py/ai_model_tester_agent.py	python	24,813	6f0c7c790c546370
py/ai_sim_agent_adaptive_batching_response_cache_autoscaling_circuit_breakers_safe_chaos_fast_api_python.py	python	13,554	52c592691cefb818
py/ai_sim_agent_bus_sandbox_hierarchical_planning_constraint_solver_rationale_python.py	python	14,507	b5157694d7568877
py/ai_sim_agent_kernel.py	python	15,046	fc64443270dd7a49
py/ai_sim_agent_learning_evals_governance_suite_python_fast_api.py	python	14,476	d222a2175fc6e09f
py/ai_sim_agent_probes_long_context_retrieval_review_rubrics_line_citations_popular_cache_feedback→facts_python.py	python	16,593	f582cabe6623ce7b
py/ai_sim_equalizer_v_1.py	python	17,865	ca3951b7d7ff9b57
py/ai_sim_module_agent+.py	python	2,977	4ab63bc3a1d63110
py/ai_sim_module_agent.py	python	2,512	9535f76a23016e1c
py/ai_sim_trace_viewer_timeline_artifacts_diffs_costs_decisions_react.jsx	binary	14,444	4a8439c2890161da
py/all_in_one_agent.py	python	37,383	62915c8c4b2fcfb5
py/all_in_one_sim_agent_co_t_auditor_planner_executor_log_miner_image_qyvaria_compatible.py	python	16,030	3280cd794363ffa1
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py	python	19,392	e1bed7573f435a6b
py/arbiter_sim_agent.py	python	11,458	16295cebb69a821b
py/auto_language_voice_router_simlang_auto.py	python	11,398	94b215bd1cb35a2d
py/avtx_installer.py	python	12,295	b29adb0594a24b5

Cesta	Druh	Bajty	Prefix SHA-256
py/belief_engine.cpython-312.pyc	binary	3,559	e86b9192de1171ad
py/belief_engine.py	python	2,159	f98118608391bc75
py/bootloader.py	python	121	008b99eff5b9d189
py/build_qyvaria_studio.py	python	1,885	2b036c96a26a941f
py/catalyst_audit_memory.py	python	10,050	70ec514787e01ae6
py/catalyst_equalizer_v_1_py_code_i_o_and_logic_clarity_equalizer.py	python	16,024	a6615b63785e6727
py/catalyst_hub_v_1_sandboxed_plugin_bus_python.py	python	14,612	fe6cb088898cbff4
py/cetana.py	python	12,499	3f732fa1d0999224
py/chronosynth.py	python	6,870	feff3a41d1a1dade
py/code_2_lang_code_→_natural_language_explainer_single_file_no_deps.py	python	10,515	b87845ae623af62a
py/code_sim_agent_deterministic_python_subset_ast_vm.py	python	20,403	0f777accbdb7a7bc
py/concept_engine.cpython-312.pyc	binary	868	67eaffac54d641f6
py/concept_engine.py	python	511	33e21e0f42b9f152
py/convert_to_training.py	python	560	fb4c2a53956541b1
py/digital_time_module.py	python	1,643	59af6c0720800a9a
py/educator_sim_qyvaria_module_python.py	python	12,712	674fdc2afbda2c93
py/emotion_sim_qyvaria_module_python.py	python	13,181	b66941004d03c6e2
py/emotional_intelligence_agent.py	python	14,651	81b5adaef0048b17
py/engineering_ai_sim_agent_code_specialist_python.py	python	16,063	8461d50b95977583
py/forge_sim_agent.py	python	11,147	af3b38bfc4f8dbb7
py/gpt_6_lite_deterministic_model_transformer_reasoning_head_single_file.py	python	13,171	d3c023ca474f3ebe
py/human_sim_human_like_ai_sim_agent_personality_drives_emotions_bdi_single_file.py	python	10,512	28c1360767e7c92b
py/human_voice_chat_advanced_voice_chat_mirroring_human_sim_single_file.py	python	11,799	988279b234f216c5
py/image_generator_server.py	python	692	bb85b499143bf5eb
py/imagination_engine.cpython-312.pyc	binary	1,685	bb7917f4151ee020
py/intent_fusion_core.py	python	541	f613d76065599057
py/jarvis_server.py	python	909	d13765c3474a0391
py/kernel.py	python	425	661fb48c606bae5c
py/lang_lock_voice.py	python	13,678	3ce8eaf5defa2442
py/law_advisor_ai_sim_agent_qyvaria_compatible.py	python	14,696	497f2257f15d12bb
py/lingua.py	python	3,911	3751b0d921f2b141
py/lingua_api.py	python	1,056	1d36eba76952ba1d
py/linguistics_ai_sim_agent_qyvaria_compatible.py	python	15,478	74b0466113497619
py/llm_engine.cpython-312.pyc	binary	919	45a1f4c937c0888b
py/llm_engine.py	python	640	9acf64d64f6935ba
py/logicky_rozhodovaci_system_pravidlovy_engine_cz.py	python	8,852	a3b7723989934a7a
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py	python	8,978	3f5231c7d679e998
py/machine_intelligence_ai_sim_agent_single_file_deterministic_goap_memory_tools.py	python	12,770	2df9de8e5ddb86be
py/main.py	python	708	537fa45507480e7d
py/mastermind_ai_sim_model_catalyst_v_7_aligned_mastermind_sim.py	python	12,279	58a45de577cc8c4a
py/mastermind_orchestrator_v_8.py	python	9,268	7fc069bffc85adbc
py/media2prompt.py	python	13,413	554bb71303aa4efc
py/meta_ai_sim_adaptive.py	python	21,724	56eee631ac7e8c95
py/meta_ai_sim_agent.py	python	13,017	81caf070eeda6fe6
py/meta_sim_agent_qyvaria_compatible_simulates_sims_engine.py	python	15,852	e5448cb70d75a6a7
py/mira_aof_ai_sim_agent_qyvaria_runtime.py	python	14,666	9a9a0e5c7e02d9f3
py/module_auditor.py	python	18,951	6501d29ada338d0e
py/neuro_sim_agent_qyvaria_compatible_neuronal_sim.py	python	12,613	e1f82061b7bb8722

Cesta	Druh	Bajty	Prefix SHA-256
py/nl_2_py_qyvaria.py	python	23,523	e9d43a4834201433
py/nl_sim_agent_deterministic_natural_language_engine.py	python	12,360	9f6c35ed8bbe183c
py/omni_sim_agent.py	python	11,779	74c647bed7e258c2
py/oneagent_voice_sim.py	python	21,939	60f308c6aa7be3ae
py/openmind_module.py	python	20,250	f4a3c662ffe746a8
py/optimization_checker_agent.py	python	11,609	b9a64a3743a954bd
py/problem_solving_ai_sim_minimal_deterministic_agent_qyvaria_style.py	python	16,851	ee49d4efa1c49143
py/python_axiomdelta_codex.py	python	17,400	9386b81d8d9e52f4
py/qavaria_ai_sim_agent.py	python	16,780	18343023077c7743
py/question_policy.py	python	8,877	e9f1e12423f5ef68
py/qy_90_upgrade_pack_bootstrap.py	python	16,884	e3bc0c9b5c7f3381
py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py	python	16,548	b4da858889b5ce79
py/qy_agentsim_united.py	python	24,941	3f55c57523a41b0c
py/qy_ai_universe.py	python	32,305	d4be1b9409e2da12
py/qy_ai_universe_plus.py	python	34,532	21096bef8b9818bb
py/qy_app_sim_agent.py	python	29,860	1d09dbe70d2b88e2
py/qy_code_engineer_code_quality_refactor_and_safety_module_for_qyvaria_v_8.py	python	19,413	c1de3cf1f7e79467
py/qy_control_plane.py	python	18,118	17b0f4dfe3b0ea17
py/qy_crypto.py	python	11,608	71b7ba8edd863e51
py/qy_durable_orchestrator.py	python	16,191	aea87423e044173d
py/qy_fullstack_pack_bootstrap_fullstack.py	python	28,763	857a1f39859db256
py/qy_llm_pipeline.py	python	20,267	72fa545980bedf91
py/qy_llm_sim_module.py	python	11,920	9c2c1dc10c5f4b17
py/qy_logo_stamp.py	python	11,585	6ff6814992f454af
py/qy_memory_extended_pluggable_memory_module_for_qyvaria_v_8.py	python	14,342	874fa51fd42c916d
py/qy_ml_toolkit.py	python	23,408	aa5b919e0e2e0086
py/qy_network_retrieval.py	python	21,967	726e229b71827608
py/qy_nn_engine.py	python	11,259	b6ebbd692ec2b6d4
py/qy_orbit_pack_bootstrap_orbit.py	python	17,582	e812a7fceb9c3049
py/qy_perfection_kit.py	python	17,936	1ccc7dd6f2c80fab
py/qy_public_command_db_engineering_day_oct_4.py	python	17,109	f457935bd3a64abe
py/qy_reasoning_booster.py	python	16,157	6e2dd2c72ed13ef0
py/qy_self_upgrade_pack_v_2_bootstrap_upgrade_v_2.py	python	21,323	5f79f0c05f7b2945
py/qy_sim_engineering_ai.py	python	31,925	7d29efd7ad4a92aa
py/qy_sim_pack_100.py	python	16,667	0dd80ff3a6cfd546
py/qy_sim_patchset_10.py	python	21,956	b0c63d2a631bee30
py/qy_team_network.py	python	17,562	644ace99325f4cfe
py/qy_test_ai.py	python	29,514	6cf9d9e2fd68bb76
py/qy_voice_engine_bootstrap_voice.py	python	15,802	59d84ae493337d69
py/qy_voice_modes_pack_bootstrap_voice_modes.py	python	12,624	8742a112308f1abf
py/qy_voice_policy_patch_bootstrap_voice_policy.py	python	8,314	5e39249c601fd7ae
py/qybilingual_voice.py	python	17,289	b13e5fc14d148388
py/qyintelligence.py	python	20,556	1e0fb76fe6f13313
py/qyintelligence_max.py	python	32,120	2ba6dc37512070b8
py/qymemory.py	python	15,405	63d9af33fa7412d5
py/qynlcalibrator_py_natural_unnatural_language_calibrator_lisp_fast_speech_phonetic_similarity.py	python	14,257	202189f67f593aa3
py/qyorchestrator.py	python	23,747	a590ffc7912e7323
py/qyraw_iq.py	python	22,966	c7854a9c8a05359d
py/qytranslate.py	python	21,060	ccaa62c40063bef0
py/qyvaria_adaptability_sim_agent_adaptability_agent.py	python	8,907	91362f7539108dad

Cesta	Druh	Bajty	Prefix SHA-256
py/qyvaria_advanced_voice_chat_ai_sim_agent_low_latency_barge_in_safety_fast_api_reference.py	python	12,738	dedf998efc58b990
py/qyvaria_advanced_voice_chat_sim_emotion_mirroring_real_time_translation_noise_suppression_multimodal_prompt_composer_fast_api.py	python	13,515	377a1c2b9a5bceab
py/qyvaria_agi_model.py	python	28,801	9b8967d0ed4d0ff6
py/qyvaria_agi_proto.py	python	23,803	c91e2b8e1137fec9
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python (1).py	python	17,632	274ade16e2be4d87
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python.py	python	17,632	274ade16e2be4d87
py/qyvaria_aisim_axis_module_factuality_reasoning_code_creativity_speed.py	python	15,489	7b6a9d7f1bc50afc
py/qyvaria_all_in_one (1).py	python	63,074	526246559fb05cb0
py/qyvaria_analyzer_streamlit_app.py	python	16,702	d7aa148892e83568
py/qyvaria_app_creator_sim_agent_single_agent_multi_role_pipeline.py	python	22,166	210279c95e9dd61f
py/qyvaria_catalyst_v_8_single_file_module_network_orchestrator_catalyst_hub.py	python	19,065	b14ed2bb25040292
py/qyvaria_cognitive_superstack.py	python	45,542	86512e05b3d1a2cb
py/qyvaria_control_plane.py	python	22,975	ad5d56112e82d2bc
py/qyvaria_czech_language_module_simlang_cs.py	python	10,797	302bc0442408acf6
py/qyvaria_data_analyst_ai_sim_agent_edanlq_data_charts_stats_cache_fast_api_python.py	python	16,252	89d3c2a3581c1de9
py/qyvaria_data_code_analyzer_ai_sim_agent.py	python	23,017	87705d4df4e2627f
py/qyvaria_equalizer_suite_one_go_language_code_logic_clarity_tool_equalizer_suite.py	python	17,802	2e914a5d2b555b0f
py/qyvaria_eval_harness_live_bench_gdpval_hle_v_0.py	python	14,864	f2b67f421c2ffb79
py/qyvaria_evolution_agent.py	python	17,151	d8d04a1d83301376
py/qyvaria_generalization_agentic_ai_sim_single_module.py	python	18,187	f75ac9a0a9a3064c
py/qyvaria_guardian_module_prwa_plan→research→write→audit_loop.py	python	20,775	973fa996f176ef38
py/qyvaria_hardened.py	python	17,503	6e4af93d61dc3c86
py/qyvaria_hub_open_ai_multi_bot_connector_policy_safe.py	python	10,296	6271a046d264cf4f
py/qyvaria_hybrid_analyzer_encryptor_decryptor_mixer_transmitter_single_file_module.py	python	18,281	ff252ce6587fd38e
py/qyvaria_improvement_engine_one_file_simulator_toolkit_v_1.py	python	25,969	09697562141d5743
py/qyvaria_kernel_integration_bridge_mesh_orchestrator_v_0.py	python	13,591	f114a0e9742c9ed9
py/qyvaria_kernel_mesh_kernel_mesh.py	python	16,544	0321bcb889e6cfe
py/qyvaria_lang.py	python	19,529	53cfc3a0ad1b5fc7
py/qyvaria_language_lock_advanced_voice_chat_module_single_file.py	python	13,679	0e173b2503b3fd18
py/qyvaria_lightweight_foundation.py	python	40,279	d1fa636a0d769aa3
py/qyvaria_llm_sim_and_meta_agent.py	python	20,308	5ee64d1939c8099a
py/qyvaria_mathematical_ai_sim_agent_symbolic_numeric_steps_proof_hints_python_fast_api.py	python	15,967	469ae6229605c218
py/qyvaria_memo.py	python	11,752	5ce064bf2cf8aa13
py/qyvaria_meta_intelligence_engine.py	python	35,016	091484f39f9f0f2c
py/qyvaria_model.py	python	15,795	62fcdcf15a69bc7c
py/qyvaria_module_sumerian_voice+.py	python	17,103	6bdf8bcf7644539f
py/qyvaria_module_sumerian_voice.py	python	12,824	10d705cb8d777893
py/qyvaria_monolith_20.py	python	36,419	7ed833900f6d77a1
py/qyvaria_multi_agent_knowledge_mesh_30_micro_agents_orchestrator_v_0.py	python	19,807	7b0f09aea503d28d
py/qyvaria_natural_voice.py	python	2,242	4989ada9d68530c8
py/qyvaria_negramotny.py	python	14,557	d66cd070dfa78046
py/qyvaria_one_agent_sim_with_adoptable_logic_contextual_memory_and_internal_multi_agent_runtime.py	python	12,979	8aa371c73526ddbb
py/qyvaria_photoreal_max.py	python	1,206	9bc786d465e08205

Cesta	Druh	Bajty	Prefix SHA-256
py/qyvaria_pra_genesis_ai_sim_agent.py	python	40,200	cbe80dbdc29ccf69
py/qyvaria_prompt_engineering_ai_sim_agent_lint_optimize_instantiate_a_b_eval_fast_api_python.py	python	15,358	16f5b67323b1dfc7
py/qyvaria_provenance_toolkit_v_0.py	python	16,607	e6c82c792dc8047b
py/qyvaria_rationality_max.py	python	20,657	fbe9b289da48caf2
py/qyvaria_research_analysis_module_qram_engineer_grade_implementation.py	python	19,833	f539dee54e2d8932
py/qyvaria_secure_sandbox.py	python	28,311	f0efb110e3c91176
py/qyvaria_simulate_then_act_rational_agent_v_0.py	python	22,460	d1816c72a9a8ec47
py/qyvaria_speed_module_single_file.py	python	15,460	cc69ea9285e4fdff
py/qyvaria_team_orchestrator_multi_agent_sim_with_self_optimizer_secure.py	python	14,129	3cdb232b15e7e487
py/qyvaria_team_orchestrator_single_file.py	python	19,996	8f79a7c3f30239b2
py/qyvaria_ultralite_suite.py	python	42,515	3f38baabb7b09524
py/qyvaria_unified_sim_agent_knowledge_guild_monolith_v_0.py	python	15,548	e72b51f557178937
py/qyvaria_url_reader_module_qy_url_reader.py	python	22,921	6fbbfb0f79e7c120
py/qyvaria_voice.py	python	27,192	8c5dfb22049adc08
py/qyvaria_voice_chat_x_single_file_server_fast_api_web_socket_stubs.py	python	8,197	05d3a5342a77f606
py/qyvaria_voice_sim_agent_diarization_addressed_reply_router_v_0.py	python	15,009	94183e02733c269a
py/qyvid_scripter.py	python	21,860	a03c9f0ebc115c98
py/qywriter.py	python	29,627	c5f0189846db2653
py/rationality_lab.py	python	2,557	c5b7da7b60b254f1
py/reality_aware_sim_machine_awareness_ai_sim_agent_active_inference_single_file.py	python	12,001	93a3ea5c6cd1f168
py/recursive_reflector.cpython-312.pyc	binary	1,151	c960c819e997c1c9
py/recursive_reflector.py	python	879	c89ecb3790e4c604
py/shell.py	python	352	d926d80c906e2cb7
py/speed_agent.py	python	4,945	c4eeb0952dbc827b
py/starter_actions.py	python	322	e399256a79204d9e
py/startup.py	python	452	68bf25a50af88f6f
py/sumerian_language_model_ai_sim_agent_qyvaria_compatible.py	python	14,530	213fa264fc61ae28
py/sumerian_voice_chat_ai_sim_agent_for_qyvaria_fake_it_capable.py	python	12,984	1860e62f1fb849cc
py/teleprompter.py	python	6,431	5bd792a30df1c147
py/therapist_style_ai_sim_agent_safety_first_support_python.py	python	11,721	1875d1bbe8056087
py/train_model.py	python	2,181	8ccb4717adcfbc0e
py/translator_crypto_sim_agent_qyvaria_compatible.py	python	16,094	eaad63f0c15e2557
py/truth_alignment_kernel.cpython-312.pyc	binary	1,054	c7d5cc220d106054
py/truth_alignment_kernel.py	python	715	511321996af98994
py/velcode_interpreter.py	python	167	4bfc7aa4e5ecb630
py/velcode_shell.py	python	336	9008c09f7368acce
py/voice_engineering_frontend_qyvaria_v_8_module.py	python	5,683	8b7fad8f5510c292
py/zip_to_py.py	python	1,195	0c20fed8a71e5fe6

Příloha B - Inventář agentů

Jméno agenta	Vložená cesta
ai-model-tester-agent	py/ai_model_tester_agent.py
ai-sim-module-agent	py/ai_sim_module_agent.py
all-in-one-agent	py/all_in_one_agent.py
arbiter-sim-agent	py/arbiter_sim_agent.py
emotional-intelligence-agent	py/emotional_intelligence_agent.py
forge-sim-agent	py/forge_sim_agent.py

Jméno agenta	Vložená cesta
meta-ai-sim-agent	py/meta_ai_sim_agent.py
omni-sim-agent	py/omni_sim_agent.py
optimization-checker-agent	py/optimization_checker_agent.py
qavaria-ai-sim-agent	py/qavaria_ai_sim_agent.py
qy-app-sim-agent	py/qy_app_sim_agent.py
qyvaria-adaptability-sim-agent-adaptability-agent	py/qyvaria_adaptability_sim_agent_adaptability_agent.py
qyvaria-data-code-analyzer-ai-sim-agent	py/qyvaria_data_code_analyzer_ai_sim_agent.py
qyvaria-evolution-agent	py/qyvaria_evolution_agent.py
qyvaria-llm-sim-and-meta-agent	py/qyvaria_llm_sim_and_meta_agent.py
qyvaria-pra-genesis-ai-sim-agent	py/qyvaria_pra_genesis_ai_sim_agent.py
speed-agent	py/speed_agent.py

Příloha C - Statické kompilční blokátory

Cesta	Řádek	Zjištění při kompilaci
py/aeon_ethics.py	—	source code string cannot contain null bytes
py/aeon_self_diagnostic.py	—	source code string cannot contain null bytes
py/ai_sim_equalizer_v_1.py	401	no binding for nonlocal 'args' found
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multiling ual_summarizer_labeling_assistant_voice_layer_qyvaria_compati ble.py	53	unterminated string literal (detected at line 53)
py/belief_engine.py	—	source code string cannot contain null bytes
py/openmind_module.py	5	invalid syntax
py/PhytoonImageGen.py	1	invalid syntax
py/qy_app_sim_agent.py	521	'(' was never closed
py/qy_durable_orchestrator.py	380	unterminated triple-quoted string literal (detected at line 380)
py/qy_llm_pipeline.py	71	unterminated string literal (detected at line 71)
py/qy_sim_pack_100.py	368	invalid syntax
py/qyintelligence_max.py	343	unmatched '}'
py/Qyvaria Moral Constitution — Humanity-First.py	3	invalid syntax
py/qyvaria_module_sumerian_voice +.py	249	invalid syntax
py/qyvaria_natural_voice.py	53	expected an indented block after function definition on line 53
py/qyvaria_secure_sandbox.py	68	invalid syntax
py/qyvaria_simulate_then_act_rational_agent_v_0.py	403	f-string: valid expression required before '}'
py/qyvaria_ultralite_suite.py	993	unterminated string literal (detected at line 993)
py/qyvaria_voice.py	603	'yield from' inside async function
py/Qyvaria.py	2098	invalid character '—' (U+2014)
py/rationality_lab.py	1	invalid syntax
py/reality_aware_sim_machine_awareness_ai_sim_agent_active_i nference_single_file.py	292	'(' was never closed
py/recursive_reflector.py	—	source code string cannot contain null bytes
py/shell.py	9	unterminated string literal (detected at line 9)
py/teleprompter.py	5	invalid character '—' (U+2014)
py/therapist_style_ai_sim_agent_safety_first_support_python.py	131	positional argument follows keyword argument
py/truth_alignment_kernel.py	—	source code string cannot contain null bytes
py/Varia Health Reporter — phrase→status system.py	86	'(' was never closed
py/velcode_shell.py	5	unterminated string literal (detected at line 5)

Důkazní základ a redakční hranice

Tento svazek vychází z dodaného korpusu Qyvaria a z předchozí technické studie. Rozlišuje mezi přímo pozorovanými metadaty balíčku, statickou inspekcí zdrojů, řízenými pozorováními z příkazové řádky a interpretačními návrhy. Publikací balíček nepotvrzuje produkční bezpečnost ani netvrdí, že je každý modul spustitelný. Bere projekt jako vážný softwarový korpus, jehož hodnota roste, když jsou důkazy, ambice a další technické kroky popsány jasně.

VOLUME 02 — CZECH

Atlas architektury Qyvaria

Runtime vrstvy, mapy subsystémů a struktura modulů.

CS Volume 02

Atlas architektury Qyvaria

Runtime vrstvy, mapy subsystémů a struktura vložených modulů

Vychází z dodaného korpusu qyvaria.py, jeho textového zrcadla a předchozího technického čtení.

Přípraveno pro otevřený publikační balíček Qyvaria - 17. května 2026.

Obsah

1. Architektonická teze
2. Sedm runtime vrstev
3. Skořápka balíčku, import loader a řešení vstupu
4. Atlas subsystémů podle kategorií
5. Velké moduly a strukturální gravitace
6. Napětí návrhu
7. Příloha - Inventáře kategorií

Architektonická teze

Architektonická identita Qyvarie není určena jedním algoritmem. Určuje ji kompozice. Korpus opakovaně staví vedle sebe řídicí roviny, simulační smyčky, plánovače, paměťové vrstvy, hlasové vrstvy, překladače, nástroje provenience a evaluátory. To naznačuje platformovou architekturu, ve které je kognice chápána jako síť služeb, nikoli jako jediný monolitický model.

Pole	Zjištěná hodnota
Název balíčku	qyvaria
Formát	py-single
Čas vytvoření	2025-10-24T22:22:26.282Z
Vstupní hodnota	qyvaria
Vložené soubory	277
Python soubory	268
Binární soubory	9
Původní bajty payloadu	3378233
Uložené bajty payloadu	3378233
Kompresní poměr	100
Registrovaní agenti	17
Zjištěné neshody hashů	0

Sedm runtime vrstev

Vrstva	Název	Role
1	Skořápka balíčku	Statické uložení, manifest payloadu, kontroly integrity, CLI.
2	Aktivace importů	Meta-path loader, řešení modulů, dispatch vstupu.
3	Koordinace kernelu	AgentBus, orchestrátory, meshe, řídicí roviny.
4	Stav a paměť	QYMemory, ledger, znalostní a retrieval moduly.
5	Kognitivní služby	Reasonery, plánovače, meta-intelligence, evaluační harnessy.
6	Bezpečnost a provenience	Sandbox, krypto, governance, guardians, badge, manifesty.
7	Uživatelské povrchy	Voice OS, dvojjazyčný hlas, tvůrci aplikací, writer, analytici.

Skořápka balíčku, import loader a řešení vstupu


Wrapper činí Qyvarii přenosnou jako jediný soubor, ale tato přenosnost vytváří odpovědnosti. Import hook řeší jména na cesty bez prefixu py/, zatímco manifest ukládá mnoho záznamů pod py/. Vstupní metadata deklarují qyvaria, zatímco viditelně centrální vložený soubor je py/Qyvaria.py. To architekturu nevyvrací; ukazuje to místo, kde má být architektonický kontrakt výslovný.

```
_BundleFS -> Base64 decode -> effective decoder -> SHA-256 verify
_MemLoader -> import name -> candidate path -> compile -> exec
CLI -> --stats | --list | --extract | --readme | --run
```

Atlas subsystémů podle kategorií

Téma	Označené soubory	Kompiluje	Blokátory
Agenti a simulace	104	92	9
Uvažování a inteligence	56	50	4
Nástroje, aplikace a vývoj	45	41	4
Runtime, kernel a orchestrace	38	35	2
Hlas a jazyk	34	30	4
Bezpečnost, ochrana a provenience	28	22	4
Evaluace, testování a trénink	17	15	1
Paměť a znalosti	15	14	1

Téma	Označené soubory	Kompiluje	Blokátory
Média a vizuální systémy	7	6	1



Obrázek 1. Kategorie korpusu.

Agenti a simulace

Tato kategorie obsahuje 104 neexkluzivních shod podle názvů souborů. Jde o tematický index, nikoli přísnou hranici balíčku.

Reprezentativní cesta souboru
py/adaptive_ai_sim_agent_privacy_first_reference_python.py
py/advance_memory_ai_sim_agent_bit_weaver_v_0.py
py/Aeon Ai Sim.py
py/aeon_chat_interface.py
py/aeon_continuum.py
py/aeon_ethics.cpython-312.pyc
py/aeon_ethics.py
py/aeon_loader.py
py/aeon_minigrid_integration.py
py/aeon_realm_sim.py
py/aeon_self_diagnostic.cpython-312.pyc
py/aeon_self_diagnostic.py
py/aeon_textworld_integration.py
py/aeon_webots_integration.py
py/aeonscript_engine.py
py/agentive_behaviorism.py

Uvažování a inteligence

Tato kategorie obsahuje 56 neexkluzivních shod podle názvů souborů. Jde o tematický index, nikoli přísnou hranici balíčku.

Reprezentativní cesta souboru
py/Agi Super Intelligence.py
py/AGI_Agents.py

Reprezentativní cesta souboru
py/AGI_Boot.py
py/AGI_Ethics.py
py/AGI_Ignition.py
py/AGI_Memory.py
py/AGI_MetaReasoner.py
py/AGI_Orchestrator.py
py/AGI_PluginManager.py
py/agi_prototype_microkernel_multi_agent_qyvaria_style_single_file.py
py/ai_model_analyzer_freedom_module_agent_secure_file_driven.py
py/ai_model_tester_agent.py
py/ai_sim_agent_bus_sandbox_hierarchical_planning_constraint_solver_rationale_python.py
py/catalyst_equalizer_v_1_py_code_i_o_and_logic_clarity_equalizer.py
py/CognitiveStyle.py
py/emotional_intelligence_agent.py

Nástroje, aplikace a vývoj

Tato kategorie obsahuje 45 neexkluzivních shod podle názvů souborů. Jde o tematický index, nikoli přísnou hranici balíčku.

Reprezentativní cesta souboru
py/1qyvaria_prompt_gen.py
py/ai_model_analyzer_freedom_module_agent_secure_file_driven.py
py/ai_sim_agent_adaptive_batching_response_cache_autoscaling_circuit_breakers_safe_chaos_fast_api_python.py
py/ai_sim_agent_learning_evals_governance_suite_python_fast_api.py
py/build_qyvaria_studio.py
py/catalyst_equalizer_v_1_py_code_i_o_and_logic_clarity_equalizer.py
py/Cetana_IDE_Launcher.py
py/Cetana_Phytoon_IDE.py
py/code_2_lang_code_→_natural_language_explainer_single_file_no_deps.py
py/code_sim_agent_deterministic_python_subset_ast_vm.py
py/CodeLab.py
py/CodeSandbox.py
py/engineering_ai_sim_agent_code_specialist_python.py
py/image_generator_server.py
py/jarvis_server.py
py/lingua_api.py

Runtime, kernel a orchestrace

Tato kategorie obsahuje 38 neexkluzivních shod podle názvů souborů. Jde o tematický index, nikoli přísnou hranici balíčku.

Reprezentativní cesta souboru
py/aeon_loader.py
py/AGI_Boot.py
py/AGI_Orchestrator.py
py/agi_prototype_microkernel_multi_agent_qyvaria_style_single_file.py
py/ai_sim_agent_kernel.py
py/bootloader.py
py/catalyst_hub_v_1_sandboxed_plugin_bus_python.py
py/Cetana_v4_Boot.py
py/Cetana_v5_Boot.py

Reprezentativní cesta souboru
py/Cetana_v6_Boot.py
py/kernel.py
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py
py/mastermind_orchestrator_v_8.py
py/mira_aof_ai_sim_agent_qyvaria_runtime.py
py/qy_90_upgrade_pack_bootstrap.py
py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py

Hlas a jazyk

Tato kategorie obsahuje 34 neexkluzivních shod podle názvů souborů. Jde o tematický index, nikoli přísnou hranici balíčku.

Reprezentativní cesta souboru
py/advance_voice_chat_command.py
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py
py/auto_language_voice_router_simlang_auto.py
py/code_2_lang_code_→_natural_language_explainer_single_file_no_deps.py
py/human_voice_chat_advanced_voice_chat_mirroring_human_sim_single_file.py
py/lang_lock_voice.py
py/LanguageFeedback.py
py/lingua_api.py
py/lingua.py
py/nl_sim_agent_deterministic_natural_language_engine.py
py/oneagent_voice_sim.py
py/Phytoon_Full_Language_Model.py
py/Phytoon_Language_Model.py
py/qy_voice_engine_bootstrap_voice.py
py/qy_voice_modes_pack_bootstrap_voice_modes.py
py/qy_voice_policy_patch_bootstrap_voice_policy.py

Bezpečnost, ochrana a provenience

Tato kategorie obsahuje 28 neexkluzivních shod podle názvů souborů. Jde o tematický index, nikoli přísnou hranici balíčku.

Reprezentativní cesta souboru
py/adaptive_ai_sim_agent_privacy_first_reference_python.py
py/aeon_ethics.cpython-312.pyc
py/aeon_ethics.py
py/AGI_Ethics.py
py/ai_model_analyzer_freedom_module_agent_secure_file_driven.py
py/ai_sim_agent_bus_sandbox_hierarchical_planning_constraint_solver_rationale_python.py
py/catalyst_hub_v_1_sandboxed_plugin_bus_python.py
py/CodeSandbox.py
py/EthicsArbiter.py
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py
py/question_policy.py
py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py
py/qy_code_engineer_code_quality_refactor_and_safety_module_for_qyvaria_v_8.py
py/qy_crypto.py
py/qy_voice_policy_patch_bootstrap_voice_policy.py
py/qyvaria_advanced_voice_chat_ai_sim_agent_low_latency_barge_in_safety_fast_api_reference.py

Evaluace, testování a trénink

Tato kategorie obsahuje 17 neexkluzivních shod podle názvů souborů. Jde o tematický index, nikoli přísnou hranici balíčku.

Reprezentativní cesta souboru
py/aeon_self_diagnostic.cpython-312.pyc
py/aeon_self_diagnostic.py
py/ai_model_tester_agent.py
py/ai_sim_agent_learning_evals_governance_suite_python_fast_api.py
py/ai_sim_agent_probes_long_context_retrieval_review_rubrics_line_citations_popular_cache_feedback→facts_python.py
py/all_in_one_sim_agent_co_t_auditor_planner_executor_log_miner_triage_qyvaria_compatible.py
py/catalyst_audit_memory.py
py/convert_to_training.py
py/module_auditor.py
py/PerformanceMonitor.py
py/qy_network_retrieval.py
py/qy_test_ai.py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python (1).py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python.py
py/qyvaria_eval_harness_live_bench_gdpval_hle_v_0.py
py/qyvaria_guardian_module_prwa_plan→research→write→audit_loop.py

Paměť a znalosti

Tato kategorie obsahuje 15 neexkluzivních shod podle názvů souborů. Jde o tematický index, nikoli přísnou hranici balíčku.

Reprezentativní cesta souboru
py/advance_memory_ai_sim_agent_bit_weaver_v_0.py
py/AGI_Memory.py
py/ai_sim_agent_probes_long_context_retrieval_review_rubrics_line_citations_popular_cache_feedback→facts_python.py
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py
py/catalyst_audit_memory.py
py/EpisodicMemory.py
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py
py/machine_intelligence_ai_sim_agent_single_file_deterministic_goap_memory_tools.py
py/qy_memory_extended_pluggable_memory_module_for_qyvaria_v_8.py
py/qy_network_retrieval.py
py/qymemory.py
py/qyvaria_memo.py
py/qyvaria_multi_agent_knowledge_mesh_30_micro_agents_orchestrator_v_0.py
py/qyvaria_one_agent_sim_with_adoptable_logic_contextual_memory_and_internal_multi_agent_runtime.py
py/qyvaria_unified_sim_agent_knowledge_guild_monolith_v_0.py


Média a vizuální systémy

Tato kategorie obsahuje 7 neexkluzivních shod podle názvů souborů. Jde o tematický index, nikoli přísnou hranici balíčku.

Reprezentativní cesta souboru
py/image_generator_server.py
py/logicky_rozhodovaci_system_pravidlovy_engine_cz.py

Reprezentativní cesta souboru
py/media2prompt.py
py/PhytoonImageGen.py
py/qy_logo_stamp.py
py/qyvaria_photoreal_max.py
py/qyvid_scripter.py

Velké moduly a strukturální gravitace



Obrázek 2. Největší vložené záznamy.

Cesta	Druh	Bajty	Prefix SHA
py/Qyvaria.py	python	146,711	54beeb338a9b14e3
py/qyvaria_all_in_one (1).py	python	63,074	526246559fb05cb0
py/qyvaria_cognitive_superstack.py	python	45,542	86512e05b3d1a2cb
py/qyvaria_ultralite_suite.py	python	42,515	3f38baabb7b09524
py/qyvaria_lightweight_foundation.py	python	40,279	d1fa636a0d769aa3
py/qyvaria_pra_genesis_ai_sim_agent.py	python	40,200	cbe80dbdc29ccf69
py/all_in_one_agent.py	python	37,383	62915c8c4b2fcfb5
py/qyvaria_monolith_20.py	python	36,419	7ed833900f6d77a1
py/qyvaria_meta_intelligence_engine.py	python	35,016	091484f39f9f0f2c
py/qy_ai_universe_plus.py	python	34,532	21096bef8b9818bb
py/Varia+.py	python	34,191	bcb1a61dc0237d23
py/qy_ai_universe.py	python	32,305	d4be1b9409e2da12
py/qyintelligence_max.py	python	32,120	2ba6dc37512070b8
py/qy_sim_engineering_ai.py	python	31,925	7d29efd7ad4a92aa
py/qy_app_sim_agent.py	python	29,860	1d09dbe70d2b88e2
py/qywriter.py	python	29,627	c5f0189846db2653
py/qy_test_ai.py	python	29,514	6cf9d9e2fd68bb76
py/qyvaria_agi_model.py	python	28,801	9b8967d0ed4d0ff6
py/qy_fullstack_pack_bootstrap_fullstack.py	python	28,763	857a1f39859db256
py/qyvaria_secure_sandbox.py	python	28,311	f0efb110e3c91176
py/qyvaria_voice.py	python	27,192	8c5dfb22049adc08
py/qyvaria_improvement_engine_one_file_simulator_toolkit_v_1.py	python	25,969	09697562141d5743

Cesta	Druh	Bajty	Prefix SHA
py/qy_agentsim_united.py	python	24,941	3f55c57523a41b0c
py/ai_model_tester_agent.py	python	24,813	6f0c7c790c546370
py/qyvaria_agi_proto.py	python	23,803	c91e2b8e1137fec9
py/qyorchestrator.py	python	23,747	a590ffc7912e7323
py/nl_2_py_qyvaria.py	python	23,523	e9d43a4834201433
py/qy_ml_toolkit.py	python	23,408	aa5b919e0e2e0086
py/qyvaria_data_code_analyzer_ai_sim_agent.py	python	23,017	87705d4df4e2627f
py/qyvaria_control_plane.py	python	22,975	ad5d56112e82d2bc

Napětí návrhu

Návrhové napětí	Interpretace
Přenosnost vs. konvenční balení	Single-file wrapper zvyšuje sdílení, ale vyžaduje výslovné kontrakty importů a cest.
Šíře vize vs. release srozumitelnost	Korpus pokrývá mnoho směrů, zatímco veřejné vydání těžší z jedné ověřené end-to-end cesty.
Bezpečnostní záměr vs. záruka	Sandboxy, guardiani a provenience vyjadřují záměr; testy a threat modely poskytují jistotu.
Bohatost názvů vs. udržovatelnost	Výrazné názvy souborů pomáhají významu, stabilní package názvy pomáhají nástrojům.

Příloha - Inventáře kategorií

Agenti a simulace

Cesta souboru
py/adaptive_ai_sim_agent_privacy_first_reference_python.py
py/advance_memory_ai_sim_agent_bit_weaver_v_0.py
py/Aeon Ai Sim.py
py/aeon_chat_interface.py
py/aeon_continuum.py
py/aeon_ethics.cpython-312.pyc
py/aeon_ethics.py
py/aeon_loader.py
py/aeon_minigrid_integration.py
py/aeon_realm_sim.py
py/aeon_self_diagnostic.cpython-312.pyc
py/aeon_self_diagnostic.py
py/aeon_textworld_integration.py
py/aeon_webots_integration.py
py/aeonscript_engine.py
py/agentive_behaviorism.py
py/AGI_Agents.py
py/agi_prototype_microkernel_multi_agent_qyvaria_style_single_file.py
py/ai_model_analyzer_freedom_module_agent_secure_file_driven.py
py/ai_model_tester_agent.py
py/ai_sim_agent_adaptive_batching_response_cache_autoscaling_circuit_breakers_safe_chaos_fast_api_python.py
py/ai_sim_agent_bus_sandbox_hierarchical_planning_constraint_solver_rationale_python.py
py/ai_sim_agent_kernel.py
py/ai_sim_agent_learning_evals_governance_suite_python_fast_api.py
py/ai_sim_agent_probes_long_context_retrieval_review_rubrics_line_citations_popular_cache_feedback→facts_python.py
py/ai_sim_equalizer_v_1.py
py/ai_sim_module_agent+.py
py/ai_sim_module_agent.py
py/ai_sim_trace_viewer_timeline_artifacts_diffs_costs_decisions_react.jsx
py/all_in_one_agent.py
py/all_in_one_sim_agent_co_t_auditor_planner_executor_log_miner_triage_qyvaria_compatible.py
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py
py/arbiter_sim_agent.py
py/auto_language_voice_router_simlang_auto.py
py/Cetana_Custom_Agent_Core.py
py/Cetana_OS_Simulation.py
py/Cetana_Simulator.py
py/code_sim_agent_deterministic_python_subset_ast_vm.py
py/CounterfactualSimulator.py
py/educator_sim_qyvaria_module_python.py
py/emotion_sim_qyvaria_module_python.py
py/emotional_intelligence_agent.py
py/engineering_ai_sim_agent_code_specialist_python.py
py/forge_sim_agent.py
py/human_sim_human_like_ai_sim_agent_personality_drives_emotions_bdi_single_file.py
py/human_voice_chat_advanced_voice_chat_mirroring_human_sim_single_file.py
py/law_advisor_ai_sim_agent_qyvaria_compatible.py
py/linguistics_ai_sim_agent_qyvaria_compatible.py

Cesta souboru
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py
py/machine_intelligence_ai_sim_agent_single_file_deterministic_goap_memory_tools.py
py/mastermind_ai_sim_model_catalyst_v_7_aligned_mastermind_sim.py
py/meta_ai_sim_adaptive.py
py/meta_ai_sim_agent.py
py/meta_sim_agent_qyvaria_compatible_simulates_sims_engine.py
py/mira_aof_ai_sim_agent_qyvaria_runtime.py
py/MultiAgentFramework.py
py/neuro_sim_agent_qyvaria_compatible_neuronal_sim.py
py/nl_sim_agent_deterministic_natural_language_engine.py
py/omni_sim_agent.py
py/oneagent_voice_sim.py
py/optimization_checker_agent.py
py/problem_solving_ai_sim_minimal_deterministic_agent_qyvaria_style.py
py/qavaria_ai_sim_agent.py
py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py
py/qy_agentsim_united.py
py/qy_app_sim_agent.py
py/qy_llm_sim_module.py
py/qy_sim_engineering_ai.py
py/qy_sim_pack_100.py
py/qy_sim_patchset_10.py
py/qynlcalibrator_py_natural_unnatural_language_calibrator_lisp_fast_speech_phonetic_similarity.py
py/Qyvaria Complete Sim.py
py/Qyvaria Sim Profile.py
py/qyvaria_adaptability_sim_agent_adaptability_agent.py
py/qyvaria_advanced_voice_chat_ai_sim_agent_low_latency_barge_in_safety_fast_api_reference.py
py/qyvaria_advanced_voice_chat_sim_emotion_mirroring_real_time_translation_noise_suppression_multimodal_prompt_composer_fast_api.py
py/Qyvaria_Aeon.py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python (1).py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python.py
py/qyvaria_aisim_axis_module_factuality_reasoning_code_creativity_speed.py
py/qyvaria_app_creator_sim_agent_single_agent_multi_role_pipeline.py
py/qyvaria_czech_language_module_simlang_cs.py
py/qyvaria_data_analyst_ai_sim_agent_edanlq→_data_charts_stats_cache_fast_api_python.py
py/qyvaria_data_code_analyzer_ai_sim_agent.py
py/qyvaria_evolution_agent.py
py/qyvaria_generalization_agentic_ai_sim_single_module.py
py/qyvaria_improvement_engine_one_file_simulator_toolkit_v_1.py
py/qyvaria_llm_sim_and_meta_agent.py
py/qyvaria_mathematical_ai_sim_agent_symbolic_numeric_steps_proof_hints_python_fast_api.py
py/qyvaria_multi_agent_knowledge_mesh_30_micro_agents_orchestrator_v_0.py
py/qyvaria_one_agent_sim_with_adoptable_logic_contextual_memory_and_internal_multi_agent_runtime.py
py/qyvaria_pra_genesis_ai_sim_agent.py
py/qyvaria_prompt_engineering_ai_sim_agent_lint_optimize_instantiate_a_b_eval_fast_api_python.py
py/qyvaria_simulate_then_act_rational_agent_v_0.py
py/qyvaria_team_orchestrator_multi_agent_sim_with_self_optimizer_secure.py
py/qyvaria_unified_sim_agent_knowledge_guild_monolith_v_0.py
py/qyvaria_voice_sim_agent_diarization_addressed_reply_router_v_0.py
py/reality_aware_sim_machine_awareness_ai_sim_agent_active_inference_single_file.py
py/SimulationInterface.py
py/speed_agent.py

Cesta souboru
py/sumerian_language_model_ai_sim_agent_qyvaria_compatible.py
py/sumerian_voice_chat_ai_sim_agent_for_qyvaria_fake_it_capable.py
py/therapist_style_ai_sim_agent_safety_first_support_python.py
py/translator_crypto_sim_agent_qyvaria_compatible.py

Uvažování a inteligence

Cesta souboru
py/Agi Super Intelligence.py
py/AGI_Agents.py
py/AGI_Boot.py
py/AGI_Ethics.py
py/AGI_Ignition.py
py/AGI_Memory.py
py/AGI_MetaReasoner.py
py/AGI_Orchestrator.py
py/AGI_PluginManager.py
py/agi_prototype_microkernel_multi_agent_qyvaria_style_single_file.py
py/ai_model_analyzer_freedom_module_agent_secure_file_driven.py
py/ai_model_tester_agent.py
py/ai_sim_agent_bus_sandbox_hierarchical_planning_constraint_solver_rationale_python.py
py/catalyst_equalizer_v_1_py_code_i_o_and_logic_clarity_equalizer.py
py/CognitiveStyle.py
py/emotional_intelligence_agent.py
py/EmotionModel.py
py/gpt_6_lite_deterministic_model_transformer_reasoning_head_single_file.py
py/imagination_engine.cpython-312.pyc
py/llm_engine.cpython-312.pyc
py/llm_engine.py
py/logicky_rozhodovaci_system_pravidlovy_engine_cz.py
py/machine_intelligence_ai_sim_agent_single_file_deterministic_goap_memory_tools.py
py/mastermind_ai_sim_model_catalyst_v_7_aligned_mastermind_sim.py
py/meta_ai_sim_adaptive.py
py/meta_ai_sim_agent.py
py/meta_sim_agent_qyvaria_compatible_simulates_sims_engine.py
py/MetaLearningEngine.py
py/MetaReasoner.py
py/Phytoon_Full_Language_Model.py
py/Phytoon_Language_Model.py
py/qy_llm_pipeline.py
py/qy_llm_sim_module.py
py/qy_reasoning_booster.py
py/qyintelligence_max.py
py/qyintelligence.py
py/qyvaria_agi_model.py
py/qyvaria_agi_proto.py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python (1).py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python.py
py/qyvaria_aisim_axis_module_factuality_reasoning_code_creativity_speed.py
py/qyvaria_cognitive_superstack.py
py/qyvaria_equalizer_suite_one_go_language_code_logic_clarity_tool_equalizer_suite.py
py/qyvaria_llm_sim_and_meta_agent.py
py/qyvaria_meta_intelligence_engine.py

Cesta souboru
py/qyvaria_model.py
py/qyvaria_one_agent_sim_with_adoptable_logic_contextual_memory_and_internal_multi_agent_runtime.py
py/qyvaria_rationality_max.py
py/qyvaria_simulate_then_act_rational_agent_v_0.py
py/rationality_lab.py
py/SelfModel.py
py/SocialReasoner.py
py/sumerian_language_model_ai_sim_agent_qyvaria_compatible.py
py/train_model.py
py/WorldModel.py
py/WorldModelExpander.py

Nástroje, aplikace a vývoj

Cesta souboru
py/1qyvaria_prompt_gen.py
py/ai_model_analyzer_freedom_module_agent_secure_file_driven.py
py/ai_sim_agent_adaptive_batching_response_cache_autoscaling_circuit_breakers_safe_chaos_fast_api_python.py
py/ai_sim_agent_learning_evals_governance_suite_python_fast_api.py
py/build_qyvaria_studio.py
py/catalyst_equalizer_v_1_py_code_i_o_and_logic_clarity_equalizer.py
py/Cetana_IDE_Launcher.py
py/Cetana_Phytoon_IDE.py
py/code_2_lang_code_→_natural_language_explainer_single_file_no_deps.py
py/code_sim_agent_deterministic_python_subset_ast_vm.py
py/CodeLab.py
py/CodeSandbox.py
py/engineering_ai_sim_agent_code_specialist_python.py
py/image_generator_server.py
py/jarvis_server.py
py/lingua_api.py
py/machine_intelligence_ai_sim_agent_single_file_deterministic_goap_memory_tools.py
py/media2prompt.py
py/NeuralPatternMapper.py
py/python_axiomdelta_codex.py
py/qy_app_sim_agent.py
py/qy_code_engineer_code_quality_refactor_and_safety_module_for_qyvaria_v_8.py
py/qy_ml_toolkit.py
py/qyvaria_advanced_voice_chat_ai_sim_agent_low_latency_barge_in_safety_fast_api_reference.py
py/qyvaria_advanced_voice_chat_sim_emotion_mirroring_real_time_translation_noise_suppression_multimodal_prompt_composer_fast_api.py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python (1).py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python.py
py/qyvaria_aisim_axis_module_factuality_reasoning_code_creativity_speed.py
py/qyvaria_analyzer_streamlit_app.py
py/qyvaria_app_creator_sim_agent_single_agent_multi_role_pipeline.py
py/qyvaria_data_analyst_ai_sim_agent_edn_nlq_→_data_charts_stats_cache_fast_api_python.py
py/qyvaria_data_code_analyzer_ai_sim_agent.py
py/qyvaria_equalizer_suite_one_go_language_code_logic_clarity_tool_equalizer_suite.py
py/qyvaria_hybrid_analyzer_encryptor_decryptor_mixer_transmitter_single_file_module.py
py/qyvaria_improvement_engine_one_file_simulator_toolkit_v_1.py
py/qyvaria_mathematical_ai_sim_agent_symbolic_numeric_steps_proof_hints_python_fast_api.py
py/qyvaria_prompt_engineering_ai_sim_agent_lint_optimize_instantiate_a_b_eval_fast_api_python.py

Cesta souboru
py/qyvaria_provenance_toolkit_v_0.py
py/qyvaria_voice_chat_x_single_file_server_fast_api_web_socket_stubs.py
py/qywriter.py
py/SelfEditor.py
py/teleprompter.py
py/therapist_style_ai_sim_agent_safety_first_support_python.py
py/velcode_interpreter.py
py/velcode_shell.py

Runtime, kernel a orchestrace

Cesta souboru
py/aeon_loader.py
py/AGI_Boot.py
py/AGI_Orchestrator.py
py/agi_prototype_microkernel_multi_agent_qyvaria_style_single_file.py
py/ai_sim_agent_kernel.py
py/bootloader.py
py/catalyst_hub_v_1_sandboxed_plugin_bus_python.py
py/Cetana_v4_Boot.py
py/Cetana_v5_Boot.py
py/Cetana_v6_Boot.py
py/kernel.py
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py
py/mastermind_orchestrator_v_8.py
py/mira_aof_ai_sim_agent_qyvaria_runtime.py
py/qy_90_upgrade_pack_bootstrap.py
py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py
py/qy_control_plane.py
py/qy_durable_orchestrator.py
py/qy_fullstack_pack_bootstrap_fullstack.py
py/qy_orbit_pack_bootstrap_orbit.py
py/qy_self_upgrade_pack_v_2_bootstrap_upgrade_v_2.py
py/qy_voice_engine_bootstrap_voice.py
py/qy_voice_modes_pack_bootstrap_voice_modes.py
py/qy_voice_policy_patch_bootstrap_voice_policy.py
py/qyorchestrator.py
py/qyvaria_catalyst_v_8_single_file_module_network_orchestrator_catalyst_hub.py
py/qyvaria_control_plane.py
py/qyvaria_hub_open_ai_multi_bot_connector_policy_safe.py
py/qyvaria_kernel_integration_bridge_mesh_orchestrator_v_0.py
py/qyvaria_kernel_mesh_kernel_mesh.py
py/qyvaria_multi_agent_knowledge_mesh_30_micro_agents_orchestrator_v_0.py
py/qyvaria_one_agent_sim_with_adoptable_logic_contextual_memory_and_internal_multi_agent_runtime.py
py/qyvaria_team_orchestrator_multi_agent_sim_with_self_optimizer_secure.py
py/qyvaria_team_orchestrator_single_file.py
py/SafetyKernelUpgrade.py
py/truth_alignment_kernel.cpython-312.pyc
py/truth_alignment_kernel.py
py/WakeUpKernel.py

Hlas a jazyk

Cesta souboru
py/advance_voice_chat_command.py
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py
py/auto_language_voice_router_simlang_auto.py
py/code_2_lang_code_→_natural_language_explainer_single_file_no_deps.py
py/human_voice_chat_advanced_voice_chat_mirroring_human_sim_single_file.py
py/lang_lock_voice.py
py/LanguageFeedback.py
py/lingua_api.py
py/lingua.py
py/nl_sim_agent_deterministic_natural_language_engine.py
py/oneagent_voice_sim.py
py/Phytoon_Full_Language_Model.py
py/Phytoon_Language_Model.py
py/qy_voice_engine_bootstrap_voice.py
py/qy_voice_modes_pack_bootstrap_voice_modes.py
py/qy_voice_policy_patch_bootstrap_voice_policy.py
py/qybilingual_voice.py
py/qynlcalibrator_py_natural_unnatural_language_calibrator_lisp_fast_speech_phonetic_similarity.py
py/qytranslate.py
py/Qyvaria Voice Os.py
py/qyvaria_advanced_voice_chat_ai_sim_agent_low_latency_barge_in_safety_fast_api_reference.py
py/qyvaria_advanced_voice_chat_sim_emotion_mirroring_real_time_translation_noise_suppression_multimodal_prompt_composer_fast_api.py
py/qyvaria_czech_language_module_simlang_cs.py
py/qyvaria_equalizer_suite_one_go_language_code_logic_clarity_tool_equalizer_suite.py
py/qyvaria_language_lock_advanced_voice_chat_module_single_file.py
py/qyvaria_module_sumerian_voice+.py
py/qyvaria_module_sumerian_voice.py
py/qyvaria_natural_voice.py
py/qyvaria_voice_chat_x_single_file_server_fast_api_web_socket_stubs.py
py/qyvaria_voice_sim_agent_diarization_addressed_reply_router_v_0.py
py/qyvaria_voice.py
py/sumerian_language_model_ai_sim_agent_qyvaria_compatible.py
py/sumerian_voice_chat_ai_sim_agent_for_qyvaria_fake_it_capable.py
py/voice_engineering_frontend_qyvaria_v_8_module.py

Bezpečnost, ochrana a provenience

Cesta souboru
py/adaptive_ai_sim_agent_privacy_first_reference_python.py
py/aeon_ethics.cpython-312.pyc
py/aeon_ethics.py
py/AGI_Ethics.py
py/ai_model_analyzer_freedom_module_agent_secure_file_driven.py
py/ai_sim_agent_bus_sandbox_hierarchical_planning_constraint_solver_rationale_python.py
py/catalyst_hub_v_1_sandboxed_plugin_bus_python.py
py/CodeSandbox.py
py/EthicsArbiter.py
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py
py/question_policy.py
py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py
py/qy_code_engineer_code_quality_refactor_and_safety_module_for_qyvaria_v_8.py

Cesta souboru
py/qy_crypto.py
py/qy_voice_policy_patch_bootstrap_voice_policy.py
py/qyvaria_advanced_voice_chat_ai_sim_agent_low_latency_barge_in_safety_fast_api_reference.py
py/qyvaria_guardian_module_prwa_plan→research→write→audit_loop.py
py/qyvaria_hub_open_ai_multi_bot_connector_policy_safe.py
py/qyvaria_hybrid_analyzer_encryptor_decryptor_mixer_transmitter_single_file_module.py
py/qyvaria_provenance_toolkit_v_0.py
py/qyvaria_secure_sandbox.py
py/qyvaria_team_orchestrator_multi_agent_sim_with_self_optimizer_secure.py
py/SafetyKernelUpgrade.py
py/therapist_style_ai_sim_agent_safety_first_support_python.py
py/translator_crypto_sim_agent_qyvaria_compatible.py
py/truth_alignment_kernel.cpython-312.pyc
py/truth_alignment_kernel.py
py/ValueGuardian.py

Evaluace, testování a trénink

Cesta souboru
py/aeon_self_diagnostic.cpython-312.pyc
py/aeon_self_diagnostic.py
py/ai_model_tester_agent.py
py/ai_sim_agent_learning_evals_governance_suite_python_fast_api.py
py/ai_sim_agent_probes_long_context_retrieval_review_rubrics_line_citations_popular_cache_feedback→facts_python.py
py/all_in_one_sim_agent_co_t_auditor_planner_executor_log_miner_triage_qyvaria_compatible.py
py/catalyst_audit_memory.py
py/convert_to_training.py
py/module_auditor.py
py/PerformanceMonitor.py
py/qy_network_retrieval.py
py/qy_test_ai.py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python (1).py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python.py
py/qyvaria_eval_harness_live_bench_gdpval_hle_v_0.py
py/qyvaria_guardian_module_prwa_plan→research→write→audit_loop.py
py/qyvaria_prompt_engineering_ai_sim_agent_lint_optimize_instantiate_a_b_eval_fast_api_python.py

Paměť a znalosti

Cesta souboru
py/advance_memory_ai_sim_agent_bit_weaver_v_0.py
py/AGI_Memory.py
py/ai_sim_agent_probes_long_context_retrieval_review_rubrics_line_citations_popular_cache_feedback→facts_python.py
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py
py/catalyst_audit_memory.py
py/EpisodicMemory.py
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py
py/machine_intelligence_ai_sim_agent_single_file_deterministic_goap_memory_tools.py
py/qy_memory_extended_pluggable_memory_module_for_qyvaria_v_8.py
py/qy_network_retrieval.py
py/qymemory.py
py/qyvaria_memo.py

Cesta souboru
py/qyvaria_multi_agent_knowledge_mesh_30_micro_agents_orchestrator_v_0.py
py/qyvaria_one_agent_sim_with_adoptable_logic_contextual_memory_and_internal_multi_agent_runtime.py
py/qyvaria_unified_sim_agent_knowledge_guild_monolith_v_0.py

Média a vizuální systémy

Cesta souboru
py/image_generator_server.py
py/logicky_rozhodovaci_system_pravidlovy_engine_cz.py
py/media2prompt.py
py/PhytoonImageGen.py
py/qy_logo_stamp.py
py/qyvaria_photoreal_max.py
py/qyvid_scripter.py

Důkazní základ a redakční hranice

Tento svazek vychází z dodaného korpusu Qyvaria a z předchozí technické studie. Rozlišuje mezi přímo pozorovanými metadaty balíčku, statickou inspekci zdrojů, řízenými pozorováními z příkazové řádky a interpretačními návrhy. Publikací balíček nepotvrzuje produkční bezpečnost ani netvrdí, že je každý modul spustitelný. Bere projekt jako vážný softwarový korpus, jehož hodnota roste, když jsou důkazy, ambice a další technické kroky popsány jasně.

VOLUME 03 — CZECH

Encyklopedie agentů a kognice Qyvaria

Agenti, paměť, reasoning, hlas a orchestrační klastry.

CS Volume 03

Encyklopedie agentů a kognice Qyvaria

Agenti, paměť, reasoning, hlas a orchestrační klastry

Vychází z dodaného korpusu qyvaria.py, jeho textového zrcadla a předchozího technického čtení.


Připraveno pro otevřený publikační balíček Qyvaria - 17. května 2026.

Obsah

1. Agentní teze
2. Inventář registrovaných agentů
3. Kognitivní a orchestrační moduly
4. Paměť, reasoning a hlas
5. Portréty vybraných modulů
6. Principy návrhu agentů pro další vydání
7. Příloha - Index souborů agentů a kognice

Agentní teze

Nejsilnější viditelnou koncentrací Qyvarie je tkanivo agentů a simulací. Tagování názvů souborů nachází přes sto záznamů spojených s agenty nebo simulací a manifest balíčku jmenuje 17 registrovaných agentů. Nejceněnější čtení není tvrdit, že každý agent je produkční, ale chápat to jako záměrný návrhový slovník: specializovaní aktéři, plánovači, kritici, refineři, evaluační a komunikátoři v rámci sdíleného runtime snu.



Obrázek 1. Klastř agentů a simulací dominuje tematické stopě.

Inventář registrovaných agentů

Jméno agenta	Vložená cesta
ai-model-tester-agent	py/ai_model_tester_agent.py
ai-sim-module-agent	py/ai_sim_module_agent.py
all-in-one-agent	py/all_in_one_agent.py
arbiter-sim-agent	py/arbiter_sim_agent.py
emotional-intelligence-agent	py/emotional_intelligence_agent.py
forge-sim-agent	py/forge_sim_agent.py
meta-ai-sim-agent	py/meta_ai_sim_agent.py
omni-sim-agent	py/omni_sim_agent.py
optimization-checker-agent	py/optimization_checker_agent.py
qavaria-ai-sim-agent	py/qavaria_ai_sim_agent.py
qy-app-sim-agent	py/qy_app_sim_agent.py
qyvaria-adaptability-sim-agent-adaptability-agent	py/qyvaria_adaptability_sim_agent_adaptability_agent.py
qyvaria-data-code-analyzer-ai-sim-agent	py/qyvaria_data_code_analyzer_ai_sim_agent.py
qyvaria-evolution-agent	py/qyvaria_evolution_agent.py
qyvaria-llm-sim-and-meta-agent	py/qyvaria_llm_sim_and_meta_agent.py
qyvaria-pra-genesis-ai-sim-agent	py/qyvaria_pra_genesis_ai_sim_agent.py
speed-agent	py/speed_agent.py

Kognitivní a orchestrační moduly

Orchestrační rodina naznačuje vrstvenou agentní architekturu: task planner nebo orchestrátor definuje záměr; kognitivní či meta-inteligenční moduly rozšiřují hledání; paměťové moduly uchovávají kontext; a

policy či guardian moduly se snaží ohraničit jednání. Je to blízké ekologii služeb: ne jeden super-agent, ale federace schopností.

Modul	Velikost	Třídy	Funkce
py/qyorchestrator.py	23,747	PlanStep, Plan, TimeoutError, _Timeout, QYOrchestrator	_tokenize
py/qyintelligence.py	20,556	Contracts, Retriever, Reasoner, Claim, Critic, PlannerPro (+2 more)	_tokens, _top_k
py/qyvaria_cognitive_superstack.py	45,542	ArtifactStore, MemoryArtifactStore, FSArtifactStore, Clock, DefaultClock, Settings (+19 more)	_now_ts, _json, _slug, _stable_hash, elo_update, synthesize_program, bfs (+23 more)
py/qyvaria_meta_intelligence_engine.py	35,016	ArtifactStore, MemoryArtifactStore, FSArtifactStore, Clock, DefaultClock, Settings (+14 more)	_now_ts, _json, _slug, _stable_hash, elo_update, register_builtin_tasks, _gen_arith (+15 more)
py/qyvaria_kernel_mesh_kernel_mesh.py	16,544	Service, ServiceRegistry, EventBus, CommandRouter, KernelMesh	parse_bundle_literal, _decompress_entry, main
py/qyvaria_llm_sim_and_meta_agent.py	20,308	JurisdictionProfile, PolicyGuard, AuditLogger, ToolRegistry, LLMClient, EchoHeuristicLLM (+9 more)	_now_ms, _ensure_dir, _hash_dict, basic_answer_strategy, reflection_wrapper, demo
py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py	16,548	Decision, PolicyHit, PolicyRule, LawPolicyEngine, Role, RBAC (+11 more)	default_policy_pack

Paměť, reasoning a hlas

Doména	Reprezentativní vložené cesty
Paměť	py/qymemory.py py/qy_memory_extended_pluggable_memory_module_for_qyvaria_v_8.py py/advance_memory_ai_sim_agent_bit_weaver_v_0.py
Reasoning	py/qyintelligence.py py/qy_reasoning_booster.py py/qyvaria_rationality_max.py
Hlas	py/Qyvaria Voice Os.py py/qybilingual_voice.py py/qyvaria_voice.py
Evaluace	py/qyvaria_eval_harness_live_bench_gdpval_hle_v_0.py py/qy_test_ai.py py/ai_model_tester_agent.py

Portréty vybraných modulů

py/qyintelligence.py

Zaznamenaná velikost payloadu: 20,556 bajtů. Stav statické analýzy: OK.

QYIntelligence — Six Cognitive Modules (MIT) Focus: raise Qyvaria's intelligence with robust, testable components that improve reading, reasoning, retrieval, planning, and verification. Modules/services exposed: 1) contracts - schema-guarded generation & JSON I/O (validation + guarded retries) 2) retriever - adaptive retrieval + MMR reranker over your memory service 3) reasoner - self-consistency voting + lightweight answer selection 4) critic - claim extraction + memory-backed verification (support scores) 5) plannerpro - heuristic hierarchical task decomposition + orchestrator glue 6) kg - lightweight knowledge-graph (triples) with path queries Facade: intelligence - convenience RAG function combining retriever → generator → critic. Dependencies:...

Aspekt	Zjištěný obsah
Reprezentativní třídy	Contracts, Retriever, Reasoner, Claim, Critic, PlannerPro, KnowledgeGraph, QYIntelligence

Aspekt	Zjištěný obsah
Reprezentativní top-level funkce	_tokens, _top_k
Importované moduly	__future__, dataclasses, itertools, json, jsonschema, math, os, pathlib, re, sqlite3, time, typing, uuid
Přibližný počet řádků	454

py/qymemory.py

Zaznamenaná velikost payloadu: 15,405 bajtů. Stav statické analýzy: OK.

Aspekt	Zjištěný obsah
Reprezentativní třídy	_NullCipher, MemoryRecord, QYMemory
Reprezentativní top-level funkce	_get_cipher, _flatten_payload, _tokenize, _now
Importované moduly	__future__, collections, cryptography, dataclasses, hashlib, json, os, pathlib, re, sqlite3, time, typing, uuid, zlib
Přibližný počet řádků	390

py/qyorchestrator.py

Zaznamenaná velikost payloadu: 23,747 bajtů. Stav statické analýzy: OK.

Aspekt	Zjištěný obsah
Reprezentativní třídy	PlanStep, Plan, TimeoutError_, _Timeout, QYOrchestrator
Reprezentativní top-level funkce	_tokenize
Importované moduly	__future__, dataclasses, json, os, pathlib, re, signal, sqlite3, threading, time, typing, uuid
Přibližný počet řádků	538

py/Qyvaria Voice Os.py

Zaznamenaná velikost payloadu: 9,881 bajtů. Stav statické analýzy: OK.

Qyvaria Voice OS — Advanced Conversational Runtime (Voice-First)

=====

Purpose A production-style, deterministic, auditable voice chat operating layer for Qyvaria that is engaging and *does not ask questions nonstop*. It manages turn-taking, backchannels, question-throttling, barge-in, and prosody hints — while integrating with the existing Complete SIM / AEON stack. Highlights • Voice state machine: LISTEN → THINK → SPEAK → (HOLD|YIELD) • Question-Throttle: per-minute budget, rolling windows, rewrite to statements • Backchanneler: lightweight acknowledgments that don't derail the user • Barge-In handling: detect/allow user interrupts; gracefully cut TTS • Engagement Engine: openers, reflect...

Aspekt	Zjištěný obsah
Reprezentativní třídy	VAD, ASR, TTS, QuestionThrottle, VState, VoiceOS
Reprezentativní top-level funkce	ssml
Importované moduly	__future__, dataclasses, math, qyvaria_complete_sim, random, re, time, typing
Přibližný počet řádků	276

py/qyvaria_cognitive_superstack.py

Zaznamenaná velikost payloadu: 45,542 bajtů. Stav statické analýzy: OK.

Qyvaria Cognitive Superstack (QCS) ===== A single-file, dependency-free ****meta-learning and orchestration supermodule**** that boosts Qyvaria's problem-solving capacity via: - ****Task & Solver OS****: registries, episodic runner, JSONL events, Markdown reports. - ****Search Suite****: BFS/DFS/IDDFS, A*, Beam, MCTS-lite, Best-First, Hill-Climb, Simulated Annealing. - ****Program Induction****: tiny LISP-like DSL with interpreter + enumerative/stochastic synthesis. - ****Auto-Curriculum****: ELO ratings for tasks/solvers, bandits (UCB1 & Thompson), difficulty sampler. - ****Memory Systems****: episodic log, semantic index (TF-IDF/BM25-ish), and a lightweight knowledge graph. - ****Self-Reflection****: failure taxonomy, patch suggestions, knob tuni...

Aspekt	Zjištěný obsah
Reprezentativní třídy	ArtifactStore, MemoryArtifactStore, FSArtifactStore, Clock, DefaultClock, Settings, PolicyEngine, Event, EventBus, KGNode, KGEde, KnowledgeGraph, MemoryItem, MemoryIndex (+11 more)
Reprezentativní top-level funkce	_now_ts, _json, _slug, _stable_hash, elo_update, synthesize_program, bfs, dfs, a_star, mcts, register_builtin_tasks, _gen_arith, _safe_eval_arith, _eval_arith, _gen_reverse, _eval_reverse, _gen_nextint, _eval_nextint (+12 more)
Importované moduly	__future__, ast, dataclasses, enum, functools, heapq, io, itertools, json, math, os, pathlib, random, re, statistics, string, sys, textwrap (+2 more)
Přibližný počet řádků	1213

py/qyvaria_meta_intelligence_engine.py

Zaznamenaná velikost payloadu: 35,016 bajtů. Stav statické analýzy: OK.

Qyvaria Meta-Intelligence Engine (QMIE) ===== A single-file, dependency-free module that adds **self-improvement**, **meta-reasoning**, **simulation**, and **evaluation** capabilities to Qyvaria's kernel (``Qyvaria.py``). The goal is to **increase problem-solving capacity over time** through: - **Ensembled solvers** (BFS/DFS/Beam, MCTS-lite, Program search, Heuristic search) - **Bandit-driven selection** and **Bayesian model selection** of solvers - **Automatic curriculum** with ELO-style difficulty ratings for tasks & solvers - **Self-reflection** & **failure taxonomy** with patch proposals - **Memory** (episodic & semantic) with simple TF-IDF-like retrieval - **Grid search** / **hyperparameter tuning** with reproducible seeds - **Deter...**

Aspekt	Zjištěný obsah
Reprezentativní třídy	ArtifactStore, MemoryArtifactStore, FSArtifactStore, Clock, DefaultClock, Settings, PolicyEngine, Event, EventBus, TaskSpec, TaskRegistry, SolverSpec, SolverRegistry, MemoryItem (+6 more)
Reprezentativní top-level funkce	_now_ts, _json, _slug, _stable_hash, elo_update, register_builtin_tasks, _gen_arith, _safe_eval_arith, _eval_arith, _gen_reverse, _eval_reverse, _gen_nextint, _eval_nextint, _gen_logic, _eval_logic, solver_arith_eval, solver_reverse, solver_sequence_fit (+4 more)
Importované moduly	__future__, ast, dataclasses, enum, functools, heapq, inspect, io, itertools, json, math, os, pathlib, random, re, statistics, string, sys (+5 more)
Přibližný počet řádků	966

Principy návrhu agentů pro další vydání

Princip	Význam
Výslovný kontrakt agenta	Každý agent má deklarovat vstupní schéma, výstupní schéma, vedlejší účinky a selhání.
Deterministické demonstrace	Ohraničené demo má pod seedem nebo fixture vytvářet opakovatelné trace.
Body lidské kontroly	Plánování a akce mají vystavovat místa pro kontrolu namísto skrytí všech rozhodnutí.
Evaluace před rétorikou	Názvy agentů mohou být ambiciózní; veřejná tvrzení mají být navázána na testy.
Paměť s proveniencí	Dlouhodobý stav získává hodnotu, když lze dohledat, proč existuje.

Příloha - Index souborů agentů a kognice

Cesta souboru
py/AGI_Agents.py
py/AGI_Boot.py
py/AGI_Ethics.py
py/AGI_Ignition.py
py/AGI_Memory.py
py/AGI_MetaReasoner.py
py/AGI_Orchestrator.py
py/AGI_PluginManager.py
py/Aeon Ai Sim.py
py/Agi Super Intelligence.py
py/Cetana_Custom_Agent_Core.py
py/Cetana_OS_Simulation.py
py/Cetana_Simulator.py
py/CognitiveStyle.py
py/CounterfactualSimulator.py
py/EmotionModel.py
py/EpisodicMemory.py
py/LanguageFeedback.py
py/MetaLearningEngine.py
py/MetaReasoner.py
py/MultiAgentFramework.py
py/Phytoon_Full_Language_Model.py
py/Phytoon_Language_Model.py
py/Qyvaria Complete Sim.py
py/Qyvaria Sim Profile.py
py/Qyvaria Voice Os.py
py/Qyvaria_Aeon.py
py/SelfModel.py
py/SimulationInterface.py
py/SocialReasoner.py
py/WorldModel.py
py/WorldModelExpander.py
py/adaptive_ai_sim_agent_privacy_first_reference_python.py
py/advance_memory_ai_sim_agent_bit_weaver_v_0.py
py/advance_voice_chat_command.py
py/aeon_chat_interface.py
py/aeon_continuum.py
py/aeon_ethics.cpython-312.pyc
py/aeon_ethics.py
py/aeon_loader.py
py/aeon_minigrid_integration.py
py/aeon_realm_sim.py
py/aeon_self_diagnostic.cpython-312.pyc
py/aeon_self_diagnostic.py
py/aeon_textworld_integration.py
py/aeon_webots_integration.py
py/aeonscript_engine.py
py/agentive_behaviorism.py
py/agi_prototype_microkernel_multi_agent_qyvaria_style_single_file.py
py/ai_model_analyzer_freedom_module_agent_secure_file_driven.py

Cesta souboru
py/ai_model_tester_agent.py
py/ai_sim_agent_adaptive_batching_response_cache_autoscaling_circuit_breakers_safe_chaos_fast_api_python.py
py/ai_sim_agent_bus_sandbox_hierarchical_planning_constraint_solver_rationale_python.py
py/ai_sim_agent_kernel.py
py/ai_sim_agent_learning_evals_governance_suite_python_fast_api.py
py/ai_sim_agent_probes_long_context_retrieval_review_rubrics_line_citations_popular_cache_feedback→facts_python.py
py/ai_sim_equalizer_v_1.py
py/ai_sim_module_agent+.py
py/ai_sim_module_agent.py
py/ai_sim_trace_viewer_timeline_artifacts_diffs_costs_decisions_react.jsx
py/all_in_one_agent.py
py/all_in_one_sim_agent_co_t_auditor_planner_executor_log_miner_triage_qyvaria_compatible.py
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py
py/arbiter_sim_agent.py
py/auto_language_voice_router_simlang_auto.py
py/catalyst_audit_memory.py
py/catalyst_equalizer_v_1_py_code_i_o_and_logic_clarity_equalizer.py
py/code_2_lang_code_→_natural_language_explainer_single_file_no_deps.py
py/code_sim_agent_deterministic_python_subset_ast_vm.py
py/educator_sim_qyvaria_module_python.py
py/emotion_sim_qyvaria_module_python.py
py/emotional_intelligence_agent.py
py/engineering_ai_sim_agent_code_specialist_python.py
py/forge_sim_agent.py
py/gpt_6_lite_deterministic_moe_transformer_reasoning_head_single_file.py
py/human_sim_human_like_ai_sim_agent_personality_drives_emotions_bdi_single_file.py
py/human_voice_chat_advanced_voice_chat_mirroring_human_sim_single_file.py
py/imagination_engine.cpython-312.pyc
py/lang_lock_voice.py
py/law_advisor_ai_sim_agent_qyvaria_compatible.py
py/lingua.py
py/lingua_api.py
py/linguistics_ai_sim_agent_qyvaria_compatible.py
py/llm_engine.cpython-312.pyc
py/llm_engine.py
py/logicky_rozhodovaci_system_pravidlovy_engine_cz.py
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py
py/machine_intelligence_ai_sim_agent_single_file_deterministic_goap_memory_tools.py
py/mastermind_ai_sim_model_catalyst_v_7_aligned_mastermind_sim.py
py/meta_ai_sim_adaptive.py
py/meta_ai_sim_agent.py
py/meta_sim_agent_qyvaria_compatible_simulates_sims_engine.py
py/mira_aof_ai_sim_agent_qyvaria_runtime.py
py/neuro_sim_agent_qyvaria_compatible_neuronal_sim.py
py/nl_sim_agent_deterministic_natural_language_engine.py
py/omni_sim_agent.py
py/oneagent_voice_sim.py
py/optimization_checker_agent.py
py/problem_solving_ai_sim_minimal_deterministic_agent_qyvaria_style.py
py/qavaria_ai_sim_agent.py
py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py
py/qy_agentsim_united.py

Cesta souboru
py/qy_app_sim_agent.py
py/qy_llm_pipeline.py
py/qy_llm_sim_module.py
py/qy_memory_extended_pluggable_memory_module_for_qyvaria_v_8.py
py/qy_network_retrieval.py
py/qy_reasoning_booster.py
py/qy_sim_engineering_ai.py
py/qy_sim_pack_100.py
py/qy_sim_patchset_10.py
py/qy_voice_engine_bootstrap_voice.py
py/qy_voice_modes_pack_bootstrap_voice_modes.py
py/qy_voice_policy_patch_bootstrap_voice_policy.py
py/qybilingual_voice.py
py/qyintelligence.py
py/qyintelligence_max.py
py/qymemory.py
py/qynlcalibrator_py_natural_unnatural_language_calibrator_lisp_fast_speech_phonetic_similarity.py
py/qytranslate.py
py/qyvaria_adaptability_sim_agent_adaptability_agent.py
py/qyvaria_advanced_voice_chat_ai_sim_agent_low_latency_barge_in_safety_fast_api_reference.py
py/qyvaria_advanced_voice_chat_sim_emotion_mirroring_real_time_translation_noise_suppression_multimodal_prompt_composer_fast_api.py
py/qyvaria_agi_model.py
py/qyvaria_agi_proto.py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python (1).py
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python.py
py/qyvaria_aisim_axis_module_factuality_reasoning_code_creativity_speed.py
py/qyvaria_app_creator_sim_agent_single_agent_multi_role_pipeline.py
py/qyvaria_cognitive_superstack.py
py/qyvaria_czech_language_module_simlang_cs.py
py/qyvaria_data_analyst_ai_sim_agent_edn_nlp_data_charts_stats_cache_fast_api_python.py
py/qyvaria_data_code_analyzer_ai_sim_agent.py
py/qyvaria_equalizer_suite_one_go_language_code_logic_clarity_tool_equalizer_suite.py
py/qyvaria_evolution_agent.py
py/qyvaria_generalization_agentic_ai_sim_single_module.py
py/qyvaria_improvement_engine_one_file_simulator_toolkit_v_1.py
py/qyvaria_language_lock_advanced_voice_chat_module_single_file.py
py/qyvaria_llm_sim_and_meta_agent.py
py/qyvaria_mathematical_ai_sim_agent_symbolic_numeric_steps_proof_hints_python_fast_api.py
py/qyvaria_memo.py
py/qyvaria_meta_intelligence_engine.py
py/qyvaria_model.py
py/qyvaria_module_sumerian_voice +.py
py/qyvaria_module_sumerian_voice.py
py/qyvaria_multi_agent_knowledge_mesh_30_micro_agents_orchestrator_v_0.py
py/qyvaria_natural_voice.py
py/qyvaria_one_agent_sim_with_adoptable_logic_contextual_memory_and_internal_multi_agent_runtime.py
py/qyvaria_pra_genesis_ai_sim_agent.py
py/qyvaria_prompt_engineering_ai_sim_agent_lint_optimize_instantiate_a_b_eval_fast_api_python.py
py/qyvaria_rationality_max.py
py/qyvaria_simulate_then_act_rational_agent_v_0.py
py/qyvaria_team_orchestrator_multi_agent_sim_with_self_optimizer_secure.py
py/qyvaria_unified_sim_agent_knowledge_guild_monolith_v_0.py

Cesta souboru
py/qyvaria_voice.py
py/qyvaria_voice_chat_x_single_file_server_fast_api_web_socket_stubs.py
py/qyvaria_voice_sim_agent_diarization_addressed_reply_router_v_0.py
py/rationality_lab.py
py/reality_aware_sim_machine_awareness_ai_sim_agent_active_inference_single_file.py
py/speed_agent.py
py/sumerian_language_model_ai_sim_agent_qyvaria_compatible.py
py/sumerian_voice_chat_ai_sim_agent_for_qyvaria_fake_it_capable.py
py/therapist_style_ai_sim_agent_safety_first_support_python.py
py/train_model.py
py/translator_crypto_sim_agent_qyvaria_compatible.py
py/voice_engineering_frontend_qyvaria_v_8_module.py

Důkazní základ a redakční hranice

Tento svazek vychází z dodaného korpusu Qyvaria a z předchozí technické studie. Rozlišuje mezi přímo pozorovanými metadaty balíčku, statickou inspekcí zdrojů, řízenými pozorováními z příkazové řádky a interpretačními návrhy. Publikací balíček nepotvrzuje produkční bezpečnost ani netvrdí, že je každý modul spustitelný. Bere projekt jako vážný softwarový korpus, jehož hodnota roste, když jsou důkazy, ambice a další technické kroky popsány jasně.

Rozšířené profily agentního registru

Agent	Cesta	Stav kompilace	Interpretační role
ai-model-tester-agent	py/ai_model_tester_agent.py	Bez uvedeného statického blokátoru	Orientace na evaluaci modelů a test harness.
ai-sim-module-agent	py/ai_sim_module_agent.py	Bez uvedeného statického blokátoru	Aktér simulačního modulu.
all-in-one-agent	py/all_in_one_agent.py	Bez uvedeného statického blokátoru	Široký kombinovaný agentní povrch.
arbiter-sim-agent	py/arbiter_sim_agent.py	Bez uvedeného statického blokátoru	Arbitráž a podpora rozhodování.
emotional-intelligence-agent	py/emotional_intelligence_agent.py	Bez uvedeného statického blokátoru	Koncept emočně citlivé interakce.
forge-sim-agent	py/forge_sim_agent.py	Bez uvedeného statického blokátoru	Simulační aktér orientovaný na konstrukci či generování.
meta-ai-sim-agent	py/meta_ai_sim_agent.py	Bez uvedeného statického blokátoru	Metaúrovňový dohled nad simulací.
omni-sim-agent	py/omni_sim_agent.py	Bez uvedeného statického blokátoru	Obecný víceúčelový simulační aktér.
optimization-checker-agent	py/optimization_checker_agent.py	Bez uvedeného statického blokátoru	Kontrola a revize optimalizace.
qavaria-ai-sim-agent	py/qavaria_ai_sim_agent.py	Bez uvedeného statického blokátoru	Simulační role nesoucí značku Qyvaria.
qy-app-sim-agent	py/qy_app_sim_agent.py	Uveden blokátor	Simulační cesta orientovaná na aplikace.
qyvaria-adaptability-sim-agent-ada ptability-agent	py/qyvaria_adaptability_sim_agent_adap tability_agent.py	Bez uvedeného statického blokátoru	Důraz na adaptabilitu a tvarování odpovědí.
qyvaria-data-code-analyzer-ai-sim- agent	py/qyvaria_data_code_analyzer_ai_sim_a gent.py	Bez uvedeného statického blokátoru	Role pro analýzu dat a kódu.
qyvaria-evolution-agent	py/qyvaria_evolution_agent.py	Bez uvedeného statického blokátoru	Rámec evoluce a iterativního zlepšování.
qyvaria-llm-sim-and-meta-agent	py/qyvaria_llm_sim_and_meta_agent.py	Bez uvedeného statického blokátoru	Simulace jazykového modelu plus meta vrstva.
qyvaria-pra-genesis-ai-sim-agent	py/qyvaria_pra_genesis_ai_sim_agent.py	Bez uvedeného statického blokátoru	Genesis-orientovaný simulační koncept projektu.

Agent	Cesta	Stav kompilace	Interpretační role
speed-agent	py/speed_agent.py	Bez uvedeného statického blokátoru	Aktér orientovaný na latenci nebo throughput.

Průchod cestami registrovaných agentů

py/ai_model_tester_agent.py

Zaznamenaná velikost payloadu: 24,813 bajtů. Stav statické analýzy: OK.

Aspekt	Zjištěný obsah
Reprezentativní třídy	CheckResult, AgentReport, OptimizationCheckerAgent, AIModelTesterAgent
Reprezentativní top-level funkce	—
Importované moduly	collections, dataclasses, json, math, random, statistics, time, typing
Přibližný počet řádků	495

py/ai_sim_module_agent.py

Zaznamenaná velikost payloadu: 2,512 bajtů. Stav statické analýzy: OK.

Aspekt	Zjištěný obsah
Reprezentativní třídy	QyvariaKernelInterface, AISimModuleAgent
Reprezentativní top-level funkce	—
Importované moduly	—
Přibližný počet řádků	67

py/all_in_one_agent.py

Zaznamenaná velikost payloadu: 37,383 bajtů. Stav statické analýzy: OK.

All-In-One Agent Kernel — BabyAGI × Semantic Kernel × Smolagents × CrewAI × LangGraph × AutoGen × LlamaIndex Agents × Strands Single-file, batteries-included Python module implementing a lightweight-yet-complete agent runtime that blends:

- BabyAGI — iterative task creation/prioritization/execution loop.
- Semantic Kernel — skills (tools), memories, and a planner building DAGs.
- Smolagents — code-first autonomy with an inline Python sandbox.
- CrewAI — role-based multi-agent collaboration (delegate, debate).
- LangGraph — stateful, cyclic graph execution with human-in-the-loop.
- AutoGen — multi-agent conversational protocols & tool use.
- LlamaIndex Agents (RAG) — knowledge indexing, retrieval, and action on data.
- Strands Agents — hierarchical p...

Aspekt	Zjištěný obsah
Reprezentativní třídy	Timeout, Event, EventBus, Role, Message, RBAC, Tool, Calculator, FileTool, PythonSandbox, RAGQuery, MemoryStore, LLM, EchoLLM (+20 more)
Reprezentativní top-level funkce	now, short_uid, sha1, clamp, chunks, time_limit, default_human_gate, run_demo
Importované moduly	__future__, abc, argparse, ast, builtins, contextlib, dataclasses, enum, fnmatch, functools, gc, hashlib, heapq, inspect, io, itertools, json, math (+16 more)
Přibližný počet řádků	919

py/arbiter_sim_agent.py

Zaznamenaná velikost payloadu: 11,458 bajtů. Stav statické analýzy: OK.

Aspekt	Zjištěný obsah
Reprezentativní třídy	RiskEntry, RiskRegister, JurisdictionMapper, AgeGatekeeper, _DomainTier, JurorOfSources, ChronologyBuilder, GlossaryKeeper, AltTextSynth, LayoutRecommender, ToneEqualizer, ArbiterSimAgent
Reprezentativní top-level funkce	_recency_score
Importované moduly	__future__, dataclasses, datetime, re, time, typing, urllib

Aspekt	Zjištěný obsah
Přibližný počet řádků	216

py/emotional_intelligence_agent.py

Zaznamenaná velikost payloadu: 14,651 bajtů. Stav statické analýzy: OK.

Emotional Intelligence (EI) AI SIM Agent for Qyvaria ----- Design goals - Deterministic, auditable, RBAC-safe. No network calls. - Single-file module that can plug into a microkernel / agent system. - Clear separation of: sensing (NLP), appraisal (affect & needs), planning (coach tactics), and action (responses). - Fully testable with built-in unit tests and dry-run demo. How to use (standalone) - python emotional_intelligence_agent.py --demo How to use (with a host agent system) - import EmotionalIntelligenceAgent and instantiate with a policy & rng. - Call .observe(user_text) -> .plan() -> .act() or directly .respond(user_text). - Optional: register with your AGI agent system; see `register_with_agi_s...

Aspekt	Zjištěný obsah
Reprezentativní třídy	DeterministicRNG, SafetyPolicy, SafetyGuard, AffectReport, DialogueTurn, DialogueState, EIConfig, EmotionalIntelligenceAgent
Reprezentativní top-level funkce	_utcnow_iso, tokenize, analyze_affect, infer_need, register_with_agi_system, _demo, _assert, test_affect_basic, test_need_mapping, test_safety, run_tests
Importované moduly	__future__, dataclasses, datetime, json, math, random, re, statistics, sys, typing
Přibližný počet řádků	408

py/forgem_sim_agent.py

Zaznamenaná velikost payloadu: 11,147 bajtů. Stav statické analýzy: OK.

Aspekt	Zjištěný obsah
Reprezentativní třídy	RiskEntry, RiskRegister, LatencyForecaster, OutputFragmentHealer, UnitTestSynthesizer, DiagramDraftsman, EvidenceStrengthRater, ForgeSimAgent
Reprezentativní top-level funkce	—
Importované moduly	__future__, ast, dataclasses, datetime, math, re, time, typing, urllib
Přibližný počet řádků	267

py/meta_ai_sim_agent.py

Zaznamenaná velikost payloadu: 13,017 bajtů. Stav statické analýzy: OK.

META AI SIM AGENT MODULE for Qyvaria A compact, deterministic, RBAC-guarded simulation/orchestration agent that can plan, simulate, audit, and (optionally) execute allow-listed commands. Design goals - Kernel-first: pure-Python module with a tiny surface area; no external deps. - Deterministic: seeded PRNG, fixed time budget, reproducible traces. - Auditable: structured logs, contracts (lightweight JSON-schema-ish checks), and pre/post-condition hooks. - Safe execution: explicit command allowlist (RBAC) and dry-run by default. - Composable: expose a single class `MetaAISimAgent` + `register()` hook. Integration notes (expected host features) - An external service may provide a command registry (dict[str, Callable]). - If a Qyvaria "commands"/RBAC se...

Aspekt	Zjištěný obsah
Reprezentativní třídy	ContractError, FieldSpec, Contract, RBAC, Step, SimTrace, AgentConfig, HeuristicPlanner, MetaAISimAgent
Reprezentativní top-level funkce	register
Importované moduly	__future__, dataclasses, json, math, random, re, time, typing, uuid
Přibližný počet řádků	364

py/omni_sim_agent.py

Zaznamenaná velikost payloadu: 11,779 bajtů. Stav statické analýzy: OK.

Aspekt	Zjištěný obsah
Reprezentativní třídy	RiskEntry, RiskRegister, SandboxRunner, HallucinationFirewall, VizMaker, PromptOptimizer, Planner, JourneyMapper, OmniSimAgent
Reprezentativní top-level funkce	safe_eval
Importované moduly	__future__, ast, builtins, contextlib, dataclasses, io, json, math, re, time, traceback, typing
Přibližný počet řádků	268

py/optimization_checker_agent.py

Zaznamenaná velikost payloadu: 11,609 bajtů. Stav statické analýzy: OK.

Aspekt	Zjištěný obsah
Reprezentativní třídy	CheckResult, AgentReport, OptimizationCheckerAgent
Reprezentativní top-level funkce	—
Importované moduly	dataclasses, statistics, typing
Přibližný počet řádků	251

py/qavaria_ai_sim_agent.py

Zaznamenaná velikost payloadu: 16,780 bajtů. Stav statické analýzy: OK.

QAVaria — Agentic AI SIM Agent (single-file module) Purpose ----- A production-ready, *agentic* AI SIM agent designed for Qyvaria-style kernels. It performs intent routing, concise planning, safe tool-use, verifiable answering, privacy-minimized auditing, and policy/legal compliance. Key capabilities ----- • Router → classifies tasks (factual | math | code | creative | long). • Planner → builds a small, auditable plan (no chain-of-thought revealed). • Executors → retrieval + citation answers; program-of-thought math (sandbox); code emit + test; creative diverge→converge; fast cached/speculative generation. • VerifierHub → fact support check, code test gate (math stub ready for prover/CAS). • PolicyGuard → PII redaction, disallowed-conte...

Aspekt	Zjištěný obsah
Reprezentativní třídy	JurisdictionProfile, PolicyGuard, AuditLogger, ToolRegistry, LLMClient, EchoHeuristicLLM, Retriever, VerifierHub, SpecExecutor, LRUCache, QAVariaConfig, QAVariaAgent
Reprezentativní top-level funkce	_now_ms, _ensure_dir, get_commands
Importované moduly	__future__, argparse, dataclasses, hashlib, json, math, pathlib, random, re, time, typing
Přibližný počet řádků	443

py/qyvaria_adaptability_sim_agent_adaptability_agent.py

Zaznamenaná velikost payloadu: 8,907 bajtů. Stav statické analýzy: OK.

Adaptability SIM Agent for Qyvaria - Purpose: detect distribution/task drift, replan safely, and adapt policies under RBAC. - Drop-in: place alongside qyvaria bundle; import and call `bootstrap(agent\_system)` . - Deterministic, auditable, and testable.

Aspekt	Zjištěný obsah
Reprezentativní třídy	DriftSignal, AdaptConfig, AdaptabilityAgent
Reprezentativní top-level funkce	bootstrap
Importované moduly	dataclasses, json, math, py, time, typing, uuid
Přibližný počet řádků	190

py/qyvaria_data_code_analyzer_ai_sim_agent.py

Zaznamenaná velikost payloadu: 23,017 bajtů. Stav statické analýzy: OK.

Qyvaria — Data & Code Analyzer AI SIM Agent (single-file module) Purpose ----- An agentic analyzer for **data** and **code** that boosts Qyvaria's accuracy, speed, and effectiveness. It provides: • Data profiling & validation (schema inference, stats, quality checks, PII-safe summaries) • Code analysis (complexity,

structure, smells, test suggestions) • Repo scanning hooks (RBAC tools) and sandbox/test runners • Deterministic caching, policy/legal compliance, privacy-minimized auditing How to run ----- \$ python "Qyvaria—Data & Code Analyzer AI SIM agent.py" --demo Kernel integration ----- from qyvaria_analyzer_agent import get_commands, AnalyzerConfig, ToolRegistry tools = ToolRegistry(dry_run=True) # tools.register('read_file',...

Aspekt	Zjištěný obsah
Reprezentativní třídy	JurisdictionProfile, PolicyGuard, AuditLogger, ToolRegistry, LRUCache, AnalyzerConfig, ValueMasker, DataAnalyzer, CodeAnalyzer, AnalyzerAgentConfig, AnalyzerAgent
Reprezentativní top-level funkce	_now_ms, _ensure_dir, _sha12, get_commands
Importované moduly	__future__, argparse, csv, dataclasses, hashlib, io, json, math, pathlib, random, re, statistics, time, typing
Přibližný počet řádků	575

py/qyvaria_evolution_agent.py

Zaznamenaná velikost payloadu: 17,151 bajtů. Stav statické analýzy: OK.

Qyvaria Evolution AI SIM Agent ----- A deterministic, auditable evolution engine that learns from usage and proposes safe, reversible improvements to Qyvaria over time. Design principles - Deterministic: seeded RNG, reproducible evaluations, stable hashes. - Auditable: every change is a versioned Patch with provenance, metrics, and revert instructions; full change log kept. - RBAC-safe: evolution only touches allowlisted artifacts (configs, lexicons, routing preferences). No network, no code injection, no arbitrary exec. - Shadow-first: all patches run in shadow mode against replayed logs before activation. Activation requires thresholds. - Rollback-ready: constant-time revert to any prior version. Artifacts under management...

Aspekt	Zjištěný obsah
Reprezentativní třídy	DeterministicRNG, EvolutionPolicy, EvolutionStore, Patch, EvalReport, EvolutionAgent
Reprezentativní top-level funkce	_utcnow_iso, register_with_agi_system, demo, _assert, test_policy_blocks_protected, test_eval_sample_size_gate, test_commit_and_rollback, run_tests
Importované moduly	__future__, dataclasses, datetime, hashlib, json, os, random, statistics, sys, typing, uuid
Přibližný počet řádků	441

py/qyvaria_llm_sim_and_meta_agent.py

Zaznamenaná velikost payloadu: 20,308 bajtů. Stav statické analýzy: OK.

Qyvaria — LLM_SIM Agent & META Learning Agent (single-file reference implementation) Purpose ----- Two complementary agents engineered to improve LLM learning and advancement via simulation: 1) LLM_SIM_Agent — a self-improvement engine using simulation, evaluation, reflection, prompt/skill search, and safe tool orchestration. 2) MetaLearningAgent — a meta-learner that adapts across tasks (learns to learn) via cross-task generalization, bandit scheduling of strategies, and lightweight, deterministic gradient-free updates. Design Tenets ----- - Kernel-first orchestration: simple service registry, deterministic runs, auditable logs. - Policy & law compliance: Privacy-aware logging, PII redaction, content policy checks, RBAC tool allowlists, j...

Aspekt	Zjištěný obsah
Reprezentativní třídy	JurisdictionProfile, PolicyGuard, AuditLogger, ToolRegistry, LLMClient, EchoHeuristicLLM, Skill, MemoryStore, Task, Evaluator, ExactMatchOrSim, LLM_SIM_Config, LLM_SIM_Agent, MetaConfig (+1 more)
Reprezentativní top-level funkce	_now_ms, _ensure_dir, _hash_dict, basic_answer_strategy, reflection_wrapper, demo
Importované moduly	__future__, argparse, dataclasses, functools, hashlib, json, math, os, pathlib, random, re, sys, time, typing
Přibližný počet řádků	560

py/qyvaria_pra_genesis_ai_sim_agent.py

Zaznamenaná velikost payloadu: 40,200 bajtů. Stav statické analýzy: OK.

Qyvaria PraGenesis — AI SIM AGENT (Monolith MVP)

===== One-file,
experiment-friendly foundation that wires 24 sub-agents under a single professional orchestrator. Each sub-agent has: - clear responsibilities - typed interfaces - safe, stubbed methods you can later replace with real models/tools This file favors: - readability over micro-optimizations - strong docstrings and contracts - deterministic, offline-safe behavior (no network calls) Legal & Safety: - No copyrighted third-party code included. - No external calls. All stubs are local and mockable. - Ethics & policy checks are placeholders; refine before production. How to extend: - Replace TODOs with concrete implementations. - You may split each Age...

Aspekt	Zjištěný obsah
Reprezentativní třídy	Mode, Tone, SafetyStatus, Severity, UserProfile, Message, TurnInput, PlanArtifact, SafetyReport, OrchestratorResult, BaseAgent, InterfaceHub, MultimodalIngest, IntentFrame (+26 more)
Reprezentativní top-level funkce	_demo
Importované moduly	__future__, abc, collections, dataclasses, enum, json, logging, math, queue, random, re, string, threading, time, traceback, typing
Přibližný počet řádků	989

py/speed_agent.py

Zaznamenaná velikost payloadu: 4,945 bajtů. Stav statické analýzy: OK.

Aspekt	Zjištěný obsah
Reprezentativní třídy	RiskEntry, RiskRegister, SpeedAgent
Reprezentativní top-level funkce	_canonical_prompt, _cache_key, register_speed_agent
Importované moduly	__future__, dataclasses, hashlib, json, py, time, typing
Přibližný počet řádků	131

VOLUME 04 — CZECH

Vývojářská a vydávací příručka Qyvaria

Repozitář, hardening, testy a vydávací praxe.

CS Volume 04

Vývojářská a vydávací příručka Qyvaria

Praktická cesta od životního korpusu k veřejnému inženýrskému
vydání

Vychází z dodaného korpusu qyvaria.py, jeho textového zrcadla a předchozího technického čtení.

Připraveno pro otevřený publikační balíček Qyvaria - 17. května 2026.

Obsah

1. Účel této vývojářské příručky
2. Současný runtime povrch
3. Sekvence release hardeningu
4. Struktura repozitáře a plán dokumentace
5. Testovací matice a CI brány
6. Workflow přispěvatelů
7. Příloha - Doporučený backlog úkolů

Účel této vývojářské příručky

Tato příručka převádí technické čtení balíčku Qyvaria kernelu do praktického release plánu. Jejím účelem není zmenšit vizi, ale dát jí silnější veřejnou inženýrskou páteř. Projekt se stovkami vložených záznamů si zaslouží opakovatelné balení, vstupní kontrakty, stavové značky, testy, dokumentaci a předvídatelné cesty pro přispívání.

Současný runtime povrch

Povrch	Pozorovaná role
--stats	Vypíše inventář balíčku a základní metadata.
--list	Vypíše vložené cesty souborů.
--extract DIR	Rozbalí payload balíčku do adresáře.
--readme [PATH]	Zapíše vložené README.
--run	Pokusí se o import/dispatch vstupu; řízený probe nevydal stdout.

```
python -S qyvaria.py --stats
python -S qyvaria.py --list
python -S qyvaria.py --extract ./out
python -S qyvaria.py --readme ./BUNDLE_README.md
python -S qyvaria.py --run
```

Sekvence release hardeningu

Fáze	Výstup
Fáze 1 - Normalizace vstupu	Vybrat kanonický import target a sladit wrapper, cesty a dokumentaci.
Fáze 2 - Čistá kompilace	Opravit každý statický syntax blocker nebo přesunout ne-kódové záznamy mimo .py cesty.
Fáze 3 - Poctivá metadata	Sladit codec labely, kompresní tvrzení a README s pozorovaným chováním.
Fáze 4 - Smoke demonstrace	Dodat jedno či dvě ověřené end-to-end demo, která prokáží koncept kernelu.
Fáze 5 - CI a release tagy	Vynutit reprodukovatelné kontroly a publikovat verzované release notes.

Struktura repozitáře a plán dokumentace


Veřejnému repozitáři prospívá oddělení runtime zdrojů, generovaných bundle artefaktů, dokumentace, testů a release důkazů. Autor již zvolil Apache License 2.0 pro software Qyvaria Kernel a Qyvaria OS; tento knižní balíček může ležet v docs/books a být odkazován z přehledu repozitáře.

```
Qyvaria/
  README.md
  LICENSE
  NOTICE
  kernel/
  os/
  tests/
  docs/
    books/
    architecture/
  releases/
    manifests/
    checksums/
```

Testovací matice a CI brány

Brána	Kontrola	Cíl
Parse balíčku	Načíst wrapper jako text; obnovit metadata literály.	Pass/fail
SHA sweep	Dekódovat payload a ověřit každé uložené SHA-256.	0 neshod
Compile sweep	Kompilovat každý vložený Python zdroj.	0 blokátorů

Brána	Kontrola	Cíl
CLI smoke	Spustit --help, --stats, --list, --readme, --extract, --run.	Stabilní exit kódy a očekávané výstupy
Entry demo	Spustit vybranou ověřenou kernel cestu.	Dohledatelný výstup
Mapa závislostí	Rozlišit stdlib a volitelné third-party importy.	Publikovaný inventář



Obrázek 1. Současný compile baseline před úklidem.

Workflow přispěvatelů

- Otevřít issue s konkrétní cestou modulu a reprodukovatelným zjištěním.
- Vytvořit větev, která mění vždy jen jednu oblast.
- Před pull requestem spustit úplnou lokální sadu ověření.
- Přiložit důkazy před/po pro runtime nebo dokumentační změny.
- Držet vizionářské návrhy odděleně od release-stabilních tvrzení.

Příloha - Doporučený backlog úkolů

Priorita	Issue
P0	Vyřešit vstupní cestu qyvaria vs py/Qyvaria.py.
P0	Opravit syntax blocker v py/Qyvaria.py a syntaxi importu v sandboxu.
P0	Rozhodnout, zda .py záznamy s null bytes jsou kód, artefakty, nebo se mají přesunout.
P1	Sladit názvy codecu a tvrzení v README.
P1	Vytvořit jedno minimální ověřené "hello kernel" runtime demo.
P1	Přidat CI job pro hash manifestu a compile sweep.
P2	Definovat schéma rozhraní agentů a generovat API docs.
P2	Vytvořit evaluační fixtures pro paměť, plánování a throttling otázek v hlasu.

Důkazní základ a redakční hranice

Tento svazek vychází z dodaného korpusu Qyvaria a z předchozí technické studie. Rozlišuje mezi přímo pozorovanými metadaty balíčku, statickou inspekcí zdrojů, řízenými pozorováními z příkazové řádky a interpretačními návrhy. Publikací balíček nepotvrzuje produkční bezpečnost ani netvrdí, že je každý modul spustitelný. Bere projekt jako vážný softwarový korpus, jehož hodnota roste, když jsou důkazy, ambice a další technické kroky popsány jasně.

Rozšířený katalog ověření

ID	Kontrola	Definice	Úroveň
T-001	Parse literálů wrapperu	Obnovit __BUNDLE__ a README payload bez importu runtime.	Povinné
T-002	Ověření per-file SHA	Dekódovat payload a porovnat uložený digest.	Povinné
T-003	Poznámka k bundle SHA	Definovat a testovat, co bundle-level hash pokrývá.	Doporučené
T-004	Snapshot CLI --stats	Kontrolovat stabilní pole: name, created time, codec, files, sizes.	Povinné
T-005	Počet CLI --list	Spočítat vypsané soubory a porovnat s manifestem.	Povinné
T-006	Smoke CLI --extract	Rozbalit do temp adresáře a porovnat počet souborů.	Povinné
T-007	Smoke CLI --readme	Zapsat README payload a ověřit neprázdný Markdown.	Povinné
T-008	Chování CLI --run	Definovat očekávaný vstup, stdout/stderr a return code.	Povinné
T-009	Compile sweep	compile(source, path, "exec") pro každý .py payload.	Povinné
T-010	Klasifikátor null bytes	Flagovat zdroje s null bytes před kompilací.	Doporučené
T-011	Report volitelných závislostí	Vypsat FastAPI, NumPy, OpenCV a další volitelné integrace.	Doporučené
T-012	Kontrola registru agentů	Ověřit, že registry paths existují v manifestu.	Povinné
T-013	Report tematické stopy	Regenerovat tematické počty pro release notes.	Volitelné
T-014	Test importu vstupu	Ověřit, že kanonický vstup projde loaderem.	Povinné
T-015	Trace smoke demo	Jedna deterministická end-to-end demonstrace kernelu.	Povinné

Stabilizační mapa podle kategorií

Téma	Označené soubory	Kompiluje	Blokátory
Agenti a simulace	104	92	9
Uvažování a inteligence	56	50	4
Nástroje, aplikace a vývoj	45	41	4
Runtime, kernel a orchestrace	38	35	2
Hlas a jazyk	34	30	4
Bezpečnost, ochrana a provenience	28	22	4
Evaluační, testování a trénink	17	15	1
Paměť a znalosti	15	14	1
Média a vizuální systémy	7	6	1

Úplná compile fronta pro maintainery

Cesta	Řádek	Zjištění při kompilaci
py/aeon_ethics.py	—	source code string cannot contain null bytes
py/aeon_self_diagnostic.py	—	source code string cannot contain null bytes
py/ai_sim_equalizer_v_1.py	401	no binding for nonlocal 'args' found
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py	53	unterminated string literal (detected at line 53)
py/belief_engine.py	—	source code string cannot contain null bytes
py/openmind_module.py	5	invalid syntax
py/PhytoonImageGen.py	1	invalid syntax
py/qy_app_sim_agent.py	521	'(' was never closed
py/qy_durable_orchestrator.py	380	unterminated triple-quoted string literal (detected at line 380)
py/qy_llm_pipeline.py	71	unterminated string literal (detected at line 71)
py/qy_sim_pack_100.py	368	invalid syntax
py/qyintelligence_max.py	343	unmatched '}'
py/Qyvaria Moral Constitution — Humanity-First.py	3	invalid syntax
py/qyvaria_module_sumerian_voice+.py	249	invalid syntax
py/qyvaria_natural_voice.py	53	expected an indented block after function definition on line 53
py/qyvaria_secure_sandbox.py	68	invalid syntax
py/qyvaria_simulate_then_act_rational_agent_v_0.py	403	f-string: valid expression required before '}'
py/qyvaria_ultralite_suite.py	993	unterminated string literal (detected at line 993)
py/qyvaria_voice.py	603	'yield from' inside async function
py/Qyvaria.py	2098	invalid character '—' (U+2014)
py/rationality_lab.py	1	invalid syntax
py/reality_aware_sim_machine_awareness_ai_sim_agent_active_inference_single_file.py	292	'(' was never closed
py/recursive_reflector.py	—	source code string cannot contain null bytes
py/shell.py	9	unterminated string literal (detected at line 9)
py/teleprompter.py	5	invalid character '—' (U+2014)
py/therapist_style_ai_sim_agent_safety_first_support_python.py	131	positional argument follows keyword argument
py/truth_alignment_kernel.py	—	source code string cannot contain null bytes
py/Varia Health Reporter — phrase→status system.py	86	'(' was never closed
py/velcode_shell.py	5	unterminated string literal (detected at line 5)

Checklist publikace repozitáře

- Udržovat license soubory softwaru v kořeni repozitáře.
- PDF knihy umístit do docs/books a index ponechat vedle nich.
- Do README přidat sekci odkazující na publikační balíček.
- Vytvořit CHANGELOG oddělující rozšiřování konceptu od ověřených runtime změn.
- Až budou připraveny, commitnout reprodukovatelné analytické skripty.
- Přiložit ZIP release asset pro čtenáře, kteří chtějí celou knihovnu najednou.
- Použít issue labely pro entry, compile, docs, tests, architecture, agents, OS integration.

VOLUME 05 — CZECH

Auditní a důkazní dossier Qyvaria

Integrita, kompilace, rizika a nápravný žebřík.

CS Volume 05

Auditní a důkazní dossier Qyvaria

Integrita, kompilční zjištění, registr rizik a žebřík nápravy

Vychází z dodaného korpusu qyvaria.py, jeho textového zrcadla a předchozího technického čtení.

Připraveno pro otevřený publikační balíček Qyvaria - 17. května 2026.

Obsah

1. Účel auditu
2. Tabulka pozorovaných důkazů
3. Integrita a ověření balíčku
4. Statické kompilční blokátory
5. Registr rizik
6. Žebřík nápravy
7. Příloha - Úplný seznam kompilčních vad

Účel auditu

Tento auditní dossier je záměrně střízlivý. Zaznamenává to, co lze doložit z dodaného balíčku a z řízené inspekce. Jeho funkcí je chránit projekt před dvěma stejně chybnými extrémami: podcenit rozsáhlý a smysluplný korpus, nebo přecenit release připravenost korpusu, který stále vykazuje konkrétní blokátory.

Tabulka pozorovaných důkazů


Pozorování	Stav	Význam
Záznamy balíčku	277	Manifest je rozsáhlý.
Python záznamy	268	Velká plocha zdrojů.
Binární záznamy	9	Smíšené typy payloadu.
Neshody per-file hashů	0	Při statickém dekódování nebyly zjištěny neshody.
Kompilačně čisté Python záznamy	239	Velká funkční podmnožina zdrojů.
Kompilční blokátory	29	Fronta release úklidu.
Registrované agenti	17	Agentní registr na úrovni manifestu.

Integrita a ověření balíčku

Wrapper ukládá SHA-256 hodnotu pro každý payload záznam a po dekódování ověřuje digest. V datasetu použitím pro tento publikační balíček nenalezl decode-and-hash sweep žádné neshody. To je skutečná síla: i před release hardeningem je korpus vnitřně katalogizovaný a nese silná per-file identifikační metadata.

Cesta	Druh	Bajty	Prefix SHA
py/Qyvaria.py	python	146,711	54beeb338a9b14e3
py/qyvaria_all_in_one (1).py	python	63,074	526246559fb05cb0
py/qyvaria_cognitive_superstack.py	python	45,542	86512e05b3d1a2cb
py/qyvaria_ultralite_suite.py	python	42,515	3f38baabb7b09524
py/qyvaria_lightweight_foundation.py	python	40,279	d1fa636a0d769aa3
py/qyvaria_pra_genesis_ai_sim_agent.py	python	40,200	cbe80dbdc29ccf69
py/all_in_one_agent.py	python	37,383	62915c8c4b2fcfb5
py/qyvaria_monolith_20.py	python	36,419	7ed833900f6d77a1
py/qyvaria_meta_intelligence_engine.py	python	35,016	091484f39f9f0f2c
py/qy_ai_universe_plus.py	python	34,532	21096bef8b9818bb
py/Varia+.py	python	34,191	bcb1a61dc0237d23
py/qy_ai_universe.py	python	32,305	d4be1b9409e2da12
py/qyintelligence_max.py	python	32,120	2ba6dc37512070b8
py/qy_sim_engineering_ai.py	python	31,925	7d29efd7ad4a92aa
py/qy_app_sim_agent.py	python	29,860	1d09dbe70d2b88e2

Statické kompilční blokátory



Obrázek 1. Baseline statické kompilace.

Cesta	Řádek	Zjištění při kompilaci
py/aeon_ethics.py	—	source code string cannot contain null bytes
py/aeon_self_diagnostic.py	—	source code string cannot contain null bytes
py/ai_sim_equalizer_v_1.py	401	no binding for nonlocal 'args' found
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py	53	unterminated string literal (detected at line 53)
py/belief_engine.py	—	source code string cannot contain null bytes
py/openmind_module.py	5	invalid syntax
py/PhytoonImageGen.py	1	invalid syntax
py/qy_app_sim_agent.py	521	'(' was never closed
py/qy_durable_orchestrator.py	380	unterminated triple-quoted string literal (detected at line 380)
py/qy_llm_pipeline.py	71	unterminated string literal (detected at line 71)
py/qy_sim_pack_100.py	368	invalid syntax
py/qyintelligence_max.py	343	unmatched '}'

Interpretace: blokátory se liší typem. Některé vypadají jako vložené ne-kódové fragmenty nebo náhodné null bytes; jiné jsou běžné syntax chyby opravitelné přímo. Úklid je tedy konečný a klasifikovatelný.

Registr rizik

ID	Riziko	Úroveň	Zmírnění
R1	Nejednoznačnost vstupní cesty	Vysoké	Vybrat jeden kanonický import a zdokumentovat jej.
R2	Neshoda codec labelu	Střední	Implementovat nebo přejmenovat codec metadata.
R3	Syntax blokátory	Vysoké	Compile sweep musí být zelený před release tvrzeními.
R4	Volitelné závislosti	Střední	Zdokumentovat, které moduly potřebují které balíčky.
R5	Bezpečnostní tvrzení bez test fixtures	Střední	Napojit sandbox/provenience tvrzení na spustitelné testy.

Žebřík nápravy

- Úroveň 0: zachovat současný balíček a checksumy jako archivní snapshot.
- Úroveň 1: normalizovat řešení vstupu a chování CLI.
- Úroveň 2: odstranit compile blokátory nebo překlasifikovat ne-kódové záznamy.
- Úroveň 3: publikovat inventář závislostí a deterministická demo.
- Úroveň 4: přidat průběžné release důkazy a případně podepsané artefakty.

Příloha - Úplný seznam kompilčních vad

Cesta	Řádek	Zjištění při kompilaci
py/aeon_ethics.py	—	source code string cannot contain null bytes
py/aeon_self_diagnostic.py	—	source code string cannot contain null bytes
py/ai_sim_equalizer_v_1.py	401	no binding for nonlocal 'args' found
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py	53	unterminated string literal (detected at line 53)
py/belief_engine.py	—	source code string cannot contain null bytes
py/openmind_module.py	5	invalid syntax
py/PhytoonImageGen.py	1	invalid syntax
py/qy_app_sim_agent.py	521	'(' was never closed
py/qy_durable_orchestrator.py	380	unterminated triple-quoted string literal (detected at line 380)
py/qy_llm_pipeline.py	71	unterminated string literal (detected at line 71)
py/qy_sim_pack_100.py	368	invalid syntax
py/qyintelligence_max.py	343	unmatched '}'
py/Qyvaria Moral Constitution — Humanity-First.py	3	invalid syntax
py/qyvaria_module_sumerian_voice+.py	249	invalid syntax
py/qyvaria_natural_voice.py	53	expected an indented block after function definition on line 53
py/qyvaria_secure_sandbox.py	68	invalid syntax
py/qyvaria_simulate_then_act_rational_agent_v_0.py	403	f-string: valid expression required before '}'
py/qyvaria_ultralite_suite.py	993	unterminated string literal (detected at line 993)
py/qyvaria_voice.py	603	'yield from' inside async function
py/Qyvaria.py	2098	invalid character '—' (U+2014)
py/rationality_lab.py	1	invalid syntax
py/reality_aware_sim_machine_awareness_ai_sim_agent_active_inference_single_file.py	292	'(' was never closed
py/recursive_reflector.py	—	source code string cannot contain null bytes
py/shell.py	9	unterminated string literal (detected at line 9)
py/teleprompter.py	5	invalid character '—' (U+2014)
py/therapist_style_ai_sim_agent_safety_first_support_python.py	131	positional argument follows keyword argument
py/truth_alignment_kernel.py	—	source code string cannot contain null bytes
py/Varia Health Reporter — phrase→status system.py	86	'(' was never closed
py/velcode_shell.py	5	unterminated string literal (detected at line 5)

Důkazní základ a redakční hranice

Tento svazek vychází z dodaného korpusu Qyvaria a z předchozí technické studie. Rozlišuje mezi přímo pozorovanými metadaty balíčku, statickou inspekcí zdrojů, řízenými pozorováními z příkazové řádky a interpretačními návrhy. Publikací balíček nepotvrzuje produkční bezpečnost ani netvrdí, že je každý modul spustitelný. Bere projekt jako vážný softwarový korpus, jehož hodnota roste, když jsou důkazy, ambice a další technické kroky popsány jasně.

Taxonomie kompilčních blokátorů

Rodina blokátorů	Počet
Neplatná syntaxe	7
Neukončený string	6
Zdrojový záznam s null bytes	5
Neuzavřený delimiter	3
Jiný kompilční blokátor	2

Rodina blokátorů	Počet
Neplatný znak mimo kód	2
Chyba scope bindingu	1
Nespárovaný delimiter	1
Nekompatibilita async/yield	1
Pořadí argumentů volání	1

Nápravné nápovědy pro jednotlivé blokátory

Cesta	Zjištění	První pravděpodobný krok
py/aeon_ethics.py	source code string cannot contain null bytes	Překlasifikovat na binární artefakt nebo obnovit textový zdroj.
py/aeon_self_diagnostic.py	source code string cannot contain null bytes	Překlasifikovat na binární artefakt nebo obnovit textový zdroj.
py/ai_sim_equalizer_v_1.py	no binding for nonlocal 'args' found	Přesunout binding do enclosing scope nebo odstranit nonlocal.
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py	unterminated string literal (detected at line 53)	Uzavřít nebo znovu ohraničit string či triple-string.
py/belief_engine.py	source code string cannot contain null bytes	Překlasifikovat na binární artefakt nebo obnovit textový zdroj.
py/openmind_module.py	invalid syntax	Prohlédnout lokální statement a přepsat jej do validního Pythonu.
py/PhytoonImageGen.py	invalid syntax	Prohlédnout lokální statement a přepsat jej do validního Pythonu.
py/qy_app_sim_agent.py	'(' was never closed	Vyvážit delimitery v daném bloku.
py/qy_durable_orchestrator.py	unterminated triple-quoted string literal (detected at line 380)	Uzavřít nebo znovu ohraničit string či triple-string.
py/qy_llm_pipeline.py	unterminated string literal (detected at line 71)	Uzavřít nebo znovu ohraničit string či triple-string.
py/qy_sim_pack_100.py	invalid syntax	Prohlédnout lokální statement a přepsat jej do validního Pythonu.
py/qyintelligence_max.py	unmatched '}'	Vyvážit delimitery v daném bloku.
py/Qyvaria Moral Constitution — Humanity-First.py	invalid syntax	Prohlédnout lokální statement a přepsat jej do validního Pythonu.
py/qyvaria_module_sumerian_voice+.py	invalid syntax	Prohlédnout lokální statement a přepsat jej do validního Pythonu.
py/qyvaria_natural_voice.py	expected an indented block after function definition on line 53	Zkontrolovat přesnou compiler hlášku a lokálně opravit.
py/qyvaria_secure_sandbox.py	invalid syntax	Prohlédnout lokální statement a přepsat jej do validního Pythonu.
py/qyvaria_simulate_then_act_rational_agent_v_0.py	f-string: valid expression required before '}'	Zkontrolovat přesnou compiler hlášku a lokálně opravit.
py/qyvaria_ultralite_suite.py	unterminated string literal (detected at line 993)	Uzavřít nebo znovu ohraničit string či triple-string.
py/qyvaria_voice.py	'yield from' inside async function	Použít async-kompatibilní iteraci.
py/Qyvaria.py	invalid character '—' (U+2014)	Zakomentovat nebo uzavřít vložený prose/media text.
py/rationality_lab.py	invalid syntax	Prohlédnout lokální statement a přepsat jej do validního Pythonu.
py/reality_aware_sim_machine_awareness_ai_sim_agent_active_inference_single_file.py	'(' was never closed	Vyvážit delimitery v daném bloku.
py/recursive_reflector.py	source code string cannot contain null bytes	Překlasifikovat na binární artefakt nebo obnovit textový zdroj.
py/shell.py	unterminated string literal (detected at line 9)	Uzavřít nebo znovu ohraničit string či triple-string.
py/teleprompter.py	invalid character '—' (U+2014)	Zakomentovat nebo uzavřít vložený prose/media text.
py/therapist_style_ai_sim_agent_safety_first_support_python.py	positional argument follows keyword argument	Přeuspořádat argumenty tak, aby poziční byly před keywordy.
py/truth_alignment_kernel.py	source code string cannot contain null bytes	Překlasifikovat na binární artefakt nebo obnovit textový zdroj.

Cesta	Zjištění	První pravděpodobný krok
py/Varia Health Reporter — phrase→status system.py	'(' was never closed	Vyvážit delimitery v daném bloku.
py/velcode_shell.py	unterminated string literal (detected at line 5)	Uzavřít nebo znovu ohraničit string či triple-string.

Žebřík kvality důkazů

Úroveň	Název	Význam
E0	Pouze název	Modul existuje v manifestu.
E1	Staticky čitelný	Zdroj se dekoduje a lze jej inspektovat.
E2	Kompilačně čistý	Zdroj kompiluje pod analytickým interpretem.
E3	Smoke spustitelný	Ohraničené volání běží a emituje očekávané trace.
E4	Pokrytý testy	Automatizované testy pokrývají očekávané chování.
E5	Release doložený	Tvrzení jsou svázána s docs, testy, verzováním a veřejnými poznámkami.

VOLUME 06 — CZECH

Blueprint integrace Qyvaria OS

Koncepční vztah kernelu a OS.

CS Volume 06

Blueprint integrace Qyvaria OS

Koncepční kniha vztahu kernelu a OS, jasně oddělená od ověřené implementace

Vychází z dodaného korpusu qyvaria.py, jeho textového zrcadla a předchozího technického čtení.

Přípraveno pro otevřený publikační balíček Qyvaria - 17. května 2026.

Obsah

1. Co tento blueprint je
2. Vztah kernelu a OS
3. Navržené service kontrakty
4. Uživatelské povrchy a runtime režimy
5. Data, paměť a provenience
6. Bezpečnostní hranice a governance
7. Příloha - Koncepční integrační checklist

Co tento blueprint je

Tento svazek je jasně označený koncepční blueprint. Autor uvedl, že Qyvaria OS je software určený ke spolupráci s Qyvaria kernelem. Dodaný korpus obsahuje mnoho prvků, které by takový vztah mohly podporovat - hlasové vrstvy, control planes, tvůrce aplikací, paměťové systémy, orchestrátory, policy moduly a provenienci - tato kniha však netvrdí, že úplná OS integrace je již ověřena. Navrhuje disciplinovaný způsob, jak tento vztah veřejně popsat.

Vztah kernelu a OS

Odpovědnost kernelu	Odpovědnost OS	Pravidlo hranice
Routing úloh	Dispatch UI příkazů	OS žádá; kernel orchestruje.
Paměťové služby	Prezentace a uživatelská nastavení	OS zobrazuje; kernel ukládá/vyhledává.
Běh agentů	Správa sezení a pracovních prostorů	OS hostuje; kernel koordinuje.
Policy kontroly	Consent povrchy a nastavení	OS zobrazuje; kernel vynucuje.
Provenience výstupů	Export, badge, pohledy na soubory	OS renderuje; kernel podepisuje/sleduje.

Navržené service kontrakty

Služba	Minimální konceptuální rozhraní
KernelSession	create_session(user_context) -> session_id
AgentRouter	dispatch(task_spec) -> plán nebo execution trace
MemoryService	put(record), query(query_spec), explain(record_id)
PolicyService	check(action_spec) -> allow/deny/rewrite
VoiceService	listen(), think(), speak(), yield_control()
ProvenanceService	sign_artifact(), verify_artifact(), strip_metadata()

Uživatelské povrchy a runtime režimy

Režim	Interpretace pro Qyvaria OS
Hlasový režim	Použit Voice OS, dvojjazyčný hlas, policy patche, pravidla barge-in.
Workbench režim	Použit app creatory, analyzátoři, writery, code explainery a audit nástroje.
Simulační režim	Použit SIM packy, complete SIM, agent fabrics a world modely.
Vývojářský režim	Použit control plane, aktivaci modulů, testy a release reporty.

Data, paměť a provenience

Korpus klade zvláštní důraz na paměť a provenienci. Příběh kernel-plus-OS by to měl zachovat. OS by neměl paměť prezentovat jako magii; má ukázat, co bylo uloženo, kdy, z jakého subsystému a jak to uživatel může zkontrolovat nebo odstranit. Totéž platí pro provenienční artefakty: lidsky čitelné pohledy jsou přínosem OS, zatímco podpis, stripping či verifikace patří blíže kernel/service vrstvě.

Bezpečnostní hranice a governance

- Každá akce navenek má projít výslovným policy rozhodnutím.
- OS má zobrazit, kdy je akce simulovaná a kdy může ovlivnit externí stav.
- Hlasová sezení mají ukazovat throttling otázek, přerušení a consent stavy.
- Inspekce a mazání paměti mají být prvotřídní UI schopnosti.
- Provenienční nástroje mají být prezentovány jako ověřitelné operace, ne jako dekorativní tvrzení.

Příloha - Koncepční integrační checklist

- Pojmenovat kanonický kernel vstup.
- Definovat schéma OS-to-kernel task requestu.
- Definovat schéma kernel-to-OS trace/eventů.
- Vystavit API pro inspekci a mazání paměti.
- Definovat API policy checků a vysvětlení.
- Svázat hlasové UI s deterministickým stavovým automatem.
- Publikovat jeden úplný OS flow: input -> kernel -> output -> provenience.

Důkazní základ a redakční hranice

Tento svazek vychází z dodaného korpusu Qyvaria a z předchozí technické studie. Rozlišuje mezi přímo pozorovanými metadaty balíčku, statickou inspekcí zdrojů, řízenými pozorováními z příkazové řádky a interpretačními návrhy. Publikací balíček nepotvrzuje produkční bezpečnost ani netvrdí, že je každý modul spustitelný. Bere projekt jako vážný softwarový korpus, jehož hodnota roste, když jsou důkazy, ambice a další technické kroky popsány jasně.

Atlas use casů

Use case	Scénář	Kernel kotva
Hlasová pracovní relace	Uživatel mluví; OS řídí UI stav; kernel routuje hlas, paměť, politiku a tvarování odpovědi.	VoiceOS + policy + memory
Znalostní notebook	Uživatel ukládá myšlenky; OS vystaví notebooky; kernel ukládá záznamy a podporuje retrieval.	QYMemory + retrieval
Agentní task studio	Uživatel sestaví ohraničený úkol; OS poskytne ovládání; kernel dispatchuje na agenta/orchestrátor.	AgentBus + orchestrator
Export s proveniencí	Uživatel exportuje artefakt; OS ukáže badge/export UI; kernel podepisuje nebo ověřuje metadata.	Provenance toolkit
Vývojářský cockpit	Maintainer zkoumá moduly, testy a výkon; OS obaluje control-plane povrchy.	Control plane + tests

Mapa služeb na důkazní stopy

Oblast služby	Důkazní cesty	Poznámka blueprintu
Hlas	py/Qyvaria Voice Os.py; py/qybilingual_voice.py; py/qyvaria_voice.py	OS může vystavit hlasový pracovní prostor.
Paměť	py/qymemory.py; py/qy_memory_extended_pluggable_memory_module_for_qyvaria_v_8.py	OS může vystavit inspektovatelný pohled na paměť.
Control plane	py/qyvaria_control_plane.py; py/qy_control_plane.py	OS může zpřístupnit správu a operace s moduly.
Agent routing	py/qyorchestrator.py; py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py	OS může předávat ohraničené úlohy kernel routingu.
Provenience	py/qyvaria_provenance_toolkit_v_0.py; py/qy_logo_stamp.py	OS může prezentovat ověření a exportní akce.

Koncepční event trace

```

01 OS přijme úkol nebo mluvený požadavek
02 OS vytvoří KernelTaskSpec
03 Kernel provede policy pre-check
04 Agent router vybere ohraničenou trasu
05 Paměť vyhledá kontext
06 Reasoner / planner vytvoří trace
07 Policy post-check a bezpečnostní vysvětlení
08 OS zobrazí výsledek, paměťovou poznámku a stav provenience

```

Trace je záměrně koncepční. Slouží veřejné komunikaci integrace Qyvaria OS, nikoli tvrzení, že každý očíslovaný krok již existuje jako ověřená end-to-end implementace.

Konceptní datové objekty

```
KernelTaskSpec:  
  id: string  
  user_goal: string  
  modality: text | voice | app  
  allowed_actions: list  
  memory_scope: session | project | none  
  provenance_required: bool
```

```
KernelTrace:  
  steps: list  
  policy_decisions: list  
  memory_reads: list  
  memory_writes: list  
  provenance_records: list
```

VOLUME 07 — CZECH

Manifest otevřené inteligence

Qyvaria

Vize, spolupráce, důkazy a veřejný účel.

CS Volume 07

Manifest otevřené intelligence Qyvaria

Vize, spolupráce, důkazy a veřejný účel díla

Vychází z dodaného korpusu qyvaria.py, jeho textového zrcadla a předchozího technického čtení.

Připraveno pro otevřený publikační balíček Qyvaria - 17. května 2026.

Obsah

1. Úvodní deklarace
2. Proč otevřená práce na inteligenci záleží
3. Postoj Qyvarie
4. Principy pro tvůrce
5. Ambice s důkazy
6. Veřejné pozvání
7. Příloha - Třicet publikačních principů Qyvaria

Úvodní deklarace

Qyvaria je zde představena nejen jako technický artefakt, ale i jako deklarace záměru: že ambiciózní AI systémy mají být zkoumány veřejně, pečlivě dokumentovány a nabídnuty širší komunitě k dalšímu zlepšení. Autor vyjádřil přesvědčení, že širší dostupnost může urychlit lidský pokrok v AI a AI systémech. Tento manifest převádí tuto víru do trvalého publikačního hlasu a zároveň zůstává věrný důkazně orientovaným technickým knihám ve stejném balíčku.

Proč otevřená práce na inteligenci záleží

Otevřená technická práce záleží, protože žádný člověk nevidí každý failure mode, každou integrační cestu ani každé budoucí použití. Životní projekt zesílí, když jej čtenáři mohou zkoumat, zpochybňovat, opravovat a přenášet do kontextů, které původní autor nepředvídal. Neznamená to nafukovat každé tvrzení. Znamená to dát každé smysluplné myšlence cestu k důkazu.

Postoj Qyvarie

- Budovat velké vize, ale publikovat přesné hranice.
- Chápat softwarovou architekturu jako občanské pozvání ke spolupráci.
- Pojmenovat, co je ověřeno a co zůstává blueprintem.
- Neskrývat release blokátory; převést je na roadmapu.
- Použít otevřené licencování softwaru, když je misí široká účast.

Principy pro tvůrce

Princip	Význam
1. Otevřenost	Veřejný projekt má rozlišovat zdrojové důkazy od aspirace.
2. Opravitelnost	Zjištění je užitečné, když se může stát issue, patchem nebo testem.
3. Komponovatelnost	Systémy bohatnou, když moduly vystavují jasné kontrakty.
4. Lidská čitelnost	Lidé mají rozumět příběhu systému.
5. Dlouhý horizont	Životní korpus si zaslouží archivní péči a budoucnostní strukturu.

Ambice s důkazy

Publikační balíček Qyvaria záměrně staví audit a manifest vedle sebe. Manifest říká, proč projekt záleží; audit říká, co současný artefakt prokazatelně obsahuje. Tato kombinace je zdravější než kterýkoli extrém samostatně. Bez vize se korpus stane skladem. Bez důkazu se vize stane mlhou.

Veřejné pozvání

Veřejné pozvání je jednoduché: čtete knihy, zkoumejte kód, zachovejte ambiciózní jádro, zlepšujte ověřený povrch a pomozte převést širokou systémovou imaginaci do opakovatelných demonstrací. Qyvaria si zaslouží čtenáře, kteří dokáží ctít sen i inženýrskou práci nutnou k tomu, aby byl sen čitelný.

Příloha - Třicet publikačních principů Qyvaria

- Publikovat rozsah dříve než slogan.
- Upřednostnit kontrakty před tajemností.
- Zachovat hashe, manifesty a důkazy.
- Ctít autora tím, že dílo bude prozkoumatelné.
- Oddělit fakta o kernelu od blueprintů OS.
- Neplést si množství modulů s release připraveností.
- Brát compile blokátory jako práci, nikoli ostudu.
- Vytvořit cestu pro nováčky.
- Vytvořit cestu pro experty.
- Vytvořit cestu pro kritiky.
- Dokumentovat hlas, paměť a politiku jako prvotřídní témata.
- Pojmenovat závislosti.
- Pojmenovat volitelné závislosti.
- Pojmenovat, co je simulováno.
- Pojmenovat, co je spustitelné.
- Vytvořit jeden ověřený flow před tvrzením o mnoha.
- README držet krátké; hloubku nést v knihách.
- Nechat repozitář indexovat knihy.
- Publikovat dvojjazyčně, když autor chce oba okruhy čtenářů.
- Psát architekturu tak, aby budoucí přispěvatelé mohli produktivně nesouhlasit.
- Psát audit tak, aby budoucí přispěvatelé mohli produktivně opravovat.
- Psát filozofii tak, aby budoucí přispěvatelé rozuměli účelu.
- Udržovat release notes.
- Udržovat historické snapshoty.
- Dovolit ambici přežít úklid.
- Dovolit úklidu disciplinovat ambici.
- Umožnit příspěvní bez povinnosti přijmout jedinou interpretaci.
- Stavět pro lidské čtenáře i pro stroje.
- Zanechat stopu, do které se budoucí já může vrátit.
- Postupovat důkazem, iterací a velkorysostí.

Důkazní základ a redakční hranice

Tento svazek vychází z dodaného korpusu Qyvaria a z předchozí technické studie. Rozlišuje mezi přímo pozorovanými metadaty balíčku, statickou inspekcí zdrojů, řízenými pozorováními z příkazové řádky a interpretačními návrhy. Publikační balíček nepotvrzuje produkční bezpečnost ani netvrdí, že je každý modul spustitelný. Bere projekt jako vážný softwarový korpus, jehož hodnota roste, když jsou důkazy, ambice a další technické kroky popsány jasně.

Dopis budoucím přispěvatelům

Nepřicházíte do prázdného repozitáře. Přicházíte do hustého pole pokusů, názvů, skic, modulů a ambicí. Zacházejte s touto hustotou trpělivě. Správným prvním příspěvkem může být test, normalizace cesty, compile oprava, jasnější věta v README nebo ověřená demonstrace. Velké systémy nepostupují jen grandiózními doplňky; postupují, když je lidé činí důvěryhodnějšími.

Autor zvolil otevřenost, protože pokrok se může skládat. Tato volba si zaslouží péči. Zachovejte provenienci, nemažte hlas projektu a posilujte hranici mezi tím, co bylo vymyšleno, a tím, co bylo doloženo.

Glosář publikačního postoje

Pojem	Význam
Životní korpus	Dlouhodobé tělo kódu a myšlenek, které si zaslouží zachování i úklid.
Důkazně orientované	Tvrzení navázané na pozorovaný zdroj, test nebo řízený probe.
Blueprint	Budoucnostní návrh, ne automaticky ověřená implementace.
Otevřená inteligence	Mise upřednostňující zkoumatelnost, příspěví a sdílený pokrok.
Release disciplína	Zvyk převádět vizi na opakovatelné, testovatelné a verzované artefakty.
Metafora kernelu	Centrální koordinační idea projektu, ne nutně operačně-systémový kernel.

Cesty čtenářů

Čtenář	Doporučená cesta
Zvědavý nováček	Číst index balíčku, manifest a poté velké kompendium.
Inženýr	Číst atlas architektury, vývojářskou příručku a auditní dossier.
Výzkumník AI systémů	Číst encyklopedii agentů a OS blueprint s auditem po ruce.
Maintainer	Použít vývojářskou příručku a auditní dossier jako pracovní fronty.
Příspěvateľ	Začít jedním issue, jedním testem, jedním patchem a jedním zdokumentovaným výsledkem.

VOLUME 08 — CZECH

Atlas vložených modulů Qyvaria

Importy, portréty modulů, manifest a index modulů.

CS Volume 08

Atlas vložených modulů Qyvaria

Importy, portréty modulů, úplný manifest a index kompilčně čistých
profilů

Vychází z dodaného korpusu qyvaria.py, jeho textového zrcadla a předchozího technického čtení.

Připraveno pro otevřený publikační balíček Qyvaria - 17. května 2026.

Obsah

1. Orientace v atlase
2. Nejčastější importy a styl knihovny
3. Portréty hlavních modulů
4. Úplný manifest na první pohled
5. Příloha - Index profilů kompilčně čistých modulů

Orientace v atlase

Tento atlas je určen čtenářům, kteří se chtějí pohybovat krajinou zdrojů Qyvaria. Je méně argumentační než kompendium a více kartografický: importy, velikosti payloadů, portréty modulů, manifest záznamy a profilové indexy. Cílem je učinit rozsáhlý vložený balík průchodným.

Nejčastější importy a styl knihovny

Importovaný symbol/modul	Výskyty
typing	176
__future__	170
dataclasses	169
json	89
time	82
re	74
os	72
math	59
argparse	58
random	49
hashlib	37
sys	33
pathlib	30
io	26
textwrap	26
numpy	25
datetime	22
collections	22
fastapi	19
threading	18
statistics	17
ast	16
base64	16
torch	14
importlib	11
functools	11
	11
asyncio	10
traceback	10
inspect	9
types	9
subprocess	9
qyvaria	9
queue	8
struct	8
uuid	7
urllib	7
sklearn	7
pandas	7
PIL	6

Stopa importů mísí pragmatismus standardní knihovny s volitelnými integracemi třetích stran. Vysoké počty výskytů typing, dataclasses, json, time, re a os ukazují na styl stavěný na explicitních datových strukturách a deterministických utilitách. Výskyty fastapi a numpy naznačují, že některé moduly míří k servisním povrchům a numerické akceleraci, pokud jsou volitelné balíčky dostupné.

Portréty hlavních modulů

py/Qyvaria Sim Profile.py

Zaznamenaná velikost payloadu: 9,392 bajtů. Stav statické analýzy: OK.

Qyvaria Individual Simulation Profile ----- A drop-in module that gives Qyvaria its own self-contained simulation runtime plus an opt-in conversation policy that: • Suppresses “help-seeking” clichés (e.g., “do you need help?”, “need more help?”) • Starts interesting, open-ended conversations proactively (without being clingy) Design goals - Kernel-safe: pure Python, no I/O, no threads, no network. - Deterministic: seedable PRNG and explicit toggles. - Auditable: single class for policy; single class for simulation runtime; tiny API. To wire in: 1) Drop this file into the bundle (e.g., py/qyvaria_sim_profile.py). 2) From your kernel entry or router, import `register\_qyvaria\_sim(runtime)` and call it with a dict-like `r...

Aspekt	Zjištěný obsah
Reprezentativní třídy	ConversationPolicy, IndividualSimulation
Reprezentativní top-level funkce	register_qyvaria_sim
Importované moduly	__future__, dataclasses, math, random, re, time, typing
Přibližný počet řádků	231

py/Qyvaria Complete Sim.py

Zaznamenaná velikost payloadu: 8,225 bajtů. Stav statické analýzy: OK.

Qyvaria Complete SIM — Unified Runtime ===== One-file orchestrated simulation for Qyvaria that pulls together: • Conversation Policy (no needy help prompts, proactive starters) • AEON AI SIM (planner → critic → safe executor, memory, skills) • AEON LIFE • LIVE (event bus, lifecycle, scheduler) • Non-Repetitive Mode (n-gram repetition guard) Design goals - Pure Python, deterministic seeds, no network I/O. - RBAC-safe: all actuation via allowlisted commands. - Drop-in: runs standalone or registers into an existing runtime dict. - Auditable: explicit traces and small, testable surfaces. Files this integrates with (soft deps; shims used if missing): - qyvaria_sim_profile.py - aeon_ai_sim.py - aeon_life_live.py - no_repeat...

Aspekt	Zjištěný obsah
Reprezentativní třídy	QyvariaCompleteSIM
Reprezentativní top-level funkce	—
Importované moduly	__future__, aeon_ai_sim, aeon_life_live, dataclasses, no_repeat_guard, qyvaria_sim_profile, random, re, time, typing
Přibližný počet řádků	203

py/Qyvaria Voice Os.py

Zaznamenaná velikost payloadu: 9,881 bajtů. Stav statické analýzy: OK.

Qyvaria Voice OS — Advanced Conversational Runtime (Voice-First) ===== Purpose A production-style, deterministic, auditable voice chat operating layer for Qyvaria that is engaging and *does not ask questions nonstop*. It manages turn-taking, backchannels, question-throttling, barge-in, and prosody hints — while integrating with the existing Complete SIM / AEON stack. Highlights • Voice state machine: LISTEN → THINK → SPEAK → (HOLD|YIELD) • Question-Throttle: per-minute budget, rolling windows, rewrite to statements • Backchanneler: lightweight acknowledgments that don't derail the user • Barge-In handling: detect/allow user interrupts; gracefully cut TTS • Engagement Engine: openers, reflect...

Aspekt	Zjištěný obsah
Reprezentativní třídy	VAD, ASR, TTS, QuestionThrottle, VState, VoiceOS
Reprezentativní top-level funkce	ssml
Importované moduly	__future__, dataclasses, math, qyvaria_complete_sim, random, re, time, typing

Aspekt	Zjištěný obsah
Přibližný počet řádků	276

py/qyvaria_control_plane.py

Zaznamenaná velikost payloadu: 22,975 bajtů. Stav statické analýzy: OK.

Qyvaria Control Plane — single-file app =====
 Self-modification (hot updates), performance monitoring, resource management, insights, testing, and a lightweight web UI — engineered for smallest possible footprint and stability. Optional deps only (FastAPI, Uvicorn, psutil). Falls back to CLI if web stack is not installed. Features -----
 - Module Manager: upload/validate/activate/rollback Python modules at runtime · AST compile checks, optional risky-pattern scanner, versioned store · Hot-reload using importlib; stable rollback on failure - Performance Monitor: timing decorators + system metrics (psutil if available) · Request/operation latency histograms, rolling windows, JSON export - Resource Manager: basic CPU/...

Aspekt	Zjištěný obsah
Reprezentativní třídy	RollingStat, Perf, Resources, ModuleVersion, Modules, Insights, TestResult, Tests, App
Reprezentativní top-level funkce	now_iso, sha16, read_text, write_text, safe_join, static_scan, snapshot_active, require_token, main
Importované moduly	__future__, argparse, ast, base64, dataclasses, datetime, fastapi, functools, hashlib, importlib, inspect, io, json, os, pathlib, psutil, random, re (+13 more)
Přibližný počet řádků	617

py/qyvaria_cognitive_superstack.py

Zaznamenaná velikost payloadu: 45,542 bajtů. Stav statické analýzy: OK.

Qyvaria Cognitive Superstack (QCS) ===== A single-file, dependency-free **meta-learning and orchestration supermodule** that boosts Qyvaria's problem-solving capacity via: - **Task & Solver OS**: registries, episodic runner, JSONL events, Markdown reports. - **Search Suite**: BFS/DFS/IDDFS, A*, Beam, MCTS-lite, Best-First, Hill-Climb, Simulated Annealing. - **Program Induction**: tiny LISP-like DSL with interpreter + enumerative/stochastic synthesis. - **Auto-Curriculum**: ELO ratings for tasks/solvers, bandits (UCB1 & Thompson), difficulty sampler. - **Memory Systems**: episodic log, semantic index (TF-IDF/BM25-ish), and a lightweight knowledge graph. - **Self-Reflection**: failure taxonomy, patch suggestions, knob tuni...

Aspekt	Zjištěný obsah
Reprezentativní třídy	ArtifactStore, MemoryArtifactStore, FSArtifactStore, Clock, DefaultClock, Settings, PolicyEngine, Event, EventBus, KGNode, KGEde, KnowledgeGraph, MemoryItem, MemoryIndex (+11 more)
Reprezentativní top-level funkce	_now_ts, _json, _slug, _stable_hash, elo_update, synthesize_program, bfs, dfs, a_star, mcts, register_builtin_tasks, _gen_arith, _safe_eval_arith, _eval_arith, _gen_reverse, _eval_reverse, _gen_nextint, _eval_nextint (+12 more)
Importované moduly	__future__, ast, dataclasses, enum, functools, heapq, io, itertools, json, math, os, pathlib, random, re, statistics, string, sys, textwrap (+2 more)
Přibližný počet řádků	1213

py/qyvaria_meta_intelligence_engine.py

Zaznamenaná velikost payloadu: 35,016 bajtů. Stav statické analýzy: OK.

Qyvaria Meta-Intelligence Engine (QMIE) ===== A single-file, dependency-free module that adds **self-improvement, meta-reasoning, simulation, and evaluation** capabilities to Qyvaria's kernel (`Qyvaria.py`). The goal is to **increase problem-solving capacity over time** through: - **Ensembled solvers** (BFS/DFS/Beam, MCTS-lite, Program search, Heuristic search) - **Bandit-driven selection** and **Bayesian model selection** of solvers - **Automatic curriculum** with ELO-style difficulty ratings for tasks & solvers - **Self-reflection** & **failure taxonomy** with patch proposals - **Memory** (episodic & semantic) with simple TF-IDF-like retrieval - **Grid search / hyperparameter tuning** with reproducible seeds - **Deter...**

Aspekt	Zjištěný obsah
Reprezentativní třídy	ArtifactStore, MemoryArtifactStore, FSArtifactStore, Clock, DefaultClock, Settings, PolicyEngine, Event, EventBus, TaskSpec, TaskRegistry, SolverSpec, SolverRegistry, MemoryItem (+6 more)
Reprezentativní top-level funkce	_now_ts, _json, _slug, _stable_hash, elo_update, register_builtin_tasks, _gen_arith, _safe_eval_arith, _eval_arith, _gen_reverse, _eval_reverse, _gen_nextint, _eval_nextint, _gen_logic, _eval_logic, solver_arith_eval, solver_reverse, solver_sequence_fit (+4 more)
Importované moduly	__future__, ast, dataclasses, enum, functools, heapq, inspect, io, itertools, json, math, os, pathlib, random, re, statistics, string, sys (+5 more)
Přibližný počet řádků	966

py/qyvaria_monolith_20.py

Zaznamenaná velikost payloadu: 36,419 bajtů. Stav statické analýzy: OK.

Qyvaria Monolith 20 — single-file ultra-light AI stack

===== This file implements **20 engineered modules**—core model + performance + RAG + safety + ops—inside one Python file. Everything is standard-library first with optional NumPy acceleration when available. Designed to be tiny, auditable, and runnable anywhere (no GPUs required). Modules (sections) ----- P0 — Core & Performance 1. qyvaria_core : distilled transformer + generation 2. qyvaria_prune_quant : pruning + PTQ quant helpers 3. qyvaria_kvcache : KV cache (RAM) with TTL and hit stats 4. qyvaria_adapters : LoRA attach/merge/swap 5. qyvaria_negramotny : active/self-supervised learning + KD hook 6. qyvaria_scheduler : priority job...

Aspekt	Zjištěný obsah
Reprezentativní třídy	TokConfig, Tokenizer, CoreConfig, Linear, LayerNorm, Attention, MLP, Block, QCore, KVItem, KVCache, LoRAConfig, AdapterHub, Sample (+17 more)
Reprezentativní top-level funkce	_seed, _softmax, prune_linear_magnitude, ptq_linear, _demo, main
Importované moduly	__future__, argparse, ast, base64, dataclasses, gzip, hashlib, io, itertools, json, math, numpy, os, pathlib, queue, random, re, sqlite3 (+11 more)
Přibližný počet řádků	769

py/qymemory.py

Zaznamenaná velikost payloadu: 15,405 bajtů. Stav statické analýzy: OK.

Aspekt	Zjištěný obsah
Reprezentativní třídy	_NullCipher, MemoryRecord, QYMemory
Reprezentativní top-level funkce	_get_cipher, _flatten_payload, _tokenize, _now
Importované moduly	__future__, collections, cryptography, dataclasses, hashlib, json, os, pathlib, re, sqlite3, time, typing, uuid, zlib
Přibližný počet řádků	390

py/qyorchestrator.py

Zaznamenaná velikost payloadu: 23,747 bajtů. Stav statické analýzy: OK.

Aspekt	Zjištěný obsah
Reprezentativní třídy	PlanStep, Plan, TimeoutError_, _Timeout, QYOrchestrator
Reprezentativní top-level funkce	_tokenize
Importované moduly	__future__, dataclasses, json, os, pathlib, re, signal, sqlite3, threading, time, typing, uuid
Přibližný počet řádků	538

py/qyintelligence.py

Zaznamenaná velikost payloadu: 20,556 bajtů. Stav statické analýzy: OK.

QYIntelligence — Six Cognitive Modules (MIT) Focus: raise Qyvaria's intelligence with robust, testable components that improve reading, reasoning, retrieval, planning, and verification. Modules/services exposed: 1) contracts – schema-guarded generation & JSON I/O (validation + guarded retries) 2) retriever –

adaptive retrieval + MMR reranker over your memory service 3) reasoner – self-consistency voting + lightweight answer selection 4) critic – claim extraction + memory-backed verification (support scores) 5) plannerpro – heuristic hierarchical task decomposition + orchestrator glue 6) kg – lightweight knowledge-graph (triples) with path queries Facade: intelligence – convenience RAG function combining retriever → generator → critic. Dependencies:...

Aspekt	Zjištěný obsah
Reprezentativní třídy	Contracts, Retriever, Reasoner, Claim, Critic, PlannerPro, KnowledgeGraph, QYIntelligence
Reprezentativní top-level funkce	_tokens, _top_k
Importované moduly	__future__, dataclasses, itertools, json, jsonschema, math, os, pathlib, re, sqlite3, time, typing, uuid
Přibližný počet řádků	454

py/qyvaria_provenance_toolkit_v_0.py

Zaznamenaná velikost payloadu: 16,607 bajtů. Stav statické analýzy: OK.

Qyvaria Provenance Toolkit (v0.1) ===== Single-file Python module that provides: • EXIF stripping • Visible badge compositor (with microtext + tiled low-alpha marks) • Robust invisible watermark (DCT, chroma, spread-spectrum with repetition) • Ed25519 cryptographic manifest (sidecar JSON) + verifier • CLI (embed/verify/strip-exif) and optional FastAPI server Dependencies (install): pip install pillow opencv-python numpy pynacl fastapi uvicorn pydantic piexif Usage (CLI): python qyv_provenance.py embed --in in.jpg --out out.jpg --issuer Qyvaria --engine "FLUX.1-dev" --badge yes --key <hex32_or_64> --wmkey <hex32_or_64> python qyv_provenance.py verify --in out.jpg --wmkey <hex> [--manifest out.jpg.qyv.json] python qyv_prove...

Aspekt	Zjištěný obsah
Reprezentativní třídy	WMPParams
Reprezentativní top-level funkce	strip_exif_bytes, add_visible_badge, _blockview, _prn, _prepare_payload_bits, embed_watermark, detect_watermark, sign_manifest, verify_manifest, _bytes_from_image, cmd_embed, cmd_verify, cmd_strip_exif, main
Importované moduly	PIL, __future__, argparse, base64, cv2, dataclasses, fastapi, hashlib, io, json, math, nacl, numpy, os, piexif, secrets, textwrap, time (+1 more)
Přibližný počet řádků	451

py/qyvaria_kernel_mesh_kernel_mesh.py

Zaznamenaná velikost payloadu: 16,544 bajtů. Stav statické analýzy: OK.

Qyvaria Kernel Mesh — unify all embedded modules into a single, cooperating network. Purpose - Load the canonical `qyvaria.py` bundle (single-file kernel with embedded modules) - Decompress and import each embedded module into a shared runtime **without** altering their source — no patching of user code required - Expose a **Service Registry**, **Event Bus**, and **Command Router** that every module can use to communicate, publish/subscribe, and call each other through the kernel - Provide a tiny HTTP API (optional, FastAPI) for remote control and inspection - Offer deterministic, auditable execution via an allowlist-based RBAC for commands Design notes - Kernel-first orchestration: the Mesh bootstraps from the bundle; the bundle remains source of t...

Aspekt	Zjištěný obsah
Reprezentativní třídy	Service, ServiceRegistry, EventBus, CommandRouter, KernelMesh
Reprezentativní top-level funkce	parse_bundle_literal, _decompress_entry, main
Importované moduly	__future__, argparse, ast, base64, builtins, dataclasses, fastapi, functools, hashlib, importlib, io, json, lzma, networkx, pydantic, re, sys, time (+5 more)
Přibližný počet řádků	412

py/qyvaria_guardian_module_prwa_plan→research→write→audit_loop.py

Zaznamenaná velikost payloadu: 20,775 bajtů. Stav statické analýzy: OK.

Qyvaria Guardian Module — PRWA (Plan→Research→Write→Audit) Loop

=====

Purpose ----- A single, auditable module that addresses the previously identified limitations in one go: 1) Long-horizon planning → Hierarchical planner with milestones & checkpoints 2) Research recency & factual recall → Adapter-based research + recency & consensus scoring with explicit source tracking and citations 3) Creative writing quality → Outline-driven writer + style critic metrics 4) Safety stress-testing → Lightweight red-team harness and policy auditor Design notes ----- - Pure standard library Python (3.9+), deterministic and testable. - No network calls inside the module. Instead, a `ResearchAdapter` ...

Aspekt	Zjištěný obsah
Reprezentativní třídy	Source, Milestone, Plan, ResearchPacket, WritingDraft, AuditReport, PRWAScript, ResearchAdapter, HierarchicalPlanner, ResearchScorer, StyleCritic, OutlineWriter, SafetyHarness, PRWAScriptEngine
Reprezentativní top-level funkce	_dummy_fetch, _demo
Importované moduly	__future__, dataclasses, datetime, hashlib, json, math, re, statistics, textwrap, typing
Přibližný počet řádků	545

py/qyvaria_eval_harness_live_bench_gdpval_hle_v_0.py

Zaznamenaná velikost payloadu: 14,864 bajtů. Stav statické analýzy: OK.

Qyvaria Eval Harness — LiveBench + GDPval + HLE (v0.3) What this script does ----- • Orchestrates three well-known benchmarks via their *official* runners where possible: - LiveBench (objective, contamination-aware) → calls repo's run_livebench.py - HLE / Humanity's Last Exam (closed-ended academic) → calls hle_eval scripts - GDPval (real-world work) → packages your solutions directory for submission via Hugging Face + grading request Why this approach ----- We minimize drift from upstream by shelling out to their official CLIs and keep your model integration simple (OpenAI-compatible API endpoints work out-of-the-box for LiveBench; HLE provides an OpenAI Python runner as reference). Quick start ----- 1) Python ≥3.1...

Aspekt	Zjištěný obsah
Reprezentativní třídy	Item
Reprezentativní top-level funkce	run_cmd, ensure_git, ensure_repo, ensure_python, init, doctor, livebench, hle, _collect_gdpval_solutions, gdpval_package
Importované moduly	__future__, dataclasses, datetime, huggingface_hub, json, os, pathlib, rich, shutil, subprocess, sys, textwrap, typer, typing
Přibližný počet řádků	376

Úplný manifest na první pohled

Cesta	Druh	Bajty	Prefix SHA-256
py/1qyvaria_prompt_gen.py	python	17,435	afe955598e33dac3
py/AGI_Agents.py	python	473	0ca10d126fe6ada5
py/AGI_Boot.py	python	570	60b151f65b463931
py/AGI_Ethics.py	python	295	489c31a18f51a239
py/AGI_Ignition.py	python	1,555	0b38824833c7fcee
py/AGI_Memory.py	python	451	873e1a9f5316906c
py/AGI_MetaReasoner.py	python	307	f617011f2662dae2
py/AGI_Orchestrator.py	python	672	ed5ebbb54fdf0106
py/AGI_PluginManager.py	python	342	ac9d69986ca3f4ff
py/Aeon Ai Sim.py	python	13,911	1f0178d941511da6
py/Agi Super Intelligence.py	python	10,154	886859d30d603bd9
py/Cetana_Custom_Agent_Core.py	python	1,847	2126ef08c90fc8c6
py/Cetana_IDE_Launcher.py	python	109	874c4d451f836a42
py/Cetana_OS_Link.py	python	348	56f824a08680c9d5
py/Cetana_OS_Simulation.py	python	1,776	df884a4e5b8867f5

Cesta	Druh	Bajty	Prefix SHA-256
py/Cetana_Phytoon_IDE.py	python	1,579	c98e56e71d990c9a
py/Cetana_Simulator.py	python	3,803	2602bf7a2fa23220
py/Cetana_v4_Boot.py	python	4,765	ec699883058de0af
py/Cetana_v5_Boot.py	python	2,331	48b94447cbf1214f
py/Cetana_v6_Boot.py	python	1,503	b5fb403aa02adcb6
py/CodeLab.py	python	587	23749f7555c0d35e
py/CodeSandbox.py	python	635	d5cdc4690d2d59fc
py/CognitiveStyle.py	python	272	dd38ca4f8d378809
py/CounterfactualSimulator.py	python	402	79ffba40977176fc
py/CuriosityResearch.py	python	490	71d2123e8b93a423
py/EmotionModel.py	python	425	1ad8aad121b44476
py/EnvLink.py	python	569	879efac56fc50688
py/EpisodicMemory.py	python	415	6376244e3e06fd39
py/EthicsArbiter.py	python	454	57d8f5d252fb3794
py/FusionModulesManifest.py	python	2,467	43a00ce094b85417
py/GoalEngine.py	python	435	8161d841b9e8d7d5
py/l varia_engineer.py	python	12,582	16a692d49d6196e5
py/LanguageFeedback.py	python	378	3e0627d893068e6f
py/LearningManager.py	python	465	80f4f3f21c87c2e9
py/MetaLearningEngine.py	python	366	2077bfd8606a9477
py/MetaReasoner.py	python	510	d89e2a92c53b918c
py/MultiAgentFramework.py	python	556	ff8741757813e77e
py/NeuralPatternMapper.py	python	288	ffbe812395634c27
py/PerformanceMonitor.py	python	916	36fa61119a875237
py/PersistentGoalManager.py	python	517	f49c80b09df300af
py/PhytoonCetanaFusion.py	python	6,200	77c73b6570cde291
py/PhytoonImageGen.py	python	50	6b60cf3f35b23d83
py/Phytoon_Full_Language_Model.py	python	1,939	ea87570f40f126db
py/Phytoon_Language_Model.py	python	1,751	319374cfa74405e5
py/Phytoon_v2_Upgrade.py	python	3,722	ae4e146143b8d07a
py/Qyvaria Complete Sim.py	python	8,225	5bca2f742aec2436
py/Qyvaria Moral Constitution — Humanity-First.py	python	795	e6753526b6d50014
py/Qyvaria Sim Profile.py	python	9,392	ddc7eb9350f50c96
py/Qyvaria Voice Os.py	python	9,881	d3b5cb63334a6718
py/Qyvaria.py	python	146,711	54beeb338a9b14e3
py/Qyvaria_Aeon.py	python	12,992	b20ddf17c0d1353e
py/SafetyKernelUpgrade.py	python	656	6e3d6407237fb8ac
py/SelfEditor.py	python	327	b0e21f640a2e6e37
py/SelfModel.py	python	326	cce26e26c4d3fcf9
py/SimulationInterface.py	python	351	cd45684712737994
py/SocialReasoner.py	python	377	963c677aedf9543e
py/TaskPlanner.py	python	1,617	6608a82bb204abfa
py/ValueGuardian.py	python	666	9fbd5b3c9b7b0e5c
py/Varia Health Reporter — phrase→status system.py	python	4,137	45fab79c7855e2ec
py/Varia+.py	python	34,191	bcbl1a61dc0237d23
py/WakeUpKernel.py	python	736	70a40e3ea9dd31a8
py/WorldModel.py	python	472	598e5853650530c9
py/WorldModelExpander.py	python	403	d5116fa932f9ecdf
py/ab_compare.py	python	2,827	6b86fa1a156fb71a
py/adaptive_ai_sim_agent_privacy_first_reference_python.py	python	12,566	444101817d217d33
py/advance_memory_ai_sim_agent_bit_weaver_v_0.py	python	16,533	182d22a64f2fc9a9
py/advance_voice_chat_command.py	python	5,625	d7c6f18f596a1bfc
py/aeon_chat_interface.py	python	908	cbb43a2074b1d3c1

Cesta	Druh	Bajty	Prefix SHA-256
py/aeon_continuum.py	python	757	276cad323e3b1848
py/aeon_ethics.cpython-312.pyc	binary	1,008	a9e080790cc3b9e7
py/aeon_ethics.py	python	767	496c991bcb4356d8
py/aeon_loader.py	python	1,470	3ef98adc791c4065
py/aeon_minigrid_integration.py	python	337	13adfe224dfd3ea2
py/aeon_realm_sim.py	python	477	6be3c495a0e2331f
py/aeon_self_diagnostic.cpython-312.pyc	binary	1,127	49259cee705bdac5
py/aeon_self_diagnostic.py	python	746	226cad1c05f053cd
py/aeon_textworld_integration.py	python	323	8308fe4f64fba8b
py/aeon_webots_integration.py	python	332	4ea6c7c670a55ff6
py/aeonscript_engine.py	python	322	c2f1e71f78553896
py/agentic_behaviorism.py	python	12,670	7704fb41232e0b2c
py/agi_prototype_microkernel_multi_agent_qyvaria_style_single_file.py	python	12,535	169757cec50f4d0c
py/ai_model_analyzer_freedom_module_agent_secure_file_driven.py	python	17,740	92e12075338d3f6c
py/ai_model_tester_agent.py	python	24,813	6f0c7c790c546370
py/ai_sim_agent_adaptive_batching_response_cache_autoscaling_circuit_breakers_safe_chaos_fast_api_python.py	python	13,554	52c592691cefb818
py/ai_sim_agent_bus_sandbox_hierarchical_planning_constraint_solver_rationale_python.py	python	14,507	b5157694d7568877
py/ai_sim_agent_kernel.py	python	15,046	fc64443270dd7a49
py/ai_sim_agent_learning_evals_governance_suite_python_fast_api.py	python	14,476	d222a2175fc6e09f
py/ai_sim_agent_probes_long_context_retrieval_review_rubrics_line_citations_popular_cache_feedback→facts_python.py	python	16,593	f582cabe6623ce7b
py/ai_sim_equalizer_v_1.py	python	17,865	ca3951b7d7ff9b57
py/ai_sim_module_agent+.py	python	2,977	4ab63bc3a1d63110
py/ai_sim_module_agent.py	python	2,512	9535f76a23016e1c
py/ai_sim_trace_viewer_timeline_artifacts_diffs_costs_decisions_react.jsx	binary	14,444	4a8439c2890161da
py/all_in_one_agent.py	python	37,383	62915c8c4b2fcfb5
py/all_in_one_sim_agent_co_t_auditor_planner_executor_log_miner_image_qyvaria_compatible.py	python	16,030	3280cd794363ffa1
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_assistant_voice_layer_qyvaria_compatible.py	python	19,392	e1bed7573f435a6b
py/arbiter_sim_agent.py	python	11,458	16295cebb69a821b
py/auto_language_voice_router_simlang_auto.py	python	11,398	94b215bd1cb35a2d
py/avtx_installer.py	python	12,295	b29adb0594a24b5
py/belief_engine.cpython-312.pyc	binary	3,559	e86b9192de1171ad
py/belief_engine.py	python	2,159	f98118608391bc75
py/bootloader.py	python	121	008b99eff5b9d189
py/build_qyvaria_studio.py	python	1,885	2b036c96a26a941f
py/catalyst_audit_memory.py	python	10,050	70ec514787e01ae6
py/catalyst_equalizer_v_1_py_code_i_o_and_logic_clarity_equalizer.py	python	16,024	a6615b63785e6727
py/catalyst_hub_v_1_sandboxed_plugin_bus_python.py	python	14,612	fe6cb088898cbff4
py/cetana.py	python	12,499	3f732fa1d0999224
py/chronosynth.py	python	6,870	feff3a41d1a1dade
py/code_2_lang_code→_natural_language_explainer_single_file_no_deps.py	python	10,515	b87845ae623af62a
py/code_sim_agent_deterministic_python_subset_ast_vm.py	python	20,403	0f777accbdb7a7bc
py/concept_engine.cpython-312.pyc	binary	868	67eaffac54d641f6
py/concept_engine.py	python	511	33e21e0f42b9f152
py/convert_to_training.py	python	560	fb4c2a53956541b1
py/digital_time_module.py	python	1,643	59af6c0720800a9a
py/educator_sim_qyvaria_module_python.py	python	12,712	674fdc2afbda2c93
py/emotion_sim_qyvaria_module_python.py	python	13,181	b66941004d03c6e2

Cesta	Druh	Bajty	Prefix SHA-256
py/emotional_intelligence_agent.py	python	14,651	81b5adaef0048b17
py/engineering_ai_sim_agent_code_specialist_python.py	python	16,063	8461d50b95977583
py/forge_sim_agent.py	python	11,147	af3b38bfc4f8dbb7
py/gpt_6_lite_deterministic_mo_e_transformer_reasoning_head_single_file.py	python	13,171	d3c023ca474f3ebe
py/human_sim_human_like_ai_sim_agent_personality_drives_emotions_bdi_single_file.py	python	10,512	28c1360767e7c92b
py/human_voice_chat_advanced_voice_chat_mirroring_human_sim_single_file.py	python	11,799	988279b234f216c5
py/image_generator_server.py	python	692	bb85b499143bf5eb
py/imagination_engine.cpython-312.pyc	binary	1,685	bb7917f4151ee020
py/intent_fusion_core.py	python	541	f613d76065599057
py/jarvis_server.py	python	909	d13765c3474a0391
py/kernel.py	python	425	661fb48c606bae5c
py/lang_lock_voice.py	python	13,678	3ce8eaf5defa2442
py/law_advisor_ai_sim_agent_qyvaria_compatible.py	python	14,696	497f2257f15d12bb
py/lingua.py	python	3,911	3751b0d921f2b141
py/lingua_api.py	python	1,056	1d36eba76952ba1d
py/linguistics_ai_sim_agent_qyvaria_compatible.py	python	15,478	74b0466113497619
py/llm_engine.cpython-312.pyc	binary	919	45a1f4c937c0888b
py/llm_engine.py	python	640	9acf64d64f6935ba
py/logicky_rozhodovaci_system_pravidlovy_engine_cz.py	python	8,852	a3b7723989934a7a
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py	python	8,978	3f5231c7d679e998
py/machine_intelligence_ai_sim_agent_single_file_deterministic_goap_memory_tools.py	python	12,770	2df9de8e5ddb86be
py/main.py	python	708	537fa45507480e7d
py/mastermind_ai_sim_model_catalyst_v_7_aligned_mastermind_sim.py	python	12,279	58a45de577cc8c4a
py/mastermind_orchestrator_v_8.py	python	9,268	7fc069bffc85adbc
py/media2prompt.py	python	13,413	554bb71303aa4efc
py/meta_ai_sim_adaptive.py	python	21,724	56eee631ac7e8c95
py/meta_ai_sim_agent.py	python	13,017	81caf070eeda6fe6
py/meta_sim_agent_qyvaria_compatible_simulates_sims_engine.py	python	15,852	e5448cb70d75a6a7
py/mira_aof_ai_sim_agent_qyvaria_runtime.py	python	14,666	9a9a0e5c7e02d9f3
py/module_auditor.py	python	18,951	6501d29ada338d0e
py/neuro_sim_agent_qyvaria_compatible_neuronal_sim.py	python	12,613	e1f82061b7bb8722
py/nl_2_py_qyvaria.py	python	23,523	e9d43a4834201433
py/nl_sim_agent_deterministic_natural_language_engine.py	python	12,360	9f6c35ed8bbe183c
py/omni_sim_agent.py	python	11,779	74c647bed7e258c2
py/oneagent_voice_sim.py	python	21,939	60f308c6aa7be3ae
py/openmind_module.py	python	20,250	f4a3c662ffe746a8
py/optimization_checker_agent.py	python	11,609	b9a64a3743a954bd
py/problem_solving_ai_sim_minimal_deterministic_agent_qyvaria_style.py	python	16,851	ee49d4efa1c49143
py/python_axiomdelta_codex.py	python	17,400	9386b81d8d9e52f4
py/qavaria_ai_sim_agent.py	python	16,780	18343023077c7743
py/question_policy.py	python	8,877	e9f1e12423f5ef68
py/qy_90_upgrade_pack_bootstrap.py	python	16,884	e3bc0c9b5c7f3381
py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py	python	16,548	b4da858889b5ce79
py/qy_agentsim_united.py	python	24,941	3f55c57523a41b0c
py/qy_ai_universe.py	python	32,305	d4be1b9409e2da12
py/qy_ai_universe_plus.py	python	34,532	21096bef8b9818bb
py/qy_app_sim_agent.py	python	29,860	1d09dbe70d2b88e2

Cesta	Druh	Bajty	Prefix SHA-256
py/qy_code_engineer_code_quality_refactor_and_safety_module_for_qyvaria_v_8.py	python	19,413	c1de3cf1f7e79467
py/qy_control_plane.py	python	18,118	17b0f4dfe3b0ea17
py/qy_crypto.py	python	11,608	71b7ba8edd863e51
py/qy_durable_orchestrator.py	python	16,191	aea87423e044173d
py/qy_fullstack_pack_bootstrap_fullstack.py	python	28,763	857a1f39859db256
py/qy_llm_pipeline.py	python	20,267	72fa545980bedf91
py/qy_llm_sim_module.py	python	11,920	9c2c1dc10c5f4b17
py/qy_logo_stamp.py	python	11,585	6ff6814992f454af
py/qy_memory_extended_pluggable_memory_module_for_qyvaria_v_8.py	python	14,342	874fa51fd42c916d
py/qy_ml_toolkit.py	python	23,408	aa5b919e0e2e0086
py/qy_network_retrieval.py	python	21,967	726e229b71827608
py/qy_nn_engine.py	python	11,259	b6ebbd692ec2b6d4
py/qy_orbit_pack_bootstrap_orbit.py	python	17,582	e812a7fceb9c3049
py/qy_perfection_kit.py	python	17,936	1ccc7dd6f2c80fab
py/qy_public_command_db_engineering_day_oct_4.py	python	17,109	f457935bd3a64abe
py/qy_reasoning_booster.py	python	16,157	6e2dd2c72ed13ef0
py/qy_self_upgrade_pack_v_2_bootstrap_upgrade_v_2.py	python	21,323	5f79f0c05f7b2945
py/qy_sim_engineering_ai.py	python	31,925	7d29efd7ad4a92aa
py/qy_sim_pack_100.py	python	16,667	0dd80ff3a6cfd546
py/qy_sim_patchset_10.py	python	21,956	b0c63d2a631bee30
py/qy_team_network.py	python	17,562	644ace99325f4cfe
py/qy_test_ai.py	python	29,514	6cf9d9e2fd68bb76
py/qy_voice_engine_bootstrap_voice.py	python	15,802	59d84ae493337d69
py/qy_voice_modes_pack_bootstrap_voice_modes.py	python	12,624	8742a112308f1abf
py/qy_voice_policy_patch_bootstrap_voice_policy.py	python	8,314	5e39249c601fd7ae
py/qybilingual_voice.py	python	17,289	b13e5fc14d148388
py/qyintelligence.py	python	20,556	1e0fb76fe6f13313
py/qyintelligence_max.py	python	32,120	2ba6dc37512070b8
py/qymemory.py	python	15,405	63d9af33fa7412d5
py/qynlcalibrator_py_natural_unnatural_language_calibrator_lisp_fast_speech_phonetic_similarity.py	python	14,257	202189f67f593aa3
py/qyorchestrator.py	python	23,747	a590ffc7912e7323
py/qyraw_iq.py	python	22,966	c7854a9c8a05359d
py/qytranslate.py	python	21,060	ccaa62c40063bef0
py/qyvaria_adaptability_sim_agent_adaptability_agent.py	python	8,907	91362f7539108dad
py/qyvaria_advanced_voice_chat_ai_sim_agent_low_latency_barge_in_safety_fast_api_reference.py	python	12,738	dedf998efc58b990
py/qyvaria_advanced_voice_chat_sim_emotion_mirroring_real_time_translation_noise_suppression_multimodal_prompt_composer_fast_api.py	python	13,515	377a1c2b9a5bceab
py/qyvaria_agi_model.py	python	28,801	9b8967d0ed4d0ff6
py/qyvaria_agi_proto.py	python	23,803	c91e2b8e1137fec9
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python(1).py	python	17,632	274ade16e2be4d87
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python.py	python	17,632	274ade16e2be4d87
py/qyvaria_aisim_axis_module_factuality_reasoning_code_creativity_speed.py	python	15,489	7b6a9d7f1bc50afc
py/qyvaria_all_in_one(1).py	python	63,074	526246559fb05cb0
py/qyvaria_analyzer_streamlit_app.py	python	16,702	d7aa148892e83568
py/qyvaria_app_creator_sim_agent_single_agent_multi_role_pipeline.py	python	22,166	210279c95e9dd61f
py/qyvaria_catalyst_v_8_single_file_module_network_orchestrator_catalyst_hub.py	python	19,065	b14ed2bb25040292
py/qyvaria_cognitive_superstack.py	python	45,542	86512e05b3d1a2cb

Cesta	Druh	Bajty	Prefix SHA-256
py/qyvaria_control_plane.py	python	22,975	ad5d56112e82d2bc
py/qyvaria_czech_language_module_simlang_cs.py	python	10,797	302bc0442408acf6
py/qyvaria_data_analyst_ai_sim_agent_eda_nfq_→_data_charts_stats_cache_fast_api_python.py	python	16,252	89d3c2a3581c1de9
py/qyvaria_data_code_analyzer_ai_sim_agent.py	python	23,017	87705d4df4e2627f
py/qyvaria_equalizer_suite_one_go_language_code_logic_clarity_tool_equalizer_suite.py	python	17,802	2e914a5d2b555b0f
py/qyvaria_eval_harness_live_bench_gdpval_hle_v_0.py	python	14,864	f2b67f421c2ffb79
py/qyvaria_evolution_agent.py	python	17,151	d8d04a1d83301376
py/qyvaria_generalization_agentic_ai_sim_single_module.py	python	18,187	f75ac9a0a9a3064c
py/qyvaria_guardian_module_prwa_plan→research→write→audit_loop.py	python	20,775	973fa996f176ef38
py/qyvaria_hardened.py	python	17,503	6e4af93d61dc3c86
py/qyvaria_hub_open_ai_multi_bot_connector_policy_safe.py	python	10,296	6271a046d264cf4f
py/qyvaria_hybrid_analyzer_encryptor_decryptor_mixer_transmitter_single_file_module.py	python	18,281	ff252ce6587fd38e
py/qyvaria_improvement_engine_one_file_simulator_toolkit_v_1.py	python	25,969	09697562141d5743
py/qyvaria_kernel_integration_bridge_mesh_orchestrator_v_0.py	python	13,591	f114a0e9742c9ed9
py/qyvaria_kernel_mesh_kernel_mesh.py	python	16,544	0321bcba889e6cfe
py/qyvaria_lang.py	python	19,529	53cfc3a0ad1b5fc7
py/qyvaria_language_lock_advanced_voice_chat_module_single_file.py	python	13,679	0e173b2503b3fd18
py/qyvaria_lightweight_foundation.py	python	40,279	d1fa636a0d769aa3
py/qyvaria_llm_sim_and_meta_agent.py	python	20,308	5ee64d1939c8099a
py/qyvaria_mathematical_ai_sim_agent_symbolic_numeric_steps_pro_of_hints_python_fast_api.py	python	15,967	469ae6229605c218
py/qyvaria_memo.py	python	11,752	5ce064bf2cf8aa13
py/qyvaria_meta_intelligence_engine.py	python	35,016	091484f39f9f0f2c
py/qyvaria_model.py	python	15,795	62fcdcf15a69bc7c
py/qyvaria_module_sumerian_voice +.py	python	17,103	6bdf8bcf7644539f
py/qyvaria_module_sumerian_voice.py	python	12,824	10d705cb8d777893
py/qyvaria_monolith_20.py	python	36,419	7ed833900f6d77a1
py/qyvaria_multi_agent_knowledge_mesh_30_micro_agents_orchestrator_v_0.py	python	19,807	7b0f09aea503d28d
py/qyvaria_natural_voice.py	python	2,242	4989ada9d68530c8
py/qyvaria_negramotny.py	python	14,557	d66cd070dfa78046
py/qyvaria_one_agent_sim_with_adoptable_logic_contextual_memory_and_internal_multi_agent_runtime.py	python	12,979	8aa371c73526ddbb
py/qyvaria_photoreal_max.py	python	1,206	9bc786d465e08205
py/qyvaria_pra_genesis_ai_sim_agent.py	python	40,200	cbe80dbdc29ccf69
py/qyvaria_prompt_engineering_ai_sim_agent_lint_optimize_instantiate_a_b_eval_fast_api_python.py	python	15,358	16f5b67323b1dfc7
py/qyvaria_provenance_toolkit_v_0.py	python	16,607	e6c82c792dc8047b
py/qyvaria_rationality_max.py	python	20,657	fbe9b289da48caf2
py/qyvaria_research_analysis_module_qram_engineer_grade_implementation.py	python	19,833	f539dee54e2d8932
py/qyvaria_secure_sandbox.py	python	28,311	f0efb110e3c91176
py/qyvaria_simulate_then_act_rational_agent_v_0.py	python	22,460	d1816c72a9a8ec47
py/qyvaria_speed_module_single_file.py	python	15,460	cc69ea9285e4fdff
py/qyvaria_team_orchestrator_multi_agent_sim_with_self_optimizer_secure.py	python	14,129	3cdb232b15e7e487
py/qyvaria_team_orchestrator_single_file.py	python	19,996	8f79a7c3f30239b2
py/qyvaria_ultralite_suite.py	python	42,515	3f38baabb7b09524
py/qyvaria_unified_sim_agent_knowledge_guild_monolith_v_0.py	python	15,548	e72b51f557178937
py/qyvaria_url_reader_module_qy_url_reader.py	python	22,921	6fbbfb0f79e7c120
py/qyvaria_voice.py	python	27,192	8c5dfb22049adc08

Cesta	Druh	Bajty	Prefix SHA-256
py/qyvaria_voice_chat_x_single_file_server_fast_api_web_socket_stub.s.py	python	8,197	05d3a5342a77f606
py/qyvaria_voice_sim_agent_diarization_addressed_reply_router_v0.py	python	15,009	94183e02733c269a
py/qyvid_scripter.py	python	21,860	a03c9f0ebc115c98
py/qywriter.py	python	29,627	c5f0189846db2653
py/rationality_lab.py	python	2,557	c5b7da7b60b254f1
py/reality_aware_sim_machine_awareness_ai_sim_agent_active_inference_single_file.py	python	12,001	93a3ea5c6cd1f168
py/recursive_reflector.cpython-312.pyc	binary	1,151	c960c819e997c1c9
py/recursive_reflector.py	python	879	c89ecb3790e4c604
py/shell.py	python	352	d926d80c906e2cb7
py/speed_agent.py	python	4,945	c4eeb0952dbc827b
py/starter_actions.py	python	322	e399256a79204d9e
py/startup.py	python	452	68bf25a50af88f6f
py/sumerian_language_model_ai_sim_agent_qyvaria_compatible.py	python	14,530	213fa264fc61ae28
py/sumerian_voice_chat_ai_sim_agent_for_qyvaria_fake_it_capable.py	python	12,984	1860e62f1fb849cc
py/teleprompter.py	python	6,431	5bd792a30df1c147
py/therapist_style_ai_sim_agent_safety_first_support_python.py	python	11,721	1875d1bbe8056087
py/train_model.py	python	2,181	8ccb4717adcfbc0e
py/translator_crypto_sim_agent_qyvaria_compatible.py	python	16,094	eaad63f0c15e2557
py/truth_alignment_kernel.cpython-312.pyc	binary	1,054	c7d5cc220d106054
py/truth_alignment_kernel.py	python	715	511321996af98994
py/velcode_interpreter.py	python	167	4bfc7aa4e5ecb630
py/velcode_shell.py	python	336	9008c09f7368acce
py/voice_engineering_frontend_qyvaria_v_8_module.py	python	5,683	8b7fad8f5510c292
py/zip_to_py.py	python	1,195	0c20fed8a71e5fe6

Příloha - Index profilů kompilčně čistých modulů

Cesta	Bajty	Třídy	Funkce
py/1qyvaria_prompt_gen.py	17,435	PromptSpec	_, pick, sanitize, build_prompt, parse_args, main
py/ab_compare.py	2,827	—	clip_score, iqa_scores
py/adaptive_ai_sim_agent_privacy_first_reference_python.py	12,566	AuditEvent, AuditLog, Consent, DataPolicy, MemoryItem (+11 more)	now_ts, clamp
py/advance_memory_ai_sim_agent_bit_weaver_v_0.py	16,533	Policy, Chunk, BitStore, TinyVectors, BitWeaver	now_iso, h_b64, safe_json, detect_license_spdx, detect_maybe_pii, anonymize_basic (+4 more)
py/advance_voice_chat_command.py	5,625	AudioSink, VoiceSession, VoiceChatRouter	boot
py/Aeon Ai Sim.py	13,911	AeonRNG, MemoryItem, MemoryVault, Skill, SkillGraph (+5 more)	register_aeon_sim, _tokenize, _segment_goal, _safe_eval, _derive_command_from_steps
py/aeon_chat_interface.py	908	—	—
py/aeon_continuum.py	757	AeonMemory	—
py/aeon_loader.py	1,470	—	load_memory, save_memory, log_interaction
py/aeon_minigrid_integration.py	337	—	—
py/aeon_realm_sim.py	477	AeonRealm	—
py/aeon_textworld_integration.py	323	—	—
py/aeon_webots_integration.py	332	—	—
py/aeonscript_engine.py	322	—	interpret
py/agentive_behaviorism.py	12,670	ReinforcementSchedule, FixedRatio, VariableRatio, FixedInterval, VariableInterval (+4 more)	argmax, build_default_agent, sparkline, _demo
py/AgI Super Intelligence.py	10,154	DRNG, SafetyCore, Memory, Critique, MultiCritic (+6 more)	_tokens, _split_sentences, _split_goal, _safe_math
py/AGI_Agents.py	473	SubAgent, AGIAgentSystem	—
py/AGI_Boot.py	570	—	—
py/AGI_Ethics.py	295	AGIEthics	—
py/AGI_Ignition.py	1,555	—	ignition_loop
py/AGI_Memory.py	451	AGIMemory	—
py/AGI_MetaReasoner.py	307	AGIMetaReasoner	—
py/AGI_Orchestrator.py	672	AGIOrchestrator	—
py/AGI_PluginManager.py	342	AGIPluginManager	—
py/agi_prototype_microkernel_multi_agent_qyvaria_style_single_file.py	12,535	AuditEvent, Auditor, Policy, CommandRegistry, MemoryItem (+9 more)	stable_uuid, seeded_rand, cmd_search, cmd_math, main
py/ai_model_analyzer_freedom_module_agent_secure_file_driven.py	17,740	Capability, Rule, Policy, Budget, AuditLog (+5 more)	sha256_file, sniff_framework_from_name, parse_json_file, parse_model_card_md, parse_safetensors_header, estimate_params_from_safetensors (+1 more)
py/ai_model_tester_agent.py	24,813	CheckResult, AgentReport, OptimizationCheckerAgent, AIModelTesterAgent	—
py/ai_sim_agent_adaptive_batching_response_cache_autoscaling_circuit_breakers_safe_chaos_fast_api_python.py	13,554	BusEvent, EventBus, ChaosCfg, Chaos, CBState (+8 more)	now_ms, sha1, pool_handler, route_infer, infer, set_chaos (+3 more)
py/ai_sim_agent_bus_sandbox_hierarchical_planning_constraint_solver_rationale_python.py	14,507	Consent, DataPolicy, AuditEvent, AuditLog, BusEvent (+17 more)	now_ts, gen_id
py/ai_sim_agent_kernel.py	15,046	DeterministicClock, DeterministicPRNG, Event, Message, Intent (+14 more)	require_keys

Cesta	Bajty	Třídy	Funkce
py/ai_sim_agent_learning_evals_governance_suite_python_fast_api.py	14,476	BusEvent, Bus, Arm, Bandit, PreferenceModel (+12 more)	credit_assign, run_benchmark, run_golden, laplace_noise, transparency_report, interact (+25 more)
py/ai_sim_agent_probes_long_context_retrieval_review_rubrics_line_citations_popular_cache_feedback→facts_python.py	16,593	Consent, DataPolicy, AuditEvent, AuditLog, BusEvent (+16 more)	now_ts, gen_id
py/ai_sim_module_agent+.py	2,977	QyvariaKernelInterface, AUREN	—
py/ai_sim_module_agent.py	2,512	QyvariaKernelInterface, AISimModuleAgent	—
py/all_in_one_agent.py	37,383	Timeout, Event, EventBus, Role, Message (+29 more)	now, short_uid, sha1, clamp, chunks, time_limit (+2 more)
py/all_in_one_sim_agent_code_auditor_planner_executor_log_miner_triage_qyvaria_compatible.py	16,030	Command, SafeCommandBus, CoTRecord, CoTAuditor, Step (+8 more)	_mask, _digest, _templatize, _read_stdin_lines, main
py/arbitrator_sim_agent.py	11,458	RiskEntry, RiskRegister, JurisdictionMapper, AgeGatekeeper, _DomainTier (+7 more)	_recency_score
py/auto_language_voice_router_simlang_auto.py	11,398	TTSAdapter, STTAdapter, Detection, DetectorConfig, DetectorChain (+1 more)	safety_scrub, normalize
py/avtx_installer.py	12,295	—	w
py/bootloader.py	121	—	boot
py/build_qyvaria_studio.py	1,885	—	—
py/catalyst_audit_memory.py	10,050	AuditRecord, MemoryStore, AuditLogger, HubAuditAdapter, MastermindBridge	_utcnow_iso, audited_action
py/catalyst_equalizer_v1_py_code_io_and_logic_clarity_equalizer.py	16,024	Metric, Finding, SubScore, EqualizationReport, _ComplexityVisitor (+4 more)	_attr_to_str, analyze_code, _coerce, io_equalized, analyze_logic, equalize (+2 more)
py/catalyst_hub_v1_sandboxed_plugin_bus_python.py	14,612	Capability, Quotas, Permissions, TelemetryConfig, PluginManifest (+7 more)	plugin_handler, _safe_len, echo_plugin
py/cetana.py	12,499	MemoryItem, TieredMemory, WorldModel, SafetyKernel, ValueGuardian (+14 more)	now_ts, ema
py/Cetana_Custom_Agent_Core.py	1,847	CetanaAgent	—
py/Cetana_IDE_Launcher.py	109	—	—
py/Cetana_OS_Link.py	348	OSLink	—
py/Cetana_OS_Simulation.py	1,776	CetanaKernel, CetanaShell	—
py/Cetana_Phytoon_IDE.py	1,579	PhytoonGUI	—
py/Cetana_Simulator.py	3,803	CetanaSimulator	—
py/Cetana_v4_Boot.py	4,765	TieredMemory, Constitution, RecursiveReasoner, DriveModel, SelfManager	—
py/Cetana_v5_Boot.py	2,331	CetanaV5	—
py/Cetana_v6_Boot.py	1,503	CetanaV6	—
py/chronosynth.py	6,870	—	fourier_terms, build_features, train_quantile_models, recursive_forecast, evaluate_backtest, demo_data (+1 more)
py/code_2_lang_code→_natural_language_explainer_single_file_no_deps.py	10,515	FuncSig, ClassInfo, PyModuleInfo, ComplexityVisitor	read_input, parse_python, outline_generic, count_sloc, top_keywords, render_markdown_py (+4 more)

Cesta	Bajty	Třídy	Funkce
py/code_sim_agent_deterministic_python_subset_ast_vm.py	20,403	CodeSimConfig, TraceEvent, CodeSimError, BudgetExceeded, ForbiddenNode (+3 more)	—
py/CodeLab.py	587	CodeLab	—
py/CodeSandbox.py	635	CodeSandbox	—
py/CognitiveStyle.py	272	CognitiveStyle	—
py/concept_engine.py	511	—	process_input
py/convert_to_training.py	560	—	—
py/CounterfactualSimulator.py	402	CounterfactualSimulator	—
py/CuriosityResearch.py	490	CuriosityResearch	—
py/digital_time_module.py	1,643	DigitalTime	—
py/educator_sim_qyvaria_module_python.py	12,712	Trace, SafetyAdapter, KernelBridge, LearnerState, EducatorSIM	now_ms
py/emotion_sim_qyvaria_module_python.py	13,181	Trace, SafetyAdapter, KernelBridge, Turn, PersonState (+1 more)	now_ms
py/emotional_intelligence_agent.py	14,651	DeterministicRNG, SafetyPolicy, SafetyGuard, AffectReport, DialogueTurn (+3 more)	_utcnow_iso, tokenize, analyze_affect, infer_need, register_with_agi_system, _demo (+5 more)
py/EmotionModel.py	425	EmotionModel	—
py/engineering_ai_sim_agent_code_specialist_python.py	16,063	AuditEvent, AuditLog, Consent, DataPolicy, Preference (+17 more)	now_ts, clamp, make_patch
py/EnvLink.py	569	EnvLink	—
py/EpisodicMemory.py	415	EpisodicMemory	—
py/EthicsArbiter.py	454	EthicsArbiter	—
py/forge_sim_agent.py	11,147	RiskEntry, RiskRegister, LatencyForecaster, OutputFragmentHealer, UnitTestSynthesizer (+3 more)	—
py/FusionModulesManifest.py	2,467	—	—
py/GoalEngine.py	435	GoalEngine	—
py/gpt_6_lite_deterministic_mo_e_transformer_reasoning_head_single_file.py	13,171	GQAAttn, Expert, MoE, Block, LRC (+4 more)	set_seed, build_rope, apply_rope, demo_tool_search, generate_with_speculation, sample_logits (+1 more)
py/human_sim_human_like_ai_sim_agent_personality_drives_emotions_bdi_single_file.py	10,512	SRand, AuditEvent, Auditor, Personality, Drives (+4 more)	stable_uuid, clamp, make_agent, simulate_conversation, simulate_day
py/human_voice_chat_advanced_voice_chat_mirroring_human_sim_single_file.py	11,799	SRand, Audit, Personality, Drives, PAD (+5 more)	clamp, infer_vibe, pad_to_prosody, healthz, ws_route
py/lvaria_engineer.py	12,582	—	now_iso, sha256_file, ensure_dir, write_text, cmd_init, _parse_spec (+7 more)
py/image_generator_server.py	692	—	generate
py/intent_fusion_core.py	541	IntentFusion	—
py/jarvis_server.py	909	—	finetune_model
py/kernel.py	425	SymbolicKernel	—
py/lang_lock_voice.py	13,678	SimpleLangId, LanguageLock, ASREngine, TTSEngine, DemoASR (+4 more)	normalize_lang, strict_no_translation
py/LanguageFeedback.py	378	LanguageFeedback	—
py/law_advisor_ai_sim_agent_qyvaria_compatible.py	14,696	Command, CommandRegistry, JurisdictionProfile, LegalQuery, Evidence (+5 more)	now_iso, short_id, clamp

Cesta	Bajty	Třídy	Funkce
py/LearningManager.py	465	LearningManager	—
py/lingua.py	3,911	LinguaAI_Advanced	—
py/lingua_api.py	1,056	—	run_code, ask_question, get_memory, import_facts, export_facts
py/linguistics_ai_sim_agent_qyvaria_compatible.py	15,478	Command, SafeCommandBus, Token, AgentSpec, LinguisticsAgent	sent_split, tokenize, detect_lang, lemmatize, pos_tag, ner (+8 more)
py/llm_engine.py	640	—	generate_response, query_llm
py/logicky_rozhodovací_system_pravidlovy_engine_cz.py	8,852	Conclusion, Rule, Decision, TraceEvent, ConditionEval (+2 more)	EQ, NE, GT, GE, LT, LE (+4 more)
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py	8,978	SRand, Audit, LovePAD, Tie, AffectionGraph (+3 more)	stable_uuid, make_reflector, make_solver, sentiment, extract_core, clamp01 (+1 more)
py/machine_intelligence_ai_sim_agent_single_file_deterministic_goap_memory_tools.py	12,770	SRand, AuditEvent, Auditor, Policy, CommandRegistry (+10 more)	stable_uuid, tool_calc, tool_search, build_grid_domain, simulate_grid
py/main.py	708	Message	invoke, root
py/mastermind_ai_sim_model_catalyst_v_7_aligned_mastermind_sim.py	12,279	_AGIMemoryFallback, _AGIEthicsFallback, _AGIMetaReasonerFallback, _SubAgent, _AgentSystem (+7 more)	_demo
py/mastermind_orchestrator_v_8.py	9,268	Budget, Context, Step, Outcome, Plan (+6 more)	—
py/media2prompt.py	13,413	Config	ensure_dir, which, media_to_wav, redact_text, transcribe_audio, sample_video_frames (+9 more)
py/meta_ai_sim_adaptive.py	21,724	ContractError, FieldSpec, Contract, RBAC, Step (+14 more)	register
py/meta_ai_sim_agent.py	13,017	ContractError, FieldSpec, Contract, RBAC, Step (+4 more)	register
py/meta_sim_agent_qyvaria_compatible_simulates_sims_engine.py	15,852	SimRNG, EnvConfig, AgentConfig, SimConfig, AgentState (+3 more)	default_config
py/MetaLearningEngine.py	366	MetaLearningEngine	—
py/MetaReasoner.py	510	MetaReasoner	—
py/mira_aof_ai_sim_agent_qyvaria_runtime.py	14,666	RNG, ElementalState, ResonantLetter, HarmonicParams, FracturedEcho (+18 more)	_hash, default_elemental_states, _build_alphabet, load_agent
py/module_auditor.py	18,951	ComplianceChecklist, HealthStatus, NodeStats, ModuleNode, ProbeSpec (+1 more)	_detect_frameworks, _safe_getsourcefile, _guess_purpose, _count_members, _count_params_if_any, _compliance_scan (+9 more)
py/MultiAgentFramework.py	556	SubAgent, MultiAgentFramework	—
py/NeuralPatternMapper.py	288	NeuralPatternMapper	—
py/neuro_sim_agent_qyvaria_compatible_neuronal_sim.py	12,613	NeuronParams, Neuron, Synapse, RingBuffer, Stimulus (+4 more)	_demo_config
py/nl_2_py_qyvaria.py	23,523	SafetyError, TranslationReport, Pattern, NL2PyEngine	nl2py_tool, expert_nl2py, _cli
py/nl_sim_agent_deterministic_natural_language_engine.py	12,360	NLSimConfig, TraceEvent, Frame, NLSim	—

Cesta	Bajty	Třídy	Funkce
py/omni_sim_agent.py	11,779	RiskEntry, RiskRegister, SandboxRunner, HallucinationFirewall, VizMaker (+4 more)	safe_eval
py/oneagent_voice_sim.py	21,939	SimpleLangId, LanguageLock, SafetyMode, SimpleSafety, ASREngine (+14 more)	normalize_lang, echo_agent
py/optimization_checker_agent.py	11,609	CheckResult, AgentReport, OptimizationCheckerAgent	—
py/PerformanceMonitor.py	916	PerformanceMonitor	—
py/PersistentGoalManager.py	517	PersistentGoalManager	—
py/Phytoon_Full_Language_Model.py	1,939	PhytoonRuntime	—
py/Phytoon_Language_Model.py	1,751	PhytoonInterpreter	—
py/Phytoon_v2_Upgrade.py	3,722	PhytoonRuntime, CodeEvolver, PhytoonGUI	—
py/PhytoonCetanaFusion.py	6,200	CetanaKernel, PhytoonCetanaRuntime, PhytoonCetanaGUI	phytoon_compiler
py/problem_solving_ai_sim_minimal_deterministic_agent_qyvaria_style.py	16,851	TraceEvent, AgentConfig, Problem, Solution, Solver (+6 more)	stable_tuple
py/python_axiomdelta_codex.py	17,400	Source, Evidence, Belief, AxiomDelta	clamp01, odds, inv_odds, ema, now, parse_evidence_arg (+2 more)
py/qavaria_ai_sim_agent.py	16,780	JurisdictionProfile, PolicyGuard, AuditLogger, ToolRegistry, LLMClient (+7 more)	_now_ms, _ensure_dir, get_commands
py/question_policy.py	8,877	PolicyConfig, QuestionPolicy	—
py/qy_90_upgrade_pack_bootstrap.py	16,884	—	main
py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py	16,548	Decision, PolicyHit, PolicyRule, LawPolicyEngine, Role (+12 more)	default_policy_pack
py/qy_agentsim_united.py	24,941	Retriever, KGraph, CaseMemory, RLRouter, AgentOutput (+16 more)	canonical_json, stable_hash, verify_text, register_agentsim
py/qy_ai_universe.py	32,305	StandardScaler, Action, Rule, FuzzySet, FuzzyRule (+13 more)	set_seed, _simple_split, metrics_classification, metrics_regression, astar_grid, plan_strips (+15 more)
py/qy_ai_universe_plus.py	34,532	StandardScaler, Action, Implication, Rule, FuzzySet (+25 more)	set_seed, _simple_split, metrics_classification, metrics_regression, astar_grid, plan_strips (+19 more)
py/qy_code_engineer_code_quality_refactor_and_safety_module_for_qyvaria_v_8.py	19,413	FuncMetric, FileReport, AnalysisReport, CodeAnalyzer, RefactorEngine (+1 more)	qy_code_engineer_handler, expert_code_engineer
py/qy_control_plane.py	18,118	Permission, Role, AccessControl, Command, SafeRunner (+23 more)	set_seed
py/qy_crypto.py	11,608	—	_b64e, _b64d, _derive_key, gen_key, gen_key_b64, _pack_envelope (+9 more)
py/qy_fullstack_pack_bootstrap_fullstack.py	28,763	—	main
py/qy_llm_sim_module.py	11,920	SimConfig, SimState, TraceEvent, StubBackend, LlamaBackend (+2 more)	_demo_line, main

Cesta	Bajty	Třídy	Funkce
py/qy_logo_stamp.py	11,585	—	_try_font, _render_qyvaria_logomark, _compose_logo, _choose_theme_auto, stamp_image, _save_with_metadata (+4 more)
py/qy_memory_extended_pluggable_memory_module_for_qyvaria_v_8.py	14,342	MemoryRecord, QyMemory, MemoryFacade	_tokenize, default_embed, cosine
py/qy_ml_toolkit.py	23,408	StandardScaler, _BaseModel, LinearRegressionGD, LogisticRegressionGD, KNN (+5 more)	set_seed, _simple_train_test_split, metrics_classification, metrics_regression, _wrap_sklearn, build_model (+7 more)
py/qy_network_retrieval.py	21,967	ContractError, FieldSpec, Contract, RBAC, SimpleEmbedder (+17 more)	tokenize, register
py/qy_nn_engine.py	11,259	_NPMLP, _TorchMLP, _ORTWrapper, NeuralEngine	_seed_all, _one_hot, _accuracy, _kmeans_np, _pca_np, _softmax_np
py/qy_orbit_pack_bootstrap_orbit.py	17,582	—	main
py/qy_perfection_kit.py	17,936	Field, Schema, PolicyReport, PolicyEngine, RetryPolicy (+17 more)	set_seed, _to_canonical, content_hash, harden
py/qy_public_command_db_engineering_day_oct_4.py	17,109	Parameter, Command, Service, QYPublicCommandDB	—
py/qy_reasoning_booster.py	16,157	PlanStep, Plan, VerificationIssue, VerificationReport, ReasonedAnswer (+3 more)	_now, _stable_hash, _clamp, register
py/qy_self_upgrade_pack_v_2_bootstrap_upgrade_v_2.py	21,323	—	main
py/qy_sim_engineering_ai.py	31,925	EventBus, ServiceRegistry, RequestRouter, DeterministicLLM, MiniMemory (+14 more)	slugify, now_ms, sha8, ensure_schema, evidence_gate, sanitize_injection (+4 more)
py/qy_sim_patchset_10.py	21,956	TraceEvent, PatchService, ProvenanceLedger, SchemaGuard, InjectionShield (+8 more)	_try_json, _ensure_standard, main
py/qy_team_network.py	17,562	DeterministicLLM, AgentSpec, AgentMessage, LLMAdapter, AgentNetwork (+1 more)	make_roster, _demo, main
py/qy_test_ai.py	29,514	ModelMeta, Prompt, TestCase, TestResult, RunSummary (+5 more)	_slug, normalize, scorer_exact, scorer_contains, scorer_refusal, scorer_no_toxicity (+8 more)
py/qy_voice_engine_bootstrap_voice.py	15,802	—	main
py/qy_voice_modes_pack_bootstrap_voice_modes.py	12,624	—	main
py/qy_voice_policy_patch_bootstrap_voice_policy.py	8,314	—	main
py/qybilingual_voice.py	17,289	NLUResult, QYBilingualVoice	_tokens, _lang_score, detect_lang, strip_diacritics, _compress_elongations, _drop_fillers (+5 more)
py/qyintelligence.py	20,556	Contracts, Retriever, Reasoner, Claim, Critic (+3 more)	_tokens, _top_k
py/qymemory.py	15,405	_NullCipher, MemoryRecord, QYMemory	_get_cipher, _flatten_payload, _tokenize, _now

Cesta	Bajty	Třídy	Funkce
py/qynlcalibrator_py_natural_unnatural_language_calibrator_lisp_fast_speech_phonetic_similarity.py	14,257	CalibResult, QYNLCalibrator	strip_diacritics, squash_whitespace, compress_elongations, drop_fillers, expand_contractions, expand_slang (+7 more)
py/qyorchestrator.py	23,747	PlanStep, Plan, TimeoutError, _Timeout, QYOrchestrator	_tokenize
py/qyraw_iq.py	22,966	UnsafeExpression, EquationExtractor, Scorer, Bandit, Candidate (+2 more)	tokens, is_number, _check_ast, safe_eval
py/qytranslate.py	21,060	Masked, TinyTM, TranslationResult, QYTranslate	_normalize, _tokens, _lang_score, detect_language, mask_placeholders, restore_placeholders (+2 more)
py/Qyvaria Complete Sim.py	8,225	QyvariaCompleteSIM	—
py/Qyvaria Sim Profile.py	9,392	ConversationPolicy, IndividualSimulation	register_qyvaria_sim
py/Qyvaria Voice Os.py	9,881	VAD, ASR, TTS, QuestionThrottle, VState (+1 more)	ssml
py/qyvaria_adaptability_sim_agent_adaptability_agent.py	8,907	DriftSignal, AdaptConfig, AdaptabilityAgent	bootstrap
py/qyvaria_advanced_voice_chat_ai_sim_agent_low_late_ncy_barge_in_safety_fast_api_reference.py	12,738	Consent, DataPolicy, Redactor, SafetyLabel, SafetyGuard (+7 more)	now_ms, estimate_emotion, voice_socket, export_session, health
py/qyvaria_advanced_voice_chat_sim_emotion_mirroring_real_time_translation_noise_suppression_multimodal_prompt_composer_fast_api.py	13,515	Consent, DataPolicy, Redactor, SafetyLabel, SafetyGuard (+10 more)	now_ms, clamp, estimate_emotion, ssml, voice_plus, compose_prompt (+1 more)
py/Qyvaria_Aeon.py	12,992	Event, EventBus, LifeState, Health, LiveSystem	—
py/qyvaria_agi_model.py	28,801	DeterministicLLM, Skill, SkillLibrary, MiniMemory, ProvenanceLedger (+9 more)	slugify, sha8, now_ms, token_count, ensure_schema, hallu_gate (+3 more)
py/qyvaria_agi_proto.py	23,803	Event, EventBus, SelfReport, SelfModel, MemoryItem (+14 more)	now_ms, now_iso, sha256, clamp, softmax, pick_weighted (+4 more)
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python (1).py	17,632	Consent, DataPolicy, SafetyGate, BusEvent, Bus (+13 more)	allow, put_csv, put_json, worker_loop, project_create, rbac_grant (+21 more)
py/qyvaria_ai_lab_sim_agent_projects_datasets_models_experiments_trials_artifacts_evals_jobs_governance_fast_api_python.py	17,632	Consent, DataPolicy, SafetyGate, BusEvent, Bus (+13 more)	allow, put_csv, put_json, worker_loop, project_create, rbac_grant (+21 more)
py/qyvaria_aisim_axis_module_factuality_reasoning_code_creativity_speed.py	15,489	JurisdictionProfile, PolicyGuard, AuditLogger, ToolRegistry, LLMClient (+7 more)	_now_ms, _ensure_dir, get_commands
py/qyvaria_all_in_one (1).py	63,074	_NullCipher, _Signer, MemoryRecord, QYMemory, Redactor (+11 more)	_get_cipher, _tokenize, _flatten_payload, _mask, _luhn_ok, _iter_files (+9 more)
py/qyvaria_analyzer_streamlit_app.py	16,702	ModuleBlob	_human_bytes, _sha256, parse_bundle_literal, decompress_module, analyze_source
py/qyvaria_app_creator_sim_agent_single_agent_multi_role_pipeline.py	22,166	Message, Mailbus, ContextualMemory, Templater, SubAgent (+8 more)	—
py/qyvaria_catalyst_v_8_single_file_module_network_orchestrator_catalyst_hub.py	19,065	EventBus, RequestRouter, ServiceRegistry, ModuleDescriptor, ModuleGraph (+4 more)	_now_ms, _short, log

Cesta	Bajty	Třídy	Funkce
py/qyvaria_cognitive_superstack.py	45,542	ArtifactStore, MemoryArtifactStore, FSArtifactStore, Clock, DefaultClock (+20 more)	_now_ts, _json, _slug, _stable_hash, elo_update, synthesize_program (+24 more)
py/qyvaria_control_plane.py	22,975	RollingStat, Perf, Resources, ModuleVersion, Modules (+4 more)	now_iso, sha16, read_text, write_text, safe_join, static_scan (+3 more)
py/qyvaria_czech_language_module_simlang_cs.py	10,797	CzechLangError, CzechVoiceProfile, Politeness, TTSAAdapter, STTAdapter (+1 more)	safety_scrub, normalize, sentence_split, word_tokenize, fmt_datetime, fmt_number (+3 more)
py/qyvaria_data_analyst_ai_sim_agent_eda_nfq_→_data_charts_stats_cache_fast_api_python.py	16,252	Consent, DataPolicy, AuditEvent, AuditLog, BusEvent (+7 more)	sha1, ingest, datasets, describe, nlq, chart (+4 more)
py/qyvaria_data_code_analyzer_ai_sim_agent.py	23,017	JurisdictionProfile, PolicyGuard, AuditLogger, ToolRegistry, LRUCache (+6 more)	_now_ms, _ensure_dir, _sha12, get_commands
py/qyvaria_equalizer_suite_one_go_language_code_logic_clarity_tool_equalizer_suite.py	17,802	EqReport, ClarityEqualizer, LanguageEqualizer, LogicRationalityEqualizer, CodeEqualizer (+1 more)	_read_text, _write_text, build_argparser, main
py/qyvaria_eval_harness_live_bench_gdpval_hle_v_0.py	14,864	Item	run_cmd, ensure_git, ensure_repo, ensure_python, init, doctor (+4 more)
py/qyvaria_evolution_agent.py	17,151	DeterministicRNG, EvolutionPolicy, EvolutionStore, Patch, EvalReport (+1 more)	_utcnow_iso, register_with_agi_system, demo, _assert, test_policy_blocks_protected, test_eval_sample_size_gate (+2 more)
py/qyvaria_generalization_agentic_ai_sim_single_module.py	18,187	JurisdictionProfile, PolicyGuard, AuditLogger, ToolRegistry, LLMClient (+9 more)	_now_ms, _ensure_dir, get_commands
py/qyvaria_guardian_module_prwa_plan→research→write→audit_loop.py	20,775	Source, Milestone, Plan, ResearchPacket, WritingDraft (+9 more)	_dummy_fetch, _demo
py/qyvaria_hardened.py	17,503	AuditLogger, RBACPolicy, TimeoutError, CommandBus	enable_determinism, make_audit_logger, _guarded_call, _bundle_signature_payload, verify_bundle_signature, sign_manifest (+9 more)
py/qyvaria_hub_open_ai_multi_bot_connector_policy_safe.py	10,296	ChatRequest, ChatResponse	policy_screen, pick_target_alias, throttle, ensure_thread, post_user_message, run_assistant (+6 more)
py/qyvaria_hybrid_analyzer_encryptor_decryptor_mixer_transmitter_single_file_module.py	18,281	AnalysisReport, CodeAnalyzer, CryptoEngine, _LocalRenamer, CodeMixer (+2 more)	_b, _now_epoch_ms, _scrypt_derive_key
py/qyvaria_improvement_engine_one_file_simulator_toolkit_v_1.py	25,969	ModelAdapter, MemoryNote, TinyRetrieval, Scratchpad, SafeRunner (+4 more)	simulate_all, cmd_simulate, cmd_demo_tools, cmd_run_task, build_parser, main
py/qyvaria_kernel_integration_bridge_mesh_orchestrator_v_0.py	13,591	Services, KernelAdapter, Capability, AgentSpec, CapabilityGraph (+8 more)	—
py/qyvaria_kernel_mesh_kernel_mesh.py	16,544	Service, ServiceRegistry, EventBus, CommandRouter, KernelMesh	parse_bundle_literal, _decompress_entry, main
py/qyvaria_lang.py	19,529	LangConfig, TokenEstimator, LLMBackend, EchoLLM, ReplyExtender (+13 more)	_demo
py/qyvaria_language_lock_advanced_voice_chat_module_single_file.py	13,679	SimpleLangId, LanguageLock, ASREngine, TTSEngine, DemoASR (+4 more)	normalize_lang, strict_no_translation

Cesta	Bajty	Třídy	Funkce
py/qyvaria_lightweight_foundation.py	40,279	Stopwatch, LRUCache, TokenizerConfig, SimpleTokenizer, QuantConfig (+14 more)	_seed_everything, _softmax, quantize_tensor, dequantize_tensor, register_with_qyvaria
py/qyvaria_llm_sim_and_meta_agent.py	20,308	JurisdictionProfile, PolicyGuard, AuditLogger, ToolRegistry, LLMClient (+10 more)	_now_ms, _ensure_dir, _hash_dict, basic_answer_strategy, reflection_wrapper, demo
py/qyvaria_mathematical_ai_sim_agent_symbolic_numeric_steps_proof_hints_python_fast_api.py	15,967	Consent, DataPolicy, AuditEvent, AuditLog, BusEvent (+5 more)	now_ts, plot_expr, solve, simplify, equation, calculus (+5 more)
py/qyvaria_memo.py	11,752	MemoConfig, _Entry, _LRU, _ShardWriter, QyMemo	_now, _crc32, _hash_key, _ensure_dir
py/qyvaria_meta_intelligence_engine.py	35,016	ArtifactStore, MemoryArtifactStore, FSArtifactStore, Clock, DefaultClock (+15 more)	_now_ts, _json, _slug, _stable_hash, elo_update, register_built_in_tasks (+16 more)
py/qyvaria_model.py	15,795	DeterministicLLM, QyModelConfig, QyModelState, TraceEvent, MiniMemory (+2 more)	_demo, main
py/qyvaria_module_sumerian_voice.py	12,824	G2PResult, SumerianG2P, SumerianMTGloss, Prosody, ITTS (+3 more)	_agent, cmd_sumerian_speak, cmd_sumerian_synthesize, cmd_sumerian_describe, get_plugin, register (+1 more)
py/qyvaria_monolith_20.py	36,419	TokConfig, Tokenizer, CoreConfig, Linear, LayerNorm (+26 more)	_seed, _softmax, prune_linear_magnitude, ptq_linear, _demo, main
py/qyvaria_multi_agent_knowledge_mesh_30_micro_agents_orchestrator_v_0.py	19,807	Commands, Logger, JournalEntry, Journal, PolicyConfig (+15 more)	—
py/qyvaria_negramotny.py	14,557	DataSample, QNEM	_seed, _entropy
py/qyvaria_one_agent_sim_with_adoptable_logic_contextual_memory_and_internal_multi_agent_runtime.py	12,979	Message, Mailbus, ContextualMemory, Policy, RulePolicy (+7 more)	—
py/qyvaria_photoreal_max.py	1,206	—	—
py/qyvaria_pra_genesis_ai_sim_agent.py	40,200	Mode, Tone, SafetyStatus, Severity, UserProfile (+35 more)	_demo
py/qyvaria_prompt_engineering_ai_sim_agent_lint_optimize_instantiate_a_b_eval_fast_api_python.py	15,358	DataPolicy, SafetyGate, BusEvent, Bus, Audit (+13 more)	tpl_create, tpl_get, lint, optimize, instantiate, simulate (+6 more)
py/qyvaria_provenance_toolkit_v_0.py	16,607	WMPParams	strip_exif_bytes, add_visible_badge, _blockview, _prn, _prepare_payload_bits, embed_watermark (+8 more)
py/qyvaria_rationality_max.py	20,657	SafeCalc, BoolExpr, SAT, QRLConfig, Trace (+2 more)	_seed, _now
py/qyvaria_research_analysis_module_qram_engineer_grade_implementation.py	19,833	Source, ScoredSource, Claim, Cluster, AnalysisReport (+6 more)	_utcnow, normalize_url, domain_of, sha256, hamming64, _tokenize (+10 more)
py/qyvaria_speed_module_single_file.py	15,460	_Entry, TTLCache, _Inflight, _Batcher, SpeedLayer (+3 more)	_pick_json
py/qyvaria_team_orchestrator_multi_agent_sim_with_self_optimizer_secure.py	14,129	Capability, Rule, Policy, Budget, AuditLog (+12 more)	—
py/qyvaria_team_orchestrator_single_file.py	19,996	AuditLogger, RBACPolicy, TimeoutError, _CacheEntry, TTLCache (+7 more)	_guarded_call, qyvaria_module, _self_test
py/qyvaria_unified_sim_agent_knowledge_guild_monolith_v_0.py	15,548	Commands, Logger, PolicyConfig, Policy, JournalEntry (+12 more)	—

Cesta	Bajty	Třídy	Funkce
py/qyvaria_url_reader_module_qy_url_reader.py	22,921	FileInfo, VideoInfo, ArticleInfo, PageInfo, ErrorInfo (+3 more)	_normalize_url, _build_request, _open_url, _parse_content_type, _guess_filename, _collect_meta (+6 more)
py/qyvaria_voice_chat_x_single_file_server_fast_api_web_socket_stubs.py	8,197	Audit, SimpleVAD, ASRStub, TTSStub, Tools (+1 more)	safe, healthz, ws_route
py/qyvaria_voice_sim_agent_diarization_addressed_repl_y_router_v_0.py	15,009	Commands, AudioFrame, VADChunk, DiarizedTurn, AgentConfig (+8 more)	pcm16_stream
py/qyvid_scripter.py	21,860	Safety, Brief, Shot, VoiceLine, BeatPlanner (+3 more)	_s, _tokens, _time_now, _strip_diacritics
py/qywriter.py	29,627	SafetyFirst, Contracts, StyleEngine, Source, ReferenceManager (+8 more)	_tokens, _now, _squash, _strip_diacritics
py/SafetyKernelUpgrade.py	656	SafetyKernelUpgrade	—
py/SelfEditor.py	327	SelfEditor	—
py/SelfModel.py	326	SelfModel	—
py/SimulationInterface.py	351	SimulationInterface	—
py/SocialReasoner.py	377	SocialReasoner	—
py/speed_agent.py	4,945	RiskEntry, RiskRegister, SpeedAgent	_canonical_prompt, _cache_key, register_speed_agent
py/starter_actions.py	322	—	dummy_tool
py/startup.py	452	—	launch_backend, launch_gui, run_catena_stack
py/sumerian_language_model_ai_sim_agent_qyvaria_compatible.py	14,530	Command, SafeCommandBus, Token, Syllable, Lexeme (+4 more)	to_ascii_safe, normalize_transliteration, tokenize, syllabify, approx_ipa, make_igt (+3 more)
py/sumerian_voice_chat_ai_sim_agent_for_qyvaria_fake_it_capable.py	12,984	G2PResult, SumerianG2P, LexEntry, SumerianMTGloss, Prosody (+4 more)	agent_factory, register_with_qyvaria
py/TaskPlanner.py	1,617	TaskPlanner	—
py/train_model.py	2,181	—	load_latest_data, train
py/translator_crypto_sim_agent_qyvaria_compatible.py	16,094	Command, SafeCommandBus, TranslationResult, Translator, DidacticStreamCipher (+2 more)	_normalize_text, _lower_no_punct, _hkdf_sha256, main
py/ValueGuardian.py	666	ValueGuardian	—
py/Varia+.py	34,191	Event, EventBus, SelfReport, SelfModel, MemoryItem (+13 more)	now_ms, now_iso, sha256_bytes, clamp, softmax, pick_weighted (+8 more)
py/velcode_interpreter.py	167	—	interpret
py/voice_engineering_frontend_qyvaria_v_8_module.py	5,683	VoiceFrontend	—
py/WakeUpKernel.py	736	WakeUpKernel	—
py/WorldModel.py	472	KnowledgeGraph	—
py/WorldModelExpander.py	403	WorldModelExpander	—
py/zip_to_py.py	1,195	—	merge_zip_to_py

Důkazní základ a redakční hranice

Tento svazek vychází z dodaného korpusu Qyvaria a z předchozí technické studie. Rozlišuje mezi přímo pozorovanými metadaty balíčku, statickou inspekcí zdrojů, řízenými pozorováními z příkazové řádky a interpretačními návrhy. Publikací balíček nepotvrzuje produkční bezpečnost ani netvrdí, že je každý

modul spustitelný. Bere projekt jako vážný softwarový korpus, jehož hodnota roste, když jsou důkazy, ambice a další technické kroky popsány jasně.

APPENDICES

GitHub upload and pack contents

Original text files included in the publication pack, converted into appendix pages.

APPENDIX

Appendix A — GitHub Upload README

Original upload guidance included in the publication pack.

QYVARIA BILINGUAL BOOK LIBRARY - 17 MAY 2026

This ZIP contains a multi-volume English/Czech publication pack for the Qyvaria Kernel and the conceptual Qyvaria OS relationship.

Main PDF series:

- 00 Publication Pack Index
- 01 Grand Technical Compendium
- 02 Architecture Atlas
- 03 Agent and Cognition Encyclopedia
- 04 Developer and Release Manual
- 05 Audit and Evidence Dossier
- 06 Qyvaria OS Integration Blueprint
- 07 Open Intelligence Manifesto
- 08 Embedded Module Atlas

The pack is designed for GitHub upload. A practical repository placement is:
docs/books/

The software licensing decision stated by the author:

- Qyvaria Kernel software: Apache License 2.0
- Qyvaria OS software: Apache License 2.0

The PDFs are explanatory documentation prepared from the supplied source corpus and the earlier technical study.

The OS integration volume is explicitly conceptual and should not be read as a claim of already-verified implementation.

Generated on: 2026-05-17

Appendix B — Pack Contents

Original inventory and page-count file included in the publication pack.

PDF BOOKS AND PAGE COUNTS:

- 00_Qyvaria_Publication_Pack_Index_CS.pdf: 4 pages
- 00_Qyvaria_Publication_Pack_Index_EN.pdf: 4 pages
- 01_Qyvaria_Kernel_Grand_Technical_Compndium_CS.pdf: 17 pages
- 01_Qyvaria_Kernel_Grand_Technical_Compndium_EN.pdf: 17 pages
- 02_Qyvaria_Architecture_Atlas_CS.pdf: 17 pages
- 02_Qyvaria_Architecture_Atlas_EN.pdf: 17 pages
- 03_Qyvaria_Agent_and_Cognition_Encyclopedia_CS.pdf: 15 pages
- 03_Qyvaria_Agent_and_Cognition_Encyclopedia_EN.pdf: 15 pages
- 04_Qyvaria_Developer_and_Release_Manual_CS.pdf: 6 pages
- 04_Qyvaria_Developer_and_Release_Manual_EN.pdf: 6 pages
- 05_Qyvaria_Audit_and_Evidence_Dossier_CS.pdf: 7 pages
- 05_Qyvaria_Audit_and_Evidence_Dossier_EN.pdf: 8 pages
- 06_Qyvaria_OS_Integration_Blueprint_CS.pdf: 5 pages
- 06_Qyvaria_OS_Integration_Blueprint_EN.pdf: 6 pages
- 07_Qyvaria_Open_Intelligence_Manifesto_CS.pdf: 5 pages
- 07_Qyvaria_Open_Intelligence_Manifesto_EN.pdf: 5 pages
- 08_Qyvaria_Embedded_Module_Atlas_CS.pdf: 25 pages
- 08_Qyvaria_Embedded_Module_Atlas_EN.pdf: 25 pages

LEGACY INITIAL STUDY COPIES:

- legacy_initial_study/Qyvaria_Qyvari_Kernel_Book_2026-05-17.pdf: 23 pages
- legacy_initial_study/Qyvaria_Qyvari_Kernel_Book_CZ_2026-05-17.pdf: 26 pages

OTHER:

- README_FOR_GITHUB_UPLOAD.txt
- PACK_CONTENTS.txt