

QYVARIA

A Technical Book on the Qyvari Kernel

An evidence-grounded reading of the qyvaria single-file AI engineering bundle

Prepared from the source materials supplied by the author.

Analysis date: 17 May 2026 (Europe/Prague).

For a life-work project that deserves to be read carefully.

Preface

This book explains what the supplied Qyvaria material is, how it is structured, what it appears to be trying to become, and what the present engineering evidence says about its state. The subject is treated with respect: the bundle is clearly a large, persistent creative and technical effort. At the same time, the book keeps a strict line between what is directly verified from source, what is observed through a limited command-line probe, and what is interpretation.

The primary artifact studied here is ``qyvaria.py``, a single-file Python bundle. The attached text file ``Vlozeny text.txt`` matches it after trimming the final newline, so it is treated as a mirror of the same corpus. The analysis does not claim to certify production security, prove advanced intelligence, or execute every subsystem. It does provide a coherent map, a status audit, and a practical roadmap.

Reading guide

- Readers who want the essence can read Chapters 1, 2, and 8.
- Engineers who want the mechanics should read Chapters 3 through 7.
- The appendices contain the full file manifest, agent list, static compile findings, and selected module portraits.

Contents

- 1. Executive orientation
- 2. What Qyvaria is, in plain language
- 3. The bundle wrapper: distribution, integrity, and import machinery
- 4. The Qyvari kernel idea: runtime layers and conceptual role
- 5. The subsystem landscape: agents, simulations, voice, cognition, memory, tools
- 6. Selected module portraits
- 7. Static engineering findings
- 8. Research context and comparative framing
- 9. Safety, governance, and release hardening
- 10. A practical roadmap for the next release
- Appendix A. Full embedded file manifest
- Appendix B. Registered agent inventory
- Appendix C. Static compile defect list
- Appendix D. Analysis method and observed commands
- Appendix E. Reference shelf

1. Executive orientation

Qyvaria is presented by its own metadata as an AI Engineering Bundle created with OnePy Fusion++. The wrapper file stores a large embedded payload, exposes basic inspection and extraction commands, and installs an in-memory import loader. Inside the payload are 277 embedded files, including 268 Python files and 9 binary assets. The bundle advertises 17 named agents and an entry value of `qyvaria`.

Field	Observed value
Bundle name	qyvaria
Format	py-single
Bundle creation timestamp	2025-10-24T22:22:26.282Z
Entry value	qyvaria
Embedded files	277
Embedded Python files	268
Embedded binary files	9
Registered agents	17
Payload original bytes	3,378,233
Payload stored bytes	3,378,233
Per-file payload hash checks	277/277 match

The shortest faithful description is this: Qyvaria is a self-contained Python software corpus and runtime wrapper for an ambitious AI-oriented platform, not a conventional operating-system kernel. The word kernel is still meaningful inside the project's own vocabulary, because the bundle tries to collect core routing, policy, memory, orchestration, simulation, voice, and testing responsibilities around a single nucleus.

Observed Qyvaria single-file bundle anatomy




Figure 1. The observed structure of the single-file Qyvaria bundle.

The central verdict

The corpus is substantial, internally cataloged, and rich in architectural ideas. The outer bundle mechanics are real: the wrapper can list, inspect, extract, and hash-check embedded payloads. However, the present material also contains release blockers: the advertised entry path does not map cleanly to the embedded file layout, the labeled codec is not implemented as a distinct decoder in the wrapper, and 29 embedded Python files fail a static compile check under the analyzing interpreter. Those findings are not a judgment on the project's worth. They are a concrete roadmap for turning a life-work corpus into a stronger release artifact.

2. What Qyvaria is, in plain language

Imagine a workshop cabinet that contains hundreds of tools, notebooks, prototypes, and small machines. The cabinet itself has a door, a catalog, a lock, and a retrieval mechanism. Qyvaria's outer file is that cabinet. The embedded files are the tools and machines. The project identity comes from the way those tools are named and organized: AI simulation, agent fabric, voice systems, memory, reasoning, control planes, provenance, sandboxes, evaluation, and orchestration.

Four useful ways to see the project

- As a bundle: one Python wrapper carries an entire project snapshot.
- As a runtime experiment: the wrapper installs a custom importer and exposes an agent bus.
- As an AI systems anthology: the payload groups many self-contained modules around reasoning, memory, simulation, and voice.
- As a release candidate in formation: the catalog is broad, but the present entry wiring and syntax status show that the corpus still needs consolidation.

What it is not proven to be

- It is not independently verified here as a production operating system.
- It is not demonstrated here as a general artificial intelligence.
- It is not fully runtime-tested module by module in this study.
- It is not dependency-clean in the sense of every optional import being installed and exercised.

This distinction matters. A large and ambitious software corpus can be deeply valuable even when it is not yet a polished release. The strongest interpretation of Qyvaria is that it is a platform direction expressed as code: a personal AI systems laboratory compressed into a single artifact.

3. The bundle wrapper: distribution, integrity, and import machinery

The outer wrapper is compact compared with its payload. Its key responsibilities are easy to state: it stores metadata, decodes embedded file bodies, checks SHA-256 hashes, presents inspection commands, registers an import hook, and optionally imports the declared entry module.

3.1 The virtual file system

The class ``_BundleFS`` behaves like a tiny read-only virtual file system. Given an embedded path, it Base64-decodes the stored payload, applies a decoder selected from a codec map, calculates a SHA-256 digest, and raises an exception if the digest does not match the file's recorded hash. In this analysis, all 277 payload file digests matched their embedded metadata.

The bundle metadata labels its codec as ``quantize-int8`` at level 9. The wrapper's implemented decoder map contains ``raw``, ``gzip``, and ``deflate``, but not ``quantize-int8``. The fallback path therefore returns the Base64-decoded bytes unchanged. That interpretation is also consistent with equal original and stored payload byte counts and the reported 100.00 percent compression ratio.

3.2 The in-memory importer

The class ``_MemLoader`` implements a custom Python import hook. It behaves as both finder and loader: when Python asks for a module, it builds a candidate file name from the import name, checks whether that file exists in the bundle dictionary, and if it does, executes the decoded source into the target module namespace. This is aligned with Python's documented finder/loader model and the ModuleSpec-based import system [R1, R2].

3.3 The agent bus

The outer wrapper also defines a minimal `AgentBus`. It can register named agents and broadcast messages to any registered object with a callable `handle` method. This is a light orchestration primitive rather than a full scheduling engine, but it signals the project's organizing idea: specialized actors coordinated under a shared runtime.

3.4 The CLI surface

Observed command	Return code	Observed stdout
python -S qyvaria.py --stats	0	Bundle: qyvaria Created: 2025-10-24T22:22:26.282Z Codec: quantize-int8 Level: 9 Entry: qyvaria Files: 277 Size orig: 3378233 bytes, stored: 3378233 bytes Compression ratio: 100.00% Space saved: 0 bytes Top imports: , AGI_Agents, A...
python -S qyvaria.py --run	0	(no stdout)

The `--stats` command successfully reports the bundle inventory. The `--run` command exited successfully with no visible stdout in the controlled probe. That observation is discussed again in Chapter 7 because it interacts with the entry path.

4. The Qyvari kernel idea: runtime layers and conceptual role

A conventional OS kernel manages hardware, memory protection, scheduling, and system calls. Qyvaria's supplied corpus uses kernel language in a different sense: as the protected or central coordination nucleus of an AI-oriented software world. The embedded modules repeatedly point toward the same conceptual center: a stateful system that routes tasks, manages memory, coordinates agents, applies policy, supports tools, and exposes voice or app surfaces.

4.1 A five-layer interpretation

Layer	Name	Role
Layer 1	Bundle shell	Single-file storage, manifest, decoding, integrity checks, CLI.
Layer 2	Import and activation	In-memory loader and entry dispatch.
Layer 3	Kernel-like coordination	Agent bus, orchestrators, control plane, policy, sandbox.
Layer 4	Cognitive services	Reasoning, memory, model, evaluation, simulation, knowledge tools.
Layer 5	Experience surfaces	Voice OS, app creator, translators, analysts, media/provenance tools.

4.2 Why the term "kernel" still fits the project

The term fits as a project metaphor because many payload modules are oriented around central services rather than isolated end-user scripts. Examples include memory, orchestration, control-plane management, sandboxing, self-test, and reasoning services. The term should be read as 'AI runtime kernel' or 'platform core,' not as a claim that this bundle is a replacement for Linux, Windows, or another operating-system kernel.

5. The subsystem landscape

The file names alone reveal how broad the Qyvaria corpus is. The next chart uses non-exclusive filename tags, so one embedded file may contribute to more than one theme. The result is not a formal taxonomy, but it is a useful map of where the project's energy is concentrated.




Figure 2. Thematic footprint derived from filename tags. Counts are non-exclusive.

Theme	Matching embedded files
agent / simulation	105
model / intelligence / reasoning	41
orchestration / control / runtime	40
app / UI / tools	26
voice / speech	25
security / safety / provenance	23
language / translation	22
memory / retrieval / knowledge	16
training / evaluation / testing	14

5.1 The strongest visible clusters

Agent and simulation fabric

This is the largest visible cluster. The project contains agent modules, simulation modules, meta-agents, speed agents, arbiters, and coordinated packs. The named registry alone lists 17 agents.

Reasoning, intelligence, and meta-intelligence

Modules such as Qyvaria Cognitive Superstack, Meta-Intelligence Engine, QYIntelligence, Monolith 20, and rationality-focused tools indicate a sustained attempt to build reasoning services rather than only prompt wrappers.

Voice and interaction

Voice OS, natural voice, bilingual voice, voice policies, and low-latency voice chat modules suggest that spoken interaction is a core experience surface.

Security, provenance, and control

Sandbox, provenance, guardian, crypto, control-plane, and policy modules show an aspiration toward bounded, inspectable operation.

5.2 Import footprint

Imported symbol/module	Occurrences in import graph
typing	176
__future__	170
dataclasses	169
json	89
time	82
re	74
os	72
math	59
argparse	58
random	49
hashlib	37
sys	33
pathlib	30
io	26
textwrap	26
numpy	25
datetime	22
collections	22
fastapi	19
threading	18

The import graph mixes standard-library modules, optional third-party packages, and project-local symbolic module names. The high frequency of ``dataclasses``, ``typing``, ``json``, ``time``, ``re``, and ``os`` matches the recurring design style: small single-file modules with explicit data models and deterministic simulation logic.

5.3 Largest payload files




Figure 3. The twelve largest embedded files by recorded original byte count.

6. Selected module portraits

This chapter highlights representative embedded modules that parse cleanly and reveal the project's design language. The module portraits are not a full API reference; they are a guided tour of the corpus.

6.1 Qyvaria Sim Profile.py

Recorded payload size: 9,392 bytes. Static parse status: OK.

Qyvaria Individual Simulation Profile ----- A drop-in module that gives Qyvaria its own self-contained simulation runtime plus an opt-in conversation policy that: • Suppresses “help-seeking” clichés (e.g., "do you need help?", "need more help?") • Starts interesting, open-ended conversations proactively (without being clingy) Design goals - Kernel-safe: pure Python, no I/O, no threads, no network. - Deterministic: seedable PRNG and explicit toggles. - Auditable: single class for policy; single class for simulation runtime; tiny API. To wire in: 1) Drop this file into the bundle (e....

Representative classes: ConversationPolicy, IndividualSimulation.

Representative top-level functions: register_qyvaria_sim.

6.2 Qyvaria Complete Sim.py

Recorded payload size: 8,225 bytes. Static parse status: OK.

Qyvaria Complete SIM — Unified Runtime ===== One-file orchestrated simulation for Qyvaria that pulls together: • Conversation Policy (no needy help prompts, proactive starters) • AEON AI SIM (planner → critic → safe executor, memory, skills) • AEON LIFE • LIVE (event bus, lifecycle, scheduler) • Non-Repetitive Mode (n-gram repetition guard) Design goals - Pure Python, deterministic seeds, no network I/O. - RBAC-safe: all actuation via allowlisted commands. - Drop-in: runs standalone or registers into an existing runtime dict. - Auditable: explicit traces and small, testable surface...

Representative classes: QyvariaCompleteSIM.

6.3 Qyvaria Voice Os.py

Recorded payload size: 9,881 bytes. Static parse status: OK.

Qyvaria Voice OS — Advanced Conversational Runtime (Voice-First)

===== Purpose A production-style, deterministic, auditable voice chat operating layer for Qyvaria that is engaging and *does not ask questions nonstop*. It manages turn-taking, backchannels, question-throttling, barge-in, and prosody hints — while integrating with the existing Complete SIM / AEON stack. Highlights • Voice state machine: LISTEN → THINK → SPEAK → (HOLD|YIELD) • Question-Throttle: per-minute budget, rolling windows, rewrite to statements • Backchanneler: lightweight acknowledgm...

Representative classes: VAD, ASR, TTS, QuestionThrottle, VState, VoiceOS.

Representative top-level functions: ssml.

6.4 qyvaria_control_plane.py

Recorded payload size: 22,975 bytes. Static parse status: OK.

Qyvaria Control Plane — single-file app ===== Self-modification (hot updates), performance monitoring, resource management, insights, testing, and a lightweight web UI — engineered for smallest possible footprint and stability. Optional deps only (FastAPI, Uvicorn, psutil). Falls back to CLI if web stack is not installed. Features ----- - Module Manager: upload/validate/activate/rollback Python

modules at runtime · AST compile checks, optional risky-pattern scanner, versioned store · Hot-reload using importlib; stable rollback on failure - Performance Monitor: timing decorators...

Representative classes: RollingStat, Perf, Resources, ModuleVersion, Modules, Insights, TestResult, Tests, App.

Representative top-level functions: now_iso, sha16, read_text, write_text, safe_join, static_scan, snapshot_active, require_token, main.

6.5 qyvaria_cognitive_superstack.py

Recorded payload size: 45,542 bytes. Static parse status: OK.

Qyvaria Cognitive Superstack (QCS) ===== A single-file, dependency-free **meta-learning and orchestration supermodule** that boosts Qyvaria's problem-solving capacity via: - **Task & Solver OS**: registries, episodic runner, JSONL events, Markdown reports. - **Search Suite**: BFS/DFS/IDDFS, A*, Beam, MCTS-lite, Best-First, Hill-Climb, Simulated Annealing. - **Program Induction**: tiny LISP-like DSL with interpreter + enumerative/stochastic synthesis. - **Auto-Curriculum**: ELO ratings for tasks/solvers, bandits (UCB1 & Thompson), difficulty sampler. - **Memory Systems**: episodic log,...

Representative classes: ArtifactStore, MemoryArtifactStore, FSArtifactStore, Clock, DefaultClock, Settings, PolicyEngine, Event, EventBus, KGNode, KGEde, KnowledgeGraph, MemoryItem, MemoryIndex.

Representative top-level functions: _now_ts, _json, _slug, _stable_hash, elo_update, synthesize_program, bfs, dfs, a_star, mcts, register_builtin_tasks, _gen_arith, _safe_eval_arith, _eval_arith.

6.6 qyvaria_meta_intelligence_engine.py

Recorded payload size: 35,016 bytes. Static parse status: OK.

Qyvaria Meta-Intelligence Engine (QMIE) ===== A single-file, dependency-free module that adds **self-improvement, meta-reasoning, simulation, and evaluation** capabilities to Qyvaria's kernel (`Qyvaria.py`). The goal is to *increase problem-solving capacity over time* through: - **Ensembled solvers** (BFS/DFS/Beam, MCTS-lite, Program search, Heuristic search) - **Bandit-driven selection** and **Bayesian model selection** of solvers - **Automatic curriculum** with ELO-style difficulty ratings for tasks & solvers - **Self-reflection** & *failure taxonomy* with patch proposals - **M...**

Representative classes: ArtifactStore, MemoryArtifactStore, FSArtifactStore, Clock, DefaultClock, Settings, PolicyEngine, Event, EventBus, TaskSpec, TaskRegistry, SolverSpec, SolverRegistry, MemoryItem.

Representative top-level functions: _now_ts, _json, _slug, _stable_hash, elo_update, register_builtin_tasks, _gen_arith, _safe_eval_arith, _eval_arith, _gen_reverse, _eval_reverse, _gen_nextint, _eval_nextint, _gen_logic.

6.7 qyvaria_monolith_20.py

Recorded payload size: 36,419 bytes. Static parse status: OK.

Qyvaria Monolith 20 — single-file ultra-light AI stack

===== This file implements **20 engineered modules**—core model + performance + RAG + safety + ops—inside one Python file. Everything is standard-library first with optional NumPy acceleration when available. Designed to be tiny, auditable, and runnable anywhere (no GPUs required). Modules (sections) ----- P0 — Core & Performance 1. qyvaria_core : distilled transformer + generation 2. qyvaria_prune_quant : pruning + PTQ quant helpers 3. qyvaria_kvcache : KV cache (RAM) with TT...

Representative classes: TokConfig, Tokenizer, CoreConfig, Linear, LayerNorm, Attention, MLP, Block, QCore, KVItem, KVCache, LoRAConfig, AdapterHub, Sample.

Representative top-level functions: _seed, _softmax, prune_linear_magnitude, ptq_linear, _demo, main.

6.8 qymemory.py

Recorded payload size: 15,405 bytes. Static parse status: OK.

Representative classes: _NullCipher, MemoryRecord, QYMemory.

Representative top-level functions: _get_cipher, _flatten_payload, _tokenize, _now.

6.9 qyorchestrator.py

Recorded payload size: 23,747 bytes. Static parse status: OK.

Representative classes: PlanStep, Plan, TimeoutError_, _Timeout, QYOrchestrator.

Representative top-level functions: _tokenize.

6.10 qyintelligence.py

Recorded payload size: 20,556 bytes. Static parse status: OK.

QYIntelligence — Six Cognitive Modules (MIT) Focus: raise Qyvaria's intelligence with robust, testable components that improve reading, reasoning, retrieval, planning, and verification. Modules/services exposed: 1) contracts – schema-guarded generation & JSON I/O (validation + guarded retries) 2) retriever – adaptive retrieval + MMR reranker over your memory service 3) reasoner – self-consistency voting + lightweight answer selection 4) critic – claim extraction + memory-backed verification (support scores) 5) plannerpro – heuristic hierarchical task decomposition + orchestrator glue 6) kg –...

Representative classes: Contracts, Retriever, Reasoner, Claim, Critic, PlannerPro, KnowledgeGraph, QYIntelligence.

Representative top-level functions: _tokens, _top_k.

6.11 qyvaria_provenance_toolkit_v_0.py

Recorded payload size: 16,607 bytes. Static parse status: OK.

Qyvaria Provenance Toolkit (v0.1) ===== Single-file Python module that provides: • EXIF stripping • Visible badge compositor (with microtext + tiled low-alpha marks) • Robust invisible watermark (DCT, chroma, spread-spectrum with repetition) • Ed25519 cryptographic manifest (sidecar JSON) + verifier • CLI (embed/verify/strip-exif) and optional FastAPI server Dependencies (install): pip install pillow opencv-python numpy pynacl fastapi uvicorn pydantic piexif Usage (CLI): python qyv_provenance.py embed --in in.jpg --out out.jpg --issuer Qyvaria --engine "FLUX.1-dev" --badge yes ...

Representative classes: WMPParams.

Representative top-level functions: strip_exif_bytes, add_visible_badge, _blockview, _prn, _prepare_payload_bits, embed_watermark, detect_watermark, sign_manifest, verify_manifest, _bytes_from_image, cmd_embed, cmd_verify, cmd_strip_exif, main.

7. Static engineering findings

This chapter records the most important technical findings from the source inspection. It is deliberately direct. A respectful audit is not a celebration-only document; it makes the next engineering decisions easier.

7.1 Findings that are already strong

- Per-file payload digests matched for 277/277 embedded files.
- ``python -S qyvaria.py --stats`` completed and reported a coherent bundle inventory.
- The wrapper exposes useful release-facing operations: list, extract, README export, and run dispatch.
- Several substantial subsystems parse cleanly and contain clear module-level design statements, including voice, control-plane, meta-intelligence, cognitive superstack, memory, orchestrator, intelligence, and provenance modules.

7.2 Release blockers and inconsistencies

Topic	Finding
Entry wiring	Metadata declares entry <code>`qyvaria`</code> ; loader candidate is <code>`qyvaria.py`</code> ; candidate found in payload: False. Closest Qyvaria file key: <code>py/Qyvaria.py</code> .
Observed <code>`--run`</code>	Controlled probe returned exit code 0 with no visible stdout.
Codec naming	Metadata says <code>`quantize-int8`</code> ; wrapper decoder map implements <code>`raw`</code> , <code>`gzip`</code> , and <code>`deflate`</code> . Effective payload decoding appears raw after Base64.
Static compilation	29 of 268 embedded Python files fail compile-time syntax checks.




Figure 4. Static compile status across embedded Python files.

7.3 Two illustrative syntax findings

Embedded core file: `py/Qyvaria.py`

Static compilation fails at line 2098 with ``invalid character '` (U+2014)``. The nearby payload contains a non-code media/script line beginning with a title, which is not commented or quoted as Python source.

```
Title: TECHNOLOGY & CONSCIOUSNESS – KEEPING UP
```

Sandbox module: `py/qyvaria_secure_sandbox.py`

Static compilation fails at line 68 with ``invalid syntax``. The offending line uses a conditional expression inside an ``import`` statement form that Python does not accept.

```
import resource as _resource if hasattr(__import__('sys'), 'platform') and  
__import__('sys').platform != 'win32' else None # type: ignore
```

7.4 Why this does not erase the project

A bundle can be architecturally meaningful and still contain unfinished or merged-in source fragments. The static compile findings say that the present artifact is not yet a clean, uniformly executable release snapshot. They do not say that the project concept is empty. In fact, the breadth of coherent modules makes cleanup especially worthwhile.

8. Research context and comparative framing

Qyvaria sits at the intersection of packaging, runtime loading, agent orchestration, and software governance. The following comparisons are meant to clarify the artifact, not to claim equivalence with any one outside project.

8.1 Custom bundle versus standard single-file Python packaging

Python's documented `zipapp` mechanism builds executable Python archives with a `__main__.py` entry point [R3]. Qyvaria takes a different path: it stores Base64 payloads in a Python dictionary, decodes them on demand, and relies on a custom meta-path loader. That design gives the bundle author direct control over metadata and integrity checks, but it also creates custom entry-resolution and decoder-maintenance responsibilities.

8.2 Base64 and SHA-256 as bundle primitives

The bundle uses Base64 as a printable encoding for embedded payload bytes and SHA-256 hashes for file-level verification. Those mechanisms correspond to standard Python library capabilities: `base64` handles binary-to-text encoding and decoding, while `hashlib` provides SHA-256 digest calculation [R4, R5].

8.3 Agent systems need evaluation, not just architecture

Recent research surveys on LLM-based agents emphasize that autonomous or semi-autonomous systems need evaluation across planning, tool use, robustness, safety, and cost, not merely attractive module names [R7]. A separate 2026 survey on human-agent collaboration stresses that fully autonomous agents still face reliability, complexity, safety, and ethical limits, and that human feedback or control can improve trustworthiness [R8].

Those research themes match the practical next step for Qyvaria: once the bundle wiring and syntax layer are stabilized, the strongest proof of the kernel concept would be a reproducible evaluation suite that demonstrates real, bounded behavior.

9. Safety, governance, and release hardening

The corpus contains many safety-shaped ideas: moral constitution text, secure sandboxing, provenance tooling, guardians, crypto modules, privacy-first agents, and self-test language. These are positive signs of intent. However, safety intent is not identical to safety assurance. Assurance requires tests, threat models, reviewable interfaces, and release discipline.

9.1 Release-hardening lens

NIST's Secure Software Development Framework describes practices intended to reduce vulnerabilities and improve reliable software delivery [R6]. Applied to Qyvaria, that lens suggests a practical hardening program: define release boundaries, normalize entry points, establish build provenance, gate on syntax and smoke tests, and maintain an auditable manifest.

Area	Recommended hardening action
Build integrity	Keep per-file hashes; add a documented rule for what bundle-level hash covers.
Entry contract	Define exactly which module and callable are launched by <code>--run</code> .
Syntax gate	Fail the build if any embedded <code>.py</code> file fails <code>compile()</code> or <code>py_compile</code> .
Dependency map	Separate stdlib-only modules from optional package integrations.
Safety claims	Attach tests to sandbox, consent, provenance, and policy claims.

Evaluation	Create deterministic demos plus benchmark cases with pass/fail criteria.
------------	--

10. A practical roadmap for the next release

The roadmap below is intentionally concrete. It translates the audit into a sequence that preserves the project's vision while making the artifact easier to run, test, and explain.

1. Choose the canonical kernel entry. Decide whether the real entry is a top-level ``qyvaria.py``, ``py/Qyvaria.py``, or a new normalized module path.
2. Make the loader path convention explicit. Either bundle top-level import names without the ``py/`` prefix, or teach the loader to resolve the prefix.
3. Fix all 29 static compile defects, beginning with ``py/Qyvaria.py``, ``py/qyvaria_secure_sandbox.py``, and any modules reachable from the entry path.
4. Align codec metadata with runtime behavior. Either implement the declared codec or label the bundle accurately as raw Base64 payloads.
5. Add CI gates: bundle hash verification, ``--help``, ``--stats``, ``--run``, extraction smoke test, and a full compile sweep.
6. Create a minimal public architecture spec: bundle shell, kernel API, agent interface, memory interface, policy interface, optional adapters.
7. Build a demonstration suite that proves one narrow end-to-end flow rather than many unverified promises.
8. Version the bundle and manifest, and publish a change log that distinguishes new ideas from release-stable capabilities.

Closing reflection

Qyvaria reads as a life-work operating notebook transformed into software: expansive, multi-directional, and packed with systems ideas. Its best next chapter is not to become smaller in ambition, but sharper in execution. A clean entry path, a compile-clean corpus, an honest codec story, and repeatable evaluations would convert a striking bundle into a much more legible platform.

Appendix A. Full embedded file manifest

This appendix lists every embedded payload record captured in the bundle metadata. SHA-256 values are shown as prefixes for readability.

Path	Kind	Bytes	SHA-256 prefix
py/1qyvaria_prompt_gen.py	python	17,435	afe955598e33dac3...
py/AGI_Agents.py	python	473	0ca10d126fe6ada5...
py/AGI_Boot.py	python	570	60b151f65b463931...
py/AGI_Ethics.py	python	295	489c31a18f51a239...
py/AGI_Ignition.py	python	1,555	0b38824833c7fce...
py/AGI_Memory.py	python	451	873e1a9f5316906c...
py/AGI_MetaReasoner.py	python	307	f617011f2662dae2...
py/AGI_Orchestrator.py	python	672	ed5ebbb54df0106...
py/AGI_PluginManager.py	python	342	ac9d69986ca3f4ff...
py/Aeon Ai Sim.py	python	13,911	1f0178d941511da6...
py/Agi Super Intelligence.py	python	10,154	886859d30d603bd9...
py/Cetana_Custom_Agent_Core.py	python	1,847	2126ef08c90fc8c6...
py/Cetana_IDE_Launcher.py	python	109	874c4d451f836a42...
py/Cetana_OS_Link.py	python	348	56f824a08680c9d5...
py/Cetana_OS_Simulation.py	python	1,776	df884a4e5b8867f5...
py/Cetana_Phytoon_IDE.py	python	1,579	c98e56e71d990c9a...
py/Cetana_Simulator.py	python	3,803	2602bf7a2fa23220...
py/Cetana_v4_Boot.py	python	4,765	ec699883058de0af...
py/Cetana_v5_Boot.py	python	2,331	48b94447cbf1214f...
py/Cetana_v6_Boot.py	python	1,503	b5fb403aa02adcb6...
py/CodeLab.py	python	587	23749f7555c0d35e...
py/CodeSandbox.py	python	635	d5cdc4690d2d59fc...
py/CognitiveStyle.py	python	272	dd38ca4f8d378809...
py/CounterfactualSimulator.py	python	402	79ffb40977176fc...
py/CuriosityResearch.py	python	490	71d2123e8b93a423...
py/EmotionModel.py	python	425	1ad8aad121b44476...
py/EnvLink.py	python	569	879efac56fc50688...
py/EpisodicMemory.py	python	415	6376244e3e06fd39...
py/EthicsArbiter.py	python	454	57d8fd5d252fb3794...
py/FusionModulesManifest.py	python	2,467	43a00ce094b85417...
py/GoalEngine.py	python	435	8161d841b9e8d7d5...
py/I varia_engineer.py	python	12,582	16a692d49d61965...
py/LanguageFeedback.py	python	378	3e0627d893068e6f...
py/LearningManager.py	python	465	80f4f3f21c87c2e9...
py/MetaLearningEngine.py	python	366	2077bfd8606a9477...
py/MetaReasoner.py	python	510	d89e2a92c53b918c...
py/MultiAgentFramework.py	python	556	ff8741757813e77e...
py/NeuralPatternMapper.py	python	288	ffbe812395634c27...
py/PerformanceMonitor.py	python	916	36fa61119a875237...
py/PersistentGoalManager.py	python	517	f49c80b09df300af...
py/PhytoonCetanaFusion.py	python	6,200	77c73b6570cde291...
py/PhytoonImageGen.py	python	50	6b60cf3f35b23d83...
py/Phytoon_Full_Language_Model.py	python	1,939	ea87570f40f126db...
py/Phytoon_Language_Model.py	python	1,751	319374cfa74405e5...
py/Phytoon_v2_Upgrade.py	python	3,722	ae4e146143b8d07a...
py/Qyvaria Complete Sim.py	python	8,225	5bca2f742aec2436...
py/Qyvaria Moral Constitution — Humanity-First.py	python	795	e6753526b6d50014...
py/Qyvaria Sim Profile.py	python	9,392	ddc7eb9350f50c96...
py/Qyvaria Voice Os.py	python	9,881	d3b5cb63334a6718...
py/Qyvaria.py	python	146,711	54bee6338a9b14e3...
py/Qyvaria_Aeon.py	python	12,992	b20ddf17c0d1353e...
py/SafetyKernelUpgrade.py	python	656	6e3d6407237fb8ac...
py/SelfEditor.py	python	327	b0e21f640a2e6e37...
py/SelfModel.py	python	326	cce26e26c4d3fcf9...
py/SimulationInterface.py	python	351	cd45684712737994...
py/SocialReasoner.py	python	377	963c677aedf9543e...
py/TaskPlanner.py	python	1,617	6608a82bb204abfa...
py/ValueGuardian.py	python	666	9fbd5b3c9b7b0e5c...
py/Varia Health Reporter — phrase → status system.py	python	4,137	45fab79c7855e2ec...
py/Varia+.py	python	34,191	bc1a61dc0237d23...
py/WakeUpKernel.py	python	736	70a40e3ea9dd31a8...
py/WorldModel.py	python	472	598e5853650530c9...
py/WorldModelExpander.py	python	403	d5116fa932f9ecdf...
py/ab_compare.py	python	2,827	6b86fa1a156fb71a...
py/ adaptive_ai_sim_agent_privacy_first_ref erence _python.py	python	12,566	444101817d217d33...
py/ advance_memory_ai_sim_agent_bit_wea ver_v_0.py	python	16,533	182d22a64f2fc9a9...
py/advance_voice_chat_command.py	python	5,625	d7c6f18f596a1bfc...
py/aeon_chat_interface.py	python	908	cbb43a2074b1d3c1...
py/aeon_continuum.py	python	757	276cad323e3b1848...
py/aeon_ethics.cpython-312.pyc	binary	1,008	a9e080790cc3b9e7...
py/aeon_ethics.py	python	767	496c991bcb4356d8...
py/aeon_loader.py	python	1,470	3ef98adc791c4065...
py/aeon_minigrid_integration.py	python	337	13adfe224dfd3ea2...
py/aeon_realm_sim.py	python	477	6be3c4955a0e2331f...

py/ aeon_self_diagnostic.cpython-312.pyc	binary	1,127	49259cee705bdac5...
py/aeon_self_diagnostic.py	python	746	226cad1c05f053cd...
py/aeon_textworld_integration.py	python	323	8308fe4f64fba8b...
py/aeon_webots_integration.py	python	332	4ea6c7c670a55ff6...
py/aeonscript_engine.py	python	322	c2f1e71f78553896...
py/agentic_behaviorism.py	python	12,670	7704fb41232e0b2c...
py/ agi_prototype_microkernel_multi_agent _qyvaria _style_single_file.py	python	12,535	169757cec50f4d0c...
py/ ai_model_analyzer_freedom_module_ag ent_secure _file_driven.py	python	17,740	92e12075338d3f6c...
py/ai_model_tester_agent.py	python	24,813	6f0c7c790c546370...
py/ ai_sim_agent_adaptive_batching_respon se_cache _autoscaling_circuit_breakers_safe_chao s_fast_ap i_python.py	python	13,554	52c592691cefb818...
py/ ai_sim_agent_bus_sandbox_hierarchical _plannin g_constraint_solver_rationale_python.py	python	14,507	b5157694d7568877...
py/ai_sim_agent_kernel.py	python	15,046	fc64443270dd7a49...
py/ ai_sim_agent_learning_evals_governanc e_suite_ python_fast_api.py	python	14,476	d22a2a175fc6e09f...
py/ ai_sim_agent_probes_long_context_retri eval_re view_rubrics_line_citations_popular_cac he_feedba ck → facts_python.py	python	16,593	f582cabe6623ce7b...
py/ai_sim_equalizer_v_1.py	python	17,865	ca3951b7d7ff9b57...
py/ai_sim_module_agent+.py	python	2,977	4ab63bc3a1d63110...
py/ai_sim_module_agent.py	python	2,512	9535f76a23016e1c...
py/ ai_sim_trace_viewer_timeline_artifacts_ diffs_ costs_decisions_react.jsx	binary	14,444	4a8439c2890161da...
py/all_in_one_agent.py	python	37,383	62915c8c4b2fcfb5...
py/ all_in_one_sim_agent_co_t_auditor_plan ner_exe cutor_log_miner_triage_qyvaria_compat ible.py	python	16,030	3280cd794363ffa1...
py/ all_in_one_sim_agent_memory_ledger_c ritic_ref iner_multilingual_summarizer_labeling_ assistant_ voice_layer_qyvaria_compatible.py	python	19,392	e1bed7573f435a6b...
py/arbiter_sim_agent.py	python	11,458	16295cebb69a821b...
py/ auto_language_voice_router_simlang_au to.py	python	11,398	94b215bd1cb35a2d...
py/avtx_installer.py	python	12,295	b29adbc0594a24b5...
py/belief_engine.cpython-312.pyc	binary	3,559	e86b9192de1171ad...
py/belief_engine.py	python	2,159	f98118608391bc75...
py/bootloader.py	python	121	008b99eff5b9d189...
py/build_qyvaria_studio.py	python	1,885	2b036c96a26a941f...
py/catalyst_audit_memory.py	python	10,050	70ec514787e01ae6...
py/ catalyst_equalizer_v_1_py_code_i_o_an d_logic_ clarity_equalizer.py	python	16,024	a6615b63785e6727...
py/ catalyst_hub_v_1_sandboxed_plugin_bu s_python. py	python	14,612	fe6cb088898cbff4...
py/cetana.py	python	12,499	3f732fa1d0999224...
py/chronosynth.py	python	6,870	feff3a41d1a1dade...
py/ code_2_lang_code_ → _natural_language _explainer _single_file_no_deps.py	python	10,515	b87845ae623af62a...
py/ code_sim_agent_deterministic_python_s ubset_as t_vm.py	python	20,403	0f777accbdb7a7bc...
py/concept_engine.cpython-312.pyc	binary	868	67eaffac54d641f6...
py/concept_engine.py	python	511	33e21e0f42b9f152...
py/convert_to_training.py	python	560	fb4c2a53956541b1...
py/digital_time_module.py	python	1,643	59af6c0720800a9a...
py/ educator_sim_qyvaria_module_python.p y	python	12,712	674fdc2afbda2c93...
py/ emotion_sim_qyvaria_module_python.p y	python	13,181	b66941004d03c6e2...

py/emotional_intelligence_agent.py	python	14,651	81b5adaef0048b17...
py/engineering_ai_sim_agent_code_specialist_python.py	python	16,063	8461d50b95977583...
py/forge_sim_agent.py	python	11,147	af3b38bfc4f8dbb7...
py/gpt_6_lite_deterministic_model_transformer_reasoning_head_single_file.py	python	13,171	d3c023ca474f3ebe...
py/human_sim_human_like_ai_sim_agent_personality_drives_emotions_bdi_single_file.py	python	10,512	28c1360767e7c92b...
py/human_voice_chat_advanced_voice_chat_mirror_image_human_sim_single_file.py	python	11,799	988279b234f216c5...
py/image_generator_server.py	python	692	bb85b499143bf5eb...
py/imagination_engine.cpython-312.pyc	binary	1,685	bb7917f4151ee020...
py/intent_fusion_core.py	python	541	f613d76065599057...
py/jarvis_server.py	python	909	d13765c3474a0391...
py/kernel.py	python	425	661fb48c606bae5c...
py/lang_lock_voice.py	python	13,678	3ce8eaf5defa2442...
py/law_advisor_ai_sim_agent_qyvaria_compatible.py	python	14,696	497f2257f15d12bb...
py/lingua.py	python	3,911	3751b0d921f2b141...
py/lingua_api.py	python	1,056	1d36eba76952ba1d...
py/linguistics_ai_sim_agent_qyvaria_compatible.py	python	15,478	74b0466113497619...
py/llm_engine.cpython-312.pyc	binary	919	45a1f4c937c0888b...
py/llm_engine.py	python	640	9acf64d64f6935ba...
py/logicky_rozhodovaci_system_pravidlov_engine_cz.py	python	8,852	a3b7723989934a7a...
py/love_sim_emotion_oriented_ai_orchestrator_affection_graph_empathy_policy_single_file.py	python	8,978	3f5231c7d679e998...
py/machine_intelligence_ai_sim_agent_single_file_deterministic_goap_memory_tools.py	python	12,770	2df9de8e5ddb86be...
py/main.py	python	708	537fa45507480e7d...
py/mastermind_ai_sim_model_catalyst_v7_aligned_mastermind_sim.py	python	12,279	58a45de577cc8c4a...
py/mastermind_orchestrator_v8.py	python	9,268	7fc069bffc85adbc...
py/media2prompt.py	python	13,413	554bb71303aa4efc...
py/meta_ai_sim_adaptive.py	python	21,724	56eee631ac7e8c95...
py/meta_ai_sim_agent.py	python	13,017	81caf070eeda6fe6...
py/meta_sim_agent_qyvaria_compatible_simulates_sims_engine.py	python	15,852	e5448cb70d75a6a7...
py/mira_aof_ai_sim_agent_qyvaria_runtime.py	python	14,666	9a9a0e5c7e02d9f3...
py/module_auditor.py	python	18,951	6501d29ada338d0e...
py/neuro_sim_agent_qyvaria_compatible_neuronal_sim.py	python	12,613	e1f82061b7bb8722...
py/nl_2_py_qyvaria.py	python	23,523	e9d43a4834201433...
py/nl_sim_agent_deterministic_natural_language_engine.py	python	12,360	9f6c35ed8bbe183c...
py/omni_sim_agent.py	python	11,779	74c647bed7e258c2...
py/oneagent_voice_sim.py	python	21,939	60f308c6aa7be3ae...
py/openmind_module.py	python	20,250	f4a3c662ffe746a8...
py/optimization_checker_agent.py	python	11,609	b9a64a3743a954bd...
py/problem_solving_ai_sim_minimal_deterministic_agent_qyvaria_style.py	python	16,851	ee49d4efa1c49143...
py/python_axiomdelta_codex.py	python	17,400	9386b81d8d9e52f4...
py/qavaria_ai_sim_agent.py	python	16,780	18343023077c7743...
py/question_policy.py	python	8,877	e9f1e12423f5ef68...
py/qy_90_upgrade_pack_bootstrap.py	python	16,884	e3bc0c9b5c7f3381...
py/qy_agent_fabric_py_policy_law_compliant_ai_sim_agent_fabric_for_qyvaria_custom_gpt.py	python	16,548	b4da85889b5ce79...
py/qy_agentsim_united.py	python	24,941	3f55c57523a41b0c...
py/qy_ai_universe.py	python	32,305	d4be1b9409e2da12...

py/qy_ai_universe_plus.py	python	34,532	21096bef8b9818bb...
py/qy_app_sim_agent.py	python	29,860	1d09dbe70d2b88e2...
py/ qy_code_engineer_code_quality_refactor _and_sa fety_module_for_qyvaria_v_8.py	python	19,413	c1de3cf1f7e79467...
py/qy_control_plane.py	python	18,118	17b0f4dfe3b0ea17...
py/qy_crypto.py	python	11,608	71b7ba8edd863e51...
py/qy_durable_orchestrator.py	python	16,191	aea87423e044173d...
py/ qy_fullstack_pack_bootstrap_fullstack.p y	python	28,763	857a1f39859db256...
py/qy_llm_pipeline.py	python	20,267	72fa545980bedf91...
py/qy_llm_sim_module.py	python	11,920	9c2c1dc10c5f4b17...
py/qy_logo_stamp.py	python	11,585	6ff6814992f454af...
py/ qy_memory_extended_pluggable_memo ry_module_fo r_qyvaria_v_8.py	python	14,342	874fa51fd42c916d...
py/qy_ml_toolkit.py	python	23,408	aa5b919e0e2e0086...
py/qy_network_retrieval.py	python	21,967	726e229b71827608...
py/qy_nn_engine.py	python	11,259	b6ebbd692ec2b6d4...
py/qy_orbit_pack_bootstrap_orbit.py	python	17,582	e812a7fceb9c3049...
py/qy_perfection_kit.py	python	17,936	1ccc7dd6f2c80fab...
py/ qy_public_command_db_engineering_da y_oct_4.py	python	17,109	f457935bd3a64abe...
py/qy_reasoning_booster.py	python	16,157	6e2dd2c72ed13ef0...
py/ qy_self_upgrade_pack_v_2_bootstrap_u pgrade_v_ 2.py	python	21,323	5f79f0c05f7b2945...
py/qy_sim_engineering_ai.py	python	31,925	7d29efd7ad4a92aa...
py/qy_sim_pack_100.py	python	16,667	0dd80ff3a6cfd546...
py/qy_sim_patchset_10.py	python	21,956	b0c63d2a631bee30...
py/qy_team_network.py	python	17,562	644ace99325f4cfe...
py/qy_test_ai.py	python	29,514	6cf9d9e2fd68bb76...
py/qy_voice_engine_bootstrap_voice.py	python	15,802	59d84ae493337d69...
py/ qy_voice_modes_pack_bootstrap_voice_ modes.py	python	12,624	8742a112308f1abf...
py/ qy_voice_policy_patch_bootstrap_voice _policy. py	python	8,314	5e39249c601fd7ae...
py/qybilingual_voice.py	python	17,289	b13e5fc14d148388...
py/qyintelligence.py	python	20,556	1e0fb76fe6f13313...
py/qyintelligence_max.py	python	32,120	2ba6dc37512070b8...
py/qymemory.py	python	15,405	63d9af33fa7412d5...
py/ qynlcalibrator_py_natural_unnatural_lan guage_ calibrator_lisp_fast_speech_phonetic_si milarity. py	python	14,257	202189f67f593aa3...
py/qyorchestrator.py	python	23,747	a590ffc7912e7323...
py/qyraw_iq.py	python	22,966	c7854a9c8a05359d...
py/qytranslate.py	python	21,060	ccaa62c40063bef0...
py/ qyvaria_adaptability_sim_agent_adaptab ility_a gent.py	python	8,907	91362f7539108dad...
py/ qyvaria_advanced_voice_chat_ai_sim_a gent_low_ latency_barge_in_safety_fast_api_refere nce.py	python	12,738	dedf998efc58b990...
py/ qyvaria_advanced_voice_chat_sim_emot ion_mirro ring_real_time_translation_noise_suppre ssion_mul timodal_prompt_composer_fast_api.py	python	13,515	377a1c2b9a5bceab...
py/qyvaria_agi_model.py	python	28,801	9b8967d0ed4d0ff6...
py/qyvaria_agi_proto.py	python	23,803	c91e2b8e1137fec9...
py/ qyvaria_ai_lab_sim_agent_projects_data sets_mo dels_experiments_trials_artifacts_evals_j obs_gov ernance_fast_api_python (1).py	python	17,632	274ade16e2be4d87...
py/ qyvaria_ai_lab_sim_agent_projects_data sets_mo dels_experiments_trials_artifacts_evals_j obs_gov ernance_fast_api_python.py	python	17,632	274ade16e2be4d87...
py/ qyvaria_aisim_axis_module_factuality_r easonin g_code_creativity_speed.py	python	15,489	7b6a9d7f1bc50afc...
py/qyvaria_all_in_one (1).py	python	63,074	526246559fb05cb0...
py/qyvaria_analyzer_streamlit_app.py	python	16,702	d7aa148892e83568...
py/	python	22,166	210279c95e9dd61f...

qyvaria_app_creator_sim_agent_single_agent_mu lti_role_pipeline.py			
py/ qyvaria_catalyst_v_8_single_file_modul e_netwo rk_orchestrator_catalyst_hub.py	python	19,065	b14ed2bb25040292...
py/qyvaria_cognitive_superstack.py	python	45,542	86512e05b3d1a2cb...
py/qyvaria_control_plane.py	python	22,975	ad5d56112e82d2bc...
py/ qyvaria_czech_language_module_simlan g_cs.py	python	10,797	302bc0442408acf6...
py/ qyvaria_data_analyst_ai_sim_agent_eda _nlq_ → _d ata_charts_stats_cache_fast_api_python. py	python	16,252	89d3c2a3581c1de9...
py/ qyvaria_data_code_analyzer_ai_sim_age nt.py	python	23,017	87705d4df4e2627f...
py/ qyvaria_equalizer_suite_one_go_langua ge_code_ logic_clarity_tool_equalizer_suite.py	python	17,802	2e914a5d2b555b0f...
py/ qyvaria_eval_harness_live_bench_gdpva l_hle_v_ 0.py	python	14,864	f2b67f421c2ffb79...
py/qyvaria_evolution_agent.py	python	17,151	d8d04a1d83301376...
py/ qyvaria_generalization_agentic_ai_sim_s ingle_ module.py	python	18,187	f75ac9a0a9a3064c...
py/ qyvaria_guardian_module_prwa_plan → r esearch → wr ite → audit_loop.py	python	20,775	973fa996f176ef38...
py/qyvaria_hardened.py	python	17,503	6e4af93d61dc3c86...
py/ qyvaria_hub_open_ai_multi_bot_connec tor_polic y_safe.py	python	10,296	6271a046d264cf4f...
py/ qyvaria_hybrid_analyzer_encryptor_decr yptor_m ixer_transmitter_single_file_module.py	python	18,281	ff252ce6587fd38e...
py/ qyvaria_improvement_engine_one_file_ simulator _toolkit_v_1.py	python	25,969	09697562141d5743...
py/ qyvaria_kernel_integration_bridge_mesh _orches trator_v_0.py	python	13,591	f114a0e9742c9ed9...
py/ qyvaria_kernel_mesh_kernel_mesh.py	python	16,544	0321bcba889e6cfe...
py/qyvaria_lang.py	python	19,529	53cfc3a0ad1b5fc7...
py/ qyvaria_language_lock_advanced_voice _chat_mod ule_single_file.py	python	13,679	0e173b2503b3fd18...
py/qyvaria_lightweight_foundation.py	python	40,279	d1fa636a0d769aa3...
py/qyvaria_llm_sim_and_meta_agent.py	python	20,308	See64d1939c8099a...
py/ qyvaria_mathematical_ai_sim_agent_sy mbolic_nu meric_steps_proof_hints_python_fast_ap i.py	python	15,967	469ae6229605c218...
py/qyvaria_memo.py	python	11,752	5ce064bf2cf8aa13...
py/qyvaria_meta_intelligence_engine.py	python	35,016	091484f39f9f0f2c...
py/qyvaria_model.py	python	15,795	62fcdcf15a69bc7c...
py/qyvaria_module_sumerian_voice +.py	python	17,103	6bdf8bcf7644539f...
py/qyvaria_module_sumerian_voice.py	python	12,824	10d705cb8d777893...
py/qyvaria_monolith_20.py	python	36,419	7ed833900f6d77a1...
py/ qyvaria_multi_agent_knowledge_mesh_ 30_micro_a gents_orchestrator_v_0.py	python	19,807	7b0f09aea503d28d...
py/qyvaria_natural_voice.py	python	2,242	4989ada9d68530c8...
py/qyvaria_negramotny.py	python	14,557	d66cd070dfa78046...
py/ qyvaria_one_agent_sim_with_adoptable _logic_co ntextual_memory_and_internal_multi_ag ent_runtime .py	python	12,979	8aa371c73526ddb...
py/qyvaria_photoreal_max.py	python	1,206	9bc786d465e08205...
py/qyvaria_pra_genesis_ai_sim_agent.py	python	40,200	cbe80dbdc29ccf69...
py/ qyvaria_prompt_engineering_ai_sim_ag ent_lint_ optimize_instantiate_a_b_eval_fast_api_ python.py	python	15,358	16f5b67323b1dfc7...

py/qyvaria_provenance_toolkit_v_0.py	python	16,607	e6c82c792dc8047b...
py/qyvaria_rationality_max.py	python	20,657	fbe9b289da48caf2...
py/ qyvaria_research_analysis_module_qram _enginee r_grade_implementation.py	python	19,833	f539dee54e2d8932...
py/qyvaria_secure_sandbox.py	python	28,311	f0efb110e3c91176...
py/ qyvaria_simulate_then_act_rational_age nt_v_0. py	python	22,460	d1816c72a9a8ec47...
py/qyvaria_speed_module_single_file.py	python	15,460	cc69ea9285e4fdff...
py/ qyvaria_team_orchestrator_multi_agent_ sim_wit h_self_optimizer_secure.py	python	14,129	3cdb232b15e7e487...
py/ qyvaria_team_orchestrator_single_file.p y	python	19,996	8f79a7c3f30239b2...
py/qyvaria_ultralite_suite.py	python	42,515	3f38baabb7b09524...
py/ qyvaria_unified_sim_agent_knowledge_ guild_mon olith_v_0.py	python	15,548	e72b51f557178937...
py/ qyvaria_url_reader_module_qy_url_read er.py	python	22,921	6fbbfb0f79e7c120...
py/qyvaria_voice.py	python	27,192	8c5dfb22049adc08...
py/ qyvaria_voice_chat_x_single_file_server _fast_ api_web_socket_stubs.py	python	8,197	05d3a5342a77f606...
py/ qyvaria_voice_sim_agent_diarization_ad dressed _reply_router_v_0.py	python	15,009	94183e02733c269a...
py/qyvid_scripter.py	python	21,860	a03c9f0ebc115c98...
py/qywriter.py	python	29,627	c5f0189846db2653...
py/rationality_lab.py	python	2,557	c5b7da7b60b254f1...
py/ reality_aware_sim_machine_awareness_ ai_sim_ag ent_active_inference_single_file.py	python	12,001	93a3ea5c6cd1f168...
py/recursive_reflector.cpython-312.pyc	binary	1,151	c960c819e997c1c9...
py/recursive_reflector.py	python	879	c89ecb3790e4c604...
py/shell.py	python	352	d926d80c906e2cb7...
py/speed_agent.py	python	4,945	c4eeb0952dbc827b...
py/starter_actions.py	python	322	e399256a79204d9e...
py/startup.py	python	452	68bf25a50af88f6f...
py/ sumerian_language_model_ai_sim_agent _qyvaria_ compatible.py	python	14,530	213fa264fc61ae28...
py/ sumerian_voice_chat_ai_sim_agent_for_ qyvaria_ fake_it_capable.py	python	12,984	1860e62f1fb849cc...
py/teleprompter.py	python	6,431	5bd792a30df1c147...
py/ therapist_style_ai_sim_agent_safety_firs t_sup port_python.py	python	11,721	1875d1bbe8056087...
py/train_model.py	python	2,181	8ccb4717adcfbc0e...
py/ translator_crypto_sim_agent_qyvaria_co mpatibl e.py	python	16,094	eaad63f0c15e2557...
py/ truth_alignment_kernel.cpython-312.pyc	binary	1,054	c7d5cc220d106054...
py/truth_alignment_kernel.py	python	715	511321996af98994...
py/velcode_interpreter.py	python	167	4bfc7aa4e5ecb630...
py/velcode_shell.py	python	336	9008c09f7368acce...
py/ voice_engineering_frontend_qyvaria_v_ 8_module .py	python	5,683	8b7fad8f5510c292...
py/zip_to_py.py	python	1,195	0c20fed8a71e5fe6...

Appendix B. Registered agent inventory

The bundle metadata names the following agent entries.

Agent name	Embedded path
ai-model-tester-agent	py/ai_model_tester_agent.py
ai-sim-module-agent	py/ai_sim_module_agent.py
all-in-one-agent	py/all_in_one_agent.py
arbiter-sim-agent	py/arbiter_sim_agent.py
emotional-intelligence-agent	py/emotional_intelligence_agent.py
forge-sim-agent	py/forge_sim_agent.py
meta-ai-sim-agent	py/meta_ai_sim_agent.py
omni-sim-agent	py/omni_sim_agent.py
optimization-checker-agent	py/optimization_checker_agent.py
qavaria-ai-sim-agent	py/qavaria_ai_sim_agent.py
qy-app-sim-agent	py/qy_app_sim_agent.py
qyvaria-adaptability-sim-agent-adaptability-agent	py/qyvaria_adaptability_sim_agent_adaptability_agent.py
qyvaria-data-code-analyzer-ai-sim-agent	py/qyvaria_data_code_analyzer_ai_sim_agent.py
qyvaria-evolution-agent	py/qyvaria_evolution_agent.py
qyvaria-llm-sim-and-meta-agent	py/qyvaria_llm_sim_and_meta_agent.py
qyvaria-pra-genesis-ai-sim-agent	py/qyvaria_pra_genesis_ai_sim_agent.py
speed-agent	py/speed_agent.py

Appendix C. Static compile defect list

Static source compilation found 29 embedded Python records that did not compile in the analysis interpreter. The list is an engineering work queue, not a claim that every listed file is intended to be imported in production.

Path	Line	Compile finding
py/aeon_ethics.py		source code string cannot contain null bytes
py/aeon_self_diagnostic.py		source code string cannot contain null bytes
py/ai_sim_equalizer_v_1.py	401	no binding for nonlocal 'args' found
py/all_in_one_sim_agent_memory_ledger_critic_refiner_multilingual_summarizer_labeling_as_sistant_voice_layer_qyvaria_compatible.py	53	unterminated string literal (detected at line 53)
py/belief_engine.py		source code string cannot contain null bytes
py/openmind_module.py	5	invalid syntax
py/PhytoonImageGen.py	1	invalid syntax
py/qy_app_sim_agent.py	521	'(' was never closed
py/qy_durable_orchestrator.py	380	unterminated triple-quoted string literal (detected at line 380)
py/qy_llm_pipeline.py	71	unterminated string literal (detected at line 71)
py/qy_sim_pack_100.py	368	invalid syntax
py/qyintelligence_max.py	343	unmatched '}'
py/Qyvaria Moral Constitution — Humanity-First.py	3	invalid syntax
py/qyvaria_module_sumerian_voice+.py	249	invalid syntax
py/qyvaria_natural_voice.py	53	expected an indented block after function definition on line 53
py/qyvaria_secure_sandbox.py	68	invalid syntax
py/qyvaria_simulate_then_act_rational_agent_v_0.py	403	f-string: valid expression required before ''
py/qyvaria_ultralite_suite.py	993	unterminated string literal (detected at line 993)
py/qyvaria_voice.py	603	'yield from' inside async function
py/Qyvaria.py	2098	invalid character '—' (U+2014)
py/rationality_lab.py	1	invalid syntax
py/reality_aware_sim_machine_awareness_ai_sim_agent_active_inference_single_file.py	292	'(' was never closed
py/recursive_reflector.py		source code string cannot contain null bytes
py/shell.py	9	unterminated string literal (detected at line 9)
py/teleprompter.py	5	invalid character '—' (U+2014)
py/therapist_style_ai_sim_agent_safety_first_support_python.py	131	positional argument follows keyword argument
py/truth_alignment_kernel.py		source code string cannot contain null bytes
py/Varia Health Reporter — phrase → status system.py	86	'(' was never closed
py/velcode_shell.py	5	unterminated string literal (detected at line 5)

Appendix D. Analysis method and observed commands

D.1 Source equivalence check

The supplied `Vlozeny text.txt` mirror matched `qyvaria.py` after trimming a final newline: True.

D.2 Methods used

- Parse the outer wrapper as Python source without importing it into the analysis process.
- Extract `\_\_BUNDLE\_\_` and `\_\_README\_B64\_\_` as static literals.
- Base64-decode every embedded payload record and verify recorded SHA-256 values.
- Compile every embedded Python text record with `compile(source, path, 'exec')` to detect syntax blockers.
- Run a controlled subprocess probe with `python -S qyvaria.py --stats` and `python -S qyvaria.py --run`.

D.3 Command transcript excerpts

`python -S qyvaria.py --stats`

```
return code: 0
stdout:
Bundle: qyvaria
Created: 2025-10-24T22:22:26.282Z
Codec: quantize-int8 Level: 9
Entry: qyvaria
Files: 277
Size orig: 3378233 bytes, stored: 3378233 bytes
Compression ratio: 100.00%
Space saved: 0 bytes
Top imports: , AGI_Agents, AGI_Boot, AGI_Ethics, AGI_Memory, AGI_MetaReasoner,
AGI_Orchestrator, AGI_PluginManager, App, Cetana_Custom_Agent_Core, Cetana_OS_Link,
Cetana_Phytoon_IDE, Cetana_v4_Boot, Cetana_v5_Boot, CodeLab, CounterfactualSimulator
Agents: ai-model-tester-agent, ai-sim-module-agent, all-in-one-agent, arbiter-sim-agent,
emotional-intelligence-agent, forge-sim-agent, meta-ai-sim-agent, omni-sim-agent,
optimization-checker-agent, qavaria-ai-sim-agent, qy-app-sim-agent, qyvaria-
adaptability-sim-agent-adaptability-agent, qyvaria-data-code-analyzer-ai-sim-agent,
qyvaria-evolution-agent, qyvaria-llm-sim-and-meta-agent, qyvaria-pra-genesis-ai-sim-
agent, speed-agent
stderr:
(no stderr)
```

`python -S qyvaria.py --run`

```
return code: 0
stdout:
(no stdout)
stderr:
(no stderr)
```

Appendix E. Reference shelf

Internal sources:

- [I1] qyvaria.py - single-file Qyvaria bundle studied as the primary artifact.
- [I2] Vlozeny text.txt - attached mirror of the same bundle content, equal after final-newline normalization.

External research and documentation:

- [R1] Python 3.14.5 documentation, 'The import system.'
- [R2] PEP 451, 'A ModuleSpec Type for the Import System.'
- [R3] Python 3.14.5 documentation, 'zipapp - Manage executable Python zip archives.'
- [R4] Python 3.14.5 documentation, 'base64 - Base16, Base32, Base64, Base85 Data Encodings.'
- [R5] Python 3.14.5 documentation, 'hashlib - Secure hashes and message digests.'
- [R6] NIST SP 800-218 Rev. 1 Initial Public Draft, 'Secure Software Development Framework (SSDF) Version 1.2.'
- [R7] Yehudai et al., 'A Survey on Evaluation of LLM-based Agents,' arXiv HTML version dated 23 April 2026.
- [R8] 'LLM-Based Human-Agent Collaboration and Interaction Systems: A Survey,' arXiv HTML version dated 6 May 2026.