

Findings Report

HayMedics_Dirty_Healthcare_Dataset.xlsx · 4,000 records · 16 July 2026

Executive summary

This report covers 4,000 records from HayMedics_Dirty_Healthcare_Dataset.xlsx. The figures below are computed directly from a cleaned copy of that file; the cleaning script that produced it is reproducible and available alongside this document.

4,000 records, 89% complete. 4,000 records across 19 fields. 89.4% of cells are populated. Fields with substantial gaps: Weight (67% blank), Height (67% blank). Any figure below that uses these describes only the records where they were recorded.

Died rate is 11 points higher in Control than New Protocol. Among Treatment Arm = Control, 14.0% of 456 records ended in 'Died'. Among New Protocol it is 2.7% of 445. That is a gap of 11.3 percentage points.

Outcome: 24% Discharged - Recovered. Of 4,000 records where Outcome was recorded, 24.4% are 'Discharged - Recovered' (975).

Differences reported here are differences, not causes. No statistical testing has been performed, and groups may differ in ways this dataset never recorded.

Summary generated from the computed figures below.

What the data shows

4,000 records, 89% complete

4,000 records across 19 fields. 89.4% of cells are populated. Fields with substantial gaps: Weight (67% blank), Height (67% blank). Any figure below that uses these describes only the records where they were recorded.

Field	% blank
Weight	66.90
Height	66.90

Died rate is 11 points higher in Control than New Protocol

Among Treatment Arm = Control, 14.0% of 456 records ended in 'Died'. Among New Protocol it is 2.7% of 445. That is a gap of 11.3 percentage points.

This is a difference, not a cause. Treatment Arm groups may differ in age, severity or anything else that was never measured here. Treat it as a question worth designing a study around, not as an answer.

Treatment Arm	Records	% Died
Control	456	14.00
B	421	11.20
A	474	11.00
standard care	420	11.00
Std	437	10.50
Standard	445	9.20

Treatment Arm	Records	% Died
New	465	4.30
intervention	437	3.00
New Protocol	445	2.70

Outcome: 24% Discharged - Recovered

Of 4,000 records where Outcome was recorded, 24.4% are 'Discharged - Recovered' (975).

Outcome	Records	% of known
Discharged - Recovered	975	24.40
recovered	965	24.10
Transferred	863	21.60
referred	856	21.40
Died	341	8.50

Median Age: 47.0

Median 47.0 (IQR 24.0–69.0), across 3,797 records where Age was recorded.

Median Weight: 75.1

Median 75.1 (IQR 57.6–92.5), across 1,323 records where Weight was recorded.

Median Height: 169.0


Median 169.0 (IQR 160.0–179.5), across 1,323 records where Height was recorded.

Recommended next steps


- Investigate the gap. Died rate is 11 points higher in Control than New Protocol. Before acting on it, check whether the groups are comparable on the things that matter — this data can show the difference but cannot explain it.
- Fix collection at source for Weight, Height. Each is over 30% blank, so every figure using them describes only the records where someone filled them in. That is rarely a random subset of people.
- Attach the cleaning script to whatever you submit. The figures here come from a cleaned copy, and ``clean.py`` regenerates that copy from the raw export. Without it, nobody reading this can check the numbers.

Charts

Responses by Gender




Responses by Ward/Unit




Responses by Smoker?

Responses by Smoker?




Responses by Treatment Arm

Responses by Treatment Arm




Responses by Readmitted 30d

Responses by Readmitted 30d



Responses by Outcome



Provenance

These figures come from a cleaned copy of HayMedics_Dirty_Healthcare_Dataset.xlsx, produced by 16 recorded operations. The full audit trail and a script that reproduces the cleaned file from the raw export are available in the accompanying data quality report. No statistical testing has been performed; differences shown are descriptive.