

Cucumber Report

Apr 3, 2023 9:39:53 AM

Start : Apr 03, 9:37:33.754 AM

End : Apr 03, 9:39:52.258 AM

Duration : 2 m 18.504 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 1

SKIPPED - 0

PASSED - 2



FAILED - 2

SKIPPED - 0

PASSED - 27

FAILED - 2

SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Functionality</u>	24.052 s	1	1	0	0	3	3	0	0
<u>DataTable Functionality</u>	1 m 54.426 s	3	1	2	0	30	24	2	4

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@SmokeTest	1	1	0	0	1	1	0	0
@Regression	4	2	2	0	2	1	1	0





#	Feature Name	T	P	F	S	Duration
1	Login Functionality	1	1	0	0	24.052 s
2	DataTable Functionality	3	1	2	0	1 m 54.426 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Functionality</u>	<u>Login with valid username and password</u>	3	3	0	0	24.047 s
2	<u>DataTable Functionality</u>	<u>Create Country</u>	10	7	1	2	47.061 s
3	<u>DataTable Functionality</u>	<u>Create Nationality</u>	10	10	0	0	17.325 s
4	<u>DataTable Functionality</u>	<u>Fee Functionality</u>	10	7	1	2	50.017 s

Login Functionality



PASSED	DURATION - 24.052 s	Scenarios		Steps	
/ 9:37:33.754 AM // 9:37:57.806 AM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Login with valid username and password

<div>PASSED</div> <div>DURATION - 24.047 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:37:33.759 AM // 9:37:57.806 AM /</div>			
<div>Login Functionality</div>			
<div>@SmokeTest @Regression</div>			

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	9.545 s
2	When Enter username and password and click login button	PASSED	1.074 s
3	Then User should login succesfully	PASSED	7.041 s

DataTable Functionality

FAILED	DURATION - 1 m 54.426 s	Scenarios		Steps	
/ 9:37:57.832 AM // 9:39:52.258 AM /		Total - 3		Total - 30	
		Pass - 1		Pass - 24	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 4	

Create Country

FAILED	DURATION - 47.061 s		Steps Total - 10 Pass - 7 Fail - 1 Skip - 2	
/ 9:37:57.832 AM // 9:38:44.893 AM /				
DataTable Functionality				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.924 s
2	When Enter username and password and click login button	PASSED	1.019 s
3	Then User should login succesfully	PASSED	2.199 s
4	And Click on the element in LeftNav <div> setup parameters countries </div>	PASSED	1.203 s
5	And Click on the element in Dialog <div> addButton </div>	PASSED	0.696 s
6	And User sending the keys in Dialog Content <div> nameInput iterU1lk1 codeInput i30914 </div>	PASSED	1.898 s
7	And Click on the element in Dialog <div> saveButton </div>	PASSED	0.545 s
8	Then Success message should be displayed <div> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('success') to be present in element Proxy element for: DefaultElementLocator 'By.xpath: //div[contains(text(),'successfully')]' (tried for 30 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at Pages.Parent.verifyContainsTextFunction(Parent.java:35)</p> <p>at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:39)</p> <p>at ?.Success message should be displayed(file:///C:/Users/fakin/Cucumber/src/test/java/FeatureFiles/_06_DataTable.feature:25)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(),'successfully')]} (Session info: chrome=111.0.5563.147) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_352' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:</p> </div>	FAILED	30.484 s

#	Step / Hook Details	Status	Duration
	<p>[a2f2e5ab4c500a0237a01d8c6961d0e9, findElement {using=xpath, value=//div[contains(text()),'successfully']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.147, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\fakin\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:60094}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60094/devtoo..., se:cdpVersion: 111.0.5563.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a2f2e5ab4c500a0237a01d8c6961d0e9</p> <p>at sun.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy25.getText(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:346) at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:342) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at Pages.Parent.verifyContainsTextFunction(Parent.java:35) at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:39) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415) at org.testng.SuiteRunner.run(SuiteRunner.java:364) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1208) at org.testng.TestNG.runSuitesLocally(TestNG.java:1137) at org.testng.TestNG.runSuites(TestNG.java:1049) at org.testng.TestNG.run(TestNG.java:1017) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
9	And User delete item from Dialog Content	SKIPPED	0.000 s
	ismetU1lk1		
10	Then Success message should be displayed	SKIPPED	0.000 s



Create Nationality

<div>PASSED</div>	<div>DURATION - 17.325 s</div>	<div><div><div>Steps</div><div>Total - 10</div><div>Pass - 10</div><div>Fail - 0</div><div>Skip - 0</div></div><div><div>10</div></div></div>
<div>/ 9:38:44.908 AM // 9:39:02.233 AM /</div>		
<div>DataTable Functionality</div>		
<div>@Regression</div>		

1	2	3	4	5	6	7	8	9	10
2.8	1.0	2.1	1.6	0.8	0.3	0.2	0.6	1.3	0.6

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.799 s
2	When Enter username and password and click login button	PASSED	1.025 s
3	Then User should login succesfully	PASSED	2.144 s
4	And Click on the element in LeftNav	PASSED	1.642 s
	<div>setup</div> <div>parameters</div> <div>nationalities</div>		
5	And Click on the element in Dialog		
	<div>addButton</div>		
6	And User sending the keys in Dialog Content	PASSED	0.257 s
	<div>nameInput isvcx3lk1</div>		
7	And Click on the element in Dialog	PASSED	0.190 s
	<div>saveButton</div>		
8	Then Success message should be displayed	PASSED	0.576 s
9	And User delete item from Dialog Content	PASSED	1.269 s
	<div>isvcx3lk1</div>		
10	Then Success message should be displayed	PASSED	0.574 s

Fee Functionality

<div>FAILED</div> <div>DURATION - 50.017 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 9:39:02.241 AM // 9:39:52.258 AM /				
DataTable Functionality				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.879 s
2	When Enter username and password and click login button	PASSED	1.011 s
3	Then User should login succesfully	PASSED	2.227 s
4	And Click on the element in LeftNav <div> <div>setup</div> <div>parameters</div> <div>fees</div> </div>	PASSED	1.621 s
5	And Click on the element in Dialog <div> <div>addButton</div> </div>	PASSED	1.605 s
6	And User sending the keys in Dialog Content <div> <div>nameInputip1tFe44</div> <div>codeInput9934</div> <div>integrationCode15pp4</div> <div>priorityCode15uu5</div> </div>	PASSED	3.226 s
7	And Click on the element in Dialog <div> <div>toggleBar</div> <div>saveButton</div> </div>	PASSED	1.060 s
8	Then Success message should be displayed <div> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('success') to be present in element Proxy element for: DefaultElementLocator 'By.xpath: //div[contains(text(),'successfully')]' (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at Pages.Parent.verifyContainsTextFunction(Parent.java:35) at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:39) at ?.Success message should be displayed(file:///C:/Users/fakin/Cucumber/src/test/java/FeatureFiles/_06_DataTable.feature:76) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: </div>	FAILED	30.297 s

#	Step / Hook Details	Status	Duration
	<pre> {"method":"xpath","selector":"//div[contains(text(),'successfully')]"} (Session info: chrome=111.0.5563.147) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_352' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5a0a43d47b41d138fe7b612a923a4573, findElement {using=xpath, value=//div[contains(text(),'successfully')]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.147, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\fakin\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:60144}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60144/devtoo. ..., se:cdpVersion: 111.0.5563.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5a0a43d47b41d138fe7b612a923a4573 at sun.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy25.getText(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:346) at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:342) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at Pages.Parent.verifyContainsTextFunction(Parent.java:35) at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:39) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415) at org.testng.SuiteRunner.run(SuiteRunner.java:364) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1208) at org.testng.TestNG.runSuitesLocally(TestNG.java:1137) at org.testng.TestNG.runSuites(TestNG.java:1049) at org.testng.TestNG.run(TestNG.java:1017) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
9	And User delete item from Dialog Content	SKIPPED	0.001 s
	ipme1tFe44		

#	Step / Hook Details	Status	Duration
10	Then Success message should be displayed	SKIPPED	0.000 s