Lab 1.2: CSS

Exercise 1

1. Open new notepad, type below code which shows inline style of CSS.

```
1 ▼ <html>
2 ▼
        <head>
3
             <title>Simple CSS Example</title>
             <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
4
             <style type="text/css">
6 ▼
7
                body {background-color:black; }
8 ▼
                div.page {background-color: #FFD040;
9
                        color: black;
                         margin: 50px 10px 50px 10px;
10
11
                         padding: 10px 10px;
12
                         width: 90%; height: 90%;}
13
14 ▼
                h1
                         {font-size: 24pt;
15
                         font-family: Comic Sans Ms, Cursive;
                         text-align: center;}
17
18
                 .blackonwhite {color: black; background-color: white;}
                 .whiteonblack {color: white; background-color: black;}
19
20
                p { font-family: Arial, Sans-serif;
21 ▼
                     font-size: 16pt;
23
                     line-height: 200%;
                    text-align: justify;
24
25
                    text-indent:20px;}
26
                 .newstyle {color: blue; font-family: Arial; font-style: oblique;}
28
                 .bigsize {font-size:x-large;}
                #letterspace {letter-spacing: 15pt;}
29
30
            </style>
        </head>
31
32 ▼
        <body>
33 ▼
            <div class="page">
34 ▼
                <h1><span class="blackonwhite">CSS</span>
                     <span class="whiteonblack">Fun</span>
35
36
                </h1>
37
38 ▼
                 With style sheets, you will be able to control the presentation of web pages with greater precision.
39
                     Style sheets can be used to set everything from <span class="newstyle">font styles</span> and
                     <span class="bigsize">sizes</span> to <span id="letterspace">letter spacing</span>and line heights.
40
41
                42
            </div>
        </body>
    </html>
```

2. Save as css_example.html. Open file with browser.

Exercise 2

1. Open new notepad, type below code which shows inline style of CSS.

```
1 ▼ <html>
 2 ▼ <head>
        <title>CSS Padding Example</title>
        <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
4
        <style type="text/css">
 5 ▼
 6 ▼
           #one {
               background-color: yellow;
 8
               border-style: double;
9
               border-width: medium;
10
               padding-left: lcm;
11
               padding-right: 5cm;
            }
12
13 ▼
           #two {
                background-color: yellow;
14
               border-style: double;
15
               border-top: medium;
16
17
               padding-bottom: 1em;
               padding-right: lcm;
18
19
           #three {
20 ▼
              background-color: yellow;
21
22
               border-style: double;
23
               border-width: medium;
24
               padding: 1cm 1cm;
25
               margin: .5cm 4cm;
26
27
       </style>
28 </head>
29 ▼ <body>
30
        This paragraph of text has padding on the left and right, but not on the top and bottom.
31
        This paragraph has padding, but this time only on the top and bottom.
        Be careful when using margins. they don't necessarily apply to the
32
33
            text within the box, but to the box itself
34
    </body>
35
    </html>
```

2. Save as css_padding.html. Open file with browser

Exercise 3

1. Open new notepad. Type below code and save as talltales.css

```
1 ▼ #tt {
         display: block;
 3
         width: 750px;
 4
         padding: 10px;
 5
         margin-bottom: 10px;
         border: 4px double black;
 7
        background-color: silver;
8
    }
9
10 ▼ .inside {
11
         display: block;
12
         color: black;
13
         list-style-type: decimal;
14
    }
15
16 ▼ a,b,c {
17
         display: block;
18
         color: brown;
         font-family: Times, serif;
         font-size: 12pt;
21
         text-indent: 15px;
22
         text-align: left;
23
    }
```

2. Open new notepad. Type below code and save as talltales.html

```
1 ▼ <html>
2 ▼ <head>
3
       <title>css external </title>
4
       <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
       <link rel="stylesheet" type="text/css" href="talltales.css">
5
6
   </head>
7 ▼ <body>
       8 v
9
           In 1994, a man had an accident while robbing a pizza restaurant in Akron, Ohio, that resulted in his arrest.
10
           What happened to him?
       11 ▼
           <a>He slipped on a patch of grease on the floor and knocked himself out.</a>
12
13
           <b>He backed into a police car while attempting to drive off.</b>
14 ▼
15
             <c>He choked on a breadstick that he had grabbed as he was running out.</c>
16
           17
       18 ▼
19
           In 1993, a man was charged with burglary in Martinsville, Indiana, after the homeowners discovered his presence.
20
           How were the homeowners alerted to his presence?
21
22 ▼
       23
           <a>He had rung the doorbell before entering.</a>
24
           <br/>he had rattled some pots and pans while making himself a waffle in their kitchen.</b>
25
           <c>He was playing their piano.</c>
26
       27 ▼
       28
           In 1994, the Nestle UK food company was fined for injuries suffered by a 36 year-old employee at a plant in
29
           York, England. What happened to the man?
30
31
       <a>He fell in a giant mixing bowl and was whipped for over a minute.</a>
           <b>He developed an ulcer while working as a candy bar tester.</b>
33
           <c>He was hit in the head with a large piece of flying chocolate.</c>
34
       35
   </body>
36
   </html>
```