CSC248 – Fundamentals of Data Structure Academic Session Oct 2023 – Feb 2024 Lab Assignment – Review of OOP

Course Outcomes (CO)	LO1	LO2	LO3
CO1			
CO2	V	V	V
CO3			

1.1 Class Land has the following attributes and methods:

Attributes:

- id
- owner name
- house type
- area
- i. Write the Land class and the following methods:
 - a) Default constructor.
 - b) Normal constructor that set all data with values given through the parameter.
 - c) Mutator/Setter method
 - d) Retriever method for each attribute.
 - e) Printer method using toString() defined method.
 - f) A processor method to calculate and return the tax amount. The tax of this type of land depends on its area, and the type of the house built on the land as shown in the following table:


House Type	Description	Tax rate (RM/m ³)	
Т	Terrace	10	
S	Semi-Detached	15	
В	Bungalow	20	
С	Condominium	30	

Details of land

```
public class Land {
    private String id;
    private String ownerName;
    private char houseType;
    private double area;
    public Land() {
       id = "";
        ownerName = "";
        houseType = ' ';
        area = 0.0;
    public Land(String id, String ownerName, char houseType, double area) {
        this.id = id;
        this.ownerName = ownerName;
        this.houseType = houseType;
        this.area = area;
    public String getId() {
        return this.id;
    public void setId(String id) {
        this.id = id;
    public String getOwnerName() {
        return this.ownerName;
    public void setOwnerName(String ownerName) {
        this.ownerName = ownerName;
    public char getHouseType() {
        return this.houseType;
    public void setHouseType(char houseType) {
       this.houseType = houseType;
    }
```

```
public double getArea() {
       return this.area;
   public void setArea(double area) {
       this.area = area;
    public String toString() {
       return "ID: " + id + "\nOwner Name: " + ownerName + "\nHouse Type: " +
houseType + "\nArea: " + area;
    public double calculateTax() {
        double tax = 0.0;
       if (houseType == 'T') {
            tax = 10 * area;
        } else if (houseType == 'S') {
           tax = 15 * area;
        } else if (houseType == 'B') {
           tax = 20 * area;
        } else if (houseType == 'C') {
           tax = 30 * area;
       return tax;
```

- ii. Write an application program that performs the following:
 - a) Declare array of object for Land objects.
 - b) Given the input file named <code>customerData.txt</code> that includes the customers data such as id, owner name, house type and area. The following input text fil includes all record of customer for the <code>Land</code> class:



Write a program that reads each record from customerData.txt and store onto array of object Land.

c) Display a menu selection to select the following process:

Menu	Selection		

1. Sorting using Bubble Sort 2. Sorting using Insertion Sort 3. Searching using Binary Search

Your Option: XX

****Details explanation:

- 1-Sorting using Bubble Sort Sort the list based on the tax price and display the list
- 2. Sorting using Insertion Sort Sort the list based on id and display the list
- 3. Searching using Binary Search-Search the item from the list based on id and display the information detail.

```
import java.io.BufferedReader;
import java.io.FileReader;
import java.util.ArrayList;
import java.util.Scanner;
public class Main {
   public static void main(String[] args) {
       Scanner strInput = new Scanner(System.in);
       Scanner intInput = new Scanner(System.in);
       ArrayList<Land> lands = new ArrayList<Land>();
       // read customerData.txt
       try {
           BufferedReader br = new BufferedReader(new
FileReader("customerData.txt"));
           String line = br.readLine();
           while (line != null) {
               String id = line.split(";")[0];
               String ownerName = line.split(";")[1];
               char houseType = line.split(";")[2].charAt(0);
               double area = Double.parseDouble(line.split(";")[3]);
               lands.add(new Land(id, ownerName, houseType, area));
               line = br.readLine();
           br.close();
       } catch (Exception e) {
           System.out.println(e.getMessage());
       System.out.println("-----");
       System.out.println("Menu Selection");
       System.out.println("\n1. Sorting using Bubble Sort");
       System.out.println("2. Sorting using Insertion Sort");
       System.out.println("3. Searching using Binary Search");
       System.out.print("\nYour Option: ");
       int option = intInput.nextInt();
       System.out.println("-----
       if (option == 1) {
           System.out.println("Sorting using Bubble Sort\n");
```

```
// sort based on the tax price and display the list
            for (int i = 0; i < lands.size() - 1; i++) {</pre>
                for (int j = 0; j < lands.size() - i - 1; j++) {
                    if (lands.get(j).calculateTax() > lands.get(j +
1).calculateTax()) {
                        Land temp = lands.get(j);
                        lands.set(j, lands.get(j + 1));
                        lands.set(j + 1, temp);
            for (Land land : lands) {
                System.out.println(land.toString());
                System.out.printf("Tax: RM %,.2f\n", land.calculateTax());
                System.out.println();
        } else if (option == 2) {
            System.out.println("Sorting using Insertion Sort\n");
            for (int i = 1; i < lands.size(); i++) {</pre>
                Land key = lands.get(i);
                int j = i - 1;
                while (j >= 0 && lands.get(j).getId().compareTo(key.getId()) > 0)
                    lands.set(j + 1, lands.get(j));
                    j--;
                lands.set(j + 1, key);
            for (Land land : lands) {
                System.out.println(land.toString());
                System.out.printf("Tax: RM %,.2f\n", land.calculateTax());
                System.out.println();
        } else if (option == 3) {
            System.out.println("Searching using Binary Search\n");
            for (int i = 1; i < lands.size(); i++) {</pre>
                Land key = lands.get(i);
                int j = i - 1;
```

```
while (j >= 0 && lands.get(j).getId().compareTo(key.getId()) > 0)
                    lands.set(j + 1, lands.get(j));
                    j--;
                lands.set(j + 1, key);
            System.out.print("Enter the ID to search: ");
            String id = strInput.nextLine();
            int low = 0;
            int high = lands.size() - 1;
            int mid = (low + high) / 2;
            while (low <= high) {</pre>
                if (lands.get(mid).getId().compareTo(id) < 0) {</pre>
                    low = mid + 1;
                } else if (lands.get(mid).getId().compareTo(id) == 0) {
                    System.out.println(lands.get(mid).toString());
                    System.out.printf("Tax: RM %,.2f\n",
lands.get(mid).calculateTax());
                    break;
                } else {
                    high = mid - 1;
                mid = (low + high) / 2;
            if (low > high) {
                System.out.println("ID not found!");
        } else {
            System.out.println("Invalid option!");
        strInput.close();
        intInput.close();
```

Sample Input/Output

Menu Selection

- 1. Sorting using Bubble Sort
- 2. Sorting using Insertion Sort
- 3. Searching using Binary Search

Your Option: 1

Sorting using Bubble Sort

ID: 001

Owner Name: Siti Aminah binti Ahmad

House Type: T Area: 1400.0 Tax: RM 14,000.00

ID: 014

Owner Name: Nor Aziaty binti Yunus

House Type: S Area: 1600.0 Tax: RM 24,000.00

ID: 045

Owner Name: Musalma binti Kamaruddin

House Type: S Area: 2500.0 Tax: RM 37,500.00

ID: 010

Owner Name: Amirul Hakin bin Samad

House Type: C Area: 1500.0 Tax: RM 45,000.00

ID: 100

Owner Name: Jamaluddin bin Hasssan

House Type: B Area: 4500.0 Tax: RM 90,000.00

ID: 799

Owner Name: Ali bin Selamat

House Type: B Area: 5000.0 -----

Menu Selection

1. Sorting using Bubble Sort

- 2. Sorting using Insertion Sort
- 3. Searching using Binary Search

Your Option: 2

Sorting using Insertion Sort

ID: 001

Owner Name: Siti Aminah binti Ahmad

House Type: T Area: 1400.0 Tax: RM 14,000.00

ID: 010

Owner Name: Amirul Hakin bin Samad

House Type: C Area: 1500.0 Tax: RM 45,000.00

ID: 014

Owner Name: Nor Aziaty binti Yunus

House Type: S Area: 1600.0 Tax: RM 24,000.00

ID: 045

Owner Name: Musalma binti Kamaruddin

House Type: S Area: 2500.0 Tax: RM 37,500.00

ID: 100

Owner Name: Jamaluddin bin Hasssan

House Type: B Area: 4500.0 Tax: RM 90,000.00

ID: 799

Owner Name: Ali bin Selamat

House Type: B Area: 5000.0

Tax: RM 100,000.00

Menu Selection

- 1. Sorting using Bubble Sort
- Sorting using Insertion Sort
 Searching using Binary Search

Your Option: 3

Searching using Binary Search

Enter the ID to search: 045

ID: 045

Owner Name: Musalma binti Kamaruddin

House Type: S Area: 2500.0 Tax: RM 37,500.00