

Study of User password policy costs Survey 5

Showing 8 of 8 responses

Showing **all** responses


Showing **all** questions

Response rate: 8%

1 Informed consent


1.1 The purpose and nature of this study has been explained to me.

1.1.a The purpose and nature of this study has been explained to me.




1.2 I am participating voluntarily.

1.2.a I am participating voluntarily.




1.3 I understand that I can withdraw from the survey up until it is submitted. I understand that after that point, as the survey is anonymous, it will not be possible to identify and remove the data.

1.3.a I understand that I can withdraw from the survey up until it is submitted. I understand that after that point, as the survey is anonymous, it will not be possible to identify and remove the data.




1.4 I understand the limits of confidentiality as described in the information sheet.

1.4.a I understand the limits of confidentiality as described in the information sheet.




1.5 I understand that my anonymous responses may be used in future research projects and the data from this study may be deposited in an archive if I give permission here:

1.5.a I understand that my anonymous responses may be used in future research projects and the data from this study may be deposited in an archive if I give permission here:




2 I consent to participate in this survey:



3 Select a rank on the below scale from 1 (very poor) to 5 (very knowledgeable) to describe your internet security knowledge.


3.1 Internet security knowledge:




4 Include specific character types in your password. E.g. your password must include uppercase, lowercase, digit, symbol

4.1 Makes it more difficult to create a password

4.1.a Makes it more difficult to create a password - Severity of Cost




4.1.b Makes it more difficult to create a password - Frequency Cost is Experienced




4.2 Makes it less easy to remember

4.2.a Makes it less easy to remember - Severity of Cost




4.2.b Makes it less easy to remember - Frequency Cost is Experienced




4.3 Requires extra resources

4.3.a Requires extra resources - Severity of Cost




4.3.b Requires extra resources - Frequency Cost is Experienced




4.4 Requires the creation of a new password

4.4.a Requires the creation of a new password - Severity of Cost




4.4.b Requires the creation of a new password - Frequency Cost is Experienced




4.5 Increases the computing power needed

4.5.a Increases the computing power needed - Severity of Cost




4.5.b Increases the computing power needed - Frequency Cost is Experienced




4.6 Requires other extra time or effort


4.6.a Requires other extra time or effort - Severity of Cost



4.6.b Requires other extra time or effort - Frequency Cost is Experienced



4.a Do you approve of this advice?



4.b Comments

Showing 1 response


In general making passwords less guessable via dictionary based attacks is a good idea, especially relevant if hashed passwords are leaked, which continues to be a regular occurrence.

624524-624515-66189577


5 Don't use published phrases as your password (e.g. "OpenSesame")

5.1 Makes it more difficult to create a password

5.1.a Makes it more difficult to create a password - Severity of Cost




5.1.b Makes it more difficult to create a password - Frequency Cost is Experienced




5.2 Makes it less easy to remember

5.2.a Makes it less easy to remember - Severity of Cost




5.2.b Makes it less easy to remember - Frequency Cost is Experienced




5.3 Requires extra resources

5.3.a Requires extra resources - Severity of Cost




5.3.b Requires extra resources - Frequency Cost is Experienced




5.4 Requires the creation of a new password

5.4.a Requires the creation of a new password - Severity of Cost




5.4.b Requires the creation of a new password - Frequency Cost is Experienced




5.5 Increases the computing power needed

5.5.a Increases the computing power needed - Severity of Cost




5.5.b Increases the computing power needed - Frequency Cost is Experienced




5.6 Requires other extra time or effort


5.6.a Requires other extra time or effort - Severity of Cost



5.6.b Requires other extra time or effort - Frequency Cost is Experienced



5.a Do you approve of this advice?




5.b Comments

Showing 1 response	
Variation of previous question, avoid dictionary attacks that use phrases.	624524-624515-66189577


6 Don't leave your passwords in plain sight

6.1 Makes it more difficult to create a password

6.1.a Makes it more difficult to create a password - Severity of Cost




6.1.b Makes it more difficult to create a password - Frequency Cost is Experienced




6.2 Makes it less easy to remember

6.2.a Makes it less easy to remember - Severity of Cost




6.2.b Makes it less easy to remember - Frequency Cost is Experienced




6.3 Requires extra resources

6.3.a Requires extra resources - Severity of Cost




6.3.b Requires extra resources - Frequency Cost is Experienced




6.4 Requires the creation of a new password

6.4.a Requires the creation of a new password - Severity of Cost




6.4.b Requires the creation of a new password - Frequency Cost is Experienced




6.5 Increases the computing power needed

6.5.a Increases the computing power needed - Severity of Cost




6.5.b Increases the computing power needed - Frequency Cost is Experienced




6.6 Requires other extra time or effort


6.6.a Requires other extra time or effort - Severity of Cost



6.6.b Requires other extra time or effort - Frequency Cost is Experienced



6.a Do you approve of this advice?



6.b Comments


Showing 1 response	
Defeats purpose of a secret	624524-624515-66189577

Expiry


7 Change your password regularly

7.1 Makes it more difficult to create a password

7.1.a Makes it more difficult to create a password - Severity of Cost




7.1.b Makes it more difficult to create a password - Frequency Cost is Experienced




7.2 Makes it less easy to remember

7.2.a Makes it less easy to remember - Severity of Cost




7.2.b Makes it less easy to remember - Frequency Cost is Experienced




7.3 Requires extra resources

7.3.a Requires extra resources - Severity of Cost




7.3.b Requires extra resources - Frequency Cost is Experienced




7.4 Requires the creation of a new password

7.4.a Requires the creation of a new password - Severity of Cost




7.4.b Requires the creation of a new password - Frequency Cost is Experienced




7.5 Increases the computing power needed

7.5.a Increases the computing power needed - Severity of Cost




7.5.b Increases the computing power needed - Frequency Cost is Experienced




7.6 Requires other extra time or effort


7.6.a Requires other extra time or effort - Severity of Cost



7.6.b Requires other extra time or effort - Frequency Cost is Experienced



7.a Do you approve of this advice?



7.b Comments

Showing 1 response


Prefer to force change if evidence of use in wrong place or a leak	624524-624515-66189577
--	------------------------

Reuse


8 Never reuse a password

8.1 Makes it more difficult to create a password

8.1.a Makes it more difficult to create a password - Severity of Cost




8.1.b Makes it more difficult to create a password - Frequency Cost is Experienced




8.2 Makes it less easy to remember

8.2.a Makes it less easy to remember - Severity of Cost




8.2.b Makes it less easy to remember - Frequency Cost is Experienced




8.3 Requires extra resources

8.3.a Requires extra resources - Severity of Cost




8.3.b Requires extra resources - Frequency Cost is Experienced




8.4 Requires the creation of a new password

8.4.a Requires the creation of a new password - Severity of Cost




8.4.b Requires the creation of a new password - Frequency Cost is Experienced




8.5 Increases the computing power needed

8.5.a Increases the computing power needed - Severity of Cost




8.5.b Increases the computing power needed - Frequency Cost is Experienced




8.6 Requires other extra time or effort


8.6.a Requires other extra time or effort - Severity of Cost



8.6.b Requires other extra time or effort - Frequency Cost is Experienced



8.a Do you approve of this advice?



8.b Comments


Showing all 3 responses	
I experience regular frustration and loose valuable time at work trying to login to numerous platforms with different passwords	624524-624515-66100578
approve of password re-use in limited circumstances for less important services	624524-624515-66154886
You don't always know who got access to previously used passwords	624524-624515-66189577

Sharing


9 Never share your password

9.1 Makes it more difficult to create a password

9.1.a Makes it more difficult to create a password - Severity of Cost




9.1.b Makes it more difficult to create a password - Frequency Cost is Experienced




9.2 Makes it less easy to remember

9.2.a Makes it less easy to remember - Severity of Cost




9.2.b Makes it less easy to remember - Frequency Cost is Experienced




9.3 Requires extra resources

9.3.a Requires extra resources - Severity of Cost




9.3.b Requires extra resources - Frequency Cost is Experienced




9.4 Requires the creation of a new password

9.4.a Requires the creation of a new password - Severity of Cost




9.4.b Requires the creation of a new password - Frequency Cost is Experienced




9.5 Increases the computing power needed

9.5.a Increases the computing power needed - Severity of Cost




9.5.b Increases the computing power needed - Frequency Cost is Experienced




9.6 Requires other extra time or effort


9.6.a Requires other extra time or effort - Severity of Cost



9.6.b Requires other extra time or effort - Frequency Cost is Experienced



9.a Do you approve of this advice?




9.b Comments

Showing 1 response	
Exceptions apply where access is via a shared secret (e.g. hidden parts of a website)	624524-624515-66189577


10 Regularly apply security updates for your personal devices

10.1 Makes it more difficult to create a password

10.1.a Makes it more difficult to create a password - Severity of Cost




10.1.b Makes it more difficult to create a password - Frequency Cost is Experienced




10.2 Makes it less easy to remember

10.2.a Makes it less easy to remember - Severity of Cost




10.2.b Makes it less easy to remember - Frequency Cost is Experienced




10.3 Requires extra resources

10.3.a Requires extra resources - Severity of Cost




10.3.b Requires extra resources - Frequency Cost is Experienced




10.4 Requires the creation of a new password

10.4.a Requires the creation of a new password - Severity of Cost




10.4.b Requires the creation of a new password - Frequency Cost is Experienced




10.5 Increases the computing power needed

10.5.a Increases the computing power needed - Severity of Cost




10.5.b Increases the computing power needed - Frequency Cost is Experienced




10.6 Requires other extra time or effort


10.6.a Requires other extra time or effort - Severity of Cost



10.6.b Requires other extra time or effort - Frequency Cost is Experienced



10.a Do you approve of this advice?




10.b Comments

No responses


11 Keep anti-virus updated

11.1 Makes it more difficult to create a password

11.1.a Makes it more difficult to create a password - Severity of Cost




11.1.b Makes it more difficult to create a password - Frequency Cost is Experienced




11.2 Makes it less easy to remember

11.2.a Makes it less easy to remember - Severity of Cost




11.2.b Makes it less easy to remember - Frequency Cost is Experienced




11.3 Requires extra resources

11.3.a Requires extra resources - Severity of Cost




11.3.b Requires extra resources - Frequency Cost is Experienced




11.4 Requires the creation of a new password

11.4.a Requires the creation of a new password - Severity of Cost




11.4.b Requires the creation of a new password - Frequency Cost is Experienced




11.5 Increases the computing power needed

11.5.a Increases the computing power needed - Severity of Cost




11.5.b Increases the computing power needed - Frequency Cost is Experienced




11.6 Requires other extra time or effort


11.6.a Requires other extra time or effort - Severity of Cost



11.6.b Requires other extra time or effort - Frequency Cost is Experienced



11.a Do you approve of this advice?



11.b Comments


Showing 1 response	
I prefer to not use devices that need anti-virus software.	624524-624515-66142552

Logging in


12 You should not be able to paste your password when logging in

12.1 Makes it more difficult to create a password

12.1.a Makes it more difficult to create a password - Severity of Cost




12.1.b Makes it more difficult to create a password - Frequency Cost is Experienced




12.2 Makes it less easy to remember

12.2.a Makes it less easy to remember - Severity of Cost




12.2.b Makes it less easy to remember - Frequency Cost is Experienced




12.3 Requires extra resources

12.3.a Requires extra resources - Severity of Cost




12.3.b Requires extra resources - Frequency Cost is Experienced




12.4 Requires the creation of a new password

12.4.a Requires the creation of a new password - Severity of Cost




12.4.b Requires the creation of a new password - Frequency Cost is Experienced




12.5 Increases the computing power needed

12.5.a Increases the computing power needed - Severity of Cost




12.5.b Increases the computing power needed - Frequency Cost is Experienced




12.6 Requires other extra time or effort


12.6.a Requires other extra time or effort - Severity of Cost



12.6.b Requires other extra time or effort - Frequency Cost is Experienced



12.a Do you approve of this advice?



12.b Comments


Showing all 3 responses	
When using password managers, copying and pasting generated passwords is best practice	624524-624515-66120285
Prevents ease of use of password managers	624524-624515-66154886
Password managers are useful	624524-624515-66189577

Username


13 Don't reuse your username at multiple sites

13.1 Makes it more difficult to create a password

13.1.a Makes it more difficult to create a password - Severity of Cost




13.1.b Makes it more difficult to create a password - Frequency Cost is Experienced




13.2 Makes it less easy to remember

13.2.a Makes it less easy to remember - Severity of Cost




13.2.b Makes it less easy to remember - Frequency Cost is Experienced




13.3 Requires extra resources

13.3.a Requires extra resources - Severity of Cost




13.3.b Requires extra resources - Frequency Cost is Experienced




13.4 Requires the creation of a new password

13.4.a Requires the creation of a new password - Severity of Cost




13.4.b Requires the creation of a new password - Frequency Cost is Experienced




13.5 Increases the computing power needed

13.5.a Increases the computing power needed - Severity of Cost




13.5.b Increases the computing power needed - Frequency Cost is Experienced




13.6 Requires other extra time or effort


13.6.a Requires other extra time or effort - Severity of Cost



13.6.b Requires other extra time or effort - Frequency Cost is Experienced



13.a Do you approve of this advice?



13.b Comments


Showing all 2 responses	
Why would anyone require this?	624524-624515-66120285
In many cases it is useful to standardise identity	624524-624515-66189577

Two factor authentication


14 You should use 2-factor authentication when logging into accounts (e.g. enter an additional code from an app, text or a special device)

14.1 Makes it more difficult to create a password

14.1.a Makes it more difficult to create a password - Severity of Cost




14.1.b Makes it more difficult to create a password - Frequency Cost is Experienced




14.2 Makes it less easy to remember

14.2.a Makes it less easy to remember - Severity of Cost




14.2.b Makes it less easy to remember - Frequency Cost is Experienced




14.3 Requires extra resources

14.3.a Requires extra resources - Severity of Cost




14.3.b Requires extra resources - Frequency Cost is Experienced




14.4 Requires the creation of a new password

14.4.a Requires the creation of a new password - Severity of Cost




14.4.b Requires the creation of a new password - Frequency Cost is Experienced




14.5 Increases the computing power needed

14.5.a Increases the computing power needed - Severity of Cost




14.5.b Increases the computing power needed - Frequency Cost is Experienced




14.6 Requires other extra time or effort


14.6.a Requires other extra time or effort - Severity of Cost



14.6.b Requires other extra time or effort - Frequency Cost is Experienced



14.a Do you approve of this advice?



14.b Comments


Showing all 2 responses	
I like this feature for anything related to monetary transactions	624524-624515-66100578
Drastically reduces risks	624524-624515-66189577

Password manager


15 You should use a password manager to store your passwords

15.1 Makes it more difficult to create a password

15.1.a Makes it more difficult to create a password - Severity of Cost




15.1.b Makes it more difficult to create a password - Frequency Cost is Experienced




15.2 Makes it less easy to remember

15.2.a Makes it less easy to remember - Severity of Cost




15.2.b Makes it less easy to remember - Frequency Cost is Experienced




15.3 Requires extra resources

15.3.a Requires extra resources - Severity of Cost




15.3.b Requires extra resources - Frequency Cost is Experienced




15.4 Requires the creation of a new password

15.4.a Requires the creation of a new password - Severity of Cost




15.4.b Requires the creation of a new password - Frequency Cost is Experienced




15.5 Increases the computing power needed

15.5.a Increases the computing power needed - Severity of Cost




15.5.b Increases the computing power needed - Frequency Cost is Experienced




15.6 Requires other extra time or effort


15.6.a Requires other extra time or effort - Severity of Cost



15.6.b Requires other extra time or effort - Frequency Cost is Experienced



15.a Do you approve of this advice?




15.b Comments

No responses


16 Each user account must be password protected

16.1 Makes it more difficult to create a password

16.1.a Makes it more difficult to create a password - Severity of Cost




16.1.b Makes it more difficult to create a password - Frequency Cost is Experienced




16.2 Makes it less easy to remember

16.2.a Makes it less easy to remember - Severity of Cost




16.2.b Makes it less easy to remember - Frequency Cost is Experienced




16.3 Requires extra resources

16.3.a Requires extra resources - Severity of Cost




16.3.b Requires extra resources - Frequency Cost is Experienced




16.4 Requires the creation of a new password

16.4.a Requires the creation of a new password - Severity of Cost




16.4.b Requires the creation of a new password - Frequency Cost is Experienced




16.5 Increases the computing power needed

16.5.a Increases the computing power needed - Severity of Cost




16.5.b Increases the computing power needed - Frequency Cost is Experienced




16.6 Requires other extra time or effort


16.6.a Requires other extra time or effort - Severity of Cost



16.6.b Requires other extra time or effort - Frequency Cost is Experienced



16.a Do you approve of this advice?



16.b Comments


No responses

Generated passwords


- 17 Passwords generated for you should only be valid for first login

17.1 Makes it more difficult to create a password

17.1.a Makes it more difficult to create a password - Severity of Cost




17.1.b Makes it more difficult to create a password - Frequency Cost is Experienced




17.2 Makes it less easy to remember

17.2.a Makes it less easy to remember - Severity of Cost




17.2.b Makes it less easy to remember - Frequency Cost is Experienced




17.3 Requires extra resources

17.3.a Requires extra resources - Severity of Cost




17.3.b Requires extra resources - Frequency Cost is Experienced




17.4 Requires the creation of a new password

17.4.a Requires the creation of a new password - Severity of Cost




17.4.b Requires the creation of a new password - Frequency Cost is Experienced




17.5 Increases the computing power needed

17.5.a Increases the computing power needed - Severity of Cost




17.5.b Increases the computing power needed - Frequency Cost is Experienced




17.6 Requires other extra time or effort


17.6.a Requires other extra time or effort - Severity of Cost



17.6.b Requires other extra time or effort - Frequency Cost is Experienced



17.a Do you approve of this advice?




17.b Comments

No responses

Final Comments

18 Do you agree with the six cost categories that were used in the survey?



18.a Are there any cost categories that you think should be added or removed?

Showing 1 response

The cost to personal health of the stress of constantly interacting with devices that require various different logins and passwords-and eat up time and energy!!

624524-624515-66100578

19 This is the end of the survey do you have any final comments?

Showing all 2 responses

Yes I am sick of passwords and logins and they are making me less productive as I have to look up the passwords so often!!

624524-624515-66100578

Probably should be able to select more than one of the 6 "Frequency Costs" in the right column.

624524-624515-66142552