

Sample Laboratory Test Report

English translation and de-identified mock layout based on user-provided lab-result text

Important: This PDF is a fictional sample/translation for layout reference only. It is not an official medical record, certificate, laboratory report, or clinical document.

Patient name	Michael James Anderson (fictional)	Accession / report no.	SAMPLE-5220909251520085497
Sex	Male	Collection site	SampleCare Diagnostics, 125 Main Street, Boston, MA 02108, USA (fictional)
Date of birth	09/19/1992	Registration date	22/06/2026
Client ID	SAMPLE-1209574	Report ready date	25/06/2026

Results

Test	Result	Unit	Reference range	Instrument
Biochemistry and inflammation				
Total protein	74	g/L	65 - 85	Architect 8000
Glucose	5	mmol/L	3.05 - 6.1	Architect 8000
Total bilirubin	14	umol/L	0 - 20.5	Architect 8000
Direct bilirubin	5	umol/L	0 - 8.7	Architect 8000
ALT (alanine aminotransferase)	21	U/L	2 - 41	Architect 8000
AST (aspartate aminotransferase)	24	U/L	5 - 38	Architect 8000
C-reactive protein, quantitative	< 0.20	mg/L	0 - 5	Architect 8000
Antistreptolysin-O (ASO)	100	IU/mL	0 - 200	

Test	Result	Unit	Reference range	Instrument
Complete blood count with manual smear microscopy + ESR				
Red blood cells (RBC)	5.34	x10^12/L	4.6 - 6.1	BC-6800 PLUS
Hemoglobin (HGB)	156	g/L	132 - 166	BC-6800 PLUS
Hematocrit (HCT)	46.4	%	40 - 50	BC-6800 PLUS
Mean corpuscular volume (MCV)	86.9	fL	80 - 95	BC-6800 PLUS
Mean corpuscular hemoglobin (MCH)	29.3	pg	27 - 33	BC-6800 PLUS
Mean corpuscular hemoglobin concentration (MCHC)	336	g/L	320 - 360	BC-6800 PLUS
Red cell distribution width (RDW)	13.0	%	9 - 15	BC-6800 PLUS
Platelets (PLT)	202	x10^9/L	150 - 420	BC-6800 PLUS
Mean platelet volume (MPV)	11.3	fL	8 - 12	BC-6800 PLUS
Platelet distribution width (PDW)	16.1	%	8 - 65	BC-6800 PLUS
Plateletcrit (PCT)	0.228	%	0.15 - 0.4	BC-6800 PLUS
White blood cells (WBC)	5.66	x10^9/L	4.2 - 9.1	BC-6800 PLUS
Neutrophils (NEU%)	62.6	%	34 - 72	BC-6800 PLUS
Neutrophils, absolute (NEU)	3.55	x10^9/L	1.56 - 6.13	BC-6800 PLUS
Lymphocytes (LYMF%)	28.3	%	19 - 50	BC-6800 PLUS
Lymphocytes, absolute (LYMF)	1.60	x10^9/L	1.18 - 3.74	BC-6800 PLUS
Monocytes (MON%)	8.0	%	3 - 12	BC-6800 PLUS
Monocytes, absolute (MON)	0.45	x10^9/L	0.24 - 0.82	BC-6800 PLUS
Eosinophils (EOS%)	0.9	%	0.5 - 5	BC-6800 PLUS
Eosinophils, absolute (EOS)	0.05	x10^9/L	0.04 - 0.54	BC-6800 PLUS
Basophils (BAS%)	0.2	%	0 - 2	BC-6800 PLUS
Basophils, absolute (BAS)	0.01	x10^9/L	0 - 1	BC-6800 PLUS
ESR, Westergren automated	5	mm/hour	2 - 15	TEST 1
Segmented neutrophils	59.0	%	44 - 61	
Band neutrophils	1.0	%	0 - 3	
Lymphocytes, manual differential	31.0	%	19 - 50	
Monocytes, manual differential	8.0	%	3 - 12	
Eosinophils, manual differential	1.0	%	0.5 - 5	

Test	Result	Unit	Reference range	Instrument
Serology, parasitology, allergy markers				
Giardia antibodies, total	0.1	positivity coefficient	See note below	
Ascaris IgG antibodies	Negative	titer	Negative	StatFax 2100
anti-Toxocara IgG, qualitative ELISA	Negative		Negative	StatFax 2100
anti-Opisthorchis felineus IgG, qualitative ELISA	Negative		Negative	StatFax 2100
anti-Echinococcus IgG, qualitative ELISA	Negative		Negative	StatFax 2100
anti-Trichinella sp. IgG, qualitative ELISA	Negative		Negative	StatFax 2100
Total IgE	65.1	IU/mL	0 - 87	Immulite 2000
Eosinophilic cationic protein (ECP)	11.7	ng/mL	0 - 24	Immulite 2000

Giardia antibody note: < 0.85 - antibodies not detected; 0.85-1.0 - repeat testing is recommended in 10-14 days; > 1.0 - antibodies detected.

Specimen collected: 09/09/2025. Specimen received by laboratory: 09/09/2025. Report ready: 09/10/2025.

Interpretation of test results, diagnosis, and treatment decisions should be made by a qualified healthcare professional. No medical interpretation is provided in this sample.

SAMPLE - NOT A MEDICAL RECORD