Comprehensive Laboratory Results

Laboratory: EasyHealth Demo Laboratory · Patient: Demo Patient · ID: DEMO-001

Collection dates: 2026-08-01, 2026-09-15, 2026-11-01 · Language: English

SYNTHETIC DATA FOR PRODUCT DEMONSTRATION ONLY

Test	Result	Unit	Reference	Specimen	Method	Mod.	Date
Lipid panel							
Total cholesterol	203	mg/dL	125 - 200	serum	automated	—	2026-08-01
LDL	126	mg/dL	0 - 129	serum	automated	—	2026-08-01
Non-HDL cholesterol	151	mg/dL	0 - 159	serum	automated	—	2026-08-01
HDL	52	mg/dL	40 - 90	serum	automated	—	2026-08-01
Triglycerides	124	mg/dL	0 - 149	serum	automated	—	2026-08-01
Total cholesterol	197	mg/dL	125 - 200	serum	automated	—	2026-09-15
LDL	118	mg/dL	0 - 129	serum	automated	—	2026-09-15
Non-HDL cholesterol	143	mg/dL	0 - 159	serum	automated	—	2026-09-15
HDL	54	mg/dL	40 - 90	serum	automated	—	2026-09-15
Triglycerides	110	mg/dL	0 - 149	serum	automated	—	2026-09-15
Total cholesterol	191	mg/dL	125 - 200	serum	automated	—	2026-11-01
LDL	110	mg/dL	0 - 129	serum	automated	—	2026-11-01
Non-HDL cholesterol	135	mg/dL	0 - 159	serum	automated	—	2026-11-01
HDL	56	mg/dL	40 - 90	serum	automated	—	2026-11-01
Triglycerides	96	mg/dL	0 - 149	serum	automated	—	2026-11-01
Metabolic panel							
Fasting glucose	92	mg/dL	70 - 99	plasma	automated	fasting	2026-08-01
HbA1c	5.6	%	4 - 5.6	whole blood	automated	—	2026-08-01
Fasting glucose	90	mg/dL	70 - 99	plasma	automated	fasting	2026-09-15
HbA1c	5.5	%	4 - 5.6	whole blood	automated	—	2026-09-15
Fasting glucose	88	mg/dL	70 - 99	plasma	automated	fasting	2026-11-01
HbA1c	5.4	%	4 - 5.6	whole blood	automated	—	2026-11-01
Thyroid panel							
TSH	2.18	mIU/L	0.4 - 4	serum	automated	—	2026-08-01
FT4	1.18	ng/dL	0.8 - 1.8	serum	automated	—	2026-08-01
TSH	2.02	mIU/L	0.4 - 4	serum	automated	—	2026-09-15
FT4	1.2	ng/dL	0.8 - 1.8	serum	automated	—	2026-09-15
TSH	1.86	mIU/L	0.4 - 4	serum	automated	—	2026-11-01
FT4	1.22	ng/dL	0.8 - 1.8	serum	automated	—	2026-11-01
Liver panel							
ALT	28	U/L	7 - 45	serum	automated	—	2026-08-01
AST	25	U/L	10 - 40	serum	automated	—	2026-08-01
ALP	76	U/L	40 - 129	serum	automated	—	2026-08-01
GGT	22	U/L	8 - 61	serum	automated	—	2026-08-01
Total bilirubin	0.7	mg/dL	0.2 - 1.2	serum	automated	—	2026-08-01
Albumin	4.5	g/dL	3.5 - 5	serum	automated	—	2026-08-01
ALT	25	U/L	7 - 45	serum	automated	—	2026-09-15
AST	23	U/L	10 - 40	serum	automated	—	2026-09-15
ALP	74	U/L	40 - 129	serum	automated	—	2026-09-15
GGT	20	U/L	8 - 61	serum	automated	—	2026-09-15
Total bilirubin	0.6	mg/dL	0.2 - 1.2	serum	automated	—	2026-09-15
Albumin	4.6	g/dL	3.5 - 5	serum	automated	—	2026-09-15
ALT	22	U/L	7 - 45	serum	automated	—	2026-11-01
AST	21	U/L	10 - 40	serum	automated	—	2026-11-01
ALP	72	U/L	40 - 129	serum	automated	—	2026-11-01
GGT	18	U/L	8 - 61	serum	automated	—	2026-11-01
Total bilirubin	0.6	mg/dL	0.2 - 1.2	serum	automated	—	2026-11-01
Albumin	4.6	g/dL	3.5 - 5	serum	automated	—	2026-11-01
Kidney panel							

Comprehensive Laboratory Results

Laboratory: EasyHealth Demo Laboratory · Patient: Demo Patient · ID: DEMO-001

Collection dates: 2026-08-01, 2026-09-15, 2026-11-01 · Language: English

SYNTHETIC DATA FOR PRODUCT DEMONSTRATION ONLY

Test	Result	Unit	Reference	Specimen	Method	Mod.	Date
eGFR	92	mL/min/1.73m2	60 - 120	serum	automated	—	2026-08-01
Creatinine	0.95	mg/dL	0.6 - 1.2	serum	automated	—	2026-08-01
UACR	9	mg/g	0 - 29	urine	automated	—	2026-08-01
BUN	14	mg/dL	7 - 20	serum	automated	—	2026-08-01
Urea	30	mg/dL	15 - 45	serum	automated	—	2026-08-01
Sodium	140	mmol/L	135 - 145	serum	automated	—	2026-08-01
Potassium	4.3	mmol/L	3.5 - 5.1	serum	automated	—	2026-08-01
Chloride	103	mmol/L	98 - 107	serum	automated	—	2026-08-01
Bicarbonate	25	mmol/L	22 - 29	serum	automated	—	2026-08-01
Calcium	2.34	mmol/L	2.15 - 2.55	serum	automated	—	2026-08-01
eGFR	96	mL/min/1.73m2	60 - 120	serum	automated	—	2026-09-15
Creatinine	0.9	mg/dL	0.6 - 1.2	serum	automated	—	2026-09-15
UACR	8	mg/g	0 - 29	urine	automated	—	2026-09-15
BUN	13	mg/dL	7 - 20	serum	automated	—	2026-09-15
Urea	28	mg/dL	15 - 45	serum	automated	—	2026-09-15
Sodium	139	mmol/L	135 - 145	serum	automated	—	2026-09-15
Potassium	4.2	mmol/L	3.5 - 5.1	serum	automated	—	2026-09-15
Chloride	102	mmol/L	98 - 107	serum	automated	—	2026-09-15
Bicarbonate	24	mmol/L	22 - 29	serum	automated	—	2026-09-15
Calcium	2.35	mmol/L	2.15 - 2.55	serum	automated	—	2026-09-15
eGFR	99	mL/min/1.73m2	60 - 120	serum	automated	—	2026-11-01
Creatinine	0.88	mg/dL	0.6 - 1.2	serum	automated	—	2026-11-01
UACR	7	mg/g	0 - 29	urine	automated	—	2026-11-01
BUN	12	mg/dL	7 - 20	serum	automated	—	2026-11-01
Urea	26	mg/dL	15 - 45	serum	automated	—	2026-11-01
Sodium	140	mmol/L	135 - 145	serum	automated	—	2026-11-01
Potassium	4.2	mmol/L	3.5 - 5.1	serum	automated	—	2026-11-01
Chloride	103	mmol/L	98 - 107	serum	automated	—	2026-11-01
Bicarbonate	25	mmol/L	22 - 29	serum	automated	—	2026-11-01
Calcium	2.36	mmol/L	2.15 - 2.55	serum	automated	—	2026-11-01
Complete blood count							
Hemoglobin (HGB)	13.9	g/dL	13.5 - 17.5	whole blood	automated	—	2026-08-01
Hematocrit (HCT)	42	%	41 - 53	whole blood	automated	—	2026-08-01
Red blood cells (RBC)	4.75	10^12/L	4.5 - 5.9	whole blood	automated	—	2026-08-01
White blood cells (WBC)	6.2	10^9/L	4 - 10	whole blood	automated	—	2026-08-01
Platelets (PLT)	248	10^9/L	150 - 400	whole blood	automated	—	2026-08-01
Mean corpuscular volume (MCV)	88.4	fL	80 - 100	whole blood	automated	—	2026-08-01
Mean corpuscular hemoglobin (MCH)	29.3	pg	27 - 33	whole blood	automated	—	2026-08-01
Mean corpuscular hemoglobin concentration (MCHC)	33.1	g/dL	32 - 36	whole blood	automated	—	2026-08-01
Red cell distribution width (RDW)	13.1	%	11.5 - 14.5	whole blood	automated	—	2026-08-01
Mean platelet volume (MPV)	10.4	fL	8 - 12	whole blood	automated	—	2026-08-01
Platelet distribution width (PDW)	13.5	%	9 - 17	whole blood	automated	—	2026-08-01
Plateletcrit (PCT)	0.258	%	0.15 - 0.4	whole blood	automated	—	2026-08-01
Neutrophils	58	%	40 - 75	whole blood	automated	—	2026-08-01
Lymphocytes	31	%	20 - 45	whole blood	automated	—	2026-08-01
Monocytes	7	%	2 - 10	whole blood	automated	—	2026-08-01
Eosinophils	3	%	0 - 6	whole blood	automated	—	2026-08-01
Basophils	1	%	0 - 2	whole blood	automated	—	2026-08-01
Hemoglobin (HGB)	14.1	g/dL	13.5 - 17.5	whole blood	automated	—	2026-09-15
Hematocrit (HCT)	42.6	%	41 - 53	whole blood	automated	—	2026-09-15
Red blood cells (RBC)	4.82	10^12/L	4.5 - 5.9	whole blood	automated	—	2026-09-15
White blood cells (WBC)	6	10^9/L	4 - 10	whole blood	automated	—	2026-09-15

Comprehensive Laboratory Results

Laboratory: EasyHealth Demo Laboratory · Patient: Demo Patient · ID: DEMO-001

Collection dates: 2026-08-01, 2026-09-15, 2026-11-01 · Language: English

SYNTHETIC DATA FOR PRODUCT DEMONSTRATION ONLY

Test	Result	Unit	Reference	Specimen	Method	Mod.	Date
Platelets (PLT)	252	10^9/L	150 - 400	whole blood	automated	—	2026-09-15
Mean corpuscular volume (MCV)	88.4	fL	80 - 100	whole blood	automated	—	2026-09-15
Mean corpuscular hemoglobin (MCH)	29.3	pg	27 - 33	whole blood	automated	—	2026-09-15
Mean corpuscular hemoglobin concentration (MCHC)	33.1	g/dL	32 - 36	whole blood	automated	—	2026-09-15
Red cell distribution width (RDW)	13	%	11.5 - 14.5	whole blood	automated	—	2026-09-15
Mean platelet volume (MPV)	10.5	fL	8 - 12	whole blood	automated	—	2026-09-15
Platelet distribution width (PDW)	13.8	%	9 - 17	whole blood	automated	—	2026-09-15
Plateletcrit (PCT)	0.265	%	0.15 - 0.4	whole blood	automated	—	2026-09-15
Neutrophils	56	%	40 - 75	whole blood	automated	—	2026-09-15
Lymphocytes	33	%	20 - 45	whole blood	automated	—	2026-09-15
Monocytes	7	%	2 - 10	whole blood	automated	—	2026-09-15
Eosinophils	3	%	0 - 6	whole blood	automated	—	2026-09-15
Basophils	1	%	0 - 2	whole blood	automated	—	2026-09-15
Hemoglobin (HGB)	14.3	g/dL	13.5 - 17.5	whole blood	automated	—	2026-11-01
Hematocrit (HCT)	43.2	%	41 - 53	whole blood	automated	—	2026-11-01
Red blood cells (RBC)	4.89	10^12/L	4.5 - 5.9	whole blood	automated	—	2026-11-01
White blood cells (WBC)	5.8	10^9/L	4 - 10	whole blood	automated	—	2026-11-01
Platelets (PLT)	260	10^9/L	150 - 400	whole blood	automated	—	2026-11-01
Mean corpuscular volume (MCV)	88.3	fL	80 - 100	whole blood	automated	—	2026-11-01
Mean corpuscular hemoglobin (MCH)	29.2	pg	27 - 33	whole blood	automated	—	2026-11-01
Mean corpuscular hemoglobin concentration (MCHC)	33.2	g/dL	32 - 36	whole blood	automated	—	2026-11-01
Red cell distribution width (RDW)	12.9	%	11.5 - 14.5	whole blood	automated	—	2026-11-01
Mean platelet volume (MPV)	10.6	fL	8 - 12	whole blood	automated	—	2026-11-01
Platelet distribution width (PDW)	14	%	9 - 17	whole blood	automated	—	2026-11-01
Plateletcrit (PCT)	0.276	%	0.15 - 0.4	whole blood	automated	—	2026-11-01
Neutrophils	54	%	40 - 75	whole blood	automated	—	2026-11-01
Lymphocytes	35	%	20 - 45	whole blood	automated	—	2026-11-01
Monocytes	7	%	2 - 10	whole blood	automated	—	2026-11-01
Eosinophils	3	%	0 - 6	whole blood	automated	—	2026-11-01
Basophils	1	%	0 - 2	whole blood	automated	—	2026-11-01
Iron studies							
Serum iron	92	ug/dL	50 - 170	serum	automated	—	2026-08-01
Ferritin	88	ng/mL	30 - 400	serum	automated	—	2026-08-01
Total iron-binding capacity	318	ug/dL	250 - 450	serum	automated	—	2026-08-01
Unsaturated iron-binding capacity	226	ug/dL	110 - 370	serum	automated	—	2026-08-01
Transferrin	270	mg/dL	200 - 360	serum	automated	—	2026-08-01
Transferrin saturation	29	%	20 - 50	serum	automated	—	2026-08-01
Serum iron	98	ug/dL	50 - 170	serum	automated	—	2026-09-15
Ferritin	96	ng/mL	30 - 400	serum	automated	—	2026-09-15
Total iron-binding capacity	320	ug/dL	250 - 450	serum	automated	—	2026-09-15
Unsaturated iron-binding capacity	222	ug/dL	110 - 370	serum	automated	—	2026-09-15
Transferrin	272	mg/dL	200 - 360	serum	automated	—	2026-09-15
Transferrin saturation	31	%	20 - 50	serum	automated	—	2026-09-15
Serum iron	104	ug/dL	50 - 170	serum	automated	—	2026-11-01
Ferritin	105	ng/mL	30 - 400	serum	automated	—	2026-11-01
Total iron-binding capacity	322	ug/dL	250 - 450	serum	automated	—	2026-11-01
Unsaturated iron-binding capacity	218	ug/dL	110 - 370	serum	automated	—	2026-11-01
Transferrin	275	mg/dL	200 - 360	serum	automated	—	2026-11-01
Transferrin saturation	32	%	20 - 50	serum	automated	—	2026-11-01
Nutrients							
Vitamin D	28	ng/mL	20 - 50	serum	automated	—	2026-08-01

Comprehensive Laboratory Results

Laboratory: EasyHealth Demo Laboratory · Patient: Demo Patient · ID: DEMO-001

Collection dates: 2026-08-01, 2026-09-15, 2026-11-01 · Language: English

SYNTHETIC DATA FOR PRODUCT DEMONSTRATION ONLY

Test	Result	Unit	Reference	Specimen	Method	Mod.	Date
Vitamin B12	410	pg/mL	200 - 900	serum	automated	—	2026-08-01
Folate	8.2	pg/mL	4 - 20	serum	automated	—	2026-08-01
Vitamin D	31	ng/mL	20 - 50	serum	automated	—	2026-09-15
Vitamin B12	438	pg/mL	200 - 900	serum	automated	—	2026-09-15
Folate	8.8	pg/mL	4 - 20	serum	automated	—	2026-09-15
Vitamin D	35	ng/mL	20 - 50	serum	automated	—	2026-11-01
Vitamin B12	465	pg/mL	200 - 900	serum	automated	—	2026-11-01
Folate	9.4	pg/mL	4 - 20	serum	automated	—	2026-11-01
Inflammation							
C-reactive protein, quantitative	1.4	mg/L	0 - 5	serum	automated	—	2026-08-01
C-reactive protein, quantitative	1.1	mg/L	0 - 5	serum	automated	—	2026-09-15
C-reactive protein, quantitative	0.9	mg/L	0 - 5	serum	automated	—	2026-11-01

Synthetic demonstration document. Not a medical record, certificate, or clinical advice. Each row carries its collection date for extraction and history verification.