VIBE CODING
从一句想法到可验证产品

用 AI 加速构建，
用证据守住质量

BEGINNER PLAYBOOK

AI CODING SESSION

```
> goal: filter unfinished tasks
read src/TodoList.tsx
edit query: status=open
run npm test -- TodoList
✓ open / done / empty
review diff: 18 lines
ready for human approval
```

VIBE / CODE

快速反馈，不放弃判断

来源：SRC-GH-BEST

THE VIBE CODING FEEDBACK LOOP

每次只推进一个可观察切片

01
定义
目标 + Done

02
给上下文
文件 + 约束

03
生成
一个薄切片

04
验证
运行 + 测试

05
修复
回源再复验

DEFINE

Goal / Context

Constraints / Done

one behavior only

VERIFY

npm test -- TodoList

✓ open ✓ done ✓ empty

capture evidence

FIX

failure → source file

small diff → rerun

approve only with proof

来源：SRC-GH-BEST · SRC-ANTHROPIC

FROM VAGUE IDEA TO WORKING SLICE

逐轮收窄，不赌一句万能提示

01 / PROMPT

Goal: unfinished filter

Context: TodoList.tsx

Constraint: no DB change

Done: tests + screenshot

scope locked

02 / BUILD

edit TodoList.tsx

+ status query parameter

+ empty-state branch

18 lines changed

run local preview

03 / VERIFY

✓ open tasks

✓ completed tasks

✕ empty state spacing

fix → rerun

✓ 3/3 + screenshot

来源：SRC-GH-PROMPT · SRC-LOCAL