

Subgraph Completion Prompt

Subgraph incompleteness hint:

```
{  
  "gnn_missing_score": <GNN_MISSING_SCORE>,  
  "possible_missingness_types": [  
    "missing_relations",  
    "missing_entities",  
    "missing_relations_and_entities"  
  ],  
  "instruction": "Treat this sampled subgraph as potentially incomplete.  
Look for important gaps in both relations and entities, not just shallow  
restatements of the known triples."  
}
```

Subgraph root entity:

<ROOT_ENTITY>

Existing entities in the sampled subgraph:

<ENTITY_LIST>

Known triples in this sampled subgraph:

<KNOWN_TRIPLES>

Evidence passages:

<EVIDENCE_PASSAGES>

Silently follow this extraction strategy before producing the final JSON:

1. Summarize the current subgraph coverage.
2. Identify likely missing relations, likely missing entities, or both.
3. Prioritize deeper completions that connect multiple known triples, resolve references across multiple passages, or enrich the subgraph with important time, condition, prerequisite, ownership, role, sequence, or part-whole information.
4. When a new triple depends on multiple passages, attach all relevant `chunk_ids` instead of citing only one chunk.
5. Keep only facts that are directly stated or unambiguously supported by the evidence passages.

Required output schema:

```
{  
  "new_triples": [  
    {  
      "triple": ["subject", "predicate", "object"],  
      "chunk_ids": ["chunk-id"]  
    }  
  ]  
}
```

Return JSON only.