



GitHub Copilot

GitHub Copilot documentation

You can use GitHub Copilot to enhance your productivity and assist as you work on code.

1. Get started
2. Concepts
3. How-tos
4. **Reference**
5. Tutorials
6. Responsible use





GitHub Copilot documentation | Reference

1. Cheat sheet
2. AI models
3. keyboard shortcuts
4. Custom agents configuration
5. Policy conflicts
6. Copilot allowlist reference
7. MCP allowlist enforcement
8. Metrics data
9. Copilot billing
10. Agentic Audit log events
11. Copilot usage metrics





GitHub Copilot

Summary | Cheat sheet

Setup

- Mode: Agent
- Chat: GH Copilot Chat in IDE VS code
- Model: Claude Sonnet 4.5

Slash commands (with @ chat participants)

General

- /list
- /clear

@GitHub

@Cloud

@CLI

- /delegate

@VSCode (IDE)

- /search

@Workspace

- /explain
- /fix
- /new
- /newNotebook
- /setupTests
- /tests

@Terminal

- /explain

Extension

- /savePrompt (GH copilot chat)

Chat participants

- xxx ...





GitHub Copilot

Summary | Cheat sheet

Setup

- Mode: Ask
- Chat: GH Copilot Chat in IDE VS code
- Model: Claude Sonnet 4.5

Slash commands (with @ chat participants)

General

- /clear
- /help

@GitHub

@Cloud

@CLI

- /delegate

@VSCode (IDE)

- /search

@Workspace

- /explain
- /fix
- /new
- /newNotebook
- /setupTests
- /tests

@Terminal

- /explain

Extension

- /savePrompt (GH copilot chat)

Chat participants

- xxx ...





GitHub Copilot

Summary | Cheat sheet

Setup

- Mode: Plan
- Chat: GH Copilot Chat in IDE VS code
- Model: Claude Sonnet 4.5

Slash commands (with @ chat participants)

General

- /list
- /clear

@GitHub

@Cloud

@CLI

- /delegate

@VSCode (IDE)

- /search

@Workspace

- /explain
- /fix
- /new
- /newNotebook
- /setupTests
- /tests

@Terminal

- /explain

Extension

- /savePrompt (GH copilot chat)

Chat participants

- xxx ...





GitHub Copilot

Summary | Cheat sheet

Setup

- Mode: Edit
- Chat: GH Copilot Chat in IDE VS code
- Model: Claude Sonnet 4.5

Slash commands (with @ chat participants)

General

- /clear

@GitHub

@VSCode (IDE)

- /search

@Workspace

- /explain
- /fix
- /new
- /newNotebook
- /setupTests
- /tests

@Terminal

- /explain

Extension

- /savePrompt (GH copilot chat)

Chat participants

- xxx ...





GitHub Copilot

Summary | Cheat sheet

Setup

- Mode: Not applicable
- Chat: GH Copilot Chat in browser website
- Model: GPT-4.1

Slash commands (with @ chat participants)

Chat

- /clear
- /delete
- /new
- /rename

General

- /TASK
- /CREATE ISSUE
- /SPARK

Chat participants

- Discussions
- Extensions
- Files
- Issues
- Pull requests
- Repositories

MCP skills

- create_branch
- create_or_update_file
- push_files
- update_pull_request_branch
- merge_pull_request
- get_me
- search_users





Reference | Cheat sheet

- Options are available for:
 - a. IDE: VS code, JetBrains IDEs, VS, XCode
 - b. Website: Browser
- Below TOC is for Copilot in Visual Studio Code.
 1. About GitHub Copilot enhancements
 2. Slash commands (/) - complex prompt
 3. Chat variables (#) - context
 4. Chat participants (@) - extension
- Below TOC is for Copilot on the GitHub website.
 1. About GitHub Copilot enhancements
 2. Mentions (@) - item attachment
 3. Slash commands (/) - complex prompt
 4. MCP skills





Reference | Cheat sheet - VS Code

GitHub Copilot Chat cheat sheet

Use this cheat sheet to quickly reference the most common commands and options for using GitHub Copilot Chat.

About GitHub Copilot enhancements

You can enhance your experience of Copilot Chat with a variety of commands and options. Finding the right command or option for the task you are working on can help you achieve your goals more efficiently. This cheat sheet provides a quick reference to the most common commands and options for using Copilot Chat.

For information about how to get started with Copilot Chat in Visual Studio Code, see [Asking GitHub Copilot questions in your IDE](#).

Slash commands

Use slash commands to avoid writing complex prompts for common scenarios. To use a slash command, type / in the chat prompt box, followed by the command name.

Available slash commands may vary, depending on your environment and the context of your chat. To view a list of currently available slash commands, type / in the chat prompt box of your current environment. Below is a list of some of the most common slash commands for using Copilot Chat.

1. `/clear` - Start a new chat session.
2. `/explain` - Explain how the code in your active editor works.
3. `/fix` - Propose a fix for problems in the selected code.
4. `/fixTestFailure` - Find and fix a failing test.
5. `/help` - Quick reference and basics of using GitHub Copilot.
6. `/new` - Create a new project.
7. `/tests` - Generate unit tests for the selected code.

Chat variables

Use chat variables to include specific context in your prompt. To use a chat variable, type # in the chat prompt box, followed by a chat variable.





Reference | Cheat sheet - VS Code

1. #project - Includes the project context in the prompt.
2. #file - Includes the current file's content in the prompt.
3. #path - Includes the file path in the prompt.
4. #line - Includes the current line of code in the prompt.
5. #selection - Includes the currently selected text in the prompt.
6. #sym - Includes the current symbol in the prompt.
7. #block - Includes the current block of code in the prompt.
8. #class - Includes the current class in the prompt.
9. #comment - Includes the current comment in the prompt.
10. #function - Includes the current function or method in the prompt.

Chat participants

Chat participants are like domain experts who have a specialty that they can help you with. You can specify a chat participant by typing @ in the chat prompt box, followed by a chat participant name. To see all available chat participants, type @ in the chat prompt box.

Below is a list of some of the most common chat participants for using Copilot Chat.

1. @azure - Has context about Azure services and how to use, deploy and manage them
2. @github - Allows you to use GitHub-specific Copilot skills.
3. @terminal - Has context about the Visual Studio Code terminal shell and its contents.
4. @vscode - Has context about Visual Studio Code commands and features.
5. @workspace - Has context about the code in your workspace.





Reference | Cheat sheet - GitHub Website Browser

About GitHub Copilot enhancements

You can enhance your experience of Copilot Chat with a variety of commands and options. Finding the right command or option for the task you are working on can help you achieve your goals more efficiently. This cheat sheet provides a quick reference to the most common commands and options for using Copilot Chat.

For information about how to get started with Copilot Chat in the GitHub website, see [Asking GitHub Copilot questions in GitHub](#).

Mentions

Use @ mentions in to attach relevant context directly to your conversations. Type @ in the chat prompt box to display a list of items you can attach, such as:

- Discussions
- Extensions
- Files
- Issues
- Pull requests
- Repositories

Slash commands

Use slash commands to avoid writing complex prompts for common scenarios. To use a slash command, type / in the chat prompt box, followed by the command name.

Available slash commands may vary, depending on your environment and the context of your chat. To view a list of currently available slash commands, type / in the chat prompt box of your current environment.

Below is a list of some of the most common slash commands for using Copilot Chat.

1. /clear - Clear conversation.





Reference | Cheat sheet - GitHub Website Browser

2. `/delete` - Delete a conversation.
3. `/new` - Start a new conversation.
4. `/rename` - Rename a conversation.

MCP skills

Below is a list of the MCP skills that are currently available in Copilot Chat in GitHub, and example prompts you can use to invoke them. You do not need to use the MCP skill name in your prompt; you can simply ask Copilot Chat to perform the task.

1. `create_branch` - Create a new branch called [BRANCH-NAME] in the repository [USERNAME/REPO-NAME].
2. `create_or_update_file` - Add a new file named hello-world.md to my [BRANCH-NAME] of [USERNAME/REPO-NAME] with the content:
"Hello, world! This file was created from Copilot Chat in GitHub!"
3. `push_files` - Push the files test.md with the content "This is a test file" and test-again.md with the content "This is another test file" to the [BRANCH-NAME] in [USERNAME/REPO-NAME]
4. `update_pull_request_branch` - Update the branch for pull request [PR-number] in [USERNAME/REPO-NAME] with the latest changes from the base branch.
5. `merge_pull_request` - Merge pull request [PR-Number] in [USERNAME/REPO-NAME]
6. `get_me` - Tell me about myself.
7. `search_users` - Search for users with the name "Mona Octocat"

For more information about using MCP skills in Copilot Chat, see [Using the GitHub MCP Server](#).

