

Sprint09 - Testing Documentation

Tester: Rachel Shindelus

04/11/2026

Test Case: SYS-168/Sync-Company-Emails

Github Code Author for This Branch: racheyShindelus

Before Launching:

Create Frontend .env.local:

```
# Frontend Environment Variables

# Backend NestJS API base URL (NEXT_PUBLIC_ prefix exposes it to the
browser)
NEXT_PUBLIC_BACKEND_URL=http://localhost:3001

# URL the Next.js app runs on
NEXT_PUBLIC_APP_URL=http://localhost:3000

# reCAPTCHA Site Key
NEXT_PUBLIC_RECAPTCHA_SITE_KEY=6LcZ0QwsAAAAAJ3Bhrh0Yv140BqyU5sdihlPFYgR
```

Create Backend .env:

```
#Backend Environment Variables

# Server Configuration
PORT = 3001
FRONTEND_URL=http://localhost:3000

# Database URL
SUPABASE_URL=https://cnzlgtpnlxkvzurmpjsu.supabase.co

# Database Key
SUPABASE_ANON_KEY=sb_publishable_bSluMKWKiRjtflrQrcJSiA_dMhNUjni

# Google Cloud Configuration
GOOGLE_CLIENT_ID=916103566644-nrbisqrvc10ff59mlr4bcb8jli1ampul.apps.google
usercontent.com
GOOGLE_CLIENT_SECRET=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
GOOGLE_REDIRECT_URI=http://localhost:3001/auth/google/callback
GOOGLE_SCOPES=openid email profile
```

```
# Shared secret for external contact form submissions
(Squarespace/WordPress → CRM)
CONTACT_FORM_SECRET=<RANDOM_HEX_STRING>

# reCAPTCHA
RECAPTCHA_SECRET_KEY=6LcZ0QwsAAAAAEo_yk4A5NSlJZpvh6ictaPhktNA

# Google Calendar and Email
https://www.googleapis.com/auth/calendar.readonly
https://www.googleapis.com/auth/contacts.readonly
https://www.googleapis.com/auth/gmail.send

# Email Reminders
GOOGLE_EMAIL=headword.noreply@gmail.com
GOOGLE_APP_PASSWORD=tseditqihopyucza
MAIL_FROM=headword.noreply@gmail.com
```

Google Email Reminders and Notification Sending Info:

(These are only used in the .Env file. Can also be used to login to the headword.noreply account)

Email: headword.noreply@gmail.com

← Email that reminders will be sent from

Password: a1!b2@c3#d4\$

← This is only used to log in to the Google Account

Google App Password: tseditqihopyucza

← We only need this (testing/sending emails)

How to Run:


BACKEND	FRONTEND
1] cd backend	1] cd frontend
2] npm install	2] npm install
3] npm install googleapis nodemailer	3] npm run dev
4] npm run start:dev	Frontend is running on http://localhost:3000
Backend is running on http://localhost:3001	

Goals / Description

- Create a noReply company email to send email notifications from.
- Ensure reminders are able to be sent to users regarding their clients via both email and through dashboard notifications.
- Create a generic interaction message to be read by the user in their email notification.


Test 00 - Dashboard Banner Only

Get the userId, from supabase, connected to the user in whose email you would wish for a reminder to be sent to.



	user_id uuid	name text	email text	role text	auth_provider text	created_at timestampz	updated_at timestampz	team_id uuid
☒	096ae7ee-a19d-430b-aa83-f998e70fd531	Rachel Test	rachelfshindelus@gmail.com	staff	NULL	2026-03-09 23:38:16+00	2026-04-11 18:29:18.564883+00	78088996-b80d-4189-a7d3-b53f5f2
☐	6dc75c5f-c946-4385-bcd2-b7976313bd5f	db test 2	test2@example.com	staff	NULL	2026-03-31 02:11:59+00	2026-03-31 02:47:40.332947+00	NULL
☐	b23786a8-8cdd-4992-9624-e8e483418fc7	Test User	test@futureandsuns.com	staff	NULL	2026-03-04 19:05:47.148671+00	2026-04-07 17:26:43.970675+00	9db22414-5cef-4c73-a829-13b64260
☐	df287192-f89c-4784-9fdb-b6254ca114f4	tonthattuanst	tonthattuanst@gmail.com	staff	NULL	2026-03-10 02:39:00.264673+00	2026-03-10 02:39:00.264673+00	NULL

Get the clientId for the client that the user is working with and would like notifications for. This can be found either on the clients page or through supabase.



```
{
  "ok": true,
  "items": [
    {
      "id": "c6b9dc90-00ba-4415-9d5f-878f8ef6d379",
      "first_name": "For",
      "last_name": "Testing",
      "business_name": "",
      "email": "test@example.com",
      "phone_number": "+1234234242",
      "address": {
        "city": "",
        "state": "",
        "street": "",
        "country": "",
        "zip_code": "",
        "additional_info": ""
      },
      "services_needed": [
        "General Services"
      ],
      "project_timeline": "To be determined",
      "budget_range": "To be determined",
      "additional_info": "",
      "preferred_contact_method": "email",
      "created_at": "2026-04-02T04:03:52.51403+00:00",
      "updated_at": "2026-04-02T04:03:52.51403+00:00",
      "social_links": {
        "other": {
          "twitter": "",
          "facebook": "",
          "linkedin": "",
          "instagram": ""
        }
      },
      "tags": null,
      "industry": null,
      "website": null,
      "company": "Facebook",
      "relationship_owner": null,
      "status": null,
      "contact_medium": null,
      "date_of_contact": null
    }
  ]
}
```

Copy and paste this into Windows Powershell to create the reminder and the POST will show the reminder.

```
$body = @{
    userId = "096ae7ee-a19d-430b-aa83-f998e70fd531"
    clientId = "c6b9dc90-00ba-4415-9d5f-878f8ef6d379"
    interactionId = $null
    followUpDays = 0
    baseTimeISO = (Get-Date).AddMinutes(-1).ToString("o")
    sendEmail = $false
    sendDashboard = $true
} | ConvertTo-Json
Invoke-RestMethod -Method POST `
    -Uri "http://localhost:3001/reminders/followup" `
    -ContentType "application/json" `
    -Body $body
```

Reminder shown in Powershell

```
PS C:\Users\rache\Downloads\CSC191\sprint09\csc-190-191-systemy\backend\src\reminders> Invoke-RestMethod -Method POST `
>> -Uri "http://localhost:3001/reminders/followup" `
>> -ContentType "application/json" `
>> -Body $body

id                : 235a6be7-7a91-4f0e-b88a-0326af19e1ff
client_id         : c6b9dc90-00ba-4415-9d5f-878f8ef6d379
interaction_id    :
title            : Follow up with client c6b9dc90-00ba-4415-9d5f-878f8ef6d379
description       : Follow-up reminder for interaction none
remind_at         : 2026-04-11T21:21:17.686+00:00
timezone         : America/Los_Angeles
days_after_interaction : 0
status           : PENDING
sync_to_google   : False
google_event_id  :
created_by       :
assigned_to      : 096ae7ee-a19d-430b-aa83-f998e70fd531
admin_override   : False
created_at       : 2026-04-11T21:23:25.966+00:00
updated_at       : 2026-04-11T21:23:25.966+00:00
email_sent       : False
banner_shown     : False
send_email       : False
completed_at     :
```

Copy and paste this to receive the GET response.

```
Invoke-RestMethod -Method GET `
    -Uri "http://localhost:3001/reminders/dashboard/due"
```

Get response:

```
PS C:\Users\rache\Downloads\CSC191\sprint09\csc-190-191-system\backend\src\reminders> Invoke-RestMethod -Method GET `
>> -Uri "http://localhost:3001/reminders/dashboard/due"

ok items
-- -----
True @{id=235a6be7-7a91-4f0e-b88a-0326af19e1ff; client_id=c6b9dc90-00ba-4415-9d5f-878f8ef6d379; interaction_id=; ti...
```

Reminder shown on the dashboard

The dashboard shows a sidebar with navigation links: Headword!, Dashboard, Analytics, Projects, Contacts, Vendors, and Invoices. The main content area has a search bar and a 'Due reminders (1)' section. The reminder details are: Follow up with client c6b9dc90-00ba-4415-9d5f-878f8ef6d379, Follow-up reminder for interaction none, Due: 4/11/2026, 2:21:17 PM, and a 'Mark complete' button. To the right, there are four summary cards: Active Contacts (28, up 5% vs last week), Pending Invoices (67,670, down 5% vs last week), Active Projects (67), and Productivity (? , up 25% vs last week). Further right is a 'Manage Projects' table with columns: Name, Task, Due on, Price, and Status. The table lists three contacts: Contact #22 (Task: blah blah #1, Due on: Dec 31, Price: \$67, Status: High), Contact #21 (Task: blah blah #2, Due on: Nov 3, Price: \$512, Status: Medium), and Contact #3 (Task: blah blah #3, Due on: Dec 31, Price: \$283, Status: Low). On the far right, there is a 'DEV: Test User Roles' panel with buttons for Administrator, Manager, and User (selected), and a 'Refresh page to see changes' link.


Name	Task	Due on	Price	Status
Contact #22	blah blah #1	Dec 31	\$67	High
Contact #21	blah blah #2	Nov 3	\$512	Medium
Contact #3	blah blah #3	Dec 31	\$283	Low

Reminder is removed after marking complete.

The dashboard is the same as the previous screenshot, but the 'Due reminders (1)' section has been removed. The 'Active Projects' card now shows 67. The 'Upcoming Tasks' section at the bottom shows a task 'Send Campaign debrief' due on Oct 3. The 'Statistics' section is also visible at the bottom right.

Test 01-Reminder Sent ONLY via Email

Use a userId from the “user” table in supabase. The reminder will be sent to the corresponding email. (This userId is connected to the test user name “Rachel Test” and the email associated with this userId is [“rachelfshindelus@gmail.com”](mailto:rachelfshindelus@gmail.com) so the reminder is sent to this email. Add/change user info (just use a valid email) in the supabase under “user” table to do further testing with other emails) Here is the current list of users found in the Supabase.



user_id	name	email	role	auth_provider	created_at
096ae7ee-a19d-430b-aa83-f998e70fd531	Rachel Test	rachelfshindelus@gmail.com	staff	NULL	2026-03-09 23:38:16+00
6dc75c5f-c946-4385-bcd2-b7976313bd5f	db test 2	test2@example.com	staff	NULL	2026-03-31 02:11:59+00
b23786a8-8cdd-4992-9624-e8e483418fc7	Test User	test@futureandsuns.com	staff	NULL	2026-03-04 19:05:47:1486
df287192-f89c-4784-9fdb-b6254cat14f4	tonhattuanst	tonhattuanst@gmail.com	staff	NULL	2026-03-10 02:39:00:264

Copy and paste this into Windows Powershell to create the reminder.

```
$body = @{
    userId = "096ae7ee-a19d-430b-aa83-f998e70fd531"
    clientId = "c6b9dc90-00ba-4415-9d5f-878f8ef6d379"
    interactionId = $null
    followUpDays = 0
    baseTimeISO = (Get-Date).AddMinutes(-1).ToString("o")
    sendEmail = $true
    sendDashboard = $false
} | ConvertTo-Json
```

Copy and paste this into Windows Powershell to show the reminder.

```
Invoke-RestMethod -Method POST `
    -Uri "http://localhost:3001/reminders/followup" `
    -ContentType "application/json" `
    -Body $body
```

Reminder shown in Powershell.

```
PS C:\Users\rache\Downloads\CSC191\sprint09\csc-190-191-systemy\backend\src\reminders> Invoke-RestMethod -Method POST `
>> -Uri "http://localhost:3001/reminders/Followup" `
>> -ContentType "application/json" `
>> -Body $body

id                : ba59a398-388c-4e58-b9f1-6977c8fbd08a
client_id         : c6b9dc90-00ba-4415-9d5f-878f8ef6d379
interaction_id    :
title            : Follow up with client c6b9dc90-00ba-4415-9d5f-878f8ef6d379
description       : Follow-up reminder for interaction none
remind_at        : 2026-04-11T21:35:48.771+00:00
timezone         : America/Los_Angeles
days_after_interaction : 0
status           : PENDING
sync_to_google   : False
google_event_id  :
created_by       :
assigned_to      : 096ae7ee-a19d-430b-aa83-f998e70fd531
admin_override   : False
created_at       : 2026-04-11T21:37:06.647+00:00
updated_at       : 2026-04-11T21:37:06.647+00:00
email_sent       : False
banner_shown     : False
send_email       : True
completed_at     :
```

Copy and paste this to receive the GET response.

```
Invoke-RestMethod -Method GET `
-Uri "http://localhost:3001/reminders/dashboard/due"
```

Get response:

```
PS C:\Users\rache\Downloads\CSC191\sprint09\csc-190-191-systemy\backend\src\reminders> Invoke-RestMethod -Method GET `
>> -Uri "http://localhost:3001/reminders/dashboard/due"

ok items
-- -----
True {}
```

Email was sent to the user's email address.



headword.noreply@gmail.com
to me ▾

2:37 PM (5 minutes ago) ☆ ☺ ↶ ⋮

Client: Client c6b9dc90-00ba-4415-9d5f-878f8ef6d379 (ID: c6b9dc90-00ba-4415-9d5f-878f8ef6d379)
Interaction: Meeting (ID: null)
Last interaction: 4/11/2026, 2:35:48 PM
Follow-up interval: 0 day(s)
Follow-up due: 4/11/2026, 2:35:48 PM

↶ Reply

↷ Forward



Test 02-Reminder Sent via Email AND Dashboard

Copy and paste this into powershell to create and send a reminder.

```
$body = @{"
  userId = "096ae7ee-a19d-430b-aa83-f998e70fd531"
  clientId = "c6b9dc90-00ba-4415-9d5f-878f8ef6d379"
  interactionId = $null
  followUpDays = 0
  baseTimeISO = (Get-Date).AddMinutes(-1).ToString("o")
  sendEmail = $true
  sendDashboard = $true
} | ConvertTo-Json
```

```
PS C:\Users\rache\Downloads\CSC191\sprint09\csc-190-191-systemy\backend\src\reminders> $body = @{"
>>   userId = "096ae7ee-a19d-430b-aa83-f998e70fd531"
>>   clientId = "c6b9dc90-00ba-4415-9d5f-878f8ef6d379"
>>   interactionId = $null
>>   followUpDays = 0
>>   baseTimeISO = (Get-Date).AddMinutes(-1).ToString("o")
>>   sendEmail = $true
>>   sendDashboard = $true
>> } | ConvertTo-Json
```

Copy and paste this to receive the GET response.

```
Invoke-RestMethod -Method GET `
  -Uri "http://localhost:3001/reminders/dashboard/due"
```

Get response:

```
PS C:\Users\rache\Downloads\CSC191\sprint09\csc-190-191-systemy\backend\src\reminders> Invoke-RestMethod -Method GET `
>>   -Uri "http://localhost:3001/reminders/dashboard/due"

ok items
-- ----
True {@{id=ba59a398-388c-4e58-b9f1-6977c8fbd08a; client_id=c6b9dc90-00ba-4415-9d5f-878f8ef6d379; interaction_id; ti...
```

Copy and paste this into Windows Powershell to show the reminder.


```
Invoke-RestMethod -Method POST `
  -Uri "http://localhost:3001/reminders/followup" `
  -ContentType "application/json" `
  -Body $body
```


Reminder in Powershell.

```
PS C:\Users\rache\Downloads\CSC191\sprint09\csc-190-191-systemy\backend\src\reminders> Invoke-RestMethod -Method POST `
>> -Uri "http://localhost:3001/reminders/followup" `
>> -ContentType "application/json" `
>> -Body $body

id                : af5973c8-67d9-4b9a-b9ee-b77eb9347eec
client_id         : c6b9dc90-00ba-4415-9d5f-878f8ef6d379
interaction_id    :
title            : Follow up with client c6b9dc90-00ba-4415-9d5f-878f8ef6d379
description       : Follow-up reminder for interaction none
remind_at        : 2026-04-11T21:44:17.746+00:00
timezone         : America/Los_Angeles
days_after_interaction : 0
status           : PENDING
sync_to_google   : False
google_event_id  :
created_by       :
assigned_to      : 096ae7ee-a19d-430b-aa83-f998e70fd531
admin_override   : False
created_at       : 2026-04-11T21:47:49.644+00:00
updated_at       : 2026-04-11T21:47:49.644+00:00
email_sent       : False
banner_shown     : False
send_email       : True
completed_at     :
```

Reminder shown via Email




Reminder also shown on the user's dashboard.

The screenshot shows a web dashboard for 'Headword!'. The left sidebar contains navigation links: Dashboard, Analytics, Projects, Contacts, Vendors, and Invoices. The main content area has a search bar and a section titled 'Due reminders (1)'. This section displays a reminder: 'Follow up with client c6b9dc90-00ba-4415-9d5f-878f8ef6d379', 'Follow-up reminder for interaction none', 'Due: 4/11/2026, 2:44:17 PM', and a 'Mark complete' button. Below this are four summary cards: 'Active Contacts' (28, 5% vs last week), 'Pending Invoices' (67,670, 5% vs last week), 'Active Projects' (67, 25% vs last week), and 'Productivity' (?). On the right, there is a 'Manage Projects' table with columns: Name, Task, Due on, Price, and Status. The table lists three projects: 'Contact #22', 'Contact #21', and 'Contact #3'. A 'DEV: Test User Roles' panel on the far right shows the current user as 'User' and buttons for 'Administrator', 'Manager', and 'User'.

Name	Task	Due on	Price	Status
Contact #22	blah blah #1	Dec 31	\$67	High
Contact #21	blah blah #2	Nov 3	\$512	Medium
Contact #3	blah blah #3	Dec 31	\$283	Low

Reminder marked complete, no longer shown on the dashboard.



Files Changed

```
Changes not staged for commit:
(use "git add/rm <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
    modified:   backend/package-lock.json
    modified:   backend/package.json
    modified:   backend/src/app.module.ts
    modified:   backend/src/notifications/email.service.ts
    modified:   backend/src/notifications/notifications.controller.ts
    modified:   backend/src/notifications/notifications.module.ts
    modified:   backend/src/notifications/reminder.processor.ts
    deleted:    backend/src/notifications/reminders.controller.ts
    deleted:    backend/src/notifications/reminders.service.ts
    modified:   frontend/package-lock.json
    modified:   frontend/src/app/dashboard/page.tsx

Untracked files:
(use "git add <file>..." to include in what will be committed)
    backend/src/mail/
    backend/src/reminders/
    backend/src/test.controller.ts
    frontend/src/components/dashboard/
```

