

Simulating light propagation

Table of Contents

Simulating data collection for one PPG pulse.....	1
Simulation of the airgap at different frequencies.....	4
Plotting the normalized absorbed power and normalized fluence rate of collected light.....	11
Effects of air gap to the ratio of ratios.....	17

Copyright (C) 2022 Miodrag Bolic

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version. This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details <<https://www.gnu.org/licenses/>>.


This code was developed by Miodrag Bolic for the book PERVASIVE CARDIAC AND RESPIRATORY MONITORING DEVICES: <https://github.com/Health-Devices/CARDIAC-RESPIRATORY-MONITORING>

Acknowledgement: the author would like to thank the developers of MCMatlab software.

```
% Changing the path from main_folder to a particular chapter
main_path=fileparts(which('Main_Content.mlx'));
if ~isempty(main_path)
    %addpath(append(main_path,'/Chapter2'))
    cd (append(main_path,'/Chapter6/SimulatingLightPropagation'))
    addpath(append(main_path,'/Service'))
end
SAVE_FLAG=1; % saving the figures in a file
```

Simulating data collection for one PPG pulse

```
% Fig 7.10 Simulation
% The air gap of 0.01 mm
clear_all_but('SAVE_FLAG')
global zsurf;
zsurf=0.01;
Example4_BloodVessel_Pulse
```



```

for i=1:38;
    model = runMonteCarlo(model);

    %plotMCmatlab(model);
    if model.MC.LC.res > 1
        detFraction = 100*mean(mean(sum(model.MC.LC.image,3)))*model.MC.LC.fieldSize^2;
    else
        detFraction = 100*sum(model.MC.LC.image,3);
    end
    S(i)=detFraction;
end
save('SPulse_660_001_1.mat','S')
% Increasing the air gap to 0.2 mm
clear all
global zsurf;
zsurf=0.2;
Example4_BloodVessel_Pulse
for i=1:38;
    model = runMonteCarlo(model);


    %plotMCmatlab(model);
    if model.MC.LC.res > 1
        detFraction = 100*mean(mean(sum(model.MC.LC.image,3)))*model.MC.LC.fieldSize^2;
    else
        detFraction = 100*sum(model.MC.LC.image,3);
    end
    S(i)=detFraction;
end
save('SPulse_660_02_1.mat','S')
T=1/38;
t=T:T:length(S)*T;

```

```
figure
plot(t,S)
ylabel('Illumination fraction (%)', 'FontSize', 10)
legend('660nm');
xlabel('Time (sec)', 'FontSize', 10)
```

```
% Fig 7.10 Plotting
%load("SPulse_660_02_1.mat")
load("SPulse_660_001_1.mat")
T=1/38;
t=T:T:length(S)*T;
[xData, yData] = prepareCurveData( t, S );
% Set up fittype and options.
ft = fittype( 'poly4' );
% Fit model to data.
[fitresult, gof] = fit( xData, yData, ft );

figure
plot(t,S,'o')
hold on
plot(t, fitresult(t) );
legend('MCMatlab simulation at discrete points','4th order polynomial fit')
ylabel('Illumination fraction (%)', 'FontSize', 10)
xlabel('Time (s)', 'FontSize', 10)
title('Simulated and fitted pulse during a cardiac cycle')
annotation_save('','Fig6.10.jpg', SAVE_FLAG);
```



```
disp('Percentage of the AC component is:')
```

Percentage of the AC component is:

```
100*(max(fitresult(t))-min(fitresult(t)))/max(fitresult(t))
```

```
ans = 1.3402
```

Simulation of the airgap at different frequencies


```
% Fig 7.7 simulation
clear all
global zsurf;
global wave_l;
global B_Cutaneous;
B=[0.2037, 0.2454];
wavelen=[660, 940];
depth=[0.001, 0.01, 0.2, 0.3]; % 0.4 is too much

for j=1:2
for k=1:2
    for i=1:4;
        zsurf=depth(i);
        wave_l=wavelen(j);
        B_Cutaneous=B(k);
        clear_all_but('zsurf','wave_l','B_Cutaneous','i','j','k','S','depth','wavelen',
Example4_BloodVessel_changeS_barrier1

        model = runMonteCarlo(model);


        plotMCmatlab(model);
        if model.MC.LC.res > 1
            detFraction = 100*mean(mean(sum(model.MC.LC.image,3)))*model.MC.LC.fieldSize^2;
        else
            detFraction = 100*sum(model.MC.LC.image,3);
        end
        S(j,k,i)=detFraction;
    end
end
end
end
```

Geometry illustration




-----Monte Carlo Simulation-----
Simulation duration = 1.000 min
Calculating... 100% done
Simulated 2.04e+06 photons at a rate of 2.04e+06 photons per minute
-----plotMCmatlab-----
55.1% of incident light hits the cuboid boundaries.


Normalized boundary irradiance [$\text{W}/\text{cm}^2/\text{W.incident}$]




Normalized absorbed power per unit volume [$\text{W}/\text{cm}^3/\text{W}.\text{incident}$]



log10 plot ☐




Normalized fluence rate [$\text{W}/\text{cm}^2/\text{W}.\text{incident}$]




44.9% of incident light was absorbed within the cuboid.


Light collector illustration



0.449% of incident light ends up on the detector.

Normalized fluence rate of collected incident light [$\text{W}/\text{cm}^2/\text{W}.\text{incident}$]







```
save('SBarrier1.mat','S')
```

```
% Fig 7.7 plotting
load('SBarrier1.mat')
depth=[0.001, 0.01, 0.2, 0.3]; % 0.4 is too much
figure
N=3;
Dia660=reshape(S(1,1,:),[4,1]);
Sys660=reshape(S(1,2,:),[4,1]);
Dia940=reshape(S(2,1,:),[4,1]);
Sys940=reshape(S(2,2,:),[4,1]);
plot(depth(1:N),Dia660(1:N))
hold on
plot(depth(1:N),Sys660(1:N))
plot(depth(1:N),Dia940(1:N))
plot(depth(1:N),Sys940(1:N))
legend('660 nm diastolic point','660 nm systolic point','940 nm diastolic point','940 nm systolic point')
ylabel('Illumination fraction (%)', 'FontSize', 10)
xlabel('Barrier depth (mm)', 'FontSize', 10)

figure
plot(depth(1:N),((Dia660(1:N)-Sys660(1:N))./Dia660(1:N))./((Dia940(1:N)-Sys940(1:N))./Dia940(1:N)))
ylabel('Ratio of ratios', 'FontSize', 10)
xlabel('Air gap depth (mm)', 'FontSize', 10)
title('Ratio of ratios vs. the air gap depth')
annotation_save('b'),'Fig6.7b.jpg', SAVE_FLAG);
```




```
figure
plot(depth(1:N),100*((Dia660(1:N)-Sys660(1:N))./Dia660(1:N)),'o-')
```

```

hold on
plot(depth(1:N),100*((Dia940(1:N)-Sys940(1:N))./Dia940(1:N)), '*-')
legend('660 nm','940 nm')
ylabel('Ratio AC over DC (%)', 'FontSize', 10)
xlabel('Air gap depth (mm)', 'FontSize', 10)
title('AC over DC ratios for red and infrared light')
annotation_save('a',"Fig6.7a.jpg", SAVE_FLAG);

```




Plotting the normalized absorbed power and normalized fluence rate of collected light

```

%Fig 7.3 and 7.8
clear_all_but('SAVE_FLAG')
global zsurf;
zsurf=0.01;
Example4_BloodVessel_Pulse

```

Geometry illustration






```
model = runMonteCarlo(model);
```

```
-----Monte Carlo Simulation-----
Simulation duration = 5.000 min
Calculating... 100% done
Simulated 1.04e+07 photons at a rate of 2.09e+06 photons per minute
```


```
plotMCmatlab(model);
```

```
-----plotMCmatlab-----
```




Assuming index
matched interfaces:
 $n = 1$


86.9% of incident light hits the cuboid boundaries.





Normalized absorbed power per unit volume [$\text{W}/\text{cm}^3/\text{W}.\text{incident}$]



Normalized fluence rate [$\text{W}/\text{cm}^2/\text{W}.\text{incident}$]




13.1% of incident light was absorbed within the cuboid.




0.974% of incident light ends up on the detector.

Normalized fluence rate of collected incident light [$\text{W}/\text{cm}^2/\text{W}.\text{incident}$]



**Normalized fluence rate in the image plane
at 1x magnification [$\text{W}/\text{cm}^2/\text{W}.\text{incident}$]**



```
if model.MC.LC.res > 1
```



```

        detFraction = 100*mean(mean(sum(model.MC.LC.image,3)))*model.MC.LC.fieldSize^2;
    else
        detFraction = 100*sum(model.MC.LC.image,3);
    end
    S(i)=detFraction;

```

Array indices must be positive integers or logical values.

Effects of air gap to the ratio of ratios

```

% Fig 7.9 simulation
clear all
global ii;
global wave_l;
global B_Cutaneous;
B=[0.2037, 0.2454];
wavelen=[660, 940];

for j=1:2
    for k=1:2
        clear_all_but('wave_l','B_Cutaneous','i1','j','k','S','B','wavelen','ii');
        wave_l=wavelen(j);
        B_Cutaneous=B(k);
        ii=0.45;
        Example4_BloodVessel_changeS_new1
        for i1=1:11;

            ii=0.45+0.05*i1;

            model = runMonteCarlo(model);

            %plotMCmatlab(model);
            if model.MC.LC.res > 1
                detFraction = 100*mean(mean(sum(model.MC.LC.image,3)))*model.MC.LC.fiel
            else
                detFraction = 100*sum(model.MC.LC.image,3);
            end

            S(j,k,i1)=detFraction;
        end
    end
end
end

```

```

-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 2.40e+07 photons at a rate of 2.40e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 2.34e+07 photons at a rate of 2.34e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done

```

```

Simulated 2.46e+07 photons at a rate of 2.46e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 2.36e+07 photons at a rate of 2.36e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 2.35e+07 photons at a rate of 2.35e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 2.39e+07 photons at a rate of 2.39e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 2.59e+07 photons at a rate of 2.59e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 76% done
100% done
Simulated 2.48e+07 photons at a rate of 2.48e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 2.34e+07 photons at a rate of 2.34e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 2.32e+07 photons at a rate of 2.32e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 2.37e+07 photons at a rate of 2.37e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 2.77e+07 photons at a rate of 2.77e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 2.71e+07 photons at a rate of 2.71e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 2.66e+07 photons at a rate of 2.66e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 2.77e+07 photons at a rate of 2.77e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 2.67e+07 photons at a rate of 2.67e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 2.66e+07 photons at a rate of 2.66e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 2.78e+07 photons at a rate of 2.78e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done

```

```

Simulated 2.70e+07 photons at a rate of 2.70e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 2.65e+07 photons at a rate of 2.65e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 2.77e+07 photons at a rate of 2.77e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 2.68e+07 photons at a rate of 2.68e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 3.19e+07 photons at a rate of 3.19e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 3.37e+07 photons at a rate of 3.37e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 91% done
    92% done
    100% done
Simulated 3.22e+07 photons at a rate of 3.22e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 3.09e+07 photons at a rate of 3.08e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 3.05e+07 photons at a rate of 3.05e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 2.97e+07 photons at a rate of 2.97e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 3.29e+07 photons at a rate of 3.29e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 3.36e+07 photons at a rate of 3.36e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 3.26e+07 photons at a rate of 3.26e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 3.46e+07 photons at a rate of 3.46e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 3.35e+07 photons at a rate of 3.35e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 3.18e+07 photons at a rate of 3.18e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min

```

```

Calculating... 100% done
Simulated 3.44e+07 photons at a rate of 3.44e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 3.33e+07 photons at a rate of 3.33e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 3.25e+07 photons at a rate of 3.25e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 3.43e+07 photons at a rate of 3.43e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 3.33e+07 photons at a rate of 3.33e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 3.24e+07 photons at a rate of 3.24e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 3.44e+07 photons at a rate of 3.44e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 3.33e+07 photons at a rate of 3.33e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 3.05e+07 photons at a rate of 3.05e+06 photons per minute
-----Monte Carlo Simulation-----
Simulation duration = 10.000 min
Calculating... 100% done
Simulated 3.42e+07 photons at a rate of 3.42e+06 photons per minute

```

```


save('SChange.mat','S')
test=1;

```

```

% Fig 7.9 plotting
load('SChange.mat')
SpO2=50:5:100;
RatioOfRatios=((reshape(S(1,2,:),[11,1])-reshape(S(1,1,:),[11,1]))./reshape(S(1,2,:),[11,1]))
%% Fit: 'untitled fit 1'.
p = polyfit(RatioOfRatios',SpO2,1);
y1 = polyval(p,RatioOfRatios');
figure
plot(RatioOfRatios,SpO2,'o')
hold on
plot(RatioOfRatios,y1,'-')
xlabel('Ratio of ratios', 'FontSize', 10)
ylabel('Saturation (%)', 'FontSize', 10)
legend('SpO_2 estimate','SpO_2=C_B*R+C_A')
ylim([50,100])
title('Estimated and fitted SpO_2 vs. the ratio of ratios')
annotation_save('b','Fig6.9b.jpg', SAVE_FLAG);

```



```
figure
plot(SpO2,reshape(S(1,1,:),[11,1]),'o-')
hold on
plot(SpO2,reshape(S(1,2,:),[11,1]),'*-')
plot(SpO2,reshape(S(2,1,:),[11,1]),'o-')
plot(SpO2,reshape(S(2,2,:),[11,1]),'*-')
legend('660 nm diastolic','660 nm systolic','940 nm diastolic','940 nm systolic',"Location")
ylabel('Illumination fraction (%)', 'FontSize', 10)
xlabel('Saturation (%)', 'FontSize', 10)
title('Illumination vs SpO_2 for systolic and diastolic points')
annotation_save('a','Fig6.9a.jpg', SAVE_FLAG);
```

