

Record Tracking V. 2.0 Installation Guide November 1991

Department of Veterans Affairs Office of Enterprise Development Management & Financial Systems

Revision History

Initiated on 3/30/09

Date	Description (Patch # if applic.)	Project Manager	Technical Writer
3/30/09	Reformatted Manual		Corinne Bailey

i

Revision History

Table of Contents

Installation1 Appendix I1
Appendix II
Appendix III

Table of Contents

Installation

- 1. Record Tracking will use ^TMP instead of ^UTILITY for scratch globals. An exception is ^UTILITY("RTDPTSORT") which is used in initialization options and to generate record retirement pull lists. ^TMP should be configured as a local scratch global on the system just like ^UTILITY.
- 2. If you have added any variable pointers to Files 190 or 195.9, it would be a good idea to save a list of the file attributes or a global listing of the dd(195.9,.01,"V" fields of these files. They tend to get mixed up with inits. RT tries to avoid it by not including the variable pointers with the init and then adding, if necessary, with RTIPOSTO. If there is a problem, the variable pointers can be easily reset or reordered with FileMan Modify File Attributes. Appendix I shows the distributed variable pointers for Record Tracking.
- 3. Record Tracking will use the NEW PERSON file (#200). ';DIC(16,' entries in the Borrowers/file areas file (#195.9) will be converted to ';VA(200,' in the postinit routine RTIPOST2.

Saved by %RS from [COR, VBB] on 22-OCT-1991 20:45:23.82 Header: RT* Restore all (A) or Selected (S) ? <A> RTB RTB1 RTB2 RTDEL RTDPA RTDPA1 RTDPA2 RТ RTDPA32 RTINI001 RTINI002 RTINI003 RTINI004 RTINI005 RTDPA3 RTDPA31 RTINI006 RTINI007 RTINI008 RTINI009 RTINI010 RTINI011 RTINI012 RTINI013 RTINI014 RTINI015 RTINI016 RTINI017 RTINI018 RTINI019 RTINI020 RTINI021 RTINI022 RTINI023 RTINI024 RTINI025 RTINI026 RTINI027 RTINI028 RTINI029 RTINI030 RTINI031 RTINI032 RTINI033 RTINI034 RTINI035 RTINI036 RTINI037 RTINIO38 RTINIO39 RTINIO40 RTINIO41 RTINIO42 RTINIO43 RTINIO44 RTINI045 RTINIO46 RTINIO47 RTINIO48 RTINIO49 RTINIO50 RTINIO51 RTINIO52 RTINI053 RTINIO54 RTINIO55 RTINIO56 RTINIO57 RTINIO58 RTINIO59 RTINIO60 RTINI061 RTINI062 RTINI063 RTINI064 RTINI065 RTINI066 RTINI067 RTINI068 RTINI069 RTINI070 RTINI071 RTINI072 RTINI073 RTINI074 RTINI075 RTINI076 RTINI077 RTINI078 RTINI079 RTINI080 RTINI081 RTINI082 RTINI083 RTINI084 RTINI085 RTINI086 RTINI087 RTINI088 RTINI089 RTINI090 RTINI091 RTINI092 RTINI093 RTINIO94 RTINIO95 RTINIT RTINITO RTINIT1 RTINIT2 RTINIT3 RTIPOST0 RTIPOST1 RTIPOST2 RTIPOST3 RTIPOST4 RTIPRE RTLRTL1 RTL2 RTL3 RTLDIV RTMRTMAS RTNO RTNQ1 RTNQ2 RTNO21 RTNO3 RTNO4 RTNO41 RTNTEG RTP RTP1 RTP2 RTP3 RTP41 RTP311 RTP5 RTP31 RTP32 RTP4 RTP40 RTP51 RTPCAN RTPSET RTPSET1 RTPURGE RTQ1 RTP6 RTQ RTQ2 RTQ4 RTQ41 RTQ5 RTRAD RTRD RTREP RTREP1 RTQ3 RTRPT RTRPT1 RTRPT2 RTRPT3 RTRPT4 RTRPT5 RTSM RTSM1 RTSM61 RTSM2 RTSM3 RTSM4 RTSM5 RTSM6 RTSM7 RTSM8 RTT11 RTSM81 RTSYS RTTRTT1 RTT12 RTT2 RTT21 RTTR2 RTT3 RTT4 RTTR RTTR1 RTTR11 RTUTL RTUTL1 RTUTL6 RTUTL2 RTUTL3 RTUTL4 RTUTL5

197 routines restored

>D ^RTINIT

This version (#2) of 'RTINIT' was created on 22-OCT-1991 (at ALBANY ISC VAX DEVELOPMENT, by VA FileMan V.18)

I HAVE TO RUN A PRE-INITIALIZATION ROUTINE.

Checksum routine created on OCT 22, 1991@19:29:33 by KERNEL V6.5

RT ok
RTB ok
RTB1 ok
RTB2 ok
RTDEL ok
RTDPA ok
..... See Appendix III

If this is the First Installation of Record Tracking, you will want to answer Yes to all the questions from the DIFROM.

If Record Tracking has already been installed on this system, you should probably answer NO to the questions 'WANT MY DATA ADDED TO YOURS'.

Two new label print field entries have been added to the Label Print Field file:

Ward Location and Current Borrower Date/Time

Answer 'YES' to add this data to the Label Print Field file (#194.5).

I AM GOING TO SET UP THE FOLLOWING FILES:

- 44 HOSPITAL LOCATION (Partial Definition)
 Note: You already have the 'HOSPITAL LOCATION' File.
 Shall I write over the existing Data Definition? YES//
 - 190 RECORDS

Note: You already have the 'RECORDS' File.
Shall I write over the existing Data Definition? YES//

190.1 REQUESTED RECORDS

Note: You already have the 'REQUESTED RECORDS' File. Shall I write over the existing Data Definition? YES//

190.2 MISSING RECORDS

Note: You already have the 'MISSING RECORDS' File. Shall I write over the existing Data Definition? YES//

190.3 RECORD MOVEMENT HISTORY

Note: You already have the 'RECORD MOVEMENT HISTORY' File. Shall I write over the existing Data Definition? YES//

194.2 PULL LIST

Note: You already have the 'PULL LIST' File. Shall I write over the existing Data Definition? YES//

```
LABEL FORMAT (including data)
Note: You already have the 'LABEL FORMAT' File.
Shall I write over the existing Data Definition? YES//
Want my data merged with yours? YES// NO
   194.5
            LABEL PRINT FIELD (including data)
Note: You already have the 'LABEL PRINT FIELD' File.
Shall I write over the existing Data Definition? YES//
Want my data merged with yours? YES// yes ****** to add 2 new entries ***
   195.1
            RECORD TRACKING APPLICATION (including data)
Note: You already have the 'RECORD TRACKING APPLICATION' File.
Shall I write over the existing Data Definition? YES//
Want my data merged with yours? YES// NO
            RECORD TYPES (including data)
Note: You already have the 'RECORD TYPES' File.
Shall I write over the existing Data Definition? YES//
Want my data merged with yours? YES// NO
            RECORD MOVEMENT TYPES (including data)
   195.3
Note: You already have the 'RECORD MOVEMENT TYPES' File.
Shall I write over the existing Data Definition? YES//
Want my data merged with yours? YES// NO
            RECORD TRACKING SYSTEM PARAMETERS (including data)
   195.4
Note: You already have the 'RECORD TRACKING SYSTEM PARAMETERS' File.
Shall I write over the existing Data Definition? YES//
Want my data merged with yours? YES// NO
   195.6
            REASONS (including data)
Note: You already have the 'REASONS' File.
Shall I write over the existing Data Definition? YES//
Want my data merged with yours? YES// NO
            BORROWERS/FILE AREAS
   195.9
Note: You already have the 'BORROWERS/FILE AREAS' File.
Shall I write over the existing Data Definition? YES//
SHALL I WRITE OVER FILE SECURITY CODES? NO// (NO)
NOTE: This package also contains BULLETINS
      SHALL I WRITE OVER EXISTING BULLETINS OF THE SAME NAME? YES// (YES)
NOTE: This package also contains SORT TEMPLATES
      SHALL I WRITE OVER EXISTING SORT TEMPLATES OF THE SAME NAME? YES// (YES)
NOTE: This package also contains INPUT TEMPLATES
      SHALL I WRITE OVER EXISTING INPUT TEMPLATES OF THE SAME NAME? YES//(YES)
NOTE: This package also contains PRINT TEMPLATES
      SHALL I WRITE OVER EXISTING PRINT TEMPLATES OF THE SAME NAME? YES//(YES)
NOTE: This package also contains FUNCTIONS
      SHALL I WRITE OVER EXISTING FUNCTIONS OF THE SAME NAME? YES// (YES)
NOTE: This package also contains SECURITY KEYS
     SHALL I WRITE OVER EXISTING SECURITY KEYS OF THE SAME NAME? YES// (YES)
NOTE: This package also contains OPTIONS
```

ARE YOU SURE EVERYTHING'S OK? Y (YES)

SHALL I WRITE OVER EXISTING OPTIONS OF THE SAME NAME? YES// (YES)

```
Compiling Cross-Reference routine.....
...HMMM, LET ME THINK ABOUT THAT A MOMENT...
RTXR1 routine filed
RTXR2 routine filed
RTXR routine filed
Compiling Cross-Reference routine.....
...HMMM, JUST A MOMENT PLEASE...
RTXQ1 routine filed
RTXQ2 routine filed
RTXQ routine filed
Compiling Cross-Reference routine.....
... EXCUSE ME, THIS MAY TAKE A FEW MOMENTS...
RTXM1 routine filed
RTXM2 routine filed
RTXM routine filed
Compiling Cross-Reference routine.....
... EXCUSE ME, JUST A MOMENT PLEASE...
RTXP1 routine filed
RTXP2 routine filed
RTXP routine filed
Compiling Cross-Reference routine.....
...EXCUSE ME, LET ME PUT YOU ON 'HOLD' FOR A SECOND...
RTXB1 routine filed
RTXB2 routine filed
RTXB3 routine filed
RTXB4 routine filed
RTXB5 routine filed
RTXB6 routine filed
RTXB7 routine filed
RTXB8 routine filed
RTXB routine filed.....
'RT ATTEMPT-ON-MISSING-REC' BULLETIN FILED-Remember to add its user groups.
'RT CANCELED REQ' BULLETIN FILED -- Remember to add its user groups.
'RT MISSING RECORD' BULLETIN FILED -- Remember to add its user groups.
'RT RECORD DELETION' BULLETIN FILED -- Remember to add its user groups.
'RT RECORD FOUND' BULLETIN FILED -- Remember to add its user groups.
'RT REOUEST/NOTICE TRANSFER' BULLETIN FILED- Remember to add its user groups
```

```
'RT INACT-MENU' Option Filed
'RT INACT-PULL-CHARGE' Option Filed
'RT INACT-PULL-CREATE' Option Filed
'RT INACT-PULL-NOT FILLABLE' Option Filed
'RT INACT-PULL-PRINT' Option Filed
'RT INQ-COMBO-TRACE' Option Filed
'RT INQ-INQUIRY' Option Filed
'RT INQ-MEDIUM' Option Filed
'RT INQ-MENU' Option Filed
'RT INQ-SHORT' Option Filed
'RT INQ-TRACE' Option Filed
'RT LBL-FORMATTER' Option Filed
'RT LBL-TEST' Option Filed
'RT MAS-ADMIT-CHART-REQUEST' Option Filed
'RT MAS-ADMITTING' Option Filed
'RT MAS-CHART-PROFILE' Option Filed
'RT MAS-CHART-REQUEST' Option Filed
'RT MAS-EXPED-MENU' Option Filed
'RT MAS-FILE-CLERK-MENU' Option Filed
'RT MAS-FILL-NEXT' Option Filed
'RT MAS-LABEL-PRINT' Option Filed
'RT MAS-MENU' Option Filed
'RT MAS-RE-CHARGE' Option Filed
'RT MAS-SUPER-MENU' Option Filed
'RT OVERALL' Option Filed
'RT PULL-ADD' Option Filed
'RT PULL-CANCEL-PULL-ALL' Option Filed
'RT PULL-CANCEL-PULL-LIST' Option Filed
'RT PULL-CANCEL-REQUEST' Option Filed
'RT PULL-CHANGE-DATE' Option Filed
'RT PULL-CHARGE-OUT' Option Filed
'RT PULL-COMMENT' Option Filed
'RT PULL-CREATE' Option Filed
'RT PULL-LIST-PRINT' Option Filed
'RT PULL-MENU' Option Filed
'RT PULL-MULTI-INSTITUTION' Option Filed
'RT PULL-NOT FILLABLE' Option Filed
'RT RAD-FILE-CLERK-MENU' Option Filed
'RT RAD-JACKET-PROFILE' Option Filed
'RT RAD-JACKET-REQUEST' Option Filed
'RT RAD-MENU' Option Filed
'RT RAD-REG-AREA' Option Filed
'RT RAD-SUPER-MENU' Option Filed
'RT RPT-BORROWERS' Option Filed
'RT RPT-HOME-LIST' Option Filed
'RT RPT-INPATIENT' Option Filed
'RT RPT-LOOSE' Option Filed
'RT RPT-MENU' Option Filed
'RT RPT-MISSING' Option Filed
'RT RPT-OVERDUE' Option Filed
'RT RPT-PENDING-REQUEST' Option Filed
'RT RPT-REQUEST-BY-BORROWER' Option Filed
'RT RPT-REQUEST-TIME' Option Filed
'RT RPT-RETRIEVAL STATS' Option Filed
'RT RTQ-CANCEL' Option Filed
```

'RT RTQ-DISPLAY' Option Filed 'RT RTQ-EDIT' Option Filed

```
'RT RTQ-FILL' Option Filed
'RT RTQ-MENU' Option Filed
'RT RTQ-REPRINT' Option Filed
'RT RTQ-REQUEST-REC' Option Filed
'RT SM-ADMITTING' Option Filed
'RT SM-APPL' Option Filed
'RT SM-CLINIC REQUESTS' Option Filed
'RT SM-FILE-REMOTE' Option Filed
'RT SM-FILE-ROOM' Option Filed
'RT SM-MENU' Option Filed
'RT SM-OVERALL' Option Filed
'RT SM-PURGE-AUTOMATIC' Option Filed
'RT SM-PURGE-DATA' Option Filed
'RT SM-REC-1CLINIC-REQUEST' Option Filed
'RT SM-REC-BORROWERS' Option Filed
'RT SM-REC-CLINIC-REQUEST' Option Filed
'RT SM-REC-COMPILE-TERM-DIGIT' Option Filed
'RT SM-REC-DELETE-TERM-DIGIT' Option Filed
'RT SM-REC-IN-PT' Option Filed
'RT SM-REC-INIT' Option Filed
'RT SM-REC-LABELS' Option Filed
'RT SM-REC-MENU' Option Filed
'RT SM-RECOMP' Option Filed
'RT SM-REG-AREA' Option Filed
'RT SYS-APPLICATION' Option Filed
'RT SYS-FILE ROOM' Option Filed
'RT SYS-INDIVD-BORROWERS' Option Filed
'RT SYS-LABELS' Option Filed
'RT SYS-MENU' Option Filed
'RT SYS-MOVEMENT' Option Filed
'RT SYS-PRINT-BOR' Option Filed
'RT SYS-REASONS' Option Filed
'RT SYS-RECORD TYPE' Option Filed
'RT TRANS-CHARGE-OUT' Option Filed
'RT TRANS-CHECK-IN' Option Filed
'RT TRANS-CREATE' Option Filed
'RT TRANS-DELETE' Option Filed
'RT TRANS-INACTIVATE' Option Filed
'RT TRANS-MENU' Option Filed
'RT TRANS-MISSING' Option Filed
'RT TRANS-MOVE-REQ-LAST-VOL' Option Filed
'RT TRANS-NEW-VOL' Option Filed
'RT TRANS-NEW-VOL-MULTI' Option Filed
'RT TRANS-PATIENT' Option Filed
'RT TRANS-RE-CHARGE' Option Filed
'RT TRANS-TRANSFER' Option Filed
'RT TRANS-UPDATE' Option Filed
'RT TRANSFER-BACK' Option Filed
'RT TRANSFER-CREATE' Option Filed
'RT TRANSFER-OUT' Option Filed
'RT TRANSFER-REQUEST' Option Filed.....
```

```
Compiling RT CHANGE REQUEST STATUS input template of File 190.1...
'RTCS' ROUTINE FILED
Compiling RT CHARGE input template of File 190...
'RTCC' ROUTINE FILED.....
'RTCC2' ROUTINE FILED....
'RTCC3' ROUTINE FILED....
'RTCC4' ROUTINE FILED..
'RTCC5' ROUTINE FILED..
'RTCC1' ROUTINE FILED
Compiling RT MOVEMENT input template of File 190.3.....
'RTCM' ROUTINE FILED...
'RTCM1' ROUTINE FILED.
'RTCM2' ROUTINE FILED
Compiling RT NEW RECORD input template of File 190...
'RTCR' ROUTINE FILED.....
'RTCR1' ROUTINE FILED....
'RTCR2' ROUTINE FILED.
'RTCR3' ROUTINE FILED
Compiling RT PULL LIST input template of File 194.2....
'RTCP' ROUTINE FILED....
'RTCP1' ROUTINE FILED.....
'RTCP2' ROUTINE FILED...
'RTCP3' ROUTINE FILED
Compiling RT REQUEST input template of File 190.1..
'RTCU' ROUTINE FILED....
'RTCU2' ROUTINE FILED....
'RTCU3' ROUTINE FILED.....
'RTCU4' ROUTINE FILED..
'RTCU1' ROUTINE FILED
Compiling RT HOME LOCATION print template of File 190.....
'RTCH' ROUTINE FILED.....
Compiling RT MISSING print template of File 190.2.....
. . . . . . .
'RTCL' ROUTINE FILED.....
Compiling RT PENDING REQUESTS print template of File 190.1.....
'RTCX' ROUTINE FILED.....
```

NO SECURITY-CODE PROTECTION HAS BEEN MADE

```
Post-initialization routine running
  Removing 'post-selection' action from ^DD(195.9,0,"ACT")
  Checking variable pointers in DD of file # 190
  Checking variable pointers in DD of file # 195.9
    Added variable pointer '200'
    Removing 'Person/Provider' variable pointer '16'
  Checking Applications in file #195.1 ...
    Added 'New Person' to 'MEDICAL ADMINISTRATION' application-borrowers
    Added 'New Person' to 'RADIOLOGY' application-borrowers
    Removing 'Provider, Person' from borrowers in file #195.1
Adding new movements to Record movement type file #195.3
  Added 'TRANSFER CREATE INITIAL' movement for 'MEDICAL ADMINISTRATION'
  Added 'TRANSFER RETIRE' movement for 'MEDICAL ADMINISTRATION'
  Added 'TRANSFER CREATE INITIAL' movement for 'RADIOLOGY'
  Added 'TRANSFER RETIRE' movement for 'RADIOLOGY'
    Changing Borrowers/file areas entries to New Person pointers
11 18 26 32 37 311 312 313 314 315 316 317 318 319 320
322
323 324 325 326 327 328 329 330 331
                                          332 333 334 335 342
                                                                 344
347
348 367 368
              369 370 371 372 373 374
                                          375
                                               376 377 378 379
                                                                  380
381
382 383
              385 386 387 388 389
                                               392 393 398 399
                                                                  400
         384
                                     390
                                          391
401
402 403 405
             406 407 408 409 410 413 418 430 431 432 433 439
440
695 698 711 712 717 718 719
    ..all done ...
Adding Federal Record Centers to the Institution file #4 - See Appendix II
            'FEDERAL RECORDS CENTER GSA-1 WALTHAM'
    Added
    Added 'FEDERAL RECORDS CENTER GSA-2 BAYONNE'
    Added 'FEDERAL RECORDS CENTER GSA-3 PHILADELPHIA'
    Added 'FEDERAL RECORDS CENTER MECHANICSBURG'
    Added 'FEDERAL RECORDS CENTER GSA-4 EAST POINT'
    Added 'FEDERAL RECORDS CENTER GSA-5 CHICAGO'
    Added 'FEDERAL RECORDS CENTER
                                    DAYTON'
    Added 'FEDERAL RECORDS CENTER GSA-6 KANSAS CITY'
    Added 'FEDERAL RECORDS CENTER GSA-7 FORT WORTH'
    Added 'FEDERAL RECORDS CENTER GSA-8 DENVER'
    Added 'FEDERAL RECORDS CENTER GSA-9 SAN BRUNO'
    Added 'FEDERAL RECORDS CENTER LAGUNA NIGUEL'
    Added 'FEDERAL RECORDS CENTER GSA-10 SEATTLE'
    Added 'NATIONAL RECORDS CENTER WASHINGTON'
                                               ST. LOUIS'
    Added 'NATIONAL PERSONAL RECORDS CIV
```

```
Recompiling the Clinic Setup Template, don't worry

Compiling SDB input template of File 44.....

'SDBT' ROUTINE FILED......

'SDBT1' ROUTINE FILED.....

'SDBT2' ROUTINE FILED.....

'SDBT3' ROUTINE FILED.....

'SDBT5' ROUTINE FILED.

'SDBT6' ROUTINE FILED.

'SDBT6' ROUTINE FILED.

Remember to Recompile Templates on all systems using the 'Re-compile templates' option.
```

- 1. In File 195.4, Record Tracking System Parameters, the MAS, RAD Interfaces status have been set 'DOWN' if this is the first installation of Record Tracking. When RT is live, remember to set them back 'UP'.
- 2. In File 195.4, Record Tracking System Parameters, the BATCH RECORD,XRAY REQUESTS is set to NO. You will want to process requests for records, x-rays at night instead of immediately through the TaskManager. Set this parameter to YES when RT is live.

MAKE SURE the RT SM-CLINIC-REQUESTS option is scheduled and runs daily after hours.

MAKE SURE the RT SM-PURGE-AUTOMATIC option is scheduled and runs monthly after hours.

```
Please enter your Institution in a new field 30 of file 195.4

INSTITUTION/STATION NUMBER: 500// 500 ALBANY, NY NEW YORK
```

Installation

Appendix I

VARIABLE POINTERS DISTRIBUTED WITH RT v1.35 Beta test

RECORDS

190,.01 ASSOCIATED ENTITY OR ITEM 0;1 VARIABLE POINTER (Required)

FILE ORDER PREFIX LAYGO MESSAGE
2 1 P n PATIENT

BORROWER/FILE AREAS

```
0;1
195.9,.01
           NAME
                                            VARIABLE POINTER (Required)
            FILE ORDER PREFIX LAYGO MESSAGE
               44 2 L
                                  n LOCATION
               200 1 P
42 3 W
                                   n PROVIDER PERSON
                                   n WARD
                   4 I
                                 n INSTITUTION
SCRN FILE 44: S DIC("S")="I
""W""'[$P(^(0),U,3),$S('$D(^(""I"")):1,'^(""I""):1
        ,DT<+^(""I""):1,'$P(^(""I""),U,2):0,1:DT>+$P(^(""I""),U,2))"
SCRN FILE 200: S DIC("S")="I $$('$D(^(""I"")):1,'^(""I""):1,1:DT'>^(""I""))"
SCRN FILE 42: S DIC("S")="I $S('$D(^(""I"")):1,$P(^(""I""),U)'=""I"":1,1:0)"
```

Appendix I

Appendix II

The postinit routine RTIPOST4 will add 16 Federal Record Centers to the INSTITUTION file (#4). If it thinks there are already entries with similar names, it will stop and just list the entries and fields it was going to add. If you already have an entry, it can be edited to conform to the list. Do not delete it. To add new entries called "FEDERAL RECORDS CENTER", use quotation marks with the FileMan name prompt to force the entry.

Some or all of these entries may be made available to use as borrowers for record retirement using the System Definition Menu, Borrower Set-up option. It may be convenient for the file room if a commonly used term for one of these sites is defined as a borrower synonym.

Appendix II

Appendix III

Patch RT*2*1 included in the Distribution

```
mrrep ok
RTREP ok
RTREP1 ok
RTRPT Calculated 16268866, off by 38992
RTRPT1 ok
RTRPT2 ok
.....
RTRPT5 Calculated 6474287, off by -156040
....
```

Appendix III