DECISION SUPPORT SYSTEM (DSS) FY 2013 EXTRACTS

MEDICAL RECORDS DATA DEFINITIONS GUIDE



Software Version 3.0 November 2012

Department of Veterans Affairs

Office of Information and Technology (OIT)

Product Development

Revision History

Date	Document Version	Description	Author
11/01/12	10.9	Updated for FY12 changes in Patch ECX*3.0*136	M Lucas
05/17/12	10.8	Updated SUR, ADM, RAD, LAB, MOV, UDP, PRE, TRT, LAR, ECS, IVP, ECQ, LBB, BCM, NUT, PRO, CLI	MJ Callahan
10/05/11	10.7	Updated for FY12 changes in Patch ECX*3.0*132	M Lucas
07/28/11	10.6	Updated table, removed NUR	MJ Callahan
11/15/10	10.5	Updated with BCM extract technical descriptions	J. Forester
08/25/10	10.4	Reviewed Document; accepted DSS FY11 updates made by MJ Callahan to date; added BCM extract info; added FY11 indicator column	J. Forester
08/05/10	10.3	Removed MTL/PAI	MJ Callahan
08/04/10	10.2	Added PATCAT	MJ Callahan
07/09/10	10.1	Further changes	MJ Callahan
06/03/10	10.0	Started FY11 changes	MJ Callahan
11/04/09	9.0	Updated with FY10 Changes	K. Peacock
06/09/09	8.0	Updated with FY10 changes	T. Tanous
11/14/08	7.0	Updated with FY09 changes Updated descriptions and technical descriptions	Tom Rochford
11/19/07	6.0	Updated with FY08 changes Updated descriptions and technical descriptions	Berry Anderson, Corinne Bailey
11/08/06	5.0	Updated with FY07 changes Added Nutrition Extract (NUT) Updated descriptions and technical descriptions	Berry Anderson
11/14/05	4.0	Updated with FY06 changes Updated descriptions and technical descriptions	Berry Anderson
03/10/04	3.0	Updated with Blood Bank Extract (LBB)	Berry Anderson
12/20/04	3.0	Updated with FY05 changes	Berry Anderson
02/02/04	2.0	Corrected description at 727.825,16	Dawson, Tim
09/30/03	2.0	Updated with FY04 changes	Olinger, Brian
01/02/03	1.0	Added Extract Format	Amann, Sheila
12/05/02	1.0	Initial Version	Crosskey, Johnny

Table of Contents

Introduction	1
Medical Records Data Definitions	3
#727.802 – ADMISSION EXTRACT (ADM) File Data Definition	3
#727.833 – BAR CODE MEDICATION ADMINISTRATION EXTRACT (BCM) File Data Definition .	19
#727.829 - BLOOD BANK EXTRACT (LBB) File Data Definition	32
#727.827 – CLINIC EXTRACT (CLI) File Data Definition	37
#727.815 – EVENT CAPTURE LOCAL EXTRACT (ECS) File Data Definition	
#727.813 - LABORATORY EXTRACT (LAB) File Data Definition	72
#727.824 - LAB RESULTS EXTRACT (LAR) File Data Definition	82
#727.832 – NUTRITION EXTRACT (NUT) File Data Definition	87
#727.819 – PHARMACY IV DETAIL EXTRACT (IVP) File Data Definition	99
#727.808 – PHYSICAL MOVEMENT EXTRACT (MOV) File Data Definition	113
#727.81 – PRESCRIPTION EXTRACT (PRE) File Data Definition	119
#727.826 – PROSTHETICS EXTRACT (PRO) File Data Definition	135
#727.825 - QUASAR EXTRACT (ECQ) File Data Definition	154
#727.814 – RADIOLOGY EXTRACT (RAD) File Data Definition	172
#727.811 – SURGERY EXTRACT (SUR) File Data Definition	180
#727.817- TREATING SPECIALTY CHANGE EXTRACT (TRT) File Data Definition	198
#727.809 UNIT DOSE LOCAL EXTRACT (UDP) File Data Definition	205

Introduction

The Decision Support System (DSS) Fiscal Year Extracts software provides a means of exporting data from selected VistA software modules and transmitting it to a Decision Support System (DSS) database residing at the Austin Information Technology Center (AITC). This transfer is accomplished through a set of extract routines, intermediate files, and transmission routines. Data from VistA packages is stored by the extract routines in the intermediate files, where it is temporarily available for local use and auditing. The data is then transmitted to the AITC, where it is formatted and uploaded into commercial software. After the data has been successfully uploaded into the commercial software, it is purged from the intermediate files.

This document is designed to:

- Provide DSS Teams with technical information regarding each extract.
- Detail the source from which the data element in each extract is obtained.
- Provide DSS Teams with the tools to perform additional data validation.

The changes made to this document in support of the software changes in the DSS Extract FY13 release are identified in the below table.

Extract File Name	Extract Abbreviated Name/File	VistA Field Number /Name	RSD ID
ADMISSION EXTRACT	ADM / 727.802	92/ ED DISPOSITION CODE	2.6.5.1
ADMISSION EXTRACT	ADM / 727.802	93/ PRIMARY ICD-10 CODE	2.6.1.1
PRESCRIPTION EXTRACT	PRE/ 727.81	28/ DEA, SPECIAL HDLG	2.6.3.14
RADIOLOGY EXTRACT	RAD/ 727.814	49/ CREDIT METHOD	2.6.4.2
EVENT CAPTURE LOCAL EXTRACT	ECS/727.815	106/ PRIMARY ICD-10 CODE	2.6.1.4
EVENT CAPTURE LOCAL EXTRACT	ECS/727.815	107/ SECONDARY ICD-10 CODE #1	2.6.1.8
EVENT CAPTURE LOCAL EXTRACT	ECS/727.815	108/ SECONDARY ICD-10 CODE #2	2.6.1.8
EVENT CAPTURE LOCAL EXTRACT	ECS/727.815	109/ SECONDARY ICD-10 CODE #3	2.6.1.8
EVENT CAPTURE LOCAL EXTRACT	ECS/ 727.815	110/ SECONDARY ICD-10 CODE #4	2.6.1.8
PHARMACY IV DETAIL EXTRACT	IVP/ 727.819	17/ DEA, SPECIAL HDLG	2.6.3.13
QUASAR EXTRACT	ECQ/ 727.825	106/ PRIMARY ICD-10 CODE	2.6.1.3
QUASAR EXTRACT	ECQ/ 727.825	107/ SECONDARY ICD-10 CODE #1	2.6.1.7
QUASAR EXTRACT	ECQ/ 727.825	108/ SECONDARY ICD-10 CODE #2	2.6.1.7
QUASAR EXTRACT	ECQ/ 727.825	109/ SECONDARY ICD-10 CODE #3	2.6.1.7
QUASAR EXTRACT	ECQ/ 727.825	110/ SECONDARY ICD-10 CODE #4	2.6.1.7
PROSTHETICS EXTRACT	PRO/ 727.826	92/ PRIMARY ICD-10 CODE	2.6.1.5
PROSTHETICS EXTRACT	PRO/ 727.826	93/ SECONDARY ICD-10 CODE #1	2.6.1.9
PROSTHETICS EXTRACT	PRO/ 727.826	94/ SECONDARY ICD-10 CODE #2	2.6.1.9
PROSTHETICS EXTRACT	PRO/ 727.826	95/ SECONDARY ICD-10 CODE #3	2.6.1.9
PROSTHETICS EXTRACT	PRO/ 727.826	96/ SECONDARY ICD-10 CODE #4	2.6.1.9

1

CLINIC EXTRACT	CLI/ 727.827	111/ ED DISPOSITION CODE	2.6.5.2
CLINIC EXTRACT	CLI/ 727.827	112/ PRIMARY ICD-10 CODE	2.6.1.2
CLINIC EXTRACT	CLI/ 727.827	113/ SECONDARY ICD-10 CODE #1	2.6.1.6
CLINIC EXTRACT	CLI/ 727.827	114/ SECONDARY ICD-10 CODE #2	2.6.1.6
CLINIC EXTRACT	CLI/ 727.827	115/ SECONDARY ICD-10 CODE #3	2.6.1.6
CLINIC EXTRACT	CLI/ 727.827	116/ SECONDARY ICD-10 CODE #4	2.6.1.6

Medical Records Data Definitions

#727.802 - ADMISSION EXTRACT (ADM) File Data Definition

This file contains data elements as specified by the Decision Support Office (DSO) for the MAS Admission extract from existing VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.

Field # and Name	Description	Values	Technical Description
727.802,.01 SEQUENCE NUMBER	The record for this extract entry.		The internal entry number (IEN) for this record. This entry is DINUMed.
727.802,1 YEAR MONTH	A six-character string representing the year and month for which this extract was performed.		Format is YYYYMM; Year 2000 compliant per vendor.
727.802,2 EXTRACT NUMBER	The corresponding entry in the DSS EXTRACT LOG file (#727) for this extract		A pointer to the DSS EXTRACT LOG file (#727). The primary purpose is to pick up the header for the mail message.
727.802,3 FACILITY	This is the medical center division where the extract was performed.		An indicator of the medical center division where this event happened. It is derived from the DIVISION field (.015) of the WARD LOCATION file (#42) which points to the MEDICAL CENTER DIVISION file (#40.8)
727.802,4 PATIENT NO. – DFN	An identifying number for the patient at the local site.		Pointer to the PATIENT file (#2). This data represents the patient DFN. Using the "ATT1" cross reference on the PATIENT MOVEMENT file (#405), the PATIENT NO. – DFN data is derived from the PATIENT field (.03).
727.802,5 SSN	The patient's social security number.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the ADMISSION EXTRACT file (#727.802), SSN data is derived from the SOCIAL SECURITY NUMBER field (#.09) in the PATIENT file (#2).
			"Test" patient status is determined in PAT^ECXUTL3. Any patient with an SSN beginning with "00000" will not be included in the extract.

Field # and Name	Description	Values	Technical Description
727.802,6 NAME	The first four characters of the patient's last name.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the ADMISSION EXTRACT file (#727.802), NAME data is derived from the NAME field (#.01) in the PATIENT file (#2). The first four characters of the first "," piece are used, padded with trailing spaces if necessary. The name value is returned by the supported call DEM^VADPT.
727.802,7 IN OUT PATIENT INDICATOR	Indicates whether the patient was an inpatient or an outpatient for this extract.	'I' FOR INPATIENT 'O' FOR OUTPATIENT	To determine the value of this field a call is made to \$\$PATDEM^ECXUTL2. Within this call, \$\$INP^ECXUTL2 is called to determine inpatient/outpatient status. If the patient is an outpatient, processing stops and the field is set to O. If the patient is an inpatient then \$\$INOUTP^ECXUTL4 is called to look at the treating specialty. If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to I.
727.802,8 DAY	This 8-characater string represents the date on which the admission occurred.		Data source: PATIENT MOVEMENT file (#405); DATE/TIME field (#.01). This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion.
727.802,9 PRIMARY CARE TEAM	The primary care team assigned to this patient.		Using the DATE/TIME field (.01) from the PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the PATIENT NO. – DFN field (4) in the ADMISSION EXTRACT file (#727.802), a call is made to the Scheduling API, OUTPTTM^SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51). Only the pointer (IEN) to TEAM file 404.51 is transmitted.
727.802,10 SEX	Data is M if this patient is a male, or F if female.	'M' FOR MALE 'F' FOR FEMALE	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (4) in the ADMISSION EXTRACT file (#727.802), this data is derived from the SEX field (.02) in the PATIENT file (#2).

Field # and Name	Description	Values	Technical Description
727.802,11 DATE OF BIRTH	Patient's date of birth.		Data source: PATIENT MOVEMENT file (#405); PATIENT field (#.03) then to PATIENT file (#2); DATE OF BIRTH field (#.03). Date of Birth is returned through the supported call DEM^VADPT. It is then represented by an 8-character numeric string in the YYYYMMDD format.
727.802,12 RELIGION	The current religious preference of this patient.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the ADMISSION EXTRACT file (#727.802), RELIGION data is derived from the RELIGIOUS PREFERENCE field (#.08) in the PATIENT file (#2). It is a pointer to the RELIGION file (#13).
727.802,13 EMPLOYMENT STATUS	The patient's current employment status.	'1' FOR Employed Full Time '2' FOR Employed Part Time '3' FOR Not Employed '4' FOR Self Employed '5' FOR Retired '6' FOR Active Military Duty '9' FOR Unknown	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the ADMISSION EXTRACT file (#727.802), EMPLOYMENT STATUS data is derived from the EMPLOYMENT STATUS field (#.31115) in the PATIENT file (#2).
727.802,14 HEALTH INSURANCE	Identifies if patient is covered by health insurance.	'1' FOR INSURED '0' FOR UNINSURED	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the ADMISSION EXTRACT file (#727.802), a call is made to the Integrated Billing API, INSURED^IBCNS1. The API returns 1 if the patient is insured or 0 if the patient is not insured.
727.802,15 STATE	The state in which the patient resides.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (4) in the ADMISSION EXTRACT file (#727.802), STATE data is derived from the STATE field (.115) in the PATIENT file (#2) which points to the STATE file (#5). For the STATE file entry, data transmitted is the two character VA STATE CODE, field (2).
727.802,16 COUNTY	County in which the patient resides.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (4) in the ADMISSION EXTRACT file (#727.802), COUNTY data is taken from the COUNTY field (.117) in the PATIENT file (#2),which points to a subfile record in the COUNTY multiple field (#3) of the STATE file (#5). The three character VA COUTNY CODE field (#2) within the COUNTY multiple field (#3) is used.
727.802,17 ZIP+4	The zip code for where the patient resides. The 5-character zip code is provided if zip + 4 is not available.		The patient's zip code with optional 4-digit extension as found in the ZIP+4 field (#.1112) of the patient's record in the PATIENT file (#2).

Field # and Name	Description	Values	Technical Description
727.802,18 ELIGIBILITY	Appropriate eligibility code based on veteran or non-veteran status.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (4) in the ADMISSION EXTRACT file (#727.802), ELIGIBILITY data is derived from the PRIMARY ELIGIBILITY CODE field (.361) in the PATIENT file (#2). PRIMARY ELIGIBILITY CODE is a pointer to the ELIGIBILITY CODE file (#8). The data is derived from the MAS ELIGIBILITY CODE field in the ELIGIBILITY CODE field (8), which in turn is a pointer to the MAS ELIGIBILITY CODE file #8.1. The pointer value to file #8.1 is converted by ELIG^ECXUTL3 to the corresponding eligibility code used by NPCD. This code is
727.802,19 VETERAN	Patient's Veteran status.	'Y' FOR YES 'N' FOR NO	composed of two or three numeric characters. Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the ADMISSION EXTRACT file (#727.802), VETERAN data is derived from the VETERAN (Y/N)? field (#1901) in the PATIENT file (#2). Veteran is returned by the supported call ELIG^VADPT.
727.802,20 VIETNAM	Indicates if patient is a Vietnam era veteran.	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	Using the patient pointer (DFN) stored in the PATIENT NO. –DFN field (#4) in the ADMISSION EXTRACT file (#727.802), VIETNAM data is derived from the VIETNAM SERVICE INDICATED? field (.32101) in the PATIENT file (#2).
727.802,21 AGENT ORANGE STATUS	Indicates whether patient was exposed to Agent Orange.	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	Using the patient pointer DFN stored in the PATIENT NO. – DFN field (#4) in the ADMISSION EXTRACT file (#727.802), AGENT ORANGE data is derived from the AGENT ORANGE EXPOS. INDICATED? Field (#.32102) in the PATIENT file (#2). The status indicator is returned by SVC^VADPT.
727.802,22 RADIATION STATUS	Indicates if patient claims exposure to ionizing radiation.	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	Using the patient pointer DFN stored in the PATIENT NO. – DFN field (#4) in the ADMISSION EXTRACT file (#727.802), RADIATION data is derived from the RADIATION EXPOSURE INDICATED? Field (#.32103) in the PATIENT file (#2). The status indicator is returned by SVC^VADPT.
727.802,23 POW STATUS	Indicates if patient was confined as a Prisoner of War.	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	Using the patient pointer DFN stored in the PATIENT NO. – DFN field (#4) in the ADMISSION EXTRACT file (#727.802), POW data is derived from the POW STATUS INDICATED? Field (#.525) in the PATIENT file (#2). The status indicator is returned by SVC^VADPT.

Field # and Name	Description	Values	Technical Description
727.802,24 PERIOD OF SERVICE	The period of service which best classifies this patient based on eligibility code.		Using the patient pointer DFN stored in the PATIENT NO. – DFN field (#4) in the ADMISSION EXTRACT file (#727.802), PERIOD OF SERVICE data is derived from the PERIOD OF SERVICE field (#.323) in the PATIENT file (#2). This field is a pointer to the PERIOD OF SERVICE file (#21). Using the period of service pointer, the data is derived from the CODE field (#.03) in the PERIOD OF SERVICE file (#21). This code is a single alphanumeric character. The veteran's period of service indicator is returned by ELIG^VADPT.
727.802,25 MEANS TEST	The current means test category for this patient.	'A' FOR Category A 'B' FOR Category B 'C' FOR Category C 'P' FOR Pending Adjudication 'R' FOR Requires Means Test 'N' FOR Means Test not Required 'E' FOR Exempt 'I' FOR Incomplete 'L' FOR No Longer Applicable 'M' FOR Non-Exempt	Using the patient pointer (DFN), stored in the PATIENT NO. – DFN field (#4) in the ADMISSION EXTRACT file (#727.802), MEANS TEST data is derived from the CURRENT MEANS TEST STATUS field (#.14) in the PATIENT file (#2). This field is a pointer to the MEANS TEST STATUS file (#408.32). Using the means test pointer, the data is derived from the CODE field (#.02) in the MEANS TEST STATUS file (#408.32). The status indicator is returned by ELIG^VADPT.
727.802,26 MARITAL STATUS	Current marital status for this patient.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the ADMISSION EXTRACT file (#727.802), MARITAL STATUS data is derived from the MARITAL STATUS field (#.05) in the PATIENT file (#2). MARITAL STATUS is a pointer to the MARITAL STATUS file (#11).
727.802,27 WARD	Current ward for this patient.		Using the "ATT1" cross-reference on the PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the PATIENT NO. – DFN field (4) in the ADMISSION EXTRACT file (#727.802), WARD data is derived from the WARD LOCATION field (#.06) in the PATIENT MOVEMENT file (#405). This ward data is a pointer to the WARD LOCATION file (#42). Using the ward pointer, the data is derived from the HOSPITAL LOCATION FILE POINTER field (#44) in the WARD LOCATION file (#42) which is a pointer to the HOSPITAL LOCATION file (#42) which file (#44).

Field # and Name	Description	Values	Technical Description
727.802,28 TREATING SPECIALTY	The PTF CODE of the treating specialty associated with this extract record.		Using the "ATT1" cross-reference on the PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the ADMISSION EXTRACT file (#727.802), TREATING SPECIALTY data is derived from the FACILITY TREATING SPECIALTY field (#.09) in the PATIENT MOVEMENT file (#405). This facility treating specialty data is a pointer to the FACILITY TREATING SPECIALTY file (#45.7). Using the SPECIALTY field (#1) in the FACILITY TREATING SPECIALTY file (#45.7), the pointer to the SPECIALTY file (#42.4) is obtained. Then, the PTF Code (field #7 of file 42.4) is obtained and stored instead of the IEN of the specialty.
727.802,29 ATTENDING PHYSICIAN	The attending physician assigned to this patient at the time of admission.		Using the "ATT1" cross-reference on the PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the ADMISSION EXTRACT file (#727.802), ATTENDING PHYSICIAN data is derived from the ATTENDING PHYSICIAN field (#.19) in the PATIENT MOVEMENT file (#405). This attending physician data is a pointer to the NEW PERSON file (#200). This data is stored as "2"_pointer value. For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765.
727.802,30 MOVEMENT FILE #	Current movement number for this patient.		Pointer to the PATIENT MOVEMENT file (#405). Using the "ATT1" cross-reference on the PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the ADMISSION EXTRACT file (#727.802), this is a pointer to the file #405 record for the patient's admission.
727.802,31 DRG	The Diagnostic Related Group (DRG) for this admission.		Using the "ATT1" cross-reference on the PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the ADMISSION EXTRACT file (#727.802), DRG data is derived from the PTF ENTRY field (#.16) in PATIENT MOVEMENT file (#405). This PTF entry data is a pointer to the PTF file (#45). Uses the TRANSFER DRG field (#20) within the 501 field (#50) multiple in the PTF file (#45) to obtain the pointer value to the DRG file (#80.2).

Field # and Name	Description	Values	Technical Description
727.802,32 PRINCIPAL DIAGNOSIS	Principal ICD diagnosis for this patient.		Using the "ATT1" cross-reference on the PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the ADMISSION EXTRACT file (#727.802), DIAGNOSIS data is derived from the PTF ENTRY field (.16) in the PATIENT MOVEMENT file (#405). This PTF entry data is a pointer to the PTF file (#45). Uses the ICD 1 field (#5) within the 501 field (#50) multiple in the PTF file (#45) to obtain the pointer value to the ICD DIAGNOSIS file (#80). This ICD diagnosis pointer value is used to pull the DIAGNOSIS data from the CODE NUMBER field (#.01) in the ICD DIAGNOSIS file (#80).
727.802,33 TIME	A 6-character numeric string which represents the time of day at which the admission occurred.		Data source: PATIENT MOVEMENT file (#405); DATE/TIME field (#.01). This field is always exactly 6 numeric characters in length; if time cannot be determined, "000300" is used as default.
727.802,34 PRIMARY CARE PROVIDER	The primary care provider assigned to this patient.		Using the DATE/TIME field (.01) from the PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the PATIENT NO. – DFN field (4) in the ADMISSION EXTRACT file (#727.802), a call is made to the Scheduling API, OUTPTPR^SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source file is "200".
727.802,35 RACE	Race ABBREVIATION for this patient.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (4), RACE data is shown as the ABBREVIATION field (2) of the RACE file (#10) entry pointed to by the RACE field (.06) in the PATIENT file (#2).
727.802,36 PRIMARY WARD PROVIDER	The provider assigned to the ward where the patient is located at the time of admission.		Source: field #.08; file #405 The PRIMARY CARE PHYSICIAN field (#.08) associated with the PATIENT MOVEMENT file (#405) record for the Treating Specialty Change record related to the Admission record. The value obtained is a pointer to the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that it points to file #200. For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765.
727.802,37 MASTER PATIENT INDEX	Unique national VA patient identifier		Derived by calling API \$\$GETICN^MPI001 (Supported DBIA #2701), that returns the Integration Control Number (ICN) for the given patient in the Patient file (#2).

Field # and Name	Description	Values	Technical Description
727.802,38 DSS DEPT.	The DSS Department code for the ward. Must contain at least four characters to be a valid code.		The DSS Department code for the ward associated with the admission movement record. This code is found in the DSS WARD file (#727.4) using the value of the WARD LOCATION field (#.06) of the PATIENT MOVEMENT file (#405) record for the patient's admission movement. The value found in WARD LOCATION is a pointer to the WARD LOCATION file (#42). Each record in file #727.4 has a #.01 field which points to a record in file #42, and the internal entry number of the File #727.4 is set to be the same as the record in file #42 to which it points. Therefore, the WARD LOCATION field (#.06) can be used as a pointer to file #727.4 as well.
			Data for this field is taken from the DSS DEPARTMENT field (#1) of the file #727.4 record.
727.802, 39 PLACEHOLDER	Currently Null		Currently Null
727.802,40 PLACEHOLDER	Currently Null		Currently Null
727.802, 41 PLACEHOLDER	Currently Null		Currently Null
727.802,42 ADMISSION ELIGIBILITY	The eligibility of the patient for this specific admission.		The Admission Eligibility is derived from the ADMITTING ELIGIBILITY field (#.2) of the PATIENT MOVEMENT file (#405) record associated with this patient admission. Field (#.2) points to the ELIGIBILITY CODE file (#8). Then the MAS ELIGIBILITY CODE field (#8) of file #8 points to the MAS ELIGIBILITY CODE file (#8.1). The pointer value to file #8.1 is converted by ELIG^ECXUTL3 to the corresponding eligibility code used by NPCD. This code is composed of two or three numeric characters.
727.802, 43 MST STATUS	The MST status of a patient on the date of the patient's admission.	'Y' FOR Yes, screened, reports MST 'N' FOR Screened, does not report MST 'D' FOR Screened, declines to answer 'U' FOR Unknown, not screened	The MST HISTORY file (#29.11) holds data regarding military sexual trauma claims and effective dates. The patients' MST status is stored in the MST STATUS field (#3). A call will be made to \$\$GETSTAT^DGMSTAPI (DFN, DGDATE) using the DFN in the PATIENT NO. DFN field (#4) and the date in the DAY (#8) field in the ADMISSION EXTRACT file (#727.802).
727.802,44 SHAD STATUS	Indicates whether patient meets requirements for Shipboard Hazard and Defense (SHAD) status.	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the ADMISSION EXTRACT file (#727.802), Shipboard Hazard and Defense data is derived from using DBIA #4462 GETSHAD^DGUTL3(DFN).

Field # and Name	Description	Values	Technical Description
727.802,45 SHARING AGREEMENT PAYOR	An indicator used for patients participating in sharing agreements.		The ALIAS sub-field (#.01) of the ALIAS multiple field (#1) of the PATIENT file (#2) is used to indicate a patient who participates in a sharing agreement. If the #.01 field contains any one of the specified key words, then the patient is considered to be included for Sharing Agreement information. The key words are: SHARING AGREEMENT, CHAMPVA,TRICARE, CAT C, CATEGORY C. A one character code for the keyword found in the ALIAS multiple field is obtained by the following conversion: SHARING AGREEMENT = A,TRICARE =B, CAT C = C, CATEGORY C = C, CHAMPVA = D, CHAMPUS = E.
727.802,46 SHARING AGREEMENT INSURANCE	Used to indicate insurer, if patient participates in sharing agreement.		Data will be taken from the INSURANCE TYPE sub-field (#.01) of the INSURANCE TYPE field (#.3121), sub-file #2.312, of the PATIENT file (#2). This is a pointer value for the INSURANCE COMPANY file (#36). Only the first insurance company found in the multiple field is used. The data is stored as free text.
727.802,47 ENROLLMENT LOCATION	The facility that the patient chooses to designate as his preferred location for care.		The PREFERRED FACILITY field (# 27.02) of the PATIENT file (#2) is defined as the facility that the patient chooses to designate as his preferred location for care. The PREFERRED FACILITY field (# 27.02) is a pointer to the INSTITUTION file (#4) From file #4, the value in the STATION NUMBER field (#99) is used.
727.802, 48 PC PROVIDER PERSON CLASS	The VA code of the Person Class of the Primary Care Provider as of the date of this extract record.		Active Person Class is determined by the supported call \$\$GET^XUA4A72 (PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned string.
727.802, 49 ASSOCIATE PC PROVIDER	The Associate Primary Care Provider assigned to this patient through the Primary Care Management Module (PCMM) application.		Derived by a call to the Scheduling API, OUTPTAP^SDUTL3. The API returns the associate provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200. For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The PATIENT field (#.03) and the DATE/TIME field (#.01) are used to determine the patient's associate provider at
727.802, 50 ASSOC. PC PROV. PERSON	VA Code of the Person Class of the patient's Associate Primary Care Provider.		the time of the admission. Active Person Class is determined by the supported call \$\$GET^XUA4A72 (PERS,DATE), where PERS is the IEN from
CLASS	·		file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned string.
727.802, 51 PLACEHOLDER	Currently Null		Currently Null

Field # and Name	Description	Values	Technical Description
727.802,52 DOM, PRRTP AND SAARTP INDICATOR	Indicates if the patient is admitted to either a RRTP PRRTP, or SARRTP at the time care is provided.	'P' FOR GEN PRRTP 'D' FOR DOMICILIARY 'S' FOR DOM. PRRTP 'T' FOR PTSD PRRTP 'H' FOR HOMELESS CWT/TR 'A' FOR SA CWT/TR 'B' FOR PTSD CWT/TR 'C' FOR GEN CWT/TR	If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file, data is derived from the DOM/PRRTP/SARRTP CODE field (#2) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file. Otherwise, the value is null.
727.802,53 ENROLLMENT CATEGORY	Patient's enrollment category.		ENROLLMENT CATEGORY is derived from the standard call \$\$CATEGORY^DGENA4 using the patient's DFN and the CURRENT ENROLLMENT field (#27.01) of the PATIENT file (#2).
727.802, 54 ENROLLMENT STATUS	Patient's enrollment status		ENROLLMENT STATUS is derived from the standard call \$\$STATUS^DGENA4 using the patient's DFN and returns the ENROLLMENT STATUS field (#.04) of the PATIENT ENROLLMENT file (#27.11).
727.802, 55 ENCOUNTER SHAD	Indicates if treatment provided during The patient's admission is related to the Shipboard Hazard And Defense (SHAD) condition.	'Y' FOR YES 'N' FOR NO	Using the VISIT FILE ENTRY field (#.27) in the PATIENT MOVEMENT file (#405) a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the Shipboard Hazard and Defense conditions indicator stored at the PROJ 112/SHAD field (#80008) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "SHAD".
727.802, 56 PURPLE HEART INDICATOR	Indicates whether or not the patient is a Purple Heart recipient.	'Y' FOR YES 'N' FOR NO	PATIENT file (#2) CURRENT PH INDICATOR field (#.531). The status indicator is returned by SVC^VADPT.
727.802, 57 OBSERVATION PATIENT INDICATOR	Indicates if patient is considered to be an observation patient.	'Y' FOR YES 'N' FOR NO	Data (YES,NO) is retrieved from API call \$\$OBSPAT^ECXUTL4: If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file, data is derived from the OBSERVATION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file. If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS ID (MTL,IVP,ECQ,QSR,NOS,SUR) is 290-297, Observation Patient Ind=YES. Else, Observation Patient Ind=NO.
727.802, 58 ENCOUNTER NUMBER	The unique number assigned for DSS.		This field is determined by a call to \$\$#NCNUM^ECSUTL4. Within this call the inpatient/outpatient status, SSN, admit/visit date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number.
727.802, 59 AGENT ORANGE LOCATION	Indicates the location where the patient was exposed to Agent Orange.		The location is returned by a call to SVC^VADPT which gets its data from the AGENT ORANGE EXPOSURE LOCATION field (#.3213) of the PATIENT FILE (#2).

Field # and Name	Description	Values	Technical Description
727.802, 60 PRODUCTION DIVISION CODE	Identifies the division/facility where the work was performed.		Data comes from the WARD LOCATION field (#.06) in the PATIENT MOVEMENT file (#405). This value is a pointer to the WARD LOCATION file (#42) which in turn is used to get the DIVISION field (#.015) in the WARD LOCATION file (#42), a pointer to the MEDICAL CENTER DIVISION file (#40.8). This value is then used to call the API GETDIV^ECXDEPT to get the STATION NUMBER field (#99) from the INSTITUTION file (#4).
727.802, 61 POW LOCATION	If POW Status is indicated, then this is the POW confinement location/period. 1 World War I 2 World War II – Europe 3 World War II – Pacific 4 Korean 5 Vietnam 6 Other		PATIENT file (#2) POW CONFINEMENT LOCATION field (#.526). This is a pointer value to the POW PERIOD file (#22). The location indicator is returned by SVC^VADPT.
727.802, 62 SOURCE OF ADMISSION	Indicates where the admission took place.	'1' FOR Hospital '2' FOR NHCU '3' FOR Domiciliary '4' FOR Military Hospital '5' FOR CNH	Obtained via the PTF file (#45), SOURCE OF ADMISSION field (#20), which is a pointer to the SOURCE OF ADMISSION file (#45.1), PLACE OF ADMISSION field (#11).
727.802, 63 HEAD & NECK CANCER INDICATOR	Identifies whether patient has head and/or neck cancer.	'Y' FOR YES 'N' FOR NO	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4), a call is made to \$\$GETCUR^DGNTAPI to retrieve the HEAD/NECK CA DX field (#2.01) of the NOSE AND THROAT RADIUM HISTORY file (#28.11).
727.802, 64 ETHNICITY	The patient's PTF ethnicity code.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4), ETHNICITY is derived from the PTF VALUE field (#5) of the ETHNICITY file (#10.2) pointed to by the ETHNICITY INFORMATION field (#.01) of the ETHNICITY INFORMATION subfile (#2.06) of the PATIENT file (#2). The above will occur only if the METHOD OF COLLECTION field (#.02) of the ETHNICITY INFORMATION subfile (#2.06) is set to 1 (SELF-IDENTIFICATION), otherwise ETHNICITY with be set to null.
727.802, 65 RACE 1	Self-reported by patient as recorded in VistA patient file.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4), RACE 1 is derived from the PTF VALUE field (#5) of the RACE file (#10) pointed to by the RACE INFORMATION field (#.01) of the RACE INFORMATION sub file (#2.02) of the PATIENT file (#2). Only those RACE INFORMATION values in the RACE INFORMATION of COLLECTION field (#.02) set to 1 (SELF-IDENTIFICATION), will be included in the RACE 1 field. If any of the RACE INFORMATION values returned is "C" (DECLINED TO ANSWER) that will be the only value included in the RACE1 field.

Field # and Name	Description	Values	Technical Description
727.802, 66 ENROLLMENT PRIORITY	This field contains the enrollment priority group and the enrollment priority subgroup.		ENROLLMENT PRIORITY field contains the enrollment priority group and the enrollment priority subgroup from the PATIENT ENROLLMENT File (#27.11). ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: '1' FOR a '3' FOR c
			'5' FOR e '7' FOR g Data is obtained from a call to \$\$ENRSBGRP^DGENA4(DFN) using the patient's DFN.
727.802, 67 USER ENROLLEE	Indicates whether a Veteran has User Enrollee status for the current or future fiscal year.	'U' FOR USER ENROLLED	User enrollee is determined by checking the PATIENT ENROLLMENT (#27.11) file. When a user has a current or future fiscal year in the ENROLLMENT STATUS (.#04) field, the value is set to 'U' and is null if no date or a past year's value is contained. Determined by the use of an API: 1 \$\$UESTAT^EASUER where the Patient Identifier (DFN) is passed in.
727.802, 68 PATIENT TYPE	Refers to the various types of patient, which may be seen at a VA facility. Every patient in the system must have a TYPE specified.	'AC' FOR Active Duty 'AL' FOR Allied Veteran 'CO' FOR Collateral 'EM' FOR Employee 'IN' FOR Ineligible 'MI' FOR Military Retiree 'NO' FOR Non-Veteran (Other) 'NS' FOR NSC Veteran 'SC' FOR SC Veteran 'TR' FOR Tricare	PATIENT TYPE is derived from a call to TYPE^ECXUTL5(DFN). Using the patient's DFN, the NAME field (#.01) of the TYPE OF PATIENT file (#391) as pointed to by the TYPE field (#391) of the PATIENT file (#2) is shortened to the first two characters to determine the value stored in the PATIENT TYPE field (#68).
727.802, 69 CV STATUS ELIGIBILITY	Records if a veteran served on active duty in a theater of combat operations during a period of war after the Persian Gulf War or in combat against a hostile force during a period of hostilities after November 11, 1998.	'Y' FOR YES 'E' FOR ELIGIBILITY EXPIRED	CV STATUS ELIGIBILITY is determined by the use of API \$\$CVEDT^DGCV (DFN,DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. API returns three pieces (i.e. 1^20010106^0) and the first piece is resolved as follows. 1 – veteran qualifies as a CV 0 – veteran does not qualify as a CV -1 – bad DFN Based on this result the field will be set to 'Y' for 'YES' or 'E' for 'ELIGIBILITY EXPIRED' or 'NULL' for not eligible.

Field # and Name	Description	Values	Technical Description
727.802, 70 CV ELIGIBILITY END DATE	Records the Combat Veteran eligibility expiration date of veteran who served on active duty in a theater of combat operations during a period of war after the Persian Gulf War or in combat against a hostile force during a period of hostilities after November 11, 1998.		CV ELIGIBILITY END DATE is determined by the use of API \$\$CVEDT^DGCV (DFN, DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. API returns three pieces (i.e. 1^20010106^0) The 2 nd piece is the COMBAT VET END DATE in HL7 format.
727.802, 71 ENCOUNTER CV	Records if a veteran served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War or in combat against a hostile force during a period of hostilities after November 11, 1998.	'Y' FOR YES	ENCOUNTER CV is determined by the use of API \$\$CVEDT^DGCV (DFN, DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. API returns three pieces (i.e. 1^20100106^0). The third piece returns: 1 – vet was eligible on date specified 0 – vet was not eligible on date specified Based on these returns, the value for this field shall be Y for Yes if value is 1 or left blank if 0 to indicate eligibility.
727.802, 72 NATIONAL PATIENT RECORD FLAG	This field records that the patient's record contains 1 or more active category 1 (National) Patient Record Flags.	'Y' FOR YES	The NATIONAL PATIENT RECORD FLAG field is set based on the results of the \$\$GETACT^DGPFAPI (DFN,TARGET ARRAY) call. This call looks at the category 1 national patient record flags as recorded in the PRF National Flag file (#26.15). The resulting value of this call is the number of active category I patient record flags assigned to this patient. This field is set to Y (YES) if the result is greater than zero. A value of zero causes this field to be left null.
727.802, 73 ATTENDING PHYSICIAN PC	The VA code of the Person Class of the Attending Physician associated with this record.		Active Person Class is determined by the supported call \$\$GET^XUA4A72(PERS,DATE) where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string.
727.802, 74 PRIMARY WARD PROVIDER PC	The VA code of the Person Class of the Primary Ward Provider associated with this record.		Active Person Class is determined by the supported call \$\$GET^XUA4A72(PERS,DATE) where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string.
727.802, 75 SW ASIA CONDITIONS	This field is used to indicate if this patient claims exposure to Southwest Asia Conditions.	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	This field is derived from the SOUTHWEST ASIA CONDITIONS? Field (#.322013) in the PATIENT file (#2) using the patient's DFN. The status indicator is returned by SVC^VADPT.
727.802, 76 ERI	This field identifies patients from impacted zip code areas designated by the Federal Emergency Management Agency (FEMA).		This field length is extracted from the EMERGENCY RESPONSE INDICATOR field (#.181) located in the PATIENT file (#2). Values are: "K" = Hurricane Katrina Null

Field # and Name	Description	Values	Technical Description
727.802, 77 AGENT ORANGE ENC INDICATOR	Indicates whether service provided during this patient encounter is related to exposure to Agent Orange.	'Y' FOR YES 'N' FOR NO	Using the VISIT FILE ENTRY field (# .27) in the PATIENT MOVEMENT file (#405), a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the agent orange indicator stored at the AGENT ORANGE EXPOSURE field (#80002) in the VISIT file (#9000010).
727.802, 78 ENCOUNTER SWAC	Indicates the appropriate response for exposure to Southwest Asia conditions as related to this patient's episode of care: Y = Yes N = No Null		Using the VISIT FILE ENTRY field (#.27) in the PATIENT MOVEMENT file (#405), a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the Southwest Asia conditions indicator stored at the SW ASIA CONDITIONS field (#80004) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "PGE".
727.802, 79 ENC HEAD/NECK CA	Indicates the appropriate response for head/neck cancer as related to this patient's episode of care: Y = Yes N = No Null		Using the VISIT FILE ENTRY field (#.27) in the PATIENT MOVEMENT file (#405), a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the head/neck cancer data stored at the HEAD AND/OR NECK CANCER field (#80006) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "HNC".
727.802, 80 ENCOUNTER MST	Indicates the appropriate response for military sexual trauma as related to this patient's episode of care: Y = Yes N = No Null		Using the VISIT FILE ENTRY field (#.27) in the PATIENT MOVEMENT file (#405) a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the military sexual trauma data stored at the MILITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST".
727.802, 81 RADIATION ENCOUNTER INDICATOR	Indicates the appropriate response for ionizing radiation exposure as related to this patient's episode of care: Y = Yes N = No Null		Using the VISIT FILE ENTRY field (#.27) in the PATIENT MOVEMENT file (#405), a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the ionizing radiation exposure indicator stored in the IONIZING RADIATION EXPOSURE field (#80003) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "IR".

Field # and Name	Description	Values	Technical Description
727.802, 82 OEF/OIF	The Military Operation in which the patient was in combat during the specified time period. This field is a length of nine characters and reflects the OEF or OIF where this patient was in combat.		The Military Operation in which the patient was in combat during the specified time period. This field is a length of nine characters and reflects the OEF or OIF where this patient was in combat. The value of this field is derived from the LOCATION OF SERVICE field (#.01) from SERVICE [OEF OR OIF] sub-file (#2.3215) of field (#.3215) located in the PATIENT File (#2). DSS will capture once, each location where the veteran served. In order to accommodate multiple location, the values for this field are concatenated into this 9-characataer field. Possible field values are one or more combinations of the following: OEF = Operation Enduring Freedom OIF = Operation Iraqi Freedom UNK = Unknown OEF/OIF.
727.802, 83 OEF/OEF RETURN DATE	The date the patient left the OEF/OIF area, if known. Otherwise, it is the end date of military pay for this OEF/OIF deployment.		The date the patient left the OEF/OIF area, if known. Otherwise, it is the end date of military pay for this OEF/OIF deployment. This date field has a format equal to YYYYMMDD. The value of this field is derived from the OEF/OIF TO DATE field (#.03) from sub-file (#2.3215) of field (#.3215) located in the PATIENT file (#2). In cases of multiple OEF/OIF tours, this field contains only most recent return date.
727.802, 84 ASSOCIATE PC PROVIDER NPI	Standard, unique life-long identifier of the associate primary care provider. This field has a length of fifteen characters.		Standard, unique life-long identifier of the associate primary care provider. This field has a length of fifteen characters. The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI.
727.802, 85 ATTENDING PHYSICIAN NPI	Standard, unique life-long identifier of the attending physician. This field has a length of fifteen characters.		Standard, unique life-long identifier of the attending physician. This field has a length of fifteen characters. The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI.
727.802, 86 PRIMARY CARE PROVIDER NPI	Standard, unique life-long identifier of the primary care provider. This field has a length of fifteen characters.		Standard, unique life-long identifier of the primary care provider. This field has a length of fifteen characters The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI.
727.802, 87 PRIMARY WARD PROVIDER NPI	Standard, unique life-long identifier of the primary ward provider. This field has a length of fifteen characters.		Standard, unique life-long identifier of the primary ward provider. This field has a length of fifteen characters The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI.
727.802, 88 ADMIT OUTPATIENT TX FLAG	This field contains the patient's source of admission flag. YES, if admit outpatient treatment ('1P').	'Y' FOR YES	This field is set based on the value found at the PTF CODE field (#.01) of the SOURCE OF ADMISSION file (#45.1) as pointed to by the SOURCE OF ADMISSION field (#20) of the PTF file (#45) as pointed to by the PTF ENTRY field (#.16) of the PATIENT MOVEMENT file (#405). IF the value found there is "1P" then this field is set to yes otherwise it is left blank.
727.802, 89 COUNTRY CODE	The is the code for the country associated with the address.		The three-character alpha identifying code is copied from the CODE (#.01) field of the COUNTRY (#779.004) file.

Field # and			
Name	Description	Values	Technical Description
7 27.802,90 PATCAT	This is the Patient's category which will be used for FHCC (Federal Health Care Center) Reconciliation. DSS must capture and report DoD patients so that the FHCC reconciliation process can function as designed. "Reconciliation" is the process used within the new FHCC to determine which patients DoD pays for and which VA pays for.	'AD' FOR Active Duty 'ADD' FOR Active Duty Dependent 'FNRS' FOR Former Non- Remarried Spouse 'RET' FOR Retired 'RETD' FOR Retiree Dependent 'RES' FOR Reservist 'REC' FOR Recruit 'TDRL' FOR Temporary Disability 'TFL' FOR TRICARE for Life	If the VistA Patient Type Code (TYPE (#391) field of the Patient (#2) file) = Active Duty, Military Retiree, or TRICARE, then the value(s) in the VistA Other Eligibility multiple (PATIENT ELIGIBILITIES (#361) field of the PATIENT (#2) file), which points to locally modifiable ELIGIBILITY CODE (#8) file should be evaluated. If the value in the ELIGIBILITY CODE is equal to any entry in the set of codes in this field, the value should be placed in this field.
727.802,91 ADMIT SOURCE	This field contains the source of admission for the PTF entry. This is a two character code in the format of 1 numeric and 1 alphanumeric.		Obtained via the PTF file (#45), SOURCE OF ADMISSION field (#20) which is a pointer to the SOURCE OF ADMISSION file (#45.1), PTF CODE field (#.01). This is up to three characters long to account for any PTF code field expansion.
727.802,92 ED DISPOSITION CODE	Disposition code associated with the patient's emergency room visit.	'A' FOR ADMIT 'D' FOR DECEASED 'E' FOR ERROR 'L' FOR LEFT 'R' FOR REFERRED 'T' FOR TRANSFERRED 'U' FOR UNKNOWN 'N' FOR NONE	The emergency room disposition is derived by calling \$\$EDIS^ECXUTL, which uses the TIME OUT field (#.09) of the ED LOG file (#230) to determine if the patient was seen in the emergency room in the 24 hours prior to or 24 hours after the admission date/time. If the patient was seen within that time frame then the NAME field (#.01) of the TRACKING CODE file (#233.1) as pointed to by the DISPOSITION field (#1.2) of the ED LOG file (#230) is used to identify the disposition code.
727.802,93 PRIMARY ICD- 10 CODE	This is the Primary ICD-10 diagnosis code for this clinic visit.		Once available, the ICD10 data will be retrieved from the supported API and stored in this field. This field is added in anticipation of the release of ICD10 and the file will be updated at the time the software is updated to retrieve the ICD10 information.

#727.833 – BAR CODE MEDICATION ADMINISTRATION EXTRACT (BCM) File Data Definition

This file contains data elements as specified by the Decision Support Office (DSO) for the Bar Code Medication Administration extract from existing VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.

Field # and Name	Description	Values	Technical Description
727.833,.01	The record number for this		The internal entry number (IEN) for this
SEQUENCE	extract entry.		record. This entry is DINUMed.
NUMBER			
727.833,1	A six character string		The format is YYYYMM.
YEAR MONTH	representing the year and		
	the month for which this		
	extract was performed.		
727.833,2	The corresponding entry in		A pointer to the DSS EXTRACT LOG file
EXTRACT	the DSS EXTRACT LOG		(#727). The primary purpose is to pick up the
NUMBER	(#727) file for this extract.		header for the mail message.
727.833,3	This is the facility/division		An indicator of the division where this event
FACILITY	where the extract was		happened. Using the NAME field (#.01)
	performed.		pointer from the DSS EXTRACTS file
			(#728), FACILITY is derived from the
			STATION NUMBER field (#99) for that
			pointer number in the INSTITUTION file
			(#4).
727.833,4	An identifying number for		Derived from the PATIENT (#.01) field in
PATIENT NO. –	the patient at the local site.		the BCMA MEDICATION LOG (#53.79)
DFN			file. PATIENT NO. – DFN is a pointer to the
			NAME (#.01) field of the PATIENT (#2)
			file. This data represents the patient DFN.
727.833,5	This is the patient's social		Using the patient pointer (DFN) stored in the
SSN	security number.		PATIENT NO. – DFN (#4) field in this file,
			SSN data is derived from the SOCIAL
			SECURITY NUMBER (#.09) field in the
			PATIENT (#2) file.
			"Test" patient status is determined in
			PAT^ECXUTL3. Any patient with an SSN
			beginning with "00000" will not be included
			in the extract.
727.833,6	The first four characters of		Using the patient pointer (DFN)stored in the
NAME	the patient's last name.		BCMA EXTRACT file (#727.833), NAME
			data is derived from the NAME field (#.01)
			in the PATIENT (#2) file. The first four
			characters of the first "," piece are used,
			padded with trailing spaces if necessary.
			The name value is returned by the supported
			call DEM^VADPT.

Field # and Name	Description	Values	Technical Description
727.833,7 IN OUT PATIENT INDICATOR	Indicates whether the patient was an inpatient or an outpatient for this extract entry.	'1' FOR INPATIENT 'O' FOR OUTPATIENT	To determine the value of this field a call is made to \$\$PATDEM^ECXUTL2. Within this call, \$\$INP^ECXUTL2 is called to determine inpatient/outpatient status. If the patient is an outpatient, processing stops and the field is set to O. If the patient is an inpatient then \$\$INOUTP^ECSUTL4 is called to look at the treating specialty. If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. IF the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to I.
727.833,8 DAY	Date on which the patient was administered medication.		This field is always exactly 8 numeric characters in length. Taken from the ACTION DATE/TIME (#.06) field from the BCMA MEDICATION LOG (#53.79) file. It is parsed so that only the date portion is stored in YYYYMMDD format for example 19970201.
727.833,9 DATE OF BIRTH	The patient's date of birth.		Data source: PAITENT file (#2); DATE OF BIRTH filed (#.03). Date of Birth is returned through the supported call DEM^VADPT. It is then represented by an 8-character numeric string in the YYYYMMDD format.
727.833,10 SEX	Patient's gender.	'M' FOR MALE 'F' FOR FEMALE	Data is taken from the SEX field (#.02) of the patient's record in the PATIENT file (#2). The gender is returned by DEM^VADPT.
727.833,11 STATE	The state in which the patient resides.		Using the patient pointer (DFN) stored in the PATIENT NO DFN (#4) field in this file, STATE data is derived from the STATE (#.115) field in the PATIENT (#2) file which points to the STATE (#5) file. For the STATE file entry, data is transmitted is the two character VA STATE CODE, (#2) field.
727.833,12 COUNTY	This is the County in which the patient resides.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN (#4) field in this file, data is taken from the COUNTY (#.117) field in the PATIENT (#2) file, which points to a subfile record in the COUNTY (#3) multiple field of the STATE (#5) file. The three character VA COUNTY CODE (#2) field within the COUNTY (#3) multiple field is used.
727.833,13 ZIP +4	The ZIP code for where the patient resides. The 5-character ZIP code is provided if ZIP+4 is not available.		The patient's Zip code with optional 4-digit extension as found in the ZIP+4 field (#.1112) of the patient's record in the PATIENT file(#2). While the ZIP+4 field in file 2 is a max of 9 characters, it does put the "-" in if the ZIP code is a +4 type.
727.833,14 COUNTRY CODE	This is the code for the country associated with the address.		The three-character alpha identifying code is copied from the CODE (#.01) field of the COUNTRY (#779.004) file.

Field # and Name	Description	Values	Technical Description
727.833,15 WARD	Current ward where the patient is located.	Values	This field is initialized to a null, indicating an outpatient status. A call to IN5^VADPT using the patient IEN and the event date (DAY (#8) field in FM format) is made. If data is returned identifying an inpatient episode, the value of VAIP(5), ward location, is used to get the HOSPITAL LOCATION FILE POINTER (#44) field in the WARD LOCATION (#42) file which is a pointer to the HOSPITAL LOCATION (#44) file.
727.833,16 TREATING SPECIALTY	The PTF CODE of the treating specialty associated with this extract record.		This field is initialized to a null, indicating an outpatient status. A call to IN5^VADPT using the patient IEN and the event date (DAY (#8) field in FM format) is made. If data returns a patient movement number (indicating inpatient status), then the value of VAIP(8), which is the pointer to the FACILITY TREATING SPECIALTY (#45.7) file, is used to get the SPECIALTY (#1) field which points to the SPECIALTY (#42.4) file. Then, the PTF Code (#7) field of the SPECIALTY (#42.4) file is obtained and stored instead of the IEN of the specialty.
727.833,17 PROVIDER	The provider assigned to this patient through the PCMM module.		Derived by calling API, EN^PSJBCMA1, using the ORDER REFERENCE NUMBER (#26) from this file. Provider will be returned in the 1 st piece of the returning ^TMP(PTMP,\$J,1) global. It is extracted from the PHARMACY PATIENT (#55) file by either the PROVIDER (#1) field of its UNIT DOSE (#62) multiple. Or the PROVIDER (#.06) field of the IV (#100) multiple. A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value will be stored is
727.833,18 PROVIDER PERSON CLASS	The VA Code of the Person Class of the Provider associated with this record.		298765. Active Person Class is determined by the supported call \$\$GET^XUA4A72 (PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string.
727.833,19 PROVIDER NPI	A standard unique life-long identifier of the individuals providing health care services.		The qualified identifier shall be retrieved via the supporting Kernel API:\$\$NPI^XUSNPI.
727.833,20 PRIMARY CARE PROVIDER	The primary care provider assigned to this patient through the PCMM module.		Using the DATE/TIME filed (#4) and the DFN field (#1) in the IV EXTRACT DATA file (#728.113) a call is made to the Scheduling API, OUTPTPR^SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765.

Field # and Name	Description	Values	Technical Description
727.833,21	The VA Code of the Person		The field will hold the VA Code associated
PRIMARY CARE	Class of the Primary Care		with the active Person Class of the patient's
PROVIDER PC	Provider associated with		Primary Care Provider as of the date of this
	this record.		extract record. The VA Code is always of
			the form "V"_six numeric digits; exactly 7 in
			length.
727.833,22	A standard unique life-long		The qualified identifier is retrieved via the
PRIMARY CARE	identifier of the primary		supporting Kernel API: \$\$NPI^XUSNPI.
PROVIDER NPI	care provider.		
727.833,23	The primary care team		Using the DAY (#8) field (in FM format) and
PRIMARY CARE	assigned to this patient.		the patient pointer (DFN) stored in the
TEAM			PATIENT NO. – DFN (#4) field in this file,
			a call is made to the Scheduling API,
			OUTPTTM^SDUTL3. The API returns the
			team's internal entry number and name from
			the TEAM (#404.51) file. Only the pointer
			to the TEAM (#404.51) file is transmitted.
727.833,24	The field contains the stop		For outpatients the stop code is the primary
ORDERING STOP	code with the order.		stop code for the clinic (first 3 characters of
CODE	code with the order.		the DSS Identifier field of this extract). If
CODL			none exists, the value is set to null.
			none exists, the value is set to hun.
			For observation patients the stop code is
			translated using the following table.
			translated using the following table.
			Treating Specialty Observation Code
			18 293
			23 295
			24 290
			36 296
			41 294
			65 291
			94 292
			1J 297
727.833,25	This is the order number of		This is the IEN of the BCMA
PLACE ORDER	the Patient's Barcode		MEDICATION LOG (#53.79) file. Derived
NUMBER	Medication Administration		from using the 'AADT' cross reference of
NUMBER	record.		the BCMA MEDICATION LOG (#53.79)
	record.		file, based on the start and end dates of the
			extract.
727.833,26	Contains the IEN to the		This field is derived by using the ORDER
ORDER	actual order in the		REFERENCE NUMBER (#.11) field of the
REFERENCE	PHARMACY PATIENT		BCMA MEDICATION LOG (#53.79) file,
NUMBER			as pointed to by the PLACE ORDER
NUMBER	(#55) followed by a U for Unit Dose or V for IV.		NUMBER (#25) field of this file.
727.833,27	This is the route of		This field is extracted from the PHARMACY
ROUTE	administration for Unit		PATIENT (#55) File by either the MED
KOUIE	Dose or IV medication for a		ROUTE (#35) File by either the MED ROUTE (#3) field of its Unit Dose (#62)
	patient.		multiple. Or, the MED ROUTE (#132) field
	panein.		of its IV (#100) multiple.
727.833,28	This field contains the		This field is taken from the ACTION
727.833,28 TIME	actual time the medication		DATE/TIME (#.06) field from the BCMA
TIVIL	was administered.		` '
	was administered.		MEDICATION LOG (#53.79) file. It is
			parsed so that only the time portion of the
			field is stored in HHMMSS format. The date
			portion is stored in the DAY (#8) field of this
			file.

Field # and Name	Description	Values	Technical Description
727.833,29 COMPONENT CODE	The COMPONENT CODE contains either the dispensed drug, IV additive or IV solution that was administered for this		This is a variable pointer field used to identify either the DRUG (#50), IV ADDITIVES (#52.6), or the IV SOLUTIONS (#52.7) files.
	patient.		Enter one of the following:
			A.EntryName to select a IV ADDITIVES (#52.6) file. D.EntryName to select a DRUG (#50) file.
			S.EntryName to select a IV SOLUTIONS (#52.7) file.
			The COMPONENT TYPE (#34) field will contain the variable pointer letter (A=IV ADDITIVES, D=DRUG, S=IV SOLUTIONS) from this field.
727.833,30 COMPONENT DOSE ORDERED	The COMPONENT DOSE ORDERED contains either the dispensed drug, IV additive, or IV solution dose ordered, to which, this medication was administered for this patient.		Its value is free text derived from the DOSE ORDERED (#.02) field of the subfile #.5, #.6, #.7 multiples of the BCMA MEDICATION LOG (#53.79) file.
727.833,31 COMPONENT DOSE GIVEN	The COMPONENT DOSE GIVEN contains either the dispensed drug, IV additive, or IV solutions dose given, to which, this medication was administered for this patient.		This field's value is free text derived from the DOSE GIVEN (#.03) field of the subfile #.5, #.6, #.7 multiples of the BCMA MEDICATION LOG (#53.79) file.
727.833,32 COMPONENT UNITS	The Component Units contains either the dispensed drug, IV additive, or IV solutions unit of administration, to which this medication was administered for this patient.		The Component Units value is free text derived from the Unit of Administration (#.04) field of the subfile #.5,#.6,#.7 multiples of the BCMA Medication Log (#53.79) File.
727.833,33 COMPONENT TYPE	The Component Type is determined by the value destination of the Component Code.	'D' FOR DISPENSED DRUG 'A' FOR ADDITIVES 'S' FOR SOLUTIONS	This field is derived based on the COMPONENT CODE (#30) field of this file. If the component code is from the DRUG (#50) file, it will be "D", if it's from the IV ADDITIVES (#52.6) file it will be "A", and if it is from IV SOLUTIONS (#52.7) file it will be "S".
727.833,34 ACTION STATUS	This is the status of the medication administration.	'G' FOR GIVEN 'H' FOR HELD 'R' FOR REFUSED 'N' FOR NOT GIVEN 'RM' FOR REMOVED 'I' FOR INFUSING 'S' FOR STOPPED 'C' FOR COMPLETED 'M' FOR MISSING DOSE	This field is derived from the ACTION STATUS (#.09) field of the BCMA MEDICATION LOG (#53.79) file.
727.833,35 ADMINISTRATIO N MEDICATION	Administration Medication is the medication entered for the order.		This field is derived from the ADMINISTRATION MEDICATION (#.08) field of the BCMA MEDICATION LOG (#53.79) File.

Field # and Name	Description	Values	Technical Description
727.833,36	If a continuous order this		Derived from the SCHEDULED
SCHEDULED	field will contain the actual		ADMINISTRATION TIME (#.13) field of
ADMINISTRATIO	administration date the		the BCMA MEDICATION LOG (#53.79)
N DATE	medication was ordered for.		File. It is parsed so that only the date portion
			is stored in format YYYYMMDD.
727.833,37	If a continuous order this		The time is derived from the time value of
SCHEDULED	field will contain the actual		the SCHEDULED ADMINISTRATION
ADMINISTRATIO	administration time the		TIME (#.13) field of the BCMA
N TIME	medication was ordered for.		MEDICATION LOG (#53.79) File. It is
			parsed so that only the time portion is returned in format HHMMSS.
727.833,38	This is the schedule type of	'C' FOR CONTINUOUS	Derived from the SCHEDULE ORDER
ORDER	the order.	'P' FOR PRN	(#.12) field of the BCMA MEDICATION
SCHEDULE		'O' FOR ONE-TIME	LOG (#53.79) File.
		'OC' FOR ON-CALL	
727.833,39	This is the unique ID		Derived from the IV UNIQUE ID (#.26)
IV UNIQUE ID	number of an IV bag, which		field of the BCMA MEDICATION LOG
	is generated from Inpatient		(#53.79) File.
727.833,40	Medications. This is the infusion rate for		The infusion rate is derived from the
INFUSION RATE	an IV bag, which is passed		INFUSION RATE (#.35) field of the BCMA
IN OBIOT INTE	by Inpatient Medications.		MEDICATION LOG (#53.79) File.
727.833,41	This is the facility of the		Derived by getting the PATIENT DIVISION
PRODUCTION	ward where the patient		(#.03) field from the BCMA MEDICATION
DIVISION CODE	received medication.		LOG (#53.79) File, which is a pointer, to the
			INSTITUTION (#4) file. This value is then
			used to call the API RADDIV^ECXDEPT to
			get the STATION NUMBER (#99) field
			from the INSTITUTION (#4) file.
727.833,42	This is the drug		This field is derived from the COMPONENT
DRUG IEN	administered to the patient.		CODE (#30) field of this file. If it's a
			dispensed drug, it is a copy of the pointer to the DRUG (#50) file. Otherwise, it's a copy
			of the GENERIC DRUG (#1) field from
			either the IV ADDITIVES (#52.6) or the IV
			SOLUTIONS (#52.7) file.
727.833,43	This is the National Drug		For sites running a version of Inpatient
NDC	Code for the drug/supply		Medications prior to V. 4.5: Derived from the
	item in this order.		NDC (#31) field in the DRUG (#50) file for
			the drug identified by the GENERIC DRUG
			(#1) field in either the IV ADDITIVES
			(#52.6) file for additives or the IV
			SOLUTIONS (#52.7) file for solutions.
			Using the "AC" cross reference on the IV
			STATS (#50.8) file and a ^TMP(array built
			from the "AC" cross reference, GENERIC
			DRUG is derived from the following:
			the IV DRUG (#.01) field,
			the TYPE (#6) field, and
			the IEN of the additive or solution for the
			IV DRUG within the IV DRUG
			multiple (#2) field of the DATE multiple (2#)
			field of the IV STATS (#50.) file.
			For sites running Inpatient Medications V.4.5
			or higher: Derived from the NDC (#31) field
			in the DRUG (#50) file.
727.833,44	This field indicates whether	'I' FOR Investigational	This field is derived by checking the DEA,
INVESTIGATION	the DEA has labeled the		SPECIAL HDLG (#3) field of the DRUG
AL (DEA)	drug as investigational.		(#50) file. If that field contains the letter 'I',
			this field is set to 'I', otherwise it is NULL.

Field # and Name	Description	Values	Technical Description
727.833,45	This is the VA Drug		This field is derived from the VA
VA DRUG	Classification for the item		CLASSIFICATION (#2) field of the DRUG
CLASSIFICATION	in this order.		(#50) file.
727.833,46	Unique national VA patient		Derived by calling the API
MASTER	identifier.		\$\$GETICN^MPIF001 (Supported DBIA
PATIENT INDEX			#2701), that returns the Integration Control
			Number (ICN) for the given patient in the
			PATIENT file (#2).
727.833,47	This indicates if the Patient	'P' FOR Gen. PRRTP	If the patient's treating specialty exist in the
DOM,PRRTP &	is admitted to a RRTP,	'T' FOR PTSD PRRTP	DSS TREATING SPECIALTY
SAARTP	PRRTP or SARRTP at time	'S' FOR Dom PRRTP	TRANSLATION (#727.831) file, data is
INDICATOR	care is provided.	'H' FOR Homeless	derived from the DOM/PRRTP/SARRTP
		CWT/TR	CODE field (#2) of the DSS TREATING
		'A' FOR SA CWT/TR	SPECIALTY TRANSLATION (#727.831)
		'D' FOR Domiciliary	file.
		'B' FOR PTSD CWT/TR	Otherwise the selection will
727 922 49	Indicates if a matient in	'C' FOR Gen. CWT/TR	Otherwise, the value is null.
727.833,48	Indicates if a patient is considered to be an	'NO' FOR NO	Data (YES,NO) is retrieved from API call
OBSERVATION PATIENT	observation patient.	'YES' FOR YES	\$\$OBSPAT^ECXUTL4:
INDICATOR	observation patient.		If the patient's treating specialty exist in the
INDICATION			DSS TREATING SPECIALTY
			TRANSLATION (#727.831) file, data is
			derived from the OBSERVATION PAT
			INDICATOR filed (#4) of the DSS
			TREATING SPECIALTY TRANSLATION
			(#727.831) file.
			If patient is outpatient and treating specialty
			not in file, AND Feeder Key (CLI) or DSS
			ID (MTL,IVP,ECQ,QSR,NOS,SUR) is 290-
			297, Observation Patient Ind=YES. Else,
			Observation Patient Ind=NO.
			Otherwise, Observation Patient Ind=NO.
727.833,49	The unique number		This field is determined by a call to
ENCOUNTER	assigned for DSS.		\$\$#NCNUM^ECXUTL4. Within this call
NUMBER			the inpatient/outpatient status, SSN,
			admit/visit date, treating specialty,
			observation patient indicator, and DSS
			Identifier or feeder key values of the record
			are used to create a unique encounter number.
727.833,50	The current means test		Using the patient pointer (DFN) stored in the
MEANS TEST	category for this patient.		PATIENT NO. – DFN (#4) field in the
	Paris Paris Paris		BCMA EXTRACT file (#727.833), MEANS
			TEST data is derived from the CURRENT
			MEANS TEST STATUS (#.14) field in the
			PATIENT (#2) file. This field is a pointer to
			the MEANS TEST STATUS (#408.32) file.
			Using the means test pointer, the data is
			derived from the CODE (#.02) field in the
			MEANS TEST STATUS (#408.32) file.
			The means test code is returned by
	1	I	ELIG^VADPT.

27.833.51	Field # and Name	Description	Values	Technical Description
Primary Eligibility. Primary Eligibility. Primary Eligibility. PRIMARY ELIGIBILITY CODE field (#.361) in the PATIENT file (#2). PRIMARY ELIGIBILITY CODE file (#8) in the ELIGIBILITY CODE file (#8). The data is derived from the MAS ELIGIBILITY CODE file (#8). Which is turn is a pointer to the ELIGIBILITY CODE file (#8). Which is turn is a pointer to the MAS ELIGIBILITY CODE file (#8). Which is turn is a pointer to the MAS ELIGIBILITY CODE file (#8). Which is turn is a pointer to the MAS ELIGIBILITY CODE file (#8). Which is turn is a pointer to the MAS ELIGIBILITY CODE file (#8). Which is turn is a pointer to the MAS ELIGIBILITY CODE file (#8). Which is turn is a pointer to the MAS ELIGIBILITY CODE file (#8). Which is turn is a pointer to the MAS ELIGIBILITY CODE file (#8). The ELIGIB		A two or three digit numeric		Using the patient pointer (DFN) stored in the
PRIMARY ELIGIBLITY CODE field (%). (#.36) in the PATIENT fie (#2). PRIMARY ELIGIBLITY CODE is a pointer to the ELIGIBLITY CODE field (%) in the PATIENT field (%). The data is derived from the MAS ELIGIBLITY CODE field (%) in the ELIGIBLITY (%) field field field (%) in the ELIGIBLITY (%) field (%) in the ELIGIBLITY (%) field	ELIGIBILITY			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Patient's enrollment status. Patient's enrollment status. Patient's enrollment status. Process of the Status of the Current of future fiscal year. Status of the Status of the Status of the Current of future fiscal year. Status of the Status of the Status of the Current of future fiscal year. Status of the Status of the Status of the Current of future fiscal year. Status of the Status of the Status of the Current of future fiscal year. Status of the Status of the Status of the Current of future fiscal year. Status of the Status of the Status of the Current of future fiscal year in the Visia User of future fiscal year. Status of the Status of the Status of the Current of future fiscal year in the Visia User of the Status is contained by checking the Visia User Carriella delicity (1940) field the Visia User Carriella delicity (1940) field the Visia User Status is contained by the Status of the value is set to 'U a		Primary Eligibility.		
pointer to the ELIGIBILITY CODE field (#8) in the ELIGIBILITY CODE field (#10) in the CODE (#8) in the ELIGIBILITY CODE field (#10) in the ELIGIBILITY (#10) field (#10) in the ELIG				
The facility that the patient chooses to designate as his preferred location for care. The Facility that the patient chooses to designate as his preferred location for care. The Facility that the patient chooses to designate as his preferred location for care. The Patient's enrollment category. The FOR IN PROCESS The Research of the Patient Patient (Patient)				
ELIGIBLITY CODE file (#8) which in turn is a pointer to the MAS ELIGIBLITY CODE file (#8). Which in turn is a pointer to the MAS ELIGIBLITY CODE file (#8.1). The pointer value to file #8.1 is converted by ELIGPECYUT.3 to the corresponding eligibility code used by NPCD. This code is composed of two or three numeric characters. The PREFERRED FACILITY (#27.02) field of the PATIENT (#27.02) field is a pointer to the INSTITUTION (#4) file. From that file, the value in the STATO (#27.02) field is a pointer to the INSTITUTION (#4) file. From that file, the value in the STATO (#27.02) field is a pointer to the INSTITUTION (#4) file. From that file, the value in the STATO (#27.02) field is a pointer to the INSTITUTION (#4) file. From that file, the value in the STATO (#27.02) field is a pointer to the INSTITUTION (#4) file. From that file, the value in the STATO (#27.02) field is a pointer to the INSTITUTION (#4) file. From that file, the value in the STATO (#27.02) field is a pointer to the INSTITUTION (#4) file. From that file, the value in the STATO (#27.02) field is a pointer to the INSTITUTION (#4) file. From that file, the value in the STATO (#27.02) field is a pointer to the INSTITUTION (#4) file. From that file, the value in the STATO (#27.02) field is a pointer to the INSTITUTION (#4) file. From that file, the value is the STATO (#27.02) field is a pointer to the INSTITUTION (#4) file. From the Patient Dennary of the standard (#27.11) file. When the STATO (#27.02) file is the standard (#27.11) file. When file (#27.11) file. When the standard (#27.02) file. From the Patient Enrollment file (#27.11) file. When the standard (#27.02) file. From the Patient Enrollment file (#27.02) f				
### FOR ENROLLED The facility that the patient chooses to designate as his preferred location for care. ### Patient's enrollment category. ### Patient's enrollment status. ### Patient's enrollment status. ### Patient's enrollment priority group and the enrollment priority group. ### Patient's enrollment enrollment include: ### Patient's enrollment enrollment include: ### Patient's enrollment enroll				
is a pointer to the MAS ELIGIBILITY CODE file (#8.1). The pointer value to file #8.1 is converted by ELIGAECXUTL3 to the corresponding eligibility code used by NPCD. This code is composed of two or three numeric characters. The facility that the patient chooses to designate as his preferred location for care. The facility that the patient chooses to designate as his preferred location for care. The PREFERRED FACILITY (#27.02) field of the PATIENT (#27) lies defined as the facility that the patient chooses to designate as his preferred location for care. The PREFERRED FACILITY (#27.02) field is a pointer to the INSTITUTION (#4) file is defined as the facility that the patient chooses to designate as his preferred location for care. The PREFERRED FACILITY (#27.02) field is a pointer to the controlled as the facility that the patient chooses to designate as his preferred location for care. The PREFERRED FACILITY (#27.02) field is a pointer to the InSTITUTION (#4) file is defined as the facility that the patient chooses to designate as his preferred location for care. The PREFERRED FACILITY (#27.02) field is a pointer to the InSTITUTION (#4) file is defined as the facility that the patient chooses to designate as his preferred location for care. PROFILEMENT CATEGORY is derived from the TATIENT (#2) filed as the facility that the patient chooses to designate as his preferred location for care. The PREFERRED FACILITY (#27.02) field is a pointer to the InSTITUTION NUMBER (#99) field is a pointer to the InSTITUTION NUMBER (#99) field is a pointer to the InSTITUTION NUMBER (#99) field is a pointer to the InSTITUTION NUMBER (#99) field is a pointer to the InSTITUTION NUMBER (#99) field is a pointer to the InSTITUTION NUMBER (#99) field is a pointer to the InSTITUTION NUMBER (#99) field is a pointer to the InSTITUTION NUMBER (#99) field is a pointer to the InSTITUTION NUMBER (#99) field is a pointer to the InSTITUTION NUMBER (#99) field is a pointer to the InSTITUTION NUMBER (#99) field is a pointer to the InSTITUTIO				
The pointer value to file #8.1 is converted by ELIG-ECXUTL3 to the corresponding eligibility code used by NPCD. This code is composed of two or three numeric characters. The Facility that the patient chooses to designate as his preferred location for care. The PREFERRED FACILITY (#27.02) field of the PATIENT (#27) field is a pointer to the INSTITUTION (#4) file. From that file, the value in the STATION (#4) file. From that file, the value in the STATION (#4) file. From that file, the value in the STATION (#4) file. From that file, the value in the STATION (#4) file. From that file, the value in the STATION (#4) file. From that file, the value in the STATION (#4) file. From that file, the value in the STATION (#4) file. From that file, the value in the STATION (#4) file. From that file, the value in the STATION (#4) file. From that file, the value in the STATION (#4) file. From that file, the value in the STATION (#4) file. From the STATION (#4) file. From the STATION (#4) file. From the STATION (#4) file. The standard call (#4) from the STATION (#4) file. From the Patient Standard call (#4)				
### PATES FOR ENROLLED				CODE file (#8.1).
### digitality code used by NPCD. This code is composed of two or three numeric characters. ### 27.833.52 ENROLLMENT LOCATION ### Chooses to designate as his preferred location for care. ### Chooses to designate as his preferred location for care. ### PREFERRED FACILITY (#27.02) field of the PATIENT (#2) field is a pointer to the INSTITUTION (#4) file. From that file, the value in the STATION NUMBER (#99) field is used. ### PREFERRED FACILITY (#27.02) field is a pointer to the INSTITUTION (#4) file. From that file, the value in the STATION NUMBER (#99) field is used. ### PREFERRED FACILITY (#27.02) field is a pointer to the INSTITUTION (#4) file. From that file, the value in the STATION NUMBER (#99) field is used. ### PREFERRED FACILITY (#27.02) field is a pointer to the INSTITUTION (#4) file. From that file, the value in the STATION NUMBER (#99) field is used. ### PREFERRED FACILITY (#27.02) field is a pointer to the INSTITUTION (#4) file. From that file, the value in the STATION NUMBER (#99) field is used. ### PREFERRED FACILITY (#27.02) field is a pointer to the INSTITUTION (#4) file. From the standard call standard cal				
Composed of two or three numeric characters.				
The facility that the patient ENROLLMENT LOCATION The preferred location for care. The preferred location for care. The preferred location for care. The preferred location for care. The preferred location for care. The preferred location for care. The preferred location for care. The preferred location for care. The preferred location for care. The preferred location for care. The preferred location for care. The preferred location for care. The preferred location for care. The preferred location for care. The preferred location for care. The preferred location for care. Th				
ENROLLMENT LOCATION chooses to designate as his preferred location for care. preferred location for care. chooses to designate as his preferred location for care. preferred location for care. preferred location for care. preferred location for care. The PREFERRED FACILITY (#27.02) field is a pointer to the INSTITUTION (#4) file. From that file, the value in the STATION NUMBER (#99) field is used. Patient's enrollment category. Patient's enrollment status. Profix IN PROCESS Patient's enrollment status. PRIORITY PRIORITY Priority subgroup. This field contains the enrollment priority group and the enrollment priority group and the enrollment priority subgroup. This field contains the enrollment priority subgroup. This field contains the enrollment priority subgroup. This field contains the enrollment priority subgroup (#1.2) field from the Patient Enrollment Field Contains the enrollment priority subgroup (#1.2) field from the Patient Enrollment Field 27.11. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: "1" FOR GROUP 3 "4" FOR GROUP 3 "4" FOR GROUP 5 "6" FOR GROUP 5 "6" FOR GROUP 6 "7" FOR GROUP 8 ENROLLEE ENROLLEE Indicates whether a Veteran has user enrollee status for the current or future fiscal year in the Vista User Enrollee Status (#0.4) field the value is set to "U" ENROLLEE the current or future fiscal year in the Vista User Enrollee Status (#0.4) field the value is set to "U" FOR USER ENROLLEE ENROLLEE PENROLLEE PROPERETRENE FACILIEE FOR TITUS (#25) field is a pointer to the Internet as in the Vista User Enrollee Status (#0.4) field the value is set to "U" FOR USER PROPERETRED FACILIEE FOR GROUP 1 "U" FOR USER ENROLLEE Patient Enrollee Status (#0.4) field the value is set to "U" internet field priority subgroups determined by the use of an API SUESTATEASUSER where the Patient Identifier (DFN) is p	727.833,52	The facility that the patient		
as his preferred location for care. The PREFERRED FACILITY (# 27.02) field is a pointer to the INSTITUTION (#4) file. From that file, the value in the STATION NUMBER (#99) field is used. 727.833,53 ENROLLMENT CATEGORY Patient's enrollment attaus. ENROLLMENT STATUS 727.833,54 ENROLLMENT STATUS Patient's enrollment status. ENROLLMENT STATUS (#55) field. This field contains the enrollment priority subgroup. This field contains the enrollment priority subgroup. This field contains the enrollment priority subgroup. This field contains the enrollment priority group and the enrollment priority group (#.07) field and the enrollment group (#.07) field	ENROLLMENT	chooses to designate as his		` '
PRIFERED FACILITY (# 27.02) field is a pointer to the INSTITUTION (#4) file. From that file, the value in the STATION mullent file, the value in the STATION NUMBER (#99) field is used. Profit in the STATION NUMBER (#99) field is used. Profit in the STATION NUMBER (#99) field is used. Profit in the STATION NUMBER (#99) field is used. Profit in the STATION NUMBER (#99) field is used. Profit in the STATION SUMBER (#99) field is used. Profit in the STATION SUMBER (#99) field is used. Profit in the STATION SUMBER (#99) field is used. Profit in the STATION SUMBER (#99) field is used. Profit in the STATION SUMBER (#99) field is used. Profit in the STATION SUMBER (#99) field is used. Profit in the STATION SUMBER (#99) field is used. Profit in the STATION SUMBER (#99) field is used. Profit in the STATION SUMBER (#99) field is used. Profit in the STATION SUMBER (#99) field is used. Profit in the STATION SUMBER (#99) field is used. Profit in the STATION SUMBER (#99) field is used. Profit in the STATION SUMBER (#99) field is used. Profit in the STATION SUMBER (#90) field is used. Profit in the STATION SUMBER (#90) field in the INPUT patient DFN and the ENROLLEE (#90) field in the INPUT patient DFN and the ENROLLEE (#90) field in the INPUT patient DFN and the ENROLLEE (#90) field in the INPUT patient DFN and the ENROLLEE (#90) field in the INPUT patient DFN and the ENROLLEE (#90) field in the INPUT patient DFN and the ENROLLEE (#90) field in the INPUT patient DFN and the ENROLLEE (#90) field the Vista User Enrollee is determined by checking the Patient Enrollment (#171) file. When a user has a current or future fiscal year in the Vista User Enrollee its contained. Determined by the use of an API: SSUESTATPEASUSER where the Patient Identifier (DFN) is passed the patient Identifier (DFN) is passed the patient Identifier (DFN) is passed the INPUT patient Identifier (DFN) is p	LOCATION	preferred location for care.		
Patient's enrollment category. Patient's enrollment status. Patient's enrollment enrollment include: Pron group 4 Patient enrollment priority subgroup (#.12) field from the Patient Enrollment include: Pron group 4 Patient's enrolle enrollment include: Pron group 4 Patient enrollment priority subgroups determined for a patient enrollment include: Pron group 4 Patient enrollment include: Pron group 4 Patient enrollment include: Pron group 6 Pron group 9 Pron group 4 Pron group 9 Pron group 4 Pron group 9 Pron group 6 Pron group 9				
Patient's enrollment category. Patient's enrollment category. Patient's enrollment category. Patient's enrollment category. Patient's enrollment status. ENROLLMENT STATUS Patient's enrollment status. ENROLLMENT STATUS Patient's enrollment status. ENROLLMENT STATUS T27.833,54 ENROLLMENT STATUS This field contains the enrollment priority group and the enrollment priority subgroup. This field contains the enrollment priority subgroup. This field contains the enrollment priority subgroup and the enrollment priority subgroup. ENROLLMENT STATUS field (#04). ENROLLMENT STATUS field (#04). ENROLLMENT PRIORITY field contains the enrollment priority subgroup (#.07) field and the enrollment priority subgroup (#.12) field from the Patient Enrollment field (#27.11). ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 5 '6' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 6 '7' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'c' FOR 3 'c' FOR 7 'FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'c' FOR 3 'c' FOR 7 'FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'c' FOR 3 'c' FOR 3 'c' FOR 7 'Y' FOR GROUP 6 'Y' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'c' FOR 3 'c' FOR 5 'g' FOR 7 U' FOR USER ENROLLEE Patient Enrollment (#27.11) file. When a user has a current or future fiscal year in the VistA User Enrollee Status (#.04) field the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the value is set to 'U' and Null if no date or a past year's value is contained.				
Patient's enrollment category. Pror Not EnrollED 'N' FOR NOT ENROLLED 'R' FOR NOT ENROLLED 'N' FOR NOT ENROLLED 'R' FOR NOT ENROLLED 'N' FOR NOT ENROLLED 'R' FOR IN PROCESS ENROLLMENT STATUS is derived from the PATIENT ENROLLMENT File (#27.11) ENROLLMENT STATUS is derived from the PATIENT ENROLLED TO the PATIENT ENROLLED 'R' FOR GROLLED 'R' FOR GROLLED 'R' FOR GROUP 1 'R' FOR GROUP 1 'R' FOR GROUP 2 'R' FOR GROUP 3 'R' FOR GROUP 3 'R' FOR GROUP 4 'S' FOR GROUP 3 'R' FOR GROUP 6 'R' FOR GROUP 8 ENROLLEE 'R' FOR GROUP 8 ENROLLEE Indicates whether a Veteran has user enrollee status for the current or future fiscal year. 'U' FOR USER ENROLLEE R'Y FOR GROUP 6 'R' FOR GROUP 6 'R' FOR GROUP 7 'R' FOR GROUP 8 ENROLLEE ENROLLEE SEROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'R' FOR I 'R' FOR GROUP 8 ENROLLEE ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'R' FOR I 'R' FOR GROUP 8 ENROLLEE ENROLLEE SEROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'R' FOR I 'R' FOR GROUP 8 ENROLLEE ENROLLEE ENROLLEE T'U' FOR USER ENROLLEE ENROLLEE SEROLLMENT PRIORITY Subgroups determined by checking the Patient Enrollment (#27.11) file. When a user has a current or future fiscal year in the Vista User Enrollee Status (#0.4) field the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the value is set to 'U' and Null if no date or a past year's value is contained.				
ENROLLMENT CATEGORY Category. PY FOR IN PROCESS SSCATEGORY DEENA dusing the INPUT patient DFN and the ENROLLMENT STATUS (#55) field. Patient's enrollment status. Title ENROLLMENT STATUS (#55) field. ENROLLMENT STATUS is derived from the PATIENT ENROLLMENT file (#27.11) ENROLLMENT STATUS filed (#04). ENROLLMENT PRIORITY file (#27.11) ENROLLMENT PRIORITY field contains the enrollment priority group and the enrollment priority group and the enrollment priority subgroup. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: "1" FOR GROUP 1 "2" FOR GROUP 2 "3" FOR GROUP 3 "4" FOR GROUP 4 "5" FOR GROUP 5 "6" FOR GROUP 6 "7" FOR GROUP 7 "8" FOR GROUP 7 "8" FOR GROUP 7 "8" FOR GROUP 7 "8" FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: "1" FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: "1" FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: "1" FOR GROUP 7 "8" FOR GROUP 7 "8" FOR GROUP 7 "8" FOR GROUP 7 "9" FOR GROUP 1 "1" FOR GROUP 1 "2" FOR 3 "2" FOR 3 "4" FOR GROUP 4 "5" FOR GROUP 5 "6" FOR GROUP 7 "8" FOR GROUP 6 "7" FOR GROUP 7 "8" FOR GROUP 7 "8" FOR GROUP 6 "1" FOR GROUP 6 "1" FOR GROUP 7 "1" FOR GROUP 6 "1" FOR GROUP 6 "1" FOR GROUP 7 "1" FOR GROUP 7 "1" FOR GROUP 7 "2" FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: "1" FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: "1" FOR GROUP 9 "1" FOR GROUP 9 "2" FOR GROUP 9 "4" FOR GROUP 9 "4" FOR GROUP 9 "5" FOR GROUP 9 "5	727 922 52	Detient's annullment	(E) EOD ENDOLLED	
Problem Process Secure Gory Secure Gory Secure Gory Gory Gory Gory Gory Gory Gory Gory				
Patient's enrollment status. ENROLLMENT STATUS 727.833,54 ENROLLMENT STATUS is derived from the PATIENT STATUS is derived from the PATIENT ENROLLMENT file (#27.11) ENROLLMENT STATUS field (#.04). ENROLLMENT PRIORITY field contains the enrollment priority group and the enrollment priority group and the enrollment priority group and the enrollment priority subgroup. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: 11' FOR GROUP 1 22' FOR GROUP 3 34' FOR GROUP 3 44' FOR GROUP 4 55' FOR GROUP 6 77' FOR GROUP 6 77' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 1a' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 1a' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 1a' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 1a' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 1a' FOR I 1c' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 1a' FOR I 1c' FOR GROUP 8 ENROLLMENT PRIORITY Groups determined for a patient enrollment include: 1a' FOR GROUP 5 1b' FOR GROUP		category.		
Patient's enrollment status. ENROLLMENT STATUS is derived from the PATIENT ENROLLMENT file (#27.11)				
ENROLLMENT STATUS TO THIS Field contains the enrollment priority group and the enrollment priority group and the enrollment priority subgroup. To the PATIENT ENROLLMENT Field (#27.11) ENROLLMENT STATUS field (#.04). ENROLLMENT PRIORITY field contains the enrollment priority group and the enrollment priority group and the enrollment priority subgroup. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 7 '8' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 TO THUR OF THE PRIORITY SUBGROUP 1 'C' FOR 3 'e' FOR 5 'g' FOR 7 USER ENROLLEE Indicates whether a Veteran has user enrollee status for the current or future fiscal year. **U' FOR USER ENROLLEE ENROLLEE **U' FOR USER Patient Enrollment (#27.11) file. When a user has a current or future fiscal year in the Vistat User Enrollee Status (#0.4) field the value is set to 'U' and Null if no date or a past year' value is contained. Determined by the use of an API: SSUESTA The ASUSER where the Patient Identifier (DFN) is passed	707 022 54	D () 11 ()		
STATUS 727.833,55 ENROLLMENT RIORITY field contains the enrollment priority group and the enrollment priority group and the enrollment priority subgroup. ENROLLMENT RIORITY field contains the enrollment priority group and the enrollment priority subgroup (#.12) field from the Patient Enrollment File #27.11. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 T27.833,56 USER ENROLLEE Indicates whether a Veteran has user enrollee status for the current or future fiscal year. 'U' FOR USER ENROLLEE USER ENROLLEE LINGULMENT PRIORITY Subgroups determined by checking the Patient Enrollment (#27.11) file. When a user has a current or future fiscal year in the VistA User Enrollee Status (#04) field the value is set to 'U' and Null if no date or a past year''s value is contained. Determined by the use of an API: SUBESTATEASUSER where the Patient Identifier (DFN) is passed	1	Patient's enrollment status.		
ENROLLMENT PRIORITY enrollment priority group and the enrollment priority subgroup (#.12) field and the enrollment priority subgroup (#.12) field from the Patient Enrollment File #27.11. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 5 '6' FOR GROUP 5 '6' FOR GROUP 7 '8' FOR GROUP 7 '8' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 3 'e' FOR 5 'g' FOR 7 T27.833,56 USER ENROLLEE Indicates whether a Veteran has user enrollee status for the current or future fiscal year. **U' FOR USER ENROLLEE **NROLLEE **U' FOR USER ENROLLEE **U' FOR USER ENROLLEE **V' FOR USER **Patient Enrollment (#27.11) file. When a user has a current or future fiscal year in the VistA User Enrollee Status (#.04) field the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: \$\$UESTAT'EASUSER **where the Patient Identifier (DFN) is passed				` '
PRIORITY and the enrollment priority subgroup. the enrollment priority subgroup (#.12) field from the Patient Enrollment File #27.11. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'c' FOR 3 'c' FOR 5 'g' FOR 7 1 User enrollee is determined by checking the Patient Enrollment (#27.11) file. When a user has a current or future fiscal year. 1 U' FOR USER ENROLLEE ENROLLEE 1 User enrollee Status (#.04) field the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: \$SUESTATY=EASUSER where the Patient Identifier (DFN) is passed	· ·			
subgroup. from the Patient Enrollment File #27.11. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 6 '7' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 10' FOR 5 'g' FOR 7 USER ENROLLEE USER ENROLLEE Indicates whether a Veteran has user enrollee status for the current or future fiscal year. 'U' FOR USER ENROLLEE User enrollee is determined by checking the Patient Enrollment (#27.11) file. When a user has a current or future fiscal year in the VistA User Enrollee Status (#.04) field the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: \$SUESTATYEASUSER where the Patient Identifier (DFN) is passed				
ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 3 'e' FOR 3 'e' FOR 5 'g' FOR 7 T27.833,56 Indicates whether a Veteran has user enrollee status for the current or future fiscal year. **U' FOR USER** ENROLLEE **Indicates whether a Veteran has user enrollee status for the current or future fiscal year in the VistA User Enrollee Status (#.04) field the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: \$\$UESTATYEASUSER where the Patient Identifier (DFN) is passed	PRIORITI			
determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 T27.833,56 USER ENROLLEE Indicates whether a Veteran has user enrollee status for the current or future fiscal year. 'U' FOR USER ENROLLEE 'U' FOR USER ENROLLEE 'U' FOR USER ENROLLEE 'U' FOR USER ENROLLEE 'U' FOR USER Patient Enrollment (#27.11) file. When a user has a current or future fiscal year in the VistA User Enrollee Status (#.04) field the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: \$\$UESTAT*EASUSER where the Patient Identifier (DFN) is passed				
1.1 FOR GROUP 1 2.2 FOR GROUP 2 3.3 FOR GROUP 3 4.4 FOR GROUP 4 4.5 FOR GROUP 5 6.6 FOR GROUP 6 7.7 FOR GROUP 7 8.8 FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 1.2 FOR 3 1.2 FOR 3 1.2 FOR 5 1.3 FOR 5 1.3 FOR 7 T27.833,56 USER ENROLLEE Indicates whether a Veteran has user enrollee status for the current or future fiscal year. TU' FOR USER ENROLLEE User enrollee is determined by checking the Patient Enrollment (#27.11) file. When a user has a current or future fiscal year in the VistA User Enrollee Status (#.04) field the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: \$\$UESTAT^EASUSER where the Patient Identifier (DFN) is passed				-
'2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 T27.833,56 USER ENROLLEE Indicates whether a Veteran has user enrollee status for the current or future fiscal year. "U' FOR USER ENROLLEE ENROLLEE Indicates whether a Veteran has user enrollee status for the current or future fiscal year in the VistA User Enrollee Status (#.04) field the value is set to 'U' and Null fin od ate or a past year's value is contained. Determined by the use of an API: \$\$UESTAT^EASUSER where the Patient Identifier (DFN) is passed				
"3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 3 'e' FOR 5 'g' FOR 7 727.833,56 USER ENROLLEE Indicates whether a Veteran has user enrollee status for the current or future fiscal year. "U' FOR USER ENROLLEE User enrollee is determined by checking the Patient Enrollment (#27.11) file. When a user has a current or future fiscal year in the VistA User Enrollee Status (#.04) field the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: \$\$UESTAT^EASUSER where the Patient Identifier (DFN) is passed				
'5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 T27.833,56 USER ENROLLEE Indicates whether a Veteran has user enrollee status for the current or future fiscal year. 'U' FOR USER ENROLLEE ENROLLEE 'U' FOR USER ENROLLEE User enrollee is determined by checking the Patient Enrollment (#27.11) file. When a user has a current or future fiscal year in the VistA User Enrollee Status (#.04) field the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: \$\$UESTAT^EASUSER where the Patient Identifier (DFN) is passed				
'6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 727.833,56 USER ENROLLEE Indicates whether a Veteran has user enrollee status for the current or future fiscal year. 'U' FOR USER ENROLLEE User enrollee is determined by checking the Patient Enrollment (#27.11) file. When a user has a current or future fiscal year in the VistA User Enrollee Status (#.04) field the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: \$\$UESTAT^EASUSER where the Patient Identifier (DFN) is passed				
727.833,56 USER ENROLLEE Indicates whether a Veteran has user enrollee status for the current or future fiscal year. Year. 'U' FOR USER ENROLLEE USER ENROLLEE Indicates whether a Veteran has user enrollee status for the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: \$\$UESTAT^EASUSER where the Patient Identifier (DFN) is passed				
**S* FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: *a' FOR 1 *c' FOR 3 *e' FOR 5 *g' FOR 7 **Text				
determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 T27.833,56 USER ENROLLEE Indicates whether a Veteran has user enrollee status for the current or future fiscal year. USER ENROLLEE User enrollee is determined by checking the Patient Enrollment (#27.11) file. When a user has a current or future fiscal year in the VistA User Enrollee Status (#.04) field the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: \$\$UESTAT^EASUSER where the Patient Identifier (DFN) is passed				
determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 T27.833,56 USER ENROLLEE Indicates whether a Veteran has user enrollee status for the current or future fiscal year. USER ENROLLEE User enrollee is determined by checking the Patient Enrollment (#27.11) file. When a user has a current or future fiscal year in the VistA User Enrollee Status (#.04) field the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: \$\$UESTAT^EASUSER where the Patient Identifier (DFN) is passed				ENROLLMENT PRIORITY Subgroups
727.833,56 USER ENROLLEE Indicates whether a Veteran has user enrollee status for the current or future fiscal year. Indicates whether a Veteran has user enrollee status for the current or future fiscal year. 'U' FOR USER ENROLLEE User enrollee is determined by checking the Patient Enrollment (#27.11) file. When a user has a current or future fiscal year in the VistA User Enrollee Status (#.04) field the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: \$\$UESTAT^EASUSER where the Patient Identifier (DFN) is passed				determined for a patient enrollment include:
727.833,56 USER ENROLLEE Indicates whether a Veteran has user enrollee status for the current or future fiscal year. Yu' FOR USER ENROLLEE ENROLLEE User enrollee is determined by checking the Patient Enrollment (#27.11) file. When a user has a current or future fiscal year in the VistA User Enrollee Status (#.04) field the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: \$\$UESTAT^EASUSER where the Patient Identifier (DFN) is passed				
727.833,56 USER ENROLLEE Indicates whether a Veteran has user enrollee status for the current or future fiscal year. ENROLLEE USER ENROLLEE User enrollee is determined by checking the Patient Enrollment (#27.11) file. When a user has a current or future fiscal year in the VistA User Enrollee Status (#.04) field the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: \$\$UESTAT^EASUSER where the Patient Identifier (DFN) is passed				
USER ENROLLEE has user enrollee status for the current or future fiscal year. ENROLLEE Patient Enrollment (#27.11) file. When a user has a current or future fiscal year in the VistA User Enrollee Status (#.04) field the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: \$\$UESTAT^EASUSER where the Patient Identifier (DFN) is passed				
the current or future fiscal year. has a current or future fiscal year in the VistA User Enrollee Status (#.04) field the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: \$\$UESTAT^EASUSER where the Patient Identifier (DFN) is passed				
year. VistA User Enrollee Status (#.04) field the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: \$\$UESTAT^EASUSER where the Patient Identifier (DFN) is passed	USER ENROLLEE		ENROLLEE	` ,
value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: \$\$UESTAT^EASUSER where the Patient Identifier (DFN) is passed				
the use of an API: \$\$UESTAT^EASUSER where the Patient Identifier (DFN) is passed		, - -		
where the Patient Identifier (DFN) is passed				1 1
				=

Field # and Name	Description	Values	Technical Description
727.833,57 ETHNICITY	Indicates the patient's PTF Ethnicity code		Using the patient pointer (DFN) ETHNICITY is derived from the PTF VALUE (#5) field of the ETHNICITY (#10.2) file pointed to by the ETHNICITY INFORMATION (#.01) field of the ETHNICITY INFORMATION (#2.06) subfile of the PATIENT (#2) file. The PTF VALUE (#5) field is just 1 character, this field holds up to 6 self-identified ethnicities. The above will occur only if the METHOD OF COLLECTION (#.02) field of the
			ETHNICITY INFORMATION (#2.06) subfile is set to 1 (SELF-IDENTIFICATION), otherwise ETHNICITY with be set to null.
727.833,58 RACE 1	Self-reported by patient as recorded in VistA patient file.		Using the patient pointer (DFN) stored in the PATIEN TNO. – DFN field (#4), RACE 1 is derived from the PTF VALUE field (#5) of the RACE file (#10) pointed to by the RACE INFORMATION field (#.01) of the RACE INFORMATION subfile (#2.02) of the PATIENT file (#2). Only those RACE INFORMATION values in the RACE INFORMATION subfile (#2.03) where the METHOD OF COLLECTION field (#.02) is set to 1 (SELF-IDENTIFICATION), will be included in the RACE 1 field. Up to 6 race entries can be included. If any of the RACE INFORMATION values returned is "C" (DECLINED TO ANSWER), that will be the only value included in the RACE1 field.
727.833,59 VETERAN	Patient's Veteran status.	'Y' FOR VETERAN 'N' FOR NOT VETERAN	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the BCMA EXTRACT file (#727.833), VETERAN data this is derived from the VETERAN (Y/N)? field (#1901) in the PATIENT file (#2).
727.833,60 PERIOD OF SERVICE	The period of service, which best classifies this patient based on eligibility code.		This field is derived by pulling the PERIOD OF SERVICE (#.323) field from the PATIENT(#2) file. The PERIOD OF SERVICE (#.323) field is a pointer to the PERIOD OF SERVICE (#21) file. This field is derived from the CODE (#.03) field of that file. The veteran's period of service indicator is returned by ELIG^VADPT.
727.833,61 POW STATUS	Indicates if patient was confined as a Prisoner of War.	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the BCMA EXTRACT file (#727.833),POW data is derived by checking the POW STATUS INDICATED? field (#.525) in the PATIENT file (#2). The status indicator is returned by SVC^VADPT.
727.833,62 POW LOCATION	This is the location/period where the patient was a POW.		This field is a pointer derived by reading the POW CONFINEMENT LOCATION (#.526) field from the PATIENT (#2) file. The location is retrieved by calling SVC^VADPT.

Field # and Name	Description	Values	Technical Description
727.833,63 RADIATION STATUS	Indicates if patient claims exposure to ionizing radiation.	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the BCMA EXTRACT file (#727.833),RADIATION data is derived by pulling the RADIATION EXPOSURE INDICATED? field (#.32103) in the PATIENT file(#2). The status indicator is returned by
727.833,64 AGENT ORANGE STATUS	Indicates whether patient was exposed to Agent Orange.	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the BCMA EXTRACT file (#727.833),AGENT ORANGE data is derived from the AGENT ORANGE EXPOS. INDICATED? field (#.32102) in the PATIENT file (#2). The status indicator is returned by SVC^VADPT.
727.833,65 AGENT ORANGE LOCATION	Indicates the location where the patient was exposed to Agent Orange.	'K' FOR KOREAN DMZ 'V' FOR VIETNAM 'O' FOR OTHER	The location is returned by a call to SVC^VAPDT which gets its data from the AGENT ORANGE EXPOSURE LOCATION field (#.3213) of the PATIENT file (#2).
727.833,66 PURPLE HEART INDICATOR	This field Indicates whether or not a patient is a Purple Heart recipient.	'Y' FOR YES 'N' FOR NO	The Purple Heart Indicator is derived by calling SVC^VADPT which returns the CURRENT PH INDICATOR (#.531) field from the PATIENT file (#2).
727.833,67 MST STATUS	Indicates the Military Sexual Trauma (MST) status of a patient on the date of the encounter.	'Y' FOR Yes, Screened reports MST; 'N' FOR No, Screened does not report MST; 'U' FOR Unknown, not screened; 'D' FOR Screened Declines to answer;	The MST HISTORY file (#29.11) holds data regarding military sexual trauma claims and effective dates. The patient's MST status is stored in the MST STATUS field (#3) A call will be made to \$\$GETSTAT^DGMSTAPI (DFN,DGDATE) using the DFN in the PATEINT NO. DFN (#4) field and the date in the DAY (#8) field.
727.833,68 CNH/SH STATUS	This field indicates if the Patient is in a Contract Nursing Home (CNH).	'Y' FOR YES 'N' FOR NO	This field is determined by pulling the CNH CURRENT (#148) field from the PATIENT (#2) file.
727.833,69 HEAD & NECK CANCER INDICATOR	Identifies whether patient's diagnosis was for Head and/or Neck Cancer.	'Y' FOR YES 'N' FOR NO	This indicator is derived by passing the patient pointer (DFN) to the API \$\$GETCUR^DGNTAPI to retrieve the HEAD/NECK CA DX (#2.01) field of the NOSE AND THROAT RADIUM HISTORY (#28.11) file.
727.833,70 SHAD STATUS	Indicates whether patient meets requirements for Shipboard Hazard And Defense (SHAD).	'Y' FOR YES 'N' FOR NO	This field is the Shipboard Hazard and Defense which is derived by using DBIA #4462 GETSHAD^DGUTL3(DFN). Which returns the PROJ 112/SHAD (#.32115) field from the Patient (#2) file.

Field # and Name	Description	Values	Technical Description
727.833,71	PATIENT TYPE refers to		Patient type is determined by the TYPE
PATIENT TYPE	the various types of patient		(#391) field of the PATIENT (#2) file which
	which might be seen at a		points to the TYPE OF PATIENT (#391) file
	VA facility.		entries. Every patient added to the system
			must have a TYPE specified. It best classifies a patient as one of the following values listed
			below. PATIENT TYPE field value shall
			contain only the first two characters:
			contain only the first two characters.
			AC= ACTIVE DUTY AL= ALLIED
			VETERAN CO=COLLATERAL
			EM=EMPLOYEE IN= INELIGIBLE
			MI=MILITARY RETIREE NO=NON-
			VETERAN (OTHER) NS=NSC VETERAN
727.833,72	This field indicates whether	'Y' FOR YES	SC=SC VETERAN TR=TRICARE The CV STATUS ELIGIBILITY is
CV STATUS	or not a patient can be	'E' FOR ELIGIBILITY	determined by the use of API
ELIGIBILITY	considered a Combat	EXPIRED	\$\$CVEDT^DGCV (DFN, DAY (#8) field in
	Veteran (CV) at the time of		FM format) that checks the Combat Vet End
	treatment.		Date (#.5295) field from the Patient (#2) file
			to determine CV Status. API returns three
			pieces i.e. 1^3010106^0, the first piece is
			resolved as follows.
			1 – qualifies as a CV
			0 – does not qualify as a CV
			-1 – bad DFN or date
			Based on these returns, the value for this
			field shall be 'Y' for 'YES' or 'E' for
			'ELIGIBILITY EXPIRED'. If this field is
707 922 72	This field is the noticet's		null it indicates that the patient is not eligible. The CV ELIGIBILITY END DATE is
727.833,73 CV ELIGIBILITY	This field is the patient's Combat Veteran (CV)		determined by the use of API
END DATE	eligibility end date.		\$\$CVEDT^DGCV (DFN, DAY (#8) in FM
END BITTE	engrenney end date.		format) that checks the Combat Vet End Date
			(#.5295) field from the Patient (#2) file to
			determine CV Status. The API returns three
			pieces (i.e. 1^3010106^0) the 2 nd piece is the
			Combat Vet End Date which is stored in
727.833.74	This Field indicates if the	'Y' FOR 'YES'	YYYYMMDD format.
ENCOUNTER CV	This Field indicates if the patient is a Combat Veteran	I FOR YES	ENCOUNTER CV is determined by the use of API \$\$CVEDT^DGCV (DFN, DAY #(8)
LACCOUNTER CV	(CV) based on the treatment		in FM format) that checks the Combat Vet
	date and the end date of		End Date (#.5295) field, from the Patient
	combat service.		(#2) file to determine CV Status using the
			DAY (#8) field. The API returns three pieces
			(i.e. 1 ³⁰ 10106 ⁰).
			The third piece returns:
			1 – vet was eligible on date specified
			0 – vet was not eligible on date specified
			Based on these returns, the value for this field shall be Y =Yes, or null.

Field # and Name	Description	Values	Technical Description
727.833,75 NATIONAL PATIENT RECORD FLAG	This field will indicate if the Patient has any type of a National Flag indicator.	'Y' FOR 'YES'	NATIONAL PATIENT RECORD FLAG is located in the PRF National Flag File # 26.15. This file contains a list of the Category 1 (National) Patient Record Flags that can be assigned to a patient. Category I flags are established at a National Level. NATIONAL PATIENT RECORD FLAG is retrieved via an API \$\$GETACT^DGPFAPI (DFN,TARGET_ROOT. Field value is "Y" if a Category I flag is present and active, otherwise it is NULL.
727.833,76 ERI	Identifies patients from impacted zip code areas designated by the Federal Emergency Management Agency (FEMA).	'K' FOR HURRICANE KATRINA	This field is extracted from the EMERGENCY RESPONSE INDICATOR field (#.181) located in the PATIENT file (#2).
727.833,77 SW ASIA CONDITIONS	This field is used to indicate if this visit represents treatment of a VA patient claiming exposure to Southwest Asia Conditions. The Southwest Asia Theater of operations is defined as: Iraq, Kuwait, Saudi Arabia, the neutral zone between Iraq and Saudi Arabia, Bahrain, Qatar, the United Arab Emirates, Oman, the Gulf of Aden, the Gulf of Oman, the Persian Gulf, the Arabian Sea, the Red Sea and the airspace above these locations.	'Y' FOR 'YES' 'N' FOR NO 'U' FOR UNKNOWN	This field is derived from the SOUTHWEST ASIA CONDITIONS? Field (#.322013) in the Patient File (#2) using the patient's DFN. The status indicator is returned by SVC^VADPT.
727.833,78 OEF/OIF	The Military Operation(s) in which the patient was in combat. This field is a length of nine characters and reflects the OEF or OIF where this patient was in combat.		The value of this field is derived from the LOCATION OF SERVICE field (#.01) of the SERVICE [OEF OR OIF] (#2.3215) subfile located in the PATIENT (#2) file. DSS will capture once, each location where the veteran served. In order to accommodate multiple locations, the values for this field are concatenated into this 9-character field. Possible field values are one or more combinations of the following: OEF = Operation Enduring Freedom OIF = Operation Iraqi Freedom UNK = Unknown OEF/OIF
727.833,79 OEF/OIF RETURN DATE	The date the patient left the OEF/OIF area, if known. Otherwise, it is the end date of military pay for this OEF/OIF deployment. This date field has a format equal to YYYYMMDD. In cases of multiple OEF/OIF tours, this field contains only most recent return date.		The value of this field is derived of the OEF/OIF TO DATE field (#.03) of the SERVICE [OEF OR OIF] (#.3215) subfile located in the PATIENT file (#2).

Field # and Name	Description	Values	Technical Description
727.833,80	This is the Patient's	'AD' FOR Active Duty	If the VistA Patient Type Code (TYPE
PATCAT	category which will be used	'ADD' FOR Active Duty	(#391) field of the Patient (#2) file) = Active
	for FHCC (Federal Health	Dependent	Duty, Military Retiree, or TRICARE, then
	Care Center)	'FNRS' FOR Former Non-	the value(s) in the VistA Other Eligibility
	Reconciliation. DSS must	Remarried Spouse	multiple (PATIENT ELIGIBILITIES (#361)
	capture and report DoD	'RET' FOR Retired	field of the PATIENT (#2) file), which points
	patients so that the FHCC	'RETD' FOR Retiree	to locally modifiable ELIGIBILITY CODE
	reconciliation process can	Dependent	(#8) file should be evaluated. If the value in
	function as designed.	'RES' FOR Reservist	the ELIGIBILITY CODE is equal to any
	"Reconciliation" is the	'REC' FOR Recruit	entry in the set of codes in this field, the
	process used within the new	'TDRL' FOR Temporary	value should be placed in this field.
	FHCC to determine which	Disability	
	patients DoD pays for and	'TFL' FOR TRICARE for	FHCC hospitals have special codes that are
	which VA pays for.	Life	added to the ELIGIBILITY CODE (#8) file
			that are used to identify the PATCAT status
			and may be unique to their facility.

#727.829 - BLOOD BANK EXTRACT (LBB) File Data Definition

This file contains data elements as specified by the Decision Support Office (DSO) for the Blood Bank extract from existing VistA files. Entries into this file are made by extracting data from the sub file (#63.017), TRANSFUSION RECORD, of the LAB DATA file (#63) and from the PATIENT file (#2). Once approved by the DSS site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. This file is intended to be used for validation purposes only. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.

Field # and Name	Description	Values	Technical Description
727.829,.01	The record number for this		The internal entry number (IEN) for this
SEQUENCE	extract entry		record. This entry is DINUMed.
NUMBER	-		·
727.829,1	A six character string		Format is YYYYMM.
YEAR MONTH	representing the year and		
	month for which this extract		
	was performed.		
727.829,2	The corresponding entry in		A pointer to the DSS EXTRACT LOG file
EXTRACT	the DSS EXTRACT LOG		(#727). The primary purpose is to pick up
NUMBER	file (#727) for this extract.		the header for the mail message. Not
			transmitted to the AAC.
727.829,3	This is the facility/division		For VistA records: It is derived using the
FACILITY	where the extract was		NAME field (#.01) pointer from the DSS
	performed.		EXTRACTS file (#728), FACILITY is
			derived from the STATION NUMBER
			field (#99) for that pointer number in the
			INSTITUTION file (#4).
			For VBECS Records: The value is derived
			from the ORDERING LOCATION field
			(#2) of the VBECS DSS EXTRACT file
			(#6002.03).
727.829,4	An identifying number for		Defined as the IEN of a given record entry
PATIENT NO. –	the patient at the local site.		in the PATIENT file (#2).
DFN			
727.829,5	The patient's social security		Using the patient pointer (DFN) stored in
SSN	number.		the PATIENT NO. – DFN field (#4) in the
			BLOOD BANK EXTRACT file
			(#727.829),SSN data is derived from the
			SOCIAL SECURITY NUMBER field
			(#.09) in the PATIENT file (#2).
			"Test" patient status is determined in
			PAT^ECXUTL3. Any patient with an SSN
			beginning with "00000" will not be
			included in the extract.

Field # and Name	Description	Values	Technical Description
727.829,6 NAME	The first four characters of the patient's last name.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the BLOOD BANK EXTRACT file (#727.829), NAME data is derived from the NAME field (#.01) in the PATIENT file (#2). The first four characters of the first "," piece are used, padded with trailing spaces if necessary. The name value is returned by the
727.829,7	Indicates whether the	'I' FOR INPATIENT	supported call DEM^VADPT. To determine the value of this field a call is
IN/OUT PATIENT INDICATOR	patient was an inpatient or an outpatient for this extract.	'O' FOR OUTPATIENT	made to \$\$PATDEM^ECXUTL2. Within this call, \$\$INP^ECXUTL2 is called to determine inpatient/outpatient status. If the patient is an outpatient, processing stops and the field is set to O. If the patient is an inpatient then \$\$INOUTP^ECXUTL4 is called to look at the treating specialty. If
			the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to I.
727.829,8 ENCOUNTER NUMBER	The unique number assigned for DSS.		This field is determined by a call to \$\$ENCNUM^ECXUTL4. Within this call the inpatient/outpatient status, SSN, admit/visit date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number.
727.829,9 DATE OF TRANSFUSION	This field contains the date of the blood component transfusion		Obtained from field .01 of the TRANSFUSION RECORD sub-file (#63.017) of the LAB DATA file (#63).
727.829,10 TIME OF TRANSFUSION	A 6-character numeric string that represents the time of day the blood component transfusion was performed.		If time cannot be determined, use 000001 as a default. Field .01 of the TRANSFUSION RECORD sub-file (#63.017) of the LAB DATA file (#63).
727.829,11 COMPONENT	This is the name of the blood bank product transfused.		Obtained from field .02 of the TRANSFUSION RECORD sub-file (#63.017) of the LAB DATA file (#63) which is a pointer to the Blood Bank product file (#65).
727.829,12 COMPONENT ABBREVIATION	Abbreviation of blood component.		Use COMPONENT field (#.02) of the TRANSFUSION RECORD sub-file (#63.017) to obtain COMPONENT ABBREVIATION field (#.02) of the BLOOD PRODUCT file (#66).
727.829,13 NUMBER OF UNITS	Number of pooled units transfused.		Data is derived from the UNITS POOLED field (#.07) of the TRANSFUSION RECORD multiple (#63.017) of the LAB DATA file (#63). If units is blank use default of 1.
727.829,14 VOLUME	This is the volume, in milliliters, of the component or unit transfused.		Field .1 of the TRANSFUSION RECORD sub-file (#63.017) of the LAB DATA file (#63)

Field # and Name	Description	Values	Technical Description
727.829,15	Indicates a transfusion	'Y' FOR YES	Field .08 of the TRANSFUSION RECORD
REACTION	reaction.	'N' FOR NO	sub-file (#63.017) of the LAB DATA file
727.829,16 REACTION TYPE	Type of reaction from transfusion		(#63). Field (#.11) of the TRANSFUSION RECORDS sub file (#63.017) of the LAB DATA file (#63) which is a pointer to field (#.01) of the BLOOD BANK UTILITY file (#65.4).
727.829,17 FEEDER LOCATION	The Location of the Blood Bank, where the blood is stored and where the Blood Bank technologist performed the (Blood Bank) tests.		Feeder Location is the letters "BB" concatenated with the PRODUCTION DIVISION CODE field (#27) of the BLOOD BANK EXTRACT file (#727.829). The PRODUCTION DIVISION CODE is obtained by calling \$\$RADDIV^ECXDEPT.
727.829,18 DSS PRODUCT DEPARTMENT	The nationally defined DSS Intermediate Department Number designated to the patient care product being provided.		Currently passing NULL.
727.829,19 DSS IP #	The nationally defined DSS Intermediate Department Number designated to the patient care product being provided.		Currently passing NULL
727.829,20 ORDERING PROVIDER	Provider for the patient transfused.		This is the IEN of the NEW PERSON file (#200) entry and it indicates the provider that ordered the blood transfusion. This field is extracted from the PHYSICIAN field (#6.2) located in the BLOOD INVENTORY file (#65). The ORDERING PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765.
727.829,21 ORDERING PROVIDER PERSON CLASS	The VA code of the Person Class of the Ordering Provider as of the date of this extract record.		Active Person is determined by the supported call \$\$GET^XUA4A72(ECXPHY,ECD) where ECXPHY is the IEN from file #200 And ECD is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string.
727.829,22 ERI	This field identifies patients from impacted zip code areas designated by the Federal Emergency Management Agency (FEMA).		This field is extracted from the EMERGENCY RESPONSE INDICATOR field (#.181) located in the PATIENT file (#2). Values are: "K" = Hurricane Katrina Null
727.829,23 UNIT MODIFIED	Indicates if unit of blood was modified.	'Y' FOR YES 'N' FOR NO	The value for this field is determined from the UNIT MODIFICATION field (#24) of the BLOOD BANK EXTRACT file (#727.829).

Type of unit modification Performed. This field is a combination of values retrieved from the MODIFICATION CRITERIA field (#.06) and the MODIFICATION CRITERIA field (#.06) and the MODIFICATION To field (#.05) of the BLOOD PRODUCT file (#66). The value has a maximum length of six characters and can consist of:	Field # and Name	Description	Values	Technical Description
MODIFICATION CRITERIA field (#06) and the MODIFY TO field (#05). The value has a maximum length of six characters and can consist of: D = DIVIDED P = POOLED W = WASHED F = FOZEN L = LEUROCYTE POOR R = REJUENATED G = DEGLYCEROLIZED I = IRRADIATED S = SEPARATED 727.829.25 REQUESTING PROVIDER This is the provider who requested the transfusion. This is the provider who requested the transfusion. REQUESTING PROVIDER is the value of a "2" prefixed to the pointer value from the NEW PRESON file (#200) to indicate that the source file is "200". For example, if the IEN of the provider in file #200 to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765. Acrive Person Class is determined by the supported call sociated with the acrive person class of the Requesting Provider. T27.829.27 RPODUCTION DIVISION CODE I the field holds the VA code associated with the acrive person class of the Requesting Provider. Vista Records: Data comes from the DIV field (#20) of the ACCESSION NIUMBER multiple field (#1) the DATE multiple field (#2) in the ACCESSION file (#68). The API RADDIV'ECXDEPT is used to get the STATION NUMBER field (#9) from the INSTITUTION file (#4). VBECS Records: Data comes from the TRANSPUSION LOCATION field (#3) of the VBECS DSS EXTRACT file who ordered the type & cross match. This field has a length of fifteen characters. A standard, unique life-long identifier of the provider who ordered the type acrived via the supporting Kernel API: \$\$NPPXUSNPI. A standard, unique life-long identifier of the provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is the is tertived via the transfusion. This field has a		Type of unit modification		
TO field (#3) of the BLOOD PRODUCT file (#606). The value has a maximum length of six characters and can consist of: D = DIVIDED P = POOLED W = WASHED F = FROZEN L = LEUKCYTE POOR R = REJUVENATED G = DEGLYCEROLIZED L = IRRADIATED S = SEPRATED This is the provider who requested the transfusion. This is the provider who requested the transfusion the provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier stertieved via the transfusion. This field has a length of fifteen characters. The qualified identifier is tertieved via the transfusion. This field has a length of fifteen characters. The qualified identifier is tertieved via the transfusion. This field has a length of fifteen characters. The qualified identifier is tertieved via the transfusion. This field has a		performed.		
File (#66). The value has a maximum length of six characters and can consist of: D = DIVIDED P = POOLED	MODIFICATION			` '
length of six characters and can consist of: D = DIVIDED P = POOLED W = WASHED F = FROZEN L = LEUKOCYTE POOR R = RELIVENATED G = DEGLYCEROLIZED I = IRRADIATED S = SEPARATED S = SEPARATED This is the provider who requested the transfusion. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the STATON NUMBER Reported call provider who was performed. The field holds the VA code associated with the active person class of the Provider who requested the transfusion of the Provider who ordered the type & cross match. This field has a length of Iffere of the provider who requested the transfusion of the Provider who requested the transfusion of the Provider who requested the transfusion. This field has a length of Ifferen characters. Th				1
D = DIVIDED P = POOLED W = WASHED F = FROZEN L = LEUKOCYTE POOR R = REIUVENATED G = DEGLYCEROLIZED I = IRRADIATED S = SEPARATED S = SEPARATED Tata is derived from the ORDERING PROVIDER This is the provider who requested the transfusion. To the field holds the VA code associated with the active person class of the Requesting Provider. To the field holds the VA code associated with the active person class of the Requesting Provider. To the field holds the VA code associated with the active person class of the Requesting Provider. To the field holds the VA code associated with the active person class of the Requesting Provider. To the field holds the VA code associated with the active person class of the Requesting Provider. To the field holds the VA code associated with the active person class of the Requesting Provider. To the field holds the VA code associated with the active person class of the Requesting Provider. To the field holds the VA code associated with the active person class of the Requesting Provider. To the field holds the VA code associated with the active person class of the Requesting Provider. To the field holds the VA code associated with the active person class of the Requesting Provider. To the field holds the VA code associated with the active person class of the Requesting Provider. To the field holds the VA code associated with the active person class of the Requesting Provider. To the field holds the VA code associated with the active person class of the Requesting Provider. To the field holds the VA code associated with the active person class is determined by the supported call To the field holds the VA code associated with the active person class is determined by the value of a supported call To the field holds the VA code associated with the active person class is determined by the value of a supported call To the field holds the VA code associated with the active person class is determined by the value of a supported call To the field holds the VA code associated				· · ·
P = POOLED W = WASHED F = FROZEN L = LEUKOCYTE POOR R = REJUVENATED G = DEGLYCEROLIZED 1 = IRRADIATED S = SEPARATED TarablaTED S = SEPARATED Tata is derived from the ORDERING PROVIDER This is the provider who requested the transfusion. Tequested the transfusion. The field holds the VA code associated with the active person class of the ReqUESTING PROVIDER PC TarablaTeD S = SEPARATED S				length of six characters and can consist of:
P = POOLED W = WASHED F = FROZEN L = LEUKOCYTE POOR R = REJUVENATED G = DEGLYCEROLIZED 1 = IRRADIATED S = SEPARATED TarablaTED S = SEPARATED Tata is derived from the ORDERING PROVIDER This is the provider who requested the transfusion. Tequested the transfusion. The field holds the VA code associated with the active person class of the ReqUESTING PROVIDER PC TarablaTeD S = SEPARATED S				D = DIVIDED
F = FROZEN L = LEUKOCYTEPOOR R = REJUVENATED G = DEGL YCEROLIZED I = IRRADIATED S = SEPARATED S				
This is the provider who requested the transfusion. Continued to the provider who requested the transfusion.				W = WASHED
R = REJUVENATED G = DEGLYCEROLIZED 1 = IRRADIATED S = SEPARATED To a tais derived from the ORDERING REQUESTING PROVIDER This is the provider who requested the transfusion. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the requested by the supported call provider who requested the transfusion. The field holds the VA code associated with the active person class of the required by the supported call provider who requested the transfusion. This field has a length of fifteen the value that will be retrieved via the transfusion. This field has a The qualified identifier is retrieved via the transfusion. This field has a The qualified identifier is retrieved via the				F = FROZEN
727.829.25 REQUESTING PROVIDER This is the provider who requested the transfusion. This field has a length of fifteen characters. This is the provider who requested the transfusion. This field has a length of fifteen characters. This field has a length of fifteen characters. The qualified identifier is required via the supporting dientifier of the provider who requested the transfusion. This field has a length of fifteen characters. This is the provider who requested the transfusion. This field has a length of fifteen characters. This is the provider who requested the transfusion. This field has a length of fifteen characters. This is the provider who requested the transfusion. This field has a length of fifteen characters. This field has a length of fifteen characters.				L = LEUKOCYTE POOR
Table Tabl				
S = SEPARATED				
T27.829.25 This is the provider who requested the transfusion. Data is derived from the ORDERING PROVIDER field (#5) of the VBECS DSS EXTRACT file (#6002.03).				
PROVIDER field (#5) of the VBECS DSS EXTRACT file (#6002.03). REQUESTING PROVIDER is the value of a "2" prefixed to the pointer value from the NEW PERSON file (#200) to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. 727.829,26 REQUESTING PROVIDER PC REQUESTING PROVIDER NPI is a standard, unique life-long identifier of the provider who ordered the type & cross match. This field has a length of fifteen characters. REQUESTING PROVIDER NPI REQUESTING PROVIDER NPI REQUESTING PROVIDER NPI is a standard, unique life-long identifier of the provider who requested the transfusion. This field has a length of fifteen characters. REQUESTING PROVIDER NPI REQUESTING PROVIDER NPI REQUESTING PROVIDER NPI is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI.				
PROVIDER REQUESTING PROVIDER is the value of a "2" prefixed to the pointer value from the NEW PRESON file (#200) to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765. the value that will be stored is 298765. The value that will be value that the supported call supported				
REQUESTING PROVIDER is the value of a "2" prefixed to the pointer value from the NEW PERSON file (#200) to indicate that the source file is "200". For example, if the IEN of the provider in file #2200 is 98765, the value that will be stored is 298765. 727.829.26 REQUESTING PROVIDER PC PROVIDER PC Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class of the Requesting Provider. The field holds the VA code associated with the active person class is determined by the supported call supported call sectors in the provider of the returned value string. The field holds the VA code associated with the active person class is determined by the supported call supported call supported call sectors in the provider work was performed. The field holds the VA code associated with the active person class is determined by the supported call supported to the vent. The VA CCDE is determined by the supported call supported to the vent. The VA CCDE is determined by the supported call sup		requested the transfusion.		
a "2" prefixed to the pointer value from the NEW PERSON file (#200) to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. 727.829.26 REQUESTING PROVIDER PC PROVIDER PC Requesting Provider. To the field holds the VA code associated with the active person class of the Requesting Provider. To the field holds the VA code associated with the active person class of the Requesting Provider. To the value that will be stored is 298765. Active Person Class is determined by the Person class is determined by the Person class of the Requesting Provider. To the value that will be stored is 298765. Active Person Class is determined by the Segriture of the supported call sported all supported call sported and ECS is the date of the event. The VA CODE is determined by the 7th PVA CODE is determined by the PVA CODE is determined by the 7th PVA CODE is determined by the PVA CODE is determined by the 7th PVA CODE is determined by th	PROVIDER			EXTRACT IIIe (#6002.03).
NEW PERSON file (#200) to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765.				REQUESTING PROVIDER is the value of
the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. 727.829.26 REQUESTING PROVIDER PC Person class of the Requesting Provider. Teach associated with the active person class of the Requesting Provider. Teach associated with the active person class of the Requesting Provider. Teach associated with the active person class is determined by the supported call supported supported call supported supported call supported ca				a "2" prefixed to the pointer value from the
IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The value that will be stored in the value of the valu				NEW PERSON file (#200) to indicate that
The field holds the VA code associated with the active person class is determined by the supported call sported call call sported call sported call call call call call call call cal				
T27.829,26 REQUESTING PROVIDER PC REQUESTING PROVIDER PC REQUESTING PROVIDER PC REQUESTING PROVIDER PC REQUESTING PROVIDER PC REQUESTING PRODUCTION DIVISION CODE REQUESTING DIVISION CODE REQUESTING REQUESTING REQUESTING REQUESTING REQUESTING PROVIDER NPI REQUESTING				1 '
REQUESTING PROVIDER PC PROVIDER PC Requesting Provider. associated with the active person class of the Requesting Provider. 2727.829.27 PRODUCTION DIVISION CODE Identifies the division/facility where the work was performed. Team of the STATION NUMBER multiple field (#2) of the ACCESSION NUMBER multiple field (#2) of the DIV field (#26) of the ACCESSION NUMBER multiple field (#2) of the DIV field (#26) of the ACCESSION NUMBER multiple field (#1) of the DATE multiple field (#2) in the ACCESSION file (#68). The API RADDIV^ECXDEPT is used to get the STATION NUMBER field (#99) from the INSTITUTION file (#4). VBECS Records: Data comes from the TRANSFUSION LOCAITON field (#3) of the VBECS DSS EXTRACT file (#6002.03). 727.829.28 ORDERING PROVIDER NPI Team of the provider who ordered the type & cross match. This field has a length of fifteen characters. A standard, unique life-long identifier of the provider who requested the transfusion. This field has a length of fifteen characters. A standard, unique life-long identifier of the provider who requested the transfusion. This field has a length of fifteen characters. A standard, unique life-long identifier of the provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the supporting retrieved via the roughlife identifier is retrieved via the transfusion. This field has a length of fifteen characters.				
PROVIDER PC PROVIDER PC PRODUCTION DIVISION CODE T27.829,28 ORDERING PROVIDER NPI				
Requesting Provider. Requesting Provider who requested the transfusion. This field has a length of fifteen characters. Requesting Provider who requested the transfusion. This field has a length of fifteen characters. Requesting Provider who requested the transfusion. This field has a length of fifteen characters. Requesting Requesting Provider who requested the transfusion. This field has a length of fifteen characters. Requesting Provider who requested the transfusion. This field has a length of fifteen characters. Requesting Provider who requested the transfusion. This field has a length of fifteen characters. Requesting Provider who requested the transfusion. This field has a length of fifteen characters. Requesting Provider who requested the transfusion. This field has a length of fifteen characters. Requesting Provider who requested the transfusion. This field has a length of fifteen characters.	~			11
ECS is the date of the event. The VA CODE is determined by the 7th piece of the returned value string. 727.829,27 PRODUCTION DIVISION CODE Identifies the division/facility where the work was performed. WistA Records: Data comes from the DIV field (#26) of the ACCESSION NUMBER multiple field (#1) of the DATE multiple filled (#2) in the ACCESSION fille (#68). The API RADDIV'ECXDEPT is used to get the STATION NUMBER field (#99) from the INSTITUTION file (#4). VBECS Records: Data comes from the TRANSFUSION LOCAITON field (#3) of the VBECS DSS EXTRACT file (#6002.03). 727.829,28 ORDERING PROVIDER NPI PROVIDER NPI A standard, unique life-long identifier of the provider who ordered the type & cross match. This field has a length of fifteen characters. A standard, unique life-long identifier of the provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the transfusion. This field has a The qualified identifier is retrieved via the transfusion. This field has a	PROVIDER PC	*		
CODE is determined by the 7 th piece of the returned value string. 727.829,27 PRODUCTION DIVISION CODE REQUESTING PROVIDER NPI PROPUCTION DIVISION CODE Identifies the division/facility where the work was performed. Identifies the division/facility where the work was performed. VistA Records: Data comes from the DIV field (#26) of the ACCESSION NUMBER multiple field (#1) of the DATE multiple filed (#2) in the ACCESSION file (#68). The API RADDIV*ECXDEPT is used to get the STATION NUMBER field (#99) from the INSTITUTION file (#4). VBECS Records: Data comes from the TRANSFUSION LOCAITON field (#3) of the VBECS DSS EXTRACT file (#6002.03). ORDERING PROVIDER NPI identifier of the provider who ordered the type & cross match. This field has a length of fifteen characters. 727.829,29 REQUESTING PROVIDER NPI identifier of the provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the transfusion. This field has a length of fifteen characters.		Requesting Provider.		
727.829,28 ORDERING PROVIDER NPI PROVIDER NP				
727.829,28 ORDERING PROVIDER NPI PROVIDER NP				
DIVISION CODE work was performed. multiple field (#1) of the DATE multiple filed (#2) in the ACCESSION file (#68). The API RADDIV^ECXDEPT is used to get the STATION NUMBER field (#99) from the INSTITUTION file (#4). VBECS Records: Data comes from the TRANSFUSION LOCAITON field (#3) of the VBECS DSS EXTRACT file (#6002.03). 727.829,28 ORDERING PROVIDER NPI who ordered the type & cross match. This field has a length of fifteen characters. 727.829,29 REQUESTING PROVIDER NPI REQUESTING PROVIDER NPI Time ACCESSION file (#68). The API RADDIV^ECXDEPT is used to get the STATION NUMBER field (#99) from the INSTITUTION file (#99) from the INSTITUTION file (#4). VBECS Records: Data comes from the TRANSFUSION LOCAITON field (#3) of the VBECS DSS EXTRACT file (#6002.03). ORDERING PROVIDER NPI identifier of the provider who ordered the type and cross match. The qualified identifier shall be retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. A standard, unique life-long identifier of the provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the transfusion. This field has a	727.829,27	Identifies the		
filed (#2) in the ACCESSION file (#68). The API RADDIV^ECXDEPT is used to get the STATION NUMBER field (#99) from the INSTITUTION file (#4). VBECS Records: Data comes from the TRANSFUSION LOCAITON field (#3) of the VBECS DSS EXTRACT file (#6002.03). 727.829,28 ORDERING PROVIDER NPI ORDERING ORDERING PROVIDER NPI ORDERING ORDERING PROVIDER NPI is a standard, unique life-long identifier of the provider who ordered the type and cross match. The qualified identifier shall be retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. A standard, unique life-long identifier of the provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the transfusion. This field has a	PRODUCTION	division/facility where the		field (#26) of the ACCESSION NUMBER
The API RADDIV^ECXDEPT is used to get the STATION NUMBER field (#99) from the INSTITUTION file (#4). VBECS Records: Data comes from the TRANSFUSION LOCAITON field (#3) of the VBECS DSS EXTRACT file (#6002.03). 727.829,28 ORDERING ORDERING PROVIDER NPI Who ordered the type & cross match. This field has a length of fifteen characters. 727.829,29 REQUESTING PROVIDER NPI A standard, unique life-long identifier of the provider who requested the transfusion. This field has a length of fifteen characters. The API RADDIV^ECXDEPT is used to get the STATION NUMBER field (#99) from the INSTITUTION filed (#99) from the INSTITUTION filed (#99) from the INSTITUTION filed (#3). VBECS Records: Data comes from the TRANSFUSION LOCAITON field (#3) of the VBECS DSS EXTRACT file (#6002.03). ORDERING PROVIDER NPI is a standard, unique life-long identifier of the provider who ordered the type and cross match. The qualified identifier shall be retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. A standard, unique life-long identifier of the provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the transfusion. This field has a	DIVISION CODE	work was performed.		multiple field (#1) of the DATE multiple
get the STATION NUMBER field (#99) from the INSTITUTION file (#4). VBECS Records: Data comes from the TRANSFUSION LOCAITON field (#3) of the VBECS DSS EXTRACT file (#6002.03). 727.829,28 ORDERING PROVIDER NPI ORDERING ORDERING PROVIDER NPI is a standard, unique life-long identifier of the provider who ordered the type and cross match. The qualified identifier shall be retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. A standard, unique life-long identifier of the provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the transfusion. This field has a				` '
from the INSTITUTION file (#4). VBECS Records: Data comes from the TRANSFUSION LOCAITON field (#3) of the VBECS DSS EXTRACT file (#6002.03). 727.829,28 ORDERING identifier of the provider who ordered the type & cross match. This field has a length of fifteen characters. 727.829,29 REQUESTING PROVIDER NPI is a standard, unique life-long identifier of the provider who ordered the type and cross match. The qualified identifier shall be retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. A standard, unique life-long identifier of the provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the				
VBECS Records: Data comes from the TRANSFUSION LOCAITON field (#3) of the VBECS DSS EXTRACT file (#6002.03). 727.829,28 ORDERING identifier of the provider who ordered the type & cross match. This field has a length of fifteen characters. 727.829,29 REQUESTING PROVIDER NPI is a standard, unique life-long identifier of the provider who ordered the type and cross match. The qualified identifier shall be retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. A standard, unique life-long identifier of the provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the				
TRANSFUSION LOCAITON field (#3) of the VBECS DSS EXTRACT file (#6002.03). 727.829,28 ORDERING ORDERING PROVIDER NPI who ordered the type & cross match. This field has a length of fifteen characters. 727.829,29 REQUESTING PROVIDER NPI who requested the type who requested the transfusion. This field has a length of fifteen characters. The qualified identifier of the provider provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the transfusion. This field has a				from the INSTITUTION file (#4).
TRANSFUSION LOCAITON field (#3) of the VBECS DSS EXTRACT file (#6002.03). 727.829,28 ORDERING ORDERING PROVIDER NPI who ordered the type & cross match. This field has a length of fifteen characters. 727.829,29 REQUESTING PROVIDER NPI who requested the type who requested the transfusion. This field has a length of fifteen characters. The qualified identifier of the provider provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the transfusion. This field has a				VBECS Records: Data comes from the
the VBECS DSS EXTRACT file (#6002.03). 727.829,28 ORDERING identifier of the provider who ordered the type & cross match. This field has a length of fifteen characters. 727.829,29 REQUESTING PROVIDER NPI is a standard, unique life-long identifier of the provider who ordered the type and cross match. The qualified identifier shall be retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. A standard, unique life-long identifier of the provider who requested the transfusion. PROVIDER NPI who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the transfusion. The qualified identifier is retrieved via the transfusion.				
727.829,28 ORDERING ORDERING ORDERING PROVIDER NPI who ordered the type & cross match. This field has a length of fifteen characters. 727.829,29 REQUESTING PROVIDER NPI Who requested the type who requested the transfusion. This field has a length of fifteen characters. (#6002.03). ORDERING PROVIDER NPI is a standard, unique life-long identifier of the provider who ordered the type and cross match. The qualified identifier shall be retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. A standard, unique life-long identifier of the provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the				` ′
ORDERING PROVIDER NPI who ordered the type & cross match. This field has a length of fifteen characters. 727.829,29 REQUESTING PROVIDER NPI REQUESTING PROVIDER NPI REQUESTING PROVIDER NPI identifier of the provider who ordered the type and cross match. The qualified identifier shall be retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. A standard, unique life-long identifier of the provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier of the provider provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the				
PROVIDER NPI who ordered the type & cross match. This field has a length of fifteen characters. 727.829,29 A standard, unique life-long identifier of the provider who requested the transfusion. This field has a length of fifteen characters. PROVIDER NPI who ordered the type and cross match. The qualified identifier shall be retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. A standard, unique life-long identifier of the provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the	-			
cross match. This field has a length of fifteen characters. 727.829,29 REQUESTING PROVIDER NPI PROVIDER NPI cross match. This field has a length of fifteen characters. qualified identifier shall be retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. A standard, unique life-long identifier of the provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier shall be retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. A standard, unique life-long identifier of the provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier shall be retrieved via the				
a length of fifteen characters. 727.829,29 REQUESTING PROVIDER NPI who requested the transfusion. This field has a length of fifteen characters. \$\text{Supporting Kernel API: \$\\$NPI^XUSNPI\$.} \\ A standard, unique life-long identifier of the provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the	PROVIDER NPI			
characters. 727.829,29 A standard, unique life-long identifier of the provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the				
727.829,29 A standard, unique life-long identifier of the provider who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the				supporting Kernel API: \$\$NPI^XUSNPI.
REQUESTING identifier of the provider who requested the transfusion. PROVIDER NPI who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the	727.829.29			A standard, unique life-long identifier of the
PROVIDER NPI who requested the transfusion. This field has a length of fifteen characters. The qualified identifier is retrieved via the				
transfusion. This field has a The qualified identifier is retrieved via the				This field has a length of fifteen characters.
The state of the s				supporting Kernel API: \$\$NPI^XUSNPI.

Field # and Name	Description	Values	Technical Description
727.829,30 PATCAT	This is the Patient's category which will be used for FHCC (Federal Health Care Center) Reconciliation. DSS must capture and report DoD patients so that the FHCC reconciliation process can function as designed. "Reconciliation" is the process used within the new FHCC to determine which patients DoD pays for and which VA pays for.	'AD' FOR Active Duty 'ADD' FOR Active Duty Dependent 'FNRS' FOR Former Non- Remarried Spouse 'RET' FOR Retired 'RETD' FOR Retiree Dependent 'RES' FOR Reservist 'REC' FOR Recruit 'TDRL' FOR Temporary Disability 'TFL' FOR TRICARE for Life	If the VistA Patient Type Code (TYPE (#391) field of the Patient (#2) file) = Active Duty, Military Retiree, or TRICARE, then the value(s) in the VistA Other Eligibility multiple (PATIENT ELIGIBILITIES (#361) field of the PATIENT (#2) file), which points to locally modifiable ELIGIBILITY CODE (#8) file should be evaluated. If the value in the ELIGIBILITY CODE is equal to any entry in the set of codes in this field, the value should be placed in this field.

#727.827 - CLINIC EXTRACT (CLI) File Data Definition

This file contains data elements as specified by the Decision Support Office (DSO) for the Clinic Visit extract from existing VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.

Field # and Name	Description	Values	Technical Description
727.827,.01 SEQUENCE NUMBER	The record for this extract entry.		The internal entry number (IEN) for this record. This entry is DINUMed.
727.827,1 YEAR MONTH	A six character string representing the year and month for which this extract was performed.		The format is YYYYMM.
727.827,2 EXTRACT NUMBER	The corresponding entry in the DSS EXTRACT LOG file (#727) for this extract.		A pointer to the DSS EXTRACT LOG file (#727). The primary purpose is to pick up the header for the mail message.
727.827,3 FACILITY	This is the medical center division where the extract was performed.		An indicator of the division where this event happened. It is derived from the DIVISION field (#3.5) of the HOSPITAL LOCATION file (#44) which points to the MEDICAL CENTER DIVISION file (#40.8).
727.827,4 PATIENT NO. – DFN	This is the patient to whom this extract record pertains.		The PATIENT field (#.02) of the OUTPATIENT ENCOUNTER file (#409.68) is used to populate this field. IT is the IEN of the patient in the PATIENT file (#2).
727.827,5 SSN	The patient's social security number.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the CLINIC EXTRACT file (#727.827), SSN data is derived from the SOCIAL SECURITY NUMBER field (#.09) in the PATIENT file (#2).
			"Test" patient status is determined in PAT^ECXUTL3. Any patient with an SSN beginning with "00000" will not be included in the extract.
727.827,6 NAME	The first four characters of the patient's last name.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the CLINIC EXTRACT file (#727.827), NAME data is derived from the NAME field (#.01) in the PATIENT file (#2). The first four characters of the first "," piece are used, padded with trailing spaces if necessary.
			The name value is returned by the supported call DEM^VADPT.

Field # and Name	Description	Values	Technical Description
727.827,7 IN/OUT PATIENT INDICATOR	Indicates whether the patient was an inpatient or an outpatient for this extract.	'I' FOR INPATIENT 'O' FOR OUTPATIENT	To determine the value of this field a call is made to \$\$PATDEM^ECXUTL2. Within this call \$\$INP^ECSUTL2 is called to determine inpatient/outpatient status. If the patient is an inpatient then \$\$INOUTP^ECXUTL4 is called to look at the treating specialty. If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to I.
727.827,8 DAY	Date when the clinic visit occurred.		Data source: OUTPATIENT ENCOUNTER file
			(#409.68); DATE field (#.01). This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion.
727.827,9 FEEDER KEY	Code that uniquely identifies a DSS product.		14-charactre code in the form of SSSCCCTTTPPPN. The transmission style chosen for the clinic determines these characters. The form is as follows: SSS – stop code CCC - credit stop code or alternate stop codes TTT – length of appointment in minutes PPPP – national standard 4 character code for the clinic N – no show flag.
			Information is based on the clinic associated with the visit.
727.827, 10 OVERBOOKED INDICATOR	Indicates if this was an overbook appointment for this visit.	'O' FOR OVERBOOKED	Data source: OVERBOOK field (#9) of the PATIENT multiple (#2) of the APPOINTMENT multiple (#1900) multiple of the HOSPITAL LOCATION file (#44). Was this appointment an overbook, or scheduled over the maximum number of appointments allowed for that day/slot.
727.827, 11 CLINIC NAME	The specific clinic associated with the patient encounter.		For encounters, the clinic comes from the LOCATION field (#.04) of the OUTPATIENT ENCOUTNER file (#409.68). For no-shows, the clinic, as identified by the TYPE field (#2) of the HOSPITAL LOCATION file (#44) is used.
727.816,12 TREATING SPECIALTY	The PTF CODE of the treating specialty associated with this extract record.		Data source: SPECIALTY file (#42.4); PTF CODE field (#7).
	•		• • •

Field # and Name	Description	Values	Technical Description
727.827, 13	Time for this clinic visit (6-		Time is extracted from the date information
TIME	digit military time).		pulled from either the DATE field (#.01) in the OUTPATIENT ENCOUNTER file
			(#409.68) or from the clinic date/time
			returned from a call to
			\$\$SDAPI^SDAMA301.
			This field is always exactly 6 numeric
			characters in length; if time cannot be
			determined, then "00300" is used as a default.
727.827, 14	The primary care team		Using the APPOINTMENT DATE/TIME
PRIMARY CARE	assigned to this patient in		field (#.01) of the APPOINTMENT multiple
TEAM	the PCMM module.		(#1900) of the HOSPITAL LOCATION file (#44) and the patient pointer (DFN) stored in
			the PATIENT field (#2) of the
			APPOINTMENT multiple (#1900) of the
			HOSPITAL LOCATION file (#44),
			a call is made to the Scheduling API, OUTPTTM^SDUTL3. The API returns the
			team's internal entry number and name from
			the TEAM file (#404.51). The IEN is stored
707 907 15	Tiles and a second secon		in this field.
727.827, 15 PRIMARY CARE	The primary care provider assigned to this patient		Using the DATE field (#.01) from the OUTPATIENT ENCOUNTER file (#409.68)
PROVIDER	through the PCMM module.		and the patient pointer (DFN) stored in the
			PATIENT NO. – DFN field (#4) in the
			CLINIC EXTRACT file (#727.827), a call is
			made to the Scheduling API, OUTPTPR^SDUTL3. The API returns the
			provider's internal entry number and name in
			the NEW PERSON file (#200).
			A "2" is prefixed to the pointer value to
			indicate that the source file is "200". For
			example, if the IEN of the provider in file
			#200 is 98765, the value that will be stored is 298765.
727.827, 16	The VA code of the Person		Active Person Class is determined by the
PRIMARY CARE	Class of the Primary Care		supported call\$\$GET^XUA4A72
PRV PERSON	Provider as of the date of		(PERS,DATE), where PERS is the IEN form
CLASS	this extract record.		file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece
			of the returned value string.
727.827, 17	The provider associated		The provider is returned by
PROVIDER	with the patient encounter.		ENCEVENT^PXAPI.
			The PROVIDER is the value of a "2"
			prefixed to the pointer value to indicate that
			the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the
			value that will be stored is 298765.
727.827, 18	The VA Code of the Person		Active Person Class is determined by the
PROVIDER	Class of the Provider for		supported call\$\$GET^XUA4A72
PERSON CLASS	this record.		(PERS,DATE), where PERS is the IEN form file #200 and DATE is the date of the event.
			The VA CODE is determined by the 7 th piece
			of the returned value string.

Field # and Name	Description	Values	Technical Description
727.827, 19	The first 5-character CPT		Returned by calling ENCEVENT^PXAPI.
CPT CODE QTY &	Code for the procedure		
MODIFIERS #1	performed, the Quantity, or		
	how many times the unique		
	code appears in the record,		
	and up to 5 two-character		
707.007.00	CPT modifiers.		D (11 11' ENGEVENDADY ADI
727.827, 20 CPT CODE QTY &	The second 5-character CPT		Returned by calling ENCEVENT^PXAPI.
MODIFIERS #2	Code for the procedure performed, the Quantity, or		
WODII ILKS #2	how many times the unique		
	code appears in the record,		
	and up to 5 two-character		
	CPT modifiers.		
727.827, 21	The third 5-character CPT		Returned by calling ENCEVENT^PXAPI.
CPT CODE QTY &	Code for the procedure		
MODIFIERS #3	performed, the Quantity, or		
	how many times the unique		
	code appears in the record, and up to 5 two-character		
	CPT modifiers.		
727.827, 22	The fourth 5-character CPT		Returned by calling ENCEVENT^PXAPI.
CPT CODE QTY &	Code for the procedure		Returned by curring EPCEVERT 172711.
MODIFIERS #4	performed, the Quantity, or		
	how many times the unique		
	code appears in the record,		
	and up to 5 two-character		
	CPT modifiers.		
727.827, 23	The fifth 5-character CPT		Returned by calling ENCEVENT^PXAPI.
CPT CODE QTY & MODIFIERS #5	Code for the procedure		
MODIFIERS #5	performed, the Quantity, or how many times the unique		
	code appears in the record,		
	and up to 5 two-character		
	CPT modifiers.		
727.827, 24	The sixth 5-character CPT		Returned by calling ENCEVENT^PXAPI.
CPT CODE QTY &	Code for the procedure		
MODIFIERS #6	performed, the Quantity, or		
	how many times the unique		
	code appears in the record,		
	and up to 5 two-character CPT modifiers.		
727.827, 25	The seventh 5-character		Returned by calling ENCEVENT^PXAPI.
CPT CODE QTY &	CPT Code for the procedure		Returned by Canning ENCEVENT FAAFI.
MODIFIERS #7	performed, the Quantity, or		
	how many times the unique		
	code appears in the record,		
	and up to 5 two-character		
	CPT modifiers.		
727.827, 26	The eighth 5-character CPT		Returned by calling ENCEVENT^PXAPI.
CPT CODE QTY &	Code for the procedure		
MODIFIERS #8	performed, the Quantity, or		
	how many times the unique code appears in the record,		
	and up to 5 two-character		
	CPT modifiers.		
727.827, 27	The Primary ICD-9		Returned by calling ENCEVENT^PXAPI.
PRIMARY ICD9	(diagnosis) code for this		
CODE	clinic visit.		
727.827, 28	Secondary ICD9 code #1		Returned by calling ENCEVENT^PXAPI.
SECONDARY	for this clinic visit.		
ICD9 1			

Field # and Name	Description	Values	Technical Description
727.827, 29 SECONDARY ICD9 2	Secondary ICD9 #2 code for this clinic visit.		Returned by calling ENCEVENT^PXAPI.
727.827, 30 SECONDARY ICD9 3	Secondary ICD9 #3 code for the clinic visit.		Returned by calling ENCEVENT^PXAPI.
727.827, 31 SECONDARY ICD9 4	Secondary ICD9 #4 code for this clinic visit.		Returned by calling ENCEVENT^PXAPI.
727.827,32 DATE OF BIRTH	Patient's date of birth		Data source: OUTPATIENT ENCOUNTER file (#409.68); PATIENT field (#.02); then to PATIENT file (#2); DATE OF BIRTH field (#.03).
			Date of Birth is returned through the supported call DEM^VADPT. It is then represented by an 8-characater numeric string in the YYYYMMDD format. Format is YYYYMMDD.
727.827,33 ELIGIBILITY	Appropriate eligibility code based on veteran or non-veteran status.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4), ELIGIBILITY data is derived from the PRIMARY ELIGIBILITY CODE field (#.361) in the PATIENT file (#2). PRIMARY ELIGIBILITY CODE is a pointer to the ELIGIBILITY CODE field (#8). The data is derived from the MAS ELIGIBILITY CODE file (#8) in the ELIGIBILITY CODE file (#8) which in turn is a pointer to the MAS ELIGIBILITY CODE file (#8) which in turn is a pointer to the MAS ELIGIBILITY CODE file (#8.1).
			The pointer value to file #8.1 is converted by ELIG^ECXUTL3 to the corresponding eligibility code used by NCPD. This code is composed of two or three numeric characters.
727.827,34 VETERAN	Patient's veteran status	'Y' FOR YES 'N' FOR NO	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the CLINIC EXTRACT file (#727.827), VETERAN data is derived from the VETERAN (Y/N)? field (1901) in the PATIENT file (#2). Veteran is returned by the supported call ELIG^VADPT.
727.827,35 RACE	Race abbreviation for this patient.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4), RACE data is copied from the ABBREVIATION field (#2) of the RACE file (#10) entry pointed to by the RACE field (#.06) in the PATIENT file (#2).
727.827,36 POW STATUS	Indicates if patient was confined as a Prisoner of War.	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the CLINIC EXTRACT file (#727.827), POW data is derived from the POW STATUS INDICATED? field (#.525) in the PATIENT file (#2). The POW Status is returned by SVC^VADPT.

Field # and Name	Description	Values	Technical Description
727.827,37 POW LOCATION	If POW Status is indicated, this is the POW confinement location/period.		PATIENT file (#2); POW CONFINEMENT LOCATION field (#.526). This is a pointer value to the POW PERIOD file (#22). The location indicator is returned by SVC^VADPT. This field should be a pointer to the POW
			PERIOD file (#22) but due to the FileMan limitation for data on this subscript, it will remain a free text field.
727.827,38 RADIATION STATUS	Indicates if patient claims exposure to ionizing radiation.	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the ADMISSION EXTRACT file (#727.802), RADIATION data is derived from the RADIATION EXPOSURE INDICATED? field (#.32103) in the PATIENT file (#2). The status indicator is returned by SVC^VADPT.
727.827, 39 RADIATION ENCOUNTER INDICATOR	Indicates whether service provided during this patient encounter is related to exposure to ionizing radiation.	'Y' FOR YES 'N' FOR NO	Using the VISIT FILE ENTRY filed (#.05) in the OUTPATIENT ENCOUTNER file (#409.68) a call is made to API VISIT*PECXSCX1 which in turn calls ENCEVENT*PXAPI. The ENCEVENT*PXAPI returns the ionizing radiation exposure indicator stored at the IONIZING RADIATION EXPOSURE field (#80003) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "IR".
727.827,40 AGENT ORANGE STATUS	Indicates whether patient was exposed to Agent Orange.	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the CLINIC EXTRACT file (#727.827), AGENT ORANGE data is derived from the AGENT ORANGE EXPOS. INDICATED? field (#.32102) in the PATIENT file (#2). The status indicator is returned by SVC^VADPT.
727.827, 41 AGENT ORANGE ENC INDICATOR	Indicates whether service provided during this patient encounter is related to exposure to Agent Orange.	'Y' FOR YES 'N' FOR NO	Using the VISIT FILE ENTRY filed (#.05) in the OUTPATIENT ENCOUNTER file (#409.68)a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the agent orange indicator stored at the AGENT ORANGE EXPOSURE field (#80002) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "AO".
727.827,42 MASTER PATIENT INDEX	Unique national VA patient identifier.		Derived by calling API, \$\$GETICN^MPI001 (Supported DBIA #2701), that returns the Integration Control Number (ICN) for the given patient in the Patient file (#2).

Field # and Name	Description	Values	Technical Description
727.827,43	The nationally defined DSS	, uiuco	DSS PRODUCT DEPARTMENT field value
DSS PRODUCT	Intermediate Department		is determined via the following process: The
DEPARTMENT	Number designated to the		DSS Product Department and IP Number
DEFARTMENT			
	patient care product being		File #727.6 is populated via site specific HL7
	provided.		messages generated by AAC extracts which
			run on a monthly basis. The file is then used
			by the DSS extract routines to identify and to
			populate the DSS PRODUCT
			DEPARTMENT and DSS IP# fields in the
			DSS extract files before transmitting them to
			AAC.
			Using the combination of Feeder System,
			Feeder Location and Feeder Key as an
			identifier for each individual record matches
			are resolved and the designations are made.
			If no match is found in file 727.6 an error
			message is generated and a bulleting is
			triggered and sent to a DSS mail group
707.007.44	D.C. O. I.	OR FOR M.	identifying the problem.
727.827,44	Patient's gender.	'M' FOR Male	Using the patient pointer (DFN) stored in the
SEX		'F' FOR Female	PATIENT NO. – DFN field (#4) in the
			CLINIC EXTRACT file (#727.827), this data
			is derived from the SEX field (.02) in the
			PATIENT file (#2).
			The gender is returned by DEM^VADPT.
727.827,45	The ZIP code for where the		The patient's ZIP code with optional 4-digit
ZIP+4	patient resides. The 5-		extension as found in the ZIP+4 field
ZII 11	character zip code is		(#.1112) of the patient's record in the
	provided if zip + 4 is not		PATIENT file (#2). While the ZIP+4 field in
	available.		file 2 is a max of 9 characters, it does put the
	available.		"-" in if the ZIP code is a +4 type.
727.827, 46	Currently Null		Currently Null
PLACEHOLDER	Currently Ivan		Currently Ivan
727.827, 47	Currently Null		Currently Null
PLACEHOLDER	,		
727.827,48	Eligibility code for the		Using the MAS ELIGIBILITY CODE field
ENCOUNTER	encounter based on the		(#8) of ELIGIBILITY CODE file (#8) as
ELIGIBILITY	purpose of the encounter		pointed to by the ELIGIBILITY OF
	and the patient's eligibility.		ENCOUNTER field (#.13) of the
	and the patient is engionary.		OUTPATIENT ENCOUNTER file (#409.68)
			a call is made to ELIG^ECXUTL3 which
			then returns a numeric code that's stored in
			this field
727.827,49	Military Sexual Trauma	'Y' FOR YES	The MST history file (#29.11) holds data
MST STATUS	(MST) status of a patient on	'N' FOR NO	regarding military sexual trauma claims and
11.01 01111 00	the date of the encounter	'U' FOR UNKNOWN	effective dates. The patients' MST status is
	and date of the encounter	'D' FOR DENIED	stored in the MST status field (#3). A call
		J TORDENIED	will be made to \$\$GETSTAT^DGMSTAPI
			(DFN, DGDATE) using the DFN in the
			PATIENT NO. DFN field (#4) and the date
			in the DAY field (#8).
727.827,50	Indicates if treatment is	'Y' FOR YES	Using the VISIT FILE ENTRY field (#.05)
MST ENCOUNTER	related to Military Sexual	'N' FOR NO	in the OUTPATIENT ENCOUNTER file
INDICATOR	Trauma.		(#409.68) a call is made to API
I.DICHIOR			VISIT^ECXSCX1 which in turn calls,
			ENCEVENT^PXAPI The
			ENCEVENT TAAT II. The ENCEVENT^PXAPI returns the military
			sexual trauma data stored at the MILITARY
			SEXUAL TRAUMA filed (#80005) in the
			VISIT file (#900010). The value will be
			stored in the output array subscripted by
			"MST".
			IVID 1 .

Field # and Name	Description	Values	Technical Description
727.827,51	An indicator used for		Currently, this value is passing a null.
SHARING	patients participating in		
AGREEMENT	sharing agreements.		
PAYOR			
727.827,52	Indicates the first insurer for		Currently, this value is passing a null.
SHARING	patients who participate in		
AGREEMENT	sharing agreements.		
INSURANCE CO			
727.827,53	The facility that the patient		The PREFERRED FACILITY field (# 27.02)
ENROLLMENT	chooses to designate as his		of the PATIENT file (#2) is defined as the
LOCATION	preferred location for care.		facility that the patient chooses to designate
	F		as his preferred location for care. The
			PREFERRED FACILITY field (# 27.02) is a
			pointer to the INSTITUTION file (#4). From
			file #4, the value in the STATION
			NUMBER field (#99) is used.
727.827,54	The state in which the		Using the patient pointer (DFN) stored in the
STATE CODE	patient resides.		PATIENT NO. – DFN field (#4) in the
	1		CLINIC EXTRACT file (#727.827), STATE
			CODE data is derived from the STATE field
			(#.115) in the PATIENT file (#2) which
			points to the STATE file (#5). For the
			STATE file entry, data transmitted is the two
			character VA STATE CODE, field (#2).
727.827,55	County in which the patient		Using the patient pointer (DFN) stored in the
COUNTY CODE	resides.		PATIENT NO. – DFN field (#4) in the
			CLINIC EXTRACT file (#727.827), data is
			taken from the COUNTY field (#.117) in the
			PATIENT file (#2) which points to a subfile
			record in the COUTNY multiple field (#3) of
			the STATE file (#5). The three character VA
			COUNTY CODE, field (#2) within the
			COUNTY multiple field (#3) is used.
727.827,56	The associate primary care		Derived by a call to the Scheduling API,
ASSOCIATE PC	provider assigned to this		OUTPTAP^SDUTL3. The API returns the
PROVIDER	patient through the PCMM		associate provider's internal entry number
	module.		and name form the NEW PERSON file
			(#200. The ASSOCIATE PC PROVIDER is
			the value of a "2" prefixed to the pointer
			value to indicate that the source file is "200".
			For example, if the IEN of the provider in
			file #200 is 98765, the value that will be
			stored is 298765.
			The PATIENT No. – DFN (#4) field and the
			DAY field (#8) are used to determine the
			patient's associate provider at the time the
			prescriptions is filled.
727.827, 57	The VA Code of the Person		Active Person Class is determined by the
ASSOCIATE PC	Class of the patient's		supported call\$\$GET^XUA4A72
PROV PERSON	Associate Primary Care		(PERS,DATE), where PERS is the IEN form
CLASS	Provider as of the date of		file #200 and DATE is the date of the event.
	this extract record.		The VA CODE is determined by the 7 th piece
			of the returned value string.
727.827,58	Currently Null		Currently Null
PLACEHOLDER			

Field # and Name	Description	Values	Technical Description
727.827, 59 DOM, PRRTP AND SAARTP	Indicates if the patient is admitted to either a RRTP, PRRTP, or SARRTP at time	'P' FOR GEN. PRRTP 'D' FOR DOMICILIARY 'S' FOR DOM. PRRTP	If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION file (#727.831),data is
INDICATOR	care is provided.	'T' FOR PTSD PRRTP 'H' FOR HOMELESS CWT/TR 'A' FOR SA CWT/TR	derived from the DOM/PRRTP/SARRTP CODE field(#2) of the DSS TREATING SPECIALTY TRANSLATION file.
		'B' FOR PTSD CWT/TR 'C' FOR GEN. CWT/TR	Otherwise, the value is null.
727.827, 60 ENROLLMENT CATEGORY	Patient's enrollment category.		ENROLLMENT CATEGORY is derived from the standard call \$\$CATEGORY^DGENA4 using the patient's DFN and the ENROLLMENT STATUS (#61) field.
727.827, 61 ENROLLMENT STATUS	Patient's enrollment status.		ENROLLMENT STATUS is derived from the standard call \$\$STATUS^DGENA using the patient's DFN and returns ENROLLMENT STATUS field (#.04) of the PATEINT ENROLLMENT file (#27.11).
727.827, 62 SHAD STATUS	Indicates whether patient meets requirements for Shipboard Hazard and Defense (SHAD).	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the CLINIC EXTRACT file (#727.827), Shipboard Hazard and Defense data is derived from using DBIA #4462 GETSHAD^DGUTL3(DFN).
727.827, 63 PURPLE HEART INDICATOR	Indicates whether or not the patient is a Purple Heart recipient.	'Y' FOR YES 'N' FOR NO	PATIENT file (#2); CURRENT PH INDICATOR field (#.531). The status indicator is returned by SVC^VADPT.
727.827, 64 PERIOD OF SERVICE	The period of service which best classifies this patient based on eligibility code.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the CLINIC EXTRACT file (#727.827) PERIOD OF SERVICE data is derived from the PERIOD OF SERVICE field (#.323) in the PATIENT file (#2). This field is a pointer to the PERIOD OF SERVICE file (#21). Using the period of service pointer, the data is derived from the CODE field (#.03) in the PERIOD OF SERVICE file (#21). This code is a single alpha numeric character. The veteran's period of service indicator is returned by ELIG^VADPT.
727.827, 65 OBSERVATION PATIENT INDICATOR	Indicates if patient is considered to be an observation patient.	'Y' FOR YES 'N' FOR NO	Data (YES,NO) is retrieved from API call \$\$OBSPAT^ECXUTL4: If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file, data is derived from the OBSERVATION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file. If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS ID (MTL,IVP,ECQ,QSR,NOS,SUR) is 290-297, Observation Patient Ind=YES. Else, Observation Patient Ind=NO. Otherwise, Observation Patient Ind=NO.

Field # and Name	Description	Values	Technical Description
727.827, 66 ENCOUNTER NUMBER	The unique number assigned for DSS.		This filed is determined by a call to \$\$ENCNUM^ECXUTL4. Within this call the inpatient/outpatient status, SSN, admit/visit date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number.
727.827, 67 AGENT ORANGE LOCATION	Indicates the location where the patient was exposed to Agent Orange.	'K' FOR KOREAN DMZ 'V' FOR VIETNAM 'O' FOR OTHER	The location is returned by a call to SVC^VADPT which gets its data from the AGENT ORANGE EXPOSURE LOCATION field (#.3213) of the PATIENT file (#2).
727.827, 68 PRODUCTION DIVISION CODE	Identifies the division/facility where the work was performed.		Data comes from the DIVISION field (#3.5) of the HOSPITAL LOCATION file (#44) which is a pointer to the MEDICAL CENTER DIVISION file (#40.8). This value is then used to call the API GETDIV^ECXDEPT to get the STATION NUMBER field (#99) from the INSTITUTION file (#4).
727.827, 69 APPOINTMENT TYPE	Indicates the type of appointment the patient is scheduled for.	'1' FOR Compensation & Pension '2' FOR Class II Dental '3' FOR Organ Donors '4' FOR Employee '5' FOR Prima Facia '6' FOR Research '7' FOR Collateral of Vet '8' FOR Sharing Agreement '9' FOR Regular '10' FOR Computer Generated	Obtained from the PATIENT file (#2), APPOINTMENT sub-file (#2.98), APPOINTMENT TYPE field (#9.5) which is a pointer to the APPOINTMENT TYPE file (#409.1).
727.827, 70 PURPOSE OF VISIT	Indicates the reason the patient has an appointment. Choices are: '1' FOR C&P '2' 10-10 '3' Scheduled Appointment '4' Unsched. Visit	'1' FOR C&P '2' 10-10 '3' Scheduled Appointment '4' Unsched. Visit	Obtained from the PATIENT file (#2), APPOINTMENT sub-file (#2.98), PURPOSE OF VISIT field (#9).
727.827, 71 MEANS TEST	The current means test category for this patient.	'A' FOR Category A 'B' FOR Category B 'C' FOR Category C 'P' FOR Pending Adjudication 'R' FOR Requires Means Test 'N' FOR Means Test not Required 'E' FOR Exempt 'I' FOR Incomplete 'L' FOR No Longer Applicable 'M' FOR Non-Exempt	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the CLINIC EXTRACT file (#727.827), MEANS TEST data is derived from the CURRENT MEANS TEST STATUS field (#.14) in the PATIENT file (#2). This field is a pointer to the MEANS TEST STATUS file (#408.32). Using the means test pointer, the data is derived from the CODE field (#.02) in the MEANS TEST STATUS file (#408.32). The status indicator is returned by ELIG^VADPT.
727.827, 72 HEAD & NECK CANCER INDICATOR	Identifies whether patient has head and/or neck cancer.	'Y' FOR YES 'N' FOR NO	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4), –a call is made to \$\$GETCUR^DGNTAPI to retrieve the HEAD/NECK CA DX field (#2.01) of the NOSE AND THROAT RADIUM HISTORY file (#28.11).

Field # and Name	Description	Values	Technical Description
727.827, 73 ETHNICITY	The patient's PTF ethnicity code.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4), ETHNICITY is derived from the PTF VALUE field (#5) of the ETHNICITY file (#10.2) pointed to by the ETHNICITY INFORMATION field (#.01) of the ETHNICITY INFORMATION subfile (#2.06) of the PATIENT file (#2). The above will occur only if the METHOD OF COLLECTION field (#.02) of the ETHNICITY INFORMATION subfile (#2.06) is set to 1 (SELF IDENTIFICATION), otherwise ETHNICITY with be set to null.
727.827, 74 RACE 1	Self- reported by patient as recorded in VistA patient file.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4), RACE 1 is derived from the PTF VALUE field (#5) of the RACE file (#10) pointed to by the RACE INFORMATION field (#.01) of the RACE INFORMATION sub file (#2.02) of the PATIENT file (#2). Only those RACE INFORMATION values in the RACE INFORMATION subfile (#2.03) where the METHOD OF COLLECTION field (#.02) set to 1 (SELF-IDENTIFICATION), will be included in the RACE 1 field. Up to 6 race entries can be included. If any of the RACE INFORMATION values returned is "C", (DECLINED TO ANSWER) that will be the only value included in the RACE1 field.
727.827, 75 CBOC STATUS INDICATOR	Indicates if the patient was seen at a Community Based Outpatient Clinic (CBOC).	'Y' FOR YES	CBOC STATUS is set to yes if the NAME field (#.01) of the FACILITY TYPE file (#4.1)as pointed to by the FACILITY TYPE field (#13) of the INSTITUTION file as pointed to by the INSTITUTION FILE POINTER field (#.07) of the MEDICAL CENTER DIVISION file (#40.8) is equal to CBOC.
727.827, 76 DSS IP #	The nationally defined DSS Intermediate Product Number designated to the patient care product being provided.		For the Clinic extract, the DSS IP# field is null.

Field # and Name	Description	Values	Technical Description
727.827, 77	This field contains the		ENROLLMENT PRIORITY field contains
ENROLLMENT	enrollment priority group		the enrollment priority group and the
PRIORITY	and the enrollment priority		enrollment priority subgroup from the Patient
	subgroup.		Enrollment File #27.11.
			ENROLLMENT PRIORITY Groups
			'1' FOR GROUP 1
			'2' FOR GROUP 2
			'3' FOR GROUP 3 '4' FOR GROUP 4
			'5' FOR GROUP 5
			'6' FOR GROUP 6
			'7' FOR GROUP 7
			'8' FOR GROUP 8
			ENROLLMENT PRIORITY Subgroups
			determined for a patient enrollment include:
			'a' FOR 1
			'c' FOR 3
			'e' FOR 5
505.005.50		(III FOR LIGHT	'g' FOR 7
727.827, 78	Indicates whether a veteran	'U' FOR USER	User enrollee is determined by checking the
USER ENROLLEE	has User Enrollee status for the current or future fiscal	ENROLLED	PATIENT ENROLLMENT file (#27.11). When a user has a current or future fiscal
			year in the VistA User Enrollee Status (#.04)
	year.		field the value is set to 'U' and Null if no
			date or a past year's value is contained.
			Determined by the use of an API:
			\$\$UESTAT^EASUSER where the Patient
			Identifier (DFN) is passed in.
727.827, 79	Refers to the various types	'AC' FOR Active Duty	PATIENT TYPE is derived from a call to
PATIENT TYPE	of patient, which may be	'AL' FOR Allied Veteran	TYPE^ECXUTL5 (DFN). Using the
	seen at a VA facility. Every	'CO' FOR Collateral	patient's DFN, the NAME field (#.01) of the
	patient in the system must	'EM' FOR Employee	TYPE OF PATIENT file (#391) as pointed to
	have a TYPE specified.	'IN' FOR Ineligible	by the TYPE field (#391) of the PATIENT
		'MI' FOR Military Retiree	file (#2) is shortened to the first two
		'NO' FOR Non-Veteran	characters to determine the value stored in
		(Other) 'NS' FOR NSC Veteran	the PATIENT TYPE field (#79).
		'SC' FOR SC Veteran	
		'TR' FOR Tricare	
727.827, 80	Records if a veteran served	'Y' FOR YES	CV STATUS ELIGIBILITY is determined
CV STATUS	on active duty in a theatre	'E' FOR ELIGIBILITY	by the use of API \$\$CVEDT^DGCV (DFN,
ELIGIBILITY	of combat operations during	EXPIRED	DATE) that checks the COMBAT VET END
	a period of war after the		DATE field (#.5295) from the PATIENT file
	Persian Gulf War or in		(#2) to determine CV Status. API returns
	combat against a hostile		three pieces (i.e. 1^20010106^0) and. the
	force during a period of		first piece is resolved as follows.
	hostilities after November		
	11, 1998.		1 – veteran qualifies as a CV
			0 – veteran does not qualify as a CV
			-1 – bad DFN
			Based on this result the field will be set to
			'Y' for 'YES' or 'E' for 'ELIGIBILITY
			EXPIRED' or 'NULL' for not eligible.
	1		EATINED OF NOLL TOT HOL Eligible.

Field # and Name	Description	Values	Technical Description
727.827, 81	Records the Combat		CV ELIGIBILITY END DATE is
CV ELIGIBILITY	Veteran (CV) eligibility		determined by the use of API
END DATE	expiration date of veteran		\$\$CVEDT^DGCV (DFN,DATE) that checks
	who served on active duty		the COMBAT VET END DATE field
	in a theatre of combat		(#.5295) from the PATIENT file (#2) to
	operations during a period		determine CV Status. API returns three
	of war after the Persian Gulf		pieces (i.e. 1^20010106^0). The 2 nd piece is
	War or in combat against a		the COMBAT VET END DATE in HL7
	hostile force during a period		format.
	of hostilities after		
	November 11, 1998.		
727.827, 82	Records if a veteran served	'Y' FOR YES	ENCOUNTER CV is determined by the use
ENCOUNTER CV	on active duty in a theatre		of API \$\$CVEDT^DGCV (DFN, DATE)
	of combat operations during		that checks the COMBAT VET END DATE
	a period of war after the		field (#.5295) from the PATIENT file (#2) to
	Persian Gulf War or in		determine CV Status. API returns three
	combat against a hostile		pieces (i.e. 1^2010106^0). The third piece
	force during a period of		returns:
	hostilities after November		
	11, 1998.		1 – vet was eligible on date specified
			0 – vet was not eligible on date specified
			Based on these returns, the value for this
			field shall be Y for Yes if value is 1 or left
727 027 02	TD1: 0" 11 1 1 1	(VI) FOR VEG	blank if 0 to indicate ineligibility.
727.827, 83	This field records whether	'Y' FOR YES	The NATIONAL PAIENT RECORD FLAG
NATIONAL	the patient's record contains		field is set based on the results of the
PATIENT RECORD FLAG	1 or more active category 1 (National) Patient Record		\$\$GETACT^DGPFAPI (DFN,TARGET
KECOKD FLAG	Flags.		ARRAY) call. This call looks at the category 1 national patient record flags as recorded in
	rags.		the PRF NATIONAL FLAG file (#26.15).
			The resulting value of this call is the number
			of active category I patient record flags
			assigned to this patient. This field is set to y
			(YES) if the result is greater than zero. A
			value of zero causes this field to be left null.
727.827, 84	This field is used to indicate	'Y' FOR YES	This field is derived from the SOUTHWEST
SW ASIA	if patient claims exposure to	'N' FOR NO	ASIA CONDITIONS? field (#.322013) in
CONDITIONS	Southwest Asia Conditions.	'U' FOR UNKNOWN	the PATIENT File (#2) using the patient's
CONDITIONS	Boular west 1 Isla Conditions.		DFN. The status indicator is returned by
			SVC^VADPT which is called by
			PAT^ECXUTL3.
727.827, 85	This field indicates whether	'Y' FOR YES	Using the pointer to the VISIT file
ENCOUNTER	treatment provided during		(#90000.10) a call to the PCE API
SWAC	this patient encounter is		ENCEVENT^PXAPI is made. This call
	related to exposure to		returns visit data including whether the visit
	Southwest Asia conditions		was related to the patient's exposure to
	while serving in the		Southwest Asia conditions while serving in
	Southwest Asia Theater of		the Southwest Asia Theater of operations.
	operations.		
727.827, 86	This filed identifies		This field is extracted from the
ERI	patients from impacted zip		EMERGENCY RESPONSE INDICATOR
	code areas designated by		field (#.181) located in the PATIENT file
	the Federal Emergency		(#2). Values are:
	Management Agency		"K" = Hurricane Katrina
	(FEMA).		Null

Field # and Name	Description	Values	Technical Description
727.827, 87	Indicates whether service	'Y' FOR YES	Using the VISIT FILE ENTRY field (#.05)
ENC HEAD/NECK	provided during this patient	'N' FOR NO	in the OUTPATIENT ENCOUNTER file
CA	encounter is related to		(#409.68) a call is made to API
	head/neck Cancer.		VISIT^ECXSCX1 which in turn calls
			ENCEVENT^PXAPI. The
			ENCEVENT^PXAPI returns the head/neck
			cancer data stored at the HEAD AND/OR
			NECK CANCER field (#80006) in the
			VISIT file (#9000010).). The value will be
			stored in the output array subscripted by "HNC".
727.827, 88	The Military Operation in		The Military Operation in which the patient
OEF/OIF	which the patient was in		was in combat during the specified time
	combat during the specified		period. This field is a length of nine
	time period. This field is a		characters and reflects the OEF or OIF where
	length of nine characters		this patient was in combat. The value of this
	and reflects the OEF or OIF		field is derived from the LOCATION OF
	where this patient was in		SERVICE field (#.01) from SERVICE [OEF
	combat.		OR OIF] sub-file (#2.3215) of field (#.3215)
			located in the PATIENT File (#2). DSS will capture once, each location where the veteran
			served. In order to accommodate multiple
			locations, the values for this field are
			concatenated into this 9-character field.
			Possible field values are one or more
			combination of the following:
			OEF = Operation Enduring Freedom
			OIF = Operation Iraqi Freedom
			UNK = Unknown OEF/OIF
727.827, 89	The date the patient left the		The date the patient left the OEF/OIF area, if
OEF/OIF RETURN	OEF/OIF area, if known.		known. Otherwise, it is the end date of
DATE	Otherwise, it is the end date		military pay for this OEF/OIF deployment.
	of military pay for this		This date field has a format equal to
	OEF/OIF deployment.		YYYYMMDD. The value of this field is
			derived from the OEF/OIF TO DATE field
			(#.03) from sub-file (#2.3215) of field
			(#.3215) located in the PATIENT file (#2). In cases of multiple OEF/OIF tours, this field
			contains only most recent return date.
727.827, 90	A standard, unique life-long		A standard, unique life-long identifier of the
ASSOCIATE PC	identifier of the associate		associate primary care provider. This field
PROVIDER NPI	primary care provider. This		has a length of fifteen characters. The
	field has a length of fifteen		identifier is retrieved via the supporting
	characters.		Kernel API: \$\$NPI^XUSNPI.
727.827, 91	A standard, unique life-long		A standard, unique life-long identifier of the
PRIMARY CARE	identifier of the primary		primary care provider. This field has a length
PROVIDER NPI	care provider. This field has		of fifteen characters. The identifier is
	a length of fifteen		retrieved via the supporting Kernel API:
	characters.		\$\$NPI^XUSNPI
727.827, 92	A standard, unique life-long		A standard, unique life-long identifier for
PROVIDER NPI	identifier for individuals		individuals providing health care services.
	providing health care		This field has a length of fifteen characters.
	services. This field has a		The identifier is retrieved via the supporting
727 927 02	length of fifteen characters.		Kernel API: \$\$NPI^XUSNPI
727.827, 93	The code for the country associated with the address.		The three-character alpha identifying code is
COUNTRY CODE	associated with the address.		copied from the CODE (#.01) field of the COUNTRY (#779.004) file.
			COUNTRI (#7/9.004) IIIC.

Field # and Name	Description	Values	Technical Description
727.827,94	Indicates if treatment	'Y' FOR YES	Using the VISIT FILE ENTRY field (#.05)
ENCOUNTER	provided during this patient	'N' FOR NO	in the OUTPATIENT ENCOUNTER file
SHAD	encounter is related to the		(#409.68) a call is made to API
	Shipboard Hazard And		VISIT^ECXSCX1 which in turn calls
	Defense (SHAD) condition.		ENCEVENTARY A PLANTARY A Shirth and
			ENCEVENT^PXAPI returns the Shipboard Hazard and Defense conditions indicator
			stored at the PROJ 112/SHAD field (#80008)
			in the VISIT file (#9000010). The value will
			be stored in the output array subscripted by
			"SHAD".
727.827,95	This is the Patient's	'AD' FOR Active Duty	If the VistA Patient Type Code (TYPE
PATCAT	category which will be	'ADD' FOR Active Duty	(#391) field of the Patient (#2) file) =
	used for FHCC (Federal	Dependent	Active Duty, Military Retiree, or
	Health Care Center)	'FNRS' FOR Former Non-	TRICARE, then the value(s) in the VistA
	Reconciliation. DSS must	Remarried Spouse 'RET' FOR Retired	Other Eligibility multiple (PATIENT
	capture and report DoD	'RETD' FOR Retiree	ELIGIBILITIES (#361) field of the
	patients so that the FHCC	Dependent	PATIENT (#2) file), which points to
	reconciliation process can	'RES' FOR Reservist	locally modifiable ELIGIBILITY CODE
	function as designed.	'REC' FOR Recruit	(#8) file should be evaluated. If the value
	"Reconciliation" is the	'TDRL' FOR Temporary	in the ELIGIBILITY CODE is equal to
	process used within the	Disability	any entry in the set of codes in this field,
	new FHCC to determine	'TFL' FOR TRICARE for	the value should be placed in this field.
	which patients DoD pays for and which VA pays	Life	
	for.		
727.827,96	This character string is an		Data is derived by making a call to the
SECONDARY	IEN for the NEW		ENCEVENT^PXAPI (DBIA1889-F) API
PROVIDER #1	PERSON file (#200); a '2'		using the clinic encounter, returning the
	has been appended to the		secondary provider IEN.
	beginning of the character		seesand, per seesa all se
	string. It represents the		A character string of format "2"_IEN,
	first assisting provider		where IEN is the internal entry number for
	associated with this clinic		the secondary provider in the NEW
	visit.		PERSON file (#200).
727.827,97	The VA code of the		Derived by calling
SECONDARY	Person Class of the first		\$\$PRVCLASS^ECXUTL(IEN,DATE),
PROVIDER #1 PC	assisting provider as of the		where IEN is the IEN of the NEW
	date of this record.		PERSON (#200) File. Copied from field
			VA CODE (#5) of the PERSON CLASS
			(#8932.1) file, as pointed to by the Person
			Class (#.01) field of the PERSON CLASS
			(#8932.1) multiple of the NEW PERSON
727.827,98	A standard unique life-		(#200) file. The NPI is retrieved via the supporting
SECONDARY	long identifier of the first		Kernel API: \$\$NPI^XUSNPI.
PROVIDER #1NPI	assisting provider		Κοιποι ΔΙ Ι. φφινι Ι Δυβίνι Ι.
	associated with this clinic		
	visit.		
727.827,99	This character string is an		Data is derived by making a call to the
SECONDARY	IEN for the NEW		ENCEVENT^PXAPI (DBIA1889-F) API
PROVIDER #2	PERSON FILE (#200); a		using the clinic encounter, returning the
	'2' has been appended to		secondary provider IEN.
	the beginning of the		
	character string. It		A character string of format "2"_IEN,
	represents the second		where IEN is the internal entry number for
	assisting provider		the secondary provider in the NEW
	associated with t this		PERSON file (#200).
	clinic visit.		

Field # and Name	Description	Values	Technical Description
727.827,100	The VA code of the		Derived by calling
SECONDARY	Person Class of the second		\$\$PRVCLASS^ECXUTL(IEN,DATE),
PROVIDER #2 PC	assisting provider as of the		where IEN is the IEN of the NEW
	date of this record.		PERSON (#200) File. Copied from field
			VA CODE (#5) of the PERSON CLASS
			(#8932.1) file, as pointed to by the Person
			Class (#.01) field of the PERSON CLASS
			(#8932.1) multiple of the NEW PERSON
727.827,101	A standard unique life-		(#200) file. The NPI is retrieved via the supporting
SECONDARY	long identifier of the		Kernel API: \$\$NPI^XUSNPI.
PROVIDER #2 NPI	second assisting provider		Keinei Ai I. spini i Ausini i.
	associated with this clinic		
	visit.		
727.827,102	This character string is an		Data is derived by making a call to the
SECONDARY	IEN for the NEW		ENCEVENT^PXAPI (DBIA1889-F) API
PROVIDER #3	PERSON file (#200); a '2'		using the clinic encounter, returning the
	has been appended to the		secondary provider IEN.
	beginning of the character		
	string. It represents the		A character string of format "2"_IEN,
	third assisting provider		where IEN is the internal entry number for
	associated with this clinic		the secondary provider in the NEW
707 007 100	visit.		PERSON file (#200).
727.827,103 SECONDARY	The VA code of the Person Class of the third assisting		Derived by calling \$\$PRVCLASS^ECXUTL(IEN,DATE),
PROVIDER #3 PC	provider as of the date of		where IEN is the IEN of the NEW PERSON
TROVIDER #5 TC	this record.		(#200) File. Copied from field VA CODE
			(#5) of the PERSON CLASS (#8932.1) file,
			as pointed to by the Person Class (#.01) field
			of the PERSON CLASS (#8932.1) multiple
505.005.104			of the NEW PERSON (#200) file.
727.827,104 SECONDARY	A standard unique life-long identifier of the third		The NPI is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI.
PROVIDER #3 NPI	assisting provider		Keniel Al I. spivi i Ausivi i.
TRO VIDER #5 TVI I	associated with this clinic		
	visit.		
727.827,105	This character string is an		Data is derived by making a call to the
SECONDARY	IEN for the NEW PERSON		ENCEVENT^PXAPI (DBIA1889-F) API
PROVIDER #4	file (#200); a '2' has been		using the clinic encounter, returning the
	appended to the beginning of the character string. It		secondary provider IEN.
	represents the fourth		A character string of format "2"_IEN, where
	assisting provider		IEN is the internal entry number for the
	associated with this clinic		secondary provider in the NEW PERSON
	visit.		file (#200).
727.827,106	The VA code of the Person		Derived by calling
SECONDARY	Class of the fourth assisting		\$\$PRVCLASS^ECXUTL(IEN,DATE),
PROVIDER #4 PC	provider as of the date of this record.		where IEN is the IEN of the NEW PERSON (#200) File. Copied from field VA CODE
	uns iccord.		(#5) of the PERSON CLASS (#8932.1) file,
			as pointed to by the Person Class (#.01) field
			of the PERSON CLASS (#8932.1) multiple
			of the NEW PERSON (#200) file.
727.827,107	A standard unique life-long		The NPI is retrieved via the supporting
SECONDARY	identifier of the fourth		Kernel API: \$\$NPI^XUSNPI.
PROVIDER #4 NPI	assisting provider associated with this clinic		
	visit.		
<u> </u>	, 101t.		1

Field # and Name	Description	Values	Technical Description
727.827,108 SECONDARY PROVIDER #5	This character string is an IEN for the NEW PERSON file (#200); a '2' has been appended to the beginning of the character string. It		Data is derived by making a call to the ENCEVENT^PXAPI (DBIA1889-F) API using the clinic encounter, returning the secondary provider IEN.
	represents the fifth assisting provider associated with this clinic visit.		A character string of format "2"_IEN, where IEN is the internal entry number for the secondary provider in the NEW PERSON file (#200).
727.827,109 SECONDARY PROVIDER #5 PC	The VA code of the Person Class of the fifth assisting provider as of the date of this record.		Derived by calling \$\$PRVCLASS^ECXUTL(IEN,DATE), where IEN is the IEN of the NEW PERSON (#200) File. Copied from field VA CODE (#5) of the PERSON CLASS (#8932.1) file, as pointed to by the Person Class (#.01) field of the PERSON CLASS (#8932.1) multiple of the NEW PERSON (#200) file.
727.827,110 SECONDARY PROVIDER #5 NPI	A standard unique life-long identifier of the fifth assisting provider associated with the clinic visit.		The NPI is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI
727.827,111 ED DISPOSITION CODE	Disposition code associated with the patient's emergency room visit.	'A' FOR ADMIT 'D' FOR DECEASED 'E' FOR ERROR 'L' FOR LEFT 'R' FOR REFERRED 'T' FOR TRANSFERRED 'U' FOR UNKNOWN 'N' FOR NONE	The emergency room dispositions is derived by calling \$\$EDIS^ECXUTL, which uses the VISIT field (#.12) of the ED LOG file (#230) to determine if the patient was seen in the emergency department (based on stop code) as part of their visit. If the patient was seen in the emergency department then the NAME field (#.01) of the TRACKING CODE file (#233.1) as pointed to by the DISPOSITION filed (#1.2) of the ED LOG file (#230) is used to identify the disposition code.
727.827,112 Primary ICD-10 CODE	This is the Primary ICD10 code for this clinic visit.		Once available, the ICD10 data will be retrieved from the supported API and stored in this field. This field is added in anticipation of the release of ICD10 and the file will be updated at the time the software is updated to retrieve the ICD10 information.
727.827,113 SECONDARY ICD-10 CODE #1	This is the first Secondary ICD-10 code for this clinic visit.		Once available, the ICD10 data will be retrieved from the supported API and stored in this field. This field is added in anticipation of the release of ICD10 and the file will be updated at the time the software is updated to retrieve the ICD10 information.
727.827,114 SECONDARY ICD-10 CODE #2	This is the second secondary ICD-10 code for this clinic visit.		Once available, the ICD10 data will be retrieved from the supported API and stored in this field. This field is added in anticipation of the release of ICD10 and the file will be updated at the time the software is updated to retrieve the ICD10 information.

Field # and Name	Description	Values	Technical Description
727.827,115	This is the third secondary		Once available, the ICD10 data will be
SECONDARY	ICD-10 code for this clinic		retrieved from the supported API and stored
ICD-10 CODE #3	visit.		in this field.
			This field is added in anticipation of the
			release of ICD10 and the file will be updated
			at the time the software is updated to retrieve
			the ICD10 information.
727.827,116	This is the fourth secondary		Once available, the ICD10 data will be
SECONDARY	ICD-10 code for this clinic		retrieved from the supported API and stored
ICD-10 CODE #4	visit.		in this field.
			This field is added in anticipation of the
			release of ICD10 and the file will be updated
			at the time the software is updated to retrieve
			the ICD10 information.

#727.815 – EVENT CAPTURE LOCAL EXTRACT (ECS) File Data Definition

This file contains data elements as specified by the Decision Support Office (DSO) for the Event Capture extract from the existing Event Capture VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Only the extract load should make entries routine.

Since the local site will determine validation techniques, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.

Field # and Name	Description	Values	Technical Description
727.815,.01 SEQUENCE NUMBER	The record for this extract entry.		The internal entry number (IEN) for this record. This entry is DINUMed.
727.815,1 YEAR MONTH	A six character string representing the year and month for which this extract was performed.		Format is YYYYMM; Year 2000 compliant per vendor.
727.815,2 EXTRACT NUMBER	The DSS extract log entry for this Event Capture extract.		A pointer to the DSS EXTRACT LOG file (#727). The primary purpose is to pick up the header for the mail message.
727.815,3 FACILITY	This is the facility/division where the extract was performed.		Derived from the LOCATION field (#3) in the EVENT CAPTURE PATIENT file (#721),which points to the INSTITUTION file (#4).
			This is a copy of the STATION NUMBER field (#99).
			The facility field should be 3 to 7 characters but due to FileMan limitations for data on this node, the field will retain its current setting of 1 to 7.
727.815,4 PATIENT NO. – DFN	An identifying number for the patient at the local site.		A pointer to the PATIENT file (#2). This patient pointer is pulled from the PATIENT field (1) in the EVENT CAPTURE PATIENT file (#721).
727.815,5 SSN	The patient's social security number.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the EVENT CAPTURE LOCAL EXTRACT file (#727.815), SSN data is derived from the SOCIAL SECURITY NUMBER field (#.09) in the PATIENT file (#2).
			"Test" patient status is determined in PAT^ECXUTL3. Any patient with an SSN beginning with "00000" will not be included in the extract.

Field # and Name	Description	Values	Technical Description
727.815,6	The first four characters of		Using the patient pointer (DFN) stored in the
NAME	the patient's last name		PATIENT NO. – DFN field (#4) in the
	associated with this extract record.		EVENT CAPTURE LOCAL EXTRACT file (#727.815), NAME data is derived from the
	record.		NAME field (#.01) in the PATIENT file
			(#2). The first four characters of the first ","
			piece are used, padded with trailing spaces if
			necessary.
			,
			The name value is returned by the supported
			call DEM^VADPT.
727.815,7	Indicates whether the		To determine the value of this field a call is
IN OUT PATIENT	patient was an inpatient or		made to \$\$PATDEM^ECXUTL2. Within
INDICATOR	an outpatient for this		this call, \$\$INP^ECXUTL2 is called to
	extract.		determine inpatient/outpatient status. If the
			patient is an outpatient, processing stops and
			the field is set to O. If the patient is an
			inpatient then \$\$INOUTP^ECXUTL4 is called to look at the treating specialty. IF the
			patient's treating specialty exists in the DSS
			TREATING SPECIALTY TRANSLATION
			(#727.831) file then the value of the
			INPAT/OUTPAT CODE field (#5) of the
			DSS TREATING SPECIALTY
			TRANSLATION (#727.831) file is used. If
			the treating specialty is not found in the
			DSS TREATING SPECIALTY
			TRANSLATION (#727.831) file then the
			indicator is set to I.
			This field should be a set of codes, with I for
			INPATIENT and O for OUTPATIENT, but
			due to FileMan limitations for data on this
			node, the field is being left as free text.
727.815,8	Date when procedure was		Date is pulled from the DATE/TIME OF
DAY	performed.		PROCEDURE field (#2) in the EVENT
			CAPTURE PATIENT file (#721).
			This field is always arreadly 8 manages
			This field is always exactly 8 numeric characters in length. The format is
			YYYYMMDD; for example, 19970923.
			If the date cannot be determined, a default is
			used. The default date value is the value of
			the YEAR MONTH field (#1) concatenated
			with "01" for the day (DD) portion.
727.815,9	The DSS UNIT assigned for		The DSS UNIT is a locally defined group of
DSS UNIT	the procedure performed		work products entered for a specific DSS
	during this encounter.		department. The DSS UNIT is derived from
			the DSS UNIT field (#6) in the EVENT
505.015.12			CAPTURE PATIENT file (#721).
727.815,10	This field contains the IEN		A character string which represent the IEN of
CATEGORY	in file #726 for the Category		the Category in the EVENT CAPTURE
	associated with this extract		CATEGORY file (#726). Category is pulled
	record.		from the CATEGORY field (#7) in the
			EVENT CAPTURE PATIENT file (#721).

Field # and Name	Description	Values	Technical Description
727.815,11 PROCEDURE	This field contains the name of the procedure selected for this extract record. The number of days, or		The procedure pointer is pulled from the PROCEDURE field (8) in the EVENT CAPTURE PATIENT file (#721). For CPT codes from the CPT file (#81) it is the CPT code (.01)_volume. Volume is pulled from the VOLUME field (9) in the EVENT CAPTURE PATIENT file (#721) and is padded to the left with zeros. For national procedures from the EC NATIONAL PROCEDURE file (#725), it is the NATIONAL NUMBER field (1)_ "N" For local procedures from the EC NATIONAL PROCEDURE file (#725), it is the NATIONAL NUMBER field (1)_ "L" . Numeric volume for this procedure
VOLUME	number of timed-specific units, or number of times the procedure was performed.		associated with this extract record. Volume is pulled from the VOLUME field (#9) in the EVENT CAPTURE PATIENT file (#721).
727.815,13 COST CENTER	This is the cost center associated with the DSS unit for this extract record.		A pointer to the COST CENTER file (#420.1) Cost center is derived from the COST CENTER field (#3) in the DSS UNIT file (#724). This field should be a pointer to the COST CENTER file (#420.1) but due to FileMan limitations for data on this node, the field is being left as a free text field.
727.815,14 ORDERING SECTION	This is the IEN of the Ordering Section. The Ordering Section represents the medical specialty (for example, ambulatory care) responsible for the encounter.		The Ordering Section is pulled from the ORDERING SECTION field (#11) in the EVENT CAPTURE PATIENT file (#721). This field should be a pointer to the MEDICAL SPECIALTY file (#723) but due to FileMan limitations for data on this node, the field is being left as a free text field.
727.815,15 SECTION	This is the IEN in file #723 of the Medical Specialty of the DSS Unit associated with this extract record.		This character string represents an IEN in the MEDICAL SPECIALTY file (#723). The data is pulled from the SECTION field (#5) in the EVENT CAPTURE PATIENT file (#721).
727.815,16 PROVIDER	The primary provider who performed the procedure associated with the Event Capture Patient record.		Data is derived by returning a local array (first node) of the \$\$GETPRV^ECPRVMUT APT (DBIA #4460) that returns the PROVIDER multiple (#42) from the EVENT CAPTURE PATIENT File (#721). The PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765.
727.815, 17 PROVIDER PERSON CLASS	The VA code of the Person Class of the Provider as of the date of this record.		Active Person Class is determined by the supported call \$\$GET^XUA4A72 (PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string. This field should be exactly 7 characters in length but due to FileMan limitations for data on this node, the field will retain its current setting of 1 to 7.

Field # and Name	Description	Values	Technical Description
727.815,18	The second provider		Data is derived by returning local array
PROVIDER #2	associated with the Event		(second node) of the calling
	Capture Patient record.		\$\$GETPRV^ECPRVMUT API (DBIA
			#4460) that returns the (#42) PROVIDER
			MULTIPLE from the EVENT CAPTURE
			PATIENT File (#721).
			The PROVIDER #2 is the value of a "2"
			prefixed to the pointer value to indicate that
			the source file is 1"200". For example, if the
			IEN of the provider in file #200 is 98765, the
			value that will be stored is 298765.
727.815, 19	This is the VA code of the		Active Person Class is determined by the
PROVIDER #2 PERSON CLASS	Person Class of the second		supported call
PERSON CLASS	assisting provider as of the date of this record.		\$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from file #200 and DATE is
	date of this fecold.		the date of the event. The VA CODE is
			determined by the 7 th piece of the returned
			value string.
			This filed should be exactly 7 characters in
			length but due to FileMan limitations for data
			on this node, the field will retain its current
			setting of 1 to 7.
727.815,20	The third assisting Provider		Data is derived by returning local array
PROVIDER #3	who performed the procedure associated with		(second node) of the calling \$\$GETPRV^ECPRVMUT API (DBIA
	the Event Capture Patient		#4460) that returns the (#42) PROVIDER
	record.		MULTIPLE from the EVENT CAPTURE
			PATIENT File (#721).
			The PROVIDER #3 is the value of a "2"
			prefixed to the pointer value to indicate that
			the source file is 1"200". For example, if the
			IEN of the provider in file #200 is 98765, the
727.815, 21	The VA Code of the Person		value that will be stored is 298765. Active Person Class is determined by the
PROVIDER #3	Class of the third assisting		supported call
PERSON CLASS	provider as of the date of		\$\$GET^XUA4A72(PERS,DATE), where
	this record.		PERS is the IEN from file #200 and DATE is
			the date of the event. The VA CODE is
			determined by the 7 th piece of the returned
			value string.
			This filed should be exactly 7 characters in
			length but due to FileMan limitations for data
			on this node, the field will retain its current
505.015.65	a 1 11 11		setting of 1 to 7.
727.815, 22 PLACEHOLDER4	Currently Null		Currently Null
727.815,23	Current patient movement		Pointer to the PATIENT MOVEMENT file
MOVEMENT FILE	record associated with this		(#405).
#	extract record.		

Field # and Name	Description	Values	Technical Description
727.815,24	The PTF CODE of the	1 11 11 11	This field is initialized to a null, indicating an
TREATING	treating specialty associated		outpatient status. If a call to IN5^VADPT
SPECIALTY	with this extract record.		(using the patient IEN and the event date)
	Only applicable if the		returns a patient movement number
	patient was an inpatient on		(indicating inpatient status), then the value of
	the date of the procedure.		VAIP(8), which is the pointer to the
			FACILITY TREATING SPECIALTY file
			(#45.7), is used to get the SPECIALTY field
			(1) which points to the SPECIALTY file (#42.4).
			(#42.4).
			Then, the PTF Code (field #7 of file 42.4) is
			obtained and stored instead of the code of the
			specialty.
727.815,25	The time when the Event		A six-character string of format HHMMSS
TIME	Capture procedure was		which represents the time (military time)
	performed.		when the procedure was performed.
			Time is extracted from the date information
			pulled from the DATE/TIME OF
			PROCEDURE field (#2) in the EVENT
			CAPTURE PATIENT file (#721).
			A default of "000300" will be used if field
			(#2) of file #721 does not have a time
727.815,26	The IEN of the primary care		portion. Using the DATE/TIME OF PROCEDURE
PRIMARY CARE	team assigned to this		field (#2) from the EVENT CAPTURE
TEAM	patient.		PATIENT file (#721) and the patient pointer
12.1.1	Pattern		(DFN) stored in the PATIENT NO. – DFN
			field (#4) in the EVENT CAPTURE LOCAL
			EXTRACT file (#727.815), a call is made to
			the Scheduling API, OUTPTTM^SDUTL3.
			The API returns the team's internal entry
			number and name from the TEAM file
			(#404.51). Only the pointer (IEN) to File 404.51 is transmitted.
			404.51 is transmitted.
			This field should be a pointer to the TEAM
			file (#404.51) but due to FileMan limitations
			for data on this node, this field is being left as
			a free text field.
727.815,27	The primary care provider		Using the DATE/TIME OF PROCEDURE
PRIMARY CARE PROVIDER	assigned to this patient.		field (#2) EVENT CAPTURE PATIENT file (#721) and the patient pointer (DFN) stored
INOVIDEN			in the PATIENT NO. – DFN field (#4) in the
			EVENT CAPTURE LOCAL EXTRACT file
			(#727.815), a call is made to the Scheduling
			API, OUTPTPR^SDUTL3. The API returns
			the provider's internal entry number and
			name from the NEW PERSON file (#200).
			A "2" is prefixed to the pointer value to
			indicate that the source file is "200".
727.815,28	Five character Current		PCE CPT CODE is derived from the PCE
PCE CPT CODE &	Procedural Terminology		CPT CODE field (#19) and the CPT
MODIFIERS	(CPT) Code the quantity (or		MODIFIER multiple (#36) in the EVENT
	how many times the unique		CAPTURE PATIENT file (#721).
	code appears in the record),		The source of CPT modifiers is the
	and up five two- character CPT modifiers.		MODIFIER field (#.01) of the CPT
	CI I modificis.		MODIFIER filed (#.01) of the CF1 MODIFIER file (#81.3).
	L	L	

Field # and Name	Description	Values	Technical Description
727.815,29 ICD-9 CODE	The Primary ICD-9 code for the procedure performed.		ICD-9 CODE is derived from the ICD-9 CODE field (#20) in the EVENT CAPTURE PATIENT file (#721), which points to the ICD DIAGNOSIS file (#80).
727.815, 30 SECONDARY ICD9 CODE #1	First of the Secondary ICD-9 codes for the procedure performed.		ICD-9 CODE is derived from the ICD-9 CODE field (#20) in the EVENT CAPTURE PATIENT file (#721), which points to the ICD DIAGNOSIS file (#80).
727.815, 31 SECONDARY ICD9 CODE #2	Second of the Secondary ICD-9 code for the procedure performed.		ICD-9 CODE is derived from the ICD-9 CODE field (#20) in the EVENT CAPTURE PATIENT file (#721), which points to the ICD DIAGNOSIS file (#80).
727.815, 32 SECONDARY ICD9 CODE #3	Third of the Secondary ICD-9 codes for the procedure performed.		ICD-9 CODE is derived from the ICD-9 CODE field (#20) in the EVENT CAPTURE PATIENT file (#721) which points to the ICD DIAGNOSIS file (#80).
727.815, 33 SECONDARY ICD9 CODE #4	Fourth of the Secondary ICD-9 code for the procedure performed.		ICD-9 CODE is derived from the ICD-9 CODE field (#20) in the EVENT CAPTURE PATIENT file (#721) which points to the ICD DIAGNOSIS file (#80).
727.815,34 AGENT ORANGE	Indicates whether patient was exposed to Agent Orange	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	Using the patient pointer (DFN) stored in the PATIENT field (#1) in the EVENT CAPTURE PATIENT file (#721), AGENT ORANGE data is derived from the AGENT ORANGE EXPOS. INDICATED? field (#.32102)in the PATIENT file (#2).
			The status indicator is returned by SVC^VADPT which is called by routine PAT^ECXUTL3.
727.815,35 RADIATION EXPOSURE	Indicates if patient claims exposure to ionizing radiation.	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	Using the patient pointer (DFN) stored in the PATIENT field (#1) in the EVENT CAPTURE PATIENT file (#721), RADIATION data is derived from the RADIATION EXPOSURE INDICATED? field (#.32103) in the PATIENT file (#2).
			The status indicator is returned by SVC^VADPT which is called by routine PAT^ECXUTL3.
727.815,36 SW ASIA CONDITIONS	This field is used to indicate if this visit represents treatment of a VA patient claiming exposure to Southwest Asia Conditions.	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	This field is derived from the SOUTHWEST ASIA CONDITIONS? Field (#.322013) in the PATIENT file (#2) using the patient's DFN. The status indicator is returned by SVC^VADPT which is called by PAT^ECXUTL3.
727.815,37 SERVICE CONNECTED	Indicates if patient is service connected.	'Y' FOR YES 'N' FOR NO	Using the patient pointer (DFN) stored in the PATIENT field (#1) in the EVENT CAPTURE PATIENT file (#721), SERVICE CONNECTED data is derived from the SERVICE CONNECTED? field (#301) in the PATIENT file (#2).
			The status indicator is returned by SVC^VADPT which is called by PAT^ECXUTL3.
727.815,38 SENT TO PCE	This field flags data that has been sent from Event Capture to PCE.	'Y' FOR YES 'N' FOR NO	Record is flagged Y when sent to PCE, N or null if not sent.
727.815, 39 PLACEHOLDER5	Currently Null		Currently Null

Field # and Name	Description	Values	Technical Description
727.815,40	The DSS Identifier		The DSS IDENTIFIER represents the
DSS IDENTIFIER	represents the primary and		primary and secondary stop codes of the
	secondary stop codes of the		ASSOCIATED CLINIC in the Event Capture
	Associated Clinic.		Patient record, OR it is the Associated Stop
			Code of the DSS Unit in the Event Capture
			Patient record.
			If the secondary stop code is not known,
			then"000" will be sued as the 2 nd 3
			characters. If the primary stoop code is not
			known, the "000000" will be used. If the
			DSS Unit does not have an Associated Stop
			Code, then "000000" will be used.
			The source of the data is:
			STOP CODE NUMBER field (#8) of the
			HOSPITAL LOCATION file (#44) as
			pointed to by the ASSOCIATED CLINIC
			field ((#26) of the EVENT CAPTURE
			PATIENT file (#721) concatenated with the
			AMIS REPORTING STOP CODE field (#1)
			of the CLINIC STOP file (#40.7) as pointed
			to by the CREDIT STOP CODE field
			(#2503) of the HOSPTIAL LOCAITON file (#44).
			OR
			ASSOCIATED STOP CODE field (#9) of
			the DSS UNIT file (#724) as pointed to by the DSS UNIT field (#6) of the EVENT
			CAPTURE PATIENT file (#721)
			concatenated with the AMIS REPORTING
			STOP CODE field (#1) of the CLINI STOP
			file (#40.7) as pointed to by the CREDIT
			STOP CODE field (#2503) of the
505.015.11			HOSPTIAL LOCAITON file (#44).
727.815, 41 PLACEHOLDER	Currently Null		Currently Null
727.815, 42	Unique national VA patient		Derived by calling API, \$\$GETICN^MPI001
MASTER	identifier		(Supported DBIA #2701), that returns the
PATIENT INDEX			Integration Control Number (ICN) for the
			given patient in the Patient file (#2).
727.815, 43	The nationally defined DSS		Data comes from the UNIT NUMBER field
DSS PRODUCT	Department Code		(#4) of the DSS Unit file (#724) as pointed to
DEPARTMENT	designated for the patient care product.		by the DSS UNIT field (#6) of the EVENT CAPTURE PATIENT file (#721).
727.815, 44	Currently Null		Currently Null
PLACEHOLDER			•
727.815, 45 PLACEHOLDER	Currently Null		Currently Null
727.815, 46	Currently Null		Currently Null
PLACEHOLDER	-		,
727.815,47	The VA code of the Person		Active Person Class is determined by the
PC PROVIDER	Class of the Primary Care		supported call \$\$GET^XUA4A72
PERSON CLASS	Provider as of the date of		(PERS,DATE), where PERS is the IEN from
	this extract.		file #200 and DATE is the date of the event.
			The VA CODE is determined by the 7 th piece
727.815, 48	Currently Null.		of the returned value string. Currently Null
PLACEHOLDER	Currently Ivail.		Currently Ivan
TOLITOLDEN	1		I .

Field # and Name	Description	Values	Technical Description
Field # and Name 727.815, 49 ASSOCIATE PC PROVIDER	Description The Associate Primary Care Provider assigned with the PCMM application.	Values	Technical Description Derived by a call to the Scheduling API, OUTPTAP^SDUTL3. The API returns the associate provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The PATEINT field (#1) and the DATE/TIME OF PROCEDURE field (#3) of the EVENT CAPTURE PATIENT file (#721) are used to determine the patient's
			associate provider at the time of the admission.
727.815, 50 ASSOC. PC PROV. PERSON CLASS	VA Code of the Person Class of the patient's Associate Primary Care Provider.		Active Person Class is determined by \$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string.
727.815, 51	Currently Null.		Currently Null
PLACEHOLDER 727.815, 52 DIVISION	The Division field will not be used in the Event Capture extract.		The Division field will always be null.
727.815, 53 MST STATUS	Indicates the Military Sexual Trauma (MST) status of a patient on the day of the encounter.	'Y' FOR Yes, screened reports MST 'N' FOR No, Screened, does not report MST 'D' FOR Screened, declines to answer. 'U' FOR Unknown, not screened	The MST history file (#29.11) holds data regarding military sexual trauma claims and effective dates. The patients' MST status is stored in the MST status field (#3). A call will be made to \$\$GETSTAT^DGMSTAPI (DFN, DGDATE) using the DFN in the PATIENT field (#1) and the DATE/TIME OF PROCEDURE field (#3) of the EVENT CAPTURE PATIENT file (#721).
727.815, 54 DOM, PRRTP AND SAARTP INDICATOR	Indicates if the patient is admitted to either a RRTP, PRRTP, or SARRTP at time care is provided.	'P' FOR GEN. PRRTP 'D' FOR DOMICILIARY 'S' FOR DOM. PRRTP 'T' FOR PTSD PRRTP 'H' FOR HOMELESS CWT/TR 'A' FOR SA CWT/TR 'B' FOR PTSD CWT/TR 'C' FOR GEN. CWT/TR	If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file, data is derived from the DOM/PRRTP/SARRTP CODE field (#2)of the DSS TREATING SPECIALTY TRANSLATION(#727.831) file. Otherwise, the value is null.
727.815, 55 DATE OF BIRTH	Patient's date of birth.		Data source:
DATE OF BIRTH			EVENT CAPTURE PATIENT file (#721); PATIENT field (#2) then to PATIENT file (#2); DATE OF BIRTH field (#.03). Date of Birth is returned through the supported call DEM^VADPT. It is then represented by an 8-character numeric string in the YYYYMMDD format.
727.815, 56 ENROLLMENT CATEGORY	Patient's enrollment category.		ENROLLMENT CATEGORY is derived from the standard call \$\$CATEGPRU^DGENA4 using the patient's DFN and the CURRENT ENROLLMENT field (#27.01) of the PATIENT file (#2).

Field # and Name	Description	Values	Technical Description
727.815,57	The IEN of the patient's	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ENROLLMENT STATUS is derived from
ENROLLMENT	enrollment status.		the standard call \$\$STATUS^DGENA using
STATUS			the patient's DFN and returns the
			ENROLLMNET STATUS field (#.04) of the
			PATIENT ENROLLMENT file (#27.11).
			This field should be a pointer to the
			ENROLLMENT STATUS file (#27.15) file
			but due to FileMan limitations for data on
			this node, the field is being left as a free text field.
727.815, 58	Currently Null		Currently Null
Placeholder			
727.815, 59	The period of service that		Period of Service is derived from the
PERIOD OF	best classifies this patient		PERIOD OF SERVICE field (#.323) in the
SERVICE	based on eligibility code.		PATIENT file (#2).
727.815, 60	Indicates whether or not the	'Y' FOR YES	PATIENT file (#2); CURRENT PH
PURPLE HEART	patient is a Purple Heart	'N' FOR NO	INDICATOR field (#.531). The status
INDICATOR	recipient		indicator is returned by SVC^VADPT.
727.815, 61	Indicates if patient is	'Y' FOR YES	Data (YES,NO) is retrieved from API call
OBSERVATION PATIENT	considered to be an observation patient.	'N' FOR NO	\$\$OBSPAT^ECXUTL4:
INDICATOR			If the patient's treating specialty exists in the
			DSS TREATING SPECIALTY
			TRANSLATION (#727.831) file, data is
			derived from the OBSERVATION PAT
			INDICATOR field (#4) of the DSS
			TREATING SPECIALTY TRANSLATION (#727.831) file. If patient is outpatient and
			treating specialty not in file, AND Feeder
			KEY (CLI) or DSS ID
			(MTL,IVP,ECQ,QSR,NOS,SUR) is 290-297,
			Observation Patient Ind=YES. Else,
			Observation Patient Ind=NO.
525.015.62			Otherwise Observation Patient Ind=NO.
727.815, 62	The unique number		This field is determined by a call to
ENCOUNTER NUMBER	assigned for DSS.		\$\$ENCNUM^ECXUTL4. Within this call the inpatient/outpatient status, SSN,
TOMBER			admit/visit date, treating specialty,
			observation patient indicator, and DSS
			Identifier or feeder key values of the record
			are used to create a unique encounter
			number.
727.815, 63	Indicates the location where		The location is returned by a call to
AGENT ORANGE	the patient was exposed to		SVC^VADPT which gets its data from the
LOCATION	Agent Orange.		AGENT ORANGE EXPOSURE
			LOCATION field (#.3213) of the PATIENT FILE (#2).
727.815, 64	For future development;		Currently Null
ORDERING	currently set to null.		Currontly Ivan
DIVISION			
727.815, 65	For future development;		Currently Null
CONTRACT	currently set to null.		
START DATE	-		
727.815, 66	For future development;		Currently Null
CONTRACT END	currently set to null.		
DATE	F. C. 1		C 1 N II
727.815, 67	For future development;		Currently Null
CONTRACT TYPE	currently set to null.		

Field # and Name	Description	Values	Technical Description
727.815, 68	This field is used to indicate	'Y' FOR YES	Using the CNHSTAT^ECXUTL\$ (DFN) call
CNH/SH STATUS	whether a patient is	'N' FOR NO	the CNH CURRENT field (#148) of the
	currently in a contract		PATIENT file (#2).
727 047 60	nursing home/state home.		The Local Property of the Control of
727.815, 69	Identifies the		The LOCATION field (#4) of the EVENT
PRODUCTION DIVISION CODE	division/facility where the work was performed.		CAPTURE PATIENT file (#721), is used to call the api RADDIV^ECXDEPT to get the
DIVISION CODE	work was performed.		STATION NUMBER field (#99) from the
			INSTITUTION file (#4).
727.815, 70	Appropriate eligibility code		Using the patient pointer (DFN) stored in the
ELIGIBILITY	based on veteran or non-		PATIENT NO. – DFN field (#4),
	veteran status.		ELIGIBILITY data is derived from the
			PRIMARY ELIGIBILITY CODE field
			(#.361) in the PATIENT file (#2).
			PRIMARY ELIGIBILITY CODE is a
			pointer to the ELIGIBILITY CODE file (#8). The data is derived from the MAS
			ELIGIBILITY CODE field (#8) in the
			ELIGIBILITY CODE file (#8), which in turn
			is a pointer to the MAS ELIGIBILITY
			CODE file (#8.1).
			The pointer value to file #8.1 is converted by
			ELIG^ECXUTL3 to the corresponding
			eligibility code used by NPCD. This code is composed of two or three numeric characters.
727.815, 71	Identifies whether patient	'Y' FOR YES	Using the patient pointer (DFN) stored in the
HEAD & NECK	has head and/or neck	'N' FOR NO	PATIENT NO. – DFN field (#4), a call is
CANCER	cancer.		made to
INDICATOR			\$\$GETCUR^DGNTAPI to retrieve the
			HEAD/NECK CA DX field (#2.01) of the
			NOSE AND THROAT RADIUM HISTORY
			file (#28.11)
727.815, 72	The patient's PTF Ethnicity		Using the patient pointer (DFN) stored in the
ETHNICITY	Code.		PATIENT NO. – DFN field (#4),
			ETHNICITY is derived from the PTF VALUE field (#5) of the ETHNICITY file
			(#10.2) pointed to by the ETHNICITY
			INFORMATION field (#.01) of the
			ETHNICITY INFORMATION subfile
			(#2.06) of the PATIENT file (#2).
			The above will occur only if the METHOD
			OF COLLECTION field (#.02) of the ETHNICITY INFORMATION sub file
			(#2.06) is set to 1 (SELF-
			IDENTIFICATION), otherwise ETHNICITY
			with be set to null.
	l		with oc set to hull.

Field # and Name	Description	Values	Technical Description
727.815, 73 RACE 1	Self- reported by patient as recorded in VistA patient file.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4), RACE 1 is derived from the PTF VALUE field (#5) of the RACE file (#10) pointed to by the RACE INFORMATION field (#.01) of the RACE INFORMATION sub file (#2.02) of the PATIENT file (#2). Only those RACE INFORMATION values in the RACE INFORMATION subfile (#2.03) where the METHOD OF COLLECTION field (#.02) set to 1 (SELF-IDENTIFICATION), will be include in the RACE 1 field. If any of the RACE INFORMATION values returned are "C" (DECLINED TO ANSWER) that will be the
727.815, 74 ENROLLMENT LOCATION	The facility that the patient chooses to designate as his preferred location for care.		only value included in the RACE1 field. The PREFERRED FACILITY field (#27.02) of the PATIENT file (#2) is defined as the facility that the patient chooses to designate as his preferred location for care. The PREFERRED FACILITY field (#27.02) is a pointer to the INSTITUTION file (#4). From the INSTITUTION file #4, the value in the STATION NUMBER field (#99) is used.
727.815, 75 DSS IP #	The nationally defined DSS Intermediate Product Number designated to the Event Capture care product.		DSS IP# field value is determined via the following process; The DSS PRODUCT DEPARTMENT AND IP NUMBER file (#727.6) is populated via site specific HL7 messages generated by AAC extracts which run on a monthly basis. The file is then used by the DSS extract routines to identify and to populate the DSS PRODUCT DEPARTMENT AND DSS IP # fields in the DSS extract files before transmitting them to AAC. Using the combination of Feeder System, Feeder Location and Feeder Key as an identifier for each individual records does the matches. IF no match is found an error message is generated and a bulletin is triggered and sent to a DSS mail group identifying the problem.
727.815, 76 ENROLLMENT PRIORITY	This field contains the enrollment priority group and the enrollment priority subgroup.		ENROLLMENT PRIORITY field contains the enrollment priority group and the enrollment priority subgroup from the Patient Enrollment file (#27.11). ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLL PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7

Field # and Name	Description	Values	Technical Description
727.815, 77 USER ENROLLEE	Indicates whether a veteran has User Enrollee status for the current or future fiscal year.	'U' FOR USER ENROLLED	User enrollee is determined by checking the Patient Enrollment (#27.11) file. When a user has a current or future fiscal year in the VistA User Enrollee Status (#.04) field the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: \$\$UESTAT^EASUERwhere the Patient Identifier (DFN) is passed in. PATIENT TYPE is derived from a call to
727.815, 78 PATIENT TYPE	Refers to the various types of patients, which may be seen at a VA facility. Every patient in the system must have a TYPE specified.	'AC' FOR Active Duty 'AL' FOR Allied Veteran 'CO' FOR Collateral 'EM' FOR Employee 'IN' FOR Ineligible 'MI' FOR Military Retiree 'NO' FOR Non-Veteran (Other) 'NS' FOR NSC Veteran 'SC' FOR SC Veteran 'TR' FOR Tricare	TYPE State the trived from a can to TYPE SCXUTL5(DFN). Using the patient's DFN, the NAME field (#.01) of the TYPE OF PATIENT file (#391) as pointed to by the TYPE field (#391) of the PATIENT file (#2) is shortened to the first two characters to determine the value stored in the PATIENT TYPE field (#78).
727.815, 79 CV STATUS ELIGIBILITY	Records if Veteran service on active duty in a theatre of combat operations during a period of war after the Persian Gulf War or in combat against a hostile force during a period of hostilities after November 11, 1998	'Y' FOR YES 'E' FOR ELIGIBILITY EXPIRED	CV STATUS ELIGIBILITY is determined by the use of API \$\$CVEDT^DGCV (DFN, DATE) that checks the Combat Vet End Date field (#.5295) from the PATIENT file (#2) to determine CV Status. API returns three pieces (i.e. 1^20010106^0 and the first piece is resolved as follows: 1 – veteran qualifies as a CV 0 – veteran does not qualify as a CV -1 – bad DFN Based on this result the field be set to 'Y' for 'YES' or 'E' for 'ELIGIBILITY EXPIRED' or 'NULL' for not eligible.
727.815, 80 CV ELIGIBILITY END DATE	Records the Combat Veteran eligibility expiration date of the veteran who served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War or in combat against a hostile force during a period of hostilities after November 11, 1998		CV ELIGIBILITY END DATE is determined by the use of API \$\$CVEDT^DGCV (DFN, DATE) that checks the Combat Vet End Date field (#.5295) from the PATIENT file (#2) to determine CV Status. API returns three pieces (i.e. 1^20010106^0. The 2 nd piece is the COMBAT VET END DATE in HL7 format.
727.815, 81 ENCOUNTER CV	Records if a Veteran served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War or in combat against a hostile force during a period of hostilities after November 11, 1998.	'Y' FOR YES	ENCOUNTER CV is determined by the use of API \$\$CVEDT^DGCV (DFN,DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. API returns three pieces (i.e. 1^2010106^0. The third piece returns: 1 – vet was eligible on date specified 0 – vet was not eligible on date specified Based on these returns, the value for this field shall be Y for Yes if value is 1 or left blank if 0 to indicate ineligibility.

Field # and Name	Description	Values	Technical Description
727.815, 82 NATIONAL PATIENT RECORD FLAG	This field records whether the patient's record contains 1 or more Category 1 (National) Patient Record Flags.	'Y' FOR YES	The NATIONAL PATIENT RECORD FLAG field is set based on the results of the \$\$GETACT^DGPFAPI(DFN, TARGET ARRAY) call. This call looks at the category 1 national patient record flags as recorded in the PRF NATIOANL FLAG file (#26.15). The resulting value of this call is the number of active category I patient record flags assigned to this patient. This field is set to Y (YES) if the result is greater than zero. A value of zero causes this field to be left null.
727.815, 83 ERI	This field identifies patients from impacted zip code areas designated by the Federal Emergency Management Agency (FEMA).		This field is extracted from the EMERGENCY RESPONSE INDICATOR field (#.181) located in the PATIENT file (#2). Values are: "K" = Hurricane Katrina Null
727.815, 84 AGENT ORANGE ENC INDICATOR	Indicates whether service provided during this patient encounter is related to exposure to Agent Orange.	'Y' FOR YES 'N' FOR NO	Using the VISIT field (#28) in the EVENT CAPTURE PATIENT file (#721) a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the agent orange indicator stored at the AGENT ORANGE EXPOSURE field (#80002) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "AO".
727.815, 85 ENCOUNTER SWAC	Indicates the appropriate response for Southwest Asia conditions as related to this patient's episode of care.	'Y' FOR YES 'N' FOR NO	Using the VISIT field (#28) in the EVENT CAPTURE PATIENT file (#721) a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the Southwest Asia conditions indicator stored at the SW ASIA CONDITIONS field (#80004) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "PGE".
727.815, 86 ENC HEAD/NECK CA	Indicates whether service provided during this patient encounter is related to head/neck Cancer.	'Y' FOR YES 'N' FOR NO	Using the VISIT field (#28) in the EVENT CAPTURE PATIENT file (#721) a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the head/neck cancer data stored in the HEAD AND/OR NECK CANCER field (#80006) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "HNC".
727.815, 87 ENCOUNTER MST	Indicates the appropriate response for military sexual trauma as related to this patient's episode of care.	'Y' FOR YES 'N' FOR NO	Using the VISIT field (#28) in the EVENT CAPTURE PATIENT file (#721) a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the military sexual trauma data stored at the MILITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST".

Field # and Name	Description	Values	Technical Description
727.815, 88	This indicates whether	'Y' FOR YES	Using the VISIT field (#28) in the EVENT
RADIATION	service provided during this	'N' FOR NO	CAPTURE PATIENT file (#721) a call is
- '		N FOR NO	
ENCOUNTER	patient encounter is related		made to API VISIT^ECXSCX1 which in
INDICATOR	to exposure to ionizing		turn calls ENCEVENT^PXAPI. The
	radiation.		ENCEVENT^PXAPI returns the ionizing
			radiation exposure indicator stored at the
			IONIZING RADIATION EXPOSURE field
			(#80003) in the VISIT file (# 9000010). The
			value will be stored in the output array
			subscripted by "IR".
727.815, 89	Currently Null		Currently Null
NUTRITION			
DIAGNOSIS			
727.815, 90	The Military Operation in		The Military Operation in which the patient
OEF/OIF	which the patient was in		was in combat during the specified time
	combat during the specified		period. This field is a length of nine
	time period. This field is a		characters and reflects the OEF or OIF where
	length of nine characters		this patient was in combat. The value of this
	and reflects the OEF or OIF		field is derived from the LOCATION OF
	where this patient was in		SERVICE field (#.01) from SERVICE [OEF
	combat.		OR OIF] sub-file (#2.3215) of field (#.3215)
	Combat.		located in the PATIENT File (#2.) DSS will
			capture once, each location where the veteran
			served. In order to accommodate multiple
			locations, the values for this field are
			concatenated into this 9-character field.
			Possible filed values are one or more
			combinations of the following:
			OEF= OPERATION ENDURING
			FREEDOM OIF = Operation Iraqi Freedom
			UNK = Unknown OEF/OIF
727.815, 91	The date the veteran left the		The date the veteran left the OEF/OIF area, if
OEF/OIF RETURN	OEF/OIF area, if known.		known. This date field has a format equal to
DATE	Otherwise, it is the end date		YYYYMMDD. The value of this field is
	of military pay for this		derived from the OEF/OIF TO DATE field
	OEF/OIF deployment. This		(#.03) from sub-file (#2.3215) of field
	date field has a format equal		(#.3215) located in the PATIENT file (#2). In
	to YYYYMMDD.		cases of multiple OEF/OIF tours, this field
			contains only most recent return date.
727.815, 92	A standard, unique life-long		A standard, unique life-long identifier of the
ASSOCIATE PC	identifier of the associate		associate primary care provider. This field
PROVIDER NPI	primary care provider. This		has a length of fifteen characters. The
I KO VIDEK NI I	field has a length of fifteen		qualified identifier is retrieved via the
	characters.		-
727 915 02			supporting Kernel API: \$\$NPI^XUSNPI A standard, unique life-long identifier of the
727.815, 93	A standard, unique life-long		
PRIMARY CARE	identifier of the primary		primary care provider. This field has a
PROVIDER NPI	care provider. This field		length of fifteen characters. The qualified
	has a length of fifteen		identifier is retrieved via the supporting
707 04 7 6 :	characters.		Kernel API: \$\$NPI^XUSNPI
727.815, 94	A standard, unique life-long		A standard, unique life-long identifier of the
PROVIDER NPI	identifier for individuals		individuals providing health care services.
	providing health care		This field has a length of fifteen characters.
	services. This field has a		The qualified identifier is retrieved via the
	length of fifteen characters.		supporting Kernel API: \$\$NPI^XUSNPI
727.815, 95	A standard, unique life-long		A standard, unique life-long identifier for the
PROVIDER #2 NPI	identifier for the second		second assisting provider of health care
	assisting provider of health		services. This field has a length of fifteen
	care services. This field has		characters. The qualified Identifier is
	a length of fifteen		retrieved via the supporting Kernel API:
	characters.		\$\$NPI^XUSNPI.
L			T T 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

Field # and Name	Description	Values	Technical Description
727.815, 96 PROVIDER #3 NPI	A standard, unique life-long identifier for the third assisting provider of health care services. This field has a length of fifteen characters.		A standard, unique life-long identifier for the third assisting provider of health care services. This field has a length of fifteen characters. The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI
727.815,97 SHAD STATUS	Indicates whether patient meets requirements for Shipboard Hazard and Defense (SHAD).	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the EVENT CAPTURE LOCAL EXTRACT file (#727.815), Shipboard Hazard and Defense data is derived from using DBIA #4462 GETSHAD^DGUTL3(DFN).
727.815,98 ENCOUNTER SHAD	Indicates if treatment provided during this patient encounter is related to exposure PROJ 112/SHAD condition. Values: Y=YES, N=NO	'Y' FOR YES 'N' FOR NO	Using the VISIT FILE ENTRY field (#.27) in the PATIENT MOVEMENT file (#405) a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the Shipboard Hazard and Defense conditions indicator stored at the PROJ 112/SHAD field (#80008) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "SHAD".
727.815,99 PATCAT	This is the Patient's category which will be used for FHCC (Federal Health Care Center) Reconciliation. DSS must capture and report DoD patients so that the FHCC reconciliation process can function as designed. "Reconciliation" is the process used within the new FHCC to determine which patients DoD pays for and which VA pays for.	'AD' FOR Active Duty 'ADD' FOR Active Duty Dependent 'FNRS' FOR Former Non- Remarried Spouse 'RET' FOR Retired 'RETD' FOR Retiree Dependent 'RES' FOR Reservist 'REC' FOR Recruit 'TDRL' FOR Temporary Disability 'TFL' FOR TRICARE for Life	If the VistA Patient Type Code (TYPE (#391) field of the Patient (#2) file) = Active Duty, Military Retiree, or TRICARE, then the value(s) in the VistA Other Eligibility multiple (PATIENT ELIGIBILITIES (#361) field of the PATIENT (#2) file), which points to locally modifiable ELIGIBILITY CODE (#8) file should be evaluated. If the value in the ELIGIBILITY CODE is equal to any entry in the set of codes in this field, the value should be placed in this field.
727.815,100 PROVIDER #4	The fourth provider associated with the patient encounter. It represents an assisting Provider who performed the procedure associated with the Event Capture patient record.		Data is derived by returning a local array (fourth node) of the \$\$GETPRV^ECPRVMUT API (DBIA #4460) that returns the PROVIDER multiple (#42) from the EVENT CAPTURE PATIENT File (#721). The PROVIDER #4 is the value of a "2" prefixed to the pointer value to indicate that the source file is "200. For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765.
727.815,101 PROVIDER #4 PERSON CLASS	This is the VA code of the Person Class of the fourth assisting Provider as of the date of this record		Derived by calling \$\$PRVCLASS^ECXUTL(IEN,DATE), where IEN is the IEN of the New Person (#200) File. Copied from field VA Code (#5) of the PERSON CLASS (#8932.1) file, as pointed to by the Person Class (#.01) field of the PERSON CLASS (#8932.1) multiple of the NEW PERSON (#200) file.

Field # and Name	Description	Values	Technical Description
727.815,102	A standard unique life-		The NPI is retrieved via the supporting
PROVIDER #4 NPI	long identifier of the		Kernel API: \$\$NPI^XUSNPI
	fourth assisting provider		
505 015 100	of health care services.		
727.815,103 PROVIDER #5	The fifth provider		Data is derived by returning a local array
PROVIDER #3	associated with the patient		(fifth node) of the
	encounter. It represents		\$\$GETPRV^ECPRVMUT API (DBIA #4460) that returns the PROVIDER
	an assisting Provider who performed the procedure		
	associated with the Event		multiple (#42) from the EVENT CAPTURE PATIENT File (#721).
	Capture patient record.		CAI TOKE TATIENT THE (#721).
	Capture patient record.		The PROVIDER #5 is the value of a "2"
			prefixed to the pointer value to indicate
			that the source file is "200. For example,
			if the IEN of the provider in file #200 is
			98765, the value that will be stored is
			298765.
727.815,104	This is the VA code of the		Derived by calling
PROVIDER #5	Person Class of the fifth		\$\$PRVCLASS^ECXUTL (IEN,DATE),
PERSON CLASS	assisting Provider as of the		where IEN is the IEN of the NEW
	date of this record		PERSON (#200) File. Copied from field
			VA CODE (#5) of the PERSON CLASS
			(#8932.1) file, as pointed to by the Person
			Class (#.01) field of the PERSON CLASS
			(#8932.1) multiple of the NEW PERSON
			(#200) file.
727.815,105	A standard unique life-		The NPI is retrieved via the supporting
PROVIDER #5 NPI	long identifier of the fifth		Kernel API: \$\$NPI&XUSNPI.
	assisting provider of health care services.		
727.815,106	This is the Primary ICD10		Once available, the ICD10 data will be
PRIMARY ICD-10	code for this encounter.		retrieved from the supported API and
CODE	code for this electricity.		stored in this field.
			stored in this field.
			This field is added in anticipate of the
			release of ICD10 and the file will be
			updated at the time the software is updated
			to retrieve the ICD10 information.
727.815,107	This is the first secondary		Once available, the ICD10 data will be
SECONDARY	ICD10 code for this		retrieved from the supported API and
ICD-10 CODE #1	encounter.		stored in this field.
			TIL C. 11: 11 1:
			This field is added in anticipate of the
			release of ICD10 and the file will be updated at the time the software is updated
			to retrieve the ICD10 information.
727.815,108	This is the second		Once available, the ICD10 data will be
SECONDARY	secondary ICD10 code for		retrieved from the supported API and
ICD-10 CODE #2	this encounter.		stored in this field.
-	and encounter.		Stored III dillo Hold.
			This field is added in anticipate of the
			release of ICD10 and the file will be
			updated at the time the software is updated
			to retrieve the ICD10 information.

Field # and Name	Description	Values	Technical Description
727.815,109	This is the third secondary		Once available, the ICD10 data will be
SECONDARY	ICD10 code for this		retrieved from the supported API and
ICD-10 CODE #3	encounter.		stored in this field.
			This field is added in anticipate of the
			release of ICD10 and the file will be
			updated at the time the software is updated
			to retrieve the ICD10 information.
727.815,110	This is the fourth		Once available, the ICD10 data will be
SECONDARY	secondary ICD10 code for		retrieved from the supported API and
ICD-10 CODE #4	this encounter.		stored in this field.
			This field is added in anticipate of the
			release of ICD10 and the file will be
			updated at the time the software is updated
			to retrieve the ICD10 information.

#727.813 - LABORATORY EXTRACT (LAB) File Data Definition

This file contains data elements as specified by the Decision Support Office (DSO) for the Laboratory extract from existing VistA files. Entries into this file are made by extracting data by two different methods depending upon whether or not LMIP codes are used. Using LMIP codes, the data are extracted in large part from the WKLD LOG file (#64.03) which is populated by a routine provided by the Laboratory development team. Not using LMIP codes, the data are derived from several Lab files as well as from several other VistA files. Once approved by the DSS site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

Field # and Name	Description	Value	Technical Description
727.813,.01	The record for this extract		The internal entry number (IEN) for this
SEQUENCE	entry.		record. This entry is DINUMed.
NUMBER			
727.813,1	A six character numeric		Format is YYYYMM; Year 2000 compliant
YEAR MONTH	string representing the year		per vendor.
	and month for which this		
707 012 0	extract was performed.		A maintainte de DOC EVED ACE LOC 61.
727.813,2 EXTRACT	The corresponding entry in the DSS EXTRACT LOG		A pointer to the DSS EXTRACT LOG file
NUMBER	file (#727) for this extract.		(#727). The primary purpose is to pick up the header for the mail message.
727.813,3	This is the facility/division		An indicator of the division where this event
FACILITY	where the extract was		happened. Using the NAME field (.01)
TACILITI	performed.		pointer from the DSS EXTRACTS file
	performed.		(#728), FACILITY is derived from the
			STATION NUMBER field (99) for that
			pointer number in the INSTITUTION file
			(#4).
727.813,4	The IEN (Internal Entry		The entity to which this extract applies.
PATIENT NO	Number) for the patient or		1. For Lab Extract without LMIP Codes:
DFN	entity at the local site.		It could be an inpatient, a referral
			patient, or a research subject (which
			could be a patient, animal, tissue
			sample, etc.).
			Internal entry number in the PATIENT
			file (#2), or the REFERRAL file (#67),
			or the RESEARCH file (#67.1).
			Derived from the NAME field (.03) as defined from the PARENT FILE field
			(.02) in the LAB DATA file (#63).
			2. For Lab Extract with LMIP Codes:
			The patient to whom this extract
			applies. It could be an inpatient or a
			referral patient.
			Internal entry number in the PATIENT
			file (#2) or the REFERRAL PATIENT
			file (#67). Derived from the NAME
			field (.03) as defined from the
			PARENT FILE field (.02) in the LAB
			DATA file (#63).

Field # and Name	Description	Value	Technical Description
727.813,5	The patient's social security		SSN or identifying number as defined by one
SSN	number or the identifying		of two methods:
IDENTIFYING	number for a referral		For Lab Extract without LMIP
NUMBER	patient.		Codes:
TYOMBER	patient.		If the PARENT FILE field (.02) in the
			LAB DATA file (#63) is
			a. PATIENT file (#2) =
			SOCIAL SECURITY
			NUMBER field (.09)
			b. REFERRAL PATIENT file
			(#67) = "000123456"
			c. RESEARCH file (#67.1) =
			"8888888"
			For Lab Extract with LMIP Codes:
			If the PATIENT field (9) of the
			` '
			ACCESSION WKLD CODE TIME
			field (1) multiple within the DATE field
			(.03) multiple of the WKLD DATA file (#64.1) is
			a. PATIENT file (#2) =
			SOCIAL SECURITY
			NUMBER field (.09)
			b. REFERRAL PATIENT file
			(#67) = "000123456"
			(101) 000125 100
			"Test" patient status is determined in
			PAT^ECXUTL3. Any patient with an SSN
			beginning with "00000" will not be included
			in the extract.
727.813,6	The first four characters of		Free text first four characters of the patient's
NAME	the patient's last name or		or entity's last name as determined by one of
T T T T T T T T T T T T T T T T T T T	entity's name.		two methods:
	entity 3 name.		For Lab Extract without LMIP
			Codes:
			If the PARENT FILE field (.02) in the LAB
			DATA file (#63) is
			a. PATIENT file (#2) = NAME
			field (.01) in the PATIENT
			file (#2).
			b. REFERRAL PATIENT file
			(#67) = "RFRL"
			c. RESEARCH file (#67.1) =
			"RSCH"
			2. For Lab Extract with LMIP Codes:
			If the PATIENT field (9) of the
			ACCESSION WKLD CODE TIME
			field (1) multiple within the WKLD
			CODE field (1) multiple within the
			DATE field (.03) multiple of the
			WKLD DATA file (#64.1) is
			a. PATIENT file (#04.1) is
			field (.01) in the PATIENT
			file (#2).
			b. REFERRAL PATIENT file (#67) = "RFRL"
			If necessary, trailing spaces are padded to
			equal 4 characters.
	·		

Field # and Name	Description	Value	Technical Description
727.813,7	Indicates whether the	'I' FOR INPATIENT	This field is initialized to an "O", indicating
IN OUT PATIENT	patient was an inpatient or	'O' FOR OUTPATIENT	To determine the value of this field a call is
INDICATOR	an outpatient for this		made to \$\$PATDEM^ECXUTL2. Within
	extract.		this call, \$\$INP^ECXUTL2 is called to
			determine inpatient/outpatient status. If the
			patient is an outpatient, processing stops and
			the field is set to O. If the patient is an
			inpatient then \$\$INOUTP^ECXUTL4 is
			called to look at the treating specialty. If the
			patient's treating specialty exists in the DSS
			TREATING SPECIALTY TRANSLATION
			(#727.831) file then the value of the
			INPAT/OUTPAT CODE field (#5) of the
			DSS PREATING SPECIALTY
			TRANSLATION (#727.831) file is used. If
			the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION
			(#727.831) file then the indicator is set to I.
727.813,8	Date the last test/specimen		Data source:
DAY	was collected.		
			For Lab Extract:
			Data is inserted in this field by Laboratory
			routine ECXLABN and is derived from
			WKLD LOG file (#64.03) DATE/TIME
			COLLECTED field (#12). The value in field
			#12 of file #64.03 originated from routine
			LRCAPDSS and is derived from WKLD
			DATA file (#64.1); sub-file ACCESSION
			WKLD CODE TIME (#64.1111); INVERSE
			DATE COMPLETED field (#21)
			This field is always exactly 8 numeric
			characters in length. The format is
			YYYYMMDD' for example, 19970923. If
			the date cannot be determined, a default is
			used. The default date value is the value of
			the YEAR MONTH field (#1) concatenated
			with "01" for the day (DD) portion. Year
			2000 compliant per vendor.
727.813,9	The accession area location		For a laboratory procedure on a routine
ACCESSION	indicating where lab		medical center patient, this field will contain
AREA	specimen was received.		the IEN of the ACCESSION file (#68) as
TIKLA	specificii was received.		pointed to by the ACCESSION AREA field
			(#6) of the WKLD LOG file (64.03).
			For a procedure on a referral patient, this
			field will contain the first two characters of
			the AGENCY CODE field (#95) of the
			INSTITUTION file (#4). Coinciding with the
			LOCATION field, If the referring facility
			doesn't exist or is not found in the
			INSTITUTION file (#4), this field will be set
			to XX. If the referring facility is found in the
			INSTITUTION file (#4) and not containing a
			STATION NUMBER (#99), this field will be
			set to ZZ.
	1	1	1

Field # and Name	Description	Value		Technical Description
727.813,10 ABBREVIATION	The abbreviation for the accession area where the lab specimen was received. The lab test performed.	value	2.	For Lab Extract without LMIP Codes: ABBREVIATION field (.09) of the ACCESSION file (#68) as pointed to by the ACCESSION AREA field (3) within the TEST multiple (6) within the SPECIMEN # multiple (1) of the LAB ORDER ENTRY file (#69). For Lab Extract with LMIP Codes: ABBREVIATION field (.09) in the Accession file (#68) as pointed to by the MAJ. SECT. field (6) of the ACCESSION WKLD CODE TIME field (1) multiple within the WKLD CODE field (1) multiple within the DATE field (.03) multiple of the WKLD DATA file (#64.1).
TEST	The lab test performed.		2.	Codes: The IEN of the record in the LABORATORY TEST FILE (#60) as pointed to by TEST/PROCEDURE field (.01) of the TEST multiple (6) within the SPECIMEN # multiple (1) of the LAB ORDER ENTRY file (#69). For Lab Extract with LMIP Codes: The IEN of the record in the LABORATORY TEST FILE (#60) as pointed to by the LAB TEST field (1) of the ACCESSION WKLD CODE TIME field (1) multiple within the WKLD CODE field (1) multiple within the DATE field (.03) multiple of the WKLD DATA file(#64.1).
727.813,12 URGENCY OF TEST	The turnaround time requested.		2.	For Lab Extract without LMIP Codes: The IEN of the record in the URGENCY FILE (#62.05) as pointed to by URGENCY field (1) of the TEST multiple (6) within the SPECIMEN # multiple (1) of the LAB ORDER ENTRY file (#69). For Lab Extract with LMIP Codes: The IEN of the record in the URGENCY FILE (#62.05) as pointed to by the URGENCY field (22) of the ACCESSION WKLD CODE TIME field (1) multiple within the WKLD CODE field (1) multiple within the DATE field (.03) multiple of the WKLD DATA file(#64.1).

Field # and Name	Description	Value	Technical Description
727.813,13	Indicates treating specialty		For Lab Extract without LMIP
TREATING	PTF CODE for this patient		Codes:
SPECIALTY	or entity. Will be set to null		This field is initialized to a null,
	for outpatients.		indicating an outpatient status. If a
			call to IN5^VADPT (using the
			patient IEN and the event date)
			returns a patient movement
			number (indicating inpatient
			status), then the value of VAIP (8),
			which is the pointer to the
			FACILITY TREATING
			SPECIALTY file (#45.7), is used
			to get the SPECIALTY field (1)
			which points to the SPECIALTY
			file (#42.4).
			2. For Lab Extract with LMIP Codes:
			NAME field (.01) in the
			SPECIALTY file (#42.4), as
			pointed to by the NAME field
			(.01) in the FACILITY
			TREATING SPECIALTY file
			(#45.7), as pointed to by the
			TREATING SPECIALTY field
			(16) of the ACCESSION WKLD
			CODE TIME field (1) multiple
			within the WKLD CODE field (1)
			multiple within the DATE field
			(.03) multiple of the WKLD
			DATA file (#64.1).
			Then, the PTF Code (field #7 of the file
			42.4) is obtained and stored instead of the
			IEN of the specialty.
727.813,14	The service/location from		For regular patients, this field is set to the
LOCATION	which the original order		IEN of the record in the HOSPITAL
	came.		LOCATION file (#44) as copied from the
			ORDERING LOCATION field (#20) of the ACCESSION WKLD CODE TIME field
			(#1) multiple within the CODE field (#1)
			multiple within the CODE field (#1)
			multiple of the WKLD DATA file (#64.1).
			For referral patients, and the referring facility
			is found in the INSTITUTION (#4) file, this
			field is set to the STATION NUMBER (#99)
			field of the referring facility. If the
			STATION NUMBER (#99) field is null, this
			field is set to ZZZZZ.
			For referral patients, and the referring facility
			is NOT found in the INSTITUTION file
			(#4), this field is set to XXXXX.

Field # and Name	Description	Value	Technical Description
727.813,15	The provider assigned to		For Lab Extract without LMIP
PROVIDER	this patient or entity.		Codes: NAME field (.01) of the PROVIDER file (#6) or the NAME field (.01) of the NEW PERSON file (#200) as pointed to by the PROVIDER field (7) within the SPECIMEN # multiple (1) of the LAB ORDER ENTRY file (#69).
			2. For Lab Extract with LMIP Codes: NAME field (.01) of the PROVIDER file (#6) or the NAME field (.01) of the NEW PERSON file (#200) as pointed to by the PROVIDER field (15) of the ACCESSION WKLD CODE TIME field (1) multiple within the WKLD CODE field (1) multiple within the DATE field (.03) multiple of the WKLD DATA file (#64.1).
			The pointer value for the provider will be prefixed by "6" if found in file #6; it will be prefixed by "2" if found in file #200.
727.813,16 MOVEMENT FILE #	Movement number from the PATIENT MOVEMENT file (#405) associated with this event for a patient. This field will be set to null for non-patient or outpatient events.		This field is initialized to a null, indicating an outpatient status. If a call to IN5^VADPT (using the patient IEN and the event date) returns a patient movement number (indicating inpatient status), this field is set to the value of VAIP(1), which is the pointer to the PATIENT MOVEMENT file (#405).
727.813,17 FILE	Parent file number from which entity was extracted, i.e., PATIENT file (#2), REFERRAL PATIENT file (#67), or RESEARCH file (#67.1).		1. For Lab Extract without LMIP Codes: If the PARENT FILE field (.02) of the LAB DATA file (#63) as pointed to by the LRDFN field (.01) within the SPECIMENT # multiple (1) of the LAB ORDER ENTRY file (#69) is a. 2 = PATIENT file (#2) b. 67 = REFERRAL PATIENT file (#67) c. 67.1 = RESEARCH file (#67.1)
			2. For Lab Extract with LMIP Codes: If the PATIENT field (9) of the ACCESSION WKLD CODE TIME field (1) multiple within the WKLD CODE field (1) multiple within the DATE field (.03) contains a. ^DPT(= PATIENT file (#2) b. ^LRT(67, = REFERRAL PATIENT file (#67)

727.813.18 TIME A 6-character numeric string that represents the time of day at which the Laboratory test was collected. A 6-character string that represents the time of day at which the Laboratory test was collected. B 727.813.19 C 727.813.19 C 727.813.19 C 727.813.19 C 727.813.20 T 727	Field # and Name	Description	Value	Technical Description
time of day at which the Laboratory test was collected. Collected		A 6-character numeric		
Laboratory test was collected. Solicited Collected Collecte	TIME	C I		For Lah Extract: Data is inserted in this field
collected. Collected Coll				
value in field #12 of file #64.03 originated from routine RCAPDSS and is derived from WKLD DATA file (#64.1); sub-file ACCESSION WKLD CODE TIME (#64.1111), INVERSE DATE COMPLETED field (#21). This field is always exactly 6 numeric characters in length; if time cannot be determined, then "000300" is used as default. 1727.813.19 WORKLOAD CODE For Lab Extract with LMIP Codes, this is the workload code for this event. This corresponds to a CP code, For Lab Extract without LMIP Codes, this field is set to null. The primary care team assigned to this patient. The primary care team assigned to this patient. The primary care team assigned to this patient. The DATE COLLECTED is defined by one for two methods. For Lab Extract without LMIP Codes, this field is patient. The DATE COLLECTED is defined by the DATE COLLEC		1		
from Toutine LRCAPDSS and is derived from WKLD DATA file (#64.11), sub-file ACCESSION WKLD CODE TIME (#64.111), INVERSE DATE COMPLETED field (#21). This field is always exactly 6 numeric characters in length; if time cannot be determined, then "000300" is used as default. 1. For I als Extract with LMIP Codes, this is the workload code for this event. This corresponds to a CP code, For Lab Extract without LMIP Codes, this field is set to null. The primary care team assigned to this patient. The primary care provider assigned to this patient primary care team assigned to this patient point (PPN, stored in the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT The (#727.813), a call is made to the Scheduling API, OUTPTTM-SDUTL3. The API returns the team's internal entry number and name from the NEW PERSON file (#200). The example, if the ENO file (#200) is provider in file #200 is 98765, the value that will be stored in \$298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#40.41) in the LABORATORY EXTRACT file (#727.81) are the provider in the LABORATORY EXTRACT file (#727.81) are the provider in the LABORATORY EXTRACT file (#727.81) are the provider in the LABORATORY EXTRACT file				` '
from WKLD DATA file (#64.1); sub-file ACCESSION WKLD CODE TIME (#64.1111), INVERSE DATE COMPLETED field (#21). This field is always exactly 6 numeric characters in length; if time cannot be determined, then "000300" is used as default. 1.For Lab Extract with LMIP Codes, this is the workload code for this event. This coresponds to a CP code. For Lab Extract with LMIP Codes; WKLD CODE field (1) of the WKLD CODE file (#64) as pointed to by the WKLD CODE file (#64) as pointed to by the WKLD CODE file (#64) as pointed to by the WKLD CODE file (#64) as pointed to by the WKLD CODE file (#64) as pointed to by the WKLD CODE file (#64) as pointed to by the WKLD CODE file (#64) as pointed to by the WKLD CODE file (#64) as pointed to by the WKLD CODE file (#64) as pointed to by the WKLD CODE file (#64) as pointed to by the WKLD CODE file (#64) as pointed to by the WKLD CODE file (#64) as pointed to by the WKLD CODE file (#64) as pointed to by the WKLD CODE file (#64) as pointed to by the WKLD CODE file (#64) as pointed to by the WKLD CODE file (#64) as pointed to by the WKLD CODE file (#64) as pointed to by the WKLD CODE file (#64) by the DATE GOLLECTED is defined by one of two methods. For Lab Extract without LMIP Codes, DATE COLLECTED is defined by the DATE ORDERED file (#64) by the DATE GOLLECTED ORDERED file (#64) by the DATE GOLLECTED ORDERED file (#64) of the ACCESSION WKLD CODE TIME field (1) multiple within the WKLD CODE fie				
ACCESSION WKI.D CODE TIME (#64.111), INVERSE DATE COMPLETED field (#21). This field is always exactly 6 numeric characters in length; if time cannot be determined, then "000300" is used as default. 1.For Lab Extract with LMIP Codes, this is the workload code for this event. This corresponds to a CP code. For Lab Extract without LMIP Codes, this field is set to null. This field is always exactly 6 numeric characters in length; if time cannot be determined, then "000300" is used as default. 1.For Lab Extract withou LMIP Codes: This field is set to null. 2. For Lab Extract with LMIP Codes; WKLD CODE field (1) of the WKLD CODE fiel (#64) as pointed to by the WKLD CODE field (0.1) of the WKLD DODE field (0.1) of the WKLD CODE field (0.1) of the WKLD DODE field (0.1) of the WKLD DODE field (0.1) of the WKLD CODE field (0.1) of the WKLD DODE field (0.1) of the WKLD CODE field				
field (#21). This field is always exactly 6 numeric characters in length; if time cannot be determined, then "000300" is used as default. For Lab Extract with LMIP Codes, this is the workload code for this event. This corresponds to a CP code. For Lab Extract without LMIP Codes, this field is set to null. This field is set to null. 2. For Lab Extract with LMIP Codes; WKLD CODE field (1) of the WKLD CODE field (20) of the WKLD CODE field (1) of the ACES (1) of the WKLD CODE field (1) of the ACES (1) of the WKLD CODE field (1) of the ACES (1) of the WKLD CODE field (1) of the ACES (1) of the WKLD CODE field (1) of the ACES (1) of the WKLD CODE field (1) of the ACES (1) of the WKLD CODE field (1) of the ACES (1) of the WKLD CODE field (1) of the ACES (1) of the ACES (1) of the WKLD CODE field (1) of the ACES (1) of t				
This field is always exactly 6 numeric characters in length; if time cannot be determined, then "000300" is used as default. 727.813,19 WORKLOAD CODE For Lab Extract with LMIP Codes, this is the workload code for this event. This corresponds to a CP code. For Lab Extract without LMIP Codes, this field is set to null. 2. For Lab Extract with LMIP Codes; WKLD CODE field (01) of the WKLD CODE field (03) multiple within the DATE field field (1) of the WKLD CODE field (1) of the LAB ORDER EXTRACT file (#64.1). The DATE COLLECTED is defined by one of two methods. For LAB ORDER EXTRACT file (#07.8) of the WKLD CODE field (1) of the ACCESSION WKLD CODE field (1) multiple within the WKLD CODE field (1) multiple within the WKLD CODE field (1) multiple within the DATE field (1) file field (1) multiple within the DATE field (1) file field (1) multiple within the DATE field (1) mult				(#64.1111), INVERSE DATE COMPLETED
content of the primary care team assigned to this patient. TEAM Team assigned to this patient. Team assigned to this patient through the Primary Care provider assigned to this patient through the Primary Care provider assigned to this patient through the Primary Care provider assigned to this patient through the Primary Care provider assigned to this patient through the Primary Care provider assigned to this patient through the Primary Care provider assigned to this patient through the Primary Care provider assigned to this patient through the Primary Care provider assigned to this patient through the Primary Care provider assigned to this patient through the Primary Care provider assigned to this patient through the Primary Care provider assigned to this patient through the Primary Care provider assigned to this patient through the Primary Care provider assigned to this patient through the Primary Care provider assigned to this patient through the Primary Care provider assigned to the provider in file the provider in file through the primary Care provider as the pat				field (#21).
determined, then "000300" is used as default. 27.813,19				This field is always exactly 6 numeric
PZ7.813.19 WORKLOAD CODE WORKLOAD WORKLOAD WORKLOAD WORKLO CODE WORKLOAD WORKLO CODE WORKLO WORKLO WORKLO CODE WORKLO WORKL				
CODE CODE Codes, this is the workload code for this event. This corresponds to a CP code. For Lab Extract without LMIP Codes, this field is set to null. 2. For Lab Extract with LMIP Codes, WKLD CODE field (1) of the WKLD CODE field (10) of the WKLD DATE field (03) multiple within the WKLD DATE field (03) multiple of the WKLD DATE field (03) multiple of the WKLD DATE field (03) multiple of the WKLD COLECTED is defined by one of two methods. For Lab Extract with CRDERED field (10) of the LAB ORDER ENTRY file (#69). For Lab Extract with CRDERED field (10) of the LAB ORDER ENTRY file (#69). For Lab Extract with CRDERED field (11) of the ACCESSION WKLD CODE Time field (1) multiple within the DATE file (#64.1). Using the DATE COLLECTED and the patient pointer (DPN_stored in the PATIENT NO DFN field (4) in the LABORATORY EXTRACT file (#727.813), a call is made to the Scheduling API, OUTPTTM'SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51) is transmitted. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date.	707 012 10	Earlah Estas desida LMID		
code for this event. This corresponds to a CP code. For Lab Extract with LMIP Codes: WKLD CODE field (1) of the WKLD CODE field (1) multiple within the DATE field (03) multiple of the WKLD CODE field (1) multiple within the DATE field (03) multiple of the WKLD CODE field (1) multiple within the DATE field (03) multiple of the WKLD CODE field (1) multiple within the DATE for the field (1) multiple within the DATE for the field (1) multiple within the DATE for the Extract without LMIP Codes, DATE COLLECTED is defined by the DATE ORDERED field (1) of the LAB ORDER ENTRY file (#69). For Lab Extract with LMIP Codes, DATE COLLECTED is defined by the DATE ORDERED field (1) of the LAB ORDER ENTRY file (#69). For Lab Extract with LMIP Codes, DATE COLLECTED is defined by the DATE ORDERED field (1) of the ACCESSION WKLD CODE field (1) of the ACCESSION WKLD CODE field (1) of the WKLD CODE field (1) multiple within the DATE field (03) multiple of the WKLD CODE field (1) in the LABORATORY EXTRACT file (#727.813), a call is made to the Scheduling API, OUTPTTM*SDUTI.3. The API returns the team's internal entry number and name from the TEAM file (#45.1). Only the pointer (IEN) to File 404.51 is transmitted. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary Care Management Module (PCMM) application on the accession date. The patient pointer (IEN) to File 404.51 is transmitted. Derived by a call to the Scheduling API, OUTPTPR*SDUTI.3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that source file is "2000". For example, if the IEN SOURCE file (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DPN field (4) in the LABORATORY EXTRACT file (#277.813) are the	· ·			
For Lab Extract without LMIP Codes, this field is set to null. ### Set to null. ### Set to null. ### The primary care team assigned to this patient. ### The primary care team assigned to this patient. ### To ATE COLLECTED is defined by one of two methods. For Lab Extract without LMIP Codes, DATE COLLECTED is defined by the DATE ORDERED field (01) of the LAB ORDER ENTRY file (#69). For Lab Extract with LMIP Codes, DATE COLLECTED is defined by the DATE ORDERED field (01) of the LAB ORDER ENTRY file (#69). For Lab Extract with LMIP Codes, DATE COLLECTED is defined by the DATE ORDERED field (1) of the ACCESSION WKLD CODE TIME field (1) multiple within the WKLD CODE TIME field (1) multiple within the DATE field (3) multiple of the WKLD DATA file (#64.1). #### Using the DATE COLLECTED and the patient printer (DFN_ stored in the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813), a call is made to the Scheduling API, OUTPTIM*SDUTLS. The API returns the team's internal entry number and name from the TEAM file (#404.51). Only the pointer (EIN) to File 404.51 is transmitted. ###################################		•		This field is set to hair.
LMIP Codes, this field is set to mull. Codes				· · · · · · · · · · · · · · · · · · ·
set to null. field (O1) of the WKLD CODE field (1) multiple within the DATE field (.03) multiple of the WKLD DATA file (#64.1). The primary care team assigned to this patient. The primary care team assigned to this patient.				` /
multiple within the DATE field (0.3) multiple of the WKLD DATA file (#64.1). The parimary care team assigned to this patient. The parimary care provider assigned to this patient through the primary care Management Module (PCMM) application on the accession date. The parimary care provider in the provider in the provider's internal entry number and name from the TEAM file (#404.51). Only the pointer (IEN) to File 404.51 is transmitted. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The parimary care provider in the PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98.765, the value that will be stored is 298.765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. — DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the		1		
The primary care team assigned to this patient. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The patient point (PS) of the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD DATA file (#64.03) and the PATIENT NO. – DFN field (4) in the LABDRATORY EXTRACT file (#727.813), a call is management Module (PCMM) application on the accession date.				
PRIMARY CARE TEAM assigned to this patient. of two methods. For Lab Extract without LMIP Codes, DATE COLLECTED is defined by the DATE ORDERED field (01) of the LAB ORDER ENTRY file (#69). For Lab Extract with LMIP Codes, DATE COLLECTED is defined by the DATE ORDERED field (10) of the LAB ORDER ENTRY file (#69). For Lab Extract with LMIP Codes, DATE COLLECTED is defined by the DATE ORDERED field (11) of the ACCESSION WKLD CODE TIME field (03) multiple within the WKLD CODE TIME field (1) multiple within the DATE field (63) multiple of the WKLD DATA file (#64.1). Using the DATE COLLECTED and the patient pointer (DFN_ stored in the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813), a call is made to the Scheduling API, OUTPTTM*SDUTL3. The API returns the team's intended to the Scheduling API, OUTPTPR^SDUTL3. The API returns the provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider assigned to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the WKLD LOG file (#64.04) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the WKLD LOG file				multiple of the WKLD DATA file (#64.1).
LMIP Codes, DATE COLLECTED is defined by the DATE ORDERED field (.01) of the LAB ORDER ENTRY file (#69). For Lab Extract with LMIP Codes, DATE COLLECTED is defined by the DATE ORDERED field (11) of the ACCESSION WKLD CODE TIME field (1) multiple within the WKLD CODE field (1) multiple within the WKLD CODE field (1) multiple within the DATE field (.03) multiple of the WKLD DATA file (#64.1). Using the DATE COLLECTED and the patient pointer (DFN) stored in the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813), a call is made to the Scheduling API, OUTPTTM/SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51). Only the pointer (IEN) File 404.51 is transmitted. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider assigned to the provider's internal entry number and name from the NEW PERSON file (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the	· ·			1
defined by the DATE ORDERED field (01) of the LAB ORDER ENTRY file (#69). For Lab Extract with LMIP Codes, DATE COLLECTED is defined by the DATE ORDERED field (1) of the ACCESSION WKLD CODE TIME field (1) multiple within the WKLD COEDE field (1) multiple within the WKLD COEDE field (1) multiple within the DATE field (03) multiple of the WKLD DATA file (#64.1). Using the DATE COLLECTED and the patient pointer (DFN_ stored in the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813), a call is made to the Scheduling API, OUTPTTM/SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51). Only the pointer ((IEN) to File 404.51 is transmitted. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider assigned to the provider's internal entry number and name from the NEW PERSON file (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the LABORATORY EXTRACT file (#727		assigned to this patient.		
of the LÅB ORDER ENTRY file (#69). For Lab Extract with LMIP Codes, DATE COLLECTED is defined by the DATE ORDERED field (11) of the ACCESSION WKLD CODE TIME field (1) multiple within the WKLD COEDE field (1) multiple within the WKLD COEDE field (1) multiple within the WKLD COEDE field (1) multiple within the DATE field (03) multiple of the WKLD DATA file (#64.1). Using the DATE COLLECTED and the patient pointer (DFN_ stored in the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813), a call is made to the Scheduling API, OUTPTTM'SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51). Only the pointer (IEN) to File 404.51 is transmitted. Derived by a call to the Scheduling API, OUTPTPR'SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). The PRIMARY CARE Management Module (PCMM) application on the accession date. The patient pointer (PCMM) application on the accession date. The patient pointer (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the	IEAW			1
COLLECTED is defined by the DATE ORDERED field (11) of the ACCESSION WKLD CODE TiME field (1) multiple within the WKLD COEDE field (1) multiple within the WKLD COEDE field (1) multiple within the DATE field (0.3) multiple of the WKLD DATA file (#64.1). Using the DATE COLLECTED and the patient pointer (DFN_ stored in the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813), a call is made to the Scheduling API, OUTPTTM*SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51). Only the pointer (IEN) to File 404.51 is transmitted. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider assigned to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the				
ORDERED field (11) of the ACCESSION WKLD CODE TIME field (1) multiple within the WKLD CODE field (1) multiple within the WKLD CODE field (1) multiple within the DATE field (.03) multiple of the WKLD DATA file (#64.1). Using the DATE COLLECTED and the patient pointer (DFN_stored in the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813), a call is made to the Scheduling API, OUTPTIM^SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51). Only the pointer (IEN) to File 404.51 is transmitted. PRIMARY CARE PROVIDER The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary Care Provider assigned to the primary Care provider in the NEW PERSON file (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the				· ·
WKLD CODE TIME field (1) multiple within the WKLD COEDE field (1) multiple within the DATE field (0.3) multiple of the WKLD DATA file (#64.1). Using the DATE COLLECTED and the patient pointer (DFN_ stored in the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813), a call is made to the Scheduling API, OUTPTTM/SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51). Only the pointer (IEN) to File 404.51 is transmitted. Territory to File 404.51 is transmitted. Derived by a call to the Scheduling API, OUTPTPR/SDUTL3. The API returns the provider in the primary Care through the Primary Care from the NEW PERSON file (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the				•
within the WKLD COEDE field (1) multiple within the DATE field (03) multiple of the WKLD DATA file (#64.1). Using the DATE COLLECTED and the patient pointer (DFN_ stored in the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813), a call is made to the Scheduling API, OUTPTTM*SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51). Only the pointer (IEN) to File 404.51 is transmitted. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary Care provider assigned to this patient through the Primary Care from the NEW PERSON file (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the				
within the DATE field (.03) multiple of the WKLD DATA file (#64.1). Using the DATE COLLECTED and the patient pointer (DFN_stored in the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813), a call is made to the Scheduling API, OUTPTTM*SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51). Only the pointer (IEN) to File 404.51 is transmitted. 727.813.21 PRIMARY CARE PROVIDER The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider assigned to this patient of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the				
Using the DATE COLLECTED and the patient pointer (DFN_ stored in the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813), a call is made to the Scheduling API, OUTPTTM^SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51). Only the pointer (IEN) to File 404.51 is transmitted. 727.813,21 PRIMARY CARE PROVIDER The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the				
patient pointer (DFN_ stored in the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813), a call is made to the Scheduling API, OUTPTTM^SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51). Only the pointer (IEN) to File 404.51 is transmitted. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider assigned to this patient provider's internal entry number and name from the NEW PERSON file (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the				WKLD DATA file (#64.1).
PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813), a call is made to the Scheduling API, OUTPTTM*SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51). Only the pointer (IEN) to File 404.51 is transmitted. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. Derived by a call to the Scheduling API, OUTPTPR*SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the				Using the DATE COLLECTED and the
LABORATORY EXTRACT file (#727.813), a call is made to the Scheduling API, OUTPTTM*SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51). Only the pointer (IEN) to File 404.51 is transmitted. 727.813,21 PRIMARY CARE PROVIDER The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider assigned to this patient through the Primary Care provider's internal entry number and name from the NEW PERSON file (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the				
a call is made to the Scheduling API, OUTPTTM^SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51). Only the pointer (IEN) to File 404.51 is transmitted. Terrived by a call to the Scheduling API, OUTPTPR^SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the				
OUTPTTM^SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51). Only the pointer (IEN) to File 404.51 is transmitted. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider assigned to this patient through the Primary Care provider's internal entry number and name from the NEW PERSON file (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the				
team's internal entry number and name from the TEAM file (#404.51). Only the pointer (IEN) to File 404.51 is transmitted. 727.813,21 PRIMARY CARE PROVIDER The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider assigned to the primary Care provider's internal entry number and name from the NEW PERSON file (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the				9
727.813,21 PRIMARY CARE PROVIDER The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider assigned to this patient through the Primary Care provider's internal entry number and name from the NEW PERSON file (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the				team's internal entry number and name from
The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. Derived by a call to the Scheduling API, OUTPTPR^SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the				
PRIMARY CARE PROVIDER assigned to this patient through the Primary Care Management Module (PCMM) application on the accession date. OUTPTPR^SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the	727 813 21	The primary care provider		
PROVIDER through the Primary Care Management Module (PCMM) application on the accession date. provider's internal entry number and name from the NEW PERSON file (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the	· ·	assigned to this patient		
(PCMM) application on the accession date. PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the	PROVIDER	through the Primary Care		provider's internal entry number and name
accession date. of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the				* *
indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the				
example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the		accession date.		1 1
298765. The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the				example, if the IEN of the provider in file
The DATE COLLECTED field (#12) of the WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the				*
WKLD LOG file (#64.03) and the PATIENT NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the				
NO. – DFN field (4) in the LABORATORY EXTRACT file (#727.813) are the				
EXTRACT file (#727.813) are the				
				* *
11				parameters used in the Scheduling API call.

Field # and Name	Description	Value	Technical Description
727.813, 22	Unique national VA patient		Derived by calling API,
MASTER	identifier.		\$\$GETICN^MPI001(Supported DBIA
PATIENT INDEX			#2701), that returns the Integration Control
			Number (ICN) for the given patient in the
			Patient file (#2).
727.813, 23	The nationally defined DSS		For the Laboratory extract, the DSS
DSS PRODUCT	Intermediate Department		PRODUCT DEPARTMENT field is null.
DEPARTMENT	Number designated to the		
	Laboratory care product.		
727.813, 24	Currently Null		Currently Null
PLACEHOLDER			
727.813,25	Currently Null		Currently Null
PLACEHOLDER			
727.813, 26	The VA code of the Person		The field will hold the VA Code associated
PC PROVIDER	Class of the Primary Care		with the active Person Class of the patient's
PERSON CLASS	Provider associated with		Primary Care Provider as of the date of this
	this record.		extract record.
			The VA Code is always of the form "V"_six
			numeric digits; exactly 7 characters in length.
727.813, 27	The Associate Primary Care		Derived by a call to the Scheduling API,
ASSOCIATE PC	Provider assigned to this		OUTPTAP^SDUTL3. The API returns the
PROVIDER	patient through the Primary		associate provider's internal entry number
TROVIDER	Care Management Module		and name from the NEW PERSON file
	(PCMM) application.		(#200). The ASSOCIATE PC PROVIDER
	(1 Civilvi) application.		is the value of a "2" prefixed to the pointer
			value to indicate that the source file is "200".
			For example, if the IEN of the provider in
			file #200 is 98765, the value that will be
			stored is 298765.
			The DATE COLLECTED field (#12) of the
			WKLD LOG file (#64.03) and the PATIENT
			NO. – DFN field (4) in the LABORATORY
			EXTRACT file (#727.813) are the
			parameters used in the Scheduling API call.
727.813, 28	VA Code of the Person		Active Person Class is determined by the
ASSOC. PC PROV.	Class of the patient's		supported call
PERSON CLASS	Associate Primary Care		\$\$GET^XUA4A72(PERS,DATE), where
	Provider.		PERS is the IEN from file #200 and DATE is
			the date of the event. The VA CODE is
			determined by the 7 th piece of the returned
707.012.00	C d N II		value string.
727.813, 29 PLACEHOLDER	Currently Null		Currently Null
727.813. 30	Indicates if the patient is	'P' FOR GEN PRRTP	If the patient's treating specialty exist in the
DOM, PRRTP	admitted to either a RRTP	'D' FOR DOMICILIARY	DSS TREATING SPECIALTY
AND SAARTP	PRRTP, or SARRTP at time	'S' FOR DOM. PRRTP	TRANSLATION (#727.831) file, data is
INDICATOR	care is provided.	'T' FOR PTSD PRRTP	derived from the DOM/PRRTP/SARRTP
INDICATOR	care is provided.	'H' FOR HOMELESS	CODE field (#2) of the DSS TREATING
		CWT/TR	SPECIALTY TRANSLATION (#727.831)
		'A' FOR SA CWT/TR	file.
		'B' FOR PTSD CWT/TR	
		'C' FOR GEN CWT/TR	Otherwise, the value is null.
L	l .	C TOR GER CW I/TR	Salet Wise, the value is huit.

Field # and Name	Description	Value	Technical Description
727.813, 31 OBSERVATION PATIENT INDICATOR	Indicates if patient is considered to be an observation patient.	'Y' FOR YES 'N' FOR NO	Data (YES,NO) is retrieved from API call \$\$OBSPAT^ECXUTL4: If the patient's treating specialty exist in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file, data is derived from the OBSERVATION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file. If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS ID (MTL,IVP,ECQ,QSR,NOS,SUR) is 290-297, Observation Patient Ind=YES. Else, Observation Patient Ind=NO. Otherwise, Observation Patient Ind=NO.
727.813, 32 ENCOUNTER NUMBER	The unique number assigned for DSS.		This field is determined by a call to \$\$ENCNUM^ECXUTL4. Within this call the inpatient/outpatient status, SSN, admit/visit date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number.
727.813, 33 ORDERING STOP CODE	This field contains the stop code associated with the order.		The STOP CODE field (#1) associated with the ordering location for this order as obtained from the CLINICS and STOP CODES (#728.44) file. Ordering location is derived from the HOSPTIAL LOCATION field (#14) of the processing WKLD LOG file (#64.03) of this extract.
727.813, 34 ORDERING DATE	Date test was ordered.		This field contains the date of the order in YYYYMMDD format.
727.813, 35 PRODUCTION DIVISION	Data represents the medical center division the work was performed in. This field corresponds to an entry in the INSTITUTION file (#4).		Data comes from the STATION NUMBER field (#99) of the INSTITUTION file (#4)
727.813, 36 DSS IP #	The nationally defined DSS Intermediate Product Number designated to the patient care product.		For the Laboratory extract, the DSS IP# field is null.
727.813, 37 ORDERING PROVIDER PERSON CLASS	The VA code of the Person Class of the patient's Ordering Provider.		Active Person Class is determined by the supported call \$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string.
727.813, 38 ERI	This field identifies patients from impacted zip code areas designated by the Federal Emergency Management Agency (FEMA).		This field is extracted from the EMERGENCY RESPONSE INDICATOR field (#.181) located in the PATIENT file (#2). Values are: "K" = Hurricane Katrina Null
727.813, 39 ASSOCIATE PC PROVIDER NPI	A standard, unique life-long identifier of the associate primary care provider. This field has a length of fifteen characters.		ASSOCIATE PC PROVIDER NPI is a standard unique life-long identifier of the associate primary care provider. The qualified identifier shall be retrieved via the supporting Kernel API: \$\$NPI^XUSNPI.

Field # and Name	Description	Value	Technical Description
727.813, 40	A standard, unique life-long		PRIMARY CARE PROVIDER NPI is a
PRIMARY CARE	identifier of the primary		standard unique life-long identifier of the
PROVIDER NPI	care provider. This field has		primary care provider. The qualified
	a length of fifteen		identifier shall be retrieved via the supporting
	characters.		Kernel API: \$\$NPI^XUSNPI
727.813, 41	A standard, unique life-long		PROVIDER NPI is a standard unique life-
PROVIDER NPI	identifier for individuals		long identifier of the individuals providing
	providing health care		health care services. The qualified identifier
	services. This field has a		shall be retrieved via the supporting Kernel
505.010.40	length of fifteen characters.		API: \$\$NPI^XUSNPI
727.813, 42	A universal standard for		Derived by finding the value of the Test field
LOINC CODE	identifying laboratory		(#9 above) on the LABORATORY TEST
	observations.		file (#60) and retrieving the LOINC Code field
727.813,43	If a "Y" is entered it will	'Y' FOR YES	This field indicates if the test is considered
LAB BILLABLE	indicate that the	'N' FOR NO	to be a billable LMIP procedure or not (lab
PROCEDURE	test is considered a billable	N TOK NO	billable means Lab staff workload).
TROCLDORE	LMIP procedure (lab		omatic means Lab starr workload).
	billable means Lab staff		This field is derived from the BILLABLE
	workload).		PROCEDURE (#4) field of the WKLD
			CODE (#64) file.
727.813,44	If a "Y" is entered it	'Y' FOR YES	This field indicates that the Wkld Code
DSS FEEDER KEY	indicates the WKLD Code	'N' FOR NO	should be used for DSS Laboratory data
	should be used for DSS		collection. Codes that are defined as 'Y'
	Laboratory data collection.		(YES) will be extracted and passed to the
			DSS Laboratory API.
			This field is based on the value of the DSS
			FEEDER KEY (#14) field of the WKLD
			CODE (#64) file.
727.813,45	This field is the Lab Test		Obtained via the WKLD LOG FILE
DATA NAME	Data name.		(#64.03), DATA NAME field (#20).
			This field will allow lab management and
			This field will allow lab management and DSS staff to know whether the entry is a
			panel test and if it has been designated as a
			separately billable test. If this field has a
			value then it is not a panel test and is
			individually billable. If this field does not
			have a value then it's a panel test and is
			billable as a unit.
727.813,46	The Data Location field is		This field is derived from the LOCATION
DATA LOCATION	only populated if a test is a		(DATA NAME)(#5) field of the
	non-panel test and is part of		LABORATORY(#60) file.
	the CHEM, HEM, TOX,		
	SER, RIA, etc. area.		
727.813,47	This is the Patient's	'AD' FOR Active Duty	If the VistA Patient Type Code (TYPE
PATCAT	category which will be used	'ADD' FOR Active Duty	(#391) field of the Patient (#2) file) = Active
	for FHCC (Federal Health	Dependent	Duty, Military Retiree, or TRICARE, then
	Care Center)	'FNRS' FOR Former Non-	the value(s) in the VistA Other Eligibility
	Reconciliation. DSS must	Remarried Spouse	multiple (PATIENT ELIGIBILITIES (#361)
	capture and report DoD	'RET' FOR Retired	field of the PATIENT (#2) file), which points
	patients so that the FHCC	'RETD' FOR Retiree	to locally modifiable ELIGIBILITY CODE
	reconciliation process can	Dependent	(#8) file should be evaluated. If the value in
	function as designed. "Reconciliation" is the	'RES' FOR Reservist 'REC' FOR Recruit	the ELIGIBILITY CODE is equal to any
	process used within the	'TDRL' FOR Temporary	entry in the set of codes in this field, the value should be placed in this field.
	new FHCC to determine	Disability	value should be placed in this field.
	which patients DoD pays	'TFL' FOR TRICARE for	
	for and which VA pays for.	Life	
<u> </u>	Pays for.		

#727.824 - LAB RESULTS EXTRACT (LAR) File Data Definition

This file contains data elements as specified by the Decision Support Office (DSO) for the Laboratory Results extract from existing VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

Field # and Name	Description	Values	Technical Description
727.824,.01	The record for this extract		The internal entry number (IEN) for this
SEQUENCE	entry.		record. This entry is DINUMed.
NUMBER			
727.824,1	A six character string		Format is YYYYMM; Year 2000 compliant
YEAR MONTH	representing the year and month for which this extract		per vendor.
	was performed.		
727.824,2	The corresponding entry in		A pointer to the DSS EXTRACT LOG file
EXTRACT	the DSS EXTRACT LOG		(#727). The primary purpose is to pick up the
NUMBER	file (#727) for this extract.		header for the mail message.
727.824,3	This is the facility/division		An indicator of the division where this event
FACILITY	where the extract was		happened. Using the NAME field (#.01)
	performed.		pointer from the DSS EXTRACTS file
			(#728), FACILITY is derived from the
			STATION NUMBER field (#99) for that
			pointer number in the INSTITUTION file
727 924 4	An identifying much on for		(#4).
727.824,4 PATIENT NO	An identifying number for the patient at the local site.		Pointer to the NAME field (.01) of the PATIENT file (#2). This data represents the
DFN	the patient at the local site.		patient DFN. PATIENT NO. – DFN data is
DIN			derived from the NAME field (.03) in the
			LAB DATA file (#63).
727.824,5	The patient's social security		Using the patient pointer (DFN) stored in the
SSN	number.		PATIENT NO. – DFN field (#4) in the LAB
			RESULTS EXTRACT file (#727.824), SSN
			data is derived from the SOCIAL
			SECURITY NUMBER field (#.09) in the
			PATIENT file (#2).
			"Test" patient status is determined in
			PAT^ECXUTL3. Any patient with an SSN
			beginning with "00000" will not be included
			in the extract.
727.824,6	The first four characters of		Using the patient pointer (DFN) stored in the
NAME	the patient's last name.		PATIENT NO. – DFN field (#4) in the LAB
			RESULTS EXTRACT file (#727.824),
			NAME data is derived from the NAME field
			(#.01) in the PATIENT file (#2). The first
			four characters of the first "," piece are used, padded with trailing spaces if necessary.
			padded with training spaces it necessary.
			The name value is returned by the supported
			call DEM^VADPT.

Field # and Name	Description	Values	Technical Description
727.824,7	Indicates whether the	'I' FOR INPATIENT	To determine the value of this field a call is
IN OUT PATIENT	patient was an inpatient or	'O' FOR OUTPATIENT	made to \$\$PATDEM^ECXUTL2. Within
INDICATOR	an outpatient for this extract		this call, \$\$INP^ECXUTL2 is called to
	entry.		determine inpatient/outpatient status. If the
			patient is an outpatient, processing stops and
			the field is set to O. If the patient is an
			inpatient then \$\$INOUTP^ECXUTL4 is
			called to look at the treating specialty. If the
			patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION
			(#727.831) file then the value of the
			INPAT/OUTPAT CODE field (#5) of the
			DSS TREATING SPECIALTY
			TRANSLATION (#727.831) file is used. If
			the treating specialty is not found in the DSS
			TREATING SPECIALTY TRANSLATION
			(#727.831) file then the indicator is set to I.
727.824,8	Date the Lab Test/Specimen		Data source:
DAY	was collected.		
			LAB DSS LAR EXTRACT file (#64.036);
			DATE RESULTS AV AIL field (#5) which
			is populated from the LAB DATA file
			(#63); CHEM,HEM,TOX,RIA,SER, etc. sub-
			file (#63.04); DATE/TIME SPECIMEN
			TEKEN field (#.01).
			This field is always exactly 8 numeric
			characters in length. The format is
			YYYYMMDD; for example 19970923. If
			the date cannot be determined, then a default
			is used. The default date value is the value of
			the YEAR MONTH field (#1) concatenated
			with "01" for the day (DD) portion. Year
			2000 compliant per vendor.
727.824,9	The coded value of the lab		This is the DSS assigned test number (DSS
TEST CODE	test as specified by the		Test ID) from file #727.29. The ID is padded
	vendor.		on the left with zeroes so that the data
727 924 10	The result of the lab test.		element is always exactly 4 digits. Results of the test identified in the CHEM,
727.824,10 RESULTS	The result of the lab test.		*
KESUL 15			HEM, TOX, RIA, SER, etc. multiple (4) within the LAB DATA file (#63).
			(First "^" piece of
			^LR(LRDFN,"CH",INVERSE_DATE,TEST
			_IEN)
727.824,11	***Field not used DSO		***Field not used DSO aware***
	aware***		
727.824,12	Indicates High or Low test	'H' FOR HIGH	Results indicator of the test identified in the
HI/LO	result.	'L' FOR LOW	CHEM, HEM, TOX, RIA, SER, etc. multiple
INDICATOR			(4) within the LAB DATA file (#63). The
			indicator is returned from a call to
			LRCAPDAR, which in turn calls
			\$\$TSTRES^LRRPU which returns the indicator as found on the second "^" piece of
			^LR(LRDFN,"CH",INVERSE_DATE,TEST
			_IEN)

Field # and Name	Description	Values	Technical Description
727.824,13 DATE ORDERED	An 8-characater numeric string that represents the date on which the		Data source: LAB DSS LAR EXTRACT file (#64.036), RESULTS AVAIL field (#5)
	Laboratory test was ordered.		LAB DATA file (#63); CHEM, HEM, TOX, RIA, SER, etc. sub-file (#63.04); DATE/TIME SPECIMEN TAKEN field (#.01)
			This field is always exactly 8 numeric characters in length. The format is YYYYMMDD for example 19970923. If the date cannot be determined, a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor.
727.824,14 TIME ORDERED	A 6-character numeric string that represents the time of day at which the Laboratory test was ordered.		Data source: LAB DSS LAR EXTRACT file (#64.036), DATE RESULTS AVAIL field (#5) LAB DATA file (#63); CHEM,HEM,TOX,RIA,SER, etc. subfile (#63.04); DATE/TIME SPECIMEN TAKEN field (#.01).
			This field is always exactly 6 numeric characters in length; if time cannot be determined, "000300" is used as default.
727.824,15 DATE RESULTS READY	An 8-character numeric string that represents the date on which the Laboratory test result was ready for reporting.		Data source: LAB DSS LAR EXTRACT file (#64.036), DATE RESULTS AVAIL field (#5)
	ready for reporting.		LAB DATA file (#63); CHEM,HEM,TOX,RIA,SER, etc. subfile (#63.04); DATE REPROT COMPLETED field (#.03).
			This field is always exactly 8 numeric characters in length. If the date cannot be determined, a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor.
727.824,16	A 6-character numeric		Data source:
TIME RESULTS READY	string that represents the time of day at which the Laboratory test result was ready for reporting.		LAB DSS LAR EXTRACT file (#64.036), DATE RESULTS AVAIL field (#5)
	, I C		LAB DATA file (#63); CHEM,HEM,TOX,RIA,SER, etc. subfile (#63.04); DATE REPORT COMPLETED field (#.03).
			This field is always exactly 6 numeric characters in length; if time cannot be determined, "000300" is used as default.
727.824,17 MOVEMENT FILE #	Current patient movement record associated with this extract record.		A call to IN5^VADPT (using the patient IEN and the event date) returns a patient movement number (indicating inpatient status). This field is set to the value of
			VAIP(1), which is a pointer to the PATIENT MOVEMENT file (#405).

Field # and Name	Description	Values	Technical Description
727.824,18	The PTF CODE of the		This field is initialized to a null, indicating an
TREATING	treating specialty associated		outpatient status. If a call to IN5^VADPT
SPECIALTY	with this extract record.		(using the patient IEN and the event date)
			returns a patient movement number
			(indicating inpatient status), the value of VAIP(8), which is the pointer to the
			FACILITY TREATING SPECIALTY file
			(#45.7), is used to get the SPECIALTY field
			(#1) which points to the SPECIALTY file
			(#42.4).
			Then, the PTF Code (field #7 of file 42.4)is obtained and stored instead of the IEN of the
			specialty.
727.824,19	The LMIP/NLT workload		WKLD CODE field (#1) of the WKLD
WORKLOAD	code for this record. May		CODE file (#64) as pointed to by the
CODE	correspond to a College of		NATIONAL VA LAB CODE field (#64) of
	American Pathologists		the LABORATORY TEST file (#60) as
	(CAP) code.		pointed to by the LOCAL LAB TEST
			NAME field (#1) multiple within the DSS
			LAB TEST field (#1) multiple of the DSS LAB TESTS file (#727.2).
727.824, 20	A national VA system		Derived by calling API, \$\$GETICN^MPI001
MASTER	identifier which uniquely		(Supported DBIA #2701), that returns the
PATIENT INDEX	identifies a patient.		Integration Control Number (ICN) for the
			given patient in the Patient file (#2).
727.824, 21	The DSS Department Code		A free text field of 4-10 characters; data not
DSS DEPT	for the Laboratory product.	'P' FOR GEN. PRRTP	yet available. Field is set to null.
727.824, 22 DOM, PRRTP	Indicates if the patient is admitted to either a RRTP,	'D' FOR GEN. PRR IP	If the patient's treating specialty exists in the DSS TREATING SPECIALTY
AND SAARTP	PRRTP, or SARRTP at time	'S' FOR DOM. PRRTP	TRANSLATION (#727.831) file, data is
INDICATOR	care is provided.	'T' FOR PTSD PRRTP	derived from the DOM/PRRTP/SARRTP
		'H' FOR HOMELESS	CODE field (#2) of the DSS TREATING
		CWT/TR	SPECIALTY TRANSLATION (#727.831)
		'A' FOR SA CWT/TR	file.
		'B' FOR PTSD CWT/TR	Otherwise the value is mult
727.824, 23	Time of day specimen was	'C' FOR GEN.CWT/TR	Otherwise, the value is null. The TIME COLLECTED field (#23) is
TIME	collected.		derived from the DATE/TIME SPECIMEN
COLLECTED			TAKEN field (#.01) of the CHEM, HEM,
			TOX, RIA, SER, etc. field (#4) of the LAB
			DATA field (#63). This field is always
			exactly 6 numeric characters in length. If the
			Specimen time cannot be determined, then "000300" is used as a default.
727.824, 24	Indicates if patient is	'Y' FOR YES	Data (YES,NO) is retrieved from API call
OBSERVATION	considered to be an	'N' FOR NO	\$\$OBSPAT^ECXUTL4:
PATIENT	observation patient.		
INDICATOR			If the patient's treating specialty exists in the
			DSS TREATING SPECIALTY
			TRANSLATION (#727.831) file, data is derived from the OBSERVATION PAT
			INDICATOR field (#4) of the DSS
			TREATING SPECIALTY TRANSLATION
			(#727.831) file.
			If patient is outpatient AND Feeder Key
			(CLI) or DSS ID
			(MTL,IVP,ECQ,QSR,NOS,SUR) is 290-297,
			Observation Patient Ind=YES. Else,
			Observation Patient Ind=NO.
			Otherwise, Observation Patient Ind=NO.

Field # and Name	Description	Values	Technical Description
727.824, 25	The unique number		This field is determined by a call to
ENCOUNTER	assigned to each encounter		\$\$ENCNUM^ECSUTL4. Within this call
NUMBER	within DSS.		the inpatient/outpatient status, SSN, admit/visit date, treating specialty,
			observation patient indicator, and DSS
			Identifier or feeder key values of the record
			are used to create a unique encounter
727.824, 26	Identifies the		number. Data comes from the NAME field (#.01) of
PRODUCTION	division/facility where the		the DSS EXTRACT file (#728) which is a
DIVISION	work was performed.		pointer to INSTITUTION file (#4). This
			value is then used to call the API
			RADDIV^ECXDEPT DSS API to get the
			STATION NUMBER field (#99) from the INSTITUTION file (#4).
727.824, 27	The translation code for free		For free text results entered in the RESULTS
LAB RESULTS	text entries in the		field (#10), the LAB RESULTS
TRANSLATION	RESULTS field (#10).		TRANSLATION is derived from the
			TRANSLATION CODE field (#1) of the LAB RESULTS TRANSLATION file
			(#727.7).
727.824, 28	The provider ordering this		The ORDERING PROVIDER is derived
ORDERING	lab test.		from the REQUESTING PERSON field (#.1)
PROVIDER			of the CHEM,HEM,TOX,RIA,SER, etc. multiple field (#4) of the LAB DATRA file
			(#63).
			()
			The value obtained is a pointer to the NEW
			PERSON file (#200). A "@" is prefixed to the pointer value to indicate that it points to
			file #200. For example, if the IEN of the
			provider in file #200 is 98765, the value that
			will be stored is 298765.
727.824, 29 ORDERING	The VA code of the Person		Active Person Class is determined by the supported call \$\$GET^XUA472
PROVIDER	Class of the Ordering Provider as of the date of		(PERS,DATE), where PERS is the IEN from
PERSON CLASS	this extract record.		file #200 and DATE is the date of the event.
			The VA CODE is determined by the 7 th piece
727 924 20	A standard, unique life-long		of the returned value string. ORDERING PROVIDER NPI is a standard
727.824, 30 ORDERING	identifier of the provider		unique life-long identifier of the provider
PROVIDER NPI	who ordered the lab test.		who orders the lab test. The qualified
	This field has a length of		identifier shall be retrieved via the supporting
707.004.01	fifteen characters.		Kernel API: \$\$NPI^XUSNPI.
727.824, 31 LOINC CODE	A universal coding standard for identifying laboratory		Derived from the LAB DSS LAR EXTRACT file (#64.036), LOINC CODE
LOINE CODE	observations.		field.
727.824,32	This is the Patient's	'AD' FOR Active Duty	If the VistA Patient Type Code (TYPE
PATCAT	category which will be	'ADD' FOR Active Duty	(#391) field of the Patient (#2) file) =
	used for FHCC (Federal	Dependent 'FNRS' FOR Former Non-	Active Duty, Military Retiree, or
	Health Care Center) Reconciliation. DSS must	Remarried Spouse	TRICARE, then the value(s) in the VistA Other Eligibility multiple (PATIENT
	capture and report DoD	'RET' FOR Retired	ELIGIBILITIES (#361) field of the
	patients so that the FHCC	'RETD' FOR Retiree	PATIENT (#2) file), which points to
	reconciliation process can	Dependent 'RES' FOR Reservist	locally modifiable ELIGIBILITY CODE
	function as designed.	'REC' FOR Recruit	(#8) file should be evaluated. If the value
	"Reconciliation" is the	'TDRL' FOR Temporary	in the ELIGIBILITY CODE is equal to
	process used within the new FHCC to determine	Disability	any entry in the set of codes in this field, the value should be placed in this field.
	which patients DoD pays	'TFL' FOR TRICARE for Life	and value should be placed in this field.
	for and which VA pays	Liiv	
	for.		

#727.832 - NUTRITION EXTRACT (NUT) File Data Definition

This file contains data elements as specified by the Decision Support Office (DSO) for the Nutrition extract from existing VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

727.832,.01 The recorn SEQUENCE entry	d for this extract	_
CECHENCE ontav	d for time children	The internal entry number (IEN) for this
		record. This entry is DINUMed.
NUMBER		
	racter string	Format is YYYYMM
	ing the year and	
was perfo		
	sponding entry in	A pointer to the DSS EXTRACT LOG file
	EXTRACT LOG	(#727). The primary purpose is to pick up the
) for this extract.	header for the mail message.
`	e facility/division	Derived from the NAME field (#.01) of the
	extract was	DSS EXTRACTS file (#728), which points
performed	d.	to the INSTITUTION file (#4).
		` ,
		This is a copy of the STATION NUMBER field (#99).
727.832,4 An identi	fying number for	Derived from the PATIENT field (#.01) in
	at at the local site.	the NUTRITION PERSON file (#115).
DFN		PATIENT NO. – DFN/IEN is a pointer to the
		NAME field (.01) of the PATIENT file (#2)
		or a pointer to the NEW PERSON file
		(#200). This data represents the patient DFN
727 922 5 The metion		or the NEW PERSON file's IEN.
727.832,5 The patie number.	nt's social security	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field #4) in the
SSIN Humber.		NUTRITION EXTRACT file (#727.832),
		SSN data is derived from m the SOCIAL
		SECURITY NUMBER field (#.09) in the
		PATIENT file (#2).
		"Test" patient status is determined in
		PAT^ECXUTL3. Any patient with an SSN
		beginning with "00000" will not be included
		in the extract.
-	four characters of	Using the patient pointer (DFN) stored in the
NAME the patien	it's last name.	PATIENT NO. – DFN field (#4) in the
		NUTRITION EXTRACT file (#727.832),
		NAME data is derived from the NAME field
		(#.01) in the PATIENT file (#2). The first four characters of the first "," piece are used,
		padded with trailing spaces if necessary.
		padded with training spaces it necessary.
		The name value is returned by the supported
		call DEM^VADPT.

Field # and Name	Description	Values	Technical Description
727.832,7	Indicates whether the	'I' FOR INPATIENT	To determine the value of this field a call is
IN OUT PATIENT	patient was an inpatient or	'O' FOR OUTPATIENT	made to \$\$PATDEM^ECXUTL2. Within
INDICATOR	an outpatient for this extract		this call, \$\$INP^ECXUTL2 is called to
	entry.		determine inpatient/outpatient status. If the
			patient is an outpatient, processing stops and
			the field is set to O. If the patient is an
			inpatient then \$\$INOUTP^ECXUTL4 is
			called to look at the treating specialty. If the
			patient's treating specialty the DSS
			TREATING SPECIALTY TRANSLATION
			(#727.831) file exists in the DSS
			TREATING SPECIALTY TRANSLATION
			(#727.831) file then the value of the
			INPAT/OUTPAT CODE field (#5) of the
			DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If
			the treating specialty is not found in the DSS
			TREATING SPECIALTY TRANSLATION
			(#727.831) file then the indicator is set to I.
727.832,8	Date on which the service		This field is always exactly 8 numeric
DAY	was provided.		characters in length. The format is
			YYYYMMDD; for example, 19970923. If
			the date cannot be determined, then a default
			is used. The default date value is the value of
			the YEAR MONTH field (#1) concatenated
			with "01" for the day (DD) portion.
727.832,9	Time the service was		This field is always exactly 6 numeric
TIME	provided. (6-digit military		characters in length; if time cannot be
707 020 10	time).		determined, then "000300" is used as default.
727.832,10	The PTF CODE of the		This field is initialized to a null, indicating
TREATING	treating specialty associated with this extract record		an outpatient status. If a call to IN5^VADPT
SPECIALTY	form the SPECIALTY file		(using the patient IEN and the event date) returns a patient movement number
	(#42.4).		(indicating inpatient status), then the value of
	(1142.4).		VAIP(8), which is the pointer to the
			FACILITY TREATING SPECIALTY file
			(#45.7), is used to get the SPECIALTY field
			(1) which points to the SPECIALTY file
			(#42.4).
			Then, the PTF Code (field #7 of file 42.4) is
			obtained and stored instead of the actual
			specialty.
727.832,11	Provider ordering the		Outpatient tube feedings, outpatient special
ORDERING	patient feeding.		meals and outpatient guest meals have no
PROVIDER	r		ordering provider.
			Inpatient diets, inpatient supplemental
			feedings, inpatient tube feedings and
			outpatient recurring meals use the
			CURRENT AGENT/PROVIDER field (#1)
			of the ORDER file (#100)) which is a pointer
			to the NEW PERSON file (#200).
			The ORDERING PROVIDER is the value of
			a "2" prefixed to the pointer value to indicate
			that the source file is "200". For example, if
			the IEN of the provider in file #200 is 98765,
			the value that will be stored is 298765.
	1	ı	

Field # and Name	Description	Values	Technical Description
727.832,12	VA Code of the Person		Active Person Class is determined by the
ORDERING	Class of the patient's		supported call
PROVIDER	Ordering Provider as of the		\$\$GET^XUA4A72(PERS,DATE), where
PERSON CLASS	date of this extract record.		PERS is the IEN from file #200 and DATE is
I ERSON CEASS	date of this extract record.		the date of the event. The VA CODE is
			determined by the 7 th piece of the returned
			value string.
727.832,13	The primary care provider		Using the patient's DFN and the date of
PRIMARY CARE	assigned to this patient		service a call is made to the Scheduling API
PROVIDER	through the Primary Care		OUTPTPR^SDUTL3 to retrieve the primary
	Management Module		care team provider. The API returns the
	(PCMM) application.		provider's internal entry number and name
	(- , -11		from the NEW PERSON file (#200).
			from the IVE W TERSOTT THE (#200).
			The PRIMARY CARE PROVIDER is the
			value of a "2" prefixed to the pointer value to
			indicate that the source file is "200". For
			example, if the IEN of the provider in file
			#200 is 98765, the value that will be stored is
			298765.
727.832,14	VA Code of the Person		Active Person Class is determined by the
PRIMARY CARE	Class of the Primary Care		supported call
PVR PERSON	Provider as of the date of		\$\$GET^XUA4A72(PERS,DATE), where
CLASS	this extract record.		PERS is the IEN from file #200 and DATE is
CLASS	this extract record.		the date of the event. The VA CODE is
			determined by the 7 th piece of the returned
			value string.
727.832,15	The primary care team		Using the DAY field (#8) and the patient
PRIMARY CARE	assigned to this patient in		pointer (DFN) stored in the PATIENT NO. –
TEAM	the PCMM module.		DFN field (#4) in the NUTRITION
			EXTRACT file (#727.832), a call is made to
			the Scheduling API, OUTPTTM^SDUTL3.
			The API returns the team's internal entry
			number and name from the TEAM file
			(#404.51). The IEN is stored in this field.
727.832,16	Unique national VA patient		Derived by calling API,
MASTER	identifier.		\$\$GETICN^MPIF001 (Supported DBIA
	identifier.		
PATIENT INDEX			#2701), that returns the Integration Control
			Number (ICN) for the given patient in the
			Patient file (#2).
727.832,17	Patient's date of birth		Data source:
DATE OF BIRTH			
			NUTRITION PERSON file
			(#115);PATIENT (#14) then to PATIENT
			file (#2); DATE OF BIRTH field (#.03).
			(,,
			Date of Birth is returned through the
			supported call DEM^VADPT. It is then
			represented by an 8-character numeric string
707 000 10	D.C. O. I.	OR FOR MALE	in the YYYYMMDD format.
727.832,18	Patient's gender.	'M' FOR MALE	Data is taken from the SEX field (#.02) of
SEX		'F' FOR FEMALE	the patient's record in the PATIENT file
1		i	(#2).
ļ l			(112).
			The gender is returned by DEM^VADPT.

Field # and Name	Description	Values	Technical Description
727.832,19 RACE 1	Self- reported by patient as recorded in VistA patient file.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4), RACE 1 is derived from the PTF VALUE field (#5) of the RACE file (#10) pointed to by the RACE INFORMATION field (#.01) of the RACE INFORMATION sub file (#2.02) of the PATIENT file (#2). Only those RACE INFORMATION values in the RACE INFORMATION sub file (#2.03) where the METHOD OF COLLECTION field (#.02) set to 1 (SELF-IDENTIFICATION), is included in the RACE 1 field. If any of the RACE INFORMATION values returned are "C" (DECLINED TO ANSWER) that will be the only value included in the RACE 1 field.
727.832,20 ETHNICITY	The patient's PTF ethnicity code.	'D' FOR Declined to Answer 'H' FOR Hispanic or Latino 'N' FOR Not Hispanic or Latino 'U' FOR Unknown by Patient	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4), ETHNICITY is derived from the PTF VALUE field (#5) of the ETHNICITY file (#10.2) pointed to by the ETHNICITY INFORMATION field (#.01) of the ETHNICITY INFORMATION subfile (#2.06) of the PATIENT file (#2). The above will occur only if the METHOD OF COLLECTION field (#.02) of the ETHNICITY INFORMATION sub file (#2.06) is set to 1 (SELF-IDENTIFICATION), otherwise ETHNICITY with be set to null.
727.832,21 VETERAN	Patient's veteran status.	'Y' FOR YES 'N' FOR NO	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the NUTRITION EXTRACT file (#727.832), VETERAN data is derived from the VETERAN (Y/N)? field (#1901) in the PATIENT file (#2).
727.832,22 ENROLLMENT STATUS	Patient's enrollment status.		ENROLLMENT STATUS is derived from the standard call \$\$STATUS^DGENA using the patient's DFN and returns the ENROLLNET STATUS field (#.04) of the PATIENT ENROLLMENT file (#27.11).
727.832,23 ENROLLMENT LOCATION	The facility that the patient chooses to designate as his preferred location for care.		The PREFERRED FACILITY field (# 27.02) of the PATIENT file (#2) is defined as the facility that the patient chooses to designate as his preferred location for care. The PREFERRED FACILITY field (# 27.02) is a pointer to the INSTITUTION file (#4). From file (#4), the value in the STATION NUMBER field (#99)is used.
727.832,24 ENROLLMENT CATEGORY	Patient's enrollment category.		ENROLLMENT CATEGORY is derived from the standard call \$\$CATEGORY^DGENA4 using the patient's DFN and the CURRENT ENROLLMENT field (#27.01) of the PATIENT file (#2).

Field # and Name	Description	Values	Technical Description
727.832,25	This field contains the		ENROLLMENT PRIORITY field contains
ENROLLMENT	enrollment priority group		the enrollment priority group and the
PRIORITY	and the enrollment priority		enrollment priority subgroup from the Patient
	subgroup.		Enrollment file (#27).
			ENROLLMENT PRIORITY Groups
			determined for a patient enrollment include:
			'1' FOR GROUP 1
			'2' FOR GROUP 2
			'3' FOR GROUP 3
			'4' FOR GROUP 4
			'5' FOR GROUP 5
			'6' FOR GROUP 6
			'7' FOR GROUP 7
			'8' FOR GROUP 8
			ENROLLMENT PRIORITY Subgroups
			determined for a patient enrollment include:
			'a' FOR 1
			'c' FOR 3
			'e' FOR 5
			'g' FOR 7
727.832,26	Patient's Primary Eligibility		Using the patient pointer (DFN) stored in the
ELIGIBILITY	converted to NPCD eligibility code; Eligibility		PATIENT NO. – DFN field (#4) in the NUTRITION EXTRACT file (#727.832),
	code is based on veteran or		ELIGIBILITY data is derived from the
	non-veteran status.		PRIMARY ELIGIBILITY CODE field
			(.361) in the PATIENT file (#2). PRIMARY
			ELIGIBILITY CODE is a pointer to the
			ELIGIBILITY CODE file (#8). The data is
			derived from the MAS ELIGIBILITY CODE
			field (8) in the ELIGIBILITY CODE file
			(#8), which in turn is a pointer to the MAS
			ELIGIBILITY CODE file (#8.1).
			The pointer value to file #8.1 is converted by
			ELIG^ECXUTL3 to the corresponding
			eligibility code used by NPCD. This code is
			composed of two or three numeric characters.
727.832,27	The period of service which		Period of Service is derived from the Period
PERIOD OF	best classifies this patient		of Service field (#.323) in the Patient file
SERVICE	based on eligibility code.		(#2).
727.832,28	Indicates whether patient	'Y' FOR YES	Using the Patient Pointer (DFN) stored in the
AGENT ORANGE	was exposed to Agent	'N' FOR NO	PATIENT NO. – DFN field (#4) in the
STATUS	Orange.	'U' FOR UNKNOWN	NUTRITION EXTRACT file (#727.832),
			AGENT ORANGE data is derived from the
			AGENT ORANGE EXPOS. INDICATED?
			field (#.32102)in the PATIENT file (#2).
			The status indicator is returned by
			SVC^VADPT.
727.832,29	Indicates the location where	'K' FOR KOREAN DMZ	The location is returned by a call to
AGENT ORANGE	the patient was exposed to	'V' FOR VIETNAM	SVC^VADPT which gets its data from the
LOCATION	Agent Orange.	'O' FOR OTHER	AGENT ORANGE EXPOSURE
			LOCATION field (#.3213) of the PATIENT
	1		FILE (#2)

Field # and Name	Description	Values	Technical Description
727.832,30	Indicates if patient claims	'Y' FOR YES	Using the patient pointer (DFN) stored in the
RADIATION	exposure to ionizing	'N' FOR NO	PATIENT field (#14) in the NUTRITION
STATUS	radiation.	'U' FOR UNKNOWN	PERSON file (#115). RADIATION data is
			derived from the RADIATION EXPOSURE
			INDICATED? field (#.32103) in the
			PATIENT file (#2).
			The status indicator is returned by
			SVC^VADPT which is called by routine
			PAT^ECXUTL3.
727.832,31	This field is used to indicate	'Y' FOR YES	This field is derived from the SOUTHWEST
SW ASIA	if patient claims exposure to	'N' FOR NO	ASIA CONDITIONS? field (#.322013) in
CONDITIONS	Southwest Asia Conditions.	'U' FOR UNKNOWN	the PATIENT file (#2) using the patient
			DFN. The status indicator is returned by
			SVC^VADPT. which is called by
		(11) 100 11	PAT^ECXUTL3.
727.832,32	Indicates the Military	'Y' FOR Yes, screened	The MST HISTORY file (#29.11) holds data
MST STATUS	Sexual Trauma (MST) status of a patient on the	reports MST 'N' FOR Screened, does not	regarding military sexual trauma claims and effective dates. The patients' MST status is
	date of the encounter.	report MST	stored in the MST STATUS field (#3). A call
	date of the encounter.	'D' FOR Screened, declines	will be made to \$\$GETSTAT^DGMSTAPI
		to answer.	(DFN, DGDATE) using the DFN from the
		'U' FOR Unknown, not	PATIENT field (#14) in the NUTRITION
		screened	PERSON file (#114) and the DAY field (#8)
			of the NUTRITION EXTRACT file
			(#727.832).
727.832,33	Identifies whether patient	'Y' FOR YES	Using the patient pointer (DFN) stored in the
HEAD & NECK	has head and/or neck	'N' FOR NO	PATIENT NO. – DFN field (#4), a call is
CANCER INDICATOR	cancer.		made to \$\$GETCUR^DGNTAPI to retrieve the HEAD/NECK CA DX field (#2.01) of
INDICATOR			the NOSE AND THROAT RADIUM
			HISTORY file (#28.11)
727.832,34	Indicates if patient was	'Y' FOR YES	PATIENT file (#2); POW STATUS
POW STATUS	confined as a Prisoner of	'N' FOR NO	INDICATED? field (#.525). The status
	War.		indicator is returned by SVC^VADPT.
727.832,35	If POW Status is indicated,		Using the patient pointer (DFN) stored in the
POW LOCATION	then this is the POW		PATIENT NO. – DFN field (#4), a call is
	confinement location.		made to SVC^VADPT which returns the),
			POW CONFINEMENT LOCATION field (#.526) from the PATIENT file (#2) This is
			a pointer value to the POW PERIOD file
			(#22).
727.832,36	Indicates whether or not the	'Y' FOR YES	PATIENT file (#2); CURRENT PH
PURPLE HEART	patient is a Purple Heart	'N' FOR NO	INDICATOR field (#.531). The status
INDICATOR	recipient.		indicator is returned by SVC^VADPT.
727.832,37	The current means test	'A' FOR Category A	Using the patient pointer (DFN) stored in the
MEANS TEST	category for this patient.	'B' FOR Category B	PATIENT NO. – DFN field (#4) in the
		'C' FOR Category C	NUTRITION EXTRACT file (#727.832),
		'P' FOR Pending Adjudication	MEANS TEST data is derived from the CURRENT MEANS TEST STATUS field
		'R' FOR Requires Means	(#.14) in the PATIENT file (#2). This field is
		Test	a pointer to the MEANS TEST STATUS file
		'N' FOR Means Test not	(#408.32). Using the means test pointer, the
		Required	data is derived from the CODE field (#.02) in
		'E' FOR Exempt	the MEANS TEST STATUS file (#408.32).
		'I' FOR Incomplete	
		'L' FOR No Longer	The status indicator is returned by
		Applicable	ELIG^VADPT.
		'M' FOR Non-Exempt	

Field # and Name	Description	Values	Technical Description
727.832,38 STATE CODE	The state in which the patient resides.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the NUTRITION EXTRACT file (#727.832), data is derived from the STATE field (#.115) in the PATIENT file (#2) which points to the STATE file (#5). From the STATE file record, use the two character VA STATE CODE (#2).
727.832,39 COUNTY CODE	The county in which the patient resides.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the NUTRITION EXTRACT File (#727.832), data is taken from the COUNTY field (#.117) in the PATIENT file (#2) which points to a sub file record in the COUNTY multiple field (#3) of the STATE file (#5). A pointer to the STATE file (#5) is obtained from the STATE field (#.115) of the file (#2) record. From the sub file record of field (#3) of file (#5) use the value of the VA COUNTY
727.832,40 ZIP +4	The ZIP code for where the patient resides. The 5-character zip code is provided if ZIP+4 is not available.		CODE field (#2). The patient's ZIP code with optional 4 digit extension as found in the ZIP+4 field (#.1112) of the patient's record in the PATIENT file (#2). While the ZIP+4 filed in file 2 is a max of 9 characters, it does put the "-" in if the ZIP code is a +4 type.
727.832,41 OBSERVATION PATIENT INDICATOR	Indicates if patient is considered to be an observation patient.	'Y' FOR YES 'N' FOR NO	Data (YES,NO) is retrieved from API call \$\$OBSPAT^ECXUTL4: If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file, data is derived from the OBSERVATION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file. If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS ID (MTL,IVP,ECQ,QSR,NOS,SUR) is 290-297, Observation Patient Ind=YES. Else, Observation Patient Ind=NO. Otherwise, Observation Patient Ind=NO.
727.832,42 RRTP, PRRTP AND SAARTP INDICATOR	Indicates if the patient is admitted to either a RRTP, PRRTP, or SARRTP at time care is provided.	'P' FOR GEN. PRRTP 'D' FOR DOMICILIARY 'S' FOR DOM. PRRTP 'T' FOR PTSD PRRTP 'H' FOR HOMELESS CWT/TR 'A' FOR SA CWT/TR 'B' FOR PTSD CWT/TR 'C' FOR GEN. CWT/TR	If the patient's treating specialty exists in the DSS TREATINS SPECIALTY TRANSLATION (#727.831) file, data is derived from the DOM/PRRTP/SARRTP CODE field (#2) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file. Otherwise, the value is null.
727.832,43 ENCOUNTER NUMBER	The unique number assigned for DSS.		This field is determined by a call to \$\$ENCNUM^ECXUTL4. Within this call the inpatient/outpatient status, SSN, admit/visit date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number.

Field # and Name	Description	Values	Technical Description
727.832,44	Division in which patient's		Using the movement record, identify the
PATIENT	bed is located.		ward associated with the record and retrieve
DIVISION			the facility associated with the ward which is
			a pointer to the Medical Center Division file
			(#40.8), then use field (#.07) which is a
			pointer to the Institution file (#4). Use the
			GETDIV^ECXDEPT API and retrieve the
			value from field (#99).
727.832,45	Station number where the		The data is derived by calling
FOOD	kitchen is located.		\$\$NUTLOC^ECXUTL6 to retrieve the
PRODUCTION			ASSIGNED DIVISION field (#1) from the
DIVISION			DSS NUTRITION DIVISION
			WORKSHEET file (#728.46) based on the
			FOOD PRODUCTION FACILITY field
			(#48) of the NUTRITION EXTRACT file
			(#727.832). It is a copy of the STATION NUMBER field (#99) in the INSTITUTION
			file (#4).
727.832,46	Station number where the		The data is derived by calling
DELIVERY	meal was delivered.		\$\$NUTLOC^ECXUTL6 to retrieve the
DIVISION	mear was derivered.		ASSIGNED DIVISION field (#1) from the
DIVISION			DSS NUTRITION DIVISION
			WORKSHEET file (#728.46) based on the
			delivery location of the feeding or meal.
			and the grant of t
			It is a copy of the STATION NUMBER field
			(#99) in the INSTITUTION file (#4).
727.832,47	Standardized DSS product		The nutrition product is mapped to an
PRODUCT	assigned by DSS		assigned product in the DSS NUTRITION
FEEDER KEY	NUTRITION PRODUCT		PRODUCT WORKSHEET FILE (#728.45).
	worksheet.		Using the nutrition product name do a lookup
			and retrieve the value for ASSIGNED
707 020 40	TZ': 1 1 :: 1		PRODUCT field (#1) of file (#728.45).
727.832,48	Kitchen location where		If inpatient = from #115.1.13 (dietetic ward)
FOOD PRODUCTION	product was prepared.		points to #119.6 (nutrition location) which
FACILITY			points to #119.72.2(production facility) or If outpatient = #115.16.1 (outpatient
TACILITI			recurring meal) is present, then use
			#115.16.2(outpatient location) to point to
			(#119.6)(nutrition location) which points to
			#119.72.2 (production facility) or
			If #115.16.19 (outpatient tube feeding) is
			present then use #115.17.2 (outpatient
			location) use to point to (#119.6)(nutrition
			location) which points to #119.72.2
			(production facility) or
			If #115.18.5 (outpatient guest meal) is
			present then use #115.18.4 (outpatient
			location) to point to (#119.6) (nutrition
			location) which points to #119.72.2
707 922 40	Deline mental f	(T' FOD TD AY	(production facility).
727.832,49	Delivery point for product	'T' FOR TRAY	Use the NUTRITION PATIENT file (#115),
DELIVERY	associated with the specific diet that was delivered on	'C' FOR CAFETERIA	ADMISSION field (#1), DIET field (#3),
LOCATION TYPE	the selected date.	'D' FOR DINING ROOM	TYPE OF SERVICE field (#7). It is associated with the specific diet that was
	the selected date.		delivered on the date in the DAY field (#8).
		1	uch vereu on the date in the DAT field (#8).

Field # and Name Description 727.832,50 DELIVERY FEEDER LOCATION DSS identifier indicating patient location where product was delivered. DSS identifier indicating patient location where product was delivered. DELIVERY LOCATION TYPE field of the NUTRITION EXTRACT file (#727.832). A call is made to \$\$NUTLOC^ECXUT and using the DELIVERY LOCATION TYPE field (#49) the DELIVERY FEE LOCATION field is set based on the detype and the patient's inpatient/outpaties status.	e (#49) FL6 CDER elivery ent is set 0
DELIVERY FEEDER LOCATION patient location where product was delivered. patient location where product was delivered. delivered depends upon the value in the DELIVERY LOCATION TYPE field of the NUTRITION EXTRACT file (#727.832). A call is made to \$\$NUTLOC^ECXUT and using the DELIVERY LOCATION TYPE field (#49) the DELIVERY FEE LOCATION field is set based on the detype and the patient's inpatient/outpatie	e (#49) FL6 CDER elivery ent is set 0
FEEDER LOCATION product was delivered. DELIVERY LOCATION TYPE field of the NUTRITION EXTRACT file (#727.832). A call is made to \$\$NUTLOC^ECXUT and using the DELIVERY LOCATION TYPE field (#49) the DELIVERY FEE LOCATION field is set based on the detype and the patient's inpatient/outpatie	(#49) FL6 CDER clivery ent is set 0
(#727.832). A call is made to \$\$NUTLOC^ECXUT and using the DELIVERY LOCATION TYPE field (#49) the DELIVERY FEE LOCATION field is set based on the detype and the patient's inpatient/outpatie	DER elivery ent is set
A call is made to \$\$NUTLOC^ECXUT and using the DELIVERY LOCATION TYPE field (#49) the DELIVERY FEE LOCATION field is set based on the detype and the patient's inpatient/outpatie	DER elivery ent is set
and using the DELIVERY LOCATION TYPE field (#49) the DELIVERY FEE LOCATION field is set based on the de type and the patient's inpatient/outpatie	DER elivery ent is set
	is set
	0
If the DELIVERY LOCATION TYPE	
to "C" then this field is set to the first 1	~F
characters of the CAFETERIA SERVIPOINT field (#4) in the NUTRITION LOCATION file (#119.6).	نا د
If the DELIVERY LOCATION TYPE	= "T"
or "D" and the patient is an inpatient, the	
the patient's current ward is used to po this field.	pulate
If the DELIVERY LOCATION TYPE	– "T"
or "D" and the patient is an, then the cl	
location is used to populate this field.	inic
If the DELIVERY LOCATION TYPE	is null
and the service is a supplemental feeding	ıg,
tube feeding, or standing order then thi	
will be set to either the value in the TR	AY
SERVICE POINT field (#3) or the	
CAFETERIA SERVCIE POINT field	
the NUTRITION LOCATION file (#1	(9.6)
for the ward the patient is on.	· ·
727.832,51 Product quantity. The QUANTITY field is based on the	
QUANTITY diet and any additional diet orders assign to a patient.	ned
A call is made to DATA^FHDSSAPI	
(ECSD,ECED), where ECSD is the sta	
of the extract and ECED is the end date	
the extract. For each patient, all diet or	
are identified and recorded, along with	
information specific to each order. Inc in the information returned is the quan	
associated with each type of order. The	
QUANTITY field will be set based on	
quantity assigned to the specific diet	
component. For example, all regular d	iets
have a quantity of 1 while a tube feeding	ng
order will have a value indicating the n	umber
of milliliters of nutrition given.	
727.832,52 Indicates if the patient was Seen at a Community Based 'Y' FOR YES CBOC STATUS is set to yes if the NA field (#.01) of the FACILITY TYPE fi	
CBOC STATUS seen at a Community Based field (#.01) of the FACILITY TYPE fi. Outpatient Clinic (CBOC). (#4.1) as pointed to by the FACILITY	
field (#13) of the INSTITUTION file a	
pointed to by the INSTITUTION FILE	
POINTER field (#.07) of the MEDICA	
CENTER DIVISIION file (#40.8) is ed	
CBOC.	<u> </u>

727.832,53 Indicates whether a veteran has user enrollee status for the current or future fiscal 'U' FOR USER User enrollee is determing ENROLLED PATIENT ENROLLME When a user has a current or future fiscal User enrollee is determing ENROLLED PATIENT ENROLLME	ned by checking the
the current or future fiscal When a user has a current	
	, ,
year in the VistA User E	
field the value is set to 'l	
date or a past year's valu	
Determined by the use of	
\$\$UESTAT^EASUER v	
Identifier (DFN) is passed	
727.832,54 Refers to the various types of patients, which may be 'AC' FOR Active Duty PATIENT TYPE is derived AL' FOR Allied Veteran TYPE ACTION TYPE	
seen at a VA facility. Every patient in the system must 'CO' FOR Collateral patient's DFN, the NAM 'EM' FOR Employee TYPE OF PATIENT file	, ,
have a TYPE specified. 'IN' FOR Ineligible to by the TYPE field (#3	
'MI' FOR Military Retiree file (#2) is shortened to t	
'NO' FOR Non-Veteran characters to determine t	
(Other) the PATIENT TYPE field	
'NS' FOR NSC Veteran TYPE best classifies a pa	
'SC' FOR SC Veteran	
'TR' FOR Tricare	
727.832,55 Records if veteran served 'Y' FOR Yes CV STATUS ELIGIBIL	ITY is determined
CV STATUS on active duty in a theatre 'E' FOR Eligibility Expired by the use of API \$\$CVI	EDT^DGCV (DFN.
ELIGIBILITY of combat operations during DATE) that checks the C	COMBAT VET END
a period of war after the DATE field (#.5295) fro	
Persian Gulf War or in (#2) to determine CV Sta	
combat against a hostile three pieces(i.e. 1^2001)	
force during a period of piece is resolved as follo	ows.
hostilities after November	CT
11, 1998 1 – veteran qualifies as a	
0 – veteran does not qua	anry as a CV
-1 - bad DFIN	
Based on this result, the	field will be set to
'Y' for 'YES' or 'E' for	
EXPIRED' or 'NULL' f	
727.832,56 This field records that the 'Y' FOR YES The NATIOANL PATIE	
NATIONAL patient's record contains 1 FLAG field is set based	on the results of the
PATIENT or more Category 1 \$\$GETACT^DGPFAPI	(DFN,TARGET
RECORD FLAG (National) Patient Record ARRAY) call. This call	looks at the category
Flags. 1 national patient record	
the PRF NATIONAL FI	, ,
The resulting value of the	
of active category I patie	
assigned to this patient.	
(YES) if the result is gre value of zero causes this	
727.832,57 Identifies patients from 'K' FOR HURRICANE This field is extracted from	
ERI impacted ZIP code areas KATRINA EMERGENCY RESPO	
designated by the Federal designated by the Federal field (#.181) located in the	
Emergency Management (#2).	iic I I I I I I I I I I I I I I I I I I
Agency (FEMA).	
727.832,58 Date on which the patient's The field is 8 numeric ch	haracters in length.
ADMISSION admission occurred. Format is YYYYMMDI	
DATE the NUTRITION PERS	ON file (#115),

Field # and Name	Description	Values	Technical Description
727.832,59	The Military Operation in		The Military Operation in which the patient
OEF/OIF	which the patient was in		was in combat during the specified time
	combat during the specified		period. This field is a length of nine
	time period. This field is a		characters and reflects the OEF or OIF where
	length of nine characters		this patient was in combat. The value of this
	and reflects the OEF or OIF		field is derived from the LOCATION OF
	where this patient was in		SERVICE field (#.01) from SERVICE [OEF
	combat.		OR OIF] sub-file (#2.3215) of field (#.3215)
			located in the PATIENT File (#2). DSS will
			capture once, each location where the veteran
			served. In order to accommodate multiple
			locations, the values for this field are
			concatenated into this 9-character field.
			Possible field values are one or more
			combinations of the following:
			OEF = Operation Enduring Freedom
			OIF = Operation Iraqi Freedom
F0F 000 <0	TO 1		UNK = Unknown OEF/OIF
727.832,60	The date the veteran left the		This date field has a format equal to
OEF/OIF RETURN	OEF/OIF area, if known.		YYYYMMDD. The value of this field is
DATE	Otherwise, it is the end date		derived from the OEF/OIF TO DATE field
	of military pay for this		(#.03) of the SERVICE [OEF OR OIF]
	OEF/OIF deployment.		multiple field (#.3215) located in the
			PATIENT file (#2). In cases of multiple
			OEF/OIF tours, this field contains only most
707 020 (1	In Product the series of	'GM' FOR GM	recent return date.
727.832,61	Indicates the unit of measurement used for the		For tube feeding orders, this field is based on
TF UNITS		'ML' FOR ML	the QUANTITY field (#2) of the TF
	tube feeding.		PRODUCT multiple (#3) of the TUBEFEEDING multiple (#40) of the
			ADMISSION multiple (#40) of the
			NUTRITION PERSON file (#115). The unit
			is stripped from the quantity field and stored
			here.
727.832,62	A standard, unique life-long		A standard, unique life-long identifier of the
ORDERING	identifier of the ordering		ordering provider who ordered the patient
PROVIDER NPI	provider who ordered the		feeding. This field has a length of fifteen
1110 (122111111	patient feeding. This field		characters. The qualified identifier is
	has a length of fifteen		retrieved via the supporting Kernel API:
	characters.		\$\$NPI^XUSNPI.
727.832,63	A standard, unique life-long		A standard, unique life-long identifier of the
PRIMARY CARE	identifier of the primary		primary care provider. This field has a length
PROVIDER NPI	care provider. This field has		of fifteen characters. The qualified identifier
	a length of fifteen		is retrieved via the supporting Kernel API:
	characters.		\$\$NPI^XUSNPI.
727.832, 64	This is the code for the		The three-character alpha identifying code is
COUNTRY CODE	country associated with the		copied from the CODE (#.01) field of the
	address.		COUNTRY (#779.004) file.
727.832,65	Indicates whether patient	'Y' FOR YES	Using the patient pointer (DFN) stored in the
SHAD STATUS	meets requirements for	'N' FOR NO	PATIENT NO. – DFN field (#4) in the
	Shipboard Hazard and	'U' FOR UNKNOWN	NUTRITION EXTRACT file (#727.832),
	Defense (SHAD).		Shipboard Hazard and Defense data is
			derived by using DBIA #4462
	1	l	GETSHAD^DGUTL3(DFN).

Field # and Name	Description	Values	Technical Description
727.832,66	This is the Patient's	'AD' FOR Active Duty	If the VistA Patient Type Code (TYPE
PATCAT	category which will be used	'ADD' FOR Active Duty	(#391) field of the Patient (#2) file) = Active
	for FHCC (Federal Health	Dependent	Duty, Military Retiree, or TRICARE, then
	Care Center)	'FNRS' FOR Former Non-	the value(s) in the VistA Other Eligibility
	Reconciliation. DSS must	Remarried Spouse	multiple (PATIENT ELIGIBILITIES (#361)
	capture and report DoD	'RET' FOR Retired	field of the PATIENT (#2) file), which points
	patients so that the FHCC	'RETD' FOR Retiree	to locally modifiable ELIGIBILITY CODE
	reconciliation process can	Dependent	(#8) file should be evaluated. If the value in
	function as designed.	'RES' FOR Reservist	the ELIGIBILITY CODE is equal to any
	"Reconciliation" is the	'REC' FOR Recruit	entry in the set of codes in this field, the
	process used within the new	'TDRL' FOR Temporary	value should be placed in this field.
	FHCC to determine which	Disability	
	patients DoD pays for and	'TFL' FOR TRICARE for	
	which VA pays for.	Life	

#727.819 – PHARMACY IV DETAIL EXTRACT (IVP) File Data Definition

This file contains data elements as specified by the Decision Support Office (DSO) for the Pharmacy IV extract from existing VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

Field # and Name	Description	Values	Technical Description
727.819,.01 SEQUENCE NUMBER	The record for this extract entry.		The internal entry number (IEN) for this record. This entry is DINUMed.
727.819,1 YEAR MONTH	A six character numeric string representing the year and month for which this extract was performed.		Format is YYYYMM; Year 2000 compliant per vendor.
727.819,2 EXTRACT NUMBER	The corresponding entry in the DSS EXTRACT LOG file (#727) for this extract.		A pointer to the DSS EXTRACT LOG file (#727). The primary purpose is to pick up the header for the mail message.
727.819,3 FACILITY	This is the medical center division where the IV room is located.		An indicator of the medical center division where the IV room for this event happened. It is derived from the IV ROOM field (#.22) of IV multiple (#100) in the PHARMACY PATIENT (#55) file. The IEN of the IC room is passed to the API ALL^PSJ59P5 which returned the DICISION (#.02) field from the IV ROOM (#59.5) sub file, which points to the MEDICAL CENTER DIVISION (#40.8) FILE.
727.819,4 PATIENT NO. – DFN	An identifying number for the patient at the local site.		Derived from the PATIENT field (2) in the PRESCRIPTION file (#52). PATIENT NO. – DFN is a pointer to the NAME field (.01) of the PATIENT file (#2). This data represents the patient DFN. For sites running Inpatient Medications V. 4.5 or higher: Pointer to the NAME field (.01) of the PATIENT file (#2). PATIENT NO. – DFN data is derived from the DFN field (1) of the IV EXTRACT DATA file (#728.113).

Field # and Name	Description	Values	Technical Description
727.819,5	The patient's social security		Using the patient pointer (DFN) stored in the
SSN	number		PATIENT NO. – DFN field (#4) in the
			PRESCRIPTION EXTRACT file (#727.81),
			SSN data is derived from the SOCIAL
			SECURITY NUMBER field (#.09) in the
			PATIENT file (#2).
			"Test" patient status is determined in
			PAT^ECXUTL3. Any patient with an SSN
			beginning with "00000" will not be included
			in the extract.
727.819,6	The first four characters of		Using the patient pointer (DFN) stored in the
NAME	the patient's last name.		PATIENT NO. – DFN field (#4) in the
			PRESCRIPTION EXTRACT file (#727.81),
			NAME data is derived from the NAME field
			(#.01) in the PATIENT file (#2). The first
			four characters of the first "," piece are used,
			padded with trailing spaces if necessary.
			The name value is returned by the supported
			call DEM^VADPT.
727.819,7	Indicates whether the	'I' FOR INPATIENT	To determine the value of this field a call is
IN OUT PATIENT	patient was an inpatient or	'O' FOR OUTPATIENT	made to \$\$PATDEM^ECXUTL2. Within
INDICATOR	an outpatient for this extract.		this call, \$\$INP^ECXUTL2 is called to determine inpatient/outpatient status. If the
	extract.		patient is an outpatient, processing stops and
			the field is set to O. If the patient is an
			inpatient then \$\$INOUTP^ECXUTL4 is
			called to look at the treating specialty. If the
			patient's treating specialty exists in the DSS
			TREATING SPECIALTY TRANSLATION
			(#727.831) files then the value of the
			INPAT/OUTPAT CODE field (#5) of the
			DSS TREATING SPECIALTY
			TRANSLATION (#727.831) file is used. If
			the treating specialty is not found in the DSS
			TREATING SPECIALTY TRANSLATION
727 810 8	An 8-characater numeric		(#727.831) file then the indicator is set to I.
727.819,8 DAY	string that represents the		Data source:
2111	date on which the IV		For sites running a version prior to Inpatient
	medication was dispensed.		Medications v4.5 – IV STATS file (#50.8);
	1		DATE subfield (#50.803); DATE field
			(#.01).
			For sites manning Languignt Mr. Bardiana 4.5
			For sites running Inpatient Medications v4.5
			or higher: IV EXTRACT DATA file (#728.113), DATE/TIME field (#4) which is
			set by routine PSIVSTAT and is always the
			current date/time, i.e., NOW.
			This field is always exactly 8 numeric
			characters in length. The format is
			YYYYMMDD; for example 19970923.
			If the date cannot be determined, a default is
			used. The default date value is the value of
			the YEAR MONTH field (#1) concatenated
			with "01" for the day (DD) portion. Year
	1		2000 compliant per vendor.

Field # and Name	Description	Values	Technical Description
727.819,9 VA DRUG CLASSIFICATION	The VA Drug Classification for the item in this order.		For sites running a version of Inpatient Medications prior to V. 4.5: Derived from the VA CLASSIFICATION field (2) in the DRUG file (#50) for the drug identified by the GENERIC DRUG field (1) in either the IV ADDITIVES file (#52.6) for the additives or the IV SOLUTIONS file (#52.7) for solutions.
			Using the "AC" cross reference on the IV STATS file (#50.8) and a ^TMP(array built from the "AC" cross reference, GENERIC DRUG is derived from the following: the IV DRUG field (.01), the TYPE field (6), and the IEN of the additive or solutions for the IV DRUG within the IV DRUG multiple (2) of the DATE multiple (2) of the IV STATS file (#50.8).
			For sites running Inpatient Medications v4.5 or higher: Derived from the VA CLASSIFICATION field (2) in the DRUG file (#50) for the drug identified by the DRUG field (3) in the IV EXTRACT DATA file (#728.113)
727.819,10 QUANTITY	Drug quantity dispensed in the unit of issue for that drug. Unit of issue may vary from product to product and site to site.		QUANTITY is calculated by incrementing a counter based upon the value found in the TRANSACTION TYPE field (#5) in the IV EXTRACT DATA file (#728.113). If TRANSACTION TYPE equals 1 for DISPENSED, the counter is incremented by 1; if 4 for CANCELED, no change is made to the counter; if 2 for RETURNED or 3 for DESTROYED, the counter is decremented by 1.
727.819,11 WARD	Current ward where the patient is located.		This field is initialized to .5, indicating an outpatient status. It will be set to blank if the patient is an observation patient. A call is made to IN5^VADPT using the patient IEN and the event date. If data is returned identifying an inpatient episode, the value of VAIP (5) ward location is used to get the HOSPITAL LOCATION FILE POINTER field (#44) in the WARD LOCATION file (#42) which is a pointer to the HOSPITAL LOCATION file (#44).
727.819,12	***Field not used DSO aware***		*** Field not used DSO aware***
727.819,13 COST	VA Pharmacy supply cost of drug dispensed.		This field is calculated by multiplying TOTAL DOSES PER DAY field (#20) of this file by AVERAGE DRUG COST PER UNIT field (#7) of the IV ADDITIVES file (#52.6).
727.819,14 MOVEMENT FILE #	Current patient movement record associated with this extract record.		A call to IN5^VADPT (using the patient IEN and the event date) returns a patient movement number (indicating inpatient status). This field is set to the value of VAIP (1), which is a pointer to the PATIENT MOVEMENT file (#405).

Field # and Name	Description	Values	Technical Description
727.819,15 TREATING SPECIALTY	The PTF CODE of the treating specialty associated with this extract record.	values	This field is initialized to a null, indicating an outpatient status. If a call to IN5^VADPT (using the patient IEN and the event date) returns a patient movement number (indicating inpatient status), then the value of VAIP(8), which is the pointer to the FACILITY TREATING SPECIALTY file (#45.7), is used to get the SPECIALTY field (1) which points to the SPECIALTY file (#42.4). Then, the PTF Code (field #7 of file 42.4) is
707.010.16	This is a National D		obtained and stored instead of the IEN of the specialty.
727.819,16 NDC	This is the National Drug Code for the drug/supply item in this order.		For sites running a version of Inpatient Medications prior to V. 4.5: Derived from the NDC field (31) in the DRUG file (#50) for the drug identified by the GENERIC DRUG field (1) in either the IV ADDITIVES file (#52.6) for additives or the IV SOLUTIONS file (#52.7) for solutions. Using the "AC" cross reference on the IV STATS file (#50.8) and a ^TMP(array built from the "AC" cross reference, GENERIC DRUG is derived from the following: the IV DRUG field (.01), the TYPE field (6), and the IEN of the additive or solutions for the IV DRUG within the IV DRUG multiple (2) of the DATE multiple (2) of the IV STATS file (#50.8). For sites running Inpatient Medications V. 4.5 or higher: Derived from the NDC field (31) in the DRUG file (#50) for the drug identified by the DRUF field (3) in the IV EXTRACT DATA file (#728.113).
727.819,17 DEA, SPECIAL HDLG	Indicates if the drug in this record is Investigational or Schedule 1-5.	'I' FOR INVESTIGATIONAL '1' FOR SCHEDULE 1 ITEM '2' FOR SCHEDULE 2 ITEM '3' FOR SCHEDULE 4 ITEM '4' FOR SCHEDULE 4 ITEM '5' FOR SCHEDULE 5 ITEM	Derived from the DEA, SPECIAL HDLG field (#3) in the DRUG file (#50). If the DEA, SPECIAL HDLG field contains an "I" (INVESTIGATIONAL DRUGS) this field is set to "I". If the field contains a "1", "2", "3", "4" or "5" (DRUG SCHEDULE) it will be set to the same number. The presence of "I" takes precedence over the numbers.
727.819,18 PHARMACY IV DISPENSING FEE	The type of IV dispensed.	'A' FOR Admixture 'C' FOR Chemotherapy 'H' FOR Hyperal 'P' FOR Piggyback 'S' FOR Syringe	Derived from the TYPE field (#11) of the IV EXTRACT DATA file (#728.113).

Field # and Name	Description	Values	Technical Description
727.819,19	Code that uniquely		NEW FEEDER KEY is derived for the drug
NEW FEEDER	identifies a DSS		identified by the DRUG field (#6) in the
KEY	drug/supply product.		PRESCRIPTION file (#52), which is a
			pointer to the DRUG file (#50).
			The PSNDF VA PRODUCT NAME ENTRY
			field (#22) from the DRUG file (#50), which
			is a pointer to the VA PRODUCT file
			(#50.68), is padded to 5 digits. This is
			concatenated with a 12-digit code derived
			from the NDC field (#31) from the DRUG
727 010 20	Tatal dance and dan		file (#50) to form a 17-digit Feeder Key.
727.819,20	Total doses per day		For sites running a version of Inpatient
TOTAL DOSES	including units.		Medications prior to V. 4.5: This field is set
PER DAY			to null.
			For cites supplied Innetiant Medications V
			For sites running Inpatient Medications V. 4.5 or higher:
			1) For additives, TOTAL DOSES PER DAY
			is derived from the ADDITIVE STRENGTH
			field (6) and the ADDITIVE STRENGTH
			UNITS field (7) from the IV EXTRACT
			DATA file (#728.113). 2) For solutions,
			TOTAL DOSES PER DAY is derived from
			the SOLUTION VOLUME field (8),
			recorded in MLs, from the IV EXTRACT
			DATA file (#728.113).
727.819,21	The primary care team		DATE is defined by one of two methods.
PRIMARY CARE	assigned to this patient.		For sites running a version of Inpatient
TEAM			Medications prior to V. 4.5, DATE is defined
			by the DATE field (.01) of the DATE
			multiple (2) in the IV STATS file (#50.8).
			For sites running Inpatient Medications V.
			4.5 or higher, DATE is defined by the
			DATE/TIME field (4) of the IV EXTRACT
			DATA file (#728.113).
			Heine the DATE and the noticet acietae
			Using the DATE and the patient pointer (DFN), stored in the PATEINT NO. – DFN
			field (4) in the IV DETAIL EXTRACT file
			(#727.819), a call is made to the Scheduling
			API, OUTPTTM\SDUTL3. The API returns
			the team's internal entry number and name
			from the TEAM file (#404.51). Only the
			pointer (IEN) to File (#404.51) is
			transmitted.
727.819,22	The primary care provider		Using the DATE/TIME field (#4) in the IV
PRIMARY CARE	assigned to this patient		EXTRACT DATA file (#728.113)), a call is
PROVIDER	through the PCMM module.		made to the Scheduling API,
			OUTPTPR^SDUTL3. The API returns the
			provider's internal entry number and name
			from the NEW PERSON file (#200).
			A "2" is prefixed to the pointer value to
			indicate that the source file is "200". For
			example, if the IEN of the provider in
			file#200 is 98765, the value that will be
	<u> </u>		stored is 298765.

Field # and Name	Description	Values	Technical Description
727.819,23 IVP TIME	Time of day when the IV medication was dispensed.		The time portion of the DATE/TIME field (#4) of the IV EXTRACT DATA file (#728.113), which is set by routine PSIVSTAT is used and Padded to 6 characters if needed.
			This field is always exactly 6 numeric characters in length; if time cannot be determined, "000300" is used as default.
727.819,24 ADMISSION DATE	This 8-character numeric string represents the date on which the patient's admission occurred.		A call to IN5^VADPT (using the patient IEN and the event date) returns the internal file number of the admission associated with this movement ADMISSION DATE is derived from the DATE/TIME field (#.01) of the PATIENT MOVEMENT file (#405) for the movement found in VAIP (13). Data source:
			IV EXTRACT DATA file (#728.113); DFN field (#1). Then to PATEINT MOVEMENT file (#405); DATE/TIME field (#.01)
			This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion.
727.819,25 ADMISSION TIME	Time of day at which the patient admission occurred.		A call to IN5^VADPT (using the patient IEN and the event date) returns the internal file number of the admission associated with this movement ADMISSION TIME is derived from the DATE/TIME field (#.01) of the PATIENT MOVEMENT file (#405), for the movement found in VAIP(13). ADMISSION TIME is padded with trailing zeros to six digits.
			Data source: IV EXTRACT DATA file (#728.113); DFN field (#1). Then to PATEINT MOVEMENT file (#405); DATE/TIME field (#.01) This field is always exactly 6 numeric characters in length; if time cannot be determined, "000300" is used as default.
727.819,26 DSS IDENTIFIER FOR ENCOUNTER	Primary and secondary stop codes associated with the clinic, if IV dispensed to outpatient.		File #728.113 contains a pointer to HOSPITAL LOCATION file (#44). Using this pointer, obtain the primary and secondary clinic stop codes from the CLINIC AND STOP CODES file (#728.44).
727.819, 27 MASTER PATIENT INDEX	Unique national VA patient identifier.		Derived by calling API, \$\$GETICN^MPI001 (Supported DBIA #2701), that returns the Integration Control Number (ICN) for the given patient in the PATIENT file (#2).
727.819, 28 DSS PRODUCT DEPARTMENT	The nationally defined DSS Intermediate Department Number designated to the Pharmacy care product.		For the IV Detail extract, the DSS PRODUCT DEPARTMENT field is null.
727.819,29 PLACEHOLDER	Currently Null		Currently Null

Field # and Name	Description	Values	Technical Description
727.819, 30	The VA code of the Person		Active Person Class is determined by the
PC PROVIDER	Class of the Primary Care		supported call
PERSON CLASS	Provider as of the date of		\$\$GET^XUA4A72(PERS,DATE) where
	this extract record.		PERS is the IEN from file #200 and DATE is
			the date of the event. The VA CODE is
			determined by the 7 th piece of the returned
			value string.
727.819, 31	The associate primary care		Using the DATE/TIME field (#4) and the
ASSOCIATE PC	provider assigned to this		DFN field (#1) of the IV EXTRACT DATA
PROVIDER	patient through the PCMM		file (#728.113) a call is made to the
	module.		Scheduling API, OUTPTPR^SDUTL3. The API returns the Associate PC Provider's
			internal entry number and name from the
			NEW PERSON file (#200).
			TVEW TERSOTT IIIC (#200).
			A "2" is prefixed to the pointer value to
			indicate that the source file is "200". For
			example, if the IEN of the provider in file
			#200 is 98765, the value that will be stored is
			298765.
727.819, 32	The VA Code of the Person		Active Person Class is determined by the
ASSOC. PC PROV.	Class of the Associate		supported call
PERSON CLASS	Primary Care Provider as of		\$\$GET^XUA4A72(PERS,DATE) where
	the date of this extract record.		PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is
	record.		determined by the 7 th piece of the returned
			value string.
727.819, 33	Currently Null		Currently Null
PLACEHOLDER			Currently I van
727.819, 34	Indicates if the patient is	'P' FOR GEN. PRRTP	If the patient's treating specialty exists in the
DOM, PRRTP	admitted to either a RRTP,	'D' FOR DOMICILIARY	DSS TREATING SPECIALTY
AND SAARTP	PRRTP, or SARRTP at time	'S' FOR DOM. PRRTP	TRANSLATION (#727.831) file, data is
INDICATOR	care is provided.	'T' FOR PTSD PRRTP	derived from the DOM/PRRTP/SARRTP
		'H' FOR HOMELESS CWT/TR	CODE field (#2) of the DSS TREATING SPECIALTY TRANSLATION (#727.831)
		'A' FOR SA CWT/TR	file.
		'B' FOR PTSD CWT/TR	me.
		'C' FOR GEN. CWT/TR	Otherwise, the value is null.
727.819, 35	Indicates if patient is	'Y' FOR YES	Data (YES,NO) is retrieved from API call
OBSERVATION	considered to be an	'N' FOR NO	\$\$OBSPAT^ECXUTL4:
PATIENT	observation patient.		If the patient's treating specialty exists in the
INDICATOR			DSS TREATING SPECIALTY
			TRANSLATION (#727.831) file, data is
			derived from the OBSERVATION PAT
			INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION
			(#727.831) file.
			(#727.031) IIIe.
			If patient is outpatient and treating specialty
			not in file, AND Feeder Key (CLI) or DSS
			ID (MTL,IVP,ECQ,QSR,NOS,SUR) is 290-
			297, Observation Patient Ind=YES. Else,
			Observation Patient Ind=NO.
			Otherwise, Observation Patient Ind=NO.
727.819, 36	The unique number		This field is determined by a call to
ENCOUNTER	assigned for DSS.		\$\$ENCNUM^ECXUTL4. Within this call
NUMBER			the inpatient/outpatient status, SSN,
			admit/visit date, treating specialty,
			observation patient indicator, and DSS
			Identifier or feeder key values of the record
			are used to create a unique encounter
	l		number.

Field # and Name	Description	Values	Technical Description
727.819, 37	The provider who ordered	. DANGE	The ORDERING PROVIDER field is
ORDERING	the IV product.		derived from the PROVIDER field (#9) of
PROVIDER	and I v products		the IV EXTRACT DATA file (#728.113).
TROVIDER			the 17 Extract Britishie (#720.113).
			ORDERING PROVIDER is the value of a
			"2" prefixed to the pointer value from the
			NEW PERSON file (#200). For example, if
			the IEN of the provider in file #200 is 98765,
			the value that will be stored is 298765.
727.819, 38	This field contains the stop		For outpatients the stop code is the primary
ORDERING STOP	code associated with the		stop code for the clinic as determined by the
CODE	order.		AMIS REPORTING STOP CODE field (#1)
			of the CLINIC STOP file (#40.7) as pointed
			to by the STOP CODE NUMBER field (#8)
			of the HOSPITAL LOCATION file (#44) as
			pointed to by the CLINIC Field (#136 of the
			IV multiple (#100) of the PHARMACY
			PATIENT file (#55). If none exists, the
			value is set to null.
			For observation patients the stop code is
			translated using the following table.
			Treating Specialty Observation Stop
			Code
			18 293
			23 295
			24 290
			36 296
			41 294
			65 291
			94 292
			1J 297
727.819, 39	Date the order was verified		Date comes from the DATE field (#16) of
ORDERING DATE			· · ·
ORDERING DATE	by Nurse.		the IV EXTRACT DATA file (#728.113).
			This field contains the data of the order in
			This field contains the date of the order in
			YYYYMMDD format.
727.819, 40	For future development;		Currently Null
REQUESTING	currently set to null.		
PHYSICIAN			
727.819, 41	Identifies the		Data comes from the DIVISION field (#.02)
PRODUCTION	division/facility where the		of the IV ROOM file (#59.5), which is a
DIVISION CODE	work was performed.		pointer to the MEDICAL CENTER
			DIVISION file (#40.8). This value is then
			used to call the API GETDIV^ECXDEPT to
			get the STATION NUMBER field (#99)
			from the INSTITUTION file (#4).
727.819, 42	The current means test	'A' FOR Category A	Using the patient pointer (DFN) stored in the
MEANS TEST	category for this patient.	'B' FOR Category B	PATIENT NO. – DFN field (#4) in the IV
		'C' FOR Category C	DETAIL EXTRACT file (#727.819),
		'P' FOR Pending	MEANS TEST data is derived from the
		Adjudication	CURRENT MEANS TEST STATUS field
		'R' FOR Requires Means	(#.14) in the PATIENT file (#2). This field is
		Test	a pointer to the MEANS TEST STATUS file
		'N' FOR Means Test not	(#408.32). Using the means test pointer, the
		Required	data is derived from the CODE field (#.02) in
		'E' FOR Exempt	the MEANS TEST STATUS file (#408.32).
		'I' FOR Incomplete	uic MEANS TEST STATUS IIIC (#400.52).
		'L' FOR No Longer	The status indicator is naturned by
			The status indicator is returned by
		Applicable	ELIG^VADPT.
	1	'M' FOR Non-Exempt	

Field # and Name	Description	Values	Technical Description
727.819, 43	Appropriate eligibility code		Using the patient pointer (DFN) stored in the
ELIGIBILITY	based on veteran or non-		PATIENT NO. – DFN field (4) in the IV
	veteran status.		DETAIL EXTRACT file (#727.819,
			ELIGIBILITY data is derived from the
			PRIMARY ELIGIBILITY CODE field (.361) in the PATIENT file (#2). PRIMARY
			ELIGIBILITY CODE is a pointer to the
			ELIGIBILITY CODE file (#8). The data is
			derived from the MAS ELIGIBILITY CODE
			field (8) in the ELIGIBILITY CODE file
			(#8), which in turn is a pointer to the MAS
			ELIGIBILITY CODE file (#8.1).
			The pointer value to file #8.1 is converted by
			ELIG^ECXUTL3 to the corresponding
			eligibility code used by NPCD. This code is
			composed of two or three numeric characters.
727.819, 44	Patient's date of birth		Date of Birth is returned through the
DATE OF BIRTH			supported call DEM^VADPT. It is then represented by an 8-character numeric string
			in the YYYYMMDD format.
727.819, 45	Patient's gender	'M' FOR MALE	Data is taken from the SEX field (#.02) of
SEX		'F' FOR FEMALE	the patient's record in the PATIENT file
			(#2).
			The second of the DEMAY ADDE
727.819, 46	The state in which the		The gender is returned by DEM^VADPT. Using the patient pointer (DFN) stored in the
727.819, 40 STATE	patient resides.		PATIENT NO. – DFN field (#4) in the IV
STATE	patient resides.		DETAIL EXTRACT file (#727.819), data is
			derived from the STATE field (#.115) in the
			PATIENT file (#2) which points to the
			STATE file (#5). From the STATE file
			record, use the two-character VA STATE CODE field (#2).
727.819, 47	The county in which the		Using the patient pointer (DFN) stored in the
COUNTY	patient resides.		PATIENT NO. – DFN field (#4) in the IV
			DETAIL EXTRACT file (#727.819), data is
			taken from the COUNTY field (#.117) in the
			PATIENT file (#2) which points to a subfile
			record in the COUNTY multiple field (#3) of the STATE file (#5). A pointer to the STATE
			file (#5) is obtained from the STATE field
			(#.115) of the file (#2) record.
			From the subfile record of field #3 of file #5,
			use the value of the VA COUNTY CODE
727.819, 48	The ZIP code for where the		field (#2). The patient's ZIP code with optional 4-digit
ZIP+4	patient resides. The 5-		extension as found in the ZIP+4 field
	characterZIP code is		(#.1112) of the patient's record in the
	provided if ZIP + 4 is not		PATIENT file (#2). While the ZIP+4 field in
	available.		file 2 is a max of 9 characters, it does put the
727 810 40	Patient's veteran status	'V' EOD VEC	"-" in if the ZIP code is a +4 type.
727.819, 49 VETERAN	r auem s veteran status	'Y' FOR YES 'N' FOR NO	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the IV
LILIUM		1, 101(1)	DETAIL EXTRACT file (#727.819),
			VETERAN data is derived from the
			VETERAN (Y/N)? field (#1901) in the
727.010.50	TOIL 1 1 C 1 1		PATIENT file (#2).
727.819, 50 PERIOD OF	The period of service that classifies this patient based		Period of Service is derived from the Period of Service field (#.323) in the Patient file
SERVICE	on eligibility code.		of Service field (#.323) in the Patient file (#2).
DERVICE	on engionity code.	l .	(n2)·

Field # and Name	Description	Values	Technical Description
727.819, 51	Indicates if patient was	'Y' FOR YES	PATIENT file (#2); POW STATUS
POW STATUS	confined as a Prisoner of	'N' FOR NO	INDICATED? field (#.525). The status
	War.	'U' UNKNOWN	indicator is returned by SVC^VADPT.
727.819, 52	If POW Status is indicated,		PATIENT file (#2); POW CONFINEMENT
POW LOCATION	then this is the POW		LOCATION field (#.526). This is a pointer
	confinement		value to the POW PERIOD file (#22). The
	location/period.		location indicator is returned by
			SVC^VADPT.
	1 = World War I		
	2 = World War II –		
	Europe		
	3 = World War II -		
	Pacific		
	4 = Korean 5 = Vietnam		
727.819, 53	6 = Other Indicates if patient claims	'Y' FOR YES	PATIENT file (#2); RADIATION
RADIATION	exposure to ionizing	'N' FOR NO	EXPOSURE INDICATED? Field (#.32103).
STATUS	radiation.	'U' UNKNOWN	The status indicator is returned by
SIMIOS	radiation.	o civilivo viv	SVC^VADPT.
727.819, 54	Indicates whether patient	'Y' FOR YES	PATIENT file (#2); AGENT ORANGE
AGENT ORANGE	was exposed to Agent	'N' FOR NO	EXPOS. INDICATED? field (#.32102). The
STATUS	Orange.	'U' UNKNOWN	status indicator is returned by SVC^VADPT.
727.819, 55	Indicates the location where		PATIENT file (#2), AGENT ORANGE
AGENT ORANGE	the patient was exposed to		EXPOSURE LOCATION field (.3213). The
LOCATION	Agent Orange.		location indicator is returned by
			SVC^VADPT.
727.819, 56	Indicates whether or not the	'Y' FOR YES	PATIENT file (#2); CURRENT PH
PURPLE HEART	patient is a Purple Heart	'N' FOR NO	INDICATOR field (#.531). The status
INDICATOR	recipient.		indicator is returned by SVC^VADPT.
727.819, 57	Indicates the Military	'Y' FOR Yes, screened	The MST HISTORY file (#29.11) holds data
MST STATUS	Sexual Trauma (MST)	reports MST	regarding military sexual trauma claims and
	status of a patient on the	'N' FOR Screened, does not	effective dates. The patient's MST status is
	date of the encounter.	report MST 'D' FOR Screened, declines	stored in the MST STATUS field (#3). A call will be made to
		to answer	\$\$GETSTAT^DGMSTAPI(DFN,DGDATE)
		'U' FOR Unknown, not	using the DFN in the PATIENT NO. DFN
		screened	(#4) field and the date in the DAY (#8) field.
727.819, 58	The facility that the patient	screened	The PREFERRED FACILITY field (# 27.02)
ENROLLMENT	chooses to designate as his		of the PATIENT file (#2) is defined as the
LOCATION	preferred location for care.		facility that the patient chooses to designate
	r		as his preferred location for care. The
			PREFERRED FACILITY field (# 27.02) is a
			pointer to the INSTITUTION file (#4). From
			file #4, the value in the STATION
			NUMBER field (#99) is used.
727.819, 59	Patient's enrollment		ENROLLED CATEGORY is derived from
ENROLLMENT	category.		the standard call \$\$CATEGORY^DGENA4
CATEGORY			using the patient's DFN and the
			ENROLLMENT STATUS (#60) field.
727.819, 60	Patient's enrollment status		ENROLLMENT STATUS is derived from
ENROLLMENT			the standard call \$\$STATUS^DGENA using
STATUS			the patient's DFN and returns the
			ENROLLMENT STATUS field (#.04) of the
727 910 61	Indicates whather retient	'V' EOD VEC	PATEINT ENROLLMENT file (#27.11).
727.819, 61 SHAD STATUS	Indicates whether patient meets requirements for	'Y' FOR YES 'N' FOR NO	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN filed (#4) in the IV
SUALSTATUS	Shipboard Hazard and	'U' FOR UNKNOWN	DETAIL EXTRACT file (#727.819),
	Defense (SHAD).	O TOR OTHEROWIN	Shipboard Hazard and Defense data is
	Defense (BIIAD).		derived from using DBIA #4462
			GETSHAD^DGUTL3(DFN).
	1	l .	

Field # and Name	Description	Values	Technical Description
727.819, 62	Community Nursing Home/	'Y' FOR YES	Using the CNHSTAT^ECXUTL4 (DFN)
CNH/SH STATUS	State Home	'N' FOR NO	call, the CNH status is returned based on the
	(CNH/SH) Indicator.		CNH CURRENT field (#148) of the
707.010.60	G 1 N II		PATIENT file (#2).
727.819, 63	Currently Null		Currently Null
PLACEHOLDER 727.819, 64	Identifies whether patient		Using the patient pointer (DFN) stored in the
HEAD & NECK	has head and/or neck		PATIENT NO. – DFN field (4), a call is
CANCER	cancer.		made to \$\$GETCUR^DGNTAPI to retrieve
INDICATOR			the HEAD/NECK CA DX field (#2.01) of
			the NOSE AND THROAT RADIUM
			HISTORY file (#28.11).
727.819, 65	The patient's PTF ethnicity		Using the patient pointer (DFN) stored in the
ETHNICITY	code.		PATIENT NO. – DFN field (#4),
			ETHNICITY is derived from the PTF
			VALUE field (#5) of the ETHNICITY file
			(#10.2) pointed to by the ETHNICITY INFORMATION field (#.01) of the
			ETHNICITY INFORMATION subfile
			(#2.06) of the PATIENT file (#2).
			("2100) of the 11112211 file ("2).
			The above will occur only if the METHOD
			OF COLLECTION field (#.02) of the
			ETHNICITY INFORMATION sub file
			(#2.06) is set to 1 (SELF-
			IDENTIFICATION), otherwise ETHNICITY
727.819, 66	Calf remarked by notices on		with be set to null. Using the patient pointer (DFN) stored in the
RACE 1	Self- reported by patient as recorded in VistA patient		PATIENT NO. – DFN field (#4), RACE 1 is
RITCL I	file.		derived from the PTF VALUE field (#5) of
			the RACE file (#10) pointed to by the RACE
			INFORMATION field (#.01) of the RACE
			INFORMATION subfile (#2.02) of the
			PATIENT file (#2).
			Only those DACE INFORMATION values
			Only those RACE INFORMATION values in the RACE INFORMATION subfile
			(#2.03) where the METHOD OF
			COLLECTION field (#.02) set to 1 (SELF-
			IDENTIFICATION), will be include in the
			RACE 1 field. Up to 6 race entries can be
			included. If any of the RACE
			INFORMATION values returned are "C"
			(DECLINED TO ANSWER) that will be the
727.819, 67	This is the dispensed drug.		only value included in the RACE1 field. BCMA DRUG DISPENSED field is derived
BCMA DRUG	ins is the dispensed drug.		from the DISPENSED DRUG field (#.01) of
DISPENSED			the DISPENSED DRUG multiple (sub-file
			#53.795) of the BCMA MEDICATION LOG
			file (#53.79).
707 010 70	A - 4 1 1		Currently, passing NULL
727.819, 68 BCMA DOSE	Actual number of units		Currently, passing NULL.
GIVEN	given.		
727.819, 69	Unit of administration (i.e.		Currently, passing NULL.
BCMA UNIT OF	TABLET, ML, VIAL).		Currentry, passing NOLE.
ADMINISTRATIO	, , , , , , , , , , , , , , , , , ,		
N			
727.819, 70	Indicates if patient is in the		Currently, passing NULL.
BCMA ICU FLAG	ICU.		

Field # and Name	Description	Values	Technical Description
727.819, 71	The VA code of the Person		ORDERING PROVIDER PERSON CLASS
ORDERING	Class of the Ordering		format of the field will be V999999, where
PROVIDER	Provider as of the date of		999999 will be six numeric digits.
PERSON CLASS	this extract record.		
			ORDERING PROVIDER PERSON CLASS
			is the Active Person which is determined by
			\$\$GET^AU4A71(PERS,DATE), where
			PERS is the IEN from NEW PERSON file
505 040 50			(#200).
727.819, 72	The nationally defined DSS		For the IV Detail extract, the DSS IP# field is
DSS IP#	Intermediate Product		null.
	Number designated to the		
707 010 72	patient care product.		ENDOLL MATERIT PRIORITY 6.11
727.819, 73	This field contains the enrollment priority group		ENROLLMMENT PRIORITY field contains
ENROLLMENT PRIORITY	and the enrollment priority		the enrollment priority group and the enrollment priority subgroup from the
PRIORITI			PATIENT ENROLLMENT File (#27.11).
	subgroup.		PATIENT ENROLLMENT FIIE (#27.11).
			ENROLLMENT PRIORITY Groups
			determined for a patient enrollment include:
			'1' FOR GROUP 1
			'2' FOR GROUP 2
			'3' FOR GROUP 3
			'4' FOR GROUP 4
			'5' FOR GROUP 5
			'6' FOR GROUP 6
			'7' FOR GROUP 7
			'8' FOR GROUP 8
			ENROLLMENT PRIORITY Subgroups
			determined for a patient enrollment include:
			'a' FOR 1
			'c' FOR 3
			'e' FOR 5
			'g' FOR 7
727.819, 74	Indicates whether a Veteran	'U' FOR USER	User enrollee is determined by checking the
USER ENROLLEE	has User Enrollee status for	ENROLLED	Patient Enrollment (#27.11) file. When a
	the current or future fiscal		user has a current or future fiscal year in the
	year.		VistA User Enrollee Status (#.04) field the
			value is set to 'U" and Null if no date or a
	•		past year's value is contained. Determined by
			the use of an API: \$\$UESTAT^EASUER
			where the Patient Identifier (DFN) is passed
727 910 75	Defens to the residence to	(AC' FOR Anti Post-	in.
727.819, 75	Refers to the various types	'AC' FOR Active Duty	PATIENT TYPE is derived from a call to
PATIENT TYPE	of patient, which may be	'AL' FOR Allied Veteran	TYPE^ECXUTL5 (DFN). Using the
	seen at a VA facility.	'CO' FOR Collateral	patient's DFN, the NAME field (#.01) of the
		'EM' FOR Employee	TYPE OF PATIENT file (#391) as pointed to
		'IN' FOR Ineligible	by the TYPE field (#391) of the PATIENT file (#2) is shortened to the first two
		'MI' FOR Military Retiree 'NO' FOR Non-Veteran	characters to determine the value stored in
		(Other)	the PATEINT TYPE field (#68).
		'NS' FOR NSC Veteran	the PATERIAL LITE HEIG (#00).
		'SC' FOR SC Veteran	
		'TR' FOR Tricare	
L	l .	THE TORE THEAT	

Field # and Name	Description	Values	Technical Description
727.819, 76 CV STATUS ELIGIBILITY	Records if a veteran served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War or in combat against a hostile force during a period of hostilities after November 11, 1998.	'Y' FOR YES 'E' FOR ELIGIBILTY EXPIRED	CV STATUS ELIGIBILITY is determined by the use of API \$\$CVEDT^DGCV (DFN, DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. API returns three pieces 1^3010106^0. The first piece is resolved as follows 1 — veteran qualifies as a CV 0 — veteran does not qualify as a CV -1 — bad DFN or date Based on this result the field will be set to 'Y' for 'YES' or 'E' for 'ELIGIBILITY
727.819, 77 CV ELIGIBILITY END DATE	Records the Combat Veteran (CV) eligibility expiration date of veteran who served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War or in combat against a hostile force during a period of hostilities after November 11, 1998.		EXPIRED' or 'NULL' for not eligible. CV ELIGIBILITY END DATE is determined by the use of API \$\$CVEDT^DGCV (DFN, DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. API returns three pieces (i.e. 1^2010106^0). The 2 nd piece is the COMBAT VET END DATE in HL7 format.
727.819, 78 ENCOUNTER CV	Records if a Veteran served on active duty in a theatre of combat operations during a period of war after the Persian Gulf War or in combat against a hostile force during a period of hostilities after November 11, 1998.		ENCOUNTER CV is determined by the use of API \$\$CVEDT^DGCV (DFN, DATE) that checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to determine CV Status. API returns three pieces (i.e.1^2010106^0). The third piece returns: 1 – vet was eligible on date specified 0 – vet was not eligible on date specified Based on these returns, the value for this field shall by Y for Yes if value is 1 or left blank if 0 to indicate ineligibility.
727.819, 79 NATIONAL PATIENT RECORD FLAG	This field records whether the patient's record contains 1 or more active category 1 (National) Patient Record Flags.	'Y' FOR YES	The NATIONAL PATIENT RECORD FLAG field is set based on the results of the \$\$GETACT^DGPFAPI (DFN,TARGET ARRAY) call. This call looks at the category 1 national patient record flags as recorded in the PRF National Flag file (#26.15). The resulting value of this call is the number of active category I patient record flags assigned to this patient. This field is set to Y (YES) if the result is greater than zero. A value of zero causes this field to be left null.
727.819,80 ERI	This field identifies patients from impacted zip code areas designated by the Federal Emergency Management Agency (FEMA).		This field is extracted from the EMERGENCY RESPONSE INDICATOR field (#.181) located in the PATIENT file (#2) Values are: "K" = Hurricane Katrina Null
727.819,81 SW ASIA CONDITIONS	This field is used to indicate if this visit represents treatment of a VA patient claiming exposure to Southwest Asia Conditions.	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	This field is derived from the SOUTHWEST ASIA CONDITIONS? field (#.322013) in the PATIENT file (#2) using the patient's DFN. The status indicator is returned by SVC^VADPT. The field values are: Y=YES N=NO U=UNKNOWN

Field # and Name	Description	Values	Technical Description
727.819,82	The Military Operation in		The Military Operation in which the patient
OEF/OIF	which the patient was in		was in combat during the specified time
	combat during the specified		period. This field is a length of nine
	time period. This field is a		characters and reflects the OEF or OIF where
	length of nine characters		this patient was in combat. The value of this
	and reflects the OEF or OIF		field is derived from the LOCATION OF
	where this patient was in combat.		SERVICE field (#.01) from SERVICE [OEF
	combat.		OR OIF] sub-file (#2.3215) of field (#.3215) located in the PATIENT File (#2). DSS will
			capture once, each location where the veteran
			served. In order to accommodate multiple
			locations, the values for this field are
			concatenated into this 9-character field.
			Possible field values are one or more
			combinations of the following:
			OEF = Operation Enduring Freedom
			OIF = Operation Iraqi Freedom
727 010 02	TEL 1		UNK = Unknown OEF/OIF
727.819,83	The date the veteran left the OEF/OIF area, if known		The date the veteran left the OEF/OIF area, if
OEF/OIF RETURN DATE	Otherwise, it is the end date		known Otherwise, it is the end date of military pay for this OEF/OIF deployment
DATE	of military pay for this		Format: YYYYMMDD. The value of this
	OEF/OIF deployment. This		field is derived from the OEF/OIF TO DATE
	date field has a format equal		field (#.03) from sub-file (#2.3215) of field
	to YYYYMMDD.		(#.3215) located in the PATIENT file (#2). In
			cases of multiple OEF/OIF tours, this field
			contains only most recent return date.
727.819,84	A standard, unique life-long		A standard, unique life-long identifier of the
ASSOCIATE PC	identifier of the associate		associate primary care provider. This field
PROVIDER NPI	primary care provider. This		has a length of fifteen characters. The
	field has a length of fifteen characters.		qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI.
727.819,85	A standard unique life-long		A standard unique life-long identifier of the
ORDERING	identifier of the provider		provider who ordered the intravenous
PROVIDER NPI	who ordered the intravenous		product. This field has a length of fifteen
	product. This field has a		characters. The qualified identifier is
	length of fifteen characters.		retrieved via the supporting Kernel API:
			\$\$NPI^XUSNPI.
727.819,86	A standard, unique life-long		A standard, unique life-long identifier of the
PRIMARY CARE	identifier of the primary		primary care provider. This field has a length
PROVIDER NPI	care provider. This field has a length of fifteen		of fifteen characters. The qualified identifier
	characters.		is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI,
727.819, 87	This is the code for the		The three-character alpha identifying code is
COUNTRY CODE	country associated with the		copied from the CODE (#.01) field of the
	address.		COUNTRY (#779.004) file.
727.819,88	This is the Patient's	'AD' FOR Active Duty	If the VistA Patient Type Code (TYPE
PATCAT	category which will be used	'ADD' FOR Active Duty	(#391) field of the Patient (#2) file) = Active
	for FHCC (Federal Health	Dependent	Duty, Military Retiree, or TRICARE, then
	Care Center)	'FNRS' FOR Former Non-	the value(s) in the VistA Other Eligibility
	Reconciliation. DSS must	Remarried Spouse	multiple (PATIENT ELIGIBILITIES (#361)
	capture and report DoD	'RET' FOR Retired	field of the PATIENT (#2) file), which points
	patients so that the FHCC reconciliation process can	'RETD' FOR Retiree Dependent	to locally modifiable ELIGIBILITY CODE (#8) file should be evaluated. If the value in
	function as designed.	'RES' FOR Reservist	the ELIGIBILITY CODE is equal to any
	"Reconciliation" is the	'REC' FOR Recruit	entry in the set of codes in this field, the
	process used within the new	'TDRL' FOR Temporary	value should be placed in this field.
	FHCC to determine which	Disability	1
	patients DoD pays for and	'TFL' FOR TRICARE for	
	which VA pays for.	Life	

#727.808 – PHYSICAL MOVEMENT EXTRACT (MOV) File Data Definition

This file contains data elements as specified by the Decision Support Office (DSO) for the MAS Physical Movement (Transfer and Discharge) extract from existing VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should only be made by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.

Field # and Name	Description	Values	Technical Description
727.808,.01 SEQUENCE NUMBER	The record for this extract entry		The internal entry number (IEN) for this record. This entry is DINUMed.
727.808,1 YEAR MONTH	A six character numeric string representing the year and month for which this extract was performed.		Format is YYYYMM; Year 2000 compliant per vendor.
727.808,2 EXTRACT NUMBER	The corresponding entry in the DSS EXTRACT LOG file (#727) for this extract		A pointer to the DSS EXTRACT LOG file (#727). The primary purpose is to pick up the header for the mail message.
727.808,3 FACILITY	This is the facility/division where the extract was performed.		An indicator of the division where this event happened. It is derived from the DIVISION field (#.015) of the WARD LOCATION file (#42) which points to the MEDICAL CENTER DIVISION file (#40.8).
727.808,4 PATIENT NO. – DFN	An identifying number for the patient at the local site.		Pointer to the PATEINT file (#2). This data represents the patient DFN. Using the "ATT2" or "ATT3" cross reference on the PATIENT MOVEMENT file (#405), the PATIENT NO. – DFN data is derived from the PATIENT field (.03).
727.808,5 SSN	The patient's social security number.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), , SSN data is derived from the SOCIAL SECURITY NUMBER field (#.09) in the PATIENT file (#2). "Test" patients status is determined in PATAECYLITI 3. Any potient with an SSN
			PAT^ECXUTL3. Any patient with an SSN beginning with "00000" will not be included in the extract.

Field # and Name	Description	Values	Technical Description
727.808,6 NAME	The first four characters of the patient's last name.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), NAME data is derived from the NAME field (#.01) in the PATIENT file (#2). The first four characters of the first "," piece are used, padded with trailing spaces if necessary. The name value is returned by the supported
727.808,7 IN OUT PATIENT INDICATOR	Indicates whether the patient was an inpatient or an outpatient for this extract entry.	'I' FOR INPATIENT 'O' FOR OUTPATIENT	call DEM^VADPT. To determine the value of this field a call is made to \$\$INP^ECXUTL2 to determine inpatient/outpatient status. If the patient is an outpatient, processing stops and the field is set to O. If the patient is an inpatient then \$\$INOUTP^ECSUTL4 is called to look at the treating specialty. If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to I.
727.808,8 DAY	This 8-character numeric string represents the date of the physical movement. The product or feeder key		Data source: PATIENT MOVEMENT file (#405); DATE/TIME field (#.01). This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example 19970923. If the date cannot be determined, a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. For the Physical Movement extract, the
PRODUCT	for this extract as defined by the DSS Program Office.		PRODUCT field is null.
727.808,10 ADMISSION DATE	This 8-character numeric string represents the date on which the admission associated with this physical movement occurred.		Data source: PATIENT MOVEMENT file (#405); ADMISSION/CHECK-IN MOVEMENT field (#.14) then to PATIENT MOVEMENT file (#405); DATE/TIME field (#.01). This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example 19970923. If the date cannot be determined, a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor.

Field # and Name	Description	Values	Technical Description
727.808,11	This 8-character string		Data source:
DISCHARGE	represents the date on which		
DATE	the Discharge occurred for		PATIENT MOVEMENT file (#405);
	discharge type movements.		DATE/TIME field (#.01).
			This field is always exactly 8 numeric
			characters in length. The format is
			YYYYMMDD; for example 19970923. If
			the date cannot be determined, a default is
			used. The default date value is the value of the YEAR MONTH field (#1) concatenated
			with "01" for the day (DD) portion.
727.808,12	Current patient movement		The ^DGPM("ATT2" or "ATT3", DATE,
MOVEMENT FILE	record associated with this		D0) cross reference is used to obtain the
#	extract record.		current movement number associated with
II	extract record.		this patient. It is a pointer to the PATIENT
			MOVEMENT file (#405).
727.808,13	The transaction type of the	'2' FOR TRANSFER	Records for this extract are identified using
TYPE	movement for this patient	'3' FOR DISCHARGE	the PATIENT MOVMENT (#405) file's
			ATTx cross reference where x indicates if
			it's a transfer or a discharge.
727.808,14	Indicates the ward the		LOSING WARD is derived from
LOSING WARD	patient is moving from.		HOSPITAL LOCATION FILE POINTER
			field (#44) of the WARD LOCATION file
			(#42) as pointed to by the WARD
			LOCATION field (#.06) of the PATIENT
			MOVEMENT file (#405).
727.808,15	The PTF CODE of the		For the Physical Movement extract, the
TREATING	treating specialty associated		TREATING SPECIALTY field is null.
SPECIALTY	with this extract record.		
727.808,16	Length of stay on losing		Calculated as current movement date minus
LOSING WARD LOS	ward.		the date (DATE/TIME field (#.01) of the PATIENT MOVEMENT file (#405)) of the
LOS			previous physical movement OR Calculated
			as current movement date minus the date
			(DATE/TIME field (#.01) of the PATIENT
			MOVEMENT file (#405) record pointed to
			by the ADMISSION/CHECK-IN
			MOVEMENT field (#.14) of the current
			movement record.
727.808,17	Currently Null		Currently Null
PLACEHOLDER1			
727.808,18	The MAS type for this		MOVEMENT TYPE is derived from the
MOVEMENT	movement.		MAS MOVEMENT TYPE field (.18) of the
TYPE			PATIENT MOVEMENT file (#405). It is a
			pointer to the MAS MOVEMENT TYPE file
			(#405.2).
727.808,19	Time when this patient		Data source: PATIENT MOVEMENT file
MOV TIME	moved from the losing ward		(#405); DATE/TIME field (#.01).
	to the gaining ward.		This field is almost a disconsisted
			This field is always exactly 6 numeric
			characters in length. If time cannot be
727 909 20	Indicates the record the		determined, "000300" is used as default.
727.808,20 GAINING WARD	Indicates the ward the patient moved to.		GAINING WARD is derived from the HOSPITAL LOCATION FILE POINTER
GAINING WAKD	patient moved to.		field (#44) of the WARD LOCATION file
			(#42) as pointed to by the WARD
			LOCATION field (#.06) of the PATIENT
			MOVEMENT file (#405).
	1		IVIO V EIVIEIVI IIIC (#403).

Field # and Name	Description	Values	Technical Description
727.808,21	The time of day at which	,	Data source:
ADMISSION TIME	the patient admission		
	occurred.		PATIENT MOVEMENT file (#405);
			ADMISSION/CHECK-IN MOVEMENT
			field (#.14) then to PATIENT MOVEMENT
			file (#405); DATE/TIME field (#.01)
			This field is always exactly 6 numeric
			characters in length; if time cannot be
727 000 22	C d N II		determined, "000300" is used as default
727.808,22 PLACEHOLDER2	Currently Null		Currently Null
727.808,23	Currently Null		Currently Null
PLACEHOLDER3	Currently Null		Currently Ivan
727.808, 24	Unique national VA patient		Derived by calling API,
MASTER	identifier.		\$\$GETICN^MPI001(Supported DBIA
PATIENT INDEX			#2701), that returns the Integration Control
			Number (ICN) for the given patient in the
			Patient file (#2).
727.808,25	DSS Dept. for the patient's		The DSS Department code for the ward
DSS DEPT.	gaining ward.		associated with the physical movement
			record. This code is found in the DSS
			WARD file (#727.4) using the value of the WARD LOCATION field (#.06) of the
			PATIENT MOVEMENT file (#405) record
			for the patient's physical movement. The
			value found in WARD LOCATION is a
			pointer to the WARD LOCATION file (#42).
			Each record in file #727.4 has a #.01 field
			which points to a record in file #42, and the
			internal entry number of the file #727.4 is set
			to be the same as the record in file #42 to
			which it points. Therefore, the WARD
			LOCATION field (#.06) can be used as a
			pointer to file #727.4 as well.
			Data for this field is taken from the DSS
			DEPARTMENT field (#1) of the file
			(#727.4) record for the Losing Ward.
727.808, 26	Indicates if the patient is	'P' FOR GEN PRRTP	If the patient's treating specialty exists in the
DOM, PRRTP and	admitted to either a RRTP	'D' FOR DOM DRDTD	DSS TREATING SPECIALTY
SAARTP	PRRTP, or SARRTP at time	'S' FOR DOM. PRRTP	TRANSLATION (#727.831) file, data is
INDICATOR	care is provided.	'T' FOR PTSD PRRTP 'H' FOR HOMELESS	derived from the DOM/PRRTP/SARRTP CODE field (#2) of the DSS TREATING
		CWT/TR	SPECIALTY TRANSLATION (#727.831)
		'A' FOR SA CWT/TR	file.
		'B' FOR PTSD CWT/TR	
		'C' FOR GEN CWT/TR	Else, the value is null.

Table Patient's primary care provider from the losing ward. Patient's primary care provider from the losing ward. Patient's primary care team from the losing ward. Patient's primary care provider at the time of discharge. Patient's primary care provider at the time of discharge. Patient's primary care provider at the time of discharge. Patient's primary care provider at the time of discharge. Patient's primary care provider at the time of discharge. Patient's primary care provider at the time of discharge. Patient's primary care provider at the time of discharge. Patient's primary care provider at the time of discharge. Patient's primary care provider in the Patient's primary care provider at the time of discharge. Patient's primary care provider in the Patient's primary care provider in the Patient's primary care provider in the Patient's primary care team from the losing ward. Patient's primary care team from the New Patient's primary care team from the New Patient's primary care provider at the time of discharge. Patient's primary care provider at the time of discharge. Patient's primary care provider at the time of discharge. Patient's primary care provider's internal entry number and name from the New Patient's primary care provider at the time of discharge. Patient's primary care provider's internal entry number and name from the Patient's field. Patient's the Patient's the Patient's the Pat	Field # and Name	Description	Values	Technical Description
DATENT INDICATOR If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#272.83) file, data is derived from the OBSERVATION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file. If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS. If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS. If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS. If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS. If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS. If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS. If patient indicator, and DSS (Identifier or feeder key values of the record are used to erest a unique encounter number.			'Y' FOR YES	
If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file, that is derived from the OBSER WATION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file, that is derived from the OBSER WATION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file. ### If patient is outpatient and treating specialty on in file, AND Feeder Key (CLI) or DSS ID (MTIL,IVP.ECQ,OSR.NOS,SUR) is 290-297, Observation Patient Ind=NO. ### The unique number assigned for DSS. ### The unique numb	OBSERVATION		'N' FOR NO	
DSS TREATING SPECIALTY TRANSLATION (#727.831) file, data is derived from the OBSERVATION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file. If patient is outputient and treating specialty not in file, AND Feeder Key (CLD or DSS ID (MTLL/PECQ QSR.NOS SUR) is 290- 297, Observation Patient Ind=YES. Otherwise, Observation Patient Ind=NO. This field is determined by a call to SEENCHIMFECKUTIA. Within this call the inputient/outputient status, SSN, admit/visit date, treating specialty. Observation putient indicator, and DSS (dentifier or feeder key values of the record are used to create a unique encounter number. Patient's primary care provider from the losing ward. Patient's primary care provider from the losing ward. Patient's primary care team from the NEW PERSON file (#200). A "2" is prefixed to the pointer value file (#405) and the patient pointer (DFN) stored in the APTIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT MOVEMENT file (#405) and the patient pointer of the think of the provider in the APTIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT MOVEMENT file (#405) and the patient pointer	PATIENT	observation patient.		
TRANSLATION (#727.831) file. data is derived from the OBSENTAION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file. If patient is outpution and treating specialty not in file. AND Feeder Key (CLI) or DSS ID (MTLIVP.ECQ.QSR.NOS.SUR) is 290-297, Observation Patient Ind=YES. Otherwise, Observation Patient Ind=YES. The unique number assigned for DSS. The DSS. The unique number assigned for DSS. The unique number assi	INDICATOR			If the patient's treating specialty exists in the
derived from the OBSERWATION PAT INDICATOR field (#4) of the DBS TREATING SPECIALTY TRANSLATION (#727.831) file. ### Indicate the unique number and treating specialty not in file, AND Feeder Key (CLI) or DSS ID (MTL.IVP.ECQ.QSR.NO.S.QRI) is 290-297, Observation Patient Ind=YES. The unique number assigned for DSS.				1 - 1
INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file. If patient is outpatient and treating specialty not in file, AND Freeder Key (CL) or DSS ID (MTLLYPECQ QSRO, SCR) is 290 297, Observation Patient Ind=NO. 727.808, 28 ENCOUNTER NUMBER The unique number assigned for DSS. The				
TREATING SPECIALTY TRANSLATION (#727.831 file. If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS ID (MTL.IVP.ECQ.OSR.NOS.SUR) is 290-297, Observation Patient Ind=YES. Otherwise, Observation Patient Ind=YES. Otherwise, Observation Patient Ind=YES. Otherwise, Observation Patient Ind=YES. Otherwise, Observation Patient Ind=YES. This field is determined by a call to SSENCNUMPECXUTLA*. Within this call the inpatient/outpatient status, SSN, admit/visit date, retarting specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number. 727.808, 29 DISCHARGE PC PATIENT MOVEMENT FIRE (#405) and the PATIENT MOVEMENT FIRE (#405) and the APITENT NO. – DEN field (#0) in the PATIENT NO. – DEN field (#0) in the APITENT NO. – DEN field (#0) in the PATIENT NO. – DEN field (#0) in the APITENT NO. – DEN field (#0) in the APITENT NO. – DEN field (#0) in the PATIENT NO. – DEN field (#0) i				
If patient is outpatient and treating specialty not in file. AND Feeder Key (CLI) or DSS ID (MTLIVP.ECQ.QSR.NOS.SUR) is 290-297, Observation Patient Ind-YES. Otherwise, Observation Patient Ind-MO.				` '
If patient is outpatient and treating specialty not in file. AND Feeder Key (CLI or DSS ID (MTLIVP.ECQ.QSR.NOS.SUR) is 290-297, Observation Patient Ind=YES. Otherwise, Observation Patient Ind=NO.				
noi in file, AND Feeder Key (CLI) or DSS D(MTLIVP) ECQ. QSR.NOS.SUR) is 290-297, Observation Patient Ind=YES. Otherwise, Observation Patient Ind=NO. This field is determined by a call it of SENCNUM*ECXUTL4. Within this call the impatient/outpatient status, SSN, admit/vist date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number. Patient's primary care provider from the losing ward. Patient's primary care provider from the NEW PERSON file (#200). A *2" is prefixed to the pointer value to indicate that the source is file #200. For example, if the IEN of the provider in file #200 is \$9765, the value that will be stored is 298765. Patient's primary care team from the losing ward. Patient's primary care team provider in file #200 is \$9765, the value that will be stored in the APITIENT NO.—DFN field (#4) in the PATIENT MOVEMENT file (#405) and the patient pointer (DFN) file (#405) and the patient pointer (DFN) file (#405) and the PATIENT MOVEMENT file (#406) and the IEN is used to populate this finande to the Scheduling API, OUTPTPR'SDUTL3. The API returns the associate provider at the time of discharge.				(#/2/.831) file.
not in file, AND Feeder Key (CL) or DSS D(MTLIVP,ECQ, QSR,NOS,SUR) is 290-297, Observation Patient Ind=YES. Otherwise, Observation Patient Ind=NO. This field is determined by a call it be signed for DSS. The unique number assigned for DSS. This field is determined by a call it be inpatient/outpatient status, SSN, admitivisti date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number. Patient's primary care provider from the losing ward. Patient's primary care provider from the losing ward. Patient's primary care provider from the losing ward. Patient's primary care provider from the NEW PERSON file (#200). A *2" is prefixed to the pointer value to indicate that the source is file #200. For example, if the IEN of the provider in file #200 is \$9765, the value that will be stored is 298765. Patient's primary care team from the losing ward. Patient's primary care team provider in file #200 is \$9765, the value that will be stored in the APTIENT MOVEMENT file (#405) and the patient pointer (DFN) file (#405) and the PATIENT MOVEMENT file (#406) and the PATIENT MOVEMENT file (#406) and the PATIENT MOVEMENT file (#406) and the IEN is used to populate this made to the Scheduling API, OUTPTPR'SDUTIA. The API returns the team's internal entry number and name from the TEAM file (#404.51) and the IEN is used to populate this fine API returns the associate provider sinternal entry number and name from the the WPERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will				If patient is outpatient and treating specialty
DIO (MTLL) VP.ECQ.QSR.NOS.SUR) is 290-297, Observation Patient Ind=NO.				
727.808, 28 ENCOUNTER NUMBER The unique number assigned for DSS. This field is determined by a call to SEENCNUMPECXUTL4. Within this call the inpatient/outpatient status, SSN, admit/visit date; and DSS Identifier or feeder key values of the record are used to create a unique encounter number. Total provider from the losing ward. Patient's primary care provider in the APTIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT NO. – DFN field (#200). A "2" is prefixed to the pointer value to indicate that the source is file #200 is 98765, the value that will be stored is 298765. Total provider in file #200 is 98765, the value that will be stored is 298765. Patient's primary care team from the losing ward. Patient's primary care team from th				
This field is determined by a call to SSENCNUM*ECVUTL4. Within this call the inpatient/outpatient status, SSN, admit/visit atle, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number. Patient's primary care provider from the losing ward. Patient's primary care provider from the losing ward. Patient Sprimary care provider from the losing ward. Patient's primary care provider from the losing ward. Patient Sprimary care provider in the APTENT NO D-PSN field (#40) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API, OUTFIPENSDUTL3. The API returns the provider in file #200 is 98765, the value that will be stored in \$298765. Patient's primary care team from the losing ward. Patient's primary care team from the TeAN and the patient pointer (DFN) stored in the APTIENT NO. DFN field (#40) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API, OUTFIPR*SDUTL3 The API returns the team is internal entry number and name from the TEAN internal entry number and name from the TEAN internal entry number and name from the TEAN of the provider in file #200 is 98765, the value that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be privately as patient of the patient pointer (DFN) stored in the PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is not be Scheduling API, OUTFIPR*SDUTL3. The API returns the associate provider at the time of discharge.				
This field is determined by a call to SSENCNUM*ECVUTL4. Within this call the inpatient/outpatient status, SSN, admit/visit atle, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number. Patient's primary care provider from the losing ward. Patient of the provider in the patient pointer (DFN) stored in the APTIENT NO D-PS field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API, OUTPTPSDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#400). A "2" is prefixed to the pointer value to indicate that the source is file #200. For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. T27.808, 30 DISCHARGE PC TEAM Patient's primary care team from the losing ward. Patient's primary care team from the TeAN provider in file #4011) and the IEN is used to populate this field. Derived by a call is to the Scheduling API, OUTPTAP*SDUTL3. The API returns the associate primary care provider at the time of discharge. Provider at the time of the provider in file #200 is 98765, the value that will be pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be				Otherwise Oherwest's a Pediest Ind NO
RNCOUNTER NUMBER assigned for DSS. \$SEENCNUM*ECXUTL4. Within this call the inpatient/outpatient status, SSN, admit/visit date, treating specialty, observation patient indicator, and DSS Identifier or feek eya values of the record are used to create a unique encounter number. 727.808, 29 DISCHARGE PC Patient's primary care provider from the losing ward. Patient's primary care provider from the losing ward. Patient's primary care provider from the losing ward. Patient's primary care provider from the NEW PERSON file (#405) and the patient pointer (PPN) stored in the APTIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT File (#404) in the PHYSICAL MOVEMENT EXTRACT file (#727.808, acal is made to the Scheduling API, OUTPTPR*SDUTL3. The API returns the provider's file #200 is 98765, the value that will be stored is 298765. 727.808, 30 DISCHARGE PC TEAM Patient's primary care team from the losing ward. Patient's primary care team from the PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), all is made to the Scheduling API, OUTPTPR*SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51) and the IEN is used to populate this field. Patient of the provider is internal entry number and name from the TEAM file (#404.51) and the IEN is used to populate this field. Patient of the provider is internal entry number and name from the NEW PERSON file (#200). Per example, if the IEN of the provider in file #200 is 98765, the value that will be associate provider's internal entry number and name from the NEW PERSON file (#200.91). Per prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value tha	727 808 28	The unique number		
NUMBER the inpatient/outpatient status, SSN, admit/visit date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number. 727.808, 29 DISCHARGE PC DISCHARGE PC DISCHARGE PC Patient's primary care provider from the losing ward. Patient of the provider from the losing ward. PATIENT MOVEMENT file (#405) and the PHYSIC AL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API, OUTPTP*SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200 is 98765.) Patient's primary care team from the losing ward. Patient's				
admit/visit date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number. 727.808, 29 DISCHARGE PC DISCHARGE PC DISCHARGE PC Patient's primary care provider from the losing ward. Patient being a provider from the losing ward. Patient provider in the provider in the Patient pointer (DFN) stored in the Patient P		and for Dob.		
DISCHARGE PC T27.808, 30 T27.808, 30 DISCHARGE PC TEAM TEAM Table Patient's primary care team from the losing ward. Patient's primary care team from the losing ward. Patient's primary care provider from the losing ward. Patient sprimary care provider from the losing ward. Patient sprimary care provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source is file #200. For example, if the IEN of the provider in the PATIENT NOVEMENT EXTRACT file (#200). A "2" is prefixed to the pointer value to indicate that the source is file #200. For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. T27.808, 30 DISCHARGE PC TEAM Table sprimary care team from the losing ward. Patient's primary care team from the losing ward. Table sprimary care team from the losing ward. This field contains the associate primary care provider at the time of discharge. This field contains the associate primary care provider at the time of discharge. Table sprimary care provider at the time of discharge. Derived by a call is to the Scheduling API, OUTPTPAPSDUTL3. The API returns the associate primary care provider at the time of discharge. Derived by a call is to the Scheduling API, OUTPTPAPSDUTL3. The API returns the associate primary care provider at the time of discharge. Table sprimary care provider at the time of discharge. Derived by a call is to the Scheduling API, OUTPTPAPSDUTL3. The API returns the associate primary care provider at the time of discharge. Table the sprimary care provider at the time of discharge. Table the sprimary care provider at the time of discharge. Table the sprimary care provider at the time of the provider in file #200 is 98765, the value that will be	TOMBER			
Identifier or feeder key values of the record are used to create a unique encounter number. Patient's primary care provider from the losing ward. Using the DATE/TIME field (#.01) from the PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT MOVEMENT EXTRACT file (#727,808), a call is made to the Scheduling API, OUTPTPR*SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source is file #200. For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765.				
Patient's primary care provider from the losing ward. Patient pointer (DFN) stored in the APTIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727,808), a call is made to the Scheduling API, OUTPTPR^SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source is file #200. For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. Patient's primary care team from the losing ward. Patient's primary care team from the NEW PERSON file (#405) and the patient pointer (DFN) stored in the APTIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API, OUTPTPR^SDUTL3. The API returns the team's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200", For example, if the IEN of the provider in file #200 is 98765, the value that will be				
Patient's primary care provider from the losing ward. Patient's primary care provider from the losing ward. Patient's primary care provider at the time of discharge. Patient's primary care provider in file #405) and the patient pointer (DFN) stored in the APTIENT NO. – DFN field (#40) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API, OUTPTPR^SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source is file #200. For example, if the IEN of the provider in file #200 is 98765. The value that will be stored is 298765. Patient's primary care team from the losing ward. Patient's primary care team the provider in file #200 is 98765, the value that will be patient pointer (aft) ward that the source file is "200". Patient's primary care team from the losing ward. P				
DISCHARGE PC provider from the losing ward. PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APITENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808, a call is made to the Scheduling API, OUTPTPR*SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source is file #200. For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. Patient's primary care team from the losing ward. Patient's primary care team from the Patient pointer (DFN) stored in the APITENT NO. – DFN field (#405) and the patient pointer (DFN) stored in the APITENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808, a call is made to the Scheduling API, OUTPTPR*SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51) and the IEN is used to populate this field. Perived by a call is to the Scheduling API, OUTPTAPA'SDUTL3. The API returns the associate primary care provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be				
ward. Patient pointer (DFN) stored in the APTIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API, OUTPTPR*SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source is file #200. For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. Patient's primary care team from the losing ward. Team				
APTIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API, OUTPTPR*SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source is file #200. For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. Patient's primary care team from the losing ward. Using the DATE/TIME field (#.01) from the PATIENT MOVEMENT file (#405) and the patient pointer (PFN) stored in the APTIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API, OUTPTPR*SDUTL3 The API returns the team's internal entry number and name from the TEAM file (#404.51) and the IEN is used to populate this field. T27.808, 31 This field contains the associate primary care provider at the time of discharge. This field contains the associate primary care provider at the time of discharge. Derived by a call is to the Scheduling API, OUTPTAP*SDUTL3. The API returns the associate provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be	DISCHARGE PC			
PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API, OUTPTPP/SDUTI.3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source is file #200. For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. Patient's primary care team from the losing ward. Patient MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808, a) call is made to the Scheduling API, OUTPTPR/SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51) and the IEN is used to populate this field. 727.808, 31 DISCHARGE ASSOC PC PROVIDER This field contains the associate primary care provider at the time of discharge. This field contains the associate primary care provider at the time of discharge. This field contains the associate provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be		ward.		
### (#727.808), a call is made to the Scheduling API, OUTPTPR*SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source is file #200. For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. Patient's primary care team from the losing ward. Patient's primary care team from the DATE/TIME field (#.01) from the PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APITIENT NO. — DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API, OUTPTPR*SDUTL3 The API returns the team's internal entry number and name from the TEAM file (#404.51) and the IEN is used to populate this field. Derived by a call is to the Scheduling API, OUTPTAP*SDUTL3. The API returns the associate primary care provider at the time of discharge. PROVIDER This field contains the associate primary care provider at the time of discharge. ###################################				` '
API, OUTPTPR^SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source is file #200. For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. 727.808, 30 DISCHARGE PC TEAM Patient's primary care team from the losing ward. PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API, OUTPTPR^SDUTL3 The API returns the team's internal entry number and name from the TEAM file (#404.51) and the IEN is used to populate this field. Derived by a call is to the Scheduling API, OUTPTAP^SDUTL3. The API returns the associate primary care provider at the time of discharge. T27.808, 31 DISCHARGE ASSOC PC PROVIDER This field contains the associate primary care provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be				
the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source is file #200. For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. Patient's primary care team from the losing ward. Using the DATE/TIME field (#.01) from the PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808, a call is made to the Scheduling API, OUTPTPR*SDUTL3 The API returns the team's internal entry number and name from the TEAM file (#404.51) and the IEN is used to populate this field. T27.808, 31 DISCHARGE ASSOC PC PROVIDER This field contains the associate primary care provider at the time of discharge. To resumple, if the IEN of the provider in file #200 is 98765, the value that will be				
name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source is file #200. For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. 727.808, 30 DISCHARGE PC TEAM Patient's primary care team from the losing ward. Patient's primary care team from the losing ward. Patient's primary care team from the losing ward. PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API, OUTPTPR^SDUTL3 The API returns the team's internal entry number and name from the TEAM file (#404.51) and the IEN is used to populate this field. Patient's primary care provider at the time of discharge. This field contains the associate primary care provider at the time of discharge. This field contains the associate provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be				I The state of the
A "2" is prefixed to the pointer value to indicate that the source is file #200. For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. Patient's primary care team from the losing ward. PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API, OUTPTPR^SDUTL3 The API returns the team's internal entry number and name from the TEAM file (#404.51) and the IEN is used to populate this field. To rived by a call is to the Scheduling API, OUTPTAP/SDUTL3. The API returns the associate primary care provider at the time of discharge. This field contains the associate primary care provider at the time of discharge. This field contains the associate primary care provider and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be				
indicate that the source is file #200. For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. 727.808, 30 DISCHARGE PC TEAM Patient's primary care team from the losing ward. Patient's primary care team provider in file #405) and the patient pointer (DFN) stored in the APTIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API, OUTPTPR^SDUTL3 The API returns the team's internal entry number and name from the TEAM file (#404.51) and the IEN is used to populate this field. PEROVIDER This field contains the associate primary care provider at the time of discharge. This field contains the associate provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be				, ,
example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. Patient's primary care team from the losing ward. Patient's primary care team from the losing ward. Patient's primary care team from the losing ward. Patient NOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API, OUTPTPR*SDUTL3 The API returns the team's internal entry number and name from the TEAM file (#404.51) and the IEN is used to populate this field. Parived by a call is to the Scheduling API, OUTPTAP^SDUTL3. The API returns the associate primary care provider at the time of discharge. Derived by a call is to the Scheduling API, OUTPTAP^SDUTL3. The API returns the associate provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be				
#200 is 98765, the value that will be stored is 298765. 727.808, 30 DISCHARGE PC TEAM Patient's primary care team from the losing ward. Patient boing ward. Patient's primary care team from the losing ward. Patient boing ward. Patient pointer (DFN) stored in the APTIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API, OUTPTPR^SDUTL3 The API returns the team's internal entry number and name from the TEAM file (#404.51) and the IEN is used to populate this field. Patient pointer (DFN) stored in the PATIENT MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API, OUTPTPR^SDUTL3 The API returns the associate primary care provider by a call is to the Scheduling API, OUTPTAP^SDUTL3. The API returns the associate provider in the time of discharge. PROVIDER PROVIDER Provider at the time of discharge. Patient pointer (#404.51) and the patient pointer and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be				
298765. 727.808, 30 DISCHARGE PC TEAM Patient's primary care team from the losing ward. Patient's primary care team from the losing ward. PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API, OUTPTPR^SDUTL3 The API returns the team's internal entry number and name from the TEAM file (#404.51) and the IEN is used to populate this field. 727.808, 31 DISCHARGE ASSOC PC PROVIDER Derived by a call is to the Scheduling API, OUTPTAP^SDUTL3. The API returns the associate primary care provider at the time of discharge. OUTPTAP^SDUTL3. The API returns the associate provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be				
Patient's primary care team from the losing ward. Patient's primary care team from the DATE/TIME field (#.01) from the PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808,) a call is made to the Scheduling API, OUTPTPR'SDUTL3 The API returns the team's internal entry number and name from the TEAM file (#404.51) and the IEN is used to populate this field. Patient's primary care in the APTIENT MOVEMENT file (#405) and the PATIENT MOVEMENT file (#405) and the PATIENT MOVEMENT file (#727.808,) a call is made to the Scheduling API, OUTPTPR'SDUTL3 The API returns the associate primary care provider at the time of discharge. Patient's primary care team from the DATE/TIME field (#.01) from the PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT MOVEMENT file (#405) and the PATIENT MOVEMENT file (#404.51) and the IEN is used to populate this field. Patient's primary care team from the TEAM file (#404.51) and the IEN is used to populate this field. Derived by a call is to the Scheduling API, OUTPTAP'SDUTL3. The API returns the associate provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be				1
DISCHARGE PC TEAM From the losing ward. PATIENT MOVEMENT file (#405) and the patient pointer (DFN) stored in the APTIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API, OUTPTPR^SDUTL3 The API returns the team's internal entry number and name from the TEAM file (#404.51) and the IEN is used to populate this field. T27.808, 31 DISCHARGE ASSOC PC PROVIDER This field contains the associate primary care provider at the time of discharge. Derived by a call is to the Scheduling API, OUTPTAP^SDUTL3. The API returns the associate provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be	727 808 20	Patient's primary sara teem		ł
TEAM patient pointer (DFN) stored in the APTIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API, OUTPTPR^SDUTL3 The API returns the team's internal entry number and name from the TEAM file (#404.51) and the IEN is used to populate this field. This field contains the associate primary care PROVIDER This field contains the associate primary care provider at the time of discharge. Derived by a call is to the Scheduling API, OUTPTAP^SDUTL3. The API returns the associate provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be				` '
APTIENT NO. – DFN field (#4) in the PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API, OUTPTPR^SDUTL3 The API returns the team's internal entry number and name from the TEAM file (#404.51) and the IEN is used to populate this field. 727.808, 31 DISCHARGE ASSOC PC PROVIDER This field contains the associate primary care provider at the time of discharge. Derived by a call is to the Scheduling API, OUTPTAP^SDUTL3. The API returns the associate provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be		from the fosing ward.		· · · · · · · · · · · · · · · · · · ·
PHYSICAL MOVEMENT EXTRACT file (#727.808), a call is made to the Scheduling API, OUTPTPR^SDUTL3 The API returns the team's internal entry number and name from the TEAM file (#404.51) and the IEN is used to populate this field. 727.808, 31 DISCHARGE ASSOC PC PROVIDER This field contains the associate primary care provider at the time of discharge. Derived by a call is to the Scheduling API, OUTPTAP^SDUTL3. The API returns the associate provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be	12/11/1			
(#727.808), a call is made to the Scheduling API, OUTPTPR^SDUTL3 The API returns the team's internal entry number and name from the TEAM file (#404.51) and the IEN is used to populate this field. 727.808, 31 DISCHARGE ASSOC PC PROVIDER This field contains the associate primary care provider at the time of discharge. Derived by a call is to the Scheduling API, OUTPTAP^SDUTL3. The API returns the associate provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be				· · ·
API, OUTPTPR^SDUTL3 The API returns the team's internal entry number and name from the TEAM file (#404.51) and the IEN is used to populate this field. 727.808, 31 DISCHARGE ASSOC PC PROVIDER This field contains the associate primary care provider at the time of discharge. Derived by a call is to the Scheduling API, OUTPTAP^SDUTL3. The API returns the associate provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be				
from the TEAM file (#404.51) and the IEN is used to populate this field. 727.808, 31 DISCHARGE ASSOC PC PROVIDER This field contains the associate primary care provider at the time of discharge. Derived by a call is to the Scheduling API, OUTPTAP^SDUTL3. The API returns the associate provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be				
used to populate this field. 727.808, 31 DISCHARGE ASSOC PC PROVIDER This field contains the associate primary care provider at the time of discharge. Derived by a call is to the Scheduling API, OUTPTAP^SDUTL3. The API returns the associate provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be				
727.808, 31 DISCHARGE ASSOC PC PROVIDER This field contains the associate primary care provider at the time of discharge. Derived by a call is to the Scheduling API, OUTPTAP^SDUTL3. The API returns the associate provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be				
DISCHARGE ASSOC PC PROVIDER associate primary care provider at the time of discharge. OUTPTAP^SDUTL3. The API returns the associate provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be	707 000 21	TTL: C:11		1 1
ASSOC PC PROVIDER provider at the time of discharge. associate provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be				
PROVIDER discharge. and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be				
(#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be				
the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be	I KO VIDEK	discharge.		
value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be				
For example, if the IEN of the provider in file #200 is 98765, the value that will be				
file #200 is 98765, the value that will be				For example, if the IEN of the provider in
stored is 298765.				
				stored is 298765.

Field # and Name	Description	Values	Technical Description
727.808, 32	Identifies the		Data comes from the WARD AT
PRODUCTION	division/facility where the		DISCHARGE field (#200) in the PATIENT
DIVISION CODE	patient is located.		MOVEMENT file (#405). This value is then
			used to get the NAME field (#.01) in the
			WARD LOCATION file (#42) which in turn
			is used to get the DIVISION field (#.015) in the WARD LOCATION file (#42) which is a
			pointer to the MEDICAL CENTER
			DIVISION file (#40.8). This value is then
			used to call the API GETDIV^ECXDEPT to
			get the STATION NUMBER field (#99)
			from the INSTITUTION file (#4).
727.808, 33	The VA Code of the Person		Active Person Class is determined by the
DISCHARGE PC	Class of the patient's		supported call
PROV PERSON	primary care provider from		\$\$GET^XUA4A72(PERS,DATE) where
CLASS	the losing ward.		PERS is the Internal Entry Number (IEN)
	, , , , , , , , , , , , , , , , , , ,		from the NEW PERSON file #200 and
			DATE is the date of the event. The VA
			CODE is determined by the 7 th piece of the
			returned value string
727.808, 34	The VA Code of the Person		Active Person Class is determined by the
DISCHARGE	Class of the associate		supported call
ASSOC PC	primary care provider		\$\$GET^XUA4A72(PERS,DATE) where
PROVIDER PC	associated with this record.		PERS is the Internal Entry Number (IEN)
			from the NEW PERSON file #200 and
			DATE is the date of the event. The VA
			CODE is determined by the 7 th piece of the
			returned value string
727.808, 35	A standard, unique life-long		DISCHARGE ASSOC PC PROV. NPI is a
DISCH ASSOC PC	identifier of the patient's		standard unique life-long identifier of the
PROV NPI	associate primary care		patient's associate primary care provider
	provider from the losing ward. This field has a length		from the losing ward. The qualified identifier
	of fifteen characters.		shall be retrieved via the supporting Kernel API: \$\$NPI^XUSNPI
727.808, 36	A standard, unique life-long		DISCHARGE PC PROV. NPI is a standard
DISCHARGE PC	identifier of the patient's		unique life-long identifier of the patient's
PROVIDER NPI	primary care provider from		primary care provider from the losing ward.
TROVIDERIVIT	the losing ward . This field		The qualified identifier shall be retrieved via
	has a length of fifteen		the supporting Kernel API: \$\$NPI^XUSNPI
	characters.		rr - 6
727.808,37	This is the Patient's	'AD' FOR Active Duty	If the VistA Patient Type Code (TYPE
PATCAT	category which will be used	'ADD' FOR Active Duty	(#391) field of the Patient (#2) file) = Active
	for FHCC (Federal Health	Dependent	Duty, Military Retiree, or TRICARE, then
	Care Center)	'FNRS' FOR Former Non-	the value(s) in the VistA Other Eligibility
	Reconciliation. DSS must	Remarried Spouse	multiple (PATIENT ELIGIBILITIES (#361)
	capture and report DoD	'RET' FOR Retired	field of the PATIENT (#2) file), which points
	patients so that the FHCC	'RETD' FOR Retiree	to locally modifiable ELIGIBILITY CODE
	reconciliation process can	Dependent	(#8) file should be evaluated. If the value in
	function as designed.	'RES' FOR Reservist	the ELIGIBILITY CODE is equal to any
	"Reconciliation" is the	'REC' FOR Recruit	entry in the set of codes in this field, the
	process used within the new	'TDRL' FOR Temporary	value should be placed in this field.
	FHCC to determine which	Disability TELEVISION TO SERVICE A DEC.	
	patients DoD pays for and	'TFL' FOR TRICARE for	
	which VA pays for.	Life	

#727.81 - PRESCRIPTION EXTRACT (PRE) File Data Definition

This file contains data elements as specified by the Decision Support Office (DSO) for the Pharmacy Outpatient (Prescription) extract from existing VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.

Field # and Name	Description	Values	Technical Description
727.81,.01 SEQUENCE NUMBER	The record for this extract entry		The internal entry number (IEN) for this record. This entry is DINUMed.
727.81,1 YEAR MONTH	A six character string representing the year and month for which this extract was performed.		Format is YYYYMM; Year 2000 compliant per vendor.
727.81,2 EXTRACT NUMBER	The corresponding entry in the DSS EXTRACT LOG file (#727) for this extract.		A pointer to the DSS EXTRACT LOG file (#727). The primary purpose is to pick up the header for the mail message.
727.81,3 FACILITY	This is the facility/division where the extract was performed.		An indicator of the division where this event happened. Using the NAME field (#.01) pointer from the DSS EXTRACTS file (#728), FACILITY is derived from the STATION NUMBER field (#99) for that pointer number in the INSTITUTION file (#4).
727.81,4 PATIENT NO. – DFN	An identifying number for the patient at the local site.		Derived from the PATIENT field (2) in the PRESCRIPTION file (#52). PATIENT NO. – DFN is a pointer to the NAME field (.01) of the PATIENT file (#2). This data represents the patient DFN.
727.81,5 SSN	The patient's social security number.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the PRESCRIPTION EXTRACT file (#727.81), SSN data is derived from the SOCIAL SECURITY NUMBER field (#.09) in the PATIENT file (#2).
			"Test" patient status is determined in PAT^ECXUTL3. Any patient with an SSN beginning with "00000" will not be included in the extract.
727.81,6 NAME	The first four characters of the patient's last name.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the PRESCRIPTION EXTRACT file (#727.81), NAME data is derived from the NAME field (#.01) in the PATIENT file (#2). The first four characters of the first "," piece are used, padded with trailing spaces if necessary.
			The name value is returned by the supported call DEM^VADPT.

Field # and Name	Description	Values	Technical Description
727.81,7	Indicates whether the	'I' FOR INPATIENT	To determine the value of this filed a call is
IN OUT PATIENT	patient was an inpatient or	'O' FOR OUTPATIENT	made to \$\$PATDEM^ECXUTL2. Within
INDICATOR	an outpatient for this extract entry.		this call, \$\$INP^ECXUTL2 is called to determine inpatient/outpatient status. If the
	chu y.		patient is an outpatient, processing stops and
			the field is set to O. If the patient is an
			inpatient then \$\$INOUTP^ECXUTL4 is
			called to look at the treating specialty. If the
			patient's treating specialty exists in the DSS
			TREATING SPECIALTY TRANSLATION
			(#727.831) file then the value of the INPAT/OUTPAT CODE field (#5) of the
			DSS TREATING SPECIALTY
			TRANSLATION (#727.831) file is used. If
			the treating specialty is not found in the DSS
			TREATING SPECIALTY TRANSLATION
			(#727.831) file then the indicator is set to I.
			During the Prescription Extract, if the
			prescription indicates that the medication is
			to be mailed to the patient, the IN/OUT
			PATIENT INDICATOR is returned with an
			"O" OUTPATIENT value.
727.81,8	This 8-characater string		If the version of Outpatient Pharmacy is prior
DAY	represents the date on which the Prescription fill/refill		to V. 6.0, DAY is derived from \$E (DATE,6,7) where date is the FILL DATE
	was released.		field (22) of the PRESCRIPTION file (#52).
	was released.		field (22) of the FRESCRIF FIOTVINE (#32).
			Data source for Outpatient Pharmacy v6.0
			and later: PRESCRIPTION file (#52),
			REFILL sub-file (#52.1), RELEASED
			DATE/TIME field (#17)
			Or
			PRESCRIPTION file (#52), PARTIAL
			DATE sub-file (#52.2), RELEASED
			DATE/TIME field (#8).
			Th's 6: 11's almost and 0 man air
			This field is always exactly 8 numeric characters in length. The format is
			YYYYMMDD; for example, 19970923.
			If the date cannot be determined, a default is
			used. The default date value is the value of
			the YEAR MONTH field (#1) concatenated
			with "01" for the day (DD) portion. Year
727.81,9	The outpatient pharmacy		2000 compliant per vendor. For new prescriptions, DIVISION is derived
DIVISION	site for this extract entry.		from the DIVISION field (#20) of the
21,101011	515 for and extract onery.		PRESCRIPTION file (#52).
			For refill prescriptions, DIVISION is derived
			from the DIVISION field (8) within the
			REFILL multiple (52) of the
			PRESCRIPTION file (#52).
			For partial prescriptions, DIVISION is derived from the DIVISION field (.09)
			within the PARTIAL DATE multiple (60) of
			the PRESCRIPTION file (#52). DIVISION
			is a pointer to the OUTPATIENT SITE file
			(#59).

Field # and Name	Description	Values	Technical Description
727.81,10	The provider who wrote the	, unues	Derived from the PROVIDER field (#4) in
PROVIDER	new, refill or partial fill		the PRESCRIPTION file (#52) for new
	prescription for this patient.		prescriptions, or from the PROVIDER field
			(#15) within the REFILL multiple (#52) in
			the PRESCRIPTION file (#52) for refill
			prescriptions, or from the PROVIDER field
			(#6) within the PARTIAL DATE multiple
			(#60) in the PRESCRIPTION file (#52) for
			partial prescriptions.
			PROVIDER is the value of a "2" prefixed to
			the pointer value from the NEW PERSON
			file (#200) to indicate that the source file is
			"200". For example, if the IEN of the
			provider in file #200 is 98765, the value that
			will be stored is 298765.
727.81,11	The VA Drug Classification		Derived from the VA CLASSIFICATION
VA DRUG	for the drug/supply item in		field (2) in the DRUG file (#50) for the drug
CLASSIFICATION	this prescription.		identified by the DRUG field (6) in the
			PRESCRIPTION file (#52).
727.81,12	Identifies if prescription	'1' FOR MAIL	Derived from the MAIL/WINDOW field
MAIL	was mailed.	'2' FOR CMOP	(#11) in the PRESCRIPTION file (#52) for
			new prescriptions, or from the
			MAIL/WINDOW field (#2) within the
			REFILL multiple (#52) in the
			PRESCRIPTION file (#52) for refill
			prescriptions, or from the MAIL/WINDOW
			field (#.02) within the PARTIAL DATE multiple (#60) in the PRESCRIPTION file
			(#52) for partial prescriptions.
			(#32) for partial prescriptions.
			MAIL will then be determined to be picked
			up at window (NULL) or mailed to patient (1
			= by mail, 2 = by CMOP).
727.81,13	The VA code associated		A call to \$\$GET^XUA4A72(PERS,DATE)
PROVIDER	with the active Person Class		will be made using the IEN in the
PERSON CLASS	of the provider.		PROVIDER and the date in the DAY field.
			The VA Code is always of the form "V"_six
			numeric digits; exactly 7 characters in length.

Field # and Name	Description	Values	Technical Description
727.81,14 NEW	Data will be 1 if this is a new prescription.		If the version of Outpatient Pharmacy is prior to V. 6.0, examine the "AD" cross reference on the FILL DATE field (22) of the PRESCRIPTION file (#52) for new prescriptions or the REFILL DATE field (.01) within the REFILL multiple (52) of the PRESCRIPTION file (#52) for refill prescriptions. Cross reference is ^PSRX("AD",DATE,D0,REFILL# or 0 for new RX).IF the version of outpatient Pharmacy is V. 6.0 or greater:1. Examine the "AL" cross-reference on the RELEASED DATE/TIME field (#31) of the PRESCRIPTION file (#52) for new prescriptions or the RELEASED DATE/TIME field (#17) within the REFILL multiple (#52) of the PRESCRIPTION file (#52) for refill prescriptions. Cross-reference is ^PSRX("AL",DATE,D0,REFILL# or 0 for new RX). 2. Examine the "AM" cross-reference on the RELEASED DATE/TIME field (#8) within the PARTIAL DATE multiple (#60) of the PRESCRIPTION file (#52) for partial prescriptions. Cross-reference is ^PSRX("AM",DATE,D0,PARTIAL_REFIL L#).
727.81,15 SHAD STATUS	Indicates whether patient meets requirements for Shipboard Hazard and Defense (SHAD).	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	Using patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the PRESCRIPTION EXTRACT file (#727.81), Shipboard Hazard and Defense data is derived by using DBIA #4462 GETSHAD^DGUTL3(DFN).
727.81,16 QUANTITY	Drug quantity dispensed in the unit of issue for that drug. Unit of issue may vary from product to product and site to site.		Derived from the QTY field (#7) in the PRESCRIPTION file (#52) for new prescriptions, or from the QTY field (#1) within the REFILL multiple (#52) in the PRESCRIPTION file (#52) for refill prescriptions, or from the QTY field (#.04) within the PARTIAL DATE multiple (#60) in the PRESCRIPTION file (#52) for partial prescriptions

Field # and Name	Description	Values	Technical Description
727.81,17	VistA Pharmacy supply cost		Cost is calculated as quantity * price.
COST	of drug dispensed.		Quantity is derived from the QTY field (#7)
			in the PRESCRIPTION file (#52) for new
			prescriptions, or from the QTY field (#1)
			within the REFILL multiple (#52) in the
			PRESCRIPTION file (#52) for refill
			prescriptions, or from the QTY field (#.04)
			within the PARTIAL DATE multiple (#60) in the PRESCRIPTION file (#52) for partial
			prescriptions.
			Price is derived from the UNIT PRICE OF
			DRUG is field (#17) in the PRESCRIPTION
			file (#52) for new prescriptions, or from the CURRENT UNIT PRICE OF DRUG field
			(#1.2) within the REFILL multiple (#52) in
			the PRESCRIPTION file (#52) for refill
			prescriptions, or from the CURRENT UNIT PRICE OF DRUG field (#.042) within the
			PARTIAL DATE multiple (#60) in the
			PRESCRIPTION file (#52) for partial
			prescriptions.
727.81,18 ENCOUNTER	Indicates if treatment provided during this	'Y' FOR YES 'N' FOR NO	Using the VISIT FILE ENTRY field (#.27)
SHAD	patient's encounter is	N FOR NO	in the PATIENT MOVEMENT file (#405) a call is made to API VISIT^ECXSCX1 which
Sinib	related to the Shipboard		in turn calls ENCEVENT^PXAPI. The
	Hazard And Defense		ENCEVENT^PXAPI returns the Shipboard
	(SHAD) condition.		Hazard and Defense conditions indicator
			stored at the PROJ 112/SHAD field (#80008) in the VISIT file (#9000010). The value will
			be stored in the output array subscripted by
			"SHAD".
727.81,19 MOVEMENT FILE	Current patient movement record associated with this		A call to IN5^VADPT (using the patient IEN and the event date) returns a patient
#	extract record.		movement number (indicating inpatient
"			status). This field is set to the value of
			VAIP(1), which is a pointer to the PATIENT
727.01.20	m		MOVEMENT file (#405).
727.81,20 TREATING	The treating specialty PTF CODE assigned to this		This field is initialized to a null, indicating an outpatient status. If a call to IN5^VADPT
SPECIALTY	patient when the		(using the patient IEN and the event date)
	prescription was issued, if		returns a patient movement number
	the patient was an inpatient		(indicating inpatient status), the value of
	at that time.		VAIP(8), which is the pointer to the
			FACILITY TREATING SPECIALTY file (#45.7), is used to get the SPECIALTY field
			(#1) which points to the SPECIALTY file
			(#42.4). Then, the PTF Code field (#7) of
			the SPECIALTY file (#42.4) is obtained and
727.81,21	Currently Null		stored. Currently Null
PLACEHOLDER4	-		•
727.81,22 UNIT OF ISSUE	Units in which this item was dispensed.		Derived from the DISPENSE UNIT field (14.5) in the DRUG file (#50) for the drug
OTHE OF ISSUE	атъреноса.		identified by the DRUG field (6) in the
			PRESCRIPTION file (#52).

Field # and Name	Description	Values	Technical Description
727.81,23	Patient's date of birth.		Data source:
DATE OF BIRTH			
			PRESCRIPTION file (#52); PATIENT filed
			(#2) then to PATIENT file (#2); DATE OF
			BIRTH filed (#.03).
			Date of Birth is returned through the
			supported call DEM^VADPT. It is then
			represented by an 8-character numeric string
			in the YYYYMMDD format.
727.81,24	Appropriate eligibility code		Using the patient pointer (DFN) stored in the
ELIGIBILITY	based on veteran or non-		PATIENT NO. – DFN field (4) in the
	veteran status.		PRESCRIPTION EXTRACT file (#727.81),
			ELIGIBILITY data is derived from the PRIMARY ELIGIBILITY CODE field
			(.361) in the PATIENT file (#2). PRIMARY
			ELIGIBILITY CODE is a pointer to the
			ELIGIBILITY CODE file (#8). The data is
			derived from the MAS ELIGIBILITY CODE
			field (8) in the ELIGIBILITY CODE file
			(#8), which in turn is a pointer to the MAS
			ELIGIBILITY CODE file (#8.1).
			The pointer value to file #8.1 is converted by
			ELIG^ECXUTL3 to the corresponding
			eligibility code used by NPCD. This code is
			composed of two or three numeric characters.
727.81,25	Patient's veteran status.		Using the patient pointer (DFN) stored in the
VETERAN			PATIENT NO. – DFN field (4) in the
			PRESCRIPTION EXTRACT file (#727.81),
			VETERAN data is derived from the
			VETERAN (Y/N)? field (#1901) in the PATIENT file (#2)
727.81,26	This field indicates whether	'1' FOR YES	Derived from the existence of the IB
COPAY	this prescription was billed	'0' FOR NO	NUMBER field (106) in the
601711	for copay.	o rokino	PRESCRIPTION file (#52) for new
			prescriptions or from the IB NUMBER field
			(9) within the REFILL multiple (52) in the
			PRESCRIPTION file (#52) for refill
			prescriptions. If that field is not null, the
			prescription was billed for copay and this
727.81,27	Code that uniquely		field is set to 1. FEEDER KEY is derived for the drug
FEEDER KEY	identifies a DSS		identified by the DRUG field (#6) in the
	drug/supply product.		PRESCRIPTION file (#52), which is a
			pointer to the DRUG file (#50).
			The PSNDF VA PRODUCT NAME ENTRY
			field (#22) from the DRUG file (#50), which
			is a pointer to the VA PRODUCT file (#50.68) is padded to 5 digits. This is
			concatenated with a 12-digit code derived
			from the NDC field (#31) from the DRUG
			file (#50) to form a 17-digit Feeder Key.
727.81,28	Indicates if the drug in this	'I' FOR Investigational	Derived from the DEA, SPECIAL HDLG
DEA,SPECIAL	record is Investigational or	'1' FOR Schedule 1 Item	field (#3) in the DRUG file (#50). If the
HDLG	Schedule 1-5.	'2' FOR Schedule 2 Item	DEA, SPECIAL HDLG field contains an" I"
		'3' FOR Schedule 3 Item	(INVESTIGATIONAL DRUGS), this field is
		'4' FOR Schedule 4 Item	set to "I". If the field contains a "1","2", "3",
		'5' FOR Schedule 5 Item	"4" or "5" (DRUG SCHEDULE) it will be set to the same number. The presence of "I"
			takes precedence over the numbers.
	1	ı	mass procedures over the numbers.

Field # and Name	Description	Values	Technical Description
727.81,29 DAYS SUPPLY	Number of days covered by this prescription.		Derived from the DAYS SUPPLY field (8) in the PRESCRIPTION file (#52) for new prescriptions, or from the DAYS SUPPLY
			field (1.1) within the REFILL multiple (52) in the PRESCRIPTION file (#52) for refill
			prescriptions, or from the DAYS SUPPLY field (.041) within the PARTIAL DATE
			multiple (60) in the PRESCRIPTION file (#52) for partial prescriptions
727.81,30 PRIMARY CARE	The primary care team assigned to this patient in		Using the FILL DATE field (#22) from the PRESCRIPTION file (#52) and the patient
TEAM	the PCMM module.		pointer (DFN)stored in the PATIENT NO. – DFN field (#4) in the PRESCRIPTION
			EXTRACT file (#727.81), a call is made to the Scheduling API, OUTPTTM^SDUTL3.
			The API returns the team's internal entry number and name from the TEAM file
727.81,31	The primary care provider		(#404.51The IEN is stored in this field. Using the FILL DATE field (#22) from the
PRIMARY CARE PROVIDER	assigned to this patient through the PCMM module.		PRESCRIPTION file (#52) and the patient pointer (DFN) stored in the PATIENT NO. –
			DFN field (#4) in the PRESCRIPTION EXTRACT file (#727.81), a call is made to
			the Scheduling API, OUTPTPR^SDUTL3. The API returns the provider's internal entry
			number and name from the NEW PERSON file (#200).
			A "2" is prefixed to the pointer value to
			indicate that the source file is "200". For example, if the IEN of the provider in file
707.01.00			#200 is 98765, the value that will be stored is 298765.
727.81,32 TIME	Time of day when the prescription fill/refill was released.		PRESCRIPTION file (#52); REFILL sub- file (#52.1); RELEASED DATE/TIME field (#17) or PRESCRIPTION file (#52);
	released.		PARTIAL DATE sub-file (#52.2); RELEASED DATE/TIME field (#8)
			This field is always exactly 6 numeric characters in length; if time cannot be
727.81,33	Race ABBREVIATION for		determined, "000300" is used as default. Using the patient pointer (DFN) stored in the
RACE	this patient.		PATIENT NO. – DFN field (#4) in the PRESCRIPTION EXTRACT file (#727.81),
			RACE data is shown as the ABBREVIATION field (2) of the RACE file
			(#10) entry pointed to by the RACE field (.06) in the PATIENT file (#2)
727.81, 34 MASTER	Unique national VA patient identifier		Derived by calling API\$\$GETICN^MPI001(Supported DBIA
PATIENT INDEX			#2701), that returns the Integration Control Number (ICN) for the given patient in the Patient file (#2).
727.81, 35 DSS PRODUCT DEPARTMENT	The nationally defined DSS Intermediate Department Number designated to the Pharmacy care product.		For the Prescription extract, the DSS PRODUCT DEPARTMENT is null.
727.81,36 SEX	Patient' gender	'M' FOR MALE 'F' FOR FEMALE	Data is taken from the SEX field (#.02) of the patient's record in the PATIENT file (#2).
			The status indicator is returned by DEM^VADPT.

Field # and Name	Description	Values	Technical Description
727.81,37	The ZIP code for where the		The patient's ZIP code with optional 4-digit
ZIP+4	patient resides. The 5-		extension as found in the ZIP+4 field
	character zip code is		(#.1112) of the patient's record in the
	provided if zip + 4 is not		PATIENT file (#2). While the ZIP+\$ field in
	available.		file 2 is a max of 9 characters, it does put the
			"-" in if the ZIP code is a +4 type.
727.81,38	Currently Null		Currently Null
PLACEHOLDER	CalNI		C d N II
727.81,39 PLACEHOLDER	Currently Null		Currently Null
727.81,40	The state in which the		Using the patient pointer (DFN) stored in the
STATE	patient resides.		PATIENT NO. – DFN field (#4) in the
SIAIL	patient resides.		ADMISSION EXTRACT file (#727.802),
			data is derived from the STATE field (#.115)
			in the PATIENT file (#2) which points to the
			STATE file (#5). From the STATE file
			record, use the two character VA STATE
			CODE field (#2).
727.81,41	The county in which the		Using the patient pointer (DFN) stored in the
COUNTY	patient resides.		PATIENT NO. – DFN field (#4) in the
			ADMISSION EXTRACT file (#727.802),
			COUNTY data is derived from the
			COUNTY field (#.117) in the PATIENT file
			(#2) which points to a subfile record in the
			COUNTY multiple field (#3) of the STATE
			file (#5). A pointer to the STATE file (#5) is
			obtained from the STATE field (#.115) of the file #2 record.
			The #2 record.
			From the subfile record of field #3 of file #5,
			use the value of the VA COUNTY CODE
			field (#2).
727.81, 42	The VA code of the Person		The field will hold the VA Code associated
PC PROVIDER	Class of the Primary Care		with the active Person Class of the patient's
PERSON CLASS	Provider associated with		Primary Care Provider as of the date of this
	this record.		extract record.
			The VA Code is always of the form "V"_six
		(11 POP 11PG	numeric digits; exactly 7 characters in length.
727.81, 43	Indicates if patient was	'Y' FOR YES	PATIENT file (#2), POW STATUS
POW STATUS	confined as a Prisoner of	'N' FOR NO	INDICATED? field (#.525). The status
727.81, 44	War. If POW Status is indicated,	'U' FOR UNKNOWN	indicator is returned by SVC^VADPT. PATIENT file (#2), POW CONFINEMENT
POW LOCATION	then this is the POW		LOCATION field (#.526). This is a pointer
1011 LOCATION	confinement		value to the POW PERIOD file (#22). The
	location/period.		location indicator is returned by
			SVC^VADPT.
	1 = World War I		
	2 = World War II –		
	Europe		
	3 = World War II –		
	Pacific		
	4 = Korean		
	5 = Vietnam		
727.91.45	6 = Other	(V' EOD VEC	DATIENT CL. (40), DADIATION
727.81, 45	Indicates if patient claims	'Y' FOR YES 'N' FOR NO	PATIENT file (#2); RADIATION
RADIATION	exposure to ionizing		EXPOSURE INDICATED? Field (#.32103).
STATUS	radiation.	'U' FOR UNKNOWN	The status indicator is returned by SVC^VADPT.
727.81, 46	Indicates whether patient	'Y' FOR YES	PATIENT file (#2); AGENT ORANGE
AGENT ORANGE	was exposed to Agent	'N' FOR NO	EXPOS. INDICATED? field (#.32102). The
STATUS	Orange.	'U' FOR UNKNOWN	status indicator is returned by SVC^VADPT.
			indicator is retarned by by C 171D1 1.

Field # and Name	Description	Values	Technical Description
727.81, 47	An indicator used for		The ALIAS sub-field (#.01) of the ALIAS
SHARING	patients participating in		multiple field (#1) of the PATIENT file (#2)
AGREEMENT	sharing agreements.		is used to indicate a patient who participates
PAYOR			in a sharing agreement. If the #.01 field
			contains any one of the specified key words,
			then the patient is considered to be included
			for Sharing Agreement information. The
			keywords are: SHARING AGREEMENT,
			CHAMPVA, TRICARE, CAT C,
			CATEGORY C.
			A one character code for the keyword found
			in the ALIAS multiple field is obtained by
			the following conversion: SHARING
			AGREEMENT = A TRICARE = B
			CAT C = C CATEGORY C = C CHAMPVA
			= D CHAMPUS $=$ E
727.81, 48	Indicates the first insurer for		Data will be taken from the INSURANCE
SHARING	patients who participate in		TYPE sub-field (#.01) of the INSURANCE
AGREEMENT	sharing agreements.		TYPE field (#.3121), sub-file #2.312, of the
INSURANCE			PATIENT file (#2). Only the first insurance
707.01.40	Military Compatition	(W) FOR War and I	found in the multiple field is used.
727.81, 49 MST STATUS	Military Sexual Trauma status of a patient on the	'Y' FOR Yes, screened reports MST	The MST HISTORY file (#29.11) holds data regarding military sexual trauma claims and
WIST STATUS	date of the encounter.	'N' FOR Screened, does not	effective dates. The patients MST status is
	date of the electricity.	report MST	stored in the MST STATUS field (#3). A call
		'D' FOR Screened, declines	is made to
		to answer	GETSTAT^DGMSTAPI(DFN,DGDATE)
		'U' FOR Unknown, not	using DFN in the PATIENT NO> DFN field
		screened	(#4) and the date in the DAY (#8) field.
727.81, 50	The facility that the patient		The PREFERRED FACILITY field (# 27.02)
ENROLLMENT	chooses to designate as his		of the PATIENT file (#2)is defined as the
LOCATION	preferred location for care.		facility that the patient chooses to designate
			as his preferred location for care. The
			PREFERRED FACILITY field (# 27.02) is a pointer to the INSTITUTION file (#4). From
			file #4, the value in the STATION NUMBER
			field (#99) is used.
727.81, 51	The associate primary care		Derived by a call to the Scheduling API,
ASSOCIATE PC	provider assigned this		OUTPTAP^SDUTL3. The API returns the
PROVIDER	patient through the Primary		associate provider's internal entry number
	Care Management Module		and name from the NEW PERSON file
	(PCMM) application.		(#200). The ASSOCIATE PC PROVIDER
			is the value of a "2" prefixed to the pointer
			value to indicate that the source file is "200".
			For example, if the IEN of the provider in file #200 is 98765, the value that will be
			stored is 298765.
			270,00.
			The PATIENT NO – DFN (#4) field and the
			DAY field (#8) are used to determine the
			patient's associated provider at the time the
505.01.55			prescription is filled.
727.81, 52	The VA code of the Person		Active Person Class is determined by the
ASSOC. PC PROV. PERSON CLASS	Class of the Associate		supported call \$\$GET^XUA4A72
FERSON CLASS	Primary Care Provider as of the date of this extract		(PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event.
	record.		The VA CODE is determined by the 7 th piece
	1000141		of the returned value string.
727.81, 53	Currently Null		Currently Null
PLACEHOLDER			

Field # and Name	Description	Values	Technical Description
727.81, 54 DOM, PRRTP AND SAARTP INDICATOR	Indicates if the patient is admitted to either a RRTP, PRRTP, or SARRTP at time care is provided.	'P' FOR GEN. PRRTP 'D' FOR DOMICILIARY 'S' FOR DOM.PRRTP 'T' FOR PTSD PRRTP 'H' FOR HOMELESS CWT/TR 'A' FOR SA CWT/TR 'B' FOR PTSD CWT/TR 'C' FOR GEN. CWT/TR	If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file, data is derived from the DOM/PRRTP/SARRTP CODE field (#2) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file. Otherwise the value is null.
727.81, 55 PURPLE HEART INDICATOR 727.81, 56	Indicates whether or not the patient is a Purple Heart recipient. Patient's enrollment	'Y' FOR YES 'N' FOR NO	PATIENT file (#2); CURRENT PH INDICATOR field (#.531). The status indicator is returned by SVC^VADPT. ENROLLMENT CATEGORY is derived
ENROLLMENT CATEGORY	category.		from the standard call \$\$CATEGORY^DGENA4 using the patient's DFN and the ENROLLMENT STATUS (#57) field.
727.81, 57 ENROLLMENT STATUS	Patient's enrollment status		ENROLLMENT STATUS is derived from the standard call \$\$STATUS^DGENA4 using the patient's DFN and returns the ENROLLMENT STATUS field (#.04) of the PATIENT ENROLLMENT file (#27.11).
727.81, 58 PLACEHOLDER	Currently Null		Currently Null
727.81, 59 CNHU STATUS	Identifies if patient resides in a contract nursing home.	'Y' FOR YES 'N' FOR NO	Currently passing NULL.
727.81, 60 PERIOD OF SERVICE	The period of service that classifies this patient based on eligibility code.		Period of Service is derived from the Period of Service field (#.323) in the Patient file (#2).
727.81, 61 OBSERVATION PATIENT INDICATOR	Indicates if patient is considered to be an observation patient. The unique number	'Y' FOR YES 'N' FOR NO	Data (YES,NO) is retrieved from API call \$\$OBSPAT^ECXUTL4: If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file, data is derived from the OBSERVATION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file. If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS ID (MTL,IVP,ECQ,QSR,NOS,SUR) is 290-297, Observation Patient Ind=YES. Else, Observation Patient Ind=NO. Otherwise, Observation Patient Ind=NO. This field is determined by a call to
ENCOUNTER NUMBER	assigned to each encounter within DSS.		\$\$ENCNUM^ECXUTL4. Within this call the inpatient/outpatient status, SSN, admit/visit ate, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number.
727.81, 63 AGENT ORANGE LOCATION	Indicates the location where the patient was exposed to Agent Orange.	'K' FOR Korean DMZ 'V' FOR Vietnam 'O' FOR Other	The location is returned by a call to SVC^VADPT which gets its data from the AGENT ORANGE EXPOSURE LOCATION field (#.3213) of the PATIENT file (#2).
727.81, 64 ORDERING PHYSICIAN	For further development; currently set to null.		Currently Null

Field # and Name 727.81, 65 ORDERING STOP CODE This field contains the stop code associated with the order. The STOP CODE field (#1) associated with the ordering location for this order as obtained from the CLINICS AND STOI CODES (#728.44) file. Ordering location is derived from the CLINIC field (#5) of the PRESCRIPTIC file (#52). 727.81, 66 ORDERING DATE This field is derived from the ISSUE DATE field (#1) of the PRESCRIPTION file (#52). This field is derived from the ISSUE DATE field (#1) of the PRESCRIPTION file (#52). That date is then converted by a call to \$\$ECXDATE^ECXUTL to the YYYYMMDD format. 727.81, 67 CNH/SH STATUS Community Nursing Home/ State Home Indicator This field (#1) of the PRESCRIPTION file (#7) of the PRESCRIPTION file (#1) of the PRESCRIPTION file (#2) of the PRESCRIPTION file (#1) of the PRESCRIPTION file (#2) of the PRESCRIPTION file (#2) of the PRESCRIPTION file (#52) the DIVISION filed (#0) of Sub file (#1) of the PRESCRIPTION file (#52) of the PRESCRIPTION file (#52) the DIVISION filed (#0) of Sub file (#1) of the PRESCRIPTION file (#52) the DIVISION filed (#0) of Sub file (#1) of the PRESCRIPTION file (#52) the DIVISION filed (#0) of Sub file (#1) of the PRESCRIPTION file (#52) the DIVISION filed (#0) of Sub file (#1) of the PRESCRIPTION file (#52) the DIVISION filed (#0) of Sub file (#1) of the PRESCRIPTION filed (#1) of the PRESCRIPTION file (#1) of	ON ATE
order. order. order. obtained from the CLINICS AND STOR CODES (#728.44) file. Ordering location is derived from the CLINIC field (#5) of the PRESCRIPTIC file (#52). 727.81, 66 ORDERING DATE ordering location is derived from the CLINIC field (#5) of the PRESCRIPTIC file (#52). This field is derived from the ISSUE DATE field (#1) of the PRESCRIPTION file (#52). That date is then converted by a call to \$\$ECXDATE^ECXUTL to the YYYYMMDD format. 727.81, 67 CNH/SH STATUS Community Nursing Home/ State Home Indicator 'Y' FOR YES Using the CNHSTAT^ECXUTL4 (DFN call, the CNH status is returned based on CNH CURRENT field (#148) of the PATIENT file (#2). 727.81, 68 PRODUCTION DIVISION CODE Identifies the division/facility where the work was performed. DIVISION CODE ordering location is derived from the CLINICS AND STOR CALL (#52). This field is derived from the CLINICS AND STOR CALL (#52). This field is derived from the CLINICS AND STOR CALL (#52). This field is derived from the CLINICS AND STOR CALL (#52). That date is then converted by a call to \$\$ECXDATE^ECXUTL4 (DFN call, the CNH status is returned based on CNH CURRENT field (#148) of the PATIENT file (#2). 727.81, 68 PRODUCTION DIVISION GODE ordering location is derived from the CLINICS AND STOR CALL (#60). These field (#60). These field (#60). These field (#60). These field (#60).	ON ATE
CODES (#728.44) file. Ordering location is derived from the CLINIC field (#5) of the PRESCRIPTIC file (#52). 727.81, 66 ORDERING DATE Date provider ordered the prescription. Date provider ordered the prescription. This field is derived from the ISSUE DATE field (#1) of the PRESCRIPTION file (# That date is then converted by a call to \$\$ECXDATE^ECXUTL to the YYYYMMDD format. 727.81, 67 CNH/SH STATUS Community Nursing Home/State Home Indicator 'Y' FOR YES Using the CNHSTAT^ECXUTL4 (DFN call, the CNH status is returned based on CNH CURRENT field (#148) of the PATIENT file (#2). 727.81, 68 PRODUCTION DIVISION CODE Identifies the division/facility where the work was performed. Data comes from either the DIVISION file (#52) the DIVISION field (#.09) of Sub file (#PARTIAL DATE field (#60). These field	ON ATE
Ordering location is derived from the CLINIC field (#5) of the PRESCRIPTION file (#52). 727.81, 66 ORDERING DATE Date provider ordered the prescription. Date provider ordered the prescription. Date provider ordered the prescription. This field is derived from the ISSUE DATE field (#1) of the PRESCRIPTION file (#1) of the PRESCRIP	ATE
CLINIC field (#5) of the PRESCRIPTION file (#52). 727.81, 66 ORDERING DATE Date provider ordered the prescription. Date provider ordered the prescription. This field is derived from the ISSUE DATE field (#1) of the PRESCRIPTION file (#52). That date is then converted by a call to \$\$ECXDATE^ECXUTL to the YYYYMMDD format. 727.81, 67 CNH/SH STATUS State Home Indicator CNH/SH STATUS State Home Indicator TOTAL (1) The PRESCRIPTION file (#52). TOTAL (1) The PRESCRIPTION file (#52). TOTAL (1) The PRESCRIPTION file (#52). This field (#1) of the PRESCRIPTION file (#52) of the PRESCRIPTION file (#52). This field (#52) is derived from the ISSUE DATE field (#10) of the PRESCRIPTION file (#52) of the DIVISION field (#.09) of Sub file (#52) of the PRESCRIPTION file (#52) of the PRESCRIPTION file (#52) of the DIVISION field (#.09) of Sub file (#52) of the PRESCRIPTION file (#52) of the PRESCRIPTION file (#52) of the DIVISION field (#.09) of Sub file (#52) of the PRESCRIPTION file (#52) of the PRESCRIPTION file (#52) of the DIVISION field (#.09) of Sub file (#52) of the PRESCRIPTION file (#52) of the	ATE
CLINIC field (#5) of the PRESCRIPTION file (#52). 727.81, 66 ORDERING DATE Date provider ordered the prescription. Date provider ordered the prescription. This field is derived from the ISSUE DATE field (#1) of the PRESCRIPTION file (#52). That date is then converted by a call to \$\$ECXDATE^ECXUTL to the YYYYMMDD format. 727.81, 67 CNH/SH STATUS State Home Indicator CNH CURRENT field (#148) of the PATIENT file (#2). 727.81, 68 PRODUCTION DIVISION CODE Identifies the division/facility where the work was performed. CLINIC field (#52). This field is derived from the ISSUE DATE field (#1) of the PRESCRIPTION file (#52) and the PATIENT field (#148) of the PATIENT file (#2). Table (#52). This field is derived from the ISSUE DATE field (#10) of the PRESCRIPTION file (#52) of the PATIENT file (#2). Table (#52).	ATE
727.81, 66 ORDERING DATE Date provider ordered the prescription. Date provider ordered the prescription. This field is derived from the ISSUE DATE field (#1) of the PRESCRIPTION file (#2). Take the provider ordered the prescription. This field is derived from the ISSUE DA field (#1) of the PRESCRIPTION file (#2) of the PRESCRIPTION file (#2). Take the provider ordered the prescription file (#52). Take the prescription file	ATE
727.81, 66 ORDERING DATE Date provider ordered the prescription. Date provider ordered the prescription. This field is derived from the ISSUE DA field (#1) of the PRESCRIPTION file (#2). T27.81, 68 PRODUCTION DIVISION CODE Data comes from either the DIVISION file (#20) of the PRESCRIPTION file (#52) the DIVISION field (#.09) of Sub file (#1) of the PRESCRIPTION file (#52) the DIVISION field (#.09) of Sub file (#1) of the PRESCRIPTION file (#52) the DIVISION field (#.09) of Sub file (#1) of the PRESCRIPTION file (#52) the DIVISION field (#.09) of Sub file (#	
ORDERING DATE prescription. field (#1) of the PRESCRIPTION file (# That date is then converted by a call to \$\$ECXDATE^ECXUTL to the YYYYMMDD format. 727.81, 67 CNH/SH STATUS State Home Indicator CNH/SH STATUS Telephone Telephone CNH/SH STATUS State Home Indicator State Home Indicator State Home Indicator State Home Indicator N' FOR NO CNH CURRENT field (#148) of the PATIENT file (#2). Telephone Telephone CNH CURRENT field (#18) of the PATIENT file (#2). Telephone CNH CURRENT field (#10) of the PRESCRIPTION file (#20) of the PRESCRIPTION file (#52) the DIVISION field (#.09) of Sub file (#.09	
That date is then converted by a call to \$\$ECXDATE^ECXUTL to the YYYYMMDD format. 727.81, 67 CNH/SH STATUS State Home Indicator CNH/SH STATUS State Home Indicator CNH/SH STATUS State Home Indicator 'Y' FOR YES 'N' FOR NO Call, the CNH Status is returned based on CNH CURRENT field (#148) of the PATIENT file (#2). T27.81, 68 PRODUCTION DIVISION CODE Identifies the division/facility where the work was performed. Data comes from either the DIVISION file (#52) the DIVISION field (#.09) of Sub file (#PARTIAL DATE field (#60). These field	F32).
\$\$ECXDATE^ECXUTL to the YYYYMMDD format. 727.81, 67 CNH/SH STATUS State Home Indicator CNH/SH STATUS State Home Indicator State Home Indicator State Home Indicator 'Y' FOR YES 'N' FOR NO Call, the CNH Status is returned based of CNH CURRENT field (#148) of the PATIENT file (#2). 727.81, 68 PRODUCTION DIVISION CODE Identifies the division/facility where the work was performed. Bata comes from either the DIVISION file (#20) of the PRESCRIPTION file (#52) the DIVISION field (#.09) of Sub file (#PARTIAL DATE field (#60). These field	
727.81, 67 Community Nursing Home/ CNH/SH STATUS State Home Indicator YY FOR YES 'N' FOR NO Using the CNHSTAT^ECXUTL4 (DFN call, the CNH status is returned based or CNH CURRENT field (#148) of the PATIENT file (#2). 727.81, 68 PRODUCTION DIVISION CODE Identifies the division/facility where the Work was performed. Identifies the Holivision field (#.09) of Sub file (#20) of the PRESCRIPTION file (#52) the DIVISION field (#.09) of Sub file (#20). PARTIAL DATE field (#60). These fiel	
727.81, 67 CNH/SH STATUS State Home Indicator N' FOR YES State Home Indicator 'Y' FOR YES State Home Indicator 'Y' FOR YES State Home Indicator 'Y' FOR YES Call, the CNH STATATATATATATATATATATATATATATATATATATA	
CNH/SH STATUS State Home Indicator 'N' FOR NO call, the CNH status is returned based of CNH CURRENT field (#148) of the PATIENT file (#2). 727.81, 68 PRODUCTION DIVISION CODE Identifies the division/facility where the DIVISION file (#20) of the PRESCRIPTION file (#52) the DIVISION field (#.09) of Sub file (#PARTIAL DATE field (#60). These field	<u> </u>
CNH CURRENT field (#148) of the PATIENT file (#2). 727.81, 68 PRODUCTION division/facility where the DIVISION CODE work was performed. DIVISION CODE work was performed. CNH CURRENT field (#148) of the PATIENT file (#2). Data comes from either the DIVISION file (#52) of the PRESCRIPTION file (#52) the DIVISION field (#.09) of Sub file (# PARTIAL DATE field (#60). These field (#60).	
PATIENT file (#2). 727.81, 68 PRODUCTION division/facility where the DIVISION file (#20) of the PRESCRIPTION file (#52) DIVISION CODE work was performed. (#20) of the DIVISION field (#.09) of Sub file (# PARTIAL DATE field (#60). These fiel	i tiic
727.81, 68 PRODUCTION DIVISION CODE Identifies the division/facility where the work was performed. Data comes from either the DIVISION (#20) of the PRESCRIPTION file (#52) the DIVISION field (#.09) of Sub file (# PARTIAL DATE field (#60). These field	
PRODUCTION division/facility where the DIVISION CODE work was performed. (#20) of the PRESCRIPTION file (#52) the DIVISION field (#.09) of Sub file (# PARTIAL DATE field (#60). These field	ield
DIVISION CODE work was performed. the DIVISION field (#.09) of Sub file (# PARTIAL DATE field (#60). These field	
PARTIAL DATE field (#60). These field	52.2)
	ds
point to the OUTPATIENT SITE file (#	59).
This value is then used to call the API	
PREDIV^ECXDEPT RADDIV^ECXD	
to get the STATION NUMBER field (#	1 9)
from the INSTITUTION file (#4). 727.81, 69 The current means test 'A' FOR Category A Using the patient pointer (DFN) stored i	41
MEANS TEST category for this patient. 'B' FOR Category B PATIENT NO. – DFN field (#4), MEAI C' FOR Category C TEST data is derived from the CURRENT NO.	
'P' FOR Pending MEANS TEST STATUS field (#.14) in	
Adjudication PATIENT file (#2). This field is a point	
'R' FOR Requires Means the MEANS TEST STATUS file (#408.	
Test Using the means test pointer, the data is	
'N' FOR Means Test not derived from the CODE field (#.02) in t	
Required MEANS TEST STATUS file (#408.32)	,
'E' FOR Exempt	
'I' FOR Incomplete The status indicator is returned by	
'L' FOR No Longer ELIG^VADPT.	
Applicable (M. FOR Non-France)	
'M' FOR Non-Exempt 727.81,70 Identifies whether patient 'Y' FOR YES Using the patient pointer (DFN) stored i	n tha
HEAD & NECK has head and/or neck cancer 'N' FOR NO PATIENT NO. – DFN field (4), a call is	n uie
CANCER made to \$\$GETCUR^DGNTAPI to retr	
INDICATOR the HEAD/NECK CA DX field (#2.01)	
the NOSE AND THROAT RADIUM	01
HISTORY file (#28.11).	
727.81, 71 The patient's PTF Ethnicity Using the patient pointer (DFN) stored in	n the
ETHNICITY code. PATIENT NO. – DFN field (#4),	
ETHNICITY is derived from the PTF	
VALUE field (#5) of the ETHNICITY f	ile
(#10.2) pointed to by the ETHNICITY	
INFORMATION field (#.01) of the	
ETHNICITY INFORMATION subfile	
(#2.06) of the PATIENT file (#2).	
The above will occur only if the METH	OD
	<i>J</i> D
TOP COLLECTION field (#107) of the	
OF COLLECTION field (#.02) of the ETHNICITY INFORMATION sub file	
OF COLLECTION field (#.02) of the ETHNICITY INFORMATION sub file (#2.06) is set to 1 (SELF-	
ETHNICITY INFORMATION sub file	CITY

Field # and Name	Description	Values	Technical Description
727.81, 72	The patient's PTF Race		Using the patient pointer (DFN) stored in the
RACE 1	code(s).		PATIENT NO. – DFN field (#4), RACE 1 is
			derived from the PTF VALUE field (#5) of
			the RACE file (#10) pointed to by the RACE
			INFORMAITON field (#.01) of the RACE
			INFORMATION subfile (#2.02) of the
			PATIENT file (#2).
			Only those RACE INFORMATION values
			in the RACE INFORMATION subfile
			(#2.03) where the METHOD OF
			COLLECTION field (#.02) set to 1 (SELF-
			IDENTIFICATION), will be include in the
			RACE 1 field. If any of the RACE
			INFORMATION values returned are "C"
			(DECLINED TO ANSWER) that will be the
			only value included in the RACE1 field.
727.81, 73	The nationally defined DSS		For the Prescription extract, the DSS IP#
DSS IP #	Intermediate Product		field is null.
	Number designated to the		
	patient care product.		
727.81, 74	This field contains the		ENROLLMENT PRIORITY field contains
ENROLLMENT	enrollment priority group		the enrollment priority group and the
PRIORITY	and the enrollment priority		enrollment priority subgroup from the Patient
	subgroup.		Enrollment file (#27.11).
			ENROLLMENT PRIORITY Groups
			determined for a patient enrollment include:
			'1' FOR GROUP1
			'2' FOR GROUP 2
			'3' FOR GROUP 3
			'4' FOR GROUP 4
			'5' FOR GROUP 5
			'6' FOR GROUP 6
			'7' FOR GROUP 7
			'8' FOR GROUP 8
			ENROLLMENT PRIORITY Subgroups
			determined for a patient enrollment include:
			'a' FOR 1
			'c' FOR 3
			'e' FOR 5
			'g' FOR 7
727.81, 75	User enrollee is determined		User enrollee is determined by checking the
USER ENROLLEE	by checking the Patient		Patient Enrollment (#27.11) file. When a
	Enrollment file 27.11, when		user has a current or future fiscal year in the
	a user has a current or		VistA User Enrollee Status (#.04) field the
	future fiscal year in the		value is set to 'U' and Null if no date or a
	VistA User Enrollee Status		past year's value is contained. Determined by
	field set value to 'U' and		the use of an API:
	Null if no date or a past		\$\$UESTAT^EASUERwhere the Patient
	year's value is contained.		Identifier (DFN) is passed in.

Field # and Name	Description	Values	Technical Description
727.81, 76	PATIENT TYPE refers to		PATIENT TYPE refers to the various types
PATIENT TYPE	the various types of patient, which might be seen at a		of patient, which might be seen at a VA facility. It is determined by the TYPE field of
	VA facility. It is determined		the PATIENT File #2 which points to the
	by the TYPE field of the		TYPE OF PATIENT entries in File #391.
	PATIENT File #2 which		Every patient in the system must have a
	points to the TYPE OF PATIENT entries in File		TYPE specified. It best classifies a patient as one of the following values listed below.
	#391.		PATIENT TYPE field value shall contain
			only the first two characters:
			AC= ACTIVE DUTY AL= ALLIED
			VETERAN CO=COLLATERAL EM= EMPLOYEE IN=INELIGIBLE MI=
			MILITARY RETIREE NO=NON-
			VETERAN (OTHER) NS=NSC VETERAN
			SC=SC VETERAN TR= TRICARE
727.81, 77 CV STATUS	Records if a veteran served on active duty in a theatre	'Y, FOR YES 'E' FOR ELIGIBILITY	CV STATUS ELIGIBILITY is determined by the use of API \$\$CVEDT^DGCV (DFN,
ELIGIBILITY	of combat operations during	EXPIRED	DATE) that checks the COMBAT VET END
	a period of war after the		DATE field (#.5295) from the PATIENT file
	Persian Gulf War or in		(#2) to determine CV Status. API returns
	combat against a hostile force during a period of		three pieces (i.e1^20010106^0) and the first piece is resolved as follows.
	hostilities after November		inst piece is resolved as follows.
	11, 1998.		1 – veteran qualifies as a CV
			0 – veteran does not qualify as a CV -1 – bad DFN or date
			-1 - bad DIA of date
			Based on this result the field will be set to
			'Y' for 'YES or 'E' for 'ELIGIBILITY
727.81, 78	Records the Combat		EXPIRED' or 'NULL' for not eligible. CV ELIGIBILITY END DATE is
CV ELIGIBILITY	Veteran (CV) eligibility		determined by the use of API
END DATE	expiration date of veteran		\$\$CVEDT^DGCV (DFN, DATE) that
	who served on active duty in a theatre of combat		checks the COMBAT VET END DATE field (#.5295) from the PATIENT file (#2) to
	operations during a period		determine CV Status. API returns three
	of war after the Persian Gulf		pieces (i.e. 1^20010106^0). The 2 nd piece is
	War or in combat against a		the COMBAT VET END DATE in HL7
	hostile force during a period of hostilities after		format.
	November 11, 1998.		
727.81, 79	Records if a veteran served	'Y' FOR YES	ENCOUNTER CV is determined by the use
ENCOUNTER CV	on active duty in a theatre of combat operations during		of API \$\$CVEDT^DGCV (DFN, DATE) that checks the COMBAT VET END DATE
	a period of war after the		field (#.5295) from the PATIENT file (#2) to
	Persian Gulf War or in		determine CV Status. API returns three
	combat against a hostile		pieces (i.e. 1^20010106^0). The third piece
	force during a period of hostilities after November		returns:
	11, 1998.		1 – vet was eligible on date specified
			0 – vet was not eligible on date specified
			Based on these returns, the value for this
			field shall be Y for Yes if value is 1 or left
			blank if 0 to indicate ineligibility.

Field # and Name	Description	Values	Technical Description
727.81, 80	This field records that the	'Y' FOR YES	The NATIONAL PATIENT RECORD
NATIONAL	patient's record contains 1		FLAG field is set based on the results of the
PATIENT	or more active category 1		\$\$GETACT^DGPFAPI(DFN,TARGETARR
RECORD FLAG	(National) Patient Record		AY) call. This call looks at the category 1
	Flags.		national patient record flags as recorded in
	Tiugs.		the PRF NATIONAL FLAG file (#26.15).
			The resulting value of this call is the number
			of active category I patient record flags
			assigned to this patient. This field is set to Y
			(YES) if the result is greater than zero. A
727 01 01	T 1	(act for applied	value of zero causes this field to be left null.
727.81, 81	Indicates the status of the	'SC' FOR SERVICE	RX Patient Status is extracted from the
RX PATIENT	patient at the time the	CONNECTED	SC/A&A/OTHER/INPATIENT/NVA field
STATUS	medication was filled.	'AA' FOR A&A	(#6) of the RX PATIENT STATUS File
		'OTH' FOR OTHER	(#53).
		'INP' FOR INPATIENT	
		'NON' FOR NON-VA	The value for this field shall be based on the
			set of codes of this field.
727.81, 82	Indicates the provider	'Y' FOR YES	The NON-VA PRESCRIBER field (#53.91)
NON-VA	prescribing the prescription	'0' FOR NO	of the NEW PERSON file (#200). The value
PRESCRIBER	is not a VA employee.	0 1 011110	stored in that field is used to determine the
TRESCRIBER	is not a vii emproyee.		value stored in the NON VA PRESCRIBER
			field.
707 01 02	This field contains the		This field is populated from the RX# field
727.81, 83			
RX ORDER	prescription number, which		(#.01) located on the Prescription file (#52).
NUMBER	shall be a whole number		
	between 1 and 999999999.		
727.81, 84	This field identifies patients		This field is extracted from the
ERI	from impacted zip code		EMERGENCY RESPONSE INDICATOR
	areas designated by the		field (#.181) located in the PATIENT file
	Federal Emergency		(#2). Values are:
	Management Agency		"K" = Hurricane Katrina
	(FEMA).		Null
727.81, 85	Indicates whether service	'Y' FOR YES	This field is retrieved from the AGENT
AGENT ORANGE	provided during this patient	'N' FOR NO	ORANGE EXPOSURE field (#118) in the
ENC INDICATOR	encounter is related to		PRESCRIPTION (#52) file.
	exposure to Agent Orange.		, ,
727.81, 86	Indicates the appropriate	'Y' FOR YES	This value will be retrieved from the
ENCOUNTER	response for Southwest Asia	'N' FOR NO	SOUTHWEST ASIA CONDITIONS field
SWAC	conditions as related to this	11 101110	(#120) in the PRESCRIPTION (#52) file.
SWAC	patient's episode of care.		(#120) in the TRESCRIT TION (#32) inc.
727.81, 87	Indicates whether service	'Y' FOR YES	This value is retrieved from the HEAD
ENC HEAD/NECK		'N' FOR NO	
	provided during this patient	IN FOR NO	AND/OR NECK CANCER field (#121) in
CA	encounter is related to head		the PRESCRIPTION (#52) file.
707.01.00	and/or neck cancer.	AN EOD MEG	mi 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
727.81, 88	Indicates whether service	'Y' FOR YES	This value is retrieved from the MILITARY
ENCOUNTER	provided during this patient	'N' FOR NO	SEXUAL TRAUMA field (#117) in the
MST	encounter is related to		PRESCRIPTION (#52) file.
	military sexual trauma.		
727.81, 89	This field is used to indicate	'Y' FOR YES	This field is derived from the SOUTHWEST
SW ASIA	if this visit represents	'N' FOR NO	ASIA CONDITIONS? Field (#.322013) in
CONDITIONS	treatment of a VA patient	'U' FOR UNKNOWN	the PATIENT file (#2) using the patient's
	claiming exposure to		DFN. The status indicator is returned by
	Southwest Asia Conditions.		SVC^VADPT. The SVC^VADPT called is
	Bodiliwest Asia Conditions.		made from routine PAT^ECXUTL3. The
			field values are:
			ficia values are.
			V _ VEC
			Y = YES
			N = NO
1	į		U = UNKNOWN

Field # and Name	Description	Values	Technical Description
727.81, 90	Indicates whether service	'Y' FOR YES	This value is retrieved from the IONIZING
RADIATION	provided during this patient	'N' FOR NO	RADIATION EXPOSURE field (#119) in
ENCOUNTER	encounter is related to		the PRESCRIPTION (#52) file.
INDICATOR	exposure to ionizing		
	radiation.		
727.81, 91	This field will indicate	'Y' FOR YES	The value is retrieved from the
SERVICE	whether this prescription is	'N' FOR NO	PRESCRIPTION file (#52), SERVICE
CONNECTED RX	for a service connected		CONNECTED field (#116). Possible values:
	condition.		'Y' – Yes 'N' – No
			The value is retrieved via the DIQ^PSODI
			pharmacy API.
727.81, 92	The Military Operation in		The Military Operation in which the patient
OEF/OIF	which the patient was in		was in combat during the specified time
	combat during the specified		period. This field is a length of nine
	time period. This field is a		characters and reflects the OEF or OIF where
	length of nine characters and reflects the OEF or OIF		this patient was in combat. The value of this field is derived from the LOCATION OF
	where this patient was in		SERVICE field (#.01) from SERVICE [OEF
	combat.		OR OIF] sub-file (#2.3215) of field (#.3215)
	combat.		located in the PATIENT File (#2). DSS will
			capture once, each location where the veteran
			served. In order to accommodate multiple
			locations, the values for this field are
			concatenated into this 9-character field.
			Possible field values are one or more
			combinations of the following: OEF =
			Operation Enduring Freedom OIF =
			Operation Iraqi Freedom UNK = Unknown
			OEF/OIF
727.81, 93	The date the veteran left the		The date the patient left the OEF/OIF area, if
OEF/OIF RETURN	OEF/OIF area, if known.		known. Otherwise, it is the end date of
DATE	Otherwise, it is the end date		military pay for this OEF/OIF deployment.
	of military pay for this		This date field has a format equal to
	OEF/OIF deployment. This		YYYYMMDD. The value of this field is
	date field has a format equal		derived from the OEF/OIF TO DATE field
	to YYYYMMDD.		(#.03) from sub-file (#2.3215) of field
			(#.3215) located in the PATIENT file (#2). In cases of multiple OEF/OIF tours, this field
			contains only most recent return date.
727.81, 94	A standard, unique life-long		A standard, unique life-long identifier for the
ASSOCIATE PC	identifier of the associate		associate primary care provider. This field
PROVIDER NPI	primary care provider. This		has a length of fifteen characters. The
THO VIDENTIAL	field has a length of fifteen		qualified identifier is retrieved via the
	characters.		supporting Kernel API: \$\$NPI^XUSNPI.
727.81, 95	A standard, unique life-long		A standard, unique life-long identifier for the
PRIMARY CARE	identifier of the primary		primary care provider. This field has a length
PROVIDER NPI	care provider. This field has		of fifteen characters. The qualified identifier
	a length of fifteen		is retrieved via the supporting Kernel API:
	characters.		\$\$NPI^XUSNPI.
727.81, 96	A standard, unique life-long		A standard, unique life-long identifier for
PROVIDER NPI	identifier for individuals		individuals providing health care services.
	providing health care		This field has a length of fifteen characters.
	services. This field has a		The qualified identifier is retrieved via the
	length of fifteen characters.		supporting Kernel API: \$\$NPI^XUSNPI.
727.81, 97	The code for the country		The three-character alpha identifying code is
COUNTRY CODE	associated with the address.		copied from the CODE (#.01) field of the
			COUNTRY (#779.004) file.

Field # and Name	Description	Values	Technical Description
727.81,98	This is the Patient's	'AD' FOR Active Duty	If the VistA Patient Type Code (TYPE
PATCAT	category which will be used	'ADD' FOR Active Duty	(#391) field of the Patient (#2) file) = Active
	for FHCC (Federal Health	Dependent	Duty, Military Retiree, or TRICARE, then
	Care Center)	'FNRS' FOR Former Non-	the value(s) in the VistA Other Eligibility
	Reconciliation. DSS must	Remarried Spouse	multiple (PATIENT ELIGIBILITIES (#361)
	capture and report DoD	'RET' FOR Retired	field of the PATIENT (#2) file), which points
	patients so that the FHCC	'RETD' FOR Retiree	to locally modifiable ELIGIBILITY CODE
	reconciliation process can	Dependent	(#8) file should be evaluated. If the value in
	function as designed.	'RES' FOR Reservist	the ELIGIBILITY CODE is equal to any
	"Reconciliation" is the	'REC' FOR Recruit	entry in the set of codes in this field, the
	process used within the new	'TDRL' FOR Temporary	value should be placed in this field.
	FHCC to determine which	Disability	
	patients DoD pays for and	'TFL' FOR TRICARE for	
	which VA pays for.	Life	

#727.826 - PROSTHETICS EXTRACT (PRO) File Data Definition

This file contains the data elements as specified by the Decision Support Office (DSO) for the Prosthetics Extract from existing VistA files. Entries into this file are made by extracting data that originates in the Prosthetics RECORD OF PROS APPLIANCE/REPAIR file (#660). Information respective to the patient for which Prosthetic information is extracted is pulled from the PATIENT file (#2). Once the extracts (making up the records in this file) are approved by the extract manager, entries in this file are loaded into mail messages and transmitted to the commercial vendor. Entries in this file should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.

Field # and Name	Description	Values	Technical Description
727.826,.01	The record for this extract		The internal entry number (IEN) for this
SEQUENCE	entry		record. This entry is DINUMed.
NUMBER			
727.826,1	A 6-character string		Format is YYYYMM.
YEAR MONTH	representing the year and		
	month for which this extract		
	was performed.		A DOG TYPED LONG OF
727.826,2	The corresponding entry in		A pointer to the DSS EXTRACT LOG file
EXTRACT	the DSS EXTRACT LOG		(#727). The primary purpose is to pick up the
NUMBER	file (#727) for this extract.		header for the mail message.
727.826,3 FACILITY	This is the facility/division where the extract was		Using the NAME field (#.01) from the DSS
FACILITI	performed.		EXTRACTS file (#728), which points to the INSTITUTION file (#4), the FACILITY
	performed.		filed is derived from the STATION
			NUMBER field (#99) of the INSTITUTION
			file (#4).
			THE (11 1).
			This field should be 3 to 7 characters but due
			to FileMan limitations for data on this node,
			the field will remain as a free text field of 3
			to 5 characters.
727.826,4	This is the patient to whom		PATIENT NAME field (#.02) of the
PATIENT NO.	this extract record pertains.		RECORD OF PROS APPLIANCE/REPAIR
DFN			file (#660). This in turns points to the
			PROSTHETICS PATIENT file (#665). The
			NAME field (#.01) of that file is stored here.
			It is the IEN of the patient in the PATIENT
			file (#2).
727.826,5	The patient's social security		SSN is derived from the PATIENT NAME
SSN	number.		field (#.02) of the RECORD OF PROS
			APPLIANCE/REPAIR file (#660). This in
			turn points to the NAME field (#.01) of the
			PROSTHETICS PATIENT file (#665). This
			then points to the PATIENT file (#2). The SSN field (#.09) is used to populate this
			field.
			TICIU .
			"Test" patient status is determined in
			PAT^ECSUTL3. Any patient with an SSN
			beginning with "00000" will not be included
			in the extract.
			in the cauteet.

Field # and Name	Description	Values	Technical Description
727.826.6	The first four characters of		Using the patient pointer (DFN) stored in the
NAME	the patient's last name.		PATIENT NO. – DFN field (#4) in the
			PROSTHETICS EXTRACT file (#727.826.
			NAME data is derived from the NAME field
			(#.01)in the PATIENT file (#2). The first
			four characters of the first "," piece are used,
			padded with trailing spaces if necessary.
			The many colors is not once of the color of the
			The name value is returned by the supported call DEM^VADPT.
707 906 7	Indicates whether the	'I' FOR INPATIENT	To determine the value of this field a call is
727.826,7 IN OUTPATIENT	patient was an inpatient or	'O' FOR OUTPATIENT	made to \$\$PATDEM^ECXUTL2. Within
INDICATOR	an outpatient for this record.	O FOR OUTPATIENT	this call, \$\$INP^ECXUTL2 is called to
INDICATOR	an outpatient for this record.		determine inpatient/outpatient status. If the
			patient is an outpatient, processing stops and
			the field is set to O. If the patient is an
			inpatient then \$\$INOUTP^ECXUTL4 is
			called to look at the treating specialty. If the
			patient's treating specialty exists in the DSS
			TREATING SPECIALTY TRANSLATION
			(#727.831) file then the value of the
			INPAT/OUTPAT CODE field (#5) of the
			DSS TREATING SPECIALTY
			TRANSLATION (#727.831) file is used. If
			the treating specialty is not found in the DSS
			TREATING SPECIALTY TRANSLATION
			(#727.831) file then the indicator is set to I.
727.826,8	Date on which the new or		DATE OF SERVICE is derived from the
DATE OF	repaired prosthetic		DELIVERY DATE (#10) in the RECORD
SERVICE	appliance was delivered and		OF PROS APPLIANCE/REPAIR file
	accepted by the patient.		(#660). This field is always exactly 8
			numeric characters in length. The format is
			YYYYMMDD; for example, 19970923.

Field # and Name	Description	Values	Technical Description
727.826,9	Location within a facility		If this is a Lab Transaction and the extract
FEEDER	where the product is		header and/or Prosthetic Station is equal to
LOCATION	produced.		the Receiving Station, the FEEDER
			LOCATION is constructed as follows:
			1) 3-digit station number of the Receiving
			Station, concatenated with LAB. An example
			is XXXLAB, where XXX is the Receiving
			Station number,
			or
			2) 5-digit station number of the Receiving
			Station (includes the 2-letter division suffix)
			concatenated with LAB. An example is
			XXXXXLAB, where XXXXX is the
			Receiving Station number.
			If this is a Lab Transaction and the extract
			header and/or Prosthetic Station is equal to
			the Requesting Station, the FEEDER
			LOCATION is constructed as follows:
			1) 3-digit station number of the Requesting
			Station, concatenated with ORD. An example
			is XXXORD, where XXX is the Requesting
			Station number,
			Or
			2) 5-digit station number of the Requesting
			Station (includes the 2-letter division suffix)
			concatenated with ORD. An example is XXXXXORD, where XXXXX is the
			Requesting Station number.
			Requesting Station number.
			If this is not a Lab Transaction, the FEEDER
			LOCATION is constructed as follows:
			1) 3-digit Station number concatenated with
			NONL. An example is XXXNONL, where
			XXX is the Station number,
			or
			2) 5-digit Station number (includes the 2-
			letter division suffix); concatenated with
			NONL .An example is XXXXXNONL,
			where XXXXX is the Station number.
			Data for the FEEDER LOCATION (FDR
			LOC) is derived from the RECORD OF
			PROS APPLIANCE/REPAIR file (#660).
			Depending on how the FEEDER
			LOCATION is constructed, data is derived
			from the following fields in the RECORD
			OF PROS APPLIANCE/REPAIR file
			(#660):
			1) DECEIVING STATION (#70)
			1) RECEIVING STATION (#70) PECEIVING STATION is a pointer to the
			RECEIVING STATION is a pointer to the
			INSTITUTION file (#4). 2) REQUESTING STATION (#40)
			RECEIVING STATION is a pointer to the INSTITUTION file (#4).
			3) STATION (#8) STATION is a pointer to
			the INSTITUTION file (#4).
	1	L	uic 113111 0 11011 int (#4).

Field # and Name	Description	Values	Technical Description
727.826,10	Code that uniquely		FEEDER KEY is the concatenation of the
FEEDER KEY	identifies a DSS product.		following elements. They are listed in the order
			they are to appear in the FEEDER KEY.
			1) HCPCS Code – This is the 5-digit HCPCS Code
			in the patient's prosthetic record.
			2) Type of Transaction – This is the Type of
			Transaction code in the patient's prosthetic record.
			(a) If Type of Transaction in the patient's
			prosthetic record is "X" (Repair), the Type of
			Transaction code in the FEEDER KEY is X. (b) If Type of Transaction in the patient's
			prosthetic record is "I" (Initial Issue), "R"
			(Replace) or "S" (Spare),the Type of Transaction
			code in the FEEDER KEY is N.
			(c) If Type of Transaction in the patient's
			prosthetic record is "5" (Rental), the Type of
			Transaction code in the FEEDER KEY is R.
			(d) Type of Transaction is considered the first suffix of the FEEDER Key.
			3) Source – This is the Source in the patient's
			prosthetic record.
			(a) If Source in the patient's prosthetic record is
			VA, the Source code in the FEEDER KEY is V
			(VA).
			(b) If Source in the patient's prosthetic record is Commercial, the Source code in the FEEDER KEY
			is C (Commercial).
			(c) Source is considered the second suffix of the
			FEEDER KEY.
			4) Station – If this is a Lab Transaction, the station
			is either the Requesting or Receiving Station.
			(a) 3-digit Receiving Station concatenated with REC if the FEEDER LOCATIONS ends in ORD,
			or
			(b) 5-digit Receiving Stations (includes the 2-
			letter division suffix) concatenated with REC if the
			FEEDER LOCATION ends in ORD, or
			(c) 3-digit Requesting Station concatenated with REQ if the FEEDER LOCATION ends in LAB, or
			(d) 5-digit Requesting Stations (includes the 2-
			letter division suffix) concatenated with REQ if the
			FEEDER LOCATION ends in LAB
			(e) Station is considered the third suffix of the
			Feeder Key. 5) If this is a Non-Lab Transactions, there is no
			5) If this is a Non-Lab Transactions, there is no third suffix for the FEEDER KEY. Data for the
			FEEDER KEY is derived from the RECORD OF
			PROS APPLIANCE/REPAIR file (#660).
			Depending how the FEEDER KEY is constructed,
			the component for the FEEDER KEY are derived
			from the following fields in the RECORD OF PROS APPPLIANCE/REPAIR file (#660:
			1) HCPCS (#4.1) – HCPCS is a pointer to the
			CPT CODE field (#.01) of the CPT file (#81)
			2) TYPE OF TRANSACTION (#2)
			3) SOURCE (#12)
			4) RECEIVING STATION (#70). RECEIVING
			STATION is a pointer to the INSTITUTION file (#4)
			5) REQUESTING STATION (#40)
			REQUESTING STATION is a pointer to the
			INSTITUTION file (#4).
			6) STATION (#8). STATION is a pointer to the
			INSTITUTION file.
			CTEATERON (IIIO) CTEATERON
			STATION (#8) STATION is a pointer to the
			INSTITUTION file (#4).

Field # and Name	Description	Values	Technical Description
727.826,11	The number of units issue		Derived from the QTY field (#5) in the
QUANTITY	or units repaired as		RECORD OF PROS APPLIANCE/REPAIR
	indicated in the patient's		file (#660) If the quantity is not known, a
	prosthetic record.		default value of 1 will be assigned to the
			extract record.
727.826,12	The IEN of the primary care		Using the DATE OF SERVICE field (#8)
PRIMARY CARE	team assigned to this patient		and the patient pointer (DFN) stored in the
TEAM	in the PCMM module.		PATIENT NO. – DFN field (#4) in the
			PROSTHETICS EXTRACT file (#727.826),
			a call is made to the Scheduling API,
			OUTPTTM^SDUTL3. The API returns the
			team's internal entry number and name from
			the TEAM file (#404.51). The IEN is stored
			in this field.
			TILL C. 11 1 111 11 11 11 11 11 11 11 11 11 11
			This field should be a pointer to the TEAM
			file (#040.51) but due to FileMan limitations
			for data on this node, the field will be left as
727.826,13	The primary care provider		a free text field. Using the DATE OF SERVICE field (#8)
PRIMARY CARE	assigned to this patient		and the PATIENT NO. – DFN field (#4) in
PROVIDER	through the Primary Care		the PROSTHETICS EXTRACT file
TROVIDER	Management Module		(#727.826) a call is made to the Scheduling
	(PCMM) application.		API, OUTPTPR^SDUTL3. The API returns
	(1 Civilvi) application.		the provider's internal entry number and
			name from the NEW PERSON file (#200).
			name from the 142 W 1 Eres of Vine (#200).
			A "2" is prefixed to the pointer value to
			indicate that the source file is "200". For
			example, if the IEN of the provider in file
			#200 is 98765, the value that will be stored is
			298765.
727.826,14	HCPCS code for the item		PCE CPT/HCPCS CODE is derived from the
PCE CPT/HCPCS	selected.		HCPCS (#4.1) field in the RECORD OF
CODE &			PROS APPLIANCE/REPAIR file (#660).
MODIFIERS			HCPCS (#4.1) is a pointer to the respective
			CPT CODE field (#.01) in the CPT file
			(#81).
			The source of CPT modifiers is the
			MODIFIER field (#.01) of the CPT
505.00 < 15	IGD 6 GODD 1		MODIFIER file (#81.3).
727.826,15	ICD-9 CODE is the		This field is not yet used by the Prosthetics
ICD-9 CODE	diagnostic code for the		Extract as the ICD-9 field is not available in
505 00 4 4 5	patient's prosthetic record.		Prosthetics.
727.826, 16	This field contains the ICD9		Currently Null
SECONDARY	diagnostic code for this		
ICD9 CODE #1	extract record.		C 1 N II
727.826, 17	This field contains the		Currently Null
SECONDARY	ICD9 diagnostic code for		
ICD9 CODE #2	this extract record.		Commental No.11
727.826, 18	. This field contains the		Currently Null
SECONDARY	ICD9 diagnostic code for this extract record.		
ICD9 CODE #3	<u> </u>		Compathy Null
727.826, 19 SECONDARY	This field contains the		Currently Null
ICD9 CODE #4	ICD9 diagnostic code for this extract record.		
ICD7 CODE #4	uns cauact record.		

Field # and Name	Description	Values	Technical Description
727.826,20	Indicates whether patient	'Y' FOR YES	This field is derived from the AGENT
AGENT ORANGE	was exposed to Agent	'N' FOR NO	ORANGE EXPOS. INDICATED field
STATUS	Orange.	'U' FOR UNKNOWN	(#.32102) in the PATEINT file (#2) using the
			patient's DFN. The field will have a NULL
			value if the PATIENT file(#2) record does
			not indicate a status.
			The status indicator is returned by
			SVC^VADPT.
727.826,21	Indicates if patient claims	'Y' FOR YES	This field is derived from the RADIATION
RADIATION	exposure to ionizing	'N' FOR NO	EXPOSURE INDICATED field (#.32103) in
EXPOSURE	radiation.	'U' FOR UNKNOWN	the PATIENT file (#2) using the patient's
STATUS			DFN. This field will have a NULL value if
			the PATIENT file (#2) record does not indicate a status.
			indicate a status.
			The status indicator is returned by
			SVC^VADPT.
727.826,22	This field is used to indicate	'Y' FOR YES	This field is derived from the SOUTHWEST
SW ASIA	if patient claims exposure to	'N' FOR NO	ASIA CONDITIONS? field (#.322013) in
CONDITIONS	Southwest Asia Conditions.	'U' FOR UNKNOWN	the PATIENT file (#2) using the patient's
			DFN. The status indicator is returned by
			SVC^VADPT which is called by
			PAT^ECXUTL3.
727.826,23	PATIENT ELIGIBILITY is		Using the patient pointer (DFN) stored in the
PATIENT	the patient' primary		PATIENT NO. – DFN field (4) in the
ELIGIBILITY	eligibility code.		PROSTHETICS EXTRACT file (#727.826),
			ELIGIBILITY data is derived from the
			PRIMARY ELIGIBILITY CODE field
			(.361) in the PATIENT file (#2). PRIMARY
			ELIGIBILITY CODE is a pointer to the ELIGIBILITY CODE file (#8). The data is
			derived from the MAS ELIGIBILITY CODE
			field (8) in the ELIGIBILITY CODE file
			(#8), which in turn is a pointer to the MAS
			ELIGIBILITY CODE file (#8.1).
			The pointer value to file #8.1 is converted by
			ELIG^ECXUTL3 to the corresponding
			eligibility code used by NPCD. This code is
			composed of two or three numeric characters.

Field # and Name	Description	Values	Technical Description
727.826,24	Cost to produce the		COST OF TRANSACTION is the value
COST OF	prosthetic.		found in the TOTAL COST field (#14) in the
TRANSACTION	1		RECORD OF PROS APPLIANCE/REPAIR
			file (#660).
			when the FORM REQUESTED ON field
			(#11) in the RECORD OF PROS
			APPLIANCE/REPAIR file (#660) is one of
			the following:
			1) PSC, represented by 1.
			2) 2421, represented by 2.
			3) 2237, represented by 3.
			4) 2529-7, represented by 5.
			5) 2474, represented by 6.
			6) 2431, represented by 7.
			7) 2914, represented by 8.
			8) OTHER, represented by 9.
			10) VISA, represented by 1
			COST OF TRANSACTION is the value
			found in TOTAL LAB COST field (#48 in
			the RECORD OF PROS
			APPLIANCE/REPAIR file (#660) when the
			FORM REQUESTED ON field (#11) in the
			RECORD OF PROS APPLIANCE/REPAIR
			file (#660) is the following:
			1) 2529-3, represented by 4.
			COST OF TRANSACTION has a value of
			zero when the FORM REQUESTED ON
			field (#11) in the RECORD OF PROS
			APPLIANCE/REPAIR file (#660) is the one
			of the following, which designates a stock or
			inventory issue:
			1) STOCK ISSUE, represented by 11.
			2) INVENTORY ISSUE, represented by 12.
			COST OF TRANSACTION is derived from
			the RECORD OF PROS
			APPLIANCE/REPAIR file (#660).
			Depending on how the COST OF
			TRANSACTION is constructed, data is
			derived from the following fields in the
			RECORD OF PROS APPLIANCE/REPAIR
			file (#660):
			1) TOTAL COST (#14)
			2) TOTAL LAB COST (#48)
			3) FORM REQUESTED ON (#11)
			This field should be a numeric field but due
			to FileMan limitations for data on this node,
			it will remain a free text field.

727.826,25 The total cost of the labor to LAB LABOR COST	al Description
	I' is derived from the
LAB LABOR perform the job. TOTAL LABOR CO	OST field (#46) in the
	S APPLIANCE/REPAIR
file (# 660). The foll	
defined:	lowing argorithm is
	osthetic record indicates
a Lab Transaction, the	
	qual to the value found
for TOTAL LABOR	
	osthetic record is not a
	e value of LAB LABOR
COST is zero.	
c) If LAB LABOR (COST is not known, and
the patient's prosthe	tic record indicates a Lab
Transaction, a zero v	value is assigned to the
extract record.	C
	a numeric field with a
lower bound of 0 and	
9999.99. However,	
	n this node, it will remain
	ii tiiis node, it wiii teinain
a free text field.	AL COST in all of the state of
727.826,26 The cost of all materials The LAB MATERIA	
LAB MATERIAL required to perform the job. from the RECORD (
	AIR file (#660) according
to the following algo-	orithm:
a) If the potiont's pro	osthetic record indicates
a Lab Transaction, tl	
· ·	
MATERIAL COST	
	IATERIAL COST field
(#47).	
h) If the patient's pro	osthetic record is not a
Lab Transaction, the	
MATERIAL COST	
MATERIAL COST	is zeio.
c) If LAB MATERL	AL COST is not known,
	esthetic record indicates a
	ero value is assigned to
the extract record.	tero varae is assigned to
the extract record.	
d) I AD MATERIAL	L COST shall allow for
	ported in dollars and
	lue shall be extracted,
including the decima	
	a numeric field with a
lower bound of 0 and	
9999.99. However,	due to the FileMan
limitation for data or	n this node, it will remain
a free text field.	
727.826,27 Patient's billing status. '1' FOR SC/OP (Service BILLING STATUS	is derived from the
	ORY field (#62) in the
1 '	S APPLIANCE/REPAIR
	costhetic device record
'3' FOR NSC/IP (Non extracted.	Sparene device record
Service Connected	
Inpatient)	
'4' FORNSC/OP (Non	
Service Connected	
Outpatient)	
'5' FOR OTHER (Patient Category unknown)	

Field # and Name	Description	Values	Technical Description
727.826,28	Patient's veteran status.	'Y' FOR Patient is a veteran	VET/NON VET pulled from the VETERAN
VET/NON VET		'N' FOR Patient is not a	(Y/N) field (#1901) in the PATIENT file
		veteran	(#2). If the veteran's status is not known, a
			NULL value will be assigned to the
707.926.20	The code that best describes	'I' FOR Initial Issue	VET/NON VET field. The TYPE OF TRANSACTION is derived
727.826,29 TYPE OF	the prosthetic transaction.	'R' FOR Replace	from the TYPE OF TRANSACTION is derived
TRANSACTION	the prostnette transaction.	'S' FOR Spare	(#2) in the RECORD OF PROS
11011,011011011		'X' FOR Repair	APPLIANCE/REPAIR file (#660). If the
		'5' FOR Rental	TYPE OF TRANSACTION is not known,
			NULL is assigned to the field.
727.826,30	The facility that initiates the		REQUESTING STATION is derived from
REQUESTING	request for a Lab prosthetic.		the STATION NUMBER field (#99) in the
STATION			INSTITUTION file (#4) as pointed to by the
			REQUESTING STATION field (#40) in the RECORD OF PROS APPLIANCE/REPAIR
			(#660).
			(11000).
			This field should have an upper limit of 7
			characters, but due to the FileMan limitation
			for data on this node, it will retain its upper
			limit of 5.
727.826,31	The Lab facility that fills		RECEIVING STATION is derived from the
RECEIVING	the Lab request and		STATION NUMBER field (#99) in the
STATION	provides the prosthetic to the requesting station.		INSTITUTION file (#4) as pointed to by the RECEIVING STATION field (#70) in the
	the requesting station.		RECORD OF PROS APPLIANCE/REPAIR
			(#660).
			This field should have an upper limit of 7
			characters, but due to the FileMan limitation
			for data on this node, it will retain its upper
727.826,32	This field is used to hold the		limit of 5. The PSAS HCPCS field (#4.5) of the
PSAS HCPCS	PSAS HCPCS Code from		RECORD OF PROS APPLIANCE/REPAIR
CODE	the Prosthetics record being		file (#660) is used. It is a pointer to the
	extracted.		PROSTHETICS HCPCS file (#661.1). The
			HCPCS field (#.01) of file (#661.1) is placed
			in this extract record field.
727.826,33	The ZIP code for where the		The patient's ZIP code with optional 4-digit
ZIP CODE	patient resides. The 5-		extension as found in the ZIP+4 filed
	character zip code is provided if zip + 4 is not		(#.1112) of the patient's record in the PATIENT file (#2). While the ZIP+4 field in
	available.		file 2 is a max of 9 characters, it does put the
			"-" in if the ZIP code is a +4 type.
727.826,34	Patient's date of birth.		Data source:
DATE OF BIRTH			
			PATIENT file (#2); DATE OF BIRTH field
			(#.03).
			DATE OF BIRTH is returned through the
			supported call DEM^VADPT. It is then
			represented by an 8-character numeric string
			in the YYYYMMDD format.
727.826,35	Patient's gender	'M' FOR MALE	Using the patient pointer (DFN) stored in the
SEX		'F' FOR FEMALE	PATEINT NO. – DFN field (#4), this data
			element is derived from the SEX field (#.02)
			in the PATIENT file (#2).
			The gender is returned by DEDMANADDT
			The gender is returned by DERM^VADPT.

Field # and Name	Description	Values	Technical Description
727.826,36 AMIS GROUPER	AMIS GROUPT holds the AMIS Grouper number that indicates what items combine to create a prosthetic device.		AMIS GROUPER is derived from the AMIS GROUPER field (#68) in the RECORD OF PROS APPLIANCE/REPAIR file (#660). The field is used to sort prosthetic items that combine to create prosthesis. Decimals are
727.826,37 PLACEHOLDER	Currently Null		not allowed. Currently Null
727.826,38 MASTER PATIENT INDEX	Unique national VA patient identifier.		Derived by calling API, \$\$GETICN^MPI001 (Supported DBIA #2701), that returns the Integration Control Number (ICN) for the given patient in the PATIENT file (#2).
727.826,39 DSS PRODUCT DEPARTMENT	The nationally defined DSS Intermediate Department Number designated to the patient care product being provided.		For the Prosthetics extract, the DSS PRODUCT DEPARTMENT field is null.
727.826, 40 PC PROVIDER PERSON CLASS	The VA code of the Person Class of the Primary Care Provider as of the date of this extract record.		Active Person Class is determined by the supported call \$\$GET^XUA4A72 (PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string
727.826, 41 RACE	Race ABBREVIATION for this patient.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (4), RACE data is shown as the ABBREVIATION field (#2) of the RACE file (#10) entry pointed to by the RACE field (#.06) in the PATIENT file (#2).
727.826, 42 POW STATUS	Indicates if patient was confined as a Prisoner of War.	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	Patient race is returned by DEM^VADPT. Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the PROSTHETICS EXTRACT file (#727.826), POW data is derived from the POW STATUS INDICATED? field (#.525) in the PATIENT file (#2). The status indicator is returned by SVC^VADPT.
727.826, 43 POW LOCATION	If POW Status is indicated, then this is the POW confinement location/period. 1 = World War I 2 = World War -I - Europe 3 = World War -I - Pacific 4 = Korean 5 = Vietnam 6 = Other		PATIENT file (#2); POW CONFINEMENT LOCATION field (#.526). This is a pointer value to the POW PERIOD file (#22). The location indicator is returned by SVC^VADPT.

Field # and Name	Description	Values	Technical Description
727.826, 44	An indicator used for		The ALIAS sub-field (#.01) of the ALIAS
SHARING	patients participating in		multiple field (#1) of the PATIENT file (#2)
AGREEMENT	sharing agreements.		is used to indicate a patient who participates
PAYOR	sitaring agreements.		in a sharing agreement. If the #.01 field
TATOK			
			contains any one of the specified key words,
			then the patient is considered included for
			Sharing Agreement information. The key
			words are: SHARING
			AGREEMENT, CHAMPVA, CHAMPUS, TR
			ICARE,CAT C,CATEGORY C.
			A one character code for the key found in the
			ALIAS multiple field is obtained by the
			following conversion: SHARING
			AGREEMENT = A TRICARE = B CAT C
			= C CATEGORY C = C CHAMPVA = D
			CHAMPUS = E
727.826, 45	Indicates the first insurer for		Data will be taken from the INSURANCE
SHARING	patients who participate in		TYPE sub-field (#.01) of the INSURANCE
AGREEMENT	sharing agreements.		TYPE field (#.3121), sub-file #2.312, of the
INSURANCE			PATIENT file (#2). This is a pointer value
			for the INSURANCE COMPANY file (#36).
			Only the first insurance company found in
			the multiple field is used.
727.826, 46	Indicates the Military	'Y' FOR Yes, screened	The MST HISTORY file (#29.11) holds data
MST STATUS	Sexual Trauma (MST)	reports MST	regarding military sexual trauma claims and
WIST STATES	status of a patient on the	'N' FOR Screened, does not	effective dates. The patient's MST status is
	date of the encounter.		stored in the MST STATUS field (#3). A call
	date of the encounter.	report MST	
		'D' FOR Screened, declines	will be made to
		to answer	\$\$GETSTAT^DGMSTAPI(DFN,DGDATE)
		'U' FOR Unknown, not	using the DFN in the PATIENT NO. DFN
		screened	field (#4) and the date in the DAY field (#8)
			of the PROSTHETICS EXTRACT file
			(#727.826).
727.826, 47	The facility that the patient		The PREFERRED FACILITY field (# 27.02)
ENROLLMENT	chooses to designate as his		of the PATIENT file (#2) is defined as the
LOCATION	preferred location for care.		facility that the patient chooses to designate
			as his preferred location for care. The
			PREFERRED FACILITY field (# 27.02) is a
			pointer to the INSTITUTION file (#4). From
			file #4, the value in the STATION NUMBER
			field (#99) is used.
727.826, 48	The state in which the		Using the patient pointer (DFN) stored in the
STATE	patient resides.		PATIENT NO. – DFN field (#4) in the
			extract record, data is derived from the
			STATE field (#.115) in the PATIENT file
			(#2) which points to the STATE file (#5).
			From the STATE file record, the two-
			character VA STATE CODE field (#2) is
727 926 40	The county in which the		used.
727.826, 49 COUNTY	The county in which the patient resides.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the
COUNTI	patient resides.		extract record, data is derived from the
			*
			COUNTY field (#.117) in the PATIENT file
			(#2), which points to a subfile record in the
			COUNTY multiple field (#3) of the STATE
			file (#5). The three-character VA COUNTY
			CODE field (#2) within the COUNTY
	1	1	multiple field is used.

Field # and Name	Description	Values	Technical Description
727.826, 50 ASSOCIATE PC PROVIDER	The Associate Primary Care Provider assigned to this patient through the Primary Care Management Module (PCMM) application.		Derived by a call to the Scheduling API, OUTPTAP^SDUTL3. The API returns the associate provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The PATIENT NAME field (#.02) and the DELIVERY DATE field (#10) of the RECORD OF PROS APPLIANCE/REPAIR file (#660) are used to determine the patient's associate provider at the time of the admission.
727.826, 51 ASSOC. PC PROV. PERSON CLASS	VA Code of the Person Class of the patient's Associate Primary Care Provider.		Active Person Class is determined by the supported call \$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string.
727.826, 52 PLACEHOLDER	Currently Null		Currently Null
727.826, 53 DOM, PRRTP, AND SAARTP	Indicates if the patient is admitted to either a RRTP, PRRTP, or SARRTP at time care is provided.	'P' FOR GEN. PRRTP 'D' FOR DOMICILIARY 'S' FOR DOM. PRRTP 'T' FOR PTSD PRRTP 'H' FOR HOMELESS CWT/TR 'A' FOR SA CWT/TR 'B' FOR PTSD CWT/TR 'C' FOR GEN. CWT/TR	If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file, data derived from the DOM/PRRTP/SARRTP CODE field (#2) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file. Otherwise, the value is null.
727.826, 54 ENROLLMENT CATEGORY	Patient's enrollment category.		ENROLLMENT CATEGORY is derived from the standard call DGENA4 using the patient's DFN and the CURRENT ENROLLMENT field (#27.01) of the PATIENT file (#2).
727.826, 55 ENROLLMENT STATUS	Patient's enrollment status.		ENROLLMENT STATUS is derived from the standard call \$\$STATUS^DGENA using the patient's DFN and returns the ENROLLMENT STATUS field (#.04) of the PATEINT ENROLLMENT file (#27.11).
727.826, 56 PLACEHOLDER	Currently Null		Currently Null
727.826,57 PURPLE HEART INDICATOR	Indicates whether or not the patient is a Purple Heart recipient.	'Y' FOR YES 'N' FOR NO	PATIENT file (#2) CURRENT PH INDICATOR field (#.531). The status indicator is returned by SVC^VADPT.
727.826, 58 PERIOD OF SERVICE	The period of service that best classifies the patient based on eligibility code.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the PROSTHETICS EXTRACT file (#727.826), PERIOD OF SERVICE is derived from the PERIOD OF SERVICE field (#.323) in the PATIENT file (#2). This field is a pointer to the PERIOD OF SERVICE file (#21). Using the period of service pointer, the data is derived from the CODE filed (#.03) in the PERIOD OF SERVICE file (#21). This code is a single alphanumeric character. The veteran's period of service indicator is returned by ELIG^VADPT.

Field # and Name	Description	Values	Technical Description
727.826, 59	Indicates if patient is	'Y' FOR YES	Data (YES,NO) is retrieved from API call
OBSERVATION	considered to be an	'N' FOR NO	\$\$OBSPAT^ECSUTL4:
PATIENT	observation patient.		
INDICATOR			If the patient's treating specialty exists in the
			DSS TREATING SPECIALTY
			TRANSLATION (#727.831) file, data is
			derived from the OBSERVATION PAT INDICATOR field (#4) of the DSS
			TREATING SPECIALTY TRANSLATION
			(#727.831) file.
			If patient is outpatient and treating specialty
			not in file, AND Feeder Key (CLI) or DSS
			ID (MTL,IVP,ECQ,QSR,NOS,SUR) is 290-
			297, Observation Patient Ind=YES. Else,
			Observation Patient Ind=No.
727.826, 60	The unique number		Otherwise, Observation Patient Ind=NO. This field is determined by a call to
ENCOUNTER	assigned for DSS.		\$\$ENCNUM^ECXUTL4. Within this call
NUMBER	and for Dob.		the inpatient/outpatient status, SSN,
			admit/visit date, treating specialty,
			observation patient indicator, and DSS
			Identifier or feeder key values of the record
			are used to create a unique encounter
707 906 61	Indicates the location where		number. The location is returned by a cell to
727.826, 61 AGENT ORANGE			The location is returned by a call to
LOCATION	the patient was exposed to Agent Orange.		SVC^VADPT which gets its data from the AGENT ORANGE EXPOSURE
LOCATION	Agent Grange.		LOCATION field (#.3213) of the PATIENT
			file (#2).
727.826, 62	This field is used to indicate	'YES' FOR YES	Using the CNHSTAT^ECXUTL4 (DFN)
CNH/SH STATUS	whether a patient is	'NO' FOR NO	call, the CNH status is returned based on the
(Community	currently in a contract		CNH CURRENT field (#148) of the
Nursing Home/	nursing home/state home.		PATIENT file (#2).
State Home) 727.826, 63	Identifies the		The STATION field (#8)of the RECORD OF
PRODUCTION	division/facility where the		PROS APPLIANCE/REPAIR file (#660) is
DIVISION CODE	work was performed.		used to call the api RADDIV^ECXDEPT
	1		DSS to get the STATION NUMBER field
			(#99) from the INSTITUTION file (#4).
727.826, 64	Indicates whether patient	'Y' FOR YES	Using the patient pointer (DFN) stored in the
HEAD AND NECK	has head and/or neck	'N' FOR NO	PATIENT NO DFN field (#4), a call is
CANCER	cancer.		made to \$\$GETCUR^DGNTAPI to retrieve
INDICATOR			the HEAD/NECK CA DX field (#2.01) of the NOSE AND THROAT RADIUM
			HISTORY file (#28.11).
727.826, 65	The patient's PTF ethnicity		Using the patient pointer (DFN) stored in the
ETHNICITY	code.		PATIENT NO DFN field (#4),
			ETHNICITY is derived from the PTF
			VALUE field (#5) of the ETHNICITY file
			(#10.2) pointed to by the ETHNICITY INFORMATION field (#.01) of the
			ETHNICITY INFORMATION subfile
			(#2.06) of the PATIENT file (#2).
			The above will occur only if the METHOD
			OF COLLECTION field (#.02) of the
			ETHNICITY INFORMATION sub file
			(#2.06) is set to 1 (SELF-
			IDENTIFICATION), otherwise ETHNICITY
	1		with be set to Null.

Field # and Name	Description	Values	Technical Description
727.826, 66 RACE 1	Self-reported by patient as recorded in VistA patient file		Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4), RACE1 is derived from the PTF VALUE field (#5) of the RACE file (#10) pointed to by the RACE INFORMATION field (#.01) of the RACE INFORMATION subfile (#2.02) of the PATIENT file (#2). Only those RACE INFORMATION values in the RACE INFORMATION subfile (#2.03) where the METHOD OF
			COLLECTION field (#.02) set to 1 (SELF-IDENTIFICATION), will be included in the RACE 1 field. Up to 6 race entries can be included. If any of the RACE INFORMATION values returned are "C" (DECLINED TO ANSWER) that will be the only value included in the RACE1 field.
727.826, 67 DSS IP #	The nationally defined DSS Intermediate Product Number designated to the patient care product.		For the Prosthetics extract, the DSS IP# field is null.
727.826, 68 ENROLLMENT PRIORITY	This field contains the enrollment priority group and the enrollment priority subgroup.		ENROLLMNET PRIORITY field contains the enrollment priority group and the enrollment priority subgroup from the Patient Enrollment file (#27.11). ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7
727.826, 69 USER ENROLLEE	Indicates whether a veteran has User Enrollee status for the current or future fiscal year.	'U' FOR USER ENROLLED	User enrollee is determined by checking the PATIENT ENROLLMENT file (#27.11) When a user has a current or future fiscal year in the VistA User Enrollee Status (#.04) field the value is set to 'U' and Null if no date or a past year's value is contained. Determined by the use of an API: I \$\$UESTAT^EASUERwehre the Patient Identifier (DFN) is passed in.
727.826, 70 PATIENT TYPE	Refers to the various types of patients, which may be seen at a VA facility. Every patient in the system must have a TYPE specified.	'AC' FOR Active Duty 'AL' FOR Allied Veteran 'CO' FOR Collateral 'EM' FOR Employee 'IN' FOR Ineligible 'MI' FOR Military Retiree 'NO' FOR Non-Veteran (Other) 'NS' FOR NSC Veteran 'SC' FOR SC Veteran 'TR' FOR Tricare	PATIENT TYPE is derived from a call to TYPE^ECXUTL5 (DFN). Using the patient's DFN, the NAME field (#.01) of the TYPE OF PATIENT file (#391) as pointed to by the TYPE field (#391) of the PATIENT file (#2) is shortened to the first two characters to determine the value stored in the PATIENT TYPE field (#78).

Field # and Name	Description	Values	Technical Description
727.826, 71	Records if veteran served	'Y' FOR YES	CV STATUS ELIGIBILITY is determined
CV STATUS	on active duty in a theatre	'E' ELIGILIBTY	by the use of API \$\$CVEDT^DGCV (DFN,
ELIGIBILITY	of combat operations during	EXPIRED	DATE) that checks the COMBAT VET END
	a period of war after the		DATE field (#.5295) from the PATIENT file
	Persian Gulf War or in		(#2) to determine CV Status. API returns
	combat against a hostile		three pieces (i.e. 1^20010106^0) and the first
	force during a period of		piece is resolved as follows.
	hostilities after November		
	11, 1998.		1 – veteran qualifies as a CV
			0 - veteran does not qualify as a CV
			−1 - bad DFN
			Based on this result the field will be set to
			'Y' for 'YES' or 'E' for 'ELIGIBILITY
			EXPIRED' or 'NULL' for not eligible.
727.826, 72	Records the Combat		CV ELIGIBILITY END DATE is
CV ELIGIBILITY	Veteran eligibility		determined by the use of API
END DATE	expiration date of veteran		\$\$CVEDT^DGCV (DFN, DATE) that
	who served on active duty		checks the COMBAT VET END DATE field
	in a theatre of combat		(#.5295) from the PATIENT file (#2) to determine CV Status. API returns three
	operations during a period of war after the Persian Gulf		pieces (i.e. 1^20010106^0). The 2nd piece is
	War or in combat against a		the COMBAT VET END DATE in HL7
	hostile force during a period		format.
	of hostilities after		Tormat.
	November 11, 1998.		
727.826, 73	Records if a veteran served	'Y' FOR YES	ENCOUNTER CV is determined by the use
ENCOUNTER CV	on active duty in a theatre		of API \$\$CVEDT^DGCV (DFN, DATE)
	of combat operations during		that checks the COMBAT VET END DATE
	a period of war after the		field (#.5295) from the PATIENT file (#2) to
	Persian Gulf War or in		determine CV Status. API returns three
	combat against a hostile		pieces (i.e.^20100106^0). The third piece
	force during a period of		returns:
	hostilities after November		
	11, 1998.		1 - vet was eligible on date specified
			0 - vet was not eligible on date specified
			Based on these returns, the value for this
			field shall be Y for Yes if value 1 or left
			blank if 0 to indicate ineligibility.
727.826, 74	This field records that the	'Y' FOR YES	The NATIONAL PATIENT RECORD
NATIONAL	patient's record contains 1		FLAG field is set based on the results of the
PATIENT	or more Category 1		\$\$GETACT^DGPFAPI(DFN,TARGET
RECORD FLAG	(National) Patient Record		ARRAY) call. This call looks at the category
	Flags.		1 national patient record flags as recorded in
			the PRF NATIONAL FLAG file (#26.15).
			The resulting value of this call is the number
			of active category I patient record flags
			assigned to this patient. This field is set to Y
			(YES) if the result is greater than zero. A
525.02 ¢ 57			value of zero causes this field to be left null.
727.826, 75	This field identifies patients		This field is extracted from the
ERI	from impacted zip code		EMERGENCY RESPONSE INDICATOR
	areas designated by the Federal Emergency		field (#.181) located in the PATIENT file (#2). Values are:
	Management Agency		(#2). Values are: "K" = Hurricane Katrina
	(FEMA).		Null
	(LEWIA).	<u> </u>	114111

Field # and Name	Description	Values	Technical Description
727.826, 76 AGENT ORANGE ENC INDICATOR	Indicates whether service provided during this patient encounter is related to exposure to Agent Orange.	'Y' FOR YES 'N' FOR NO	Using the PCE field (#8.12) in the RECORD OF PROS APPLIANCE/REPAIR file (#660) a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the agent orange indicator stored at the AGENT ORANGE EXPOSURE field (#80002) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "AO".
727.826, 77 ENCOUNTER SWAC	This field indicates whether treatment provided during this patient encounter is related to exposure to Southwest Asia conditions while serving in the Southwest Asia Theater of operations.	'Y' FOR YES 'N' FOR NO	Using the PCE field (#8.12) in the RECORD OF PROS APPLIANCE/REPAIR file (#660) a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the Southwest Asia conditions indicator stored at the SW ASIA CONDITIONS field (#80004) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "PGE".
727.826, 78 ENC HEAD/NECK CA	Indicates whether service provided during this patient encounter is related to head and/or neck cancer.	'Y' FOR YES 'N' FOR NO	Using the PCE field (#8.12) in the RECORD OF PROS APPLIANCE/REPAIR file (#660), a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the head/neck cancer data stored in the HEAD AND/OR NECK CANCER field (#80006) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "HNC".
727.826, 79 ENCOUNTER MST	Indicates whether service provided during this patient encounter is related to military sexual trauma.	'Y' FOR YES 'N' FOR NO	Using the PCE field (#8.12) in the RECORD OF PROS APPLIANCE/REPAIR file (#660) a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the military sexual trauma data stored in the MILITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST".
727.826, 80 RADIATION ENCOUNTER INDICATOR	Indicates whether service provided during this patient encounter is related to ionizing radiation.	'Y' FOR YES 'N' FOR NO	Using the PCE field (#8.12) in the RECORD OF PROS APPLIANCE/REPAIR file (#660) a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the ionizing radiation exposure indicator stored at the IONIZING RADIATION EXPOSURE field (#80003) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "IR".

Field # and Name	Description	Values	Technical Description
727.826, 81	The Military Operation in		The Military Operation in which the patient
OEF/OIF	which the patient was in		was in combat during the specified time
	combat during the specified		period. This field is a length of nine
	time period. This field		characters and reflects the OEF or OIF where
	reflects the OEF or OIF		this patient was in combat. The value of this
	where this patient was in combat.		field is derived from the LOCATION OF SERVICE field (#.01) in the SERVICE [OEF
	Combat.		OR OIF] multiple field (#.3215) located in
			the PATIENT File (#2). DSS will capture
			once, each location where the veteran served.
			In order to accommodate multiple locations,
			the values for this field are concatenated into
			this 9-character field. Possible field values
			are one or more combinations of the
			following:
			OEF = Operation Enduring Freedom
			OIF = Operation Iraqi Freedom
			UNK = Unknown OEF/OIF
727.826, 82	The date the patient left the		The date the patient left the OEF/OIF area, if
OEF/OIF RETURN	OEF/OIF area, if known.		known. Otherwise, it is the end date of
DATE	Otherwise, it is the end date		military pay for this OEF/OIF deployment.
	of military pay for this OEF/OIF deployment.		This date field has a format equal to YYYYMMDD. The value of this field is
	OLITOII deployment.		derived from the OEF/OIF TO DATE field
			(#.03) of the SERVICE [OEF OR OIF]
			multiple field (#.3215) located in the
			PATIENT file (#2). In cases of multiple
			OEF/OIF tours, this field contains only most
707 926 92	The National Prosthetics		recent return date. The value is derived from the PROSTHETIC
727.826, 83 NPPD CODE	Product Database report line		HCPCS File (#661.1), field (#5) NPPD
TWID CODE	number to which the		REPAIR CODE, if the record is a repair
	HCPCS are assigned.		record. The value is derived from the
			PROSTHETIC HCPCS File (#661.1) field
			(#6) NPPD NEW CODE if the record is for a
			new issue. Note: The PROSTHETICS
			(PRO) EXTRACT File (#727.826) already stores whether the record is for repair or a
			new issue in the TYPE OF TRANSACTION
			field (#29).
727.826, 84	The date the entry was first		Format is YYYYMMDD. The date value is
NPPD ENTRY	made in the VistA		retrieved from the RECORD OF PROS
DATE	Prosthetics Package.		APPLIANCE/REPAIR file (#660), field
727.826, 85	A standard, unique life-long		(#.01) ENTRY DATE. A standard, unique life-long identifier of the
ASSOCIATE PC	identifier of the associate		primary care provider. This field has a
PROVIDER NPI	primary care provider. This		length of fifteen characters. Identifier is
	field has a length of fifteen		retrieved via the supporting Kernel API:
	characters.		\$\$NPI^XUSNPI.
727.826, 86	A standard, unique life-long		A standard, unique life-long identifier of the
PRIMARY CARE PROVIDER NPI	identifier of the primary care provider. This field		associate primary care provider. This field has a length of fifteen characters. The
I KO VIDEK INTI	has a length of fifteen		qualified identifier is retrieved via the
	characters.		supporting Kernel API: \$\$NPI^XUSNPI.
727.826, 87	The code for the country		The three-character alpha identifying code is
COUNTRY CODE	associated with the address.		copied from the CODE (#.01) field of the
727 02 4 02		(11 FOR 11F6	COUNTRY CODE (#779.004) file.
727.826,88	Indicates whether patient	'Y' FOR YES	Using the patient pointer (DFN) stored in the
SHAD STATUS	meets requirements for Shipboard Hazard and	'N' FOR NO 'U' FOR UNKNOWN	PATIENT NO DFN field (#4) in the PROSTHERTICS EXTRACT file
	Defense (SHAD).	C TOR CIVISIVO WIN	(#727.826), Shipboard Hazard and Defense
			data is derived from using DBIA#4462
			GETSAHD^DGUTL3 (DFN).
			*

Field # and Name	Description	Values	Technical Description
727.826,89	Indicates if treatment	'Y' FOR YES	Using the VISIT FILE ENTRY field (#.27)
ENCOUNTER	provided during this patient	'N' FOR NO	in the PATIENT MOVEMENT file (#405) a
SHAD	encounter is related to		call is made to API VISIT^ECXSCX1 which
	exposure PROJ 112/SHAD		in turn calls ENCEVENT^PXAPI. The
	condition. Values: Y=YES,		ENCEVENT^PXAPI returns the Shipboard
	N=NO		Hazard and Defense conditions indicator
			stored at the PROJ 112/SHAD field (#80008)
			in the VISIT file (#9000010). The value will be stored in the output array subscripted by
			"SHAD".
727.826,90	This is the number of hours		Derived from the TOTAL LABOR HOURS
LABOR HOURS	spent on the job		field (#45) of the RECORD OF PROS
			APPLIANCE/REPAIR File (#660).
727.827,91	This is the Patient's	'AD' FOR Active Duty	If the VistA Patient Type Code (TYPE
PATCAT	category which will be used	'ADD' FOR Active Duty	(#391) field of the Patient (#2) file) = Active
	for FHCC (Federal Health	Dependent	Duty, Military Retiree, or TRICARE, then
	Care Center)	'FNRS' FOR Former Non-	the value(s) in the VistA Other Eligibility
	Reconciliation. DSS must capture and report DoD	Remarried Spouse 'RET' FOR Retired	multiple (PATIENT ELIGIBILITIES (#361) field of the PATIENT (#2) file), which points
	patients so that the FHCC	'RETD' FOR Retiree	to locally modifiable ELIGIBILITY CODE
	reconciliation process can	Dependent	(#8) file should be evaluated. If the value in
	function as designed.	'RES' FOR Reservist	the ELIGIBILITY CODE is equal to any
	"Reconciliation" is the	'REC' FOR Recruit	entry in the set of codes in this field, the
	process used within the new	'TDRL' FOR Temporary	value should be placed in this field.
	FHCC to determine which	Disability	-
	patients DoD pays for and	'TFL' FOR TRICARE for	
	which VA pays for.	Life	
727.827,92	This is the Primary ICD10		Once available, the ICD10 data will be
PRIMARY ICD-10	code for this clinic visit.		retrieved from the supported API and stored
CODE			in this field.
			This field is added in anticipation of the
			release of ICD10 and the file will be updated
			at the time the software is updated to retrieve
			the ICD10 information.
727.827,93	This is the first secondary		Once available, the ICD10 data will be
SECONDARY	ICD10 code for this clinic		retrieved from the supported API and stored
ICD-10 CODE #1	visit.		in this field.
			This field is added in anticipation of the
			release of ICD10 and the file will be updated
			at the time the software is updated to retrieve
727 027 0 1	mit t d		the ICD10 information.
727.827,94	This is the second		Once available, the ICD10 data will be
SECONDARY	secondary ICD10 code for this clinic visit.		retrieved from the supported API and stored
ICD-10 CODE #2	uns chine visit.		in this field.
			This field is added in anticipation of the
			release of ICD10 and the file will be updated
			at the time the software is updated to retrieve
			the ICD10 information.
727.827,95	This is the third secondary		Once available, the ICD10 data will be
SECONDARY	ICD10 code for this clinic		retrieved from the supported API and stored
ICD-10 CODE #3	visit.		in this field.
			This field is added in anticipation of the
			release of ICD10 and the file will be updated
			at the time the software is updated to retrieve
			the ICD10 information.
L	1	1	

Field # and Name	Description	Values	Technical Description
727.827,96	This is the fourth secondary		Once available, the ICD10 data will be
SECONDARY	ICD10 code for this clinic		retrieved from the supported API and stored
ICD-10 CODE #4	visit.		in this field.
			This field is added in anticipation of the
			release of ICD10 and the file will be updated
			at the time the software is updated to retrieve
			the ICD10 information.

#727.825 - QUASAR EXTRACT (ECQ) File Data Definition

This file contains data elements as specified by the Decision Support Office (DSO) for the QUASAR extract from existing QUASAR VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.

Field # and Name	Description	Values	Technical Description
727.825,.01	The record for this extract		The internal entry number (IEN) for this
SEQUENCE	entry.		record. This entry is DINUMed.
NUMBER			
727.825,1	A six character string		Format is YYYYMM; Year 2000 compliant
YEAR MONTH	representing the year and		per vendor.
	month for which this extract		
	was performed.		
727.825,2	The corresponding entry in		A pointer to the DSS EXTRACT LOG file
EXTRACT	the DSS EXTRACT LOG		(#727). The primary purpose is to pick up the
NUMBER	file (#727) for this extract.		header for the mail message.
727.825,3	This is the facility/division		An indicator of the division where this event
FACILITY	where the extract was		happened. Using the SITE NAME field
	performed.		(#.01) in the A&SP SITE PARAMETERS
			file (#509850.8), FACILITY is derived from
			the STATION NUMBER field (#99) for that
			pointer number in the INSTITUTION file
			(#4).
			This field should be 3 to 7 characters but due
			to FileMan limitations for data on this node,
			the field will remain as a free text field of 1
			to 7 characters.
727.825,4	The patient associated with		PATIENT NO. – DFN is derived from the
PATIENT NO. –	this extract.		PATIENT field (#1) the A&SP CLINIC
DFN			VISIT file (#509850.6).
727.825,5	The patient's social security		Using the patient pointer (DFN)stored in the
SSN	number.		PATIENT NO. – DFN field (#4) in the
			QUASAR EXTRACT file (#727.825), SSN
			data is derived from the SOCIAL
			SECURITY NUMBER field (#.09) in the
			PATIENT file (#2).
			"Test" patient status is determined in
			PAT^ECXUTL3. Any patient with an SSN
			beginning with "00000" will not be included
			in the extract.

Field # and Name	Description	Values	Technical Description
727.825,6	The first four characters of		Using the patient pointer (DFN) stored in the
NAME	the patient's last name.		PATIENT NO. – DFN field (#4) in the
			QUASAR EXTRACT file (#727.825),
			NAME data is derived from the NAME field
			(#.01) in the PATIENT file (#2). The first
			four characters of the first "," piece are used,
			padded with trailing spaces if necessary.
			The name value is returned by the supported call DEM^VADPT.
727.825,7	Indicates whether the		To determine the value of this field a call is
IN OUT PATIENT	patient was an inpatient or		made to \$\$PATDEM^ECXUTL2. Within
INDICATOR	an outpatient for this		this call, \$\$INP^ECXUTL2 is called to
	extract.		determine inpatient/outpatient status. If the
			patient is an outpatient, processing stops and
			the field is set to O. If the patient is an
			inpatient then \$\$INOUTP^ECXUTL4 is
			called to look at the treating specialty. If the
			patient's treating specialty exists in the DSS
			TREATING SPECIALTY TRANSLATION
			(#727.831) file then the value of the
			INPAT/OUTPAT CODE field (#5) of the
			DSS TREATING SPECIALTY
			TRANSLATION (#727.831) file is used. If
			the treating specialty is not found in the DSS
			TREATING SPECIALTY TRANSLATION
			(#727.831) file then the indicator is set to I.
			This field should be a set of codes, with I for
			INPATIENT and O for OUTPATIENT, but
			due to FileMan limitations for data on this
			node, the field is being left as free text.
727.825,8	Date when Speech &		Date is pulled from the DATE field (#.01)in
DAY	Audiology procedure was		the A&SP CLINIC VISIT file (#509850.6).,
Dill	performed.		This field is always exactly 8 numeric
	periorinea.		characters in length. The format is
			YYYYMMDD; for example 19970923.If the
			date cannot be determined, a default is used.
			The default date value is the value of the
			YEAR MONTH field (#1) concatenated with
			"01" for the day (DD) portion.
727.825,9	The DSS UNIT assigned for		A locally defined group of work products
DSS UNIT	the procedure performed		entered for a specific DSS department. The
255 01111	during this encounter.		DSS UNIT pointed is pulled from either the
	and the control of th		AUDIOLOGY DSS UNIT LINK field
			(#727.8251) or the SPEECH PATHOLOGY
			DSS UNIT LINK field (#727.8252)of the
			A&SP SITE PARAMETERS file
			(#509850.8) based on the CLINIC STOP
			CODE field (#4) of 'A' for AUDIOLOGY or
			'S' for SPEECH of the A&SP CLINIC
			VISIT file (#509850.6).
<u> </u>			
727.825,10	Name of the category		Currently, this field is null.

Field # and Name	Description	Values	Technical Description
727.825,11	This field contains the name		For divisions using CPT codes, the procedure
PROCEDURE	of the procedure selected		pointer is pulled from the PROCEDURE
	for this extract record.		CODE field (.01) of the PROCEDURE
			CODE multiple (10) of the S&SP CLINIC
			VISIT file (#509850.6). The CPT CODE (.01) from the CPT file (#81) is concatenated
			with the volume (2 digits padded to the right
			with zeros). Volume is pulled from the
			VOLUME field (.03) of the PROCEDURE
			CODE multiple (10) of the A&SP CLINIC
			VISIT file (#509850.6).
			For divisions using Event Capture Procedure
			codes, the procedure pointer is pulled from
			the EVENT CAPTURE PROCEDURE field
			(.010) of the EVENT CAPTURE
			PROCEDURE multiple (15) of the A&SP CLINIC VISIT file (#509850.6). The
			NATIONAL NUMBER (1) from the EC
			NATIONAL PROCEDURE file (#725) is
			concatenated with "N" for national codes or
			"L" for local codes.
727.825,12	The number of times this		Numeric volume for this procedure
VOLUME	specific procedure was		associated with this extract record. Volume
	performed.		is pulled from the VOLUME field (#.03) of the PROCEDURE CODE multiple (#10) of
			the A&SP CLINIC VISIT file (#509850.6).
			the Accidental visit inc (#307030.0).
			This field should have a numeric upper limit
			of 99, to match that of the VOLUME field
			(#.03) of the PROCEDURE CODE multiple
			field (#10) in the A&SP CLINIC VISIT file
			(#509850.6). However, due to FileMan limitation for data on this node, the field will
			retain its upper limit of 9999.
727.825,13	This is the cost center		Derived from the COST CENTER file
COST CENTER	associated with the DSS		(#420.1). Cost center is derived from the
	Unit for this extract record.		COST CENTER field (#3) in the DSS UNIT
			file (#724).
			This field should be a pointer to the COST
			CENTER file (#420.1) but due to FileMan
			limitation for data on this node, the field is
			being left as a free text field.
727.825,14	This is the IEN of the		Based on the DSS Unit, this is the
ORDERING	Ordering Section. The		MEDICAL SPECIALTY file (#723) IEN of
SECTION	Ordering Section represents		the Ordering Section, which is found in the
	the medical specialty (for		MEDICAL SPECIALTY field (#2) of the
	example, ambulatory care) responsible for the		DSS UNIT file (#724).
	encounter.		This field should be a pointer to the
			MEDICAL SPECIALTY file (#723) but due
			to FileMan limitation for data on this node,
			the field is being left as a free text field.

Field # and Name	Description	Values	Technical Description
727.825,15	This is the IEN of the entry		The data is pulled from the CLINIC STOP
SECTION	in the MEDICAL		CODE field (#4) in the A&SP CLINC VISIT
	SPECIALTY file (#723) for		file (#509850.6). With a DSS Unit link in
	the DSS Unit associated with this extract record.		the Z&SP SITE PARAMETERS file (#509850.8) and based on the visit being an
	with this extract record.		audiology or speech pathology stop code,
			AUDIOLOGY DSS UNIT LINK
			(#727.8251) and SPEECH PATHOLOGY
			DSS UNIT LINK (#727.8252) fields in the
			A&SP SITE PARAMETER file (#509850.8) are used to retrieve the MEDICAL
			SPECIALTY field (#2) from the DSS UNIT
			file (#724).
			This field should be a pointer to the
			MEDICAL SPECIALTY file (#723) but due
			to FileMan limitations for data on this node, this field will remain a free text field.
727.825,16	The Provider who		Data is derived by using the EVENT
PROVIDER	performed the procedure associated with the A&SP		CAPTURE CODE POINTER field (#.07) of
	Clinic Visit record.		the PROCEDURE CODE multiple (#10) in the A&SP CLINIC VISIT file (#509850.6).
	Chine visit record.		If there is data in the EVENT CAPTURE
			CODE POINTER field (#.07) then the source
			of the data will be the EC PROCEDURE
			PROVIDER (#.05) of the EVENT CAPTURE PROCEDURE multiple (#15) in
			the A&SP CLINIC VISIT file (#509850.6)
			file. If there isn't data in the EVENT
			CAPTURE CODE POINTER field (#.07)
			then the source of the data will be the
			PROCEDURE PROVIDER field (#.05) of
			the PROCEDURE CODE multiple (#10) of the A&SP CLINIC VISIT file (#509850.6).
			The PROVIDER is the value of a "2"
			prefixed to the pointer value to indicate that
			the source file is "200". For example, if the
			IEN of the provider in file #200 is 98765, the
727.825, 17	The VA Code of the Person		value that will be stored is 298765. Active Person Class is determined by the
PROVIDER	Class of the Provider as of		supported call \$\$GET^XUA4A72
PERSON CLASS	the date of this record.		(PERS,DATE), where PERS is the IEN from
			file #200 and DATE is the date of the event.
			The VA CODE is determined by the 7 th piece of the returned value string.
			This field should be exactly 7 characters in length but due to FileMan limitations for data
			on this node, the field will retain its current
			setting of 1 to 7.
727.825,18	The second provider		A character string of format "2"_IEN, where
PROVIDER #2	associated with the patient encounter. It represents an		IEN is the internal entry number for the Provider in the New Person file (#200). Data
	assisting Provider who		is pulled from the first (#2.7) SECONDARY
	performed the procedure		PROVIDER multiple in the A&SP CLINIC
	associated with the A&SP		VISIT file (#509850.6)
	Clinic Visit record.		

Field # and Name	Description	Values	Technical Description
727.825, 19	This is the VA code of the		Active Person Class is determined by the
PROVIDER #2	Person Class of the second		supported call \$\$GET^XUA4A72
PERSON CLASS	assisting Provider as of the		(PERS,DATE), where PERS is the IEN from
	date of this record.		file #200 and DATE is the date of the event.
			The VA CODE is determined by the 7 th piece
			of the returned value string.
			This field should be exactly 7 characters in
			length but due to FileMan limitations for data
			on this node, the field will retain its current
			setting of 1 to 7.
727.825,20	The third provider		A character string of format "2"_IEN, where
PROVIDER #3	associated with the patient		IEN is the internal entry number for the
	encounter. It represents an		Provider in the NEW PERSON file (#200).
	assisting Provider who		Data is pulled from the second (#2.7)
	performed the procedure associated with the A&SP		SECONDARY PROVIDER multiple in the
	Clinic Visit record.		A&SP CLINIC VISIT FILE (#509850.6).
727.825, 21	This is the VA code of the		Active Person Class is determined by the
PROVIDER #3	Person Class of the third		supported call \$\$GET^XUA4A72
PERSON CLASS	assisting Provider as of the		(PERS,DATE), where PERS is the IEN from
	date of this record.		file #200 and DATE is the date of the event.
			The VA CODE is determined by the 7 th piece
			of the returned value string.
			This field should be exactly 7 characters in
			length but due to FileMan limitations for data
			on this node, the field will retain its current
			setting of 1 to 7.
727.825,22	Currently Null		Currently Null
PLACEHOLDER4 727.825,23	Current patient movement		A pointer to the PATIENT MOVEMENT
MOVEMENT FILE	record associated with this		file (#405).
#	extract record.		THE (#405).
727.825,24	The PTF CODE of the		This field is initialized to a null, indicating an
TREATING	treating specialty associated		outpatient status. If a call to IN5^VADPT
SPECIALTY	with this extract record.		(using the patient IEN and the event date)
	Only applicable if the		returns a patient movement number
	patient was an inpatient on		(indicating inpatient status), the value of
	the date of the procedure.		VAIP(8), which is the pointer to the
			FACILITY TREATING SPECIALTY file
			(#45.7), is used to get the SPECIALTY field
			(1) which points to the SPECIALTY file (#42.4).
			Then, the PTF Code (field #7 of file 42.4) is
			obtained and stored instead of the actual
707 905 05	Time a vale on the course does		specialty code.
727.825,25	Time when the procedure was performed.		Time is extracted from the date of information pulled from the DATE field
TIME	was performed.		(#.01) in the A&SP CLINIC VISIT file
			(#509850.6).
			This field is always as all f
			This field is always exactly 6 numeric
			characters in length; if time cannot be determined, then "0003000" is used as a
			default.
	1		uciault.

Field # and Name	Description	Values	Technical Description
727.825,26	The IEN of the primary care		Using the DATE field (#.01) from the A&SP
PRIMARY CARE	team assigned to this		CLINIC VISIT file (#509850.6) and the
TEAM	patient.		patient pointer (DFN) stored in the
			PATIENT NO. – DFN field (#4) in the
			QUASAR EXTRACT file (#727.825), a call
			is made to the Scheduling API,
			OUTPTTM^SDUTL3. The API returns the
			team's internal entry number and name from the TEAM file (#404.51). Only the pointer
			(IEN) to file (#404.51) is transmitted.
			(1217) to the (1404.31) is transmitted.
			This field should be a pointer to the TEAM
			file (#404.51) but due to FileMan limitations
			for data on this node, this field is being left as
			a free text field.
727.825,27	The primary care provider		Using the DATE field (#.01) and PATIENT
PRIMARY CARE	assigned to this patient.		NAME field (#1) from the A&SP CLINIC
PROVIDER			VISIT file (#509850.6) and the patient
			pointer (DFN) stored in the PATIENT NO. –
			DFN field (#4) in the QUASAR EXTRACT file (#727.825), a call is made to the
			Scheduling API, OUTPTPR\SDUTL3. The
			API returns the provider's internal entry
			number and name from the NEW PERSON
			file (#200).
			The PRIMARY CARE PROVIDER is the
			value of a "2" prefixed to the pointer value to
			indicate that the source file is "200". For
			example, if the IEN of the provider in file
			#200 is 98765, the value that will be stored is
			298765.
727.825,28	Five character Current		PCE CPT CODE is derived from the
PCE CPT CODE &	Procedural Terminology		PROCEDURE CODE multiple field (#10)
MODIFIERS	(CPT) Code, the Quantity		and CPT MODIFIER multiple field (#.04) of
	(or how many times the unique code appears in the		the A&SP CLINIC VISIT file (#509850.6).
	record), and up to five two-		This field should have an upper limit of 17
	character CPT modifiers.		characters but due to the FileMan limitation
	character Cr 1 mounters.		for data on this node, it will remain at 15
			characters.
727.825,29	Primary ICD-9 code for this		ICD-9 CODE is derived from the
ICD-9 CODE	clinic visit.		DIAGNOSTIC CODE field (#.01) and
			PRIMARY DIAGNOSIS field (#.12) of the
			DIAGNOSTIC CODE multiple field (#3) in
727 825 20	Ti cal C 1 100		the A&SP CLINIC VISIT file (#509850.6).
727.825, 30	First of the Secondary ICD-		Derived from the DIAGNOSTIC CODE
SECONDARY	9 codes for this clinic visit.		field (#.01) and PRIMARY DIAGNOSIS
ICD9 CODE #1			field (#.12) of the DIAGNOSTIC CODE
			multiple field (#3) in the A&SP CLINIC VISIT file (#509850.6).
727.825, 31	The second of the		Derived from the DIAGNOSTIC CODE field
SECONDARY	Secondary ICD-9 code for		(#.01) and PRIMARY DIAGNOSIS field
ICD9 CODE #2	this clinic visit.		(#.12) of the DIAGNOSTIC CODE multiple
			field (#3) in the A&SP CLINIC VISIT file
			(#509850.6).
727.825, 32	The third of the Secondary		Derived from the DIAGNOSTIC CODE field
SECONDARY	ICD-9 codes for this clinic		(#.01) and PRIMARY DIAGNOSIS field
ICD9 CODE #3	visit.		(#.12) of the DIAGNOSTIC CODE multiple
			field (#3) in the A&SP CLINIC VISIT file
			(#509850.6).

Field # and Name	Description	Values	Technical Description
727.825, 33	The fourth of the Secondary		Derived from the DIAGNOSTIC CODE field
SECONDARY	ICD-9 code for this clinic		(#.01) and PRIMARY DIAGNOSIS field
ICD9 CODE #4	visit.		(#.12) of the DIAGNOSTIC CODE multiple
			field (#3) in the A&SP CLINIC VISIT file
			(#509850.6).
727.825,34	Indicates whether patient	'Y' FOR YES	Using the patient pointer (DFN) stored in the
AGENT ORANGE	was exposed to Agent	'N' FOR NO	PATIENT NAME field (#1) in the A&SP
	Orange.	'U' FOR UNKNOWN	CLINIC VISIT (#509850.6), AGENT
			ORANGE data is derived from the AGENT
			ORANGE EXPOS. INDICATED? field
			(#.32102) in the PATIENT file (#2).
			The status indicator is returned by
			SVC^VADPT which is called by routine
			PAT^ECXUTL3.
727.825,35	Indicates if patient claims	'Y' FOR YES	Using the patient pointer (DFN) stored in the
RADIATION	exposure to ionizing	'N' FOR NO	PATIENT NAME field (#1) in the A&SP
EXPOSURE	radiation.	'U' FOR UNKNOWN	CLINIC VISIT (#509850.6), RADIATION
			data is derived from the RADIATION
			EXPOSURE INDICATED? field (#.32103)
			in the PATIENT file (#2).
			The status indicator is returned by
			SVC^VADPT which is called by routine
			PAT^ECXUTL3.
727.825,36	The field is used to indicate	'Y' FOR YES	This field is derived from the SOUTHWEST
SW ASIA	if patient claims exposure to	'N' FOR NO	ASIA CONDITIONS? field (#.332013) in
CONDITIONS	Southwest Asia Conditions.	'U' FOR UNKNOWN	the Patient File (#2) using the patient's DFN.
			The status indicator is returned by
			SVC^VADPT which is called by routine
			PAT^ECXUTL3.
727.825,37	Indicates if this patient is	'Y' FOR YES	Using the patient pointer (DFN) stored in the
SERVICE	service connected	'N' FOR NO	PATIENT NAME field (#1) in the A&SP
CONNECTED			CLINIC VISIT (#509850.6), SERVICE
			CONNECTED data is derived from the
			SERVICE CONNECTED? field (#.301) in
			the PATIENT file (#2).
			The status indicator is returned by
			SVC^VADPT which is called by routine
			PAT^ECXUTL3.
727.825,38	This field flags data that has	'Y' FOR YES	Currently, this field is always set to NO.
SENT TO PCE	been sent from QUASAR to	'N' FOR NO	
	PCE.		
727 925 20	Commontly No.11		Commonthy North
727.825,39 PLACEHOLDER5	Currently Null		Currently Null
FLACEHOLDERS			

The DSS Identifier persents the primary and secondary stop codes of the Clinic Location in the A&SP Clinic Visit record. This data element is always exactly 6 characters in length. If the secondary stop code of the Clinic Location in the A&SP Clinic Visit record. This data element is always exactly 6 characters in length. If the secondary stop code is not known, then "000" will be used as the 2"d 3-characters. If the primary stop code is not known, then "000" will be used as the 2"d 3-characters. If the primary stop code is not known, then "000000" will be used. If the treating specialty is an observation treating specialty stop code_"000". The source of the data is: (1) A&SP CLINIC VISIT file (#509850.6) (2.) HOSPITAL LOCATION file (#4.4) STOP CODE filed (#2.50) (2.) HOSPITAL LOCATION file (#4.8) and CREDIT STOP CODE field (#2.50) (2.) HOSPITAL LOCATION file (#4.8) and CREDIT STOP CODE field (#2.50) (2.) Selected observation treating specialty stop code_"000". The source of the data is: (1) A&SP CLINIC VISIT file (#509850.6) (2.) HOSPITAL LOCATION file (#4.8) and CREDIT STOP CODE field (#2.50) (2.) HOSPITAL LOCATION file (#4.8) and CREDIT STOP CODE field (#2.50) (2.) HOSPITAL LOCATION file (#4.8) and CREDIT STOP CODE field (#2.50) (2.) HOSPITAL LOCATION file (#4.8) and CREDIT STOP CODE field (#2.50) (2.) HOSPITAL LOCATION file (#8.10 And CREDIT STOP CODE field (#2.50) (2.) HOSPITAL LOCATION file (#8.10 And CREDIT STOP CODE field (#2.50) (2.) HOSPITAL LOCATION file (#8.10 And CREDIT STOP CODE field (#2.50) (2.) HOSPITAL LOCATION file (#8.10 And CREDIT STOP CODE field (#2.50) (2.) HOSPITAL LOCATION file (#8.10 And CREDIT STOP CODE field (#2.50) (2.) HOSPITAL LOCATION file (#8.10 And CREDIT STOP CODE field	Field # and Name	Description	Values	Technical Description
DSS IDENTIFIER represents the primary and secondary stop codes of the Clinic and secondary stop codes of the Associated Clinic. represents the primary and secondary stop codes of the Associated Clinic. Represents the primary and secondary stop code is not known, then the Associated Clinic. Represents the primary stop code is not known, then the Associated Clinic. If the secondary stop code is not known, then the Associated Clinic is always exactly 6 characters in length. If the secondary stop code is not known, then the Associated Clinic is always exactly 6 characters. If the primary stop code is not known, then the DSS Identifier is assigned an observation treating specially stop code. [OOO". The source of the data is: (1) A&SP CLINIC VISIT file (#509850.6) CLINIC LOCATION file (#4.4) STOP CODE field (#2.6) (2) HOSPITAL LOCATION file (#4.4) STOP CODE field (#2.50) (3) CLINIC STOP file (#0.7) AMIS REPORTING STOP CODE field (#8) and CREDIT STOP File (#0.7) AMIS REPORTING STOP File (#8.7) AMIS REPORTI				
secondary stop codes of the Associated Clinic. OR it is the observation treating specialty in the A&SP Clinic Visit record. This data element is always exactly 6 characters in length. If the secondary stop code is not known, then "000" will be used as the 2"d 3-characters. If the primary stop code is not known, then "000" will be used as the 2"d 3-characters. If the primary stop code is not known, then "0000" will be used as the 2"d 3-characters. If the primary stop code is not known, then "00000" will be used as the 2"d 3-characters. If the primary stop code is not known, then "00000" will be used as the 2"d 3-characters. If the primary stop code is not known, then "00000" will be used as the 2"d 3-characters. If the primary stop code is not known, then "00000" will be used as the 2"d 3-characters. If the primary stop code is not known, then "00000" will be used as the 2"d 3-characters. If the primary stop code is not known, then "00000" will be used as the 2"d 3-characters. If the primary stop code is not known, then "00000" will be used as the 2"d 3-characters. If the primary stop code is not known, then "00000" will be used as the 2"d 3-characters. If the primary stop code is not known, then "00000" will be used as the 2"d 3-characters. If the primary stop code is not known, then "00000" will be used as the 2"d 3-characters. If the primary stop code is not known, then "00000" will be used as the 2"d 3-characters. If the primary stop code is not known, then "00000" will be used as the 2"d 3-characters. If the primary stop code is not known, then "000000" will be used as the 2"d 3-characters. If the primary stop code is not known, then the 2"d 3-characters. If the				
Associated Clinic. OR it is the observation treating specialty in the A&SP Clinic Visit record. This data element is always exactly 6 characters in length. If the secondary stop code is not known, then "000" will be used as the 2 th 3-characters. If the primary stop code is not known, then "000000" will be used. If the treating specialty is an observation treating specialty is an observation treating specialty is an observation treating specialty. Stop code. If the treating specialty is an observation treating specialty is an observation treating specialty. Stop code. The source of the data is: (1) A&SP CLINIC VISIT file (#509850.6) CLINIC LOCATION file (#44) STOP CODE NUMBER file (#45) AMS REPORTING STOP CODE Stoled (#40) AMS REPORTING STOP CODE Stoled (#40) AMS REPORTING STOP CODE filed (#10) or, (1) Treating Specialty is an observation treating specialty stop code. Currently Null				
stop code of the treating specially in the AASP Clinic Visit record. This data element is always exactly 6 characters in length. If the secondary stop code is not known, then "000" will be used as the "000" will be used as the "000" will be used as the primary stop code is not known, then "000000" will be used. If the treating specialty is an observation treating specialty is an observation treating specialty, then the DSS Identifier is assigned an observation treating specialty stop code_"000". The source of the data is: (1) A&SP CLINIC VISIT file (#509850.6) CLINIC LOCATION file (#44) STOP CODE NUMBER field (#8) and CREDIT STOP CODE field (#10) or, (1) Treating Specialty is a selected observation treating specialty is a selected observation treating specialty (2) Selected observation treating specialty stop code. 727.825, 41 PLACEHOLDER! 727.825, 42 MASTER PATIENT INDEX Identifier national VA system identifier which uniquely identifies a patient. While the patient of the patient care. 727.825, 43 DEPARTMENT The nationally defined DSS Department Code designated for the patient care. 727.825, 44 PLACEHOLDER 727.825, 45 PLACEHOLDER 727.825, 46 PLACEHOLDER 727.825, 47 PLACEHOLDER 727.825, 48 PLACEHOLDER 727.825, 49 PLACEHOLDER 727.825, 49 PLACEHOLDER 727.825, 49 PLACEHOLDER 727.825, 40 PLACEHOLDER 727.825, 40 PLACEHOLDER 727.825,				
is always exactly 6 characters in length. If the secondary stop code is not known, then "000" will be used as the 2"d 3-characters. If the primary stop code is not known, then "000000" will be used. If the treating specialty is an observation treating specialty stop code, "000". The source of the data is: (1) A&SP CLINIC VISIT file (#509850.6) CLINIC LOCATION file (#2.6) (2) HOSPITAL LOCATION file (#44) STOP CODE NUMBER field (#8) and CREDIT STOP CODE filed (#203) (3) CLINIC STOP file (#41) Or. (1) Treating Specialty is a selected observation treating specialty stop code. 727.825, 41 PLACEHOLDER1 727.825, 42 MASTER System identifier which uniquely identifies a patient. The nationally defined DSS DSS PRODUCT DEPARTMENT Currently Null				
If the secondary stop code is not known, then "000" will be used as the 2" 3-characters. If the primary stop code is not known, then "000000" will be used.				A&SP Clinic Visit record. This data element
"000" will be used as the 2 nd 3-characters. If the primary stop code is not known, then "000000" will be used. If the treating specialty is an observation treating specialty stop code_"000". The source of the data is: (1) A&SP CLINIC VISIT file (#509850.6) CLINIC LOCATION file (#44) STOP CODE NUMBER field (#8) and CREDIT STOP CODE NUMBER field (#2.6) (2) HOSPITAL LOCATION file (#44) STOP CODE file (#40.7) AMIS REPORTING STOP CODE file (#41) Or, (1) Treating Specialty is a selected observation treating specialty (2) Selected observation treating specialty stop code_ 727.825, 41 PLACEHOLDER! Currently Null PLACEHOLDER! Department of the patient care. The nationally defined DSS DSS PRODUCT DEPARTMENT DEPARTMENT DEPARTMENT DEPARTMENT The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS UNIT LINK field (#727.825) of SPEECH PATHOLOGY DSS UNIT LINK field (#727				is always exactly 6 characters in length.
the primary stop code is not known, then "000000" will be used. If the treating specialty is an observation treating specialty stop code, "000". The source of the data is: (1) A&SP CLINIC VISIT file (#509850.6) CLINIC LOCATION file (#44) (2) Post of CLINIC LOCATION file (#44) (2) Post of CLINIC LOCATION file (#44) (3) TO PODE file (#40.7) AMIS REPORTING STOP CODE file file (#40.7) AMIS REPORTING STOP CODE				If the secondary stop code is not known, then
### The mationally defined DSS PRODUCT DEPARTMENT ### The mationally defined DSS PRODUCT DEPARTMENT ### The mationally defined DSS Department Code designated for the patient care. ### Currently Null ###				
treating specialty, then the DSS Identifier is assigned an observation treating specialty stop code_"000". The source of the data is: (1) A&SP CLINIC VISIT file (#509850.6) CLINIC LOCATION field (#2.6) (2) HOSPITAL COATION field (#2.6) (2) HOSPITAL TOCATION field (#2.6) (3) CLINIC STOP CODE field (#3.03) (3) CLINIC STOP CODE field (#1) Or, (1) Treating Specialty (2) Selected observation treating specialty stop code. T27.825, 41 PLACEHOLDER! T27.825, 42 MASTER PATIENT INDEX Ten national VA System identifier anional VA System identifier which uniquely identifies a patient. T27.825, 43 DEPARTMENT INDEX The nationally defined DSS DEPARTMENT designated for the patient care. The nationally defined DSS DEPARTMENT designated for the patient care. T27.825, 44 PLACEHOLDER T27.825, 44 PLACEHOLDER T27.825, 45 PLARAMETERS (#690850.8). The data comes from the UNIT NUMBER field (#4) of the DSS UNIT LINK field (#727.825.3) of the A&SP SITE PARAMETERS (#690850.8). The data comes from the UNIT NUMBER field (#4) of the DSS UNIT file (#724) Currently Null T27.825, 45 PLACEHOLDER T27.825, 46 PLACEHOLDER T27.825, 47 The VA code of the Person Class of the Primary Care POVIDER POVIDE				
treating specialty, then the DSS Identifier is assigned an observation treating specialty stop code_"000". The source of the data is: (1) A&SP CLINIC VISIT file (#509850.6) CLINIC LOCATION field (#2.6) (2) HOSPITAL COATION field (#2.6) (2) HOSPITAL TOCATION field (#2.6) (3) CLINIC STOP CODE field (#3.03) (3) CLINIC STOP CODE field (#1) Or, (1) Treating Specialty (2) Selected observation treating specialty stop code. T27.825, 41 PLACEHOLDER! T27.825, 42 MASTER PATIENT INDEX Ten national VA System identifier anional VA System identifier which uniquely identifies a patient. T27.825, 43 DEPARTMENT INDEX The nationally defined DSS DEPARTMENT designated for the patient care. The nationally defined DSS DEPARTMENT designated for the patient care. T27.825, 44 PLACEHOLDER T27.825, 44 PLACEHOLDER T27.825, 45 PLARAMETERS (#690850.8). The data comes from the UNIT NUMBER field (#4) of the DSS UNIT LINK field (#727.825.3) of the A&SP SITE PARAMETERS (#690850.8). The data comes from the UNIT NUMBER field (#4) of the DSS UNIT file (#724) Currently Null T27.825, 45 PLACEHOLDER T27.825, 46 PLACEHOLDER T27.825, 47 The VA code of the Person Class of the Primary Care POVIDER POVIDE				If the treating specialty is an observation
assigned an observation treating specialty stop code_"000". The source of the data is: (1) A&SP CLINIC VISIT file (#509850.6) CLINIC LOCATION field (#2.6) (2) HOSPITAL LOCATION field (#2.6) (2) HOSPITAL LOCATION field (#2.5) (2) HOSPITAL LOCATION field (#2.50) (3) CLINIC STOP file (#44) STOP CODE field (#2.503) (3) CLINIC STOP file (#42.50) (3) CLINIC STOP file (#40.7) AMIS REPORTING STOP CODE field (#1) On (1) Treating Specialty is a selected observation treating specialty (2) Selected observation treating specialty stop code. Currently Null Currently Null Currently Null Derived by calling API, SSGETICN^MPI001 (Supported DBIA #2701), that returns the Integration Control Number (ICN) for the given patient in the PATIENT file (#2). 727.825, 43 The nationally defined DSS Department Code designated for the patient care. Derived by calling API, SSGETICN^MPI001 (Supported DBIA #2701), that returns the Integration Control Number (ICN) for the given patient in the PATIENT file (#2). Obtained from either the Audiology DSS UNIT LINK field (#727.8252) of the A&SP SITE PARAMETERS file (#679.8850.8). The data comes from the UNIT VINK field (#727.8252) of the A&SP SITE PARAMETERS file (#509850.8). The data comes from the UNIT VINK field (#727.8252) of the A&SP SITE PARAMETERS file (#509850.8). The data comes from the UNIT NUMBER field (#4) of the DSS UNIT file (#724) 727.825, 45 PLACEHOLDER 727.825, 45 Currently Null Active Person Class is determined by the supported call \$SGET'XUA4A72 (PERS,DATE), where PERS is the IEN form file #200 and DATE is the date of the event. The VA CODE is determined by the 7th piece of the returned value string. 727.825, 48 Currently Null Currently Null				
The source of the data is: (1) A&SP CLINIC VISIT file (#509850.6) CLINIC LOCATION field (#2.6) (2) HOSPITAL LOCATION file (#44) STOP CODE Field (#2.503) (3) CLINIC STOP HOLE (#8) and CREDIT STOP CODE field (#2503) (3) CLINIC STOP HOLE (#8) and CREDIT STOP CODE field (#2503) (3) CLINIC STOP HOLE (#8) and CREDIT STOP CODE field (#1) Or, (1) Treating Specialty is a selected observation treating specialty, (2) Selected observation treating specialty stop code. Currently Null Currently Null Derived by calling API, SSGETICN'MP1001 (Supported DBIA #2701), that returns the Integration Control Number (ICN) for the given patient in the PATIENT file (#2). 727.825, 43 The nationally defined DSS DSS PRODUCT DEPARTMENT DEPARTMENT DEPARTMENT DEPARTMENT The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS DIVIT LINK field (#727.825) of SPEECH PATHOLOGY DSS UNIT LINK field (#727.825, 45) of the A&SP SITE PARAMETERS file (#509850.8). The data comes from the UNIT NUMBER field (#4) of the DSS UNIT file (#724) TOT.825, 45 PLACEHOLDER TOT.825, 45 PLACEHOLDER TOT.825, 46 PLACEHOLDER TOT.825, 47 The VA code of the Person Class of the Pimary Care Provider as of the date of this extract record. The VA code is determined by the 5th pince of the returned value string. TOT.825, 48 Currently Null Currently Null Currently Null Currently is the date of the event. The VA CODE is determined by the 7th piece of the returned value string.				
(1) A&SP CLINIC VISIT file (#509850.6) CLINIC LOCATION field (#2.6) (2) HOSPITAL LOCATION file (#44) STOP CODE NUMBER field (#8) and CREDIT STOP CODE field (#1) Or, (1) Treating Specialty is a selected observation treating specialty (2) Selected observation treating specialty stop code. Terrently Null PLACEHOLDER! 727.825, 42 PATIENT INDEX The nationally defined DSS DSS PRODUCT DEPARTMENT Terrently Null Terrently Null Terrently Null Terrently Null Terrently Null Derived by calling API, \$\$GETICN^MPI001 (Supported DBIA #2701), that returns the Integration Control Number (ICN) for the given patient in the PATIENT file (#2). Terrently Null Currently Null				stop code_"000".
CLINIC LOCATION field (#2.6) (2) HOSPITAL LOCATION file (#44) STOP CODE NUMBER field (#8) and CREDIT STOP CODE field (#2503) (3) CLINIC STOP file (#42) 73 AMIS REPORTING STOP CODE field (#1) Or, (1) Treating Specialty is a selected observation treating specialty stop code. Currently Null Currently Null Currently Null Identifier national VA system identifier which uniquely identifies a patient. PATIENT INDEX Ten autionally defined DSS DSS PRODUCT DEPARTMENT DEPARTMENT DEPARTMENT To the nationally defined DSS DSS PRODUCT DEPARTMENT DEPARTMENT Currently Null The nationally defined DSS DSS PRODUCT DEPARTMENT Currently Null				The source of the data is:
CLINIC LOCATION field (#2.6) (2) HOSPITAL LOCATION file (#44) STOP CODE NUMBER field (#8) and CREDIT STOP CODE field (#2503) (3) CLINIC STOP file (#42) 73 AMIS REPORTING STOP CODE field (#1) Or, (1) Treating Specialty is a selected observation treating specialty stop code. Currently Null Currently Null Currently Null Identifier national VA system identifier which uniquely identifies a patient. PATIENT INDEX Ten autionally defined DSS DSS PRODUCT DEPARTMENT DEPARTMENT DEPARTMENT To the nationally defined DSS DSS PRODUCT DEPARTMENT DEPARTMENT Currently Null The nationally defined DSS DSS PRODUCT DEPARTMENT Currently Null				(1) A&SP CLINIC VISIT file (#509850.6)
STOP CODE NUMBER field (#8) and CREDIT STOP CODE field (#2503) (3) (ZINIC STOP file (#40.7) AMIS REPORTING STOP CODE field (#2503) (3) (ZINIC STOP file (#40.7) AMIS REPORTING STOP CODE field (#1) Or, (1) Treating specialty as elected observation treating specialty. (2) Selected observation treating specialty stop code. 727.825, 41 PLACEHOLDER1 727.825, 42 PATIENT INDEX The national VA system identifier which uniquely identifies a patient. The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS Department Code designated for the patient care. The national VA Department the national VA Department the national VA Department of the August of the SS UNIT LINK field (#727.8251) or SPEECH PARAMETERS file (#509850.8). The data comes from the UNIT NUMBER field (#4) of the DSS UNIT LINK field (#727.825, 46 Currently Null The national VA Department of the national VA Department of the National Nation				CLINIC LOCATION field (#2.6)
CREDIT STOP CODE field (#2503) (3) CLINIC STOP file (#40.7) AMIS REPPORTING STOP CODE field (#1) Or, (1) Treating Specialty is a selected observation treating specialty stop code. 727.825, 41 PLACEHOLDER1 727.825, 42 MASTER PATHOLOGY				(2) HOSPITAL LOCATION file (#44)
(3) CLINIC STOP file (#40.7) AMÍS REPORTING STOP CODE field (#1) Or, (1) Treating Specialty is a selected observation treating specialty stop code. 727.825, 41 PLACEHOLDERI 727.825, 42 MASTER PATIENT INDEX 10 Derived by calling API, \$\$GETICN^MPI001 (Supported DBIA #2701), that returns the integration Control Number (ICN) for the given patient in the PATIENT file (#2). 727.825, 43 DSS PRODUCT DEPARTMENT DEPARTMENT DEPARTMENT DEPARTMENT DEPARTMENT TO DEPARTMENT DEPARTMENT TO DEPARTMENT DEPARTMENT TO DETAIL AND THE PATIENT FILE (#727.8251) or SPEECH (#727.8252) of the A&SP SITE PARAMETERS file (#509850.8). The data comes from the UNIT NUMBER field (#4) of the DSS UNIT file (#724) T27.825, 45 PLACEHOLDER T27.825, 45 PLACEHOLDER T27.825, 45 PLACEHOLDER T27.825, 47 PC PROVIDER PERSON CLASS The VA code of the Person Class of the date of this extract record. The VA coDE is determined by the 7th piece of the returned value string. T27.825, 48 Currently Null Currently Null T27.825, 48 Currently Null Currently Null				STOP CODE NUMBER field (#8) and
REPORTING STOP CODE field (#1) Or, (1) Treating Specialty is a selected observation treating specialty. (2) Selected observation treating specialty. top code. 727.825, 41 PLACEHOLDERI 727.825, 42 MASTER PATIENT INDEX Identifier national VA system identifier which uniquely identifies a patient. 727.825, 43 Derived by calling API, \$\$GETICN^MPI001 (Supported DBIA #27'01), that returns the Integration Control Number (ICN) for the given patient in the PATIENT file (#2). 727.825, 43 Department Code designated for the patient care. 727.825, 44 PLACEHOLDER 727.825, 45 PLACEHOLDER 727.825, 46 PLACEHOLDER 727.825, 46 PLACEHOLDER 727.825, 46 PLACEHOLDER 727.825, 46 PLACEHOLDER 727.825, 47 PC PROVIDER PERSON CLASS PERSON CLASS PERSON CLASS Currently Null				` '
(1) Treating Specialty is a selected observation treating specialty. (2) Selected observation treating specialty. (3) Selected observation treating specialty. (4) Selected observation treating specialty. (5) Selected observation treating specialty. (6) Selected observation treating specialty. (7) Selected observation treating specialty. (8) Selected observation treating specialty. (9) Selected observation treating specialty. (9) Selected observation treating specialty. (10) Selected observation treating special				
observation treating specialty. (2) Selected observation treating specialty. (2) Selected observation treating specialty. (2) Selected observation treating specialty stop code. T27.825, 41 PLACEHOLDER! 727.825, 42 PATIENT INDEX The national VA system identifier which uniquely identifies a patient. The nationally defined DSS DSPRODUCT DEPARTMENT DEPARTMENT To easily defined DSS Department Code designated for the patient care. T27.825, 44 PLACEHOLDER T27.825, 45 PLACEHOLDER T27.825, 46 PLACEHOLDER T27.825, 46 PLACEHOLDER T27.825, 46 PLACEHOLDER T27.825, 46 PLACEHOLDER T27.825, 47 PC PROVIDER PERSON CLASS The VA code of the Person Class of the Primary Care PERSON CLASS POOR TO THE PART OF The Date of the date of this extract record. T27.825, 48 Currently Null Currently Null Currently Null Currently Sector of the Sector of the date of this extract record. T27.825, 48 Currently Null				· , , , ,
727.825, 41 PLACEHOLDER1 727.825, 42 MASTER PATIENT INDEX The nationally defined DSS Department Code designated for the patient care. 727.825, 44 PLACEHOLDER 727.825, 45 DEPARTMENT Currently Null The nationally defined DSS Department Code designated for the patient care. 727.825, 44 PLACEHOLDER 727.825, 45 The nationally defined DSS Department Code designated for the patient care. 727.825, 45 The nationally defined DSS Department Code designated for the patient care. 727.825, 45 The nationally defined DSS Department Code designated for the patient care. 727.825, 45 The nationally defined DSS Department Code designated for the patient care. 727.825, 45 The nationally defined DSS Department Code designated for the patient care. 727.825, 45 The nationally defined DSS Department Code designated for the patient care. 727.825, 45 The nationally defined DSS Department Code designated for the patient care. 727.825, 46 The nationally defined DSS The nationally defined DSS Department Code designated from either the Audiology DSS UNIT LINK field (#727.825) of the A&SP SITE PARAMETERS file (#509850.8). The data comes from the UNIT NUMBER field (#4) of the DSS UNIT file (#724) 727.825, 45 The National Nat				
Stop code. Part				
PLACEHOLDER1 727.825, 42 MASTER PATIENT INDEX The nationally defined DSS DSS PRODUCT DEPARTMENT DEPARTMENT DEPARTMENT The nationally defined DSS DSS PRODUCT DEPARTMENT The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS Department Code designated for the patient care. TOTALE TOTALE TO THE NUMBER Field (#727.8251) or SPEECH PARAMETERS file (#509850.8). The data comes from the UNIT NUMBER field (#4) of the DSS UNIT file (#724) Currently Null The VA code of the Person Class of the Primary Care PRESON CLASS PROVIDER PROVI				
Territy Null Currently Null	,	Currently Null		Currently Null
MASTER PATIENT INDEX system identifier which uniquely identifies a patient. The nationally defined DSS DSS PRODUCT DEPARTMENT DEPARTMENT The nationally defined DSS Department Code designated for the patient care. Toda designated for the addiously as patient. Toda designated for the patient care. Toda designated for the pa		Identifier national VA		Derived by calling API \$\$GETICNAMDIO01
PATIENT INDEX uniquely identifies a patient. The nationally defined DSS DSS PRODUCT DEPARTMENT DEPARTMENT DEPARTMENT The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS Department Code designated for the patient care. The nationally defined DSS Department Code designated form either the Audiology DSS UNIT LINK field (#727.825.0) or SPEECH PATHOLOGY DSS UNIT LINK field (#727.825.2) of the A&SP SITE PARAMETERS file (#509850.8). The data comes from the UNIT NUMBER field (#4) of the DSS UNIT file (#724) Currently Null Currently Null Currently Null Currently Null Currently Null Currently Null The VA code of the Person Class of the Primary Care Provider as of the date of this extract record. The VA coDE is determined by the 7th piece of the returned value string. The VA coDE is determined by the 7th piece of the returned value string.				
given patient in the PATIENT file (#2). 727.825, 43 DSS PRODUCT DEPARTMENT DEPARTMENT Care. Currently Null PLACEHOLDER 727.825, 45 PLACEHOLDER 727.825, 46 PLACEHOLDER 727.825, 47 PC PROVIDER PERSON CLASS PERSON CLASS POBERTMENT PINE nationally defined DSS Department Code designated for the patient care. Currently Null				
T27.825, 43 DSS PRODUCT DEPARTMENT DEPARTMENT DEPARTMENT Care. DEPARTMENT To a signated for the patient care. To a signated for the patient care. To a signated for the patient care. DEPARTMENT To a signated for the patient care. DEPARTMENT DEPART				
DSS PRODUCT DEPARTMENT Department Code designated for the patient care. PATHOLOGY DSS UNIT LINK field (#727.8252) of the A&SP SITE PARAMETERS file (#509850.8). The data comes from the UNIT NUMBER field (#4) of the DSS UNIT file (#724) Currently Null PLACEHOLDER 727.825, 46 PC PROVIDER PERSON CLASS PC PROVIDER PERSON CLASS Provider as of the date of this extract record. The VA code of the Person file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string. 727.825, 48 Currently Null Currently Null	727.825, 43	The nationally defined DSS		
DEPARTMENT designated for the patient care. PATHOLOGY DSS UNIT LINK field (#727.8252) of the A&SP SITE PARAMETERS file (#509850.8). The data comes from the UNIT NUMBER field (#4) of the DSS UNIT file (#724) 727.825, 44 PLACEHOLDER 727.825, 45 PLACEHOLDER 727.825, 46 PLACEHOLDER 727.825, 47 PLACEHOLDER 727.825, 47 PC PROVIDER PC PROVIDER PERSON CLASS Provider as of the date of this extract record. PERSON CLASS Provider as of the date of the returned value string. 727.825, 48 Currently Null Currently Null Active Person Class is determined by the supported call \$\$GET^XUA4A72 (PERS,DATE), where PERS is the IEN form file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string.				
care. (#727.8252) of the A&SP SITE PARAMETERS file (#509850.8). The data comes from the UNIT NUMBER field (#4) of the DSS UNIT file (#724) Currently Null Currently Null PLACEHOLDER 727.825, 45 PLACEHOLDER 727.825, 46 PLACEHOLDER 727.825, 46 PLACEHOLDER 727.825, 47 PC PROVIDER PC PROVIDER PERSON CLASS Provider as of the Primary Care PERSON CLASS Provider as of the date of this extract record. (#727.8252) of the A&SP SITE PARAMETERS file (#509850.8). The data comes from the UNIT NUMBER field (#4) of the DSS UNIT file (#724) Currently Null Currently Null Active Person Class is determined by the supported call \$\$GET^XUA4A72 (PERS,DATE), where PERS is the IEN form file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string. 727.825, 48 Currently Null Currently Null				
comes from the UNIT NUMBER field (#4) of the DSS UNIT file (#724) 727.825, 44 PLACEHOLDER 727.825, 45 PLACEHOLDER 727.825, 46 PLACEHOLDER 727.825, 46 PLACEHOLDER 727.825, 47 PC PROVIDER PERSON CLASS PERSON CLASS PERSON CLASS POWIDER PERSON CLASS POWIDER PERSON CLASS POWIDER POWIDER POWIDER PERSON CLASS POWIDER P		care.		
727.825, 44 PLACEHOLDER 727.825, 45 PLACEHOLDER 727.825, 46 PLACEHOLDER 727.825, 47 PC PROVIDER PERSON CLASS PERSON CLASS PERSON CLASS POWNER AS OF The VA code of the date of this extract record. 727.825, 48 Currently Null Currently Null Currently Null Currently Null Currently Null Active Person Class is determined by the supported call \$\$GET^XUA4A72 (PERS,DATE), where PERS is the IEN form file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string. 727.825, 48 Currently Null Currently Null Currently Null				
727.825, 44 PLACEHOLDER 727.825, 45 PLACEHOLDER 727.825, 46 PLACEHOLDER 727.825, 47 PC PROVIDER PERSON CLASS PERSON CLASS PERSON CLASS POWIDER PERSON CLASS POWIDER POWIDER POWIDER POWIDER POWIDER PERSON CLASS POWIDER PO				
PLACEHOLDER 727.825, 45 PLACEHOLDER 727.825, 46 PLACEHOLDER 727.825, 47 PC PROVIDER PERSON CLASS PERSON CLASS PERSON CLASS POWNIGH AND THE WAR CODE is determined by the 3th extract record. 727.825, 48 Currently Null Currently Null Active Person Class is determined by the supported call \$\$GET^XUA4A72 (PERS,DATE), where PERS is the IEN form file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string. 727.825, 48 Currently Null Currently Null	727.825.44	Currently Null		of the DSS UNIT file (#724)
PLACEHOLDER 727.825, 46 PLACEHOLDER 727.825,47 PC PROVIDER PERSON CLASS PERSON CLASS PERSON CLASS POWER A Company of this extract record. 727.825,48 Currently Null Currently Null Currently Null Active Person Class is determined by the supported call \$\$GET^XUA4A72 (PERS,DATE), where PERS is the IEN form file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string. 727.825, 48 Currently Null Currently Null	PLACEHOLDER	-		-
727.825, 46 PLACEHOLDER 727.825,47 PC PROVIDER PERSON CLASS PERSON CLASS PERSON CLASS POWER A Currently Null Currently Null Active Person Class is determined by the supported call \$\$GET^XUA4A72 (PERS,DATE), where PERS is the IEN form file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string. 727.825, 48 Currently Null Currently Null Currently Null	· · · · · · · · · · · · · · · · · · ·	Currently Null		Currently Null
727.825,47 PC PROVIDER PERSON CLASS PERSON CLASS PERSON CLASS POWER A Contract Provider as of the date of this extract record. 727.825,48 The VA code of the Person Class is determined by the supported call \$\$GET^XUA4A72 (PERS,DATE), where PERS is the IEN form file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string. Currently Null Currently Null	727.825, 46	Currently Null		Currently Null
PC PROVIDER PERSON CLASS PERSON CLASS POINT of this extract record. Class of the Primary Care Provider as of the date of this extract record. The VA CODE is determined by the 7 th piece of the returned value string. Currently Null Currently Null Currently Null				l l l l l l l l l l l l l l l l l l l
PERSON CLASS Provider as of the date of this extract record. Provider as of the date of this extract record. Provider as of the date of the event. The VA CODE is determined by the 7 th piece of the returned value string. Provider as of the date of the event. The VA CODE is determined by the 7 th piece of the returned value string. Currently Null Currently Null				
this extract record. this extract record. file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string. 727.825, 48 Currently Null Currently Null				
The VA CODE is determined by the 7 th piece of the returned value string. 727.825, 48 Currently Null Currently Null	PERSON CLASS			
727.825, 48 Currently Null of the returned value string. Currently Null		uns extract record.		
727.825, 48 Currently Null Currently Null				
	727.825, 48	Currently Null		
	PLACEHOLDER			

Field # and Name	Description	Values	Technical Description
727.825, 49 ASSOCIATE PC PROVIDER	The Associate Primary Care Provider assigned with the PCMM application.		Derived by a call to the Scheduling API, OUTPTAP^SDUTL3. The API returns the associate provider's internal entry number and name from the NEW PERSON file (#200). The ASSOCIATE PC PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765.
			The PATIENT NAME field (#1) and the DATE (.01) fields of the A&SP CLINIC VISIT file (#509850.6) are used to determine the patient's associate provider at the time of the visit.
727.825, 50 ASSOC. PC PROV. PERSON CLASS	VA Code of the Person Class of the patient's Associate Primary Care Provider.		Active Person Class is determined by the supported call \$\$GET^XUA4A72 (PERS,DATE), where PERS is the IEN form file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string
727.825, 51 PLACEHOLDER	Currently Null		Currently Null
727.825, 52 DIVISION	The Division associated with the QUASAR record.		The DIVISION field for this file is obtained from the DIVISION field (#60) of the A&SP CLINIC VISIT file (#509850.6), which points to MEDICAL CENTER DIVISION file (#40.8).
727.825, 53 MST STATUS	Indicates the Military Sexual Trauma (MST) status of a patient on the date of the encounter.	'Y' FOR Yes, screened reports MST 'N' FOR Screened, does not report MST 'D' FOR Screened, declines to answer 'U' FOR Unknown, not screened	The MST history file (#29.11) holds data regarding military sexual trauma claims and effective dates. The patients' MST status is stored in the MST status field (#3). A call will be made to \$\$GETSTAT^DGMSTAPI (DFN, DGDATE) using the DFN from the PATIENT NAME field (#1) and the DATE field (#.01) of the A&SP CLINIC VISIT file (#509850.6)
727.825, 54 DOM, PRRTP AND SAARTP INDICATOR	Indicates if the patient is admitted to either a RRTP PRRTP, or SARRTP at time care is provided.	'P' FOR GEN. PRRTP 'D' FOR DOMICILIARY 'S' FOR DOM. PRRTP 'T' FOR PTSD PRRTP 'H' FOR HOMELESS CWT/TR 'A' FOR SA CWT/TR 'B' FOR PTSD CWT/TR 'C' FOR GEN. CWT/TR	If the patient's treating specially exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file, data is derived from the DOM/PRRTP/SARRTP CODE field (#2) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file. Otherwise, the value is null.
727.825, 55 DATE OF BIRTH	Patient's date of birth		Data source:
			A&SP CLINIC VISIT file (#509850.6);PATIENT NAME (#1) then to PATIENT file (#2); DATE OF BIRTH field (#.03). Date of Birth is returned through the supported call DEM^VADPT. It is then
			represented by an 8-characater numeric string in the YYYYMMDD format.
727.825, 56 ENROLLMENT CATEGORY	Patient's enrollment category		ENROLLMENT CATEGORY is derived from the standard call \$\$CATEGORY^DGENA4 using the patient's DFN and CURRENT ENROLLMENT field (#27.01) of the PATIENT file (#2).

Field # and Name	Description	Values	Technical Description
727.825, 57 ENROLLMENT STATUS	Patient's enrollment status		ENROLLMENT STATUS is derived from the standard call \$\$STATUS^DGENA using the patient's DFN and returns the ENROLLMENT STATUS field (#.04) of the ENROLLMENT STATUS file (#27.11). This field should be a pointer to the ENROLLMENT STATUS file (#27.15) but due to FileMan limitations for data on this
727.825, 58	Currently Null		node, the field is being left as a free text field. Currently Null
PLACEHOLDER	_		•
727.825, 59 PERIOD OF SERVICE	The period of service that best classifies the patient based on eligibility code.		Period of Service is derived from the Period of Service field (#.323) in the Patient file (#2).
727.825, 60 PURPLE HEART INDICATOR	Indicates whether or not a patient is a Purple Heart recipient.	'Y' FOR YES 'N' FOR NO	PATIENT file (#2) CURRENT PH INDICATOR field (#.531). The status indicator is returned by SVC^VADPT.
727.825, 61 OBSERVATION PATIENT INDICATOR 727.825, 62 ENCOUNTER NUMBER	The unique number assigned for DSS.	'Y' FOR YES 'N' FOR NO	Data (YES,NO) is retrieved from API call \$\$OBSPAT^ECXUTL4: If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file, data is derived from the OBSERVAITON PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file. If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS ID (MTL,IVP,ECQ,QSR,NORS,SUR) is 290-297, Observation Patient Ind=YES. Else, Observation Patient Ind=NO. Otherwise, Observation Patient Ind=NO. This field is determined by a call to \$\$ENCNUM^ECXUTL4. Within this call the inpatient/outpatient status, SSN,
			admit/visit date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number.
727.825, 63 AGENT ORANGE LOCATION	Indicates the location where the patient was exposed to Agent Orange.	'K' FOR KOREAN DMZ 'V' FOR VIETNAM 'O' FOR OTHER	The location is returned by a call to SVC^VADPT which gets its data from the AGENT ORANGE EXPOSURE LOCATION field (#.3213) of the PATIENT file (#2).
727.825, 64 ORDERING DIVISION	For future development; currently set to null.		For future development; currently set to null.
727.825, 65 CONTRACT START DATE	For future development; currently set to null.		For future development; currently set to null.
727.825, 66 CONTRACT END DATE	For future development; currently set to null.		For future development; currently set to null.

Field # and Name	Description	Values	Technical Description
727.825, 67	For future development;		For future development; currently set to null.
CONTRACT TYPE	currently set to null.		
727.825, 68 CNH/SH STATUS	This field is used to indicate whether a patient is currently in a contract nursing home/state home.	'Y' FOR YES 'N' FOR NO	Using the CNHSTAT^ECXUTL4 (DFN) call, the CNH status is returned based on the CNH CURRENT field (#148) of the PATIENT file (#2).
727.825, 69 PRODUCTION DIVISION CODE	Identifies the division/facility where the work was performed.		Data comes from the DIVISION field (#60) of the A&SP CLINIC VISIT file (#5098580.6), which is a pointer to the MEDICAL CENTER DIVISION file (#40.8). This value is then used to call the api GETDIV^ECXDEPT to get the STATION NUMBER field (#99) from the INSTITUTION file (#4).
727.825, 70 ELIGIBILITY	Appropriate eligibility code based on veteran or non-veteran status.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4), ELIGIBILITY data is derived from the PRIMARY ELIGIBILITY CODE field (#.361) in the PATIENT file (#2). PRIMARY ELIGIBILITY CODE is a pointer to the ELIGIBILITY CODE file (#8). The data is derived from the MAS ELIGIBILITY CODE file (#8) in the ELIGIBILITY CODE file (#8), which in turn is a pointer to the MAS ELIGIBILITY CODE file (#8), which in turn is a pointer to the MAS ELIGIBILITY CODE file (#8.1). The pointer value to file #8.1 is converted by ELIG^ECXUTL3 to the corresponding eligibility code used by NPCD.
727.825,71 HEAD & NECK INDICATOR	Identifies whether patient has head and/or neck cancer	'Y' FOR YES 'N' FOR NO	Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4), a call is made to \$\$GETCUR^DGNTAPI to retrieve the HEAD/NECK CA DX field (#2.01) of the NOSE AND THROAT RADIUM HISTORY file (#28.11).
727.825, 72 ETHNICITY	The patient's PTF ethnicity code.		Using the patient pointer (DFN) stored in the PATIENT NO DFN field (4), ETHNICITY is derived from the PTF VALUE field (#5) of the ETHNICITY file (#10.2) pointed to by the ETHNICITY INFORMATION field (#.01) of the ETHNICITY INFORMATION subfile (#2.06) of the PATIENT file (#2). The above will occur only if the METHOD OF COLLECTION field (#.02) of the ETHNICITY INFORMATION subfile (#2.06) is set to 1 (SELF-IDENTIFICATION), otherwise ETHNICITY will be set to null.

Field # and Name	Description	Values	Technical Description
727.825, 73 RACE 1	Self- reported by patient as recorded in VistA patient file.		Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4), RACE 1 is derived from the PTF VALUE field (#5) of the RACE file (#10) pointed to by the RACE INFORMATI+4ON field (#.01) of the RACE INFORMATION subfile (#2.02) of the PATIENT file (#2). Only those RACE INFORMATION values in the RACE INFORMATION subfile (#2.03) where the METHOD OF COLLECTION field (#.02) set to 1 (SELF-IDENTIFICATION) will be include in the RACE 1 field. Up to 6 race entries can be included. If any of the RACE INFORMATION values returned, are "C" (DECLINED TO ANSWER), that will be the only value included in the RACE1 field.
727.825, 74 ENROLLMENT LOCATION	The facility that the patient chooses to designate as his preferred location for care.		The PREFERRED FACILITY field (# 27.02) of the PATIENT file (#2) is defined as the facility that the patient chooses to designate as his preferred location for care. The PREFERRED FACILITY field (# 27.02) is a pointer to the INSTITUTION file (#4).From the INSTITUTION file #4, the value in the STATION NUMBER field (#99) is used.
727.825, 75 DSS IP #	The nationally defined DSS Intermediate Product Number designated to the Quasar care product.		DSS IP# field value is determined via the following process: The DSS PRODUCT DEPARTMENT AND IP NUMBER file (#726.6) is populated via site specific HL7 messages generated by AAC extracts which run on a monthly basis. The file is then used by the DSS extract routines to identify and to populate the DSS PRODUCT DEPARTMENT and DSS IP # fields in the DSS extracts files before transmitting them to AAC. Using the combination of Feeder System, Feeder Location and Feeder Key as an identifier for each individual record does the matches. If no match is found an error message is generated and a bulletin is triggered and sent to a DSS mail group identifying the problem.

Field # and Name	Description	Values	Technical Description
727.825, 76	This field contains the		ENROLLMENT PRIORITY field contains
ENROLLMENT	enrollment priority group		the enrollment priority group and the
PRIORITY	and the enrollment priority subgroup.		enrollment priority subgroup from the Patient Enrollment file (#27.11).
			ENROLLMENT PRIORITY Groups
			determined for a patient enrollment include:
			'1' FOR GROUP 1
			'2' FOR GROUP 2
			'3' FOR GROUP 3
			'4' FOR GROUP 4 '5' FOR GROUP 5
			'6' FOR GROUP 6
			'7' FOR GROUP 7
			'8' FOR GROUP 8
			ENROLLMENT PRIORITY Subgroups
			determined for a patient enrollment include:
			'a' FOR 1 'c' FOR 3
			'e' FOR 5
			'g' FOR 7
727.825, 77	Indicates whether a veteran	'U' FOR USER	User enrollee is determined by checking the
USER ENROLLEE	has User Enrollee status for	ENROLLED	Patient Enrollment (#27.11) file. When a
	the current or future fiscal		user has a current or future fiscal year in the
	year.		VistA User Enrollee Status (#.04) field the value is set to 'U' and Null if no date or a
			past year's value is contained. Determined
			by the use of an API:
			\$\$UESTAT^EASUSER where the Patient
			Identifier (DFN) is passed in.
727.825, 78	Refers to the various types	'AC' FOR Active Duty	PATIENT TYPE is derived from a call to
PATIENT TYPE	of patients, which may be	'AL' FOR Allied Veteran	TYPE^ECXUTL5 (DFN). Using the
	seen at a VA facility. Every patient in the system must	'CO' FOR Collateral 'EM' FOR Employee	patient's DFN, the NAME field (#.01) of the TYPE OF PATIENT file (#391) as pointed to
	have a TYPE specified.	'IN' FOR Ineligible	by the TYPE field (#391) of the PATIENT
	nave a 1112 specifical	'MI' FOR Military Retiree	file (#2) is shortened to the first two
		'NO' FOR Non-Veteran	characters to determine the value stored in
		(Other)	the PATIENT TYPE field (#78).
		'NS' FOR NSC Veteran	
		'SC' FOR SC Veteran 'TR' FOR Tricare	
727.825, 79	Records if Veteran service	'Y' FOR YES	CV STATUS ELIGIBILITY is determined
CV STATUS	on active duty in a theatre	'E' FOR ELIGIBILITY	by the use of API \$\$CVEDT^DGCV
ELIGIBILITY	of combat operations during	EXPIRED	(DFN,DATE) that checks the COMBAT
	a period of war after the		VET END DATE field (#.5295) from the
	Persian Gulf War or in		PATIENT file (#2) to determine CV Status.
	combat against a hostile		API returns three pieces (i.e. 1^20010106^0)
	force during a period of hostilities after November		and the first piece is resolved as follows.
	11, 1998.		1 – veteran qualifies as a CV
			0 – veteran does not qualify as a CV
			-1 - bad DFN or date
			Based on this result the field will be set to
			'Y' for 'YES' or 'E' for 'ELIGIBILITY
			EXPIRED' or 'NULL' for not eligible.

Field # and Name	Description	Values	Technical Description
727.825, 80	Records the Combat		CV ELIGIBILITY END DATE is
CV ELIGIBILITY	Veteran eligibility		determined by the use of API
END DATE	expiration date of veteran		\$\$CVEDT^DGCV (DFN, DATE) that
	who served on active duty		checks the COMBAT VET END Date field
	in a theatre of combat		(#.5295) from the PATIENT file (#2) to
	operations during a period		determine CV Status. API returns three
	of war after the Persian Gulf War or in combat against a		pieces (i.e. 1^20010106^0. The 2 nd piece is the COMBAT VET END DATE in HL7
	hostile force during a period		format.
	of hostilities after		Torriet.
	November 11, 1998.		
727.825, 81	Records if a Veteran served	'Y' FOR YES	ENCOUNTER CV is determined by the use
ENCOUNTER CV	on active duty in a theatre		of API \$\$CVEDT^DGCV (DFN, DATE)
	of combat operations during		that checks the COMBAT VET END DATE
	a period of war after the		field (#.5295) from the PATIENT file (#2) to
	Persian Gulf War or in		determine CV Status. API returns three
	combat against a hostile		pieces (i.e.1^20100106^0). The third piece
	force during a period of hostilities after November		returns:
	11, 1998.		1 - vet was eligible on date specified (or DT)
	11, 1990.		0 - vet was not eligible on date specified (or
			DT)
			Based on these returns, the value for this
			field shall be Y for Yes if value is 1 or left
707.005.00	TTT C 11	AN FOR AFE	blank if 0 to indicate ineligibility.
727.825, 82	This field records that the	'Y' FOR YES	The NATIONAL PATIENT RECORD
NATIONAL PATIENT	patient's record contains 1 or more Category 1		FLAG field is set based on the results of the \$\$GETACT^DGPFAPI(DFNTARGET
RECORD FLAG	(National) Patient Record		ARRAY) call. This call looks at the category
	Flags.		1 national patient record flags as recorded in
			the PRF NATIONAL FLAG file (#26.15).
			The resulting value of this call is the number
			of active category I patient record flags
			assigned to this patient. This field is set to Y
			(YES) if the result is greater than zero. A value of zero causes this field to be left null.
727.825, 83	This field identifies patients		This field is extracted from the
ERI	from impacted zip code		EMERGENCY RESPONSE INDICATOR
	areas designated by the		field (#.181) located in the PATIENT file
	Federal Emergency		(#2). Values are:
	Management Agency		"K" = Hurricane Katrina
	(FEMA).	(III DOD I	Null
727.825, 84	Indicates whether service	'Y' FOR YES	Using the PCE VISIT IEN field (#125) in the
AGENT ORANGE ENC INDICATOR	provided during this patient encounter is related to	'N' FOR NO	A&SP CLINIC VISIT file (#509850.6) a call is made to API VISIT^ECXSCX1 which in
ENC INDICATOR	exposure to Agent Orange.		turn calls ENCEVENT^PXAPI. The
	emposare to rigoni Orange.		ENCEVENT^PXAPI returns the agent
			orange indicator stored at the AGENT
			ORANGE EXPOSURE field (#80002) in the
			VISIT file (#9000010). The value will be
			stored in the output array subscripted by
707 905 95	This field in direct and and	(V' EOD VEC	"AO".
727.825, 85 ENCOUNTER	This field indicates whether treatment provided during	'Y' FOR YES 'N' FOR NO	Using the PCE VISIT IEN field (#125) in the A&SP CLINIC VISIT file (#509850.6) a call
SWAC	this patient encounter is	IN TOKINO	is made to API VISIT file (#309830.6) a call
2	related to exposure to		turn calls ENCEVENT^PXAPI. The
	Southwest Asia conditions		ENCEVENT^PXAPI. The
	while serving in the		ENCEVENT^PXAPI returns the Southwest
	Southwest Asia Theater of		Asia conditions indicator stored at the SW
	operations.		ASIA CONDITIONS field (#80004) in the
			VISIT file (#9000010). The value will be
			stored in the output array subscripted by "PGE".
<u> </u>	1		TOE.

Field # and Name Description Values Technical Description
cancer data stored in the HEAD AND/OR NECK CANCER field (#80006) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "HNC". 727.825, 87 ENCOUNTER MST Indicates the appropriate response for sexual trauma as related to this patient's episode of care. Y' FOR YES 'Y' FOR YES 'N' FOR NO A&SP CLINIC VISIT file (#509850.6) a is made to API VISITAECXSCX1 which turn calls ENCEVENT^PXAPI. The ENCEVENTPXAPI returns the military sexual trauma stored at the MILITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "HNC". 1727.825, 88 RADIATION ENCOUNTER Indicates whether service provided during this patient encounter is related to Encounter is related to Is made to API VISITAECXSCX1 which turn calls ENCEVENTPXAPI. The ENCEVENTPAPAPI returns the military sexual trauma stored at the MILITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". Text of the ENCEVENTPAPAPI returns the military sexual trauma stored at the OILITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". Text of the ENCEVENTPAPAPI returns the military sexual trauma stored at the OILITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". Text of the ENCEVENTPAPAPI returns the military sexual trauma stored at the OILITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST".
and/or neck cancer. and/or neck cancer. and/or neck cancer. and/or neck cancer. turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the head/nec cancer data stored in the HEAD AND/OR NECK CANCER field (#80006) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "HNC". 727.825, 87 ENCOUNTER response for sexual trauma as related to this patient's episode of care. Y' FOR YES 'N' FOR NO A&SP CLINIC VISIT file (#509850.6) a is made to API VISIT^ECXSCX1 which turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the military sexual trauma stored at the MILITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". 727.825, 88 RADIATION provided during this patient encounter is related to 'Y' FOR YES 'N' FOR NO A&SP CLINIC VISIT IEN field (#125) in A&SP CLINIC VISIT file (#509850.6) a is made to API VISIT^ECXSCX1 which is made to API VISIT file (#509850.6) a is made to API VISIT file (#509850.6) a is made to API VISIT^ECXSCX1 which is made to API VISIT^ECXSCX1.
ENCEVENT^PXAPI returns the head/nec cancer data stored in the HEAD AND/OR NECK CANCER field (#80006) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "HNC". 727.825, 87 ENCOUNTER MST Indicates the appropriate response for sexual trauma as related to this patient's episode of care. Y' FOR YES 'N' FOR NO A&SP CLINIC VISIT file (#509850.6) a is made to API VISIT^ECXSCXI which turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the military sexual trauma stored at the MILITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". 727.825, 88 RADIATION ENCOUNTER Indicates whether service provided during this patient encounter is related to ENCOUNTER ENCEVENT^PXAPI returns the military sexual trauma stored at the MILITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". 727.825, 88 RADIATION ENCOUNTER Indicates whether service provided during this patient encounter is related to
cancer data stored in the HEAD AND/OR NECK CANCER field (#80006) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "HNC". 727.825, 87 ENCOUNTER response for sexual trauma as related to this patient's episode of care. Y' FOR YES 'N' FOR NO SEXUAL TRAUMA field (#80005) in the VISIT file (#509850.6) a is made to API VISITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". 727.825, 88 RADIATION provided during this patient encounter is related to RADIATION cancer data stored in the HEAD AND/OR NECK CANCER field (#125) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". Y' FOR YES Using the PCE VISIT IEN field (#125) in A&SP CLINIC VISIT file (#509850.6) a is made to API VISIT file (#509850.6) a is made to API VISITAECXSCX1 which is made to API VISITAE
NECK CANCER field (#80006) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "HNC". 727.825, 87
VISIT file (#9000010). The value will be stored in the output array subscripted by "HNC". 727.825, 87 ENCOUNTER MST Indicates the appropriate response for sexual trauma as related to this patient's episode of care. Y' FOR YES 'N' FOR NO A&SP CLINIC VISIT file (#509850.6) a is made to API VISIT^ECXSCX1 which turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the military sexual trauma stored at the MILITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". 727.825, 88 RADIATION ENCOUNTER Indicates whether service provided during this patient encounter is related to VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". VY FOR YES Y' FOR YES Using the PCE VISIT IEN field (#125) in A&SP CLINIC VISIT file (#509850.6) a is made to API VISIT^ECXSCX1 which is made to API VISIT file (#509850.6) a is made to API VISIT file (#509850.6) a is made to API VISIT^ECXSCX1 which is made to API VISIT file (#509850.6) a is made to API VISIT file
"HNC". 727.825, 87
T27.825, 87 ENCOUNTER MST Indicates the appropriate response for sexual trauma as related to this patient's episode of care. Indicates the appropriate response for sexual trauma as related to this patient's episode of care. Indicates the appropriate response for sexual trauma as related to this patient's episode of care. Indicates the appropriate response for sexual trauma as related to this patient's episode of care. Indicates the appropriate response for sexual trauma as related to this patient's episode of care. Indicates the appropriate response for sexual trauma as related to this patient response for sexual trauma as related to this patient response for sexual trauma as related to this patient response for sexual trauma as related to this patient response for sexual trauma as related to this patient that the provided to this patient response for sexual trauma as related to this patient that the provided to the provided to this patient that the provided to the provided that the pro
response for sexual trauma as related to this patient's episode of care. N' FOR NO A&SP CLINIC VISIT file (#509850.6) a is made to API VISIT^ECXSCX1 which turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the military sexual trauma stored at the MILITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". 727.825, 88 RADIATION ENCOUNTER REPORT SEXUAL TRAUMA field (#125) in the output array subscripted by "MST". Vising the PCE VISIT IEN field (#125) in A&SP CLINIC VISIT file (#509850.6) a is made to API VISIT^ECXSCX1 which is made to API VISIT^ECXSCX1.
MST as related to this patient's episode of care. is made to API VISIT^ECXSCX1 which turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the military sexual trauma stored at the MILITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". 727.825, 88 RADIATION ENCOUNTER Indicates whether service provided during this patient encounter is related to is made to API VISIT^ECXSCX1 which turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the military sexual trauma stored at the MILITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". VY FOR YES Provided during this patient encounter is related to is made to API VISIT file (#509850.6) a is made to API VISIT^ECXSCX1 which
episode of care. turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the military sexual trauma stored at the MILITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". 727.825, 88 RADIATION provided during this patient encounter is related to turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the military sexual trauma stored at the MILITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". 727.825, 88 RADIATION provided during this patient encounter is related to 'Y' FOR YES 'N' FOR NO A&SP CLINIC VISIT file (#509850.6) a is made to API VISIT^ECXSCX1 which is made to API VISIT^ECXSCX1 which is made to API VISIT for the military sexual trauma stored at the MILITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST".
ENCEVENT^PXAPI returns the military sexual trauma stored at the MILITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". 727.825, 88 RADIATION ENCOUNTER ROUNTER ENCEVENT^PXAPI returns the military sexual trauma stored at the MILITARY SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". Using the PCE VISIT IEN field (#125) in A&SP CLINIC VISIT file (#509850.6) a is made to API VISIT^ECXSCX1 which is made to API VISIT^ECXSCX1 which is made to API VISIT file (#509850.6) a is made to API V
SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". 727.825, 88 RADIATION provided during this patient encounter is related to SEXUAL TRAUMA field (#80005) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". Using the PCE VISIT IEN field (#125) in A&SP CLINIC VISIT file (#509850.6) a is made to API VISIT^ECXSCX1 which is made to API VISIT^ECXSCX1 which is made to API VISIT for the value will be stored in the output array subscripted by "MST".
VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". 727.825, 88 Indicates whether service provided during this patient encounter is related to VISIT file (#9000010). The value will be stored in the output array subscripted by "MST". Using the PCE VISIT IEN field (#125) in A&SP CLINIC VISIT file (#509850.6) a is made to API VISIT/ECXSCX1 which is made to API VISIT/ECXSCX1.
stored in the output array subscripted by "MST". 727.825, 88 Indicates whether service provided during this patient encounter is related to stored in the output array subscripted by "MST". Using the PCE VISIT IEN field (#125) in A&SP CLINIC VISIT file (#509850.6) a is made to API VISIT/ECXSCX1 which is made to API VISIT/ECXSCX1.
727.825, 88 Indicates whether service RADIATION provided during this patient ENCOUNTER encounter is related to "MST". "MST". Using the PCE VISIT IEN field (#125) in A&SP CLINIC VISIT file (#509850.6) a is made to API VISIT^ECXSCX1 which is made to API VISIT FECXSCX1.
727.825, 88 Indicates whether service Provided during this patient ENCOUNTER Indicates whether service Provided during this patient encounter is related to Provided to Service Provided during this patient is made to API VISIT File (#509850.6) a is made to API VISIT ECXSCX1 which is made to API VISIT EXECUTED TO THE Provided Fig. 12.5 in the PCE VISIT IEN field (#125) in A&SP CLINIC VISIT file (#509850.6) a is made to API VISIT EXECUTED TO THE PROVIDED TO THE
RADIATION provided during this patient encounter is related to 'N' FOR NO A&SP CLINIC VISIT file (#509850.6) a is made to API VISIT^ECXSCX1 which
ENCOUNTER encounter is related to is made to API VISIT^ECXSCX1 which
INDICATOR exposure to ionizing turn calls ENCEVENTAPY API. The
radiation. ENCEVENT^PXAPI returns the ionizing
radiation exposure indicator stored in the IONIZING RADIATION EXPOSURE fit
(#80003) in the VISIT file (# 9000010). T
value will be stored in the output array
subscripted by "IR".
727.825, 89 Currently Null Currently Null
NUTRITION DIAGNOSIS
727.825, 90 The Military Operation in The Military Operation in which the patie
OEF/OIF which the patient was in was in combat during the specified time
combat during the specified period.
time period. This field is a
length of nine characters and reflects the OEF or OIF This field is a length of nine characters and reflects the OEF or OIF reflects the OEF or OIF where this patient
where this patient was in was in combat. The value of this field is
combat. derived from the LOCATION OF SERVI
field (#.01) from SERVICE [OEF OR OII
sub-file (#2.3215) of field (#.3215) locate
the PATIENT File (#2). DSS will capture once, each location where the veteran serv
In order to accommodate multiple location
the values for this field are concatenated i
this 9-character field. Possible field values
are one or more combinations of the
following: OEF = Operation Enduring
Freedom OIF = Operation Iraqi Freedom
UNK = Unknown OEF/OIF 727.825, 91 The date the veteran left the The date the veteran left the OEF/OIF are
OEF/OIF RETURN OEF/OIF area, if known. known. Otherwise, it is the end date of
DATE Otherwise, it is the end date military pay for this OEF/OIF deploymen
of military pay for this This date field has a format equal to
OEF/OIF deployment This YYYYMMDD. The value of this field is determined from the OFF/OIF TO DATE field
date field has a format equal to YYYYMMDD. derived from the OEF/OIF TO DATE fiel (#.03) from sub-file (#2.3215) of field
to YYYYMMDD. (#.03) from sub-file (#2.3215) of field (#.3215) located in the PATIENT file (#2
tπ.32131 iOcated in tile FATILINT file (#2
cases of multiple OEF/OIF tours, this field

Field # and Name	Description	Values	Technical Description
727.825, 92 ASSOCIATE PC PROVIDER NPI	A standard, unique life-long identifier of the associate primary care provider, which has a field length of fifteen characters.		A standard, unique life-long identifier of the associate primary care provider, which has a field length of fifteen characters. The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI.
727.825, 93 PRIMARY CARE PROVIDER NPI	A standard, unique life-long identifier of the primary care provider. This field has a length of fifteen characters.		A standard, unique life-long identifier of the primary care provider. This field has a length of fifteen characters. Identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI.
727.825, 94 PROVIDER NPI	A standard, unique life-long identifier for individuals providing health care services. This field has a length of fifteen characters.		A standard, unique life-long identifier of the individuals providing health care services. This field has a length of fifteen characters. Identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI.
727.825, 95 PROVIDER #2 NPI	A standard, unique life-long identifier for the second assisting provider of health care services. This field has a length of fifteen characters.		A standard, unique life-long identifier of the second assisting provider of health care service. This field has a length of fifteen characters. Identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI
727.825, 96 PROVIDER #3 NPI	A standard, unique life-long identifier for the third assisting provider of health care services. This field has a length of fifteen characters.		A standard, unique life-long identifier of the third assisting provider of health care service. This field has a length of fifteen characters identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI.
727.825,97 SHAD STATUS	Indicates whether patient meets requirements for Shipboard Hazard and Defense (SHAD).	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN filed (#4) in the QUASAR EXTRACT file (#727.825), Shipboard Hazard and Defense data is derived from using DBIA #4462 GETSHAD^DGUTL3(DFN).
727.825,98 ENCOUNTER SHAD	Indicates if treatment provided during this patient encounter is related to exposure PROJ 112/SHAD condition. Values: Y=YES, N=NO	'Y' FOR YES 'N' FOR NO	Using the VISIT FILE ENTRY field (#.27) in the PATIENT MOVEMENT file (#405) a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the Shipboard Hazard and Defense conditions indicator stored at the PROJ 112/SHAD field (#80008) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "SHAD".
727.825,99 PATCAT	This is the Patient's category which will be used for FHCC (Federal Health Care Center) Reconciliation. DSS must capture and report DoD patients so that the FHCC reconciliation process can function as designed. "Reconciliation" is the process used within the new FHCC to determine which patients DoD pays for and which VA pays for.	'AD' FOR Active Duty 'ADD' FOR Active Duty Dependent 'FNRS' FOR Former Non-Remarried Spouse 'RET' FOR Retired 'RETD' FOR Retiree Dependent 'RES' FOR Reservist 'REC' FOR Recruit 'TDRL' FOR Temporary Disability 'TFL' FOR TRICARE for Life	If the VistA Patient Type Code (TYPE (#391) field of the Patient (#2) file) = Active Duty, Military Retiree, or TRICARE, then the value(s) in the VistA Other Eligibility multiple (PATIENT ELIGIBILITIES (#361) field of the PATIENT (#2) file), which points to locally modifiable ELIGIBILITY CODE (#8) file should be evaluated. If the value in the ELIGIBILITY CODE is equal to any entry in the set of codes in this field, the value should be placed in this field.

Field # and Name	Description	Values	Technical Description
727.825,100	The fourth provider		A character string of format "2"_IEN,
PROVIDER #4	associated with the patient		where IEN is the internal entry number for
	encounter. It represents		the Provider in the NEW PERSON file
	an assisting Provider who		(#200). Data is pulled from the third
	performed the procedure		(#2.7) SECONDARY PROVIDER
	associated with the A&SP		multiple in the A&SP CLINIC VISIT file
	Clinic Visit record.		(#509850.6).
727.825,101	This is the VA code of the		Derived by calling
PROVIDER #4	Person Class of the fourth		\$\$PRVCLASS^ECXUTL(IEN,DATE),
PERSON CLASS	assisting Provider as of the		where IEN is the IEN of the NEW
	date of this record.		PERSON (#200) file. Copied from field
			VA CODE (#5) of the PERSON CLASS
			(#8932.1) file, as pointed to by the Person
			Class (#.01) field of the PERSON CLASS
			(#8932.1) multiple of the NEW PERSON
727.825,102	A standard unique life-		(#200) file. The NPI is retrieved via the supporting
PROVIDER #4 NPI	long identifier of the		Kernel API: \$\$NPI^XUSNPI.
	fourth assisting provider		ποιποι τιι τ. φφινι τ. 2001 (1.
	of health care service.		
727.825,103	The fifth provider		A character string of format "2"_IEN,
PROVIDER #5	associated with the patient		where IEN is the internal entry number for
	encounter. It represents		the Provider in the NEW PERSON file
	an assisting Provider who		(#200). Data is pulled from the
	performed the procedure		fourth(#2.7) SECONDARY PROVIDER
	associated with the A&SP		multiple in the A&SP CLINIC VISIT file
	Clinic Visit record.		(#509850.6).
727.825,104	This is the VA code of the		Derived by calling
PROVIDER #5 PERSON CLASS	Person Class of the fifth		\$\$PRVCLASS^ECXUTL(IEN,DATE),
I EKSON CLASS	assisting Provider as of the		where IEN is the IEN of the NEW
	date of this record.		PERSON (#200) file. Copied from field VA CODE (#5) of the PERSON CLASS
			(#8932.1) file, as pointed to by the Person
			Class (#.01) field of the PERSON CLASS
			(#8932.1) multiple of the NEW OERSON
			(#200) file.
727.825,105	A standard unique life-		The NPI is retrieved via the supporting
PROVIDER #5 NPI	long identifier of the fifth		Kernel API: \$\$NPI^XUSNPI.
	assisting provider of		
	health care service.		
727.825,106	This is the Primary ICD10		Once available, the ICD10 data will be
PRIMARY ICD-10	diagnosis code for this		retrieved from the supported API and
CODE	clinic visit.		stored in this field.
			This field is added in
			This field is added in anticipation of the release of ICD10 and the file will be
			updated at the time the software is updated
			to retrieve the ICD10 information.
727.825,107	This is the first secondary		Once available, the ICD10 data will be
SECONDARY	ICD10 diagnosis code for		retrieved from the supported API and
ICD-10 CODE #1	this clinic visit.		stored in this field.
			This field is added in anticipation of the
			release of ICD10 and the file will be
			updated at the time the software is updated
			to retrieve the ICD10 information.

Field # and Name	Description	Values	Technical Description
727.825,108	This is the second		Once available, the ICD10 data will be
SECONDARY	secondary ICD10		retrieved from the supported API and
ICD-10 CODE #2	diagnosis code for this		stored in this field.
	clinic visit.		
			This field is added in anticipation of the
			release of ICD10 and the file will be
			updated at the time the software is updated
			to retrieve the ICD10 information.
727.825,109	This is the third secondary		Once available, the ICD10 data will be
SECONDARY	ICD10 diagnosis code for		retrieved from the supported API and
ICD-10 CODE #3	this clinic visit.		stored in this field.
			This field is added in anticipation of the
			release of ICD10 and the file will be
			updated at the time the software is updated
			to retrieve the ICD10 information.
727.825,110	This is the fourth		Once available, the ICD10 data will be
SECONDARY	secondary ICD10		retrieved from the supported API and
ICD-10 CODE #4	diagnosis code for this		stored in this field.
	clinic visit.		
			This field is added in anticipation of the
			release of ICD10 and the file will be
			updated at the time the software is updated
			to retrieve the ICD10 information.

#727.814 - RADIOLOGY EXTRACT (RAD) File Data Definition

This file contains data elements as specified by the Decision Support Office (DSO) for the Radiology extract from existing VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains a nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.

Field # and Name	Description	Values	Technical Description
727.814,.01 SEQUENCE NUMBER	The record for this extract entry		The internal entry number (IEN) for this record. This entry is DINUMed.
727.814,1 YEAR MONTH	A six character string representing the year and month for which this extract was performed.		Format is YYYYMM; Year 2000 compliant per vendor.
727.814,2 EXTRACT NUMBER	The corresponding entry in the DSS EXTRACT LOG file (#727) for this extract.		A pointer to the DSS EXTRACT LOG file (#727). The primary purpose is to pick up the header for the mail message.
727.814,3 FACILITY	This is the facility/division where the extract was performed.		Derived from the HOSPITAL DIVISION field (#3) within the REGISTERED EXAMS multiple (#2) in the RAD/NUC MED PATIENT file (#70) HOSPITAL DIVISION points to the RAD/NUC MED DIVISION file (#79) which in turn points to the INSTITUTION file (#4). This is a copy of the STATION NUMBER (#99) field.
727.814,4 PATIENT NO. – DFN	An identifying number for the patient at the local site.		Derived from the NAME field (.01) of the RAD/NUC MED PATIENT file (#70), which is DINUMed to the PATIENT file (#2). This data represents the patient DFN.
727.814,5 SSN	The patient's social security number.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814), SSN data is derived from the SOCIAL SECURITY NUMBER field (#.09) in the PATIENT file (#2).
			"Test" patient status is determined in PAT^ECXUTL3. Any patient with an SSN beginning with "00000" will not be included in the extract.
727.814,6 NAME	The first four characters of the patient's last name.		Using the patient pointer (DFN), stored in the PATIENT NO. – DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) NAME data is derived from the NAME field (#.01) in the PATIENT file (#2). The first four characters of the first "," piece are used, padded with trailing spaces if necessary.
			The name value is returned by the supported call DEM^VADPT.

TP.78.14.7 INDICATOR	Field # and Name	Description	Values	Technical Description
an outpatient for this extract. an outpatient for this extract. by this call, SSINP-ECXUTL2 is called to ochermine inspiration/unpatient status. If the patient is an outpatient, processing stops and the field is set to 0. If the patient is an inpatient them is simply that the patient is an inpatient them is simply that the patient is an inpatient them is simply that the patient is an inpatient them is simply that the patient is an inpatient them is simply that the patient is an inpatient them is simply that the patient is an inpatient them is simply that the patient is an inpatient them is simply that the patient is an inpatient them is simply that the patient is an inpatient that the patient is an inpatient than inpatient that the patient is an inpatient the patient is an inpati	727.814,7	Indicates whether the	'I' FOR INPATIENT	To determine the value of this field a call is
extract. determine inpatient/bourpatient status. If the patient is an outpatient, processing stops and the field is set to O. If the patient is an inpatient then substituted to book at the treating specialty. Statistic in the patient is an inpatient then SINOUTPECE/CUTL4 is called to look at the treating specialty six in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the INPATOUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty six in found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. The treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to I. 277.814.8			'O' FOR OUTPATIENT	
patient is an outpatient, processing stops and the field is set to 0. If the patient is an inpatient then SSINOUTP/ECXUTIA is called to look at the treating specialty. If the patient's treating specialty cxists in the DSS TREATING SPECIALTY TRANSLATION (#27:831) file them the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION (#27:831) file them the value of the DSS TREATING SPECIALTY TRANSLATION (#27:831) file them the indicator is set to L. An 8-character numeric string that represents the date on which the Radiology procedure was performed. An 8-character numeric string that represents the date on which the Radiology procedure was performed. An 8-character numeric string that represents the date on which the Radiology procedure was performed. This field is always exactly 8 numeric characters in length. The format is YYYYMMDD, for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. Tep CODE & MODIFIERS The five character Current Procedural Terminology (CPT) code for the radiology procedure performed, and up to 5 two character CPT modifiers. The five character Current Procedural Terminology (CPT) code for the RADIOLOGY PROCEDURE field (#2) of the EXAMINATIONS multiple (#2) in the RADIOLOGY PROCEDURE field (#3) of the CPT MODIFIERS multiple (#3) to the CPT MODIFIER field (#3) of the EXAMINATIONS multiple (#3) to the CPT MODIFIERS field (#4) to the RADIOLOGY PROCEDURE field (*4) of the RADIOLOGY PROCEDURE field (INDICATOR	-		
the field is set to 0. If the patient is an inpatient then SSNOUTPEEQUIT A is called to look at the treating specialty. Stiff the patient's treating specialty stiff the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not for the treating specialty is not file to the REGISTERED EXAMS sub-file (#700.2); EXAM DATE field (#700.2		extract.		
impatient then \$\$INOUTP*\$CXUTL4 is called to look at the treating specialty. If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the value of the DPATICUTPAT CODE (#5) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the value of the DPATICUTPAT CODE (#5) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. IF the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to I. 727.814,8 An 8-character numeric string that represents the date on which the Radiology procedure was performed. RAD/NUC MED PATIENT file (#70.02): EXAM DATE field (#0.01) This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example, 1997092. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field ("Occatenated with "01" for the day ODD) portion. Year 2000 compliant per vendor (occatenated with "01" for the day ODD) portion. Year 2000 compliant per vendor ("Occatenated with "01" for the day ODD) portion. Year 2000 compliant per vendor ("OCP) code for the TABAN MONTH field in the RAD/NUC MED PATIENT file (#0) of the RAD/NUC MED PATIENT file (#0) of the EXAMINATIONS multiple (#0) of the RAD/NUC MED PATIENT file (#1). The source of CPT modifiers is the MODIFIER field (#1) of the CPT MODIFIERS filed (#1). The source of CPT modifiers is the MODIFIER filed (#1) of the CPT MODIFIERS filed (#1) of the CPT MODIFIERS filed (#1) of the CPT MODIFIERS filed (#1). The source of CPT modifiers is the MODIFIER filed (#1) of the CPT MODIFIERS filed (#1) of the CPT MODIFIERS filed (#1). The imaging location where the RAD/NUC MED PATIENT file (#0.01). This filed in a pointer to the RAD/NUC MED PATIENT file (#0.01). This filed in a pointer to the RAD/NUC MED PATIENT file (#0.01). This filed i				1 1 2 1
called to look at the treating specialty. If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. IF the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. IF the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. IF the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to I. 727.814,8 DAY An 8-character numeric string that represents the date on which the Radiology procedure was performed. This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example 1997/0923. IF the date cannot be determined, then a default is used. The default date is the value of the YEAR MONTH field (#1) concatenated with "0" for the day (DD) portion. Year 2000 compliant per vendor. 727.814,9 CPT CODE & MODIFIERS (CPT) code for the radiology procedure performed, and up to 5 two character CPT modifiers. The five character Current procedural Terminology (CPT) code for the RADINUC MED PROCEDURES file (#7) for the day (DD) portion. Year 2000 compliant per vendor. Procedural Terminology (CPT) code for the RADINUC MED PROCEDURE filed (#2) of the EXAMINATIONS multiple (#3) of the REGISTERED EXAMS multiple (#3) of the REGISTERED EXAMS multiple (#3) of the CPT MODIFIERS filed (#3).) or the CPT MODIFIERS filed (#3).) or the CPT MODIFIERS filed (#3) or the CPT MODIFIERS filed (#4) or the				
TREATING SPĒCĪALTY TRANSLATION (#727.831) file then the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPĒCĪALTY TRANSLATION (#727.831) file is used. IF the treating specialty is not onli in the DSS TREATING SPĒCĪALTY TRANSLATION (#727.831) file is used. IF the treating specialty is not onli in the DSS TREATING SPĒCĪALTY TRANSLATION (#727.831) file is used. IF the treating specialty is not onli in the DSS TREATING SPĒCĪALTY TRANSLATION (#727.831) file then the indicator is set to I. 727.814,8 DAY An 8-character numeric string that represents the date on which the Radiology procedure was performed. This field is always exactly 8 numeric characters in length. The format is YYYMMDD; for example, 19970923. IF the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (D9) roth on the CPT of the day (D9) in the CPT CODE & MODIFIERS MODIFIERS AND THE Five character Current Procedural Terminology (CPT) code for the radiology procedure performed, and up to 5 two character CPT modifiers. The five character Current Procedural Terminology (CPT) code for the RADIOLOGY PROCEDURES file (#2) of the RADINUC MED PROCEDURES file (#3) of the REDINTERED EXAMS multiple (#3) of the REDINTERED EXAMS multiple (#3) of the CPT MODIFIER file (#4).) The source of CPT modifiers is the MODIFIER file (#4).) of the CPT MODIFIERS file (#4) of the CPT MODIFIERS file (#4) of the CPT MODIFIERS file (#6) of the CP				
(#727.813.) file then the value of the INPAT/CUPTAT CODE (#5) of the DSS TREATING SPECIALITY TRANSLATION (#727.831) file is used. IF the treating specialty is not found in the DSS TREATING SPECIALITY TRANSLATION (#727.831) file is used. IF the treating specialty is not found in the DSS TREATING SPECIALITY TRANSLATION (#727.831) file then the indicator is set to L. 727.814.8				
INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION (#727.815) file is used. IF the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.816) file then the indicator is set to I.				
DSS TREATING SPECIALTY TRANSLATION (4727.831) file is used. IF the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (7727.831) file is used. IF the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (7727.831) file in the indicator is set to 1. Data source: RaDAYUC MED PATIENT file (#70) REGISTERED EXAMS sub-file (#70.02); EXAM DATE field (#.01) This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example, 19970923. IF the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day Obj portion. Year 2000 compliant per vendor. The five character Current Procedural Terminology (CPT) code for the radiology procedure performed, and up to 5 two character CPT modifiers. The five character Current RADIOLOGY PROCEDURE field (#2) of the EXAMINATIONS multiple (#30) of the REGISTERED EXAM sultiple (#30) of the REGISTERED EXAM sultiple (#30) of the PATIENT file (#70). CPT CODE is a pointer to PCPT CODE field (#.01) in the CPT file (#81). The source of CPT modifiers is the MODIFIER file (#81). The source of CPT modifiers is the MODIFIER file (#81). The source of CPT modifiers is the MODIFIER file (#81). The source of CPT modifiers is the MODIFIER file (#81) of the CPT MODIFIER file (#81). The source of CPT modifiers is the MODIFIER file (#81). The source of CPT modifiers is the MODIFIER file (#13) of the EXAMINATIONS multiple (#35) of the EXAMINATIONS multiple (*35) of the EXAMINATIONS multiple				
TRANSLATION (#727.831) file is used. IF the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.811) file then the indicator is set to I. 727.814,8 DAY An 8-character numeric string that represents the date on which the Radiology procedure was performed. RAD:NUC MED PATIENT file (#70) REGISTERED EXAMS sub-file (#70.02); EXAM DATE field (#0.10) This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example, 1997/923. IF the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. 727.814,9 TP five character Current Procedural Terminology (CPT) code for the Procedural Terminology (CPT) code for the nadiology procedure performed, and up to 5 two character CPT modifiers. Procedural Terminology (CPT) code for the RAD/NUC MED PATIENT file (#70), CPT CODE is a pointer to the CPT CODE field (#0.10) in the CPT file (#2) of the EXAMINATIONS multiple (#3) of the RAD/NUC MED PATIENT file (#70), CPT CODE is a pointer to the CPT CODE field (#0.11) in the CPT file (#1) in the CPT file (#2) of the CPT MODIFIERS field (#0.10) of the CP				* *
TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to I. 727.814.8 DAY An 8-character numeric string that represents the date on which the Radiology procedure was performed. RAD/NUC MED PATIENT file (#70) REGISTERED EXAMS sub-file (#70.02); EXAM DATE field (#.01) This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example, 19970923. IF the date cannot be termined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concentrated with "01" for the day (DD) portion. Year 2000 compliant per vendor. 727.814.9 CPT CODE & MODIFIERS MODIFIERS The five character Current Procedural Terminology (CPT) code for the radiology procedure performed, and up to 5 two character CPT modifiers. The five character Current Procedural terminology (CPT) code for the radiology procedure performed, and up to 5 two character CPT modifiers. The source of CPT modifiers field (#2) of the RAD/NUC MED PATIENT file (#70). CPT CODE is a pointer to the CPT CODE field (#.01) in the CPT file (#81). The source of CPT modifiers is the MODIFIER field (#.01) of the CPT MODIFIERS field (#.01) of the CPT MODIFIER field (#.01) of the CPT MODIFIERS field (#.01) of the CPT MODIFIER field (#.01) of the CPT MODIFIERS field (#.01) of the CPT MODIFIERS field (#.01) of the CPT MODIFIERS multiple (#.01) of the CPT MODIFIERS field (#				
727.814,8 DAY An 8-character numeric string that represents the date on which the Radiology procedure was performed. This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example, 19979023. IF the date cannot be determined, then a default is used. The default are value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. To the five character Current Procedural Terminology (CPT) code for the radiology procedure performed, and up to 5 two character CPT modifiers. The five character CPT modifiers is the RADINUC MED PATIENT file (#70). CPT CODE is a pointer to the CPT CODE field (#9) in the RADINUC MED PATIENT file (#70). CPT CODE is a pointer to the CPT CODE field (#9.01) in the CPT file (#81.3) as pointed to by the CPT MODIFIERS field (#0.01) of the CPT MODIFIER field (#0.01) of the CPT MODIFIERS field (#0.01) of the CP				the treating specialty is not found in the DSS
Data source: String that represents the date on which the Radiology procedure was performed.				
bay string that represents the date on which the Radiology procedure was performed. RAD/NUC MED PATIENT file (#70) REGISTERED EXAMS sub-file (#70,02); EXAM DATE field (#,01) This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example, 19970923. IF the date cannot be determined, then a default is used. The datel date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. 727.814,9 CPT CODE & MODIFIERS The five character Current Procedural Terminology (CPT) code for the RADIOLOGY procedure performed, and up to 5 two character CPT modifiers. Procedural Terminology (CPT) code for the RADIOLOGY performed, and up to 5 two character CPT modifiers. Procedural Terminology (CPT) code for the RADIOLOGY file (#30) of the REGISTERED EXAMS multiple (#35) of the EXAMINATIONS multiple (#36) of the CPT MODIFIER file (#40) of the CPT MODIFIER file (#40) of the CPT MODIFIER file (#40) of the CPT MODIFIER file (#41) in the CPT CODE filed (#,01) in the CPT MODIFIER file (#0). The CPT MODIFIER file (#0) of the CPT MODIFIER file (#15) of the CPT MODIFIER file (#15) of the EXAMINATIONS multiple (#12) in the RADIOLOGY PROCEDURE filed (2) within the EXAMINATION multiple (#15) of the REGISTERED EXAMS multiple (2) of the RADIOLOGY PROCEDURE filed (2) within the EXAMINATION multiple (#15) of the REGISTERED EXAMS multiple (2) of the RADIOLOGY PROCEDURE filed (4) within the REGISTERED EXAMS multiple (2) of the RADIOLOGY PROCEDURE filed (4) within the REGISTERED EXAMS multiple (2) of the RADIOLOGY PROCEDURE filed (4) within the REGISTERED EXAMS multiple (2) of the RADIOLOGY PROCEDURE filed (4) within the REGISTERED EXAMS multiple (2) of the RADIOLOGY PROCEDURE filed (4) within the REGISTERED EXAMS multiple (2) of the RADIOLOGY PROCEDURE filed (4) within the REGISTERED EXAMS multiple (2) of the RADIOLOGY PROCEDU	707 014 0	A = O = l = = = d = = = = = = = = = = = = = =		`
date on which the Radiology procedure was performed. This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example, 19970923. IF the date cannot be determined, then a default is used. The default date value is the value of the YEAR MOTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. The five character Current Procedural Terminology (CPT CODE & MODIFIERS The five character Current Procedural Terminology (CPT) code for the radiology procedure performed, and up to 5 two character CPT modifiers. The source of CPT modifiers is the MODIFIERS multiple (#35) of the RAD/NUC MED PATIENT file (#10). The source of CPT modifiers is the MODIFIERS multiple (#35) of the EXAMINATIONS multiple (#35) of the RAD/NUC MED PATIENT file (#70). The source of CPT modifiers is the MODIFIER field (#.01) of the CPT MODIFIER field (#.01) of the CPT MODIFIER field (#.01) of the CPT MODIFIERS field (#.01) of the CPT MODIFIER field (#.01) of the CPT MODIFI	•			Data source:
performed. EXAM DATE field (#.01) This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example, 19970923. IF the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. 727.814.9 The five character Current Procedural Terminology (CPT CODE & (CPT) code for the radiology procedure performed, and up to 5 two character CPT modifiers. Derived from the CPT CODE field (#9) in the RAD/NUC MED PROCEDURE field (#2) of the RAD/NUC MED PATIENT file (#70). CPT CODE is a pointer to the CPT CODE field (#0.01) in the CPT TIMED File (#10.01) of the CPT MODIFIER file (#1.01) of the CPT MODIFIER file (#1.01) of the CPT MODIFIER file (#0.01) of the CPT M				RAD/NUC MED PATIENT file (#70)
This field is always exactly 8 numeric characters in length. The format is YYYYMMDD: for example, 19970923. IF the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. 727.814.9 CPT CODE & MODIFIERS The five character Current Procedural Terminology (CPT) code for the radiology procedure performed, and up to 5 two character CPT modifiers. Procedural Terminology (CPT) code for the RADNUC MED PROCEDURES file (#2) of the EXAMINATIONS multiple (#2) of the EXAMINATIONS multiple (#2) in the REGISTERED EXAMS multiple (#2) in the REGISTERED EXAMS multiple (#35) of the EXAMINATIONS multiple (#35) of the EXAMINATIONS multiple (#2) in the REGISTERED EXAMS multiple (#35) of the EXAMINATIONS multiple (#35) of the EXAMINATIONS multiple (*35) of the EXAMINATIO				REGISTERED EXAMS sub-file (#70.02);
characters in length. The format is YYYYMMDD; for example, 19970923. IF the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. 727.814,9 CPT CODE & MODIFIERS The five character Current Procedural Terminology (CPT) code for the radiology procedure performed, and up to 5 two character CPT modifiers. Procedural Terminology (CPT) code for the radiology procedure performed, and up to 5 two character CPT modifiers. Procedural Terminology (CPT) code for the radiology procedure performed, and up to 5 two character CPT modifiers. Procedural Terminology (CPT) code for the radiology procedure performed, and up to 5 two character CPT modifiers. Procedural Terminology (CPT) code for the radiology procedure to the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#70). CPT CODE is a pointer to the CPT CODE field (#,01) in the CPT MODIFIERS field (#,01) of the CPT		performed.		EXAM DATE field (#.01)
characters in length. The format is YYYYMMDD; for example, 19970923. IF the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. 727.814,9 CPT CODE & MODIFIERS The five character Current Procedural Terminology (CPT) code for the radiology procedure performed, and up to 5 two character CPT modifiers. Procedural Terminology (CPT) code for the radiology procedure performed, and up to 5 two character CPT modifiers. Procedural Terminology (CPT) code for the radiology procedure performed, and up to 5 two character CPT modifiers. Procedural Terminology (CPT) code for the radiology procedure performed, and up to 5 two character CPT modifiers. Procedural Terminology (CPT) code for the radiology procedure to the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#70). CPT CODE is a pointer to the CPT CODE field (#,01) in the CPT MODIFIERS field (#,01) of the CPT				This field is always exactly 8 numeric
YYYYMMDD; for example, 19970923. IF the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. 727.814.9 The five character Current Procedural Terminology (CPT) code for the radiology procedure performed, and up to 5 two character CPT modifiers. Procedural Terminology (PROCEDURE filed (#2) of the RAD/NUC MED PROCEDURE filed (#2) of the RAD/NUC MED PATIENT file (#70). CPT CODE is a pointer to the CPT CODE field (#30) in the CPT modifiers is the MODIFIER field (#31.3) as pointed to by the CPT MODIFIERS filed (#30) of the CPT MODIFIERS filed (#3				
is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. 727.814,9 CPT CODE & Procedural Terminology (CPT) code for the radiology procedure Performed, and up to 5 two character CPT modifiers. (CPT) code for the radiology procedure RADIOLOGY PROCEDURE field (#2) of the EXAMINATIONS multiple (#50) of the RADIOLOGY PROCEDURE field (#0.01) in the CPT CODE is a pointer to the CPT CODE field (#0.01) in the CPT file (#81). The source of CPT modifiers is the MODIFIER field (#0.01) of the CPT MODIFIERS field (#0.0				
the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. 727.814,9 CPT CODE & Procedural Terminology (CPT) code for the radiology procedure performed, and up to 5 two character CPT modifiers. RADIOLOGY PROCEDURE field (#2) of the RADINUC MED PATIENT file (#70). CPT CODE is a pointer to the CPT CODE field (#3) in the RADINUC MED PATIENT file (#70). This field in the radiology procedure performed, and up to 5 two character CPT modifiers. The source of CPT modifiers is the MODIFIER file (#81.3) as pointed to by the CPT MODIFIERS filed (#.01) of the CPT MODIFIERS filed (#.01) of the CPT MODIFIERS filed (#.01) of the CPT MODIFIERS multiple (#135) of the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) in the RADINUC MED PATIENT file (#70). The radiology procedure associated with this case. The radiology procedure are radiology procedure associated with this case. The radiol				
### With "01" for the day (DD) portion. Year 2000 compliant per vendor. ### The five character Current Procedural Terminology (CPT) code for the radiology procedure performed, and up to 5 two character CPT modifiers. #### The source of CPT modifiers is the MODIFIER file (#81.) as pointer to the CPT GODE field (#9) in the RAD/NUC MED PROCEDURE file (#2) of the EXAMINATIONS multiple (#2) of the EXAMINATIONS multiple (#2) in the RAD/NUC MED PATIENT file (#70). CPT GODE is a pointer to the CPT CODE field (#.01) in the CPT file (#81.). ##################################				
2000 compliant per vendor.				
The five character Current Procedural Terminology (CPT CODE & Procedural Terminology (CPT) code for the radiology procedure performed, and up to 5 two character CPT modifiers. CPT CODE is a pointer to the CPT CODE field (#9) in the RAD/NUC MED PROCEDURE field (#2) of the EXAMINATIONS multiple (#50) of the RAD/NUC MED PATIENT file (#70). CPT CODE is a pointer to the CPT CODE field (#0.01) in the CPT GODE field (#0.01) of the CPT MODIFIER field (#0.01) of the CPT MODIFIERS field (#0.01) of the CPT MODIFIERS field (#0.01) of the CPT MODIFIERS multiple (#135) of the EXAMINATIONS multiple (#2) in the REGISTERED EXAMS multiple (#2) in the RAD/NUC MED PATIENT file (#70). The radiology procedure associated with this case. Derived from the RADIOLOGY PROCEDURE field (2) within the EXAMINATIONS multiple (50) of the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). This field in a pointer to the RADIOLOGY PROCEDURES file (#71).				
MODIFIERS (CPT) code for the radiology procedure performed, and up to 5 two character CPT modifiers. (#71) for the procedure identified in the RADIOLOGY PROCEDURE field (#2) of the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) in the RAD/NUC MED PATIENT file (#70). CPT CODE is a pointer to the CPT CODE field (#.01) in the CPT file (#81). The source of CPT modifiers is the MODIFIER file (#81.3) as pointed to by the CPT MODIFIERS field (#.01) of the CPT MODIFIERS field (#.01) of the CPT MODIFIERS multiple (#135) of the EXAMINATIONS multiple (#35) of the REGISTERED EXAMS multiple (#2) in the RAD/NUC MED PATIENT file (#70). To revived from the RADIOLOGY PROCEDURE field (2) within the EXAMINATIONS multiple (50) of the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). This field in a pointer to the RADIOLOGY PROCEDURES file (#71). The imaging location where this radiology exam was performed. The imaging location where this radiology exam was performed.				Derived from the CPT CODE field (#9) in
radiology procedure performed, and up to 5 two character CPT modifiers. RADIOLOGY PROCEDURE field (#2) of the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) in the RAD/NUC MED PATIENT file (#70). CPT CODE is a pointer to the CPT CODE field (#.01) in the CPT file (#81). The source of CPT modifiers is the MODIFIER field (#.01) of the CPT MODIFIER field (#.01) of the CPT MODIFIER field (#.01) of the CPT MODIFIERS multiple (#13.3) as pointed to by the CPT MODIFIERS multiple (#13.5) of the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) in the RAD/NUC MED PATIENT file (#70). T27.814,10 The radiology procedure associated with this case. PROCEDURE T27.814,11 The imaging location where this radiology exam was performed. T27.814,11 The imaging location where this radiology exam was performed. T27.814,11 The imaging location where this radiology exam was performed.				
performed, and up to 5 two character CPT modifiers. the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) in the RAD/NUC MED PATIENT file (#70). CPT CODE is a pointer to the CPT CODE field (#.01) in the CPT file (#81). The source of CPT modifiers is the MODIFIER field (#.01) of the CPT MODIFIERS field (#.01) of the CPT MODIFIERS file (#.01) of the CPT MODIFIERS multiple (#135) of the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) in the RAD/NUC MED PATIENT file (#70). T27.814,10 PROCEDURE The radiology procedure associated with this case. PROCEDURE field (2) within the EXAMINATIONS multiple (50) of the REGISTERED EXAMS multiple (2) of the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). This field in a pointer to the RADIOLOGY PROCEDURES file (#71). T27.814,11 The imaging location where this radiology exam was performed. The imaging location where this radiology exam was performed.	MODIFIERS			
character CPT modifiers. REGISTERED EXAMS multiple (#2) in the RAD/NUC MED PATIENT file (#70). CPT CODE is a pointer to the CPT CODE field (#.01) in the CPT file (#81). The source of CPT modifiers is the MODIFIER field (#.01) of the CPT MODIFIER field (#.01) of the CPT MODIFIERS field (#.01) of the CPT MODIFIERS multiple (#135) of the EXAMINATIONS multiple (#35) of the EXAMINATIONS multiple (#35) of the REGISTERED EXAMS multiple (#2) in the RAD/NUC MED PATIENT file (#70). T27.814,10 PROCEDURE The radiology procedure associated with this case. The radiology procedure associated with the radiology procedure associated with this case. The radiology procedure associated with the radiology assoc				· · ·
CODE is a pointer to the CPT CODE field (#.01) in the CPT file (#81). The source of CPT modifiers is the MODIFIER field (#.01) of the CPT MODIFIER field (#.01) of the CPT MODIFIERS field (#.01) of the CPT MODIFIERS field (#.01) of the CPT MODIFIERS multiple (#135) of the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) in the RAD/NUC MED PATIENT file (#70). The radiology procedure associated with this case. The radiology procedure associated with the action of the procedure associated with this case.				
(#.01) in the CPT file (#81). The source of CPT modifiers is the MODIFIER field (#.01) of the CPT MODIFIERS multiple (#135) of the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) in the RAD/NUC MED PATIENT file (#70). The radiology procedure associated with this case. The radiology procedure associated with this case. PROCEDURE field (2) within the EXAMINATIONS multiple (50) of the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). This field in a pointer to the RADIOLOGY PROCEDURES file (#71). To rived from the IMAGING LOCATION field (4) within the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). It is a pointer to the RAD/NUC MED PATIENT file (#70). It is a pointer to the RAD/NUC MED PATIENT file (#70). It is a pointer to the RAD/NUC MED PATIENT file (#70). It is a pointer to the RAD/NUC MED PATIENT file (#70). It is a pointer to the RAD/NUC MED				` '
The source of CPT modifiers is the MODIFIER field (#.01) of the CPT MODIFIER field (#.01) of the CPT MODIFIERS multiple (#135) of the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) in the RAD/NUC MED PATIENT file (#70). The radiology procedure associated with this case. The radiology procedure associated with this case. PROCEDURE field (2) within the EXAMINATIONS multiple (50) of the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). This field in a pointer to the RADIOLOGY PROCEDURES file (#71). The imaging location where this radiology exam was performed. The source of CPT modifiers is the MODIFIER field (#30) of the CPT MODIFIERS field (#30). This field (#30) of the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). It is a pointer to the				
MODIFIER field (#.01) of the CPT MODIFIERS field (#.81.3) as pointed to by the CPT MODIFIERS field (#.01) of the CPT MODIFIERS multiple (#135) of the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) in the RAD/NUC MED PATIENT file (#70). The radiology procedure associated with this case. PROCEDURE The radiology procedure associated with this case. PROCEDURE field (2) within the EXAMINATIONS multiple (50) of the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). This field in a pointer to the RADIOLOGY PROCEDURES file (#71). T27.814,11 The imaging location where this radiology exam was LOCATION performed. The imaging location where field (4) within the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). It is a pointer to the				(#.01) in the CPT file (#81).
MODIFIER field (#.01) of the CPT MODIFIER file (#81.3) as pointed to by the CPT MODIFIERS field (#.01) of the CPT MODIFIERS multiple (#135) of the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) in the RAD/NUC MED PATIENT file (#70). The radiology procedure associated with this case. PROCEDURE The radiology procedure associated with this case. PROCEDURE field (2) within the EXAMINATIONS multiple (50) of the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). This field in a pointer to the RADIOLOGY PROCEDURES file (#71). T27.814,11 The imaging location where this radiology exam was LOCATION performed. The imaging location where field (4) within the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). It is a pointer to the				The source of CPT modifiers is the
CPT MODIFIERS field (#.01) of the CPT MODIFIERS multiple (#135) of the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) in the RAD/NUC MED PATIENT file (#70). The radiology procedure associated with this case. PROCEDURE PROCEDURE PROCEDURE field (2) within the EXAMINATIONS multiple (50) of the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). This field in a pointer to the RADIOLOGY PROCEDURES file (#71). The imaging location where this radiology exam was performed. Derived from the IMAGING LOCATION field (4) within the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). It is a pointer to the				MODIFIER field (#.01) of the CPT
MODIFIERS multiple (#135) of the EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) in the RAD/NUC MED PATIENT file (#70). The radiology procedure associated with this case. PROCEDURE The radiology procedure associated with this case. PROCEDURE field (2) within the EXAMINATIONS multiple (50) of the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). This field in a pointer to the RADIOLOGY PROCEDURES file (#71). The imaging location where this radiology exam was performed. Derived from the IMAGING LOCATION field (4) within the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). It is a pointer to the				
EXAMINATIONS multiple (#50) of the REGISTERED EXAMS multiple (#2) in the RAD/NUC MED PATIENT file (#70). 727.814,10 PROCEDURE The radiology procedure associated with this case. PROCEDURE field (2) within the EXAMINATIONS multiple (50) of the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). This field in a pointer to the RADIOLOGY PROCEDURES file (#71). The imaging location where this radiology exam was performed. Derived from the IMAGING LOCATION field (4) within the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). It is a pointer to the				
REGISTERED EXAMS multiple (#2) in the RAD/NUC MED PATIENT file (#70). 727.814,10 PROCEDURE associated with this case. Derived from the RADIOLOGY PROCEDURE field (2) within the EXAMINATIONS multiple (50) of the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). This field in a pointer to the RADIOLOGY PROCEDURES file (#71). The imaging location where this radiology exam was LOCATION performed. Derived from the IMAGING LOCATION field (4) within the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). It is a pointer to the				
RAD/NUC MED PATIENT file (#70). 727.814,10 PROCEDURE associated with this case. PROCEDURE field (2) within the EXAMINATIONS multiple (50) of the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). This field in a pointer to the RADIOLOGY PROCEDURES file (#71). 727.814,11 The imaging location where this radiology exam was performed. The imaging location where this radiology exam was performed. The imaging location where this radiology exam was performed. PATIENT file (#70). It is a pointer to the				
727.814,10 PROCEDURE The radiology procedure associated with this case. Derived from the RADIOLOGY PROCEDURE field (2) within the EXAMINATIONS multiple (50) of the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). This field in a pointer to the RADIOLOGY PROCEDURES file (#71). The imaging location where this radiology exam was performed. Derived from the IMAGING LOCATION field (4) within the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). It is a pointer to the				
EXAMINATIONS multiple (50) of the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). This field in a pointer to the RADIOLOGY PROCEDURES file (#71). The imaging location where this radiology exam was performed. Derived from the IMAGING LOCATION field (4) within the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). It is a pointer to the				Derived from the RADIOLOGY
REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). This field in a pointer to the RADIOLOGY PROCEDURES file (#71). 727.814,11 The imaging location where this radiology exam was performed. Derived from the IMAGING LOCATION field (4) within the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). It is a pointer to the	PROCEDURE	associated with this case.		` /
RAD/NUC MED PATIENT file (#70). This field in a pointer to the RADIOLOGY PROCEDURES file (#71). 727.814,11 The imaging location where this radiology exam was performed. Derived from the IMAGING LOCATION field (4) within the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). It is a pointer to the				
field in a pointer to the RADIOLOGY PROCEDURES file (#71). 727.814,11 The imaging location where IMAGING this radiology exam was LOCATION performed. The imaging location where this radiology exam was performed. Derived from the IMAGING LOCATION field (4) within the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). It is a pointer to the				
PROCEDURES file (#71). 727.814,11 The imaging location where this radiology exam was performed. Derived from the IMAGING LOCATION field (4) within the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). It is a pointer to the				` '
IMAGING LOCATION this radiology exam was performed. field (4) within the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). It is a pointer to the				PROCEDURES file (#71).
LOCATION performed. multiple (2) of the RAD/NUC MED PATIENT file (#70). It is a pointer to the				
PATIENT file (#70). It is a pointer to the				
	LOCATION	performed.		
(πD) (πT) .				RADIOLOGY LOCATIONS file (#79.1).

Field # and Name	Description	Values	Technical Description
727.814,12	The patient's ward or clinic		Derived from the WARD field (6) within the
LOCATION	location.		EXAMINATIONS multiple (50) of the
(WARD OR			REGISTERED EXAMS multiple (2) of the
CLINIC)			RAD/NUC MED PATIENT file (#70). Using
CER(IC)			this WARD LOCATION file (#42) pointer,
			the data is derived from the HOSPITAL
			LOCATION FILE POINTER field (44) in
			the WARD LOCATION file (#42), which is
			a pointer to the HOSPITAL LOCATION file
			(#44).
			If the patient is not assigned to a ward, data is
			derived from the PRINCIPAL CLINIC field
			(8) within the EXAMINATIONS multiple
			(50) of the REGISTERED EXAMS multiple
			(2) of the RAD/NUC MED PATIENT file
			(#70). PRINCIPAL CLINIC is a pointer to
			the HOSPITAL LOCATION file (#44).
727.814,13	Indicates the name of the		Derived from the SERVICE field (7) within
SERVICE	service treating the patient.		the EXAMINATIONS multiple (50) of the
			REGISTERED EXAMS multiple (2) of the
			RAD/NUC MED PATIENT file (#70)
			SERVICE is a pointer to the HOSPITAL
			SERVICE file (#49)
727.814,14	Indicates the diagnostic		Derived from the PRIMARY DIAGNOSTIC
DIAGNOSTIC	code associated with this		CODE field (13) within the
CODE	exam.		EXAMINATIONS multiple (50) of the
CODE	CAAIII.		REGISTERED EXAMS multiple (2) of the
			RADIOLOGY PATIENT file (#70)
			` ,
			DIAGNOSTIC CODEs sia pointer to the
707 014 15	Indicates the manage		DIAGNOSTIC CODES file (#78.3)
727.814,15 REQUESTING	Indicates the person requesting this radiology		Derived from the REQUESTING PHYSICIAN field (14) within the
PHYSICIAN			l '
PHISICIAN	exam.		EXAMINATIONS multiple (50) of the
			REGISTERED EXAMS multiple (2) of the
			RAD/NUC MED PATIENT file (#70). If
			REQUESTING PHYSICIAN is a pointer to
	1		the NEW PERSON file (#200), it is stored as
	1		"2"_pointer value. If REQUESTING
	1		PHYSICIAN is a pointer to the PROVIDER
505 0444 5	1		file (#6), it is stored as "6"_pointer value.
727.814,16	Indicates radiology		Derived from the MODIFIERS field (.01)
MODIFIERS	modifiers associated with		within the MODIFIERS multiple (#125) of
	this exam.		the EXAMINATIONS multiple (50) within
	1		the REGISTERED EXAMS multiple (2) of
	1		the RAD/NUC MED PATIENT file (#70).
	1		This field consists of a string of pointers to
			the PROCEDURE MODIFIERS file (#71.2)
	<u> </u>		separated by semi-colons (;).
727.814,17	Current patient movement		A call to IN5^VADPT (using the patient IEN
MOVEMENT FILE	record associated with this		and the event date) returns a patient
#	extract record.		movement number (indicating inpatient
			status). This field is set to the value of
	1		VAIP(1), which is a pointer to the PATIENT
	1		MOVEMENT file (#405).
			mo (Emiliti inc (11703).

TREATING SPECIALTY TREATING TREATING SPECIALTY The The A 6-characater numeric string that represents the time of day when this Radiology procedure was performed. TREATING TREATING TREATING SPECIALTY Then, the PTF Code (field #7 of file 42.4) is obtained and stored instead of the IEN of the specialty. Then, the PTF Code (field #7 of file 42.4) is obtained and stored instead of the IEN of the specialty. TREATING TREATING TREATING TREATING TREATING TREATING TREATING A 6-characater numeric string that represents the time of day when this Radiology procedure was performed. TREATING TRE	Field # and Name	Description	Values	Technical Description
with this extract record. (using the patient IEM and the event dato) returns a patient movement number (indicating inpatient status), the value of VAIP(8), which is the pointer to the FACILITY TREATING SPECIALITY file (#45.7), is used to get the SPECIALITY file (#42.4). Then, the PTF Code (field #7 of file 42.4) is obtained and stored instead of the IEN of the specialty. Time	727.814,18	The PTF CODE of the		This field is initialized to a null, indicating an
returns a patient movement number (indicating inpatient status), the value of VAIR(S), which is the pointer to the FACILITY TREATING SPECIALTY field (1) which points to the SPECIALTY field (22.4). It is obtained and stored instead of the IEN of the specialty. 727.814.19 TIME A 6-characater numeric string that represents the time of day when this Radiology procedure was performed. RADNUC MED PATIENT field (#70.0), REGISTERED EXAMS sub-file (#70.02), EXAM DATE field (#70.02),				
(indicating inpatient status), the value of VAIP(8), which is the pointer to the FACILITY TREATING SPECIALTY field (445.7), is used to get the SPECIALTY field (1) which points to the SPECIALTY field (445.7), is used to get the SPECIALTY field (445.7), is used to get the SPECIALTY field (445.7), is used to get the SPECIALTY field (442.4). If the control of the specialty. Then, the PTF Code (field #7 of file 42.4) is obtained and stored instead of the IEN of the specialty.	SPECIALTY	with this extract record.		
VAIRS, which is the pointer to the FACILITY TIREATING SPECIALTY field (1) which points to the SPECIALTY field (2) which points to the SPECIALTY field (3) which points to the SPECIALTY field (442.4). Then, the PTF Code (field 47 of file 42.4) is obtained and stored instead of the IEN of the specialty. A 6-characater numeric string that represents the time of day when this Radiology procedure was performed. Take the procedure was performed. The primary procedure was performed. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The primary care team assigned to this patient the IEN of the RADINUC MED PATIENT file (470). It is a pointer to the IENAGING TYPE file (479-2). The primary care team assigned to this patient the RADINUC MED PATIENT file (470) and the patient pointer (DFN) stored in the PATIENT NO. – DFN field (4) in the RADINUC MED PATIENT file (470-1) and the patient prointer (DFN) stored in the PATIENT NO. – DFN field (4) in the RADINUC MED PATIENT file (470-1) and the patient prointer (DFN) stored in the PATIENT NO. – DFN field (4) in the RADINUC MED PATIENT file (470-1) and the patient prointer (DFN) the pointer while the team's internal entry number and name from the TEAM file (470-45). Only the pointer the patient through the Primary Care Management Module (PCMM) module. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) module. The primary care provider assigned to the patient through the Primary Care Management Module (PCMM) module. The primary care provider in file (470-3) and the PATIENT NO. – DFN field (40) in the RADINUC MED PATIENT file (470-3) and the PATIENT NO. – DFN field (40) in the RADINUC MED PATIENT file (470-3) and the PATIENT INDEX by the PATIENT file (470-3) and the PATIENT file (470-3) and the PATIENT file				
FACILITY TREATING SPECIALTY field (#35.7), is used to get the SPECIALTY field (#35.7), is used to get the SPECIALTY field (#45.4), is obtained and stored instead of the IEN of the specialty. Then, the PTF Code (field #7 of file 42.4) is obtained and stored instead of the IEN of the specialty. Then, the PTF Code (field #7 of file 42.4) is obtained and stored instead of the IEN of the specialty. Then, the PTF Code (field #7 of file 42.4) is obtained and stored instead of the IEN of the specialty. Then, the PTF Code (field #7 of file 42.4) is obtained and stored instead of the IEN of the specialty. Then, the PTF Code (field #7 of file 42.4) is obtained and stored instead of the IEN of the specialty. Take filed is always exactly 6 numeric characters in length; if time cannot be determined, "900300" is used as default. The filed is always exactly 6 numeric characters in length; if time cannot be determined, "900300" is used as default. Derived from the TYPE OF the (#70.0) is used as default. Derived from the TYPE OF the (#70.0) is used as default. Derived from the TYPE OF the (#70.0) is used as default. The primary care team assigned to this patient assigned to this patient of the IMAGING TYPE file (#70.2) is used as default. The primary care team assigned to this patient the PTF of the (#70.2) is used as default. The primary care provider assigned to this patient the PTF of the (#70.2) is used as default. The primary care provider assigned to this patient through the Primary Care for the IMAGING TYPE file (#70.2) is used as default. The primary care provider assigned to this patient through the Primary Care for the PTF of the PTF of the (#70.2) is used as default. The primary care provider assigned to this patient through the Primary Care for the PTF of the (#70.2) is used as default. The primary care provider assigned to this patient through the PTF of the (#70.2) is used to the potential through the PTF of the (#70.2) is used to the primary care for the PTF of the (#70.2) is used to the patient o				
(#45.7), is used to get the SPECIALTY field (f) which points to the SPECIALTY field (f) which points of the SPECIALTY field (f) which points of the SPECIALTY field (f) which points of the SPECIALTY field (f) which the SPECIALTY field (f) which the SPECIALTY field (f) filed (f) which the SPECIALTY field (f) filed (f) which the SPECIALTY filed (f) which the SPECIALTY (f) which the SPECIAL filed (f) which the SPECIAL filed (f) which the SPECIAL filed (f) which the SPECIA				
(1) which points to the SPECIALTY file (#42.4). Then, the PTF Code (field #7 of file 42.4) is obtained and stored instead of the IEN of the specialty. Then, the PTF Code (field #7 of file 42.4) is obtained and stored instead of the IEN of the specialty. The specialty. A 6-character numeric plant represents the time of day when this Radiology procedure was performed. This field is always exactly 6 numeric characters in length; if time cannot be determined, "000300" is used as default. This field is always exactly 6 numeric characters in length; if time cannot be determined, "000300" is used as default. This field is always exactly 6 numeric characters in length; if time cannot be determined, "000300" is used as default. This field is always exactly 6 numeric characters in length; if time cannot be determined, "000300" is used as default. Derived from the TYPE OF IMAGING field (2) within the REGISTERED EXAMS multiple (2) of the RADNUC MED PATIENT file (#70). It is a pointer to the IMAGING TYPE file (#79.2). Using the EXAM DATE field (01) within the REGISTERED EXAMS multiple (2) of the RADNUC MED PATIENT File (#70) and the patient pointer (DFN) stored in the PATIENT FINO .—1DFN file (40) in the RADNUC MED PATIENT FILE (#70). The PATIENT FILE (#70) and the patient pointer (DFN) stored in the PATIENT FNO .—1DFN file (40) in the RADNUC MED PATIENT FILE (#70) and the patient pointer (DFN) stored in the PATIENT FNO .—1DFN file (40) in the RADNUC MED PATIENT FILE (#70) and the patient pointer (DFN) stored in the PATIENT FNO .—1DFN file (40) in the RADNUC MED PATIENT FILE (#70) and the patient pointer (DFN) stored in the FREE (#70) and the patient pointer (DFN) stored in the FREE (#70) and the patient pointer (DFN) stored in the FREE (#70) and the patient pointer (DFN) stored in the FREE (#70) and the patient pointer (DFN) stored in the FREE (#70) and the patient file (#70) and the PATIENT FNO .—1DFN file (#0) in the RADNUC MED PATIENT FNO .—1DFN file (#0) in the RADNUC MED PATIENT FNO .—1DFN file (#0) in the R				
The the PTF Code (field #7 of file 42.4) is obtained and stored instead of the IEN of the specialty.				
Obtained and stored instead of the IEN of the specialty.				
727.814,19 The primary care team assigned to this patient assigned to this patient through the primary Care from the TEAM file (#404.51). Only the pointer (EIN) to file (#405.51) is transmitted. 727.814,22 The primary care provider assigned to this patient through the Primary Care from the TEAM file (#40.51). Only the primary Care from the TEAM file (#40.51). Only the pointer (EIN) to file (#40.51). The API returns the provider's internal entry number and name from the TEAM file (#40.51). Only the pointer (EIN) to file (#40.51). The API returns the provider's internal entry number and name from the TEAM file (#40.51). Only the pointer (EIN) to file (#40.51). Only the pointer of the TEAM file (#40.51). Only the pointer of the TEAM file (#40.51). Only the pointer (EIN) to file (#40.51). Only the pointer of the TEAM file (#40.51). Only the pointer of the through the Primary Care from the TEAM file (#40.51). Only the pointer of the through the Primary Care from the New PERSON file (#40.51). Only the pointer of the PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is \$8765, the value that will be stored is 298765. The EXAM DATE field (#0.01) of the RADNUC MED PATIENT file (#70.01) and the partition of the PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is \$8765, the value that will be stored is 298765. The EXAM DATE field (#0.01) of the RADNUC MED PATIENT file (#70.01) and the partition the EXAM DATE field (#0.01) of the RADNUC MED PATIENT file (#70.01) of the RADNUC MED PA				The off DTE Code (6:11 #7 of 61, 40 4) in
Specialty.				
TIME A 6-characater numeric string that represents the time of day when this Radiology procedure was performed. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The primary care team assigned to this patient the REGISTERED EXAMS and the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70) is a pointer to the MAGING TYPE file (#70) and the patient pointer (DFN) stored in the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70) is to pointer value to the RAD/NUC MED PATIENT file (#70) is to pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is \$98765, the value that will be stored is 298765. Texam Date of this patient through the Primary Care Management Module (PCMM) module. Texam Date of this patient through the Primary Care Management Module (PCMM) module. Texam Date of this patient through the Primary Care Management Module (PCMM) module. Texam Date of this patient through the Primary Care Management Module (PCMM) module. The primary Care PROVIDER is the value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is \$98765, the value that will be stored is 298765. The EXAM DATE field (#.01) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. DEN field (#.01) in the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. DEN field (#.01) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. DEN field (#.01) in the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. DEN field (#.01) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. DEN field (#.01) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. DEN field (#.01) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. DEN field (#.01) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. DEN fiel				
TIME string that represents the time of day when this Radiology procedure was performed. RADINUC MED PATIENT file (#70). REGISTERED EXAMS sub-file (#70.02), EXAM DATE field (#.01) This field is always exactly 6 numeric characters in length; if time cannot be determined, "000300" is used as default. 727.814.20 IPMAGING TYPE The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The primary care team assigned to this patient TEAM The primary care team assigned to this patient TEAM The primary care team assigned to this patient The primary care team assigned to this patient The primary care team assigned to this patient The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) module. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) module. The primary care provider in the REGISTERED EXAMS multiple (2) of the RADINUC MED PATIENT in the Primary Care Management Module (PCMM) module. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) module. The primary care provider in the REGISTERED EXAMS multiple (#2) of the RADINUC MED PATIENT in the REGISTERED EXAMS multiple (#2) of the RADINUC MED PATIENT in the REGISTERED EXAMS multiple (#2) of the RADINUC MED PATIENT in the REGISTERED EXAMS multiple (#2) of the REGISTERED EXAMS multiple (#2) of the RADINUC MED PATIENT in the REGISTERED EXAMS multiple (#2) of the REGISTERED EXAMS multiple (#2) of the RADINUC MED PATIENT in the REGISTERED EXAMS multiple (#2) of the RADINUC MED PATIENT in the REGISTERED EXAMS multiple (#2) of the	727.814,19	A 6-characater numeric		
Radiology procedure was performed. REGISTERED EXAMS sub-file (#70.02), EXAM DATE field (#.01) This field is always exactly 6 numeric characters in length; if time cannot be determined, "000300" is used as default. 727.814.20 IMAGING TYPE The type of imaging used for this radiology exam. The primary care team assigned to this patient this patient through the primary Care assigned to this patient through the Primary Car		string that represents the		
performed. EXAM DATE field (#.01) This field is always exactly 6 numeric characters in length; if time cannot be determined. "ODOS00" is used as default. Text. 10				RAD/NUC MED PATIENT file (#70),
This field is always exactly 6 numeric characters in length; if time cannot be determined, '000300' is used as default. 727.814.20 IMAGING TYPE The type of imaging used for this radiology exam. The type of imaging used for the Radon The the Radon The Radon The Radon The				
characters in length; if time cannot be determined, "000300" is used as default. 727.814,20 IMAGING TYPE The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The partiest of the RAD/NUC MED PATIENT file (#70). It is a pointer to the IMAGING TYPE file (#70). The RADIOLOGY EXTRACT file (#72). The primary care team assigned to this patient through the primary care provider assigned to this patient through the Primary Care Management Module The primary care provider assigned to this patient through the Primary Care Management Module The primary Care provider in the provider's internal entry number and name from the NEW PERSON file (#700). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The EXAM DATE field (#01) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#72). All are the parameters used in the Scheduling API (all), that returns the parameters used in the Scheduling API (all), that returns the parameters used in the Scheduling API (all), that returns the parameters used in the Scheduling API (all), that returns		performed.		EXAM DATE field (#.01)
characters in length; if time cannot be determined, "000300" is used as default. 727.814,20 IMAGING TYPE The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology exam. The type of imaging used for this radiology of the RaDNUC MED PATIENT file (#70). It is a pointer to the IMAGING TYPE file (#79.2.7.814, 22 and 1 and 1 and 1 and 1 and 1 and 1 the REGISTERED EXAMS multiple (2) of the RADNUC MED PATIENT file (#70). The PATIENT NO. – DFN field (#4) in the RADNUC MED PATIENT file (#70.2.7.814) are the parameters used in the Scheduling API. The primary care provider assigned to this patient through the Primary Care Management Module The primary care provider assigned to this patient through the Primary Care from the NEW PERSON file (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The EXAM DATE field (#0.1) of the REGISTERED EXAMS multiple (#2) of the RADNUC MED PATIENT file (#70) and the PATIENT NO. – DFN field (#4) in the RADNUC MED PATIENT file (#70) and the PATIENT NO. – DFN field (#4) in the RADNUC MED PATIENT file (#72.814) are the parame				This field is always exactly 6 numeric
determined, "000300" is used as default. The type of imaging used for this radiology exam.				
MAGING TYPE for this radiology exam. (2) within the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70). It is a pointer to the IMAGING TYPE file (#79.2). T27.814.21 PRIMARY CARE TEAM T				
multiple (2) of the RAD/NUC MED PATIENT file (#70). It is a pointer to the IMAGING TYPE file (#79.2). The primary care team assigned to this patient TEAM				Derived from the TYPE OF IMAGING field
PATIENT file (#70). It is a pointer to the IMAGING TYPE file (#79.) at it is a pointer to the IMAGING TYPE file (#79.) at it is a pointer to the IMAGING TYPE file (#79.) at the RADINUC MED PATIENT file (#70) and the patient pointer (DFN) stored in the PATIENT NO. – DFN field (4) in the RADIOLOGY EXTRACT file (#727.814), a call is made to the Scheduling API, OUTPTIM'sDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51) is transmitted. Text assigned to this patient through the Primary Care Management Module (PCMM) module. Text assigned to this patient through the Primary Care Management Module (PCMM) module. Text assigned to this patient through the Primary Care Management Module (PCMM) module. Text assigned to this patient through the Primary Care Management Module (PCMM) module. Text assigned to this patient through the Primary Care Management Module (PCMM) module. Text assigned to this patient through the Primary Care Management Module (PCMM) module. Text assigned to the pointer of the provider value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The EXAM DATE field (#.01) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#727.814) are the parameters used in the Scheduling API call. Text as a Unique national VA patient identifier	IMAGING TYPE	for this radiology exam.		
T27.814,21 PRIMARY CARE TEAM The primary care team assigned to this patient TEAM The primary care team assigned to this patient TEAM The primary care team assigned to this patient TEAM				
The primary care team assigned to this patient The primary care provider assigned to this patient The primary care provider assigned to this patient through the Primary Care provider assigned to this patient through the Primary Care through the Primary Care provider assigned to this patient and the Primary Care provider assigned to the Scheduling API, and the Primary Care provider assigned to this patient and the Primary Care provider assigned to the Scheduling API, and the Primary Care provider assigned to the Scheduling API, and the Primary Care provider assigned to this patient and the Primary Care provider assigned to the Scheduling API, and the Primary Care p				
PRIMARY CARE TEAM assigned to this patient the REGISTERED EXAMS multiple (2) of the RAD/NUC MED PATIENT file (#70) and the patient pointer (DFN) stored in the PATIENT NO. – DFN field (4) in the RAD/IOLOGY EXTRACT file (#727.814), a call is made to the Scheduling API, OUTPTTM*SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51) only the pointer (IEN) to file (404.51) is transmitted. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) module. PROVIDER PROVIDER The primary Care Management Module (PCMM) module. The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The EXAM DATE field (#.01) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. — DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API (all. T27.814, 23 MASTER PATIENT INDEX Derived by calling API, \$\$GETTICN*MP1001 (Supported DB1A #1701), that returns the Integration Control Number (ICN) for the given patient in the	727 814 21	The primary core toom		
TEAM the RAD/NUC MED PATIENT file (#70) and the patient pointer (DFN) stored in the PATIENT NO. – DFN field (4) in the RADIOLOGY EXTRACT file (#727.814), a call is made to the Scheduling API, OUTPTTM^SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51). Only the pointer (IEN) to file (404.51) is transmitted. The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) module. PRIMARY CARE PROVIDER The primary Care Management Module (PCMM) module. PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The EXAM DATE field (#.01) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. – DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. T27.814, 23 MASTER PATIENT INDEX The primary care provider in the PATIENT MO. – DFN field (#4) in the PATIENT NO. – DFN field (#4) in the PATIENT NO. – DFN field (#4) in the PATIENT INDEX The parameters used in the Scheduling API call. Derived by calling API, \$\$GETTICN^MPI001 (Supported DBIA #1701), that returns the Integration Control Number (ICN) for the given patient in the	· · · · · · · · · · · · · · · · · · ·			
and the patient pointer (DFN) stored in the PATIENT NO. – DFN field (4) in the RADIOLOGY EXTRACT file (#727.814), a call is made to the Scheduling API, OUTPTTM*SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51). Only the pointer (IEN) to file (404.51) is transmitted. 727.814,22 PRIMARY CARE PROVIDER The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) module. PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The EXAM DATE field (#.01) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. – DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. 727.814, 23 MASTER PATIENT INDEX and the patient pointer (DFN) stored in the PATIENT on the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. Derived by calling API, \$\$GETTICN*MPI001 (Supported DBIA #1701), that returns the Integration Control Number (ICN) for the given patient in the		assigned to time pattern		1 ' '
PATIENT NO. – DFN field (4) in the RADIOLOGY EXTRACT file (#727.814), a call is made to the Scheduling API, OUTPTTM^SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51). Only the pointer (IEN) to file (404.51) is transmitted. 727.814,22 PRIMARY CARE PROVIDER The primary care provider assigned to this patient through the Primary Care through the Primary Care Management Module (PCMM) module. The primary Care Management Module (PCMM) module. PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The EXAM DATE field (#.01) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. – DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. Derived by calling API, \$\$GETTICN^MPI001 (Supported DBIA #1701), that returns the Integration Control Number (ICN) for the given patient in the				` '
call is made to the Scheduling API, OUTPTTM*SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51). Only the pointer (IEN) to file (404.51) is transmitted. 727.814,22 PRIMARY CARE PROVIDER The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) module. PEMMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The EXAM DATE field (#.01) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. – DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. 727.814, 23 MASTER PATIENT INDEX The primary care provider in file through the primary Care provider in file seamed in the parameters used in the Scheduling API call. Derived by calling API. \$\$GETTICN^MPI001 (Supported DBIA #1701), that returns the Integration Control Number (ICN) for the given patient in the				PATIENT NO. – DFN field (4) in the
OUTPTTM*SDUTL3. The ĀPI returns the team's internal entry number and name from the TEAM file (#404.51). Only the pointer (IEN) to file (404.51) is transmitted. 727.814,22 PRIMARY CARE PROVIDER The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) module. PCMM) module. PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The EXAM DATE field (#.01) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. — DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. 727.814, 23 MASTER PATIENT INDEX OUTPTPM*SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#406.51) is transmitted. OUTPTPR*SDUTL3. The API returns the provider is itemated. OUTPTPR*SDUTL3. The API returns the provider is the Scheduling API, as itemated by a call is to the Scheduling API, safety and the parameters used in the Scheduling API call. Derived by calling API, safety are the parameters used in the Scheduling API call. Derived by calling API, safety are the parameters used in the Scheduling API call. Derived by calling API, safety are the parameters used in the Scheduling API call. Derived by calling API, safety are the parameters used in the Scheduling API call.				
team's internal entry number and name from the TEAM file (#404.51). Only the pointer (IEN) to file (404.51) is transmitted. 727.814.22 PRIMARY CARE PROVIDER The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) module. PRIMARY CARE PROVIDER The primary Care provider assigned to this patient through the Primary Care Management Module (PCMM) module. The primary Care Management Module (PCMM) module. The primary Care provider is internal entry number and name from the NEW PERSON file (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The EXAM DATE field (#.01) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. – DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. The primary care provider assigned to this patient identifier The primary care provider assigned to this patient in the provider is transmitted. The primary care provider assigned to this patient in the provider's internal entry number and name from the Scheduling API call. The primary care provider assigned to this patient in the provider's internal entry number and name from the Scheduling API call. The primary care provider assigned to this patient in the provider in file (#01) of the private patient in the provider's internal entry number and name from the Scheduling API call. The primary care is transmitted. The primary care is transmitted. The private provider's internal entry number and name from the Scheduling API call. The primary care is transmitted. The private private provider's internal entry number and name from the Scheduling API call. The private private provider's internal entry number and name from the Scheduling API call. The private private private provider's internal entry number and name from				
the TEAM file (#404.51). Only the pointer (IEN) to file (404.51) is transmitted. 727.814,22 PRIMARY CARE PROVIDER The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) module. PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The EXAM DATE field (#.01) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. — DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. 727.814, 23 MASTER PATIENT INDEX The primary care provider assigned to this patient in the manual is to the Scheduling API, which is the manual to the provider's internal entry number and name from the NEW PERSON file (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The EXAM DATE field (#.01) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. — DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. Derived by calling API, \$SGETTICN^MPI001 (Supported DBIA #1701), that returns the Integration Control Number (ICN) for the given patient in the				
727.814,22 PRIMARY CARE PROVIDER The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) module. PRIMARY CARE PROVIDER The primary Care Management Module (PCMM) module. (PCM				
The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) module. The primary Care Management Module (PCMM) module. The EXAM DATE field (#.01) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT NO. — DFN field (#4) in the RADIOLOGY EXTRACT file (#72) and the PATIENT INDEX The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) module. Derived by a call is to the Scheduling API, OUTPTPR*SDUTL3. The API returns the provider's internal entry unuber and name from the NEW PERSON file (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The EXAM DATE field (#.01) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. — DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. Derived by calling API, \$\$GETTICN^MPI001 (Supported DBIA #1701), that returns the Integration Control Number (ICN) for the given patient in the				
PROVIDER through the Primary Care Management Module (PCMM) module. provider's internal entry number and name from the NEW PERSON file (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The EXAM DATE field (#.01) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. – DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. 727.814, 23 MASTER PATIENT INDEX Unique national VA patient identifier ##1701, that returns the Integration Control Number (ICN) for the given patient in the	727.814,22	The primary care provider		
Management Module (PCMM) module. Management Module (PCMM) module. from the NEW PERSON file (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The EXAM DATE field (#.01) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. – DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. 727.814, 23 MASTER PATIENT INDEX Unique national VA patient identifier Derived by calling API, \$\$GETTICN^MPI001 (Supported DBIA) #1701), that returns the Integration Control Number (ICN) for the given patient in the	PRIMARY CARE			
(PCMM) module. PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The EXAM DATE field (#.01) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. – DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. 727.814, 23 MASTER PATIENT INDEX Unique national VA patient identifier Derived by calling API, \$\$GETTICN^MPI001 (Supported DBIA #1701), that returns the Integration Control Number (ICN) for the given patient in the	PROVIDER			
of a "2" prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The EXAM DATE field (#.01) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. – DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. 727.814, 23 MASTER PATIENT INDEX Unique national VA patient identifier Derived by calling API, \$\$GETTICN^MPI001 (Supported DBIA #1701), that returns the Integration Control Number (ICN) for the given patient in the		_		` '
indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The EXAM DATE field (#.01) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. – DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. 727.814, 23 MASTER PATIENT INDEX identifier Derived by calling API, \$\$GETTICN^MPI001 (Supported DBIA #1701), that returns the Integration Control Number (ICN) for the given patient in the		(PCMM) module.		
example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The EXAM DATE field (#.01) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. – DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. 727.814, 23 MASTER PATIENT INDEX Unique national VA patient identifier Derived by calling API, \$\$GETTICN^MPI001 (Supported DBIA) #1701), that returns the Integration Control Number (ICN) for the given patient in the				
#200 is 98765, the value that will be stored is 298765. The EXAM DATE field (#.01) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. – DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. 727.814, 23 MASTER PATIENT INDEX #1701), that returns the Integration Control Number (ICN) for the given patient in the				
298765. The EXAM DATE field (#.01) of the REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. – DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. 727.814, 23 MASTER PATIENT INDEX Unique national VA patient identifier Derived by calling API, \$\$GETTICN^MPI001 (Supported DBIA #1701), that returns the Integration Control Number (ICN) for the given patient in the				
REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. – DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. 727.814, 23 MASTER PATIENT INDEX REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. – DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. Derived by calling API, \$\$GETTICN^MPI001 (Supported DBIA #1701), that returns the Integration Control Number (ICN) for the given patient in the				*
REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. – DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. 727.814, 23 MASTER PATIENT INDEX REGISTERED EXAMS multiple (#2) of the RAD/NUC MED PATIENT file (#70) and the PATIENT NO. – DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. Derived by calling API, \$\$GETTICN^MPI001 (Supported DBIA #1701), that returns the Integration Control Number (ICN) for the given patient in the				The EVAM DATE field (# 01) -f.d
RAD/NUC MED PATIENT file (#70) and the PATIENT NO. – DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. 727.814, 23 MASTER PATIENT INDEX RAD/NUC MED PATIENT file (#70) and the PATIENT NO. – DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. Derived by calling API, \$\$GETTICN^MPI001 (Supported DBIA #1701), that returns the Integration Control Number (ICN) for the given patient in the				` '
the PATIENT NO. – DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. 727.814, 23 MASTER PATIENT INDEX the PATIENT NO. – DFN field (#4) in the RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. Derived by calling API, \$\$GETTICN^MPI001 (Supported DBIA #1701), that returns the Integration Control Number (ICN) for the given patient in the				
RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. 727.814, 23 MASTER PATIENT INDEX RADIOLOGY EXTRACT file (#727.814) are the parameters used in the Scheduling API call. Derived by calling API, \$\$GETTICN^MPI001 (Supported DBIA) #1701), that returns the Integration Control Number (ICN) for the given patient in the				` '
API call. 727.814, 23 Unique national VA patient identifier STITION (Supported DBIA #1701), that returns the Integration Control Number (ICN) for the given patient in the				RADIOLOGY EXTRACT file (#727.814)
727.814, 23 MASTER PATIENT INDEX Unique national VA patient identifier Derived by calling API, \$\$GETTICN^MPI001 (Supported DBIA #1701), that returns the Integration Control Number (ICN) for the given patient in the				
MASTER PATIENT INDEX identifier \$\$GETTICN^MP1001 (Supported DBIA #1701), that returns the Integration Control Number (ICN) for the given patient in the	727 814 22	Unique national VA nations		
PATIENT INDEX #1701), that returns the Integration Control Number (ICN) for the given patient in the		_		
Number (ICN) for the given patient in the		Identifici		
i dient ine ("2).				Patient file (#2).

Field # and Name	Description	Values	Technical Description
727.814, 24	The nationally defined DSS		For the Radiology extract, the DSS
DSS PRODUCT	Intermediate Department		PRODUCT DEPARTMENT field is null.
DEPARTMENT	Number designated to the		
	Radiology care product.		
727.814, 25	Currently Null		Currently Null
PLACEHOLDER			
727.814,26	Currently Null		Currently Null
PLACEHOLDER			
727.814, 27	The VA code of the Person		The field will hold the VA Code associated
PC PROVIDER PERSON CLASS	Class of the Primary Care Provider associated with		with the active Person Class of the patient's
PERSON CLASS	this record.		Primary Care Provider as of the date of this extract record.
	uns record.		extract record.
			The VA Code is always of the form "V"_six
			numeric digits; exactly 7 characters in length.
727.814, 28	The Associate Primary Care		Derived by a call to the Scheduling API,
ASSOCIATE PC	Provider assigned to this		OUTPTAP^SDUTL3. The API returns the
PROVIDER	patient through the Primary		associate provider's internal entry number
(Associate Primary	Care Management Module		and name from the NEW PERSON file
Care Provider)	(PCMM) application.		(#200). The ASSOCIATE PC PROVIDER
, in the second second	, , , , , , , , , , , , , , , , , , , ,		is the value of a "2" prefixed to the pointer
			value to indicate that the source file is "200".
			For example, if the IEN of the provider in
			file #200 is 98765, the value that will be
			stored is 298765.
			The EXAM DATE field (.01) of the
			REGISTERED EXAMS multiple (2) of the
			RAD/NUC MED PATIENT file (#70) and
			the PATIENT NO. – DFN field (4) in the RADIOLOGY EXTRACT file (#727.814)
			are the parameters used in the Scheduling
			API.
727.814, 29	VA Code of the Person		Active Person Class is determined by the
ASSOC. PC PROV.	Class of the patient's		supported call \$\$GET^XUA4A72
PERSON CLASS	Associate Primary Care		(PERS,DATE), where PERS is the IEN from
1216011021100	Provider.		file (#200) and DATE is the date of the
			event. The VA CODE is determined by the
			7 th piece of the returned value string.
727.814, 30	Currently Null		Currently Null
PLACEHOLDER	_		
727.814, 31	Indicates if the patient is	'P' FOR GEN. PRRTP	If the patient's treating specialty exists in the
DOM, PRRTP	admitted to either a RRTP	'D' FOR DOMICILIARY	DSS TREATING SPECIALTY
AND SAARTP	PRRTP, or SARRTP at time	'S' FOR DOM. PRRTP	TRANSLATION (#727.831) file, data is
	care is provided.	'T' FOR PTSD PRRTP	derived from the DOM/PRRTP/SARRTP
		'H' FOR HOMELESS	CODE field (#2) of the DSS TREATING
		CWT/TR	SPECIALTY TRANSLATION (#727.831)
		'A' FOR SA CWT/TR	file.
		'B' FOR PTSD CWT/TR	Otherwise the sector is 11
		'C' FOR GEN CWT/TR	Otherwise, the value is null.

Field # and Name	Description	Values	Technical Description
727.814, 32	Indicates is patient is	'Y' FOR YES	Data (YES,NO) is retrieved from API call
OBSERVATION	considered to be an	'N' FOR NO	\$\$OBSPAT^ECXUTL4:
PATIENT	observation patient.		
INDICATOR			If the patient's treating specialty exists in the
			DSS TREATING SPECIALTY
			TRANSLATION (#727.831) file, data is
			derived from the OBSERVATION PAT
			INDICATOR field (#4) of the DSS
			TREATING SPECIALTY TRANSLATION
			(#727.831) file.
			If patient is outpatient and treating specialty
			not in file, AND Feeder Key (CLI) or DSS
			ID (MTL,IVP,ECQ,QSR,NOS,SUR) is 290-
			297, Observation Patient Ind=YES. Else
			Observation Patient Ind=NO.
			Otherwise, Observation Patient Ind=NO.
727.814, 33	The unique number		This field is determined by a call to
ENCOUNTER	assigned for DSS.		\$\$ECNUM^ECXUTL4. Within this call the
NUMBER			inpatient/outpatient status, SSN, admit/visit
			date, treating specialty, observation patient
			indicator, and DSS Identifier or feeder key values of the record are used to create a
			unique encounter number.
727.814, 34	This field contains the stop		This field is populated from the AMIS
RAD STOP CODE	code associated with the		REPROTING STOP CODE (#1) field of the
KAD STOF CODE	order.		CLINIC STOP (#40.7) file.
	order.		CLINIC 3101 (#40.7) IIIC.
			It comes from the IMAGING LOCATION
			field (#4) of the REGISTERED EXAMS
			multiple (#2) of the RAD/NUC MED
			PATIENT file (#70). IMAGING
			LOCATION is a pointer to the IMAGING
			LOCATIONS file (#79.1) and uses the DSS
			ID (#22) field value. DSS ID is a pointer to
			the CLINIC STOP (#40.7) file where the
			AMIS REPORTING STOP CODE field (#1)
			is returned.
727.814, 35 ORDERING DATE	Date exam was ordered.		This field contains the date of the order in YYYYMMDD format.
727.814, 36	Represents the division that		This data comes from the STATION
PRODUCTION	provided the work. This		NUMBER field (#99) in the INSTITUTION
DIVISION CODE	code is the facility number		file (#4).
	(i.e. 523AA)		
727.814, 37	The nationally defines DSS		For the Radiology extract, the DSS IP# field
DSS IP #	Intermediate Product		is null.
	Number designated to the		
	patient care product.		
727.814, 38	The VA code of the Person		Active Person Class is determined by the
ORDERING	Class of the Ordering		supported call \$\$GET^XUZ4A72
PROVIDER	Provider as of the date of		(PERS,DATE), where PERS is the IEN from
PERSON CLASS	this extract record.		file #200 and DATE is the date of the event.
			The VA CODE is determined by the 7 th piece
			of the returned value string.

Field # and Name	Description	Values	Technical Description
727.814, 39	The interpreting radiologist		This field is derived from the PRIMARY
INTERPRETING	for this exam.		INTERPRETINTG STAFF field (#15) of the
RADIOLOGIST			EXAMINATIONS multiple (#50) of the
			REGISTERED EXAMS multiple (#2) of the
			RAD/NUC MED PATIENT file (#70).
			The INTERPRETING RADIOLOGIST field
			is the value of a "2" prefixed to the pointer
			value to indicate that the source file is "200".
			For example, if the IEN of the provider in file #200 is 98765, the value that will be
			stored is 298765.
727.814, 40	The VA code of the Person		Active Person Class is determined by the
INTERPRETING	Class of the interpreting		supported call \$\$GET^XUZ4A72
RADIOLOGIST PC	radiologist as of the date of this extract record.		(PERS,DATE), where PERS is the IEN from
	this extract record.		file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece
			of the returned value string.
727.814, 41	This field identifies the		This field identifies the specific clinic (IEN)
CLINIC NAME	specific clinic ordering the		ordering the radiology exam. The clinic
	radiology exam. The clinic		name is retrieved from the RADMED
	IEN should be retrieved		PATIENT file (#70) sub-file (#70.03)
	from the Hospital Location		PRINCIPAL CLINIC field (#8) which is a
	file (#44).		pointer to HOSPITAL LOCATION FILE (#44).
727.814, 42	This is the ordering stop		This value is derived from the AMIS
CLINIC STOP	code of the clinic that		REPORTING STOP CODE field (#1) of the
CODE	ordered the radiology exam.		CLINIC STOP file (#40.7) as pointed to by
			the STOP CODE NUMBER field (#8) of the
			HOSPITAL LOCATION file (#44) as pointed to by PRINCIPAL CLINIC field (#8)
			of the EXAMINATIONS multiple (#50) of
			the EXAMS multiple (#2) of the RAD/NUC
			MED PATIENT file (#70).
727.814, 43	This field identifies patients		This field is extracted from the
ERI	from impacted zip code		EMERGENCY RESPONSE INDICATOR
	areas designated by the		field (#.181) located in the PATIENT file
	Federal Emergency Management Agency		(#2).Values are: "K" = Hurricane Katrina
	(FEMA).		Null
727.814, 44	A standard, unique life-long		ASSOCIATE PC PROVIDER NPI is a
ASSOCIATE PC	identifier of the associate		standard, unique life-long identifier of the
PROVIDER NPI	primary care provider. This		associate primary care provider. The
	field has a length of fifteen		qualified identifier shall be retrieved via the
	characters.		supporting Kernel API: \$\$NPI^XUSNPI.
727.814, 45 INTERPRETING	A standard, unique life-long		INTERPRETING RADIOLOGIST NPI is a
RADIOLOGIST	identifier of the radiologist who interpreted the		standard, unique life-long identifier of the radiologist who interpreted the radiology
NPI	radiology exam. This field		exam. The qualified identifier shall be
	has a length of fifteen		retrieved via the supporting Kernel API:
	characters.		\$\$NPI^XUSNPI.
727.814, 46	A standard unique life-long		PRIMARY CARE PROVIDER NPI is a
PRIMARY CARE	identifier of the primary		standard, unique life-long identifier of the
PROVIDER NPI	care provider. This field has		primary care provider. The qualified
	a length of fifteen characters.		identifier shall be is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI.
727.814, 47	A standard, unique life-long		REQUESTING PHYSICIAN NPI is a
REQUESTING	identifier of the physician		standard, unique life-long identifier of the
PHYSICIAN NPI	who requested the radiology		physician who requested the radiology exam.
	exam. This field has a		The qualified identifier shall be is retrieved
	length of fifteen characters.		via the supporting Kernel API:
			\$\$NPI^XUSNPI.

Field # and Name	Description	Values	Technical Description
727.814,48	This is the Patient's	'AD' FOR Active Duty	If the VistA Patient Type Code (TYPE
PATCAT	category which will be used	'ADD' FOR Active Duty	(#391) field of the Patient (#2) file) = Active
11110111	for FHCC (Federal Health	Dependent	Duty, Military Retiree, or TRICARE, then
	Care Center)	'FNRS' FOR Former Non-	the value(s) in the VistA Other Eligibility
	Reconciliation. DSS must	Remarried Spouse	multiple (PATIENT ELIGIBILITIES (#361)
	capture and report DoD	'RET' FOR Retired	field of the PATIENT (#2) file), which points
	patients so that the FHCC	'RETD' FOR Retiree	to locally modifiable ELIGIBILITY CODE
	reconciliation process can	Dependent	(#8) file should be evaluated. If the value in
	function as designed.	'RES' FOR Reservist	the ELIGIBILITY CODE is equal to any
	"Reconciliation" is the	'REC' FOR Recruit	entry in the set of codes in this field, the
	process used within the new	'TDRL' FOR Temporary	value should be placed in this field.
	FHCC to determine which	Disability	-
	patients DoD pays for and	'TFL' FOR TRICARE for	
	which VA pays for.	Life	
727.814,49	This field indicates the type	'0' FOR REGULAR	This field is derived from the CREDIT
CREDIT METHOD	of credit this location	CREDIT	METHOD (#26) field of the
	receives for examinations.	'1' FOR	EXAMINATIONS (#50) multiple of the
	The code is based on where	INTERPRETATION	REGISTERED EXAMS (#2) multiple of the
	the exam and interpretation	ONLY	RAD/NUC MED PATIENT (#70) file.
	were done. If the exam and	'2' FOR NO CREDIT	
	interpretation were done at	'3' FOR TECHNICAL	
	the same facility, a value of	COMPONENT ONLY	
	0 is given. If only the		
	interpretation was done at		
	this facility, a value of 1 is		
	given. If the exam and		
	interpretation were both		
	done at a different location		
	a value of 2 is given and		
	finally, if only the examination was done at		
	this facility a value of 3 is		
	given.		
	<u> </u>	<u> </u>	

#727.811 - SURGERY EXTRACT (SUR) File Data Definition

This file contains data elements as specified by the Decision Support Office (DSO) for the Surgery extract from existing VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.

Field # and Name	Description	Values	Technical Description
727.811,.01	The record for this extract		The internal entry number (IEN) for this
SEQUENCE	entry.		record. This entry is DINUMed.
NUMBER			
727.811,1	A six character string		Format is YYYYMM; Year 2000 compliant
YEAR MONTH	representing the year and		per vendor.
	month for which this extract		
	was performed.		
727.811,2	The corresponding entry in		A pointer to the DSS EXTRACT LOG file
EXTRACT	the DSS EXTRACT LOG		(#727). The primary purpose is to pick up the
NUMBER	file (#727) for this extract		header for the mail message.
727.811,3	This is the facility/division		If there is data in the DIVISION field (#50)
FACILITY	where the extract was		of the SURGERY file (#130) for the extract
	performed.		record, this pointer to the INSTITUTION file
			(#4) is used. Otherwise, FACILITY is
			derived as follows: Using the NAME field
			(#.01) pointer from the DSS EXTRACTS file
			(#728), FACILITY is derived from the
			STATION NUMBER field (#99) for that
			pointer number in the INSTITUTION file
			(#4).
727.811,4	An identifying number for		Derived from the PATIENT (.01) field in the
PATIENT NO. –	the patient at the local site.		SURGERY file (#130). PATIENT NO. –
DFN			DFN is a pointer to the NAME field (.01) of
			the PATIENT file (#2). This data represents
			the patient DFN.
727.811,5	The patient's social security		Using the patient pointer (DFN) stored in the
SSN	number		PATIENT NO. – DFN field (#4) in the
			SURGERY EXTRACT file (#727.811), SSN
			data is derived from the SOCIAL
			SECURITY NUMBER field (#.09) in the
			PATIENT file (#2).
			"Test" patient status is determined in
			PAT^ECXUTL3. Any patient with an SSN
			beginning with "00000" will not be included
			in the extract.

The first four characters of the patient's last name. The first four characters of the patient's last name. The first four characters of the patient's last name. The first four characters of the patient's last name. The patient's last name. The first four characters of the SURGERY EXTRACT file (#27,7811) NAME data is derived from the NAME field (#01) in the PATIENT (#27,811) for the patient was an inpatient or an outpatient for this extract. The name value is returned by the supported call DEM*VADPT. To OUTPATIENT on the patient was an inpatient or an outpatient for this extract. The name value is returned by the supported call DEM*VADPT. To determine the value of this field a call is made to SSRTAEDME/CXUTL2 is called to destroy the treating specially civility. Within this call, SSINP*ECXUTL2 is called to destroy the treating specially civility in the patient is an outpatient, for the patient is an ou	Field # and Name	Description	Values	Technical Description
SURGERY EXTRACT file (#27.811)	727.811,6	The first four characters of		Using the patient pointer (DFN), stored in the
NAME data is derived from the NAME field (#0.1) in the PATIENT fiel (#0.2) the first "," piece are used, padded with trailing spaces if necessary. The name value is returned by the supported call DEMVADPT. To determine the value of this field a call is made to \$\$PATDEMT fell (#1.2). To determine the value of this field a call is made to \$\$PATDEMPECXUTL2. Within made to \$\$PATDEMPECXUTL2. Within this call, \$\$SINPECXUTL2 is called to determine inpatient/outpatient status. If the patient is an outpatient, processing stops and the field is set to 0. If the patient is an outpatient, processing stops and the field is set to 0. If the patient is an impatient then sylnotype field (#3.5) of the patient is an outpatient, processing stops and the field is set to 0. If the patient is an outpatient, processing stops and the field is set to 0. If the patient is an outpatient, processing stops and the field is set to 0. If the patient is an outpatient, processing stops and the field is set to 0. If the patient is an outpatient, processing stops and the field is set to 0. If the patient is an outpatient, processing stops and the field is set to 0. If the patient is an outpatient, processing stops and the field is set to 0. If the patient is an outpatient, processing stops and the field is set to 0. If the patient is an outpatient, processing stops and the field is set to 0. If the patient is an outpatient, processing stops and the field is set to 0. If the patient is an outpatient, processing stops and the field is set to 0. If the patient is an outpatient, processing stops and the field is set to 0. If the patient is an outpatient, processing stops and the field is set to 0. If the patient is an outpatient, processing stops and the field is set to 0. If the patient is an outpatient, processing stops and the field is set to 0. If the patient is an outpatient, processing stops and the field is set to 0. If the patient is an outpatient, processing stops and the field is set to 0. If the patient is an outpatient, processing s	NAME	the patient's last name.		PATIENT NO. – DFN field (#4) in the
(#0.1) in the PATIENT In (#2.7). The first "piece are used, padded with trailing spaces if necessary.				· · · · · · · · · · · · · · · · · · ·
four characters of the first "," piece are used, padded with trailing spaces if necessary. The name value is returned by the supported call DEM*VADPT. To fill patient was an inpatient or an outpatient for this extract. To FOR OUTPATIENT an outpatient for this extract. To FOR OUTPATIENT an outpatient for this extract. To FOR OUTPATIENT an outpatient for this extract is an outpatient is an inpatient on an inpatient on an inpatient on the patient is an outpatient, processing stops and the field is set to . If the patient is an inpatient on the silk of the patient is an outpatient, processing stops and the field is set to . If the patient is an inpatient on the silk outpatient is an inpatient on the silk of the patient is an outpatient, processing stops and the field is set to . If the patient is an inpatient on the silk of the patient is an outpatient, processing stops and the field is set to . If the patient is an inpatient on the silk of the patient is an inpatient on the field (#5) of the DSS TREATING SPECIALTY TRANSLATION (#27.81) file the the value of the YARANSLATION (#27.81) file it used. If the treating specialty is not found in the DSS TREATING SPECIALTY (#3.81) file then the indicator is set to 1. Data source: This 8-character string represents the date on which the procedure associated with this Surgery extract record was performed. This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the VEAR MONTH field (#1) concatenated with "10" for the day (IDD) portion, Year 2000 compliant explored the value of the VEAR MONTH field (#1) on the SURGERY file (#130), for this extract record. This character string represents an IEN to the SURGERY file (#130), form the SURGERY file (#130) form the SURGERY file (#130) form the SURGERY file (#130) from the SURGERY file (#130), from the SURGERY file (#130), from the SURGERY file (#130), from the SURGERY file (#130				
Padded with trailing spaces if necessary.				
The name value is returned by the supported call DEMYADPT. TO THE NOUT PATIENT IN DICATOR Indicates whether the patient was an inpatient or an outpatient for this catract. TO FOR OUTPATIENT and to SSPATDEM/ECXUTL2. Within this call, SSINPE/EXUTL2 is called to determine inpatient/outpatient status. If the patient is an outpatient processing stops and the field is set to O. If the patient is an inpatient then \$\$INOUTP/ECXUTL7. Within this call, SSINPE/EXUTL2 is called to determine inpatient/outpatient status. If the patient is an outpatient processing stops and the field is set to O. If the patient is an inpatient then \$\$INOUTP/ECXUTL7. Within this call, SSINPE/EXUTL2 is called to determine inpatient then \$\$INOUTP/ECXUTL7. Within this call, SSINPE/EXUTL2 is called to look at the restaing specially exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is then the value of the INPATIOUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to I. Data source: TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to I. Data source: SURGERY file (#130); DATE OF OPERATION field (#.09). This field is always exactly 8 numeric characters in length. The format is YYYYMMIDD; for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Vera 2000 complete year of the YEAR MONTH field (#1) operative procedure. This character string represents an IEN in the SURGERY file (#130) for this extract record. This character string represents an IEN to the represents an IEN to the procedure. This character string from the OPERATING ROOM field (#0.02) in the SURGERY file (#13), fin or surgical specially is found, bireld is sent to the POSPITAL LOCATION file (#44) for the operating room where the principal operation				
727.811.7 PNOICATOR Indicates whether the patient was an inpatient or an outpatient for this extract. Indicates whether the patient was an inpatient or an outpatient for this extract. Indicates whether the patient was an inpatient or an outpatient for this extract. Indicates whether the patient was an inpatient or an outpatient for this extract. Indicates whether the patient is an outpatient in this call, \$SINPFEXUIT.2 is called to determine inpatient value for the patient is an inpatient then \$SINOUTP*ECCUIT.4 is called to look at the treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the value of the INPAT/OUTPAT CODE (#5) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the value of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to I. Data source: This 8-character string represents the date on which the procedure associated with this Surgery extract record was performed. This field is always exactly 8 numeric characters in length. The format is YYYYMMDD: for example, 19709023. If the date cannot be determined, then a default is used. The default evalue is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. Text. SIT. 10 The surgical specialty periodicy credited for doing this operative procedure. This character string represents an IEN in the SURGERY file (#130), SURGICAL SPECIALTY file (#137.5) for the pointer value found in the LOCAL SURGICAL SPECIALTY in the LOCAL SURGICAL SPECIALTY in the LOCAL SURGICAL SPECIALTY file (#137.45) for the pointer value found in the LOCAL SURGICAL SPECIALTY in the URGERY SPECIALTY in				padded with trailing spaces if necessary.
Indicates whether the not outpatient or an outpatient for this extract. TFOR INPATIENT This character string represents the date on which the procedure associated with this Surgery extract record was performed. This character string represents an IEN in the SURGERY file (#130).				
DOUTPATIENT Patient was an inpatient or a outpatient for this extract. Double of the patient is an outpatient, processing stops and the field is set to 0. If the patient is an outpatient, processing stops and the field is set to 0. If the patient is an outpatient, processing stops and the field is set to 0. If the patient is an impatient then SSINOUTP*ECXUT.14 is called to look at the treating specialty. If the patient's treating specialty is the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to I. Data source: Total Control of the Inpatient is an outpatient, processing specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to I. Data source: Total Control of the Inpatient is an outpatient, processing specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to I. Data source: Total Control of the Inpatient is an outpatient, processing specialty and in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to I. Data source: Total Control of the Inpatient is an outpatient, processing specialty and in the DSS TREATING SPECIALTY file (#130); Data source:	707 911 7	Indicates whether the	'I' EOD INDATIENT	
in outpatient for this extract. ### this call, SSINP/ECXUTL2 is called to determine inpatient/outpatient status. If the patient is an outpatient, processing stops and the field is set to 0. If the patient is an inpatient then SSINOUTP/ECXUTL4 is called to look at the treating specialty. If the patient's treating specialty, lift the patient's treating specialty, lift the patient's treating specialty, lift the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to 1. #### This 8-character string represents the date on which the procedure associated with this Surgery extract record was performed. #### This 8-character string represents the date on which the procedure associated with this Surgery extract record was performed. #### This 8-character string represents an IEN in the surgical specialty concatenated with "01" for the day (IDD) portion. Year 2000 compliant per vendor. #### CASE NUMBER SURGERY file (#130). #### This character string represents an IEN in the SURGERY file (#130). #### This character string represents an IEN in the SURGERY file (#130). #### This character string represents an IEN in the SURGERY file (#130). #### This character string represents an IEN in the SURGERY file (#130). #### This character string represents an IEN in the SURGERY file (#130). #### This character string represents an IEN in the SURGERY file (#130). #### This character string represents an IEN in the SURGERY file (#130). #### This character string represents an IEN in the SURGERY file (#130). #### This character string represents an IEN to the HOSPTIAL LOCATION file (#43). In on surgical specialty is found, this field is sent as 999. #### This character string represents an IEN to the HOSPTIAL LOCATION file (#43), on the SURGERY file (#130). Field flow the represents an IEN to the HOSPTIAL LOCATION file (#131,71), which in turn is a pointer to the HOSPTIAL LOCATION file (#1	1			
extract. determine inpatient/outpatient status. If the patient is an outpatient, processing stops and the field is set to 0. If the patient is an impatient then \$SINOUTP*ECVIT4 is called to look at the treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file in the indicator is set to 1. This 8-character string represents the date on which the procedure associated with this Surgery extract record was performed. This field is always exactly 8 numeric characters in length. The format is YYYYMMDD: for example, 1970923. If the date cannot be default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion, Year 2000 compliant per vendor. This character string represents an IEN in the SURGERY file (#130). The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. This character string represents an IEN in the SURGERY file (#130). SURGICAL SPECIALTY file (#13). SURGERY file (#130). SURGICAL SPECIALTY file (#135). If no surgical specialty is found, this field is sent as 999. This character string represents an IEN to the HOSPITAL LOCATION file (#44) for the operating room where the principal operation was performed.		1 -	o rok och mient	
patient is an outpatient, processing stops and the field is set to O. If the patient is an impatient then SSINOLTPECXUTL4 is called to look at the treating specialty. If the patient's reading specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.815) file then the value of the INPAT/OUTPAT CODE field (#3) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the value of the INPAT/OUTPAT CODE field (#3) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to I. 727.811,8 DAY This 8-character string represents the date on which the procedure associated with this Surgery extract record was performed. This field is always exactly 8 numeric characters in length. The format is YYYYMMIDD: for example, 19970923, If the date cannot be demined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. 727.811,9 CASE NUMBER This character string represents an IEN in the SURGERY file (#130). The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. This character string represents an IEN in the SURGEAL SPECIALTY filed (1) in the LOCAL SPECIALTY filed (1) in the LOCAL SPECIALTY filed (4) of the SURGERY file (#130). SURGICAL SPECIALTY filed (4) of the SURGERY file (#130). SURGICAL SPECIALTY filed (4) of the SURGERY file (#130). SURGICAL SPECIALTY filed (4) of the SURGERY file (#130). SURGICAL SPECIALTY filed (4) of the SURGERY file (#130). SURGICAL SPECIALTY filed (4) of the SURGERY file (#130). SURGICAL SPECIALTY filed (4) of the SURGERY file (#130). SURGICAL SPECIALTY filed (4) of the SURGERY filed (#10) in the SURGERY filed (#10). SURGICAL SPECIALTY filed (#130). SURGICAL SPECIALTY filed (#130). SURGICAL SPECIALTY filed (#130). S				I
inpatient then \$\$INOUTP^ECKUTIL4 is called to look at the treating specialty. If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to I. 727.811.8 DAY This 8-character string represents the date on which the procedure associated with this Surgery extract record was performed. SURGERY file (#130); DATE OF OPERATION field (#.09). This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. 727.811.10 This character string represents an IEN in the SURGERY file (#130). The surgical specialty credited for doing this operative procedure. Derived from the NATIONAL SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY File (#130). SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY File (#130). SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY File (#130). SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY File (#130). SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY File (#130). SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY File (#130). SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY File (#130). SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY File (#130). Field (#10) from the SURGERY file (#130). Field (#10) from the SURGERY file (#130). Field (#10) from the OP				
called to look at the treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the value of the INPATIOUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to I. 727.811.8 This 8-character string represents the date on which the procedure associated with this Surgery extract record was performed. SURGERY file (#130); DATE OF OPERATION field (#.09). This field is always exactly 8 numeric characters in length. The format is YYYMMDD; for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion, Year 2000 compliant per vendor. 727.811.9 CASE NUMBER This character string represents an IEN in the SURGERY file (#130). The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. The surgical specialty redited (A) of the SURGERY File (#130), SURGICAL SPECIALTY file (#143.3) of the pointer value found in the SURGERY File (#130), SURGICAL SPECIALTY file (#145.3). If no surgical specialty is found, this field is sent as 999. The surgical specialty is found, this field is sent as 999. This character string represents an IEN to the HOSPITAL LOCATION file (#44) for the operating room where the principal operation was performed. The character string toroid in this field the HOSPITAL LOCATION file (#44) for the operating room was performed.				the field is set to O. If the patient is an
patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to I. Data source: 727.811.8 DAY This 8-character string represents the date on which the procedure associated with this Surgery extract record was performed. This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. 727.811.9 CASE NUMBER This character string represents an IEN in the SURGERY file (#130). The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. This character string represents an IEN to the HOSPITAL LOCATION file (#45.3). If no surgical specialty is found, this field is sent as 999. This character string represents an IEN to the HOSPITAL LOCATION file (#45.3). Field (#130). Field (#130) file (#44) for the operating room where the principal operation was performed. The character string stored in this field operation was performed.				
TREATING SPECIALTY TRANSLATION (#727.831) file then the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to I. 727.811.8 DAY This 8-character string represents the date on which the procedure associated with this Surgery extract record was performed. This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. CASE NUMBER This character string represents an IEN in the SURGERY file (#130). The surgical specialty The surgical specialty The surgical specialty The surgical specialty The surgical specialty operative procedure. The surgical specialty The surgical specialty operative procedure. The surgical specialty is found, this field is sent as 999. This character string represents an IEN to the HOSPTIAL LOCATION file (#43.3), Fin of surgical specialty is found, this field is sent as 999. This character string represents an IEN to the HOSPTIAL LOCATION file (#44), for the operating room where the principal operation was performed. The character string stored in this field The character string is field (#41).				
(#727.831) file then the value of the INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to I. Data source: SURGERY file (#130); DATE OF OPERATION field (#.09). This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year and OOO compliant per vendor. 727.811,9 CASE NUMBER CASE NUMBER SURGERY file (#130). This character string represents an IEN in the SURGERY file (#130) for this extract record. 727.811,10 The surgical specialty SURGICAL credited for doing this operative procedure. Derived from the NATIONAL SURGICAL SPECIALTY file (#137.45) for the pointer value of the YEAR CODE field (#.01) from the SURGICAL SPECIALTY file (#130). SURGICAL SPECIALTY file (#130). SURGICAL SPECIALTY is the three-digit CODE field (#.01) from the SURGICAL SPECIALTY file (#45.3). If no surgical specialty is found, this field is sent as 999. 727.811,11 This character string represents an IEN to the HOSPITIAL LOCATION file (#44) for the operating room where the principal operation was performed. The character string stored in this field The character string stored in this field				
INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to L Data source: This 8-character string represents the date on which the procedure associated with this Surgery extract record was performed. SURGERY file (#130); DATE OF OPERATION field (#.09).				
DSS TREATING SPECIALTY TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to 1. 727.811.8 DAY This 8-character string represents the date on which the procedure associated with this Surgery extract record was performed. This field is always exactly 8 numeric characters in length. The format is YYYYMMD; for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion, Year 2000 compliant per vendor. This character string represents an IEN in the SURGERY file (#130). This character string represents an ien in the SURGERY file (#130) for this extract record. The surgical specialty credited for doing this operative procedure. The surgical specialty redited for doing this operative procedure. This character string represents an IEN to the SURGERY file (#130). SURGICAL SPECIALTY file (J) in the LOCAL SURGICAL SPECIALTY file (J) from the SURGERY File (#130). SURGICAL SPECIALTY is the three-digit CODE field (#,01) from the SURGICAL SPECIALTY file (#130). SURGICAL SPECIALTY is the three-digit CODE field (#,01) from the SURGICAL SPECIALTY is the three-digit CODE field (#,01) from the SURGICAL SPECIALTY file (#130). SURGICAL SPECIALTY is the three-digit CODE field (#,01) from the SURGICAL SPECIALTY file (#130). SURGICAL SPECIALTY is the three-digit CODE field (#,01) from the SURGICAL SPECIALTY file (#130). SURGICAL SPECIALTY is the three-digit CODE field (#,02) in the SURGICAL SPECIALTY is the three-digit code field (#,02) in the SURGICAL SPECIALTY is the three-digit code field (#,02) in the SURGICAL SPECIALTY is the three-digit code field (#,02) in the SURGICAL SPECIALTY is the three-digit code field (#,02) in the SURGICAL SPECIALTY is the three-digit code field (#,02) in the SURGICAL SPECIALTY is the three-digit code field (#,02) in the SURGICAL SPECIALTY is the three-digit code				i '
TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to 1. This 8-character string represents the date on which the procedure associated with this Surgery extract record was performed. This 6-character string represents the date on which the procedure associated with this Surgery extract record was performed. This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example, 19970923, If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. Table 1972.811,10 This character string represents an IEN in the SURGERY file (#130). This character string represents an IEN in the SURGERY file (#130) for this extract record. This character string represents an IEN in the SURGERY file (#130) for this extract record. The surgical specialty credited for doing this operative procedure. The surgical specialty redited for doing this operative procedure. This character string represents an IEN to the HOSPITAL LOCATION file (#44) for the operating room where the principal operation was performed. This character string room where the principal operation was performed. This character string stored in this field is sent as 999.				` '
the treating specialty is not found in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to 1. 727.811,8 DAY This 8-character string represents the date on which the procedure associated with this Surgery extract record was performed. This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. 727.811.9 CASE NUMBER This character string represents an IEN in the SURGERY file (#130). 727.811,10 The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. The surgical specialty of the surgical specialty of the pointer value found in the SURGERY SPECIALTY file (#130). SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY SPECIALTY file (#130). SURGICAL SPECIALTY file (#130). SURGICAL SPECIALTY file (#130). SURGICAL SPECIALTY file (#150). The surgical specialty is found, this field is sent as 999. 727.811,11 OR ROOM This character string represents an IEN to the HOSPITAL LOCATION file (#44), which in turn is a pointer to the HOSPITAL LOCATION file (#44), which in turn is a pointer to the HOSPITAL LOCATION file (#44), which in turn is a pointer to the HOSPITAL LOCATION file (#44). The character string stored in this field				
TREATING SPECIALTY TRANSLATION (#727.831) file then the indicator is set to I. 727.811,8 DAY This 8-character string represents the date on which the procedure associated with this Surgery extract record was performed. This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. CASE NUMBER This character string represents an IEN in the SURGERY file (#130). The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. This character string represents an IEN in the SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY SPECIALTY file (#130). The surgical specialty credited for doing this operative procedure. This character string represents an IEN to the HOSPTIAL LOCATION file (#45.3). If no surgical specialty is found, this field is sent as 999. Derived from the OPERATING ROOM field (#02) in the SURGERY file (#130). This character string represents an IEN to the HOSPTIAL LOCATION file (#44), on the operating room where the principal operation was performed. The character string stored in this field				· · · · · · · · · · · · · · · · · · ·
This 8-character string represents the date on which the procedure associated with this Surgery extract record was performed. This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. CASE NUMBER This character string represents an IEN in the SURGERY file (#130). The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. This character string represents an IEN to the HOSPITAL LOCATION file (#44), operation was performed. This character string represents an IEN to the HOSPITAL LOCATION file (#44), operation was performed. This character string represents the date on which the date on which the surger is a speny. The surgical specialty is found, this field is sent as 999. This character string represents an IEN to the HOSPITAL LOCATION file (#44), operation was performed. The character string stored in this field The character string stored in this field				
represents the date on which the procedure associated with this Surgery extract record was performed. This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example, 1997/0923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. This character string represents an IEN in the SURGERY file (#130). The surgical specialty credited for doing this operative procedure. The surgical specialty operative procedure. This character string represents an IEN to the SURGERY file (#130). SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY SPECIALTY file (#137.45) for the pointer value found in the SURGERY SPECIALTY file (#150). SURGICAL specialty is found, this field is sent as 999. The sharacter string represents an IEN to the HOSPITAL LOCATION file (#44), operation was performed. The character string stored in this field The character string stored in this field				(#727.831) file then the indicator is set to I.
the procedure associated with this Surgery extract record was performed. This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. 727.811,9 CASE NUMBER This character string represents an IEN in the SURGERY file (#130). 727.811,10 SURGICAL SPECIALTY The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. Derived from the NATIONAL SURGICAL SPECIALTY file (#137).45) for the pointer value found in the SURGERY file (#130). SURGICAL SPECIALTY is the three-degit CODE field (#.01) from the SURGICAL SPECIALTY file (#45.3). If no surgical specialty is found, this field is sent as 999. To represents an IEN to the HOSPITAL LOCATION file (#44) for the operating room where the principal operation was performed. The character string stored in this field The character string stored in this field The character string stored in this field	727.811,8	This 8-character string		Data source:
with this Surgery extract record was performed. This field is always exactly 8 numeric characters in length. The format is YYYYMMDD: for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. 727.811,9 CASE NUMBER This character string represents an IEN in the SURGERY file (#130). The surgical specialty credited for doing this operative procedure. Derived from the NATIONAL SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY file (#130), SURGICAL SPECIALTY file (#130), SURGICAL SPECIALTY file (#145.3). If no surgical specialty is found, this field is sent as 999. This character string represents an IEN to the (#02) in the SURGERY file (#130), SURGICAL SPECIALTY file (#145.3). If no surgical specialty is found, this field is sent as 999. This character string represents an IEN to the (#02) in the SURGERY file (#130), SURGICAL SPECIALTY file (#130), filed (#131), which in turn is a pointer to the HOSPITAL LOCATION file (#44), operation was performed.	DAY			
record was performed. This field is always exactly 8 numeric characters in length. The format is YYYYMMDD; for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. 727.811,9 CASE NUMBER This character string represents an IEN in the SURGERY file (#130). The surgical specialty credited for doing this operative procedure. This character string represents an IEN in the SURGERY file (#130) for this extract record. The surgical specialty credited for doing this operative procedure. This character string represents an IEN in the SURGERY SPECIALTY filed (1) in the LOCAL SURGICAL SPECIALTY file (#130). SURGICAL SPECIALTY file (#130). SURGICAL SPECIALTY is the three-digit CODE field (#.01) from the SURGERY SPECIALTY filed (#0.04) of the SURGERY file (#130). SURGICAL SPECIALTY filed (#0.04) of the SURGERY SPECIALTY filed (#0.04) of the SURGERY file (#130). SURGICAL SPECIALTY filed (#0.04) of the SURGERY SPECIALTY filed (#0.04) of the SURGERY filed (#0.05) in the SU				
This field is always exactly 8 numeric characters in length. The format is YYYMMDD; for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. 727.811,9 CASE NUMBER This character string represents an IEN in the SURGERY file (#130). 727.811,10 SURGICAL SPECIALTY The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. Derived from the NATIONAL SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY file (#130). SURGICAL SPECIALTY file (#45.3). If no surgical specialty is found, this field is sent as 999. The surgical special form the OPERATING ROOM field (#0.02) in the SURGERY file (#130). Field (#0.02) in the SURGERY file (#1		<u> </u>		DATE OF OPERATION field (#.09).
characters in length. The format is YYYYMMDD: for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. 727.811,9 CASE NUMBER This character string represents an IEN in the SURGERY file (#130). The surgical specialty SURGICAL SPECIALTY The surgical specialty credited for doing this operative procedure. The surgical specialty SPECIALTY field (1) in the LOCAL SURGICAL SPECIALTY file (#130). SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY SPECIALTY field (0.4) of the SURGERY file (#130). SURGICAL SPECIALTY file (#45.3). If no surgical specialty is found, this field is sent as 999. To his character string This character string		record was performed.		TDI: (*11: 1 4 0 :
YYYYMMDD; for example, 19970923. If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. 727.811.9 CASE NUMBER CASE NUMBER CASE NUMBER CASE NUMBER This character string represents an IEN in the SURGERY file (#130). 727.811,10 SURGICAL SPECIALTY The surgical specialty credited for doing this operative procedure. Derived from the NATIONAL SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY file (#130). SURGICAL SPECIALTY file (#130). SURGICAL SPECIALTY is the three-digit CODE field (#.01) from the SURGERY file (#130). SURGICAL SPECIALTY is fled (#130). SURGICAL SPECIALTY is the three-digit CODE field (#.01) from the SURGICAL SPECIALTY file (#15.3). If no surgical specialty is found, this field is sent as 999. 727.811,11 This character string represents an IEN to the HOSPITAL LOCATION file (#44) for the operating room where the principal operation was performed. The character string stored in this field The character string stored in this field				
If the date cannot be determined, then a default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. 727.811.9 CASE NUMBER This character string represents an IEN in the SURGERY file (#130). The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. The surgical specialty is found in the SURGERY SPECIALTY file (#137.45) for the pointer value found in the SURGERY file (#130). SURGICAL SPECIALTY is the three-digit CODE field (#.01) from the SURGICAL SPECIALTY file (#45.3). If no surgical specialty is found, this field is sent as 999. This character string represents an IEN to the HOSPITAL LOCATION file (#44) for the operating room where the principal operation was performed. The character string stored in this field in turn is a pointer to the HOSPITAL LOCATION file (#44). The character string stored in this field				
default is used. The default date value is the value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. 727.811,9 CASE NUMBER This character string represents an IEN in the SURGERY file (#130). The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. The surgical specialty file (#130) for the NATIONAL SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY SPECIALTY file (#130). SURGICAL SPECIALTY is the three-digit CODE field (#.01) from the SURGERY file (#130). SURGICAL SPECIALTY file (#45.3). If no surgical specialty is found, this field is sent as 999. This character string represents an IEN to the HOSPITAL LOCATION file (#44) for the operating room where the principal operation was performed. The character string stored in this field this field in the YEAR MONTH field (#10) for the principal operation was performed.				
value of the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year 2000 compliant per vendor. 727.811,9 CASE NUMBER This character string represents an IEN in the SURGERY file (#130). 727.811,10 SURGICAL SPECIALTY The surgical specialty credited for doing this operative procedure. Derived from the NATIONAL SURGICAL SPECIALTY field (1) in the LOCAL SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY file (#130). SURGICAL SPECIALTY is the three-digit CODE field (#.01) from the SURGICAL SPECIALTY file (#45.3). If no surgical specialty is found, this field is sent as 999. 727.811,11 This character string represents an IEN to the HOSPTIAL LOCATION file (#44) for the operating room where the principal operation was performed. The character string stored in this field The character string stored in this field The character string stored in this field				*
727.811,9 CASE NUMBER This character string represents an IEN in the SURGERY file (#130). The surgical specialty credited for doing this operative procedure. This character string represents an IEN in the SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY file (#130). SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY file (#130). SURGICAL SPECIALTY file (#45.3). If no surgical specialty is found, this field is sent as 999. T27.811,11 OR ROOM NUMBER This character string represents an IEN to the HOSPITAL LOCATION file (#44) for the operating room where the principal operation was performed. This character string stored in this field The character string stored in this field The character string stored in this field The character string stored in this field				
This character string represents an IEN in the SURGERY file (#130). The surgical specialty credited for doing this operative procedure. The procedure. This character string represents an IEN in the SURGERY file (#130) for this extract record. The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. The surgical specialty credited for doing this operative procedure. The surgical specialty is found in the SURGERY SPECIALTY file (#137.45) for the pointer value found in the SURGERY SPECIALTY file (#130). SURGICAL SPECIALTY is the three-digit CODE field (#.01) from the SURGICAL SPECIALTY file (#45.3). If no surgical specialty is found, this field is sent as 999. This character string represents an IEN to the HOSPTIAL LOCATION (#.02) in the SURGERY file (#130). Field (#.02) in the SURGERY file (#130). Field (#.02) points to the OPERATING ROOM file (#131.7), which in turn is a pointer to the HOSPTIAL LOCATION file (#44). The character string stored in this field				` '
CASE NUMBER represents an IEN in the SURGERY file (#130). The surgical specialty credited for doing this operative procedure. Derived from the NATIONAL SURGICAL SPECIALTY field (1) in the LOCAL SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY file (#130). SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY SPECIALTY file (#130). SURGICAL SPECIALTY is the three-digit CODE field (#.01) from the SURGICAL SPECIALTY file (#45.3). If no surgical specialty is found, this field is sent as 999. T27.811,11 OR ROOM NUMBER This character string represents an IEN to the HOSPTIAL LOCATION file (#44) for the operating room where the principal operation was performed. The character string stored in this field The character string stored in this field				portion. Year 2000 compliant per vendor.
SÜRGERY file (#130). SURGERY file (#130) for this extract record. SURGERY file (#130) for this extract record. Derived from the NATIONAL SURGICAL SPECIALTY field (1) in the LOCAL SURGICAL SPECIALTY field (1) in the LOCAL SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY SPECIALTY file (#130). SURGICAL SPECIALTY is the three-digit CODE field (#.01) from the SURGICAL SPECIALTY file (#45.3). If no surgical specialty is found, this field is sent as 999. 727.811,11 OR ROOM NUMBER This character string represents an IEN to the HOSPITAL LOCATION file (#44) for the operating room where the principal operation was performed. The character string stored in this field The character string stored in this field	727.811,9			
727.811,10 SURGICAL SPECIALTY SPECIALTY The surgical specialty credited for doing this operative procedure. The pointer value found in the SURGERY SPECIALTY field (.04) of the SURGERY SPECIALTY field (.04) of the SURGERY file (#130). SURGICAL SPECIALTY is the three-digit CODE field (#.01) from the SURGICAL SPECIALTY file (#45.3). If no surgical specialty is found, this field is sent as 999. Territory This character string OR ROOM NUMBER This character string room where the principal operation was performed. The character string stored in this field The character string stored in this field	CASE NUMBER	_		
SURGICAL SPECIALTY credited for doing this operative procedure. SPECIALTY field (1) in the LOCAL SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY SPECIALTY field (.04) of the SURGERY file (#130). SURGICAL SPECIALTY is the three-digit CODE field (#.01) from the SURGICAL SPECIALTY file (#45.3). If no surgical specialty is found, this field is sent as 999. T27.811,11 OR ROOM ROOM ROOM RUMBER This character string represents an IEN to the HOSPTIAL LOCATION file (#44) for the operating room where the principal operation was performed. The character string stored in this field The character string stored in this field		SURGERY file (#130).		SURGERY file (#130) for this extract record.
SURGICAL SPECIALTY credited for doing this operative procedure. SPECIALTY field (1) in the LOCAL SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY SPECIALTY field (.04) of the SURGERY file (#130). SURGICAL SPECIALTY is the three-digit CODE field (#.01) from the SURGICAL SPECIALTY file (#45.3). If no surgical specialty is found, this field is sent as 999. T27.811,11 OR ROOM ROOM ROOM RUMBER This character string represents an IEN to the HOSPTIAL LOCATION file (#44) for the operating room where the principal operation was performed. The character string stored in this field The character string stored in this field	727 911 10	The curried exercists:		Desired from the NATIONAL CURCICAL
SPECIALTY operative procedure. SURGICAL SPECIALTY file (#137.45) for the pointer value found in the SURGERY SPECIALTY field (.04) of the SURGERY file (#130). SURGICAL SPECIALTY is the three-digit CODE field (#.01) from the SURGICAL SPECIALTY file (#45.3). If no surgical specialty is found, this field is sent as 999. 727.811,11 OR ROOM ROOM ROOM ROPERATING ROOM filed (#.02) in the SURGERY file (#130). Field (#.02) in the SURGERY file (#130). Field (#.02) points to the OPERATING ROOM file (#.02) points to the OPERATING ROOM file (#.03) file (#.04) file (#.04) file (#.05) file (#.05) file (#.06) file (#.07)				
the pointer value found in the SURGERY SPECIALTY field (.04) of the SURGERY file (#130). SURGICAL SPECIALTY is the three-digit CODE field (#.01) from the SURGICAL SPECIALTY file (#45.3). If no surgical specialty is found, this field is sent as 999. 727.811,11 This character string presents an IEN to the NUMBER HOSPTIAL LOCATION file (#44) for the operating proom where the principal operation was performed. the pointer value found in the SURGERY file (#0.01) from the SURGICAL SPECIALTY is the three-digit CODE field (#.01) from the SURGICAL SPECIALTY file (#45.3). If no surgical specialty is found, this field is sent as 999. Derived from the OPERATING ROOM field (#.02) in the SURGERY file (#130). Field (#.02) points to the OPERATING ROOM file (#.02) points to the OPERATING ROOM file (#.03), which in turn is a pointer to the HOSPITAL LOCATION file (#.04). The character string stored in this field				
SPECIALTY field (.04) of the SURGERY file (#130). SURGICAL SPECIALTY is the three-digit CODE field (#.01) from the SURGICAL SPECIALTY file (#45.3). If no surgical specialty is found, this field is sent as 999. 727.811,11 OR ROOM ROOM ROOM ROPERATING ROOM field (#.02) in the SURGERY file (#130). Field (#.02) in the SURGERY file (#130). Field (#.02) points to the OPERATING ROOM file (#.02) points to the OPERATING ROOM file (#.03) file (#.04) file (#.04) file (#.05) file (#.05) file (#.06) file (#.07) which in turn is a pointer to the HOSPITAL LOCATION file (#.07) file (#.0		-F state o Procedure.		
file (#130). SURGICAL SPECIALTY is the three-digit CODE field (#.01) from the SURGICAL SPECIALTY file (#45.3). If no surgical specialty is found, this field is sent as 999. 727.811,11 OR ROOM ROOM ROPTIAL LOCATION file (#44) for the operating room where the principal operation was performed. file (#44) This character string CR ROOM ROOM ROOM File (#44) for the operating room where the principal operation was performed. The character string stored in this field				1
SURGICAL SPECIALTY file (#45.3). If no surgical specialty is found, this field is sent as 999. 727.811,11 OR ROOM ROOM NUMBER HOSPTIAL LOCATION file (#44) for the operating room where the principal operation was performed. SURGICAL SPECIALTY file (#45.3). If no surgical specialty is found, this field is sent as 999. Derived from the OPERATING ROOM field (#.02) in the SURGERY file (#130). Field #.02 points to the OPERATING ROOM file (#131.7), which in turn is a pointer to the HOSPITAL LOCATION file (#44). The character string stored in this field				
surgical specialty is found, this field is sent as 999. 727.811,11 OR ROOM Prepresents an IEN to the NUMBER HOSPTIAL LOCATION file (#44) for the operating room where the principal operation was performed. Surgical specialty is found, this field is sent as 999. Derived from the OPERATING ROOM field (#.02) in the SURGERY file (#130). Field #.02 points to the OPERATING ROOM file (#131.7), which in turn is a pointer to the HOSPITAL LOCATION file (#44). The character string stored in this field				
as 999. 727.811,11 OR ROOM NUMBER HOSPTIAL LOCATION file (#44) for the operating room where the principal operation was performed. This character string represents an IEN to the (#.02) in the SURGERY file (#130). Field #.02 points to the OPERATING ROOM file (#131.7), which in turn is a pointer to the HOSPITAL LOCATION file (#44). The character string stored in this field				` /
727.811,11 OR ROOM POR ROOM NUMBER This character string represents an IEN to the HOSPTIAL LOCATION file (#44) for the operating room where the principal operation was performed. This character string represents an IEN to the (#.02) in the SURGERY file (#130). Field #.02 points to the OPERATING ROOM file (#131.7), which in turn is a pointer to the HOSPITAL LOCATION file (#44). The character string stored in this field				
OR ROOM NUMBER ROPTIAL LOCATION file (#44) for the operating room where the principal operation was performed. ROPTIAL LOCATION file (#44). (#.02) in the SURGERY file (#130). Field #.02 points to the OPERATING ROOM file (#131.7), which in turn is a pointer to the HOSPITAL LOCATION file (#44). The character string stored in this field	727 911 11	This shows star of the		
NUMBER HOSPTIAL LOCATION file (#44) for the operating room where the principal operation was performed. #.02 points to the OPERATING ROOM file (#131.7), which in turn is a pointer to the HOSPITAL LOCATION file (#44). The character string stored in this field	-			
file (#44) for the operating room where the principal operation was performed. (#131.7), which in turn is a pointer to the HOSPITAL LOCATION file (#44). The character string stored in this field				
room where the principal operation was performed. HOSPITAL LOCATION file (#44). The character string stored in this field	NUMBER			
operation was performed. The character string stored in this field				
The character string stored in this field				TOSTITUS BOOTHTON INC (1144).
		Perroman.		The character string stored in this field

Field # and Name	Description	Values	Technical Description
727.811,12	Person who performed the		Derived from the SURGEON field (#.14) in
SURGEON	surgery.		the SURGERY file (#130) for the surgical
			case. If the case is a non-OR surgical
			procedure, the PROVIDER field (#123) from
			the SURGERY file (#130) is used.
			The SURGEON is the value of a "2"
			prefixed to the pointer value to indicate that
			the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the
			value that will be stored is 298765.
727.811,13 ATTENDING	Person who oversaw and/or signed off on this surgery.		Derived from the ATTEND SURG field (#.164) in the SURGERY file (#130) for the
SURGEON	signed on on and surgery.		surgical case. If the case is a non-OR surgical
			procedure, the ATTEND PROVIDER field
			(#124) from the SURGERY file (#130) is
			used.
			The ATTENDING SURGEON is the value
			of a "2" prefixed to the pointer value to
			indicate that the source file is "200". For
			example, if the IEN of the provider in file #200 is 98765, the value that will be stored is
			298765.
727.811,14	Person who oversaw and/or		Derived from the ANESTHESIOLOGIST
ANESTHESIA	signed off on the anesthesia		SUPVR field (#.34) in the SURGERY file
SUPERVISOR	for this case.		(#130) for the surgical case.
			The ANESTHESIOLOGIST SUPERVISOR
			is the value of a "2" prefixed to the pointer
			value to indicate that the source file is "200".
			For example, if the IEN of the provider in
			file #200 is 98765, the value that will be
727.811,15	The code corresponding to	'S' FOR SPINAL	stored is 298765. Derived from the ANESTHESIA
ANESTHESIA	the type of anesthesia	'E' FOR EPIDURAL	TECHNIQUE field (.01) within the
TECHNIQUE	technique used during this	'O' FOR OTHER	ANESTHESIA TECHNIQUE multiple (.37)
	case.	'G' FOR GENERAL	of the SURGERY file (#130). This
		'M' FOR MONITORED	anesthesia technique is the principal
		ANESTESIA CARE 'L' FOR LOCAL	technique.
727.811,16	The indicator if this is a	_ TONESONE	Data is P for primary when the extract record
PRIMARY/	primary, secondary or		is for a principal procedure. It is S for
SECONDARY/	prostheses.		secondary when the extract record is for
PROSTHETICS			other procedure. It is I for implants (prostheses) when the extract record is for a
			prosthesis item.
727.811,17	The Current Procedural		For the principal procedure, CPT is derived
CPT	Terminology (CPT) code		from the CPT CODE field (.01) in the CPT
	for the operative procedure.		file (#81) as defined by the PRINCIPAL
			PROCEDURE CODE field (27) in the
			SURGERY file (#130). If the extract record
			is for a secondary procedure, CPT is derived from the OTHER PROCEDURE CPT CODE
			field (3) within the OTHER PROCEDURES
			multiple (.42) in the SURGERY file (#130).
727.811,18 PLACEHOLDER1	Currently Null		Currently Null
727.811,19	The time, in 15-minute		Derived from the TIME PAT OUT OR field
PATIENT TIME	increments, the patient was		(.232) minus the TIME PAT IN OR field
	in the OR.		(.205) in the SURGERY file (#130).

Field # and Name	Description	Values	Technical Description
727.811,20	The time, in 15-minute		Derived from the TIME OPERATION
OPERATION	increments, of the principal		ENDS field (.23) minus the TIME
TIME	operative procedure.		OPERATION BEGAN field (.22) in the
			SURGERY file (#130) for the surgical case.
			If the case is a non-OR surgical procedure,
			OPERATION TIME is derived from the
			TIME PROCEDURE ENDED field (122)
			minus the TIME PROCEDURE BEGAN
			field (121) in the SURGERY file (#130).
727.811,21	The time, in 15-minute		Derived from the ANES CARE END TIME
ANESTHESIA	increments, of the		field (.24) minus the ANES CARE START
TIME	anesthesia care		TIME field (.21) in the SURGERY file
	administered.		(#130)
727.811,22	Describes which locally		Derived from the PROSTHESIS ITEM field
PROSTHESIS	defined implant if any was		(#.01) within the PROSTHESIS
	used.		INSTALLED multiple (#.47) in the
			SURGERY file (#130).
727.811,23	This field is obsolete and		Field is set to null.
QUANTITY	has been replaced by the		
	NEW QUANTITY field in		
	this file.		
727.811,24	Currently Null		Currently Null
PLACEHOLDER2			
727.811,25	Current patient movement		A call to IN5^VADPT (using the patient IEN
MOVEMENT FILE	record associated with this		and the event date) returns a patient
#	extract record.		movement number (indicating inpatient
			status). This field is set to the value of
			VAIP(1), which is a pointer to the PATIENT
			MOVEMENT file (#405).
727.811,26	The PTF CODE of the		This field is initialized to a null, indicating an
TREATING	treating specialty associated		outpatient status. If a call to IN5^VADPT
SPECIALTY	with this extract record.		(using the patient IEN and the event date)
			returns a patient movement number
			(indicating inpatient status), the value of
			VAIP(8), which is the pointer to the
			FACILITY TREATING SPECIALTY file
			(#45.7), is used to get the SPECIALTY field
			(#1) which points to the SPECIALTY file
			(#42.4).
			That pointer value is stored here as a
			character string; this field represents and IEN
			in file (# 42.4). Then, the PTF Code (field #7
			of file 42.4) is obtained and stored instead of
505.011.05	70	(C) FOR C	the actual specialty code.
727.811,27	If set, this field indicates	'C' FOR C	If cancellation information exists
CANCELLED	that the surgical procedure		(^SRF(D0,30)) or for a regular procedure
	was cancelled after being		(not a non-OR procedure ^SRF(D0,NON)),
	started.		there is no data in the TIME PAT IN OR
			field (.205), then the extract record is not sent
			as per 2/7/94 decision.
			TOUGH Chald to be tree and the LC of the L
			This field is being retained fro backward
			compatibility; essentially it serves as a
]		placeholder in the data line.

Field # and Name	Description	Values	Technical Description
727.811,28	The military time when the		Data source:
TIME	patient entered the OR.		SURGERY file (#130); TIME PAT IN OR field (#.205)
			The character string always consists of exactly 6 numerics. The field default is "000300" for Year 2000 compliance per vendor.
727.811,29 OR TYPE	The OR TYPE of the operating room where this procedure was done. This field is a character string which represents an IEN in the OPERATIN GROOM TYPE file (#134).		For the OPERATING ROOM field (#.02) identified in the SURGERY file (#130), OR TYPE is derived from the TYPE field (#9) in the OPERATING ROOM file (#131.7). It is a pointer to the OPERATING ROOM TYPE file (#134), which is a national standard operating room types list. That pointer value is stored here as a
			character string; this field then represents an IEN in file #134.
727.811,30 ATTENDING'S SERVICE	The service to which the attending surgeon is assigned. The character		ATTENDING'S SERVICE is an IEN in the NATIONAL SERVICE file (#730).
	string in this field represents an IEN in the NATIONAL SERVICE file (#730).		It is derived from the SERVICE/SECTION field (#29) in the NEW PERSON file (#200) for the ATTENDING SURGEON field (#13) in the SURGERY EXTRACT file (#727.811), which is a pointer to the SERVICE/SECTION file (#49). The pointer value found in the NATIONAL SERVICE field (#730) of the SERVICE/SECTION file (#49) points to the NATIONAL SERVICE file (#730).
			The pointer value to file #730 is stored in this field as a character string.
727.811,31 NON-OR DSS IDENTIFIER	Identifies the non-OR location for this procedure if the non-OR portion of the Surgery Package is used.		For a non-OR procedure this field is derived from the DSS UNIT IDENTIFIER field (#8) of the CLINIC AND STOP CODES file (#728.44) using the HOSPITAL LOCATION file pointer (#44) found in the NON-OR LOCATION field (#119) of the SURGERY file (#130).
727.811,32 RECOVERY ROOM (PACU) TIME	Time, in 15-minute increments that the patient spent in the post anesthesia care unit.		Derived from the PAC(U) DISCH TIME field (1.18) minus the ADMIT PAC(U) TIME field (1.17) in the SURGERY file (#130).
727.811,33 PLACEHOLDER3	The DSS Code which identifies the prosthetic device used.		For the Surgery extract, the IMPLANT CODE field is null.
727.811,34 PRIMARY CARE TEAM	The primary care team assigned to this patient.		Using the DATE OF OPERATION field (.09) from the SURGERY file (#130) and the patient pointer (DFN) stored in the PATIENT NO. – DFN field (4) in the SURGERY EXTRACT file (#727.811), a call is made to the Scheduling API, OUTPTTM^SDUTL3. The API returns the team's internal entry number and name from the TEAM file (#404.51). Only the pointer (IEN) to File 404.51 is transmitted.

Field # and Name	Description	Values	Technical Description
727.811,35 PRIMARY CARE PROVIDER	The primary care provider assigned to this patient through the Primary Care Management Module (PCMM) application.		Derived by a call to the Scheduling API, OUTPTPR^SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). The PRIMARY CARE PROVIDER is the value of a "2" prefixed to the pointer value to indicator that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The DATE OF OPERATION field (#.09) from the SURGERY file (#130) and the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the SURGERY EXTRACT file (#727.811) are the parameters used in the Scheduling API call.
727.811,36 ADMISSION DATE	This 8-character numeric string represents the date on which the patient's admission occurred.		If the patient on whom the surgical procedure was performed was an inpatient on the procedure date, then a call to PATDEM^ECXUTL2, which calls INP^ECXUTL2, which calls INP^ECXUTL2, which calls INS^VADPT, will return the admission date/time in VAIP (13,1). The date is then converted to the DSS format YYYYMMDD.
727.811, 37 MASTER PATIENT INDEX	A national VA system identifier which uniquely identifies a patient.		Derived by calling API,\$\$GETICN^MPI001(Supported DBIA #2701), that returns the Integration Control Number (ICN) for the given patient in the Patient file (#2).
727.811, 38 DSS PRODUCT DEPARTMENT	The nationally defined DSS Intermediate Department Number designated to the patient care product being provided.		For the Surgery extract, the DSS PRODUCT DEPARTMENT field is null.
727.811, 39 PLACEHOLDER	Currently Null		Currently Null
727.811, 40 PLACEHOLDER 727.811, 41 PLACEHOLDER	Currently Null Currently Null		Currently Null Currently Null
727.811,42 PLACEHOLDER	Currently Null		Currently Null
727.811, 43 PC PROVIDER PERSON CLASS	The VA code of the Person Class of the Primary Care Provider associated with this record.		The field will hold the VA Code associated with the active Person Class of the patient's Primary Care Provider as of the date of this extract record. The VA Code is always of the form "V"_six
			numeric digits; exactly 7 characters in length.

Field # and Name	Description	Values	Technical Description
727.811, 44	The Associate Primary Care		Derived by a call to the Scheduling API,
ASSOCIATE PC	Provider assigned to this		OUTPTAP^SDUTL3. The API returns the
PROVIDER	patient through the Primary		associate provider's internal entry number
	Care Management Module		and name from the NEW PERSON file
	(PCMM) application.		(#200). The ASSOCIATE PC PROVIDER is
			the value of a "2" prefixed to the pointer
			value to indicate that the source file is "200".
			For example, if the IEN of the provider in
			file #200 is 98765, the value that will be stored is 298765.
			The PATIENT field (#.01) and the DATE
			OF OPERATION field (#.09) of the
			SURGERY file (#130) are the parameters
			used to determine the ASSOCIATED PC
			PROVIDER.
727.811, 45	VA Code of the Person		Active Person Class is determined by
ASSOC. PC PROV.	Class of the patient's		\$\$GET^XUA4A72(PERS,DATE), where
PERSON CLASS	Associate Primary Care		PERS is the IEN from file (#200) and DATE
	Provider.		is the date of the event. The VA CODE is determined by the 7 th piece of the returned
			value string
727.811, 46	Currently Null		Currently Null
PLACEHOLDER	-		Currently Ivan
727.811, 47	The 5- character CPT Code		This field is derived from a call to
CPT CODE	of the procedure performed,		CPT^ECXUTL3 using the PRINCIPAL
QUANTITY	the Quantity or how many		PROCEDURE CODE (#.02) of the
MODIFIERS	times the unique code		SURGERY PROCEDURE/DIAGNOSIS
	appears in the record, and up to up to 5 two-character		CODE file (#136) and the PRIN. PROCEDURE CPT MODIFIER field (#28)
	CPT modifiers.		of the SURGERY file (#130) as input.
727.811, 48	Indicates if the patient is	'P' FOR GEN PRRTP	If the patient's treating specialty exists in the
DOM, PRRTP	admitted to either a RRTP	'D' FOR DOMICILIARY	DSS TREATING SPECIALTY
AND SAARTP	PRRTP, or SARRTP at time	'S' FOR DOM,PRRTP	TRANSLATION (#727.831) file, data is
INDICATOR	care is provided.	'T' FOR PTSD PRRTP	derived from the DOM/PRRTP/SARRTP
	-	'H' FOR HOMELESS	CODE field (#2) of the DSS TREATING
		CWT/TR	SPECIALTY TRANSLATION (#727.831)
		'A' FOR SA CWT/TR	file.
		'B' FOR PTSD CWT/TR	
707.011.40	D.C. O. T.	'C' FOR GEN CWT/TR	Otherwise, the value is null.
727.811, 49	Patient's enrollment		ENROLLMENT CATEGORY is derived from the standard call
ENROLLMENT CATEGORY	category.		\$\$CATEGORY^DGENA4 using patient
CATEGORI			DFN and the ENROLLMENT STATUS
			(#50) field.
727.811, 50	Patient's enrollment status.		ENROLLMENT STATUS is derived from
ENROLLMENT			the standard call \$\$STATUS^DGENA using
STATUS			patient DFN.
727.811, 51	Currently Null		Currently Null
PLACEHOLDER	Currently Ivali		Currently Ivuii
1 LACEROLDER			

Field # and Name	Description	Values	Technical Description
727.811, 52	The period of service that		Using the patient pointer (DFN) stored in the
PERIOD OF	best classifies this patient		PATIENT NO. – DFN field (#4) in the
SERVICE	based on eligibility.		SURGERY EXTRACT file (#727.811),
			PERIOD OF SERVICE data is derived from
			the PERIOD OF SERVICE field (#.323) in
			the PATIENT file (#2). This field is a
			pointer to the PERIOD OF SERVICE file
			(#21). Using the period of service pointer, the data is derived from the CODE field
			(#.03) in the PERIOD OF SERVICE file
			(#21). This code is a single alpha numeric
			character.
			The veteran's period of service (pointer)
			indicator is returned by ELIG^VADPT.
727.811, 53	Indicates whether or not the	'Y' FOR YES	PATIENT file (#2) CURRENT PH
PURPLE HEART	patient is a Purple Heart	'N' FOR NO	INDICATOR field (#.531). The status
INDICATOR	recipient.		indicator is returned by SVC^VADPT.
727.811, 54	Indicates if patient is	'Y' FOR YES	Data (YES,NO) is retrieved from API call
OBSERVATION PATIENT	considered to be an observation patient.	'N' FOR NO	\$\$OBSPAT^ECXUTL4:
INDICATOR	F		If the patient's treating specialty exists in the
			DSS TREATING SPECIALTY
			TRANSLATION (#727.831) file, data is
			derived from the OBSERVATION PAT
			INDICATOR field (#4) of the DSS
			TREATING SPECIALTY TRANSLATION
			(#727.831) file.
			If patient is outpatient and treating specialty
			not in file, AND Feeder Key (CLI) or DSS
			ID (MTL,IVP,ECQ,QSR,NOS,SUR) is 290-
			297, Observation Patient Ind=YES, Else
			Observation Patient Ind=No.
			Otherwise, Observation Patient Ind=NO.
727.811, 55	The unique number		This field is determined by a call to
ENCOUNTER	assigned for DSS.		\$\$ENCNUMB^ECXUTL4. Within this call
NUMBER			the inpatient/outpatient status, SSN,
			admit/visit date, treating specialty,
			observation patient indicator, and DSS
			Identifier or feeder key values of the record
			are used to create a unique encounter number.
727.811, 56	Indicates the location where		Using the patient's DFN, a call is made to
AGENT ORANGE	the patient was exposed to		SVC^VADPT, which returns the location
LOCATION	Agent Orange.		indicator, as found in the AGENT ORANGE
			EXPOSURE LOCATION field (#.3213) of
727.811, 57	Identifies the		the PATIENT file (#2). Data comes from the DIVISION field (#50)
PRODUCTION	division/facility where the		of the SURGERY file (#130) which is a
DIVISION CODE	work was performed.		pointer to the INSTITUTION file (#4). This
			value is then used to call the API
			RADDIV^ECXDEPT to get the STATION
			NUMBER field (#99) from the
			INSTITUTION file (#4).
727.811, 58	Identifies whether patient	'Y' FOR YES	Using the patient pointer (DFN) stored in the
HEAD & NECK	has head and/or neck	'N' FOR NO	PATIENT NO. – DFN field (4), a call is
CANCER	cancer.		made to \$\$GETCUR^DGNTAPI to retrieve
INDICATOR			the HEAD/NECK CA DX field (#2.01) of
			the NOSE AND THROAT RADIUM
			HISTORY file (#28.11).

Field # and Name	Description	Values	Technical Description
727.811, 59 ETHNICITY	The patient's PTF ethnicity code.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4), ETHNICITY is derived from the PTF VALUE field (#5) of the ETHNICITY file (#10.2) pointed to by the ETHNICITY INFORMATION field (#.01) of the ETHNICITY INFORMATION subfile (#2.06) of the PATIENT file (#2). The above occurs only if the METHOD OF COLLECTION field (#.02) of the ETHNICITY INFORMATION sub file (#2.06) is set to 1 (SELF-IDENTIFICATION), otherwise ETHNICITY with be set to null.
727.811, 60 RACE 1	Self-reported by patient as recorded in VistA patient file.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4), RACE 1 is derived from the PTF VALUE field (#5) of the RACE file (#10) pointed to by the RACE INFORMATION field (#.01) of the RACEINFORMATION subfile (#2.02) of the PATIENT file (#2). Only those RACE INFORMATION values in the RACE INFORMATION subfile (#2.02) where the METHOD OF COLLECTION field (#.02) is set to 1 (SELF-IDENTIFICATION), will be included in the RACE 1 field. If any of the RACE INFORMATION values returned, are "C" (DECLINED TO ANSWER), that will be the only value included in the RACE1 field.
727.811,61 NEW QUANTITY	The quantity of the prosthetic device(s) used for this operative procedure.		Derived from the QUANTITY field (#7) within the PROSTHESIS INSTALLED multiple (#.47) in the SURGERY file (#130) for the PROSTHESIS ITEM referred to in the PROSTHESIS field (#22) of this file
727.811,62 DSS IP #	The nationally defined DSS Intermediate Product Number designated to the patient care product.		For the Surgery extract, the DSS IP# field is null.

Field # and Name	Description	Values	Technical Description
727.811,63	This field contains the		ENROLLMENT PRIORITY field contains
ENROLLMENT	enrollment priority group		the enrollment priority group and the
PRIORITY	and the enrollment priority		enrollment priority subgroup from the
	subgroup.		PATIENT ENROLLMENT file (#27.11)
			ENROLLMENT PRIORITY Groups
			determined for a patient enrollment include:
			'1' FOR GROUP 1
			'2' FOR GROUP 2
			'3' FOR GROUP 3
			'4' FOR GROUP 4
			'5' FOR GROUP 5
			'6' FOR GROUP 6
			'7' FOR GROUP 7
			'8' FOR GROUP 8
			ENROLLMENT PRIORITY Subgroups
			determined for a patient enrollment include:
			'1' FOR a
			'3' FOR c
			'5' FOR e
			'7' FOR g
			/ FOR g
			Data is obtained from a call to
			\$\$ENRSBGRP^DGENA4 (DFN) using the
			patient's DFN.
727.811.64	Indicates whether a veteran	'U' FOR USER	User enrollee is determined by checking the
USER ENROLLEE	has User Enrollee status for	ENROLLED	PATIENT ENROLLMENT (#27.11) file.
OBER ENROELLE	the current or future fiscal	LIMOLLED	When a user has a current or future fiscal
	year.		year in the ENROLLMENT STATUS (#.04)
	year.		field, the value is set to 'U' and is null is no
			I · · · · · ·
			date or a past year's value is contained.
			Determined by the use of an API:
			\$\$UESTAT^EASUERwhere the Patient
			Identifier (DFN) is passed in.
727.811,65	Refers to the various types	'AC' FOR Active Duty	PATIENT TYPE is derived from a call to
PATIENT TYPE	of patient, which may be	'AL' FOR Allied Veteran	TYPE^ECXUTL5 (DFN). Using the patient's
	seen at a VA facility. Every	'CO' FOR Collateral	DFN, the NAME field (#.01) of the TYPE of
	patient in the system must	'EM' FOR Employee	PATIENT file (#391) as pointed to by the
	have a TYPE specified.	'IN' FOR Ineligible	TYPE field (#391) of the PATIENT file (#2)
		'MI' FOR Military Retiree	is shortened to the first two characters to
		'NO' FOR Non-Veteran	determine the value stored in the PATIENT
		(Other)	TYPE field (#68).
		'NS' FOR NSC Veteran	
		'SC' FOR SC Veteran	
		'TR' FOR Tricare	
727.811,66	Records if veteran served	'Y' FOR YES	CV STATUS ELIGIBILITY is determined
CV STATUS	on active duty in a theatre	'E' FOR ELIGIBILTY	by the use of API \$\$CVEDT^DGCV (DFN.
ELIGIBILITY	of combat operations during	EXPIRED	DATE) that checks the COMBAT VET END
ELIGIDILII I		LATIKED	
	a period of war after the		DATE field (#.5295) from the PATIENT file
	Persian Gulf War or in		(#2) to determine CV Status. API returns
	combat against a hostile		three pieces i.e. 1^20011006^0 and the first
	force during a period of hostilities after November		piece is resolved as follows:
	11, 1998.		1 – veteran qualifies as a CV
	11, 1990.		
			0 – veteran does not qualify as a CV
			-1 – bad DFN or date
			Based on this result the field will be set to
			'Y' for 'YES', E for 'ELIGIBILITY
			EXPIRED' or 'NULL' for 'NOT
		1	ELIGIBLE'.

Field # and Name	Description	Values	Technical Description
727.811,67	Records the Combat		CV ELIGIBILITY END DATE is
CV ELIGIBILITY	Veteran (CV) eligibility		determined by the use of API
END DATE	expiration date of the		\$\$CVEDT^DGCV (DFN. DATE) that
	veteran who served on		checks the COMBAT VET END DATE field
	active duty in a theatre of		(#.5295) from the PATIENT file (#2) to
	combat operations during a		determine CV Status. API returns three pieces (i.e. 1^20010106^0. The 2 nd piece is
	period of war after the Persian Gulf War or in		the COMBAT VET END DATE in HL7
	combat against a hostile		format (YYYYMMDD).
	force during a period of		10111111 (11111111111111111111111111111
	hostilities after November		
	11, 1998.		
727.811,68	Records if veteran served	'Y' FOR YES	ENCOUNTER CV is determined by the use
ENCOUNTER CV	on active duty in a theatre		of API \$\$CVEDT^DGCV (DFN. DATE)
	of combat operations during		that checks the COMBAT VET END DATE
	a period of war after the Persian Gulf War or in		field (#.5295) from the PATIENT file (#2) to determine CV Status. API returns three
	combat against a hostile		pieces (i.e. 1^20100106^0). The third piece
	force during a period of		returns:
	hostilities after November		
	11, 1998.		1 – vet was eligible on date specified
			0 – vet was not eligible on date
			Based on these returns, the value for this
			field shall be Y for Yes if value is 1 or left
			blank if 0 to indicate ineligibility.
727.811,69	ROOM CLEANING TIME		The ROOM CLEANING TIME is
ROOM	is the number of 15 minute		determined by using the OR CLEAN START
CLEANING TIME	intervals required to clean		TIME field (#.234), OR CLEAN END TIME
	the room. For example, an		field (#.236) and the TIME PAT OUT OR
	entry of 3 indicates that it took 45 minutes to clean the		field (#.232) of the SURGERY file (#130).
	room.		If the OR CLEAN START TIME and the OR
	Toom.		CLEAN END TIME field have values, then
			they are used to determine the amount of
			time to clean the room. If that yields no
			result then the OR CLEAN END TIME and
			the TIME PAT OUT OR fields are used. If
			that yields no result then the default value
727.811,70	HOLDING AREA TIME		will be 2. HOLDING AREA TIME field shall contain
HOLDING AREA	field shall contain the time		the time (in 15-minute increments) that the
TIME	(in 15-minute increments)		patient spent in the holding area, divide by 2
	that the patient spent in the		if clinical staff are doing concurrent
	holding area.		surgeries.
			This is desired to the state of the state of
			This is derived by subtracting the TIME PT IN HOLD AREA from TIME PT IN OR and
			converting the result into the number of 15-
			minute increments. If the TIME PT IN
			HOLD AREA = 0 or Null, set the extract
			field to null.
727.811,71	This field records that the	'Y' FOR YES	The NATIONAL PATIENT RECORD
NATIONAL	patient's record contains 1		FLAG field is set based on the results of the
PATIENT RECORD FLAG	or more Category 1 (National) Patient Record		\$\$GETACT^DGPFAPI(DFN, TARGETARRAY) call. This call looks at
RECOND PLAG	Flags.		the category 1 national patient record flags as
	150.		recorded in the PRF NATIONAL FLAG file
			(#26.15). The resulting value of this call is
			the number of active category I patient record
			flags assigned to this patient. This field is set
			to Y (YES) if the result is greater than zero.
			A value of zero causes this field to be left
	1		null.

Field # and Name	Description	Values	Technical Description
727.811,72	The principal		The PRINCIPAL ANESTHETIST field is
PRINCIPAL	anesthesiologist or Certified		derived from the PRINC ANESTHETIST
ANESTHETIST	Registered Nurse		field (#.31) of the SURGERY file (#130).
	Anesthetist (CRNA) (or		This field is a pointer to the NEW PERSON
	surgeon, if local anesthesia).		file (#200).
			The PRINCIPAL ANESTHETIST is the
			value of a "2" prefixed to the pointer value to
			indicate that the source file is "200". For
			example, if the IEN of the provider in file
			#200 is 98765, the value that will be stored is 298765.
727.811,73	The VA Code of the Person		NEW PERSON file #200, Field (#5); file
SURGEON	Class of the Surgeon		#8932.1. Active Person is determined by
PERSON CLASS	associated with this record.		\$\$GET^XUA4A72 (PERS,DATE) where
	The VA Code is always of		PERS is the IEN from the NEW PERSON
	the form "V"_six numeric		file #200.
	digits; exactly 7.		
727.811,74	The VA Code of the Person		NEW PERSON file #200, Field #5; file
ATTENDING	Class of the Attending		#8932.1. Active Person is determined by
SURGEON PC	Surgeon associated with this record. The VA Code is		\$\$GET^XUA4A72 (PERS,DATE) where
	always of the form "V"_six		PERS is the IEN from the NEW PERSON file #200.
	numeric digits; exactly 7.		THE #200.
727.811,75	The VA Code of the Person		NEW PERSON file #200, Field (#5); file
ANESTHESIA	Class of the Anesthesia		#8932.1. Active Person is determined by
SUPERVISOR PC	Supervisor associated with		\$\$GET^XUA4A72 (PERS,DATE) where
	this record. The VA Code		PERS is the IEN from the NEW PERSON
	is always of the form		file #200.
	"V"_six numeric digits;		
727.811,76	exactly 7. The VA Code of the Person		NEW PERSON file #200, Field (#5); file
PRINCIPAL	Class of the Principal		#8932.1. Active Person is determined by
ANESTHETIST PC	Anesthetist associated with		\$\$GET^XUA4A72 (PERS,DATE) where
	this record. The VA Code		PERS is the IEN from the NEW PERSON
	is always of the form		file #200.
	"V"_six numeric digits;		
	exactly 7.		
727.811,77	This field identifies patients		This field is extracted from the
ERI	from impacted zip code		EMERGENCY RESPONSE INDICATOR
	areas designated by the		field (#.181) located in the PATIENT file
	Federal Emergency Management Agency		(#2). Values are: "K" = Hurricane Katrina
	(FEMA).		Null
727.811,78	Indicates whether service	'Y' FOR YES	Using the VISIT field (#.015) in the
AGENT ORANGE	provided during this patient	'N' FOR NO	SURGERY file (#130) a call is made to API
ENC INDICATOR	encounter is related to		VISIT^ECXSCX1 which in turn calls
	exposure to Agent Orange.		ENCEVENT^PXAPI. The
			ENCEVENT^PXAPI will return the agent
			orange indicator stored at the AGENT
			ORANGE EXPOSURE field (#80002) in the
			VISIT file (#9000010). The value will be
727.811,79	Indicates whether service	'Y' FOR YES	stored in the output array subscripted "AO". Using the VISIT field (#.015) in the
ENC HEAD/NECK	provided during this patient	'N' FOR NO	SURGERY file (#130), a call is made to API
CA CA	encounter is related to head	1, 101(10	VISIT^ECXSCX1 which in turn calls
	and/or neck cancer.		ENCEVENT^PXAPI. The
			ENCEVENT^PXAPI will return the
			head/neck cancer data stored in the HEAD
			AND/OR NECK CANCER field (#80006) in
			the VISIT file (#9000010). The value will be
			stored in the output array subscripted
			"HNC".

Field # and Name	Description	Values	Technical Description
727.811, 80	The Military Operation in		The Military Operation in which the patient
OEF/OIF	which the patient was in		was in combat during the specified time
	combat during the specified time period. This field is a		period. This field is a length of nine characters and reflects the OEF or OIF where
	length of nine characters		this patient was in combat. The value of this
	and reflects the OEF or OIF		field is derived from the LOCATION OF
	where this patient was in		SERVICE field (#.01) from SERVICE [OEF
	combat.		OR OIF] sub-file (#2.3215) of field (#.3215)
			located in the PATIENT File (#2). DSS will
			capture once, each location where the veteran
			served. In order to accommodate multiple locations, the values for this field are
			concatenated into this 9-character field.
			Possible field values are one or more
			combinations of the following: OEF =
			Operation Enduring Freedom OIF =
			Operation Iraqi Freedom UNK = Unknown OEF/OIF
727.811, 81	The date the patient left the		The date the patient left the OEF/OIF area, if
OEF/OIF RETURN	OEF/OIF area, if known.		known. Otherwise, it is the end date of
DATE	Otherwise, it is the end date		military pay for this OEF/OIF deployment. This date field has a format equal to
	of military pay for this OEF/OIF deployment. This		YYYYMMDD The value of this field is
	date field has a format equal		derived from the OEF/OIF TO DATE field
	to YYYYMMDD.		(#.03) from sub-file (#2.3215) of field
			(#.3215) located in the PATIENT file (#2). In
			cases of multiple OEF/OIF tours, this field
727.811, 82	Identifies the clinic		contains only most recent return date.
CLINIC POINTER	associated with surgery		This applies to outpatients only. Value is null for inpatients. The clinic is determined
	specialty for this case.		as follows.
			If a case is for Non-OR portion of the
			Surgery package, the value for the CLINIC
			POINTER is retrieved from the
			ASSOCIATED CLINIC field (#.021) located
			in the SURGERY file (#130).
			If the value in the ASSOCIATED CLINIC is
			NULL, then the value is obtained from the
			NON-OR LOCATION field (#119) located
			in the SURGERY file (#130).
			If a case is not for Non-OR portion of the
			Surgery package, the value for the CLINIC
			POINTER is retrieved from the ASSOCIATED CLINIC field (#2) of the
			SURGICAL SPECIALTY file (#137.45) as
			pointed to by the SURGERY SPECIALTY
			field (#.04) of the SURGERY file (#130).
727.811, 83 CREDIT STOP	Identifies the Credit Stop		This applies only to outpatients. The clinic
CKEDII SIUP	Code of the clinic associated with the surgery		associated with the Surgery Specialty is a pointer to the HOSPITAL LOCATION File
	specialty for this case.		(#44). CREDIT STOP is field (#2503) in the
	, J		HOSPITAL LOCATION File (#44). Follow
			pointer to clinic entry in CLINIC STOP File
			(#40.7) to obtain three-character code. Value
727.811, 84	Identifies the Primary Stop		is null for inpatients. This applies only to outpatients. The clinic
STOP CODE	Code of the clinic		associated with the Surgery Specialty is a
	associated with the surgery		pointer to the HOSPITAL LOCATION file
	specialty for this case.		(#44). STOP CODE is field (#8) in the
			HOSPITAL LOCATION file (#44). Value is
			null for inpatients.

Field # and Name	Description	Values	Technical Description
727.811, 85	The Post-op diagnosis for		This field is derived from the CODE
PRIC POSTOP	the Principle Procedure		NUMBER field (#.01) of the ICD
DIAGNOSIS			DIAGNOSIS file (#80) as pointed to by the
CODE			PRIN POSTOP DIAGNOSIS CODE field
			(#.03) of the SURGERY
			PROCEDURE/DIAGNOSIS CODES file
			(#136)
727.811, 86	The first associated		This field is derived from the CODE
OTHER POSTOP	diagnosis for the Principle		NUMBER field (#.01) of the ICD
DIAGNOSIS	Procedure.		DIAGNOSIS file (#80) as pointed to by the
CODE #1			first entry in the OTHER POSTOP DIAGNOSIS field (#.01) of the OTHER
			POST multiple (#4)of the SURGERY
			PROCEDURE/DIAGNOSIS CODES file
			(#136).
727.811, 87	The second associated		This field is derived from the CODE
OTHER POSTOP	diagnosis for the Principle		NUMBER field (#.01) of the ICD
DIAGNOSIS	Procedure.		DIAGNOSIS file (#80) as pointed to by the
CODE #2	Troccdure.		second entry in the OTHER POSTOP
CODE #2			DIAGNOSIS field (#.01) of the OTHER
			POST multiple (#4)of the SURGERY
			PROCEDURE/DIAGNOSIS CODES file
			(#136).
727.811, 88	The third associated		This field is derived from the CODE
OTHER POSTOP	diagnosis for the Principle		NUMBER field (#.01) of the ICD
DIAGNOSIS	Procedure.		DIAGNOSIS file (#80) as pointed to by the
CODE #3	Trocedure.		third entry in the OTHER POSTOP
			DIAGNOSIS field (#.01) of the OTHER
			POST multiple (#4)of the SURGERY
			PROCEDURE/DIAGNOSIS CODES file
			(#136).
727.811, 89	The fourth associated		This field is derived from the CODE
OTHER POSTOP	diagnosis for the Principle		NUMBER field (#.01) of the ICD
DIAGNOSIS	Procedure.		DIAGNOSIS file (#80) as pointed to by the
CODE #4			fourth entry in the OTHER POSTOP
			DIAGNOSIS field (#.01) of the OTHER
			POST multiple (#4)of the SURGERY
			PROCEDURE/DIAGNOSIS CODES file
			(#136).
727.811, 90	The fifth associated		This field is derived from the CODE
OTHER POSTOP	diagnosis for the Principle		NUMBER field (#.01) of the ICD
DIAGNOSIS	Procedure.		DIAGNOSIS file (#80) as pointed to by the
CODE #5			fifth entry in the OTHER POSTOP
			DIAGNOSIS field (#.01) of the OTHER
			POST multiple (#4)of the SURGERY
			PROCEDURE/DIAGNOSIS CODES file
727.811, 91	A standard unique life long		(#136). A standard, unique life-long identifier of the
ANESTHESIA	A standard, unique life-long identifier of the person who		person who oversaw and/or signed off on the
SUPERVISOR NPI	oversaw and/or signed off		anesthesia for the surgical procedure. This
SOI LIK VISOK IVET	on the anesthesia for the		field has a length of fifteen characters. The
	surgical procedure. This		qualified identifier is retrieved via the
	field has a length of fifteen		supporting Kernel API: \$\$NPI^XUSNPI.
	characters.		Transfer in the state of the st
727.811, 92	A standard unique life-long		A standard unique life-long identifier of the
ASSOCIATE PC	identifier of the associate		associate primary care provider. This field
PROVIDER NPI	primary care provider. This		has a length of fifteen characters. The
	field has a length of fifteen		qualified identifier is retrieved via the
	characters.		supporting Kernel API: \$\$NPI^XUSNPI.
		<u> </u>	1 1 1 0 1 1 1 7 7 7 7 7 7 7 7 7 7 7 7 7

Field # and Name	Description	Values	Technical Description
727.811, 93	A standard, unique life-long		A standard unique life-long identifier of the
ATTENDING	identifier of the person who		person who oversaw and/or signed off on the
SURGEON NPI	oversaw and/or signed off		surgical procedure. This field has a length of
	on the surgical procedure.		fifteen characters. The qualified identifier is
	This field has a length of		retrieved via the supporting Kernel API:
	fifteen characters.		\$\$NPI^XUSNPI.
727.811, 94	A standard, unique life-long		A standard unique life-long identifier of the
PRIMARY CARE	identifier of the primary		primary care provider. This field has a length
PROVIDER NPI	care provider. This field has		of fifteen characters. The qualified identifier
	a length of fifteen		is retrieved via the supporting Kernel API:
	characters.		\$\$NPI^XUSNPI.
727.811, 95	A standard, unique life-long		A standard unique life-long identifier of the
PRINCIPAL	identifier of the principal		principal anesthesiologist or Certified
ANESTHETIST	anesthesiologist or Certified		Registered Nurse Anesthetist (CRNA) who
NPI	Registered Nurse		provided anesthesia for the surgical
	Anesthetist (CRNA) who		procedure This field has a length of fifteen
	provided anesthesia for the		characters. The qualified identifier is
	surgical procedure. This		retrieved via the supporting Kernel API:
	field has a length of fifteen		\$\$NPI^XUSNPI.
707 011 04	characters.		A (1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
727.811, 96	A standard, unique life-long		A standard unique life-long identifier of the
SURGEON NPI	identifier of the person who		person who performed the surgical
	performed the surgical		procedure. This field has a length of fifteen
	procedure. This field has a		characters. The qualified Identifier is
	length of fifteen characters.		retrieved via the supporting Kernel API:
707 011 07	TEL: C: 11: 1:	(M) FOR MEG	\$\$NPI^XUSNPI.
727.811,97	This field indicates if	'Y' FOR YES	Using the pointer to the VISIT file
ENCOUNTER	treatment provided during	'N' FOR NO	(#90000.10) a call to the PCE API
SWAC	this patient encounter is		ENCEVENT^PXAPI is made. This call
	related to exposure to Southwest Asia conditions		returns visit data, including the SW ASIA CONDITIONS field (#80004) in the VISIT
	while serving in the		file (#9000010).
	Southwest Asia Theater of		THE (#3000010).
	Operations.		
727.811,98	Indicates whether service	'Y' FOR YES	Using the VISIT field (#.015) in the
RADIATION	provided during this patient	'N' FOR NO	SURGERY file (#130) a call is made to API
ENCOUNTER	encounter is related to	IV TOK NO	VISIT^ECXSCX1 which in turn calls
INDICATOR	exposure to ionizing		ENCEVENT^PXAPI. The
INDICATOR	radiation.		ENCEVENT PXAII. The ENCEVENT^PXAPI returns visit data,
	radiation.		including the IONIZING RADIATION
			EXPOSURE field (#80003) in the VISIT file
			(#9000010).
727.811,99	Indicates if treatment	'Y' FOR YES	Using a pointer to the VISIT file (#9000010)
ENCOUNTER	provided during this patient	'N' FOR NO	a call to the PCE API, ENCEVENT^PXAPI,
MST	encounter is related to	TOTAL	is made. This call returns visit data, including
	Military Sexual Trauma.		the MST ENCOUNTER INDICATOR field
	Values: Y=YES, N=NO		(#80005) in the VISIT file (#9000010).
727.811,100	Indicates if treatment	'Y' FOR YES	Using a pointer to the VISIT file (#9000010)
ENCOUNTER SC	provided during this patient	'N' FOR NO	a call to the PCE API, ENCEVENT^PXAPI,
	encounter is Service		is made. This call returns visit data, including
	Connected.Values:Y=YES,		the SERVICE CONNECTED field (#80001)
	N = NO		in the VISIT file (#9000010).
727.811,101	Indicates if patient was	'Y' FOR YES	Derived from the PATIENT file (#2);
AGENT ORANGE	exposed to Agent Orange.	'N' FOR NO	AGENT ORANGE EXPOS. INDICATED
STATUS	1 9 9	'U' FOR UNKNOWN	field (#.32102). The status indicator is
			returned by SVC^VADPT.
727.811,102	Indicates if patient claims	'Y' FOR YES	This field is derived from the SOUTHWEST
SW ASIA	exposure to Southwest Asia	'N' FOR NO	ASIA CONDITIONS? field (#.322013) in
CONDITIONS	Conditions.	'U' FOR UNKNOWN	the Patient file (#2) using the patient's DFN.
			The status indicator is returned by
			SVC^VADPT which is called by
			PAT^ECXUTL3.
	I	L	

Field # and Name	Description	Values	Technical Description
727.811,103 RADIATION STATUS	Indicates if patient claims exposure to ionizing radiation.Values:Y = YES, N = NO	'Y' FOR YES 'N' FOR NO	Derived from the RADIATION EXPOSURE INDICATED field (#.32103) in the PATIENT file (#2) using the patient's DFN. The status indicator is returned by SVC^VADPT. This field will have a NULL value if the PATIENT file (#2) record does not indicate a status.
727.811,104 MST STATUS	Indicates the Military Sexual Trauma Values Y = Screened, reports MST; N = Screened, does not report MST; D = Screened, Declines to answer; U = Unknown	'Y' FOR Screened, reports MST 'N' FOR Screened, does not report MST 'D' FOR Screened, Declines to answer 'U' FOR Unknown	The MST HISTORY file (#29.11) holds data regarding military sexual trauma claims and effective dates. The MST status is stored in the MST STATUS field (#3). A call is made to \$\$GETSTAT^DGMSTAPI(DFN,DGDATE) using the patient DFN and the date in the DAY field.
727.811,105 SHAD STATUS	Data us Y if this patient was exposed to Shipboard Hazard and Defense. N if not, or U if unknown.	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	Using the patient pointer (DFN) stored in the PATIENT NO DFN field (4) in the SURGERY EXTRACT file (#727.811), Shipboard Hazard and Defense data is derived from using DBIA #4462 GETSHAD^DGUTL3(DFN).
727.811,106 ENCOUNTER SHAD	Indicates if treatment provided during this patient encounter is related to exposure PROJ 112/SHAD condition. Values: Y=YES, N=NO	'Y' FOR YES 'N' FOR NO	Using the VISIT FILE ENTRY field (#.27) in the PATIENT MOVEMENT file (#405) a call is made to API VISIT^ECXSCX1 which in turn calls ENCEVENT^PXAPI. The ENCEVENT^PXAPI returns the Shipboard Hazard and Defense conditions indicator stored at the PROJ 112/SHAD field (#80008) in the VISIT file (#9000010). The value will be stored in the output array subscripted by "SHAD".
727.811,107 FIRST ASST	This is the name of the person assisting the surgeon during the operative procedure.		Derived from the FIRST ASST field (.15) in the SURGERY file (#130) for the surgical case. It is a pointer to the NEW PERSON file (#200). The data is stored as "2"_pointer value.
727.811,108 FIRST ASST PERSON CLASS	The VA Code of the Person Class of the First Asst associated with this record. The VA Code is always of the form "V"_six numeric digits; exactly 7.		Active Person Class is determined by \$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from file #200.
727.811,109 FIRST ASST NPI	A standard unique life-long identifier of the First Assistant. This field has a length of 15 characters.		A standard unique life-long identifier of the First Assistant. This field has a length of 15 characters. The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI.
727.811,110 SECOND ASST	This is the name of the second person assisting the surgeon during the operative procedure.		Derived from the SECOND ASST field (.16) in the SURGERY file (#130) for the surgical case. It is a pointer to the NEW PERSON file (#200). The data is stored as "2"_pointer value.
727.811,111 SECOND ASST PC	The VA Code of the Person Class of the Second Asst associated with this record. The VA Code is always of the form "V"_six numeric digits; exactly 7.		Active Person Class is determined by \$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from file #200.
727.811,112 SECOND ASST NPI	A standard unique life-long identifier of the Second Assistant. This field has a length of 15 characters.		A standard unique life-long identifier of the Second Assistant. This field has a length of 15 characters. The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI.

Field # and Name	Description	Values	Technical Description
727.811.113	This is the name of the	values	Derived from the PERFUSIONIST field
PERFUSIONIST	person operating the cardio-		(.167) in the SURGERY file (#130) for the
PERFUSIONIST	1 2		` '
	pulmonary or organ		surgical case. It is a pointer to the NEW
	perfusion apparatus.		PERSON file (#200). The data is stored as
505 011 114	THE LANGE OF CALL DO		"2"_pointer value.
727.811,114	The VA Code of the Person		Active Person Class is determined by
PERFUSIONIST	Class of the Perfusionist		\$\$GET^XUA4A72(PERS,DATE), where
PC	associated with this record.		PERS is the IEN from file #200.
	The VA Code is always of		
	the form "V"_six numeric		
	digits; exactly 7.		
727.811,115	A standard unique life-long		A standard unique life-long identifier of the
PERFUSIONIST	identifier of the		Perfusionist. This field has a length of 15
NPI	Perfusionist. This field has		characters. The qualified identifier is
	a length of 15 characters.		retrieved via the supporting Kernel API:
			\$\$NPI^XUSNPI.
727.811,116	This is the name of the		Derived from the ASST PERFUSIONIST
ASST	person assisting the		field (.168) in the SURGERY file (#130) for
PERFUSIONIST	perfusionist. If applicable,		the surgical case. It is a pointer to the NEW
	this information may be		PERSON file (#200). The data is stored as
	valuable in documentation		"2"_pointer value.
	of this case.		
727.811,117	The VA Code of the Person		Active Person Class is determined by
ASST	Class of the Asst		\$\$GET^XUA4A72(PERS,DATE), where
PERFUSIONIST	Perfusionist associated with		PERS is the IEN from file #200.
PC	this record. The VA Code		
	is always of the form		
	"V"_six numeric digits;		
	exactly 7.		
727.811,118	A standard unique life-long		A standard unique life-long identifier of the
ASST	identifier of the Asst		Asst Perfusionist. This field has a length of
PERFUSIONIST	Perfusionist. This field has		15 characters. The qualified identifier is
NPI	a length of 15 characters.		retrieved via the supporting Kernel API:
			\$\$NPI^XUSNPI.
	l .		φφ1.1.1.1.001.11.11

Field # and Name	Description	Values	Technical Description
727.811,119	NSQIP Definition (2004):		Derived by using the ASA CLASS field
ANESTHESIA	Record the American		(1.13) pointer in the SURGERY file (#130)
SEVERITY	Society of Anesthesiology		to return the ASA CLASS field (#.01) value
ASSESSMENT	(ASA) Physical Status		from the ASA CLASS file ((#132.8)
(ASA)	Classification of the		
` ′	patient's present physical		
	condition on a scale from 1-		
	6 as it appears on the		
	anesthesia record. Most		
	likely there will be a 2nd		
	assessment of the ASA		
	class prior to anesthesia		
	induction. If this is		
	available, report this most		
	recent assessment. The		
	definitions are:		
	ASA 1 - A normal healthy		
	patient		
	ASA 2 - A patient with mild		
	systemic disease		
	ASA 3 - A patient with		
	severe systemic disease		
	ASA 4 - A patient with		
	severe systemic disease that		
	is a constant threat to life ASA 5 - A moribund patient		
	who is not		
	expected to survive without		
	the operation		
	ASA 6 - A declared brain-		
	dead patient		
	whose organs are being		
	removed for donor purposes		
	ASA 6 cases should be		
	excluded.		
	Classification numbers		
	followed by an 'E' indicate		
	an emergency.		
727.811,120	This is the Patient's	'AD' FOR Active Duty	If the VistA Patient Type Code (TYPE
PATCAT	category which will be used	'ADD' FOR Active Duty	(#391) field of the Patient (#2) file) = Active
	for FHCC (Federal Health	Dependent	Duty, Military Retiree, or TRICARE, then
	Care Center) Reconciliation. DSS must	'FNRS' FOR Former Non- Remarried Spouse	the value(s) in the VistA Other Eligibility multiple (PATIENT ELIGIBILITIES (#361)
	capture and report DoD	'RET' FOR Retired	field of the PATIENT (#2) file), which points
	patients so that the FHCC	'RETD' FOR Retiree	to locally modifiable ELIGIBILITY CODE
	reconciliation process can	Dependent	(#8) file should be evaluated. If the value in
	function as designed.	'RES' FOR Reservist	the ELIGIBILITY CODE is equal to any
	"Reconciliation" is the	'REC' FOR Recruit	entry in the set of codes in this field, the
	process used within the new	'TDRL' FOR Temporary	value should be placed in this field.
	FHCC to determine which	Disability	1
	patients DoD pays for and	'TFL' FOR TRICARE for	
	which VA pays for.	Life	
727.811,121	Patient's date of birth.		The data is derived by using the Patient No. –
DATE OF BIRTH			DFN (#4) field of this file to retrieve the
			DATE OF BIRTH (#.03) field from the
			PATIENT (#2) file. If Date of Birth cannot
			be determined, then January 1, 1942, is used
			as default.

#727.817- TREATING SPECIALTY CHANGE EXTRACT (TRT) File Data Definition

This file contains data elements as specified by the Decision Support Office (DSO) for the MAS Treating Specialty Change extract from existing VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.

Field # and Name	Description	Values	Technical Description
727.817,.01 SEQUENCE NUMBER	The record for this extract entry.		The internal entry number (IEN) for this record. This entry is DINUMed.
727.817,1 YEAR MONTH	A six character string representing the year and month for which this extract was performed.		Format is YYYYMM; Year 2000 compliant per vendor.
727.817,2 EXTRACT NUMBER	The corresponding entry in the DSS EXTRACT LOG file (#727) for this extract.		A pointer to the DSS EXTRACT LOG file (#727). The primary purpose is to pick up the header for the mail message.
727.817,3 FACILITY	This is the facility/division where the extract was performed.		Currently, FACILITY field is null.
727.817,4 PATIENT NO. – DFN	An identifying number for the patient at the local site.		Derived from the PATIENT field (.03) in the PATIENT MOVEMENT file (#405), which is a pointer to the PATIENT file (#2). This data represents the patient DFN.
727.817,5 SSN	The patient's social security number.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (4) in the TREATING SPECIALTY CHANGE EXTRACT file (#727.817), SSN data is derived from the SOCIAL SECURITY NUMBER field (.09) in the PATIENT file (#2).
			"Test" patient status is determined in PAT^ECXUTL3. Any patient with an SSN beginning with "00000" will not be included in the extract.
727.817,6 NAME	The first four characters of the patient's last name.		Using the patient pointer (DFN), stored in the PATIENT NO. – DFN field (4) in the TREATING SPECIALTY CHANGE EXTRACT file (#727.817) NAME data is derived from the NAME field (.01) in the PATIENT file (#2). The first four characters of the first "," piece are used, padded with trailing spaces if necessary.
			The name value is returned by the supported call DEM^VADPT.

Field # and Name	Description	Values	Technical Description
727.817,7	Indicates whether the	'I' FOR INPATIENT	To determine the value of this field a call is
IN OUT PATIENT	patient was an inpatient or	'O' FOR OUTPATIENT	made to \$\$PATDEM^ECSUTL2. Within
INDICATOR	an outpatient for this extract		this call, \$\$INP^ECSUTL2 is called to
	entry.		determine inpatient/outpatient status. If the
			patient is an outpatient, processing stops and
			the field is set to O. If the patient is an
			inpatient then \$\$INOUTP^ECXUTL4 is
			called to look at the treating specialty. If the
			patient's treating specialty exists in the DSS
			TREATING SPECIALTY TRANSLATION
			(#727.831) file then the value of the
			INPAT/OUTPAT CODE field (#5) of the DSS TREATING SPECIALTY
			TRANSLATION (#727.831) file is used. IF
			the treating specialty is not found in the DSS
			TREATING SPECIALTY TRANSLATION
			(#727.831) file then the indicator is set to I.
727.817,8	An 8-character numeric		Data source:
DAY	string that represents the		Butte source.
	date on which the Treating		PATIENT MOVEMENT file (#405);
	Specialty change took		DATE/TIME field (#.01).
	place.		· · ·
			This field is always exactly 8 numeric
			characters in length. The format is
			YYYYMMDD; for example, 19970923.
			If the date cannot be determined, a default is
			used. The default date value is the value of
			the YEAR MONTH field (#1) concatenated
			with "01" for the day (DD) portion. Year
707.017.0	The much on feeder bear		2000 compliant per vendor.
727.817,9 PRODUCT	The product or feeder key for this extract.		For the Treating Specialty Change extract, the PRODUCT field is null.
727.817,10	Patient's admission date.		Data source:
ADMISSION	Tation 5 admission date.		Bata source.
DATE			PATIENT MOVEMENT file (#405);
			ADMISSION/CHECK-IN MOVEMENT
			field (#.14) PATIENT MOVEMENT FILE
			(#405); DATE/TIME (#.01).
			This field is always exactly 8 numeric
			characters in length. The format is
			YYYYMMDD; for example, 19970923. If the date cannot be determined, a default is
			used The default date value is the value of the YEAR MONTH field (#1) concatenated
			with "01" for the day (DD) portion. Year
			2000 compliant per vendor.
727.817,11	Patient's discharge date.		Data source:
DISCHARGE			
DATE			PATIENT MOVEMENT file (#405);
			DATE/TIME field (#.01).
			This field is always exactly 8 numeric
			characters in length. The format is
			YYYYMMDD; for example, 19970923. If
			the date cannot be determined, a default is
			used. The default date value is the value of
			the YEAR MONTH field (#1) concatenated with "01" for the day (DD) portion. Year
			2000 compliant per vendor.
			2000 compitant per vendor.

Field # and Name	Description	Values	Technical Description
727.817,12	Current patient movement		A number used as an index into the patient
MOVEMENT FILE	record associated with this		movement file.
#	extract record.		
			The ^DGPM("ATT3" or "ATT6",DATE,D0)
			cross-reference is used to obtain the current
727 917 12	The type of movement for		movement IEN associated with this patient.
727.817,13 TYPE	The type of movement for this patient.		Using the "ATT"_TYPE cross-reference where TYPE=6 (specialty change).
TIFE	uns pauent.		where TTPE=0 (specialty change).
727.817,14	The treating specialty code		Source: Field #.09; file #405 Field #7; file
NEW TREATING	for this patient at the date		#45.7
SPECIALTY	and time of this record.		
			PTF Code of SPECIALTY file (#42.4)
			derived from SPECIALTY field (#1) and
			PTF CODE (#7) of FACILITY TREATING
			SPECIALTY file (#45.7) record pointed to by FACILITY TREATING SPECIALTY
			field (#.09) of PATIENT MOVEMENT file
			(#405) record. The movement record is the
			current treating specialty movement. Then,
			the PTF Code is obtained and stored instead
			of the actual specialty code.
727.817,15	The patient's treating		Using the "ATT3" or "ATT6" cross
LOSING	specialty code from prior		reference on the PATIENT MOVEMENT
TREATING	treating specialty record.		file (#405) and the patient pointer (DFN)
SPECIALTY			stored in the PATIENT NO. – DFN field (4)
			in the TREATING SPECIALTY CHANGE EXTRACT file (#727.817), NEW
			TREATING SPECIALTY data is derived
			from the FACILITY TREATING
			SPECIALTY field (.09) in the PATIENT
			MOVEMENT file (#405). This facility
			treating specialty data is a pointer to the
			FACILITY TREATING SPECIALTY file
			(#45.7). Using the SPECIALTY field (1) in
			the FACILITY TREATING SPECIALTY
			file (#45.7), the pointer to the SPECIALTY
			file (#42.4) is obtained.
			This Specialty is then the LOSING Specialty
			for the Treating Specialty change occurring
			on the date in the TRT extract record.
			Then, the PTF Code is obtained and stored instead of the actual specialty code
727.817,16	The length of stay, in days,		instead of the actual specialty code. Calculated as current treating specialty date
LOSING	on the prior treating		minus the date (DATE/TIME field (.01) of
TREATING	specialty.		the PATIENT MOVEMENT file (#405)) of
SPECIALTY LOS	1		the last treating specialty change.
			This field will only be used for actual
			treating specialty changes. For file #405
			records, which reflect provider-only changes
727 917 17	The Attending Physician		this field will be null. Derived from the ATTENDING
727.817,17 LOSING	associated with the previous		PHYSICIAN field (.19) of the PATIENT
ATTENDING	treating specialty change		MOVEMENT file (#405). If ATTENDING
PHYSICIAN	record in File #405.		PHYSICIAN is a pointer to the NEW
, , , , , , , , , , , , , , , , , , , ,	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		PERSON file (#200), it is stored as
			"2"_pointer value. If ATTENDING
			PHYSICIAN is a pointer to the PROVIDER
			file (#6), it is stored as "6"_pointer value.

Field # and Name	Description	Values	Technical Description
727.817,18	The MAS movement type		MOVMENT TYPE is derived from the MAS
MOVEMENT	for this movement.		MOVEMENT TYPE field (.18) of the
TYPE			PATIENT MOVEMENT file (#405). It is a
			pointer to the MAS MOVEMENT TYPE file
727.817,19	A 6-character numeric		(#405.2). Data source:
TRT TIME	string representing the time		Data source.
TKI TIME	of day when the Treating		PATIENT MOVEMENT file (#405);
	Specialty change took		DATE/TIME field (#.01) 2 nd "." piece only.
	place.		
			This field is always exactly 6 numeric
			characters in length; if time cannot be
			determined, "000300" is used as default.
727.817,20	The time at which the		Data source:
ADMISSION TIME	patient admission occurred		DATIENT MONEMENT CL. (#405).
	in HHMMSS. A 24 hour		PATIENT MOVEMENT file (#405); ADMISSION/CHECK-IN MOVEMENT
	clock format is used (e.g. 8:31:12 p.m. would be		field (#.14)
	203112).		PATIENT MOVEMENT FILE (#405);
	200112).		DATE/TIME (#.01)
			, ,
			This field is always exactly 6 numeric
			characters in length; if time cannot be
			determined, "000300" is used as default.
727.817,21	The new Primary Provider		Source: Field #.08; file #405
NEW PRIMARY	associated with the current		Internal anter graph or of NEW DEDCON Cla
WARD PROVIDER	patient movement record in file #405.		Internal entry number of NEW PERSON file (#200) derived from the PRIMARY CARE
PROVIDER	me #403.		PHYSICIAN field (#.08) of the PATIENT
			MOVEMENT file (#405). The movement
			record here is the current treating specialty
			movement.
			A "2" is prefixed to this pointer value, if the
			pointer references file #200.
727.817,22	The new Attending		Source: Field #.19; file #405
NEW ATTENDING	Physician associated with the current patient		Internal antry number of NEW DEDCON file
PHYSICIAN	movement record in file		Internal entry number of NEW PERSON file (#200) derived from the ATTENDING
THIBICIAIN	#405.		PHYSICIAN field (#.19) of the PATIENT
			MOVEMENT file (#405). The movement
			record here is the current treating specialty
			movement.
			A "2" is prefixed to this pointer value, if the
727.817,23	The loging Drimory Drawids		pointer references file #200.
LOSING	The losing Primary Provider for the patient movement;		Source: Field #.08; file #405
PRIMARY WARD	i.e., the Primary Provider of		Internal entry number of NEW PERSON file
PROVIDER	the previous treating		(#200) derived from the PRIMARY CARE
	specialty change record.		PHYSICIAN field (#.08) of the PATIENT
			MOVEMENT file (#405). The movement
			record is not the current treating specialty
			movement, but the one that corresponds to
			the previous treating specialty or provider
			change.
			A "?" is profited to this pointer value if the
			A "2" is prefixed to this pointer value, if the pointer references file #200.
727.817, 24	A national VA system		Derived by calling API, \$\$GETICN^MPI001
MASTER	identifier which uniquely		(Supported DBIA #2701), that returns the
PATIENT INDEX	identifies a patient.		Integration Control Number (ICN) for the
	1		given patient in the Patient file (#2).

Field # and Name	Description	Values	Technical Description
727.817, 25	The DSS Department Code	v aiucs	A free text field of 4-10 characters; data not
DSS DEPT.	for the ward product.		yet available. Field is set to null.
727.817, 26	Currently Null		Currently Null
PLACEHOLDER	Currently I van		Currently 1 van
727.817, 27 PLACEHOLDER	Currently Null		Currently Null
727.817, 28	Currently Null		Currently Null
PLACEHOLDER 727.817, 29	Currently Null		Currently Null
PLACEHOLDER			
727.817,30 ATTENDING PHYSICIAN LOS	The patient's length of stay with the losing attending physician.		The ATTENDING PHYSICIAN LOS is determined by looping through both the treating specialty/provider change movements and the discharge movements of the PATIENT MOVEMENT file (#405).
			For each movement, a call is made to PREVATT^ECXTRT1. If the attending physician has changed since the last movement, or if movement is a discharge, then the call returns the length of stay (LOS) to be associated with the attending physician of the previous movement. For the treating specialty/provider change movement associated with an admission, this field will be left blank. This field will also be blank if the attending physician for the current movement or the previous movement cannot be determined. Maximum value for this field is 9999.
727.817,31 PRIMARY WARD PROVIDER LOS	The patient's length of stay with the losing primary ward provider.		The PRIMARY WARD PHYSICIAN LOS is determined by looping through both the treating specialty/provider change movements and the discharge movements of the PATIENT MOVEMENT file (#405). For each movement, a call is made to PREPRV^ECXTRT1. If the primary provider has changed since the last movement, or if movement is a discharge, then the call returns the length of stay (LOS) to be associated with the primary provider of the previous movement. For the treating specialty/provider change movement associated with an admission, this field will be left blank. This field will also be blank if the primary provider for the current movement or the previous movement cannot be determined. Maximum value for this field is 9999.
727.817, 32 DOM, PRRTP AND SAARTP INDICATOR	Indicates if the patient is admitted to either a RRTP PRRTP, or SARRTP at time care is provided.	'P' FOR GEN. PRRTP 'D' FOR DOMICILIARY 'S' FOR DOM. PRRTP 'T' FOR PTSD PRRTP 'H' FOR HOMELESS CWT/TR 'A' FOR SA CWT/TR 'B' FOR PTSD CWT/TR 'C' FOR GEN. CWT/TR	If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file, data is derived from the DOM/PRRTP/SARRTP CODE field (#2) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file. Otherwise, the value is null.

Field # and Name	Description	Values	Technical Description
727.817, 33	Indicates if patient is	'N' FOR NO	Data (YES,NO) is retrieved from API call
OBSERVATION	considered to be an	'Y' FOR YES	\$\$OBSPAT^EXCUTL4:
PATIENT	observation patient.		
INDICATOR			If the patient's treating specialty exists in the
			DSS TREATING SPECIALTY
			TRANSLATION (#727.831) file, data is
			derived from the OBSERVATION PAT
			INDICATOR field (#4) of the DSS TREATING SPEICALTY TRANSLATION
			(#727.831) file.
			If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS
			ID (MTL,IVP,ECQ,QSR,NOR,SUR) is 290-
			297, Observation Patient Ind=YES. Else,
			Observation Patient Ind=NO.
			Otherwise, Observation Patient Ind=NO.
727.817, 34	The unique number		This field is determined by a call to
ENCOUNTER	assigned for DSS.		\$\$ENCNUM^ECXUTL4. Within this call
NUMBER			the inpatient/outpatient status, SSN, admit/visit date, treating specialty,
			observation patient indicator, and DSS
			Identifier or feeder key values of the record
			are used to create a unique encounter
			number.
727.817, 35	Data represents the medical		Data comes from the FACILITY NUMBER
PRODUCTION	center division the work		filed (#1) of the MEDICAL CENTER
DIVISION CODE	was performed in. This		DIVISION file (#40.8)
	field corresponds to an		
	entry in the INSTITUTION		
727.817, 36	file (#4). The VA Code of the Person		NEW PERSON file #200, field #5; file
LOSING	Class of the Losing		#8932.1. Active Person is determined by
ATTENDING	Attending Physician		\$\$GET^XUA4A72(PERS,DATE) where
PHYSICIAN PC	associated with this record.		PERS is the IEN from the file #200.
	The VA Code is always of		
	the form "V"_six numeric		
	digits; exactly 7.		
727.817, 37	The VA Code of the Person		NEW PERSON file #200, field #5; file
NEW PRIMARY	Class of the Losing		#8932.1. Active Person is determined by
WARD	Attending Physician		\$\$GET^XUA4A72(PERS,DATE) where
PROVIDER PC	associated with this record.		PERS is the IEN from the file #200.
	The VA Code is always of		
	the form "V"_six numeric		
727.817, 38	digits; exactly 7. The VA Code of the Person		NEW PERSON file #200, field #5; file
NEW	Class of the New Attending		#8932.1. Active Person is determined by
ATTENDING	Physician associated with		\$\$GET^XUA4A72(PERS,DATE) where
PHYSICIAN PC	this record. The VA Code		PERS is the IEN from the file #200.
	is always of the form		
	"V"_six numeric digits;		
	exactly 7.		
727.817, 39	The VA Code of the Person		NEW PERSON file #200, field #5; file
LOSING	Class of the Losing Primary		#8932.1. Active Person is determined by
PRIMARY WARD	Ward Provider associated		\$\$GET^XUA4A72(PERS,DATE) where
PROV PC	with this record. The VA		PERS is the IEN from the file #200.
	Code is always of the form		
	"V"_six numeric digits;		
	exactly 7.		

Field # and Name	Description	Values	Technical Description
727.817, 40	A standard, unique life-long		LOSING ATTENDING PHYSICIAN NPI is
LOSING	identifier of the attending		a standard, unique life-long identifier of the
ATTENDING	physician associated the		attending physician associated the with
PHYSICIAN NPI	with previous treating		previous treating specialty change record in
	specialty change record.		File (#405). The qualified identifier shall
	This field has a length of		be retrieved via the supporting Kernel API:
	fifteen characters.		\$\$NPI^XUSNPI.
727.817, 41	A standard, unique life-long		LOSING PRIM WARD PROVIDER NPI is
LOSING PRIM	identifier of the losing		a standard, unique life-long identifier of the
WARD PROV NPI	primary provider for the		losing primary ward provider for the patient
	patient movement (i.e., the		movement (i.e., the Primary Provider of the
	Primary Provider of the		previous treating specialty change record).
	previous treating specialty		The qualified identifier shall be retrieved
	change record). This field		via the supporting Kernel API:
	has a length of fifteen		\$\$NPI^XUSNPI.
	characters.		
727.817, 42	A standard, unique life-long		NEW ATTENDING PHYSICIAN NPI is a
NEW	identifier of the new		standard, unique life-long identifier of the
ATTENDING	attending physician		new attending physician associated the with
PHYSICIAN NPI	associated with the current		current patient movement record in File
	patient movement record in		(#405). The qualified identifier shall be
	the PATIENT		retrieved via the supporting Kernel API:
	MOVEMENT File (#405).		\$\$NPI^XUSNPI.
	This field has a length of		
505.045.40	fifteen characters.		
727.817, 43	A standard, unique life-long		NEW PRIMARY WARD PROVIDER NPI
NEW PRIMARY	identifier of the new		is a standard, unique life-long identifier of
WARD	primary ward provider		the new primary ward provider associated the
PROVIDER NPI	associated with the current		with current movement record in File (#405).
	patient movement record in		The qualified identifier shall be retrieved
	PATIENT MOVEMENT File (#405). This field has a		via the supporting Kernel API:
	length of fifteen characters.		\$\$NPI^XUSNPI
727.817,44	This is the Patient's	'AD' FOR Active Duty	If the VistA Patient Type Code (TYPE
PATCAT	category which will be used	'ADD' FOR Active Duty	(#391) field of the Patient (#2) file) = Active
PAICAI	for FHCC (Federal Health	Dependent	Duty, Military Retiree, or TRICARE, then
	Care Center)	'FNRS' FOR Former Non-	the value(s) in the VistA Other Eligibility
	Reconciliation. DSS must	Remarried Spouse	multiple (PATIENT ELIGIBILITIES (#361)
	capture and report DoD	'RET' FOR Retired	field of the PATIENT (#2) file), which points
	patients so that the FHCC	'RETD' FOR Retiree	to locally modifiable ELIGIBILITY CODE
	reconciliation process can	Dependent Dependent	(#8) file should be evaluated. If the value in
	function as designed.	'RES' FOR Reservist	the ELIGIBILITY CODE is equal to any
	"Reconciliation" is the	'REC' FOR Recruit	entry in the set of codes in this field, the
	process used within the	'TDRL' FOR Temporary	value should be placed in this field.
	1		Should be placed in this field.
		'TFL' FOR TRICARE for	
		Life	
	new FHCC to determine which patients DoD pays for and which VA pays for.	Disability 'TFL' FOR TRICARE for	

#727.809 -- UNIT DOSE LOCAL EXTRACT (UDP) File Data Definition

This file contains data elements as specified by the Decision Support Office (DSO) for the Pharmacy Unit Dose extract from existing VistA files. Entries into this file are made by extracting data from several files. Once approved by the DSS site manager, entries in this file are loaded into an electronic mail message and sent to the commercial vendor. Entries should be made only by the extract load routine.

Since validation techniques will be determined by the local site, it is intended that the site add whatever cross-references are deemed necessary. However, this file contains one nationally determined cross-reference, the "AC" cross-reference on the EXTRACT NUMBER field (#2). This cross-reference is used by the DSS Extracts software package as an essential feature for managing and purging data in this file and should not be modified.

This file should *NOT* be modified directly using VA FileMan.

Field # and Name	Description	Values	Technical Description
727.809,.01	The record for this extract		The internal entry number (IEN) for this
SEQUENCE	entry.		record. This entry is DINUMed.
NUMBER			E
727.809,1 YEAR MONTH	A six character string		Format is YYYYMM; Year 2000 compliant
TEAR MONTH	representing the year and month for which this extract		per vendor.
	was performed.		
727.809,2	The corresponding entry in		A pointer to the DSS EXTRACT LOG file
EXTRACT	the DSS EXTRACT LOG		(#727). The primary purpose is to pick up the
NUMBER	file (#727) for this extract.		header for the mail message.
727.809,3	This is the medical center		An indicator of the division where this event
FACILITY	division where the extract		happened. It is derived from the DIVISION
	was performed.		field (#.015) of the WARD LOCATION file
			(#42) which points to the MEDICAL
			CENTER DIVISION file (#40.8).
727.809,4	An identifying number for		Pointer to the NAME field (.01) of the
PATIENT NO	the patient at the local site.		PATIENT file (#2). PATIENT NO. – DFN
DFN			data is derived from the DFN field (1) of the
			UNIT DOSE EXTRACT DATA file
505 000 5			(#728.904).
727.809,5 SSN	The patient's social security number.		Using the patient pointer (DFN), stored in the PATIENT NO. – DFN in the UNIT DOSE
221/	number.		LOCAL EXRACT FILE (#727.809), SSN
			data is derived from the SOCIAL
			SECURITY NUMBER field (#.09) in the
			PATIENT file (#2).
			111122111110 (112)1
			"Tests patient status is determined in
			PAT^ECXUTL3. Any patient with an SSN
			with "00000" will not be included in the
			extract.
727.809,6	The first four characters of		Using the patient pointer (DFN) stored in the
NAME	the patient's last name.		PATIENT NO. – DFN in the UNIT DOSE
			LOCAL EXRACT FILE (#727.809), NAME
			data is derived from the NAME field (#.01)
			in the PATIENT file (#2). The first four characters of the first "," piece are used,
			padded with trailing spaces if necessary.
			padded with training spaces it necessary.
			The name value is returned by the supported
			call DEM^VADPT.

Field # and Name	Description	Values	Technical Description
727.809,7	Indicates whether the	'I' FOR INPATIENT	To determine the value of this field a call is
IN OUT PATIENT	patient was an inpatient or	'O' FOR OUTPATIENT	made to \$\$PATDEM^ECXUTL2. Within
INDICATOR	an outpatient for this extract entry.		this call, \$\$INP^ECXUTL2 is called to determine inpatient/outpatient status. If the
	end y.		patient is an outpatient, processing stops and
			the field is set to O. If the patient is an
			inpatient then \$\$INOUTP^ECXUTL4 is
			called to look at the treating specialty. If the
			patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION
			(#727.831) file then the value of the
			INPAT/OUTPAT CODE field (#5) of the
			DSS TREATING SPECIALTY
			TRANSLATION (#727.831) file is used. If the treating specialty is not found in the DSS
			TREATING SPECIALTY TRANSLATION
			(#727.831) file then the indicator is set to I.
727.809,8	This 8-character string		Data source:
DAY	represents the date on which the Unit Dose event		(1) UNIT DOSE EXTRACT DATA file
	(dispense or return)		(#728.904); DATE field (#2). Data is
	occurred.		inserted in this field by Pharmacy routines
			PSGPLF and PSGAMSA; these routines
			derive the data from (2) UNIT DOSE PICK LIST STATS file (#57.6); DATE field
			(#.01) PICK LIST file (#53.5); START
			DATE/TIME field (#.03) or DT (i.e.,
			FileMan variable for Today's Date).
			This field is always exactly 8 numeric
			characters in length. The format is
			YYYYMMDD; for example, 19970923. If
			the date cannot be determined, then a default
			is used. The default date value is the value of the YEAR MONTH field (#1) concatenated
			with "01" for the day (DD) portion. Year
			2000 compliant per vendor.
727.809,9	The VA Drug Classification		Derived from the VA CLASSIFICATION
VA DRUG CLASSIFICATION	for the item in this order.		field (#2) in the DRUG file (#50) for the drug identified by the DRUG field (#3) in the
CLASSIFICATION			UNIT DOSE EXTRACT DATA file
			(#728.904)
727.809,10	Drug quantity dispensed in		QUANTITY is derived from the
QUANTITY	the unit of issue for that drug. Unit of issue may		QUANTITY field (#4) of the UNIT DOSE EXTRACT DATA file (#728.904)
	vary from product to		EATRACT DATA IIIC (#/28.904)
	product and site to site.		
727.809,11	Current ward where the		Ward is derived from the WARD field (#5)
WARD	patient is located.		in the UNIT DOSE EXTRACT DATA file (#728.904) which is a pointer to the WARD
			LOCATION file (#42). Using the ward
			pointer, the data is derived from the
			HOSPITAL LOCATION FILE POINTER
			field (#44) in the WARD LOCATION file
			(#42) which is a pointer to the HOSPITAL LOCATION file (#44).
727.809,12	The provider assigned to		PROVIDER data is derived from the
PROVIDER	this patient.		PROVIDER field (6) of the UNIT DOSE EXTRACT DATA file (#728.904). It is a
			pointer to the NEW PERSON file (#200).
			This data is stored as "2"_pointer,
727.809,13	VA pharmacy supply cost		COST data is derived from the TOTAL
COST	of drug dispensed.		COST filed (#7) of the UNIT DOSE EXTRACT DATA file (#728.904).
			EATRACT DATA HIE (#720.904).

Field # and Name	Description	Values	Technical Description
727.809,14	Current patient movement		A call to IN5^VADPT (using the patient IEN
MOVEMENT FILE	record associated with this		and the event date) returns a patient
#	extract record.		movement number (indicating inpatient
			status). This field is set to the value of VAIP
			(1), which is a pointer to the PATIENT MOVEMENT file (#405).
727.809,15	The PTF CODE of the		This field is initialized to a null, indicating an
TREATING	treating specialty associated		outpatient status. If a call to IN5^VADPT
SPECIALTY	with this extract record.		(using the patient IEN and the event date) returns a patient movement number
			(indicating inpatient status), the value of
			VAIP(8), which is the pointer to the
			FACILITY TREATING SPECIALTY file
			(#45.7), is used to get the SPECIALTY field
			(1) which points to the SPECIALTY file
			(#42.4). Then, the PTF Code (field #7 of
			file 42.4) is obtained and stored instead of the
727.809,16	This is the National Drug		IEN of the specialty. Derived from the NDC field (#31) in the
NDC	Code for the drug/supply		DRUG file (#50) for the drug identified by
	item in this order		the DRUG field (#3) in the UNIT DOSE
			EXTRACT DATA file (#728.904)
727.809,17	Code that uniquely		NEW FEEDER KEY is derived for the drug
NEW FEEDER	identifies a DSS		identified by the DRUG field (#6) in the
KEY	drug/supply product.		PRESCRIPTION file (#52), which is a pointer to the DRUG file (#50)
			pointer to the DROG file (#30)
			The PSNDF VA PRODUCT NAME ENTRY
			field (#22) from the DRUG file (#50), which
			is a pointer to the VA PRODUCT file
			(#50.68), is padded to 5 digits. This is
			concatenated with a 12-digit code derived from the NDC field (#31) from the DRUG
			file (#50) to form a 17-digit Feeder Key.
727.809,18	Indicates if the drug in this	'I' FOR	Derived from the DEA, SPECIAL HDLG
INVESTIGATION	record is classified as	INVESTIGATIONAL	field (#3) in the DRUG file (#50). If the
AL	investigational.		DEA, SPECIAL HDLG field contains an "I"
			(INVESTIGATIONAL DRUGS), this field is
727.809,19	Time that the drug was		set to "I". Data source:
UDP TIME	dispensed.		Data source.
			UNIT DOSE EXTRACT DATA file
			(#728.904); DATE field (#2) Data is inserted
			in this field by Pharmacy routines PSGPLF
			and PSGAMSA. These routines derive the
			data from either the UNIT DOSE PICK LIST STATS file (#57.6); DATE field (#.01) or the
			PICK LIST file (#57.5); START
			DATE/TIME filed (#.03). Currently only the
			1 st :." Piece (date) has data. The 2 nd "." Piece
			(time) is padded with trailing zeros to 6
			characters, and stored. If no data is available
			then DT (i.e., FileMan variable for Today's Date) is used.
			The source for this data element does NOT
			provide any time information; only date is
			provided. Consequently, the UDP TIME field
	1		is always set to "000000".

Field # and Name	Description	Values	Technical Description
727.809,20	This 8-character numeric		Data source:
ADMISSION	string represents the date on		
DATE	which the patient's		UNIT DOSE EXTRACT DATA file
	admission occurred.		(#728.904) DFN field (#1),then to PATIENT
			MOVEMENT file (#405), DATE/TIME field
			(#.01)
			This field is always exactly 8 numeric characters in length. The format is
			YYYYMMDD; for example 19970923. If
			the date cannot be determined, then a default
			is used. The default date value is the value of
			the YEAR MONTH field (#1) concatenated
			with "01" for the day (DD) portion.
727.809,21	Time of day at which the		A call to IN5^VADPT (using the patient IEN
ADMISSION TIME	patient admission occurred.		and the event date) returns the internal file
			number of the admission associated with this
			movement. ADMISSION TIME is derived
			from the DATE/TIME field (#.01) of the PATIENT MOVEMENT file (#405) for the
			movement found in VAIP (13).
			ADMISSION TIME is padded with trailing
			zeros to six digits.
			Data Source:
			UNIT DOSE EXTRACT DATA file
			(#728.904); DFN field (#1) then to
			PATIENT MOVEMENT file (#405);
			DATE/TIME field (#.01)
			This field is always exactly 6 numeric
			characters in length; if time cannot be
			determined, "000300" is used as default.
727.809, 22	Unique national VA patient		Derived by calling API \$\$GETICN^MPI001
MASTER	identifier.		(Supported DBIA #2701), that returns the
PATIENT INDEX			Integration Control Number (ICN) for the
727 000 55			given patient in the Patient file (#2).
727.809, 23	The nationally defined DSS		For the Unit Dose Local extract, the DSS
DSS PRODUCT DEPARTMENT	Intermediate Department Number designated to the		PRODUCT DEPARMTENT field is null.
DEFAILMENT	Pharmacy care product.		
727.809,24	Currently Null		Currently Null
PLACEHOLDER			
727.809, 25	Indicates if the patient is	'P' FOR GEN. PRRTP	If the patient's treating specialty exists in the
DOM, PRRTP,	admitted to either a RRTP	'D' FOR DOMICILIARY	DSS TREATING SPECIALTY
AND SAARTP	PRRTP, or SARRTP at time	'S' FOR DOM. PRRTP	TRANSLATION (#727.831) file, data is
	care is provided.	'T' FOR PTSD PRRTP	derived from the DOM/PRRTP/SARRTP
		'H' FOR HOMELESS	CODE field (#2) of the DSS TREATING
		CWT/TR 'A' FOR SA CWT/TR	SPECIALTY TRANSLATION (#727.831)
		'B' FOR PTSD CWT/TR	file.
		'C' FOR GEN. CWT/TR	Otherwise, the value is null.
L	l .		

Field # and Name	Description	Values	Technical Description
727.809, 26 OBSERVATION PATIENT INDICATOR	Indicates if patient is considered to be an observation patient. The unique number	'Y' FOR YES 'N' FOR NO	Data (YES,NO) is retrieved from API call \$\$OBSPAT^ECXUTL4: If the patient's treating specialty exists in the DSS TREATING SPECIALTY TRANSLATION (#727.831) file, data is derived from the OBSERVATION PAT INDICATOR field (#4) of the DSS TREATING SPECIALTY TRANSLATION (#727.831) file. If patient is outpatient and treating specialty not in file, AND Feeder Key (CLI) or DSS ID (MTL,IVP,ECQ,QSR,NOS,SUR) is 290-297, Observation Patient Ind=YES. Else, Observation Patient Ind=NO. Otherwise, Observation Patient Ind=NO. This field is determined by a call to
ENCOUNTER NUMBER	assigned to each encounter within DSS.		\$\$ENCNUM^ECXUTL4. Within this call the inpatient/outpatient status, SSN, admit/visit date, treating specialty, observation patient indicator, and DSS Identifier or feeder key values of the record are used to create a unique encounter number.
727.809, 28 PRODUCTION DIVISION CODE	Identifies the division/facility where the work was performed.		Data comes from the WARD field (#5) of the UNIT DOSE EXTRACT DATA file (#727.904), which is a pointer to the WARD LOCATION file (#42). This value is then used to get the DIVISION field (#.015), a pointer to the MEDICAL CENTER DIVISION file (#40.8), which is then used to call API GETDIV^ECXDEPT to get the STATION NUMBER field (#99) from the INSTITUTION file (#4).
727.809, 29 MEANS TEST	The current means test category for this patient.	'A' FOR Category A 'B' FOR Category B 'C' FOR Category C 'P' FOR Pending Adjudication 'R' FOR Requires Means Test 'N' FOR Means Test not Required 'E' FOR Exempt 'I' FOR Incomplete 'L' FOR No Longer Applicable 'M' FOR Non-Exempt	Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the UNIT DOSE LOCAL EXTRACT file (#727.809), MEANS TEST data is derived from the CURRENT MEANS TEST STATUS field (#.14) in the PATIENT file (#2). This field is a pointer to the MEANS TEST STATUS file (#408.32). Using the means test pointer, the data is derived from the CODE field (#.02) in the MEANS TEST STATUS file (#408.32). The status indicator is returned by ELIG^VADPT.

Field # and Name	Description	Values	Technical Description
727.809, 30 ELIGIBILITY	Appropriate eligibility code based on veteran or non-veteran status.		Using the patient pointer (DFN) stored in the PATIENT NO DFN field (4) in the UNIT DOSE LOCAL EXTRACT file (#727.809), ELIGIBILITY data is derived from the PRIMARY ELIGIBILITY CODE field (.361) in the PATIENT file (#2). PRIMARY ELIGIBILITY CODE is a pointer to the ELIGIBILITY CODE file (#8). The data is derived from the MAS ELIGIBILITY CODE field (8) in the ELIGIBILITY CODE file (#8), which in turn is a pointer to the MAS ELIGIBILITY CODE file (#8.1). The pointer value to file #8.1 is converted by ELIG^ECXUTL3 to the corresponding eligibility code used by NPCD. This code is
727.809, 31 DATE OF BIRTH	Patient's date of birth.		composed of two or three numeric characters. Date of Birth is returned through the supported call DEM^VADPT. It is then represented by an 8-character numeric string
727.809, 32 SEX	Gender	'M' FOR MALE 'F' FOR FEMALE	in the YYYYMMDD format. Data is taken from the SEX field (#.02) of the patient's record in the PATIENT file (#2). The status indicator is returned by DEM^VADPT.
727.809, 33 STATE	The state in which the patient resides.		Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the UNIT DOSE LOCAL EXTRACT file (#727.809), data is derived from the STATE field (#.115) in the PATIENT file (#2) which points to the STATE file (#5). From the STATE file record, use the two-character VA STATE CODE field (#2).
727.809, 34 COUNTY	The county in which the patient resides.		Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the UNIT DOSE LOCAL EXTRACT file (#727.809), data is taken from the COUNTY field (#.117) in the PATIENT file (#2) which points to a subfile record in the COUNTY multiple field (#3) of the STATE file (#5) is obtained from the STATE field (#.115) of the file #2 record. From the subfile record of field #3 of the file
727.809, 35 ZIP + 4	The ZIP code for where the patient resides. The 5-character ZIP code is provided if ZIP + 4 is not available.		#5, use the value of the VA COUNTY CODE field (#2). The patient's ZIP code with optional 4-digit extension as found in the ZIP+4 field (#.1112) of the patient's record in the PATIENT file (#2). While the ZIP+4 field in file 2 is a max of 9 characters, it does put the "-" in if the ZIP code is a +4 type.
727.809, 36 VETERAN	Patient's veteran status	'Y' FOR YES 'N' FOR NO	Using the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the UNIT DOSE LOCAL EXTRACT file (#727.809), VETERAN data is derived from the VETERAN (Y/N)? field (#1901) in the PATIENT file (#2).
727.809, 37 PERIOD OF SERVICE	The period of service that classifies this patient based on eligibility code.		Period of Service is derived from the Period of Service field (#.323) in the Patient file (#2).

Field # and Name	Description	Values	Technical Description
727.809, 38 POW STATUS	Indicates if patient was confined as a Prisoner of War.	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	PATIENT file (#2), POW STATUS INDICATED field (#.525). The status indicator is returned by SVC^VADPT.
727.809, 39 POW LOCATION	If POW Status is indicated, then this is the POW confinement location/period. 1 World War I 2 World War II - Europe 3 World War II - Pacific 4 Korean 5 Vietnam 6 Other		PATIENT file (#2); POW CONFINEMENT LOCATION field (#.526). This is a pointer value to the POW PERIOD file (#22). The location indicator is returned by SVC^VADPT.
727.809, 40 RADIATION STATUS	Indicates if patient claims exposure to ionizing radiation.	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	PATIENT file (#2); RADIATION EXPOSURE INDICATED? field (#.32103). The status indicator is returned by SVC^VADPT.
727.809,41 AGENT ORANGE STATUS 727.809, 42 AGENT ORANGE LOCATION	Indicates whether patient was exposed to Agent Orange Indicates the location where the patient was exposed to Agent Orange.	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN 'K' FOR Korean DMZ 'V' FOR Vietnam 'O' FOR Other	PATIENT file (#2); AGENT ORANGE EXPOS. INDICATED? field (#.32102). The status indicator is returned by SVC^VADPT. PATIENT file (#2), AGENT ORANGE EXPOSURE LOCATION field (#.3213). The location indicator is returned by
727.809, 43 PURPLE HEART INDICATOR 727.809, 44 MST STATUS	Indicates whether or not the patient is a Purple Heart recipient. Indicates the Military Sexual Trauma (MST) status of a patient on the date of the encounter.	'Y' FOR YES 'N' FOR NO 'Y' FOR Yes, screened reports MST 'N' FOR Screened, does not report MST 'D' FOR Screened, declines to answer 'U' FOR Unknown, not	SVC^VADPT. PATIENT file (#2) CURRENT PH INDICATOR field (#.531). The status indicator is returned by SVC^VADPT. The MST HISTORY file (#29.11) holds data regarding military sexual trauma claims and effective dates. The patients MST status is stored in the MST STATUS field (#3). A call is made to \$\$GETSTAT^DGMSTAPI(DFN,DGDATE) using the DFN in the PATIENT NO. DFN
727.809, 45 CNH/SH STATUS	Community Nursing Home/ State Home (CNH/SH) Indicator.	screened 'Y' FOR YES 'N' FOR NO	field (#4) and the date in the DAY (#8) field. Data is derived from the CNH CURRENT field (#148) of the PATIENT file (#2) and is returned by CNHSTAT^ECXUTL4 (DFN).
727.809, 46 ENROLLMENT LOCATION	The facility that the patient chooses to designate as his preferred location for care.		The PREFERRED FACILITY field (#27.02) of the PATIENT file (#2) is defined as the facility that the patient chooses to designate as his preferred location for care. The PREFERRED FACILITY field (#27.02) is a pointer to the INSTITUTION file (#4). From file #4, a the value in the STATION NUMBER field (#99) is used.
727.809, 47 ENROLLMENT CATEGORY	Patient's enrollment category.	'E' FOR Enrolled 'N' FOR Not Enrolled 'P' FOR In Process	ENROLLMENT CATEGORY is derived from the standard call CATEGORY^DGENA4 using the patient DFN and the ENROLLMENT STATUS.
727.809, 48 ENROLLMENT STATUS	Patient's enrollment status.		ENROLLMENT STATUS is derived from the PATIENT ENROLLMENT file (#27.11) ENROLLMENT STATUS field (#.04) which is a pointer to the ENROLLMENT STATUS file (#27.15)
727.809, 49 SHAD STATUS	Indicates whether patient meets requirements for Shipboard Hazard and Defense (SHAD).	'Y' FOR YES 'N' FOR NO 'U' FOR UNKNOWN	Using the patient pointer (DFN) stored in the PATIENT NO. – DFN field (#4) in the UNIT DOSE LOCAL EXTRACT file (#727.809), Shipboard Hazard and Defense data is derived from using DBIA #4462 GETSHAD^DGUTL3 (DFN).

T27.809, 50 PRIMARY CARE TEAM	Field # and Name	Description	Values	Technical Description
TEAM and the patient pointer (DFN) stored in the PATRINT NO. — DFN field (44) in the UNIT DOSE LOCAL EXTRACT file (#727.809), a call is made to the Scheduling API, OUTPTIMSDUTL3. The API returns the transmiterral entry number and name from the TEAM file (#04-51), Only the pointer (JEN) to file 404-51 is transmitted. 727.809, 51 PRIMARY CARE PROVIDER The primary care provider assigned to this patient through PCMM module. PROVIDER The primary care provider assigned to this patient through PCMM module. PROVIDER The primary care provider assigned to this patient through PCMM module. PROVIDER The primary care provider assigned to this patient through PCMM module. PROVIDER The primary care provider assigned to this patient through PCMM module. PROVIDER The primary care provider assigned to this patient through PCMM module. PROVIDER The primary care provider assigned to this patient through PCMM module. The primary Care provider assigned to this patient primary care provider assigned to the pointer value to indicate that the source file is "200". For example, if the IBN of the provider in file #200 and DATE is the IBN for the provider in File #200 and DATE is the IBN for the provider in File #200 and DATE is the IBN for the Primary Care Provider. The VA code of the Person Class of the Primary Care Provider. The VA code of the Person Class of the Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider as of the Associate Primary Care Provider as of the PCMM module. The Associate Primary Care Provider as of the Associate Primary Care Provider as of the PCMM module. The Associate Primary Care Provider as of the PCMM module. The Associate Primary Care Provider as of the PCMM module PCMM modul	727.809, 50	The primary care team		Using the DATE field (#2) from the UNIT
PATIENT NO. – DFN field (#4) in the UNIT DOSE LOCAL EXTRACT file (#2728 90), a call is made to the Scheduling API, OUTFITM*SDUTI3. The API returns the team's internal entry number and name from the Tham file (#404-51). Only the pointer (IEN) to file 404.51 is transmitted. 727.809, 51 PRIMARY CARE PROVIDER PROVIDER The primary care provider assigned to this patient through PCMM module. The primary care provider assigned to this patient through PCMM module. The primary care provider assigned to this patient through PCMM module. The primary care provider assigned to this patient through PCMM module. The primary care provider assigned to this patient through PCMM module. The primary care provider assigned to this patient through PCMM module. The primary care provider assigned to this patient through PCMM module. The primary care provider assigned to this patient through PCMM module. The primary care provider assigned to the primary care provider. The primary care provider assigned to the primary care provider. The primary care provider assigned to this patient through the primary care provider assigned to this patient through primary care provider assigned to this patient through the PCMM module. The Associate Primary Care provider assigned to this patient through the PCMM module. The Associate Primary Care provider assigned to this patient through the PCMM module. The Associate Primary Care provider assigned to this patient through the PCMM module. The Associate Primary Care provider as of the date of the sevent in the patient primary Care provider as the primary Care provider as of the care of this care that the source file is "200". For example, if the IENERSON file (#2728 90), a call is made to the Scheduling API, OUTFTAPPSDUTI3. The API returns the provider's internal entry number and name from the NEW PFRSON file (#2728 90). The VA Code of the Person PRESSON file (#200). The VA Code of the Person PRESSON f		assigned to this patient.		
DOSE LOCAL EXTRACT file (#727.809.) a call is made to the Scheduling API, OUTPTTM/SDUTI.3. The API returns the transfer internal carry number and nume from the TEAM file (#404.51.) only the pointer (JEN) to file 404.51. is ramsmitted. 727.809.51 PRIMARY CARE PROVIDER PROVIDER PROVIDER PROVIDER The primary care provider assigned to this patient through PCMM module. PROVIDER A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 2.98765. The VA code of the Person Class is determined by the supported call sale to the call of the pointer (JEN) where PERS is the IEN from the INTI DOSE LOCAL EXTRACT DATA file (#272.809.) a call is made to the Scheduling API, OUTPTPR-SDUTI.3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 2.98765. The VA code of the Person Class is determined by the supported call sold of the provider. The VA code of the Person Class is determined by the "3 price of the returned value string." The VA code of the Person Class is determined by the "privater assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider internal entry number and name from the NEW PERSON file (#278.904) and the patient pointer (PPN) stored in the PATIENT NO DPN field (#4) in the UNIT DOSE LOCAL EXTRACT TO ATA file (#727.809.) a call is made to the Scheduling API, OUTPTAP/SDUTI.3. The API returned the provider internal entry number and name from the NEW PERSON file (#200). The VA code of the Person Class of the Associate Primary Care Provider as of the date of this extract th	TEAM			
call is made to the Scheduling API, OUTPTTM-SDUTLA3. The API returns the team's internal entry number and name from the TEAM file (4404.51). Only the pointer (IRN) to file 4004.51 is transmitted. 727.809, 51 PRIMARY CARE PROVIDER The primary care provider assigned to this patient through PCMM module. The primary care provider assigned to this patient through PCMM module. The primary care provider assigned to this patient through PCMM module. The primary care provider assigned to this patient through PCMM module. The primary care provider assigned to this patient through PCMM module. The primary care provider assigned to this patient through PCMM module. The primary care provider assigned to the patient pointer (PSP) stored in the PATIENT NO DNA field (44) in the UNIT DOSE IO.CAL EXTRACT File (4727.809), a call is made to the Scheduling API. OUTPTPR-SDUTL13. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. The VA code of the Person Class of the Primary Care Provider. The VA code of the Person assigned to this patient through the PCMM patient pointer (PSP) to an additional patient (PSP) and patient pointer (PSP) stored in the patient pointer (PSP) stored in the patient pointer (PSP) stored in the patient provider assigned to this patient through the PCMM patient pointer (PSP) stored in the PATIENT NO DEN field (44) in the UNIT DOSE LEXITACT DATA file (#200). A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is passed. The Associate Primary Care Provider as of the Associate Primar				` /
Terrently Null The Primary Care provider Terrently Null The VA code of the Person Class of the Primary Care PROVIDER The Primary Care Terrently Null The VA code of the Person Class of the Primary Care Provider. The Primary Care Provider is the date of the event. The VA code is the primary Care Provider. The Primary Care Provider is the date of the event. The VA code is the primary Care Provider. The Primary Care Provider assigned to this patient Through PCMM module. The Primary Care Provider is the EN of the provider is file #200 is 98765, the value that will be stored is 298765. Currently Null Currently Nul				` ''
team's internal entry number and name from the TEAM file (#340.51). Only the pointer (IEN) to file 404.51) is transmitted. 727.809, 51 PROVIDER The primary care provider assigned to this patient through PCMM module. Through PCMM PERSON file (#280) and DATE is the date of the event. The VA CODE is determined by the "piece of the returned value string." The Associate Primary Care Provider assigned to this patient through the PCMM module. Through Throu				
the TEAM file (#404.51). Only the pointer (IEN) to file 404.51 is transmitted. The primary care provider assigned to this patient through PCMM module. The primary care provider assigned to this patient through PCMM module. The primary care provider assigned to this patient through PCMM module. The primary care provider assigned to this patient through PCMM module. The primary care provider assigned to this patient through PCMM module. The primary care provider assigned to the patient pointer (pFN) stored in the patient poi				
727.809, 51 PROVIDER The primary care provider BROVIDER The provider primary care provider				
PRIMARY CARE PROVIDER assigned to this patient through PCMM module. assigned to this patient through PCMM module. assigned to the patient pointer (DS) tored in the PATIENT NO DEPN field (#4) in the UNIT DOSE LOCAL EXTRACT DATA file (#727.809), a call is made to the Scheduling API, OUTPTPR*SDIVIL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. Currently Null Currently Null Currently Null Currently Null The VA code of the Person Class is determined by the supported call stopported call stopported call. The VA code of the Person Class is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7*pice of the returned value string. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #201 and patient pointer (PDF) and the PATIENT NO DEPN field (#4) in the UNIT DOSE EXTRACT DATA file (#727.809), call is made to the Scheduling API, OUTPTA-PSDIVIL3. The API returns the provider's internal entry number and name from the NEW PERSON file #200 and DATE is the date of the event. The VA CODE is determined by the 7*piece of the returned value string. The Active Person Class is determined by the "position" of the PATE Not The Tield (#4) for the P				
PROVIDER through PCMM module. and the patient pointer (DFN) stored in the PATIENT NO DFN fiely in the UNIT DOSE LOCAL EXTRACT file (#727.809), a call is made to the Scheduling API, OUTPTPR*SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. TATARON CLASS TO ACTIVE PERSON CLASS TO ACTIVE PERSON CLASS TO ACTIVE PERSON CLASS TO A Sociate Primary Care Provider. TO ASSOCIATE PC PROVIDER PROVIDER PROVIDER TO ASSOCIATE PC PROVIDER PROVIDER TO ASSOCIATE PC PROVIDER PROVIDER TO ASSOCIATE PC PROVIDER PROVIDER TO ASSOCIATE PC PROVIDER PROVIDER TO ASSOCIATE PC PROVIDER PROVIDER TO ASSOCIATE PC PROVIDER PROVIDER TO ASSOCIATE PC PROVIDER PROVIDER TO ASSOCIATE PC PROVIDER PROVIDER TO ASSOCIATE PC PROVIDER TO ASSOCIATE PC PROVIDER PROVIDER TO ASSOCIATE PC PROVIDER PROVI	,			
PATIENT NO DRI field (#4) in the UNIT DOSE LOCAL EXTRACT file (#727.809), a call is made to the Scheduling API, OUTFTPR*SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #2016 is 98765, the value that will be stored is 298765. Currently Null Currently Null Currently Null Currently Null Currently Null Cass of the Primary Care Provider. The VA code of the Person Class of the Primary Care Provider. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #2016 patient pointer (PDFS) point and the patient pointer (PDFS) point and the patient pointer (PDFS) point patient pointer (PDFS) pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 and patient pointer (PDFS) pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 and DATE is the ENT of the PDFS pointer value to indicate that the source f				` '
DOSE LOCAL EXTRACT file (#727.809), a call is made to the Schooling API, OUTPTPR*SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. T27.809, 52 PLACEHOLDER 727.809, 53 PC PROVIDER The VA code of the Person Class of the Primary Care PERS on CLASS POVIDER The Associate Primary Care Provider: The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider as of the date of this extract the PCMM module. The VA Code of the Person Class is determined by the PCMM provider in file #200 is 98765, the value that will be stored is Schery Van Arizon Primary Care Provider as of the date of the event. PA CODE is determined by the 7th piece of the returned value str	PROVIDER	through PCMM module.		
call is made to the Scheduling API, OUTPTPRASDUTLS. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. Currently Null The VA code of the Person Class of the Primary Care Provider. The VA code of the Person Class of the Primary Care Provider. The VA code of the Person Class of the Primary Care Provider. The VA code of the Person Class of the Primary Care Provider. The VA code of the Person Class of the Primary Care Provider. The VA code of the Person Class of the Primary Care Provider. The VA code of the Person Class of the Primary Care Provider. The VA code of the Person Class of the Primary Care Provider assigned to this patient through the PCMM The Associate Primary Care Provider assigned to this patient through the PCMM The Associate Primary Care Provider assigned to this patient through the PCMM The Associate Primary Care Provider assigned to this patient through the PCMM The Associate Primary Care Provider assigned to this patient through the PCMM The Associate Primary Care Provider assigned to this patient through the PCMM The Associate Primary Care Provider assigned to this patient through the PCMM The Associate Primary Care Provider assigned to this patient through the PCMM The Associate Primary Care Provider assigned to this patient through the PCMM The Associate Primary Care Provider as signed to this patient through the PCMM The Associate Primary Care Provider as signed to this patient through the PCMM The Associate Primary Care Provider as signed to this patient through the PCMM The Associate Primary Care Provider as signed to this patient through the PCMM The Associate Primary Care Provider as signed to this patient through the PCMM The Associate Primary Care Provider as the EEN of the PCMM The Associate Primary Care Provider as the EEN of the PCMM				
OUTPTPR*SDUTL3. The API returns the provider's internal entymber and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN off the provider in file #200 is 98765, the value that will be stored is 298765. T27.809, 52 PLACEHOLDER 727.809, 53 PC PROVIDER Class of the Primary Care PROSON CLASS The VA code of the Person Class of the Primary Care PROSON CLASS The VA code of the Person Class of the Primary Care PROVIDER The Associate Primary Care PROVIDER The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned the PCMM module. The Associate Primary Care Provider assign				
provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. T27.809, 52 PLACEHOLDER The VA code of the Person Class of the Person Class of the Primary Care Provider. The VA code of the Person Class of the Person Class of the Person Class of the Primary Care Person Class of the Per				
A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #2000 is 98765, the value that will be stored is 298765. 727.809, 52 PLACEHOLDER PERSON CLASS The VA code of the Person Person Class is determined by the supported call SSGET"XUA4A72(PERS,DATE), where Provider. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider in The PATIENT NO DFN field (#4) in the UNIT DOSE LOCAL EXTRACT file (#727.809), a call is made to the Scheduling API, OUTPTPAPSDITA. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. T27.809, 55 PERSON CLASS The VA Code of the Person Class is determined by the supported call search of the date of this extract record. The VA Code of the Person Class is determined by the supported call search of the date of this extract record. The VA Code of the Person Class is determined by the supported call search of the date of the event. The VA CODE is determined by the 7th piece of the returned value string. T27.809, 57 The date the order was first dispensed. The VA Code of the Person Class is determined by the 7th piece of the returned value string. The VA Code of the Person Class is determined by the 7th piece of the returned value string. The Associate Primary Care Provider as of the date of the event. The VA CODE is determined by the 7th piece of the returned value string.				provider's internal entry number and name
indicate that the source file is "200". For example, if the IRN of the provider in file #200 is 98765, the value that will be stored is 298765. Currently Null T27.809, 53 PC PROVIDER PERSON CLASS The VA code of the Person Class of the Primary Care Provider. The Associate Primary Care Provider. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient printer (pFN) stored in the PATIENT NO. Por Riedle (#210 is 98765. The Associate Primary Care Provider in file #200 is 98765, the value that will be stored is 298765. The VA Code of the Person Class is determined by the sported all \$300 is 98765, the value that will be stored is 298765. The VA Code of the Person Class is determined by the sported all \$300 is 98765, the value that will be stored is 298765. The VA Code of the Person Class is the IRN from file #200 and DATE is the date of the event. The VA Code is determined by the 7th primary Care Provider as of the date of the event. The VA Code is determined by the 7th primary Care Provider as of the date of the event. The VA Code is the date of the event. The VA C				from the NEW PERSON file (#200).
indicate that the source file is "200". For example, if the IBN of the provider in file #200 is 98765, the value that will be stored is 298765. Currently Null T27.809, 53 PC PROVIDER PERSON CLASS The VA code of the Person Class of the Primary Care Provider. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient pointer (DFN) stored in the PATIENT NO. Por Rield (#4) in the UNIT DOSE LOCAL EXTRACT file (#727.809), a call is made to the Scheduling API, OUTPTAPSDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#728.001). The VA Code of the Person Class is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765. Currently Null The VA Code of the Person Class is determined by the system of the provider as of the date of the Associate Primary Care Provider as of the date of the Person Class is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the "Pipice of the returned value string. The date the order was first dispensed. The date the order was first dispensed. The date the order was first				A "2" is prefixed to the pointer value to
example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765.				
727.809. 52 PLACEHOLDER 727.809. 53 PC PROVIDER PERSON CLASS The VA code of the Person Class of the Primary Care Provider. The VA code of the Person Class of the Primary Care Provider. The VA code of the Person Class of the Primary Care Provider. The VA code of the Person Class of the Primary Care Provider. The VA code of the Person Class of the Person Class of the Primary Care Provider. The VA code of the Person Class of the Person Class of the Person Class of the Primary Care Provider assigned to this patient through the PCMM provider assigned to this patient through the PCMM provider assigned to this patient through the PCMM provider assigned to the Partient Provider a				
PLACEHOLDER 727.809, 53 PC PROVIDER PERSON CLASS POWDITE PERSON CLASS POWDITE PROVIDER POWDITE				
PLACEHOLDER 727.809, 53 PC PROVIDER PERSON CLASS PERSON CLASS The VA code of the Person Class of the Primary Care Provider. The VA code of the Person Class of the Primary Care Provider. The VA code of the Person Class of the Primary Care Provider. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider as of the Person Class is determined by the supported call Stage The VA Code of the Person Class of the Associate Primary Care Provider as of the date of this extract record. The VA Code of the Person Class of the Associate Primary Care Provider as of the date of this extract record. The VA Code of the Person Class of the Associate Primary Care Provider as of the date of the event. The VA CODE is determined by the 7th piece of the returned value string. The date the order was first dispensed. The VA Code of the Person Class is determined by the 7th piece of the returned value string. The date the order was first dispensed. The Associate Primary Care Provider as of the date of the event. The VA CODE is determined by the 7th piece of the returned value string. The date the order was first dispensed. The date the order was first dispensed. The date the order was first dispensed. The DATE is the EN from file #200 and DATE is the date of the PHARMACY PATIENT file (#758.006) of the PHARMACY PATIENT file				
727.809, 53 PC PROVIDER PERSON CLASS PC PROVIDER Provider. The VA code of the Person Class is determined by the supported call sGGET-YUJ4A72(PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7th piece of the returned value string. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider as of the Associate Primary Care Provider as of the Associate Primary Care Provider as of the date of the value that will be stored is 298765. The VA Code of the Person Class is determined by the supported call Primary Care Provider as of the date of this extract record. The VA Code of the Person Class is determined by the supported call Primary Care Provider as of the date of the event. The VA CODE is determined by the 7th piece of the returned value string. The date the order was first dispensed.	, , , , , , , , , , , , , , , , , , ,	Currently Null		Currently Null
PC PROVIDER PERSON CLASS Class of the Primary Care Provider. The Associate Primary Care Provider assigned to this patient through the PCMM and the patient pointer (DFN) stored in the PATIENT NO DFN field (#2) in the UNIT DOSE LOCAL EXTRACT DATA file (#728.904), and the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the UNIT DOSE LOCAL EXTRACT file (#727.809), a call is made to the Scheduling API, OUTPTAP/SDUTL3. The API returns the provider internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. T27.809, 55 PLACEHOLDER T27.809, 56 ASSOC. PC PROV. PERSON CLASS The VA Code of the Person Class of the Associate of the date of this extract record. The VA Code of the Provider as of the date of the sevent. The VA CODE is the date of the sevent. The VA CODE is determined by the 7th piece of the returned value string. T27.809, 57 ORDERING DATE The date the order was first dispensed. The date the order was first dispensed. The VA CODE is determined by the 7th piece of the Peturned value string. T27.809, 57 ORDER DATE is the START DATE file (#728.904), ORDER DATE field (#10) of the UNIT DOSE multiple file (#75.904) of the UN		The VA code of the Person		Active Person Class is determined by the
PERSON CLASS Provider. SSGET*XUA4A72(PERS.DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7th piece of the returned value string. T27.809, 54 ASSOCIATE PC PROVIDER The Associate Primary Care Provider assigned to this patient through the PCMM module. Through the PCMM module. Through the PCMM module. Toose LOCAL EXTRACT DATA file (#728.904) and the patient pointer (DFN) stored in the PATTENT NO DFN field (#4) in the UNIT DOSE LOCAL EXTRACT file (#727.809), a call is made to the Scheduling API, OUTPTAPSDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. T27.809, 55 PLACEHOLDER T27.809, 56 Currently Null The VA Code of the Person Class is determined by the SSGET*XUA4A72(PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7th piece of the returned value string. T27.809, 57 ORDERING DATE The date the order was first dispensed.				
PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7th piece of the returned value string. 727.809, 54 ASSOCIATE PC PROVIDER The Associate Primary Care Provider assigned to this patient through the PCMM module. DOSE EXTRACT DATA file (#728.904) and the patient pointer (DFN) stored in the PATIENT file (#727.809), a call is made to the Scheduling API, OUTPTAP'SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. Currently Null PLACEHOLDER 727.809, 56 ASSOC. PC PROV. PERSON CLASS The VA Code of the Person Associate Primary Care Provider as of the date of this extract record. The date the order was first dispensed. The date of the NATE is the START DATE field (#9). ORDER DATE is the START DATE field (#9). ORDER DATE is the START DATE field (#9). ORDER DATE is the START DATE field (#9).				1 11
determined by the 7 th piece of the returned value string. 727.809, 54 ASSOCIATE PC PROVIDER The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider as in the PATIENT NO DFN field (#4) in the UNIT DOSE LOCAL EXTRACT file (#727.809), a call is made to the Scheduling API, OUTPTA/PSDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). The Associate Primary Care Provider in file #200 is 98765, the value that will be stored is 298765. The VA Code of the Person Class is determined by the supported call Primary Care Provider as of the date of this extract record. The VA Code of the Person Class is determined by the supported call \$\$GET^*XUA4A72(PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string. The date the order was first dispensed.				
727.809, 54 ASSOCIATE PC PROVIDER Provider assigned to this patient through the PCMM module. Disag the DATE field (#2) from the UNIT DOSE EXTRACT DATA file (#728.904) and the patient pointer (DFN) stored in the PATIENT NO DFN field (#4) in the UNIT DOSE LOCAL EXTRACT file (#727.809), a call is made to the Scheduling API, OUTPTAP/SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. 727.809, 55 PLACEHOLDER The VA Code of the Person Class is determined by the SSOC. PC PROV. PERSON CLASS The VA Code of the Person Class is determined by the supported call spirary Care Provider as of the date of this extract record. The VA Code of the Person Class is determined by the SSGET/XUA4A72(PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7th piece of the returned value string. The date the order was first dispensed.				
T27.809, 54 ASSOCIATE PC PROVIDER The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care Provider assigned to this patient through the PCMM module. The Associate Primary Care the Internation of the PATIENT NO DFN field (#4) in the UNIT DOSE LOCAL EXTRACT file (#727.809), a call is made to the Scheduling API, OUTPTAPPSDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. Currently Null The VA Code of the Person Class of the Associate Primary Care Provider as of the date of the Associate Primary Care Provider as of the date of this extract record. The VA Code of the Person Class is determined by the 7th piece of the returned value string. The Alter Provider Active Person Class is determined by the 7th piece of the returned value string. The date the order was first dispensed. The Active Person Class is determined by the supported call system Person Class is determined by the supported call system Person Class is determined by the supported call system Person Class is determined by the supported call system Person Class is determined by the supported call system Person Class is determined by the supported call system Person Cla				
ASSOCIATE PC PROVIDER Provider assigned to this patient through the PCMM module. PATIENT NO DFN field (#4) in the UNIT DOSE LOCAL EXTRACT file (#727.809), a call is made to the Scheduling API, OUTPTAP^SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. Currently Null PLACEHOLDER 727.809, 56 ASSOC. PC PROV. PERSON CLASS The VA Code of the Person Class of the Associate Primary Care Provider as of the date of this extract record. Active Person Class is determined by the supported call SSGET"XUA4A72(PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7th piece of the returned value string. 727.809, 57 ORDERING DATE ORDER DATE is the START DATE/TIME field (#10) of the UNIT DOSE multiple file (#55.06) of the PHARMACY PATIENT file	505.000.54			
PROVIDER patient through the PCMM module. patient through the patient pointer (DFN) stored in the PATIENT Oo. DFN field (#4) in the UNIT DOSE material that the National acid in the PATIENT Oo. DFN field (#4) in the UNIT DOSE material that the patient pointer (DFN) stored in the PATIENT file made acid the patient pointer (DFN) stored in the PATIENT file made acid the patient pointer (DFN) stored in the PATIENT Oo. DFN field (#4) in the UNIT DOSE material that the provider in the PATIENT file made acid in the Corper to PATIENT file made acid in the PATIENT f				
module. PATIENT NO DFN field (#4) in the UNIT DOSE LOCAL EXTRACT file (#727.809), a call is made to the Scheduling API, OUTPTAP*SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. Currently Null Currently Null The VA Code of the Person Class of the Associate Primary Care Provider as of the date of this extract record. Active Person Class is determined by the supported call \$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7th piece of the returned value string. 727.809, 57 ORDERING DATE The date the order was first dispensed. ORDER DATE is the START DATA file (#728.904); ORDER DATE field (#9). ORDER DATE field (#9). ORDER DATE is the START DATE/IME field (#10) of the UNIT DOSE multiple file (#55.06) of the PHARMACY PATIENT file				
DOSE LOCAL EXTRACT file (#727.809), a call is made to the Scheduling API, OUTPTAP^SDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. Currently Null Currently Null The VA Code of the Person Class is determined by the supported call Primary Care Provider as of the date of this extract record. PERSON CLASS To Robert The VA Code is determined by the 7th piece of the returned value string. To Robert The VA Code is determined by the 7th piece of the returned value string. To Robert The VA Code is determined by the 7th piece of the returned value string. To Robert The VA Code is determined by the 7th piece of the returned value string. To Robert The VA Code is determined by the 7th piece of the returned value string. To Robert The VA Code is determined by the 7th piece of the returned value string. To Robert DATE is the START DATE field (#9). ORDER DATE is the START DATE/TIME field (#10) of the UNIT DOSE multiple file (#55.06) of the PHARMACY PATIENT file	1 KO VIDEK	-		
call is made to the Scheduling API, OUTPTAPSDUTL3. The API returns the provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. Currently Null PLACEHOLDER 727.809, 56 ASSOC. PC PROV. PERSON CLASS The VA Code of the Person Class of the Associate Primary Care Provider as of the date of this extract record. The VA CODE is determined by the 7th piece of the returned value string. Tender of the person Class is the Strakt DATE filed (#728.904); ORDER DATE is the START DATE/TIME field (#10) of the UNIT DOSE multiple file (#55.06) of the PHARMACY PATIENT file		module.		· · · · · · · · · · · · · · · · · · ·
provider's internal entry number and name from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. Currently Null PLACEHOLDER 727.809, 56 ASSOC. PC PROV. PERSON CLASS The VA Code of the Person Class is determined by the supported call Primary Care Provider as of the date of this extract record. The date the order was first dispensed. The date the order was first dispensed. The date the order was first dispensed. PROBERING DATE is the START DATE file (#728.904); ORDER DATE is the START DATE/TIME field (#10) of the UNIT DOSE multiple file (#55.06) of the PHARMACY PATIENT file				· · · · · · · · · · · · · · · · · · ·
from the NEW PERSON file (#200). A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. Currently Null Currently Null The VA Code of the Person Class is determined by the supported call Primary Care Provider as of the date of this extract record. The VA Code of the Person Class is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7th piece of the returned value string. T27.809, 57 ORDERING DATE The date the order was first dispensed. Table 100 of the UNIT DOSE EXTRACT DATA file (#728.904); ORDER DATE is the START DATE/TIME field (#10) of the UNIT DOSE multiple file (#55.06) of the PHARMACY PATIENT file				
A "2" is prefixed to the pointer value to indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. 727.809, 55 PLACEHOLDER 727.809, 56 ASSOC. PC PROV. PERSON CLASS PERSON CLASS The VA Code of the Person Class of the Associate Primary Care Provider as of the date of this extract record. The VA Code of the Person Class of the Person Class is determined by the supported call S\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7th piece of the returned value string. The date the order was first dispensed.				
indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. Currently Null Currently Null The VA Code of the Person Class is determined by the supported call PERSON CLASS PERSON CLASS Primary Care Provider as of the date of this extract record. The VA Code of the Person Class is determined by the supported call \$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7th piece of the returned value string. T27.809, 57 ORDERING DATE The date the order was first dispensed. UNIT DOSE EXTRACT DATA file (#728.904); ORDER DATE field (#9). ORDER DATE is the START DATE/TIME field (#10) of the UNIT DOSE multiple file (#55.06) of the PHARMACY PATIENT file				from the NEW PERSON file (#200).
indicate that the source file is "200". For example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. Currently Null Currently Null The VA Code of the Person Class is determined by the supported call PERSON CLASS PERSON CLASS Primary Care Provider as of the date of this extract record. The VA Code of the Person Class is determined by the supported call Primary Care Provider as of the date of this extract record. The VA Code of the Person Class is determined by the supported call Sight Table 1200 and DATE is the date of the event. The VA CODE is determined by the 7th piece of the returned value string. Table 1400 and DATE is the VA CODE is determined by the 7th piece of the returned value string. The date the order was first dispensed. UNIT DOSE EXTRACT DATA file (#728.904); ORDER DATE field (#9). ORDER DATE is the START DATE/TIME field (#10) of the UNIT DOSE multiple file (#55.06) of the PHARMACY PATIENT file				A "2" is prefixed to the pointer value to
example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. 727.809, 55 PLACEHOLDER 727.809, 56 ASSOC. PC PROV. PERSON CLASS Primary Care Provider as of the date of this extract record. 727.809, 57 ORDERING DATE The VA Code of the Person Class of the Associate Primary Care Provider as of the date of the event. The VA CODE is determined by the 7th piece of the returned value string. 727.809, 57 ORDERING DATE The date the order was first dispensed. Example, if the IEN of the provider in file #200 is 98765, the value that will be stored is 298765. Active Person Class is determined by the supported call \$\$GET^XUA4472(PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7th piece of the returned value string. 727.809, 57 ORDER DATE field (#9). ORDER DATE is the START DATE/TIME field (#10) of the UNIT DOSE multiple file (#55.06) of the PHARMACY PATIENT file				
#200 is 98765, the value that will be stored is 298765. Currently Null Currently Null 727.809, 55 PLACEHOLDER The VA Code of the Person Class is determined by the supported call PERSON CLASS PERSON CLASS PERSON CLASS Pimary Care Provider as of the date of this extract record. The date the order was first dispensed. The date the order was first dispensed. #200 is 98765, the value that will be stored is 298765. Currently Null Active Person Class is determined by the supported call \$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string. Toronto III Dose Extract Data file (#728.904); ORDER DATE field (#9). ORDER DATE is the START DATE/TIME field (#10) of the UNIT DOSE multiple file (#55.06) of the PHARMACY PATIENT file				example, if the IEN of the provider in file
727.809, 55 PLACEHOLDER 727.809, 56 ASSOC. PC PROV. PERSON CLASS PRIMARY Care Provider as of the date of this extract record. PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string. 727.809, 57 ORDERING DATE ORDERING DATE ORDERING DATE ORDERING DATE PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string. UNIT DOSE EXTRACT DATA file (#728.904); ORDER DATE field (#9). ORDER DATE is the START DATE/TIME field (#10) of the UNIT DOSE multiple file (#55.06) of the PHARMACY PATIENT file				#200 is 98765, the value that will be stored is
PLACEHOLDER 727.809, 56 ASSOC. PC PROV. PERSON CLASS PERSON CLASS PERSON CLASS The VA Code of the Person Class of the Associate Primary Care Provider as of the date of this extract record. The date the order was first dispensed. The VA Code of the Person Class is determined by the supported call \$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string. The date the order was first dispensed. UNIT DOSE EXTRACT DATA file (#728.904); ORDER DATE field (#9). ORDER DATE is the START DATE/TIME field (#10) of the UNIT DOSE multiple file (#55.06) of the PHARMACY PATIENT file				
727.809, 56 ASSOC. PC PROV. PERSON CLASS Primary Care Provider as of the date of this extract record. The VA Code of the Person Class is determined by the supported call \$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string. TATE ORDERING DATE The date the order was first dispensed. The date the order was first dispensed. The date the order was first dispensed. The date the order was first field (#10) of the UNIT DOSE multiple file (#55.06) of the PHARMACY PATIENT file		Currently Null		Currently Null
ASSOC. PC PROV. PERSON CLASS PERSON CLASS PERSON CLASS PERSON CLASS PERSON CLASS Primary Care Provider as of the date of this extract record. The date of this extract record. The date the order was first dispensed. The date of the event. The VA CODE is determined by the 7 th piece of the returned value string. The date of the event. The VA CODE is determined by the 7 th piece of the returned value string.		The VA Code of the Person		Active Person Class is determined by the
PERSON CLASS Primary Care Provider as of the date of this extract record. \$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string. 727.809, 57 ORDERING DATE The date the order was first dispensed. The date the order was first part of the event. The VA CODE is determined by the 7 th piece of the returned value string. UNIT DOSE EXTRACT DATA file (#728.904); ORDER DATE field (#9). ORDER DATE is the START DATE/TIME field (#10) of the UNIT DOSE multiple file (#55.06) of the PHARMACY PATIENT file				
the date of this extract record. PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string. PERS is the IEN from file #200 and DATE is the date of the event. The VA CODE is determined by the 7 th piece of the returned value string. PERS is the IEN from file #200 and DATE is the VA CODE is determined by the 7 th piece of the returned value string. PERS is the IEN from file #200 and DATE is the VA CODE is determined by the 7 th piece of the returned value string. PERS is the IEN from file #200 and DATE is the VA CODE is determined by the 7 th piece of the returned value string. PERS is the IEN from file #200 and DATE is the VA CODE is determined by the 7 th piece of the returned value string. PERS is the IEN from file #200 and DATE is the VA CODE is determined by the 7 th piece of the returned value string. PERS is the IEN from file #200 and DATE is the VA CODE is determined by the 7 th piece of the returned value string.				
determined by the 7 th piece of the returned value string. 727.809, 57 ORDERING DATE The date the order was first dispensed. The date the order was first dispensed. UNIT DOSE EXTRACT DATA file (#728.904); ORDER DATE field (#9). ORDER DATE is the START DATE/TIME field (#10) of the UNIT DOSE multiple file (#55.06) of the PHARMACY PATIENT file				
value string. 727.809, 57 ORDERING DATE The date the order was first dispensed. The date the order was first dispensed. UNIT DOSE EXTRACT DATA file (#728.904); ORDER DATE field (#9). ORDER DATE is the START DATE/TIME field (#10) of the UNIT DOSE multiple file (#55.06) of the PHARMACY PATIENT file		record.		
727.809, 57 ORDERING DATE ORDERING DATE The date the order was first dispensed. UNIT DOSE EXTRACT DATA file (#728.904); ORDER DATE field (#9). ORDER DATE is the START DATE/TIME field (#10) of the UNIT DOSE multiple file (#55.06) of the PHARMACY PATIENT file				
ORDERING DATE dispensed. (#728.904); ORDER DATE field (#9). ORDER DATE is the START DATE/TIME field (#10) of the UNIT DOSE multiple file (#55.06) of the PHARMACY PATIENT file	727 900 57	The data the ander was first		
ORDER DATE is the START DATE/TIME field (#10) of the UNIT DOSE multiple file (#55.06) of the PHARMACY PATIENT file				
field (#10) of the UNIT DOSE multiple file (#55.06) of the PHARMACY PATIENT file	ONDERING DATE	атърспъса.		* * * * * * * * * * * * * * * * * * * *
(#55.06) of the PHARMACY PATIENT file				
				(#55). The format is YYYYMMDD.

Field # and Name	Description	Values	Technical	l Description
727.809, 58	This field contains the stop			op code is the primary
ORDERING STOP	code associated with the			ic as determined by the
CODE	order.			STOP CODE filed (#1)
				file (#40.7) as pointed
				E NUMBER field (#8)
			3	OCATION file (#44) as
				` '
			1 -	NIC FIELD (#130) of
			the UNIT DOSE mul	
				ENT file (#55). If none
			exists, the value is se	t to null.
			For observation patie	nts the ston code is
			translated using the fe	
			Treating Specialty	Observation Stop Code
			18	293
			23	295
			24	290
			36	296
			41	294
			65	291
			94	292
			1J	297
727.809, 59	Identifies whether patient	'Y' FOR YES		nter (DFN) stored in the
HEAD & NECK	has head and/or neck cancer	'N' FOR NO	PATIENT NO DF	N field (#4), a call is
CANCER			made to \$\$GETCUR	^DGNTAPI to retrieve
INDICATOR			the HEAD/NECK CA	A DX field (#2.01) of
			the NOSE AND THE	, ,
			HISTORY file (#28.1	
727.809, 60	The patient's PTF ethnicity			nter (DFN) stored in the
ETHNICITY	code		PATIENT NO DF	
Limiteri	code		ETHNICITY is deriv	· //
			` '	the ETHNICITY file
			(#10.2) pointed to by	
			INFORMATION fiel	
			ETHNICITY INFOR	
			(#2.06) of the PATIE	NT file (#2).
			The above will occur	only if the METHOD
			OF COLLECTION fi	ield (#.02) of the
			ETHNICITY INFOR	MATION sub file
			(#2.06) is set to 1 (SE	ELF-
				otherwise ETHNICITY
			with be set to Null.	
727.809, 61	Self-reported by patient as			nter (DFN) stored in the
RACE 1	recorded in VistA patient		PATIENT NO. – DF	N field (#4), RACE 1 is
	file.		derived from the PTF	VALUE filed (#5) of
			the RACE file (#10)	pointed to by the RACE
				d (#.01) of the RACE
			INFORMATION sub	` '
			PATIENT file (#2).	, , , , , , , , , , , , , , , , , , ,
			Only those PACE IN	FORMATION values
			in the RACE INFOR	
			(#2.03) where the MI	
			COLLECTION field	
			`	TION), will be included
			in the RACE 1 field.	
			INFROMATION val	
			(DECLINED TO AN	(SWER), that will be the
			only value included in	

T27,809,62 Enter the ICU flag Enter the ICU f	Field # and Name	Description	Values	Technical Description
DISPENSED entry. DEUG DISPENSED Brud is derived from the DISPENSED DRUG field (no.) of the DISPENSED DRUG multiple (#53.79). Currently this field is NULL.	727.809, 62			
the DISPENSED DRUG field (#.0.1) of the DISPENSED DRUG field (#.0.1) of the DISPENSED DRUG multiple (#83.795) of the BCM MEDICATION LOG file (#53.79). 727.809, 63 BCMA DOSE GIVEN Unit of administration (i.e. DISPENSED DRUG field is derived from the DOSE GIVEN field is derived from the UNIT OF ADMINISTRATION field is NULL. 727.809, 65 GNOBLENNO The VA code of the Person CLASS of the Ordering Provider as of the date of this extract record. The VA code of the Person CLASS of the Ordering Provider as of the date of this extract record. The RECORD of this extract record. The RECORD of this extract record. The RECORD of this extract record. This field contains the enter the Code of the Person CLASS of the Person CLASS of the Person CLASS of the Per		mediation scanned for this		
DISPENSED DRUG multiple (#53.79). Currently this field is NULL. BCMA DOSE GIVEN field (is derived from the DISPENSED DRUG multiple (#53.795) of the BCMA MEDICATION LOG file (#53.795). TABLET, MI_VIAL). TABLET, MI_VIAL). TABLET, MI_VIAL). TABLET, MI_VIAL). TABLET, MI_VIAL). Enter the ICU flag Currently this field is NULL. Currently Mult TABLET, MI_VIAL). Currently filed is NULL. Currently filed is NULL. Currently Null TO ADMINISTRATION field (#04) of the DISPENSED DRUG multiple (#53.795) of the BCMA MEDICATION LOG file (#53.79). Currently Null TO ADMINISTRATION field is NULL. Currently Null The VA code of the Person Class of the Ordering Provider as of the date of this extract record. The VA code of the Person Class of the Ordering Provider as of the date of this extract record. The VA code of the Person Class of the Ordering Provider as of the date of this extract record. The PROVIDER PERSON CLASS is the Active Person which is determined by SGGET-YAUA4A72[PERS,DATE), where PERS is the LEM from NEW PERSON file (#200) The nationally defined DSS in the multiple provider and the enrollment priority group and the enr	DISPENSED	entry.		
### The PERSON CLASS ### The Nationally defined DSS Intermediate Product Number designated to the patient care product. ### The nationally defined DSS Intermediate Product Number designated to the patient care product. ### The nationally defined DSS Intermediate Product Number designated to the patient care product. ### The nationally defined DSS Intermediate Product Number designated to the patient care product. #### The nationally defined DSS Intermediate Product Number designated to the patient care product. #### The nationally defined DSS Intermediate Product Number designated to the patient care product. #### The nationally defined DSS Intermediate Product Number designated to the patient care product. ##### The nationally defined DSS Intermediate Product Number designated to the patient care product. ###################################				` ,
Actual number of units given. Actual number of units given. BCMA DOSE GIVEN field (is derived from the DOSE GIVEN field (is dose) of the BCMA MEDICATION LOG file (#53.795) of the BCMA MEDICATION LOG file (#53.795). Currently this field is NULL. BCMA UNIT OF ADMINISTRATION field is derived from the UNIT OF ADMINISTRATION field is derived from the UNIT OF ADMINISTRATION field (is derived from the UNIT OF ADMINISTRATION field (is derived from the UNIT OF ADMINISTRATION field (#04) of the DISPEASED DRUG multiple (#63.795) of the BCMA MEDICATION LOG file (#53.795). Tentrol of the field is NULL. Currently this field is NULL. Currently will be six numeric digits. The VA code of the Person ORDERING PROVIDER PERSON CLASS is the Active Person which is determined for this extract record. The nationally defined DSS is the Active Person which is determined for SSGET/YUAJA-72[PERS,DATE], where PERS is the IEM from NEW PERSON file (#200) The nationally defined DSS intermediate Product Number designated to the patient care product. This field contains the enrollment priority group and the enrollment priority group and the enrollment priority subgroup from the Patient Enrollment file 72.11. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: 11 FING ROUP 1 21 FOR GROUP 5 4 FOR GROUP 5 5 FOR GROUP 5 5 FOR GROUP 6 7 FOR GROUP 7 8 FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 14 FOR 1 25 FOR GROUP 6 7 FOR GROUP 7 8 FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 14 FOR 1 25 FOR 5 26 FOR 5 27 FOR 5 27 FOR 5 27 FOR 6				1 \
Actual number of units given. BCMA DOSE GIVEN field is derived from the DOSE GIVEN field (#53.79).				the BCM MEDICAITON LOG file (#53.79).
Actual number of units given. BCMA DOSE GIVEN field is derived from the DOSE GIVEN field (#53.79).				Currently this field is NI II I
GIVEN given. given. given. dhe DOSE GIVEN field (# 03) of the DISPENSED DRUG multiple (#63.795) of the BCMA MEDICATION LOG file (#53.79). Currently this field is NULL. 727.809, 64 BCMA UNIT OF ADMINISTRATION field is derived from the UNIT OF ADMINISTRATION field (#03) of the BCMA MEDICATION LOG file (#53.79). Currently this field is NULL. 727.809, 65 BCMA ICU FLAG 727.809, 65 CUrrently his field is NULL. The VA code of the Person Class of the Ordering PERSON CLASS Product as of the date of this extract record. The VA code of the Person Class of the Green of this extract record. The VA code of the Person Class of the Green of this extract record. The NATIONAL PROVIDER PERSON CLASS is the Active Person which setermined by \$SGET*XUAA72(PERS.DATE), where PERS is the IEM from NEW PERSON file (#200) The nationally defined DSS Intermediate Product Number designated to the patient care product. This field contains the enrollment priority subgroup and the enrollment priority subgroup from the Patient Enrollment file #27.11. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1 FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a FOR 1 'a FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a FOR 1 'a FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a FOR 1 'a FOR GROUP 7 'b FOR GROUP 7 'b FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a FOR 1 'a FOR GROUP 9 Data is obtained from a call to SEENENSBERP DECENS (DFN) using the	727.809, 63	Actual number of units		
DISPENSED DRUG multiple (#53.79) of the BEMA MEDICATION LOG file (#53.79). Currently this field is NULL. TABLET, ML, VIAL). TABLET, ML, VIAL). DEMA UNIT OF ADMINISTRATION field (#04) of the DISPENSED DRUG multiple (#53.795) of the BCMA UNIT OF ADMINISTRATION field (#04) of the DISPENSED DRUG multiple (#53.795) of the BCMA MEDICATION LOG file (#53.795) of the B	*	given.		
Carrenty this field is NULL.	GIVEN			
727.809, 64 BCMA UNIT OF ADMINISTRATION N Unit of administration (i.e. TABLET, ML_VIAL).				the BCMA MEDICATION LOG file
Unit of administration (i.e. BCMA UNIT OF ADMINISTRATION field is derived from the UNIT OF ADMINISTRATION N BCMA UNIT OF ADMINISTRATION Field (#0.4) of the DISPENSED DRUG multiple (#53.795) of the BCMA MEDICATION LOG file (#53.796) of the BCMA MEDICATION LOG file (#53.796) of the BCMA MEDICATION LOG file (#53.797) of the BCMA MEDICATION LOG file (#53.796) of the BCMA MEDICATION LOG file (#53.796) of the BCMA MEDICATION LOG file (#53.797) of the BCMA MEDICATION LOG file (#53.796) of				(#53.79).
Unit of administration (i.e. BCMA UNIT OF ADMINISTRATION field is derived from the UNIT OF ADMINISTRATION N BCMA UNIT OF ADMINISTRATION Field (#0.4) of the DISPENSED DRUG multiple (#53.795) of the BCMA MEDICATION LOG file (#53.796) of the BCMA MEDICATION LOG file (#53.796) of the BCMA MEDICATION LOG file (#53.797) of the BCMA MEDICATION LOG file (#53.796) of the BCMA MEDICATION LOG file (#53.796) of the BCMA MEDICATION LOG file (#53.797) of the BCMA MEDICATION LOG file (#53.796) of				Currently this field is NULL
ADMINISTRATIO N TABLET, ML,VIAL). Si derived from the UNIT OF ADMINISTRATION field (#.0.4) of the DISPENSED DRUG multiple (#53.795) of the BCMA MEDICATION LOG file (#53.79). Currently this field is NULL. Currently Null Currently Null The VA code of the Person Class of the fordering and the field will be V999999, where the 999999 will be six numeric digits. ORDERING PROVIDER PERSON CLASS format of the field will be V999999, where the 999999 will be six numeric digits. ORDERING PROVIDER PERSON CLASS format of the field will be V999999, where the 999999 will be six numeric digits. ORDERING PROVIDER PERSON CLASS format of the field will be V999999, where the 999999 will be six numeric digits. ORDERING PROVIDER PERSON CLASS format of the field will be V999999, where PERS is the IEN from NEW PERSON file (#200) To the Unit Dose Local extract, the DSS IP# field is null. This field contains the patient care product. This field contains the enrollment priority group and the enrollment file #27.11. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: 1 FOR GROUP 1 2 FOR GROUP 2 3 FOR GROUP 3 4 FOR GROUP 6 7 FOR GROUP 6 7 FOR GROUP 7 8 FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 1 FOR GROUP 7 8 FOR GROUP 7 8 FOR GROUP 7 8 FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 1 FOR 5 9 FOR 5 9 FOR 5 9 FOR 7 10 Data is obtained from a call to SSENRSBGRP*DEENAS (DFN) using the	727.809, 64	Unit of administration (i.e.		
DISPENSED DRUG multiple (#53.795) of the BCMA MEDICATION LOG file (#53.79). Currently this field is NULL. 727.809, 65 BCMA ICU FLAG 727.809, 66 ORDERING PERSON CLASS Powder as of the date of this extract record. The VA code of the Person Class of the Ordering format of the field will be Vy999999, where the 999999 will be six numeric digits. ORDERING PROVIDER PERSON CLASS of the field will be Vy999999, where the 999999 will be six numeric digits. ORDERING PROVIDER PERSON CLASS is the Active Person which is determined by SSGET*XUA4A72(PERS,DATE), where PERS is the EN from NEW PERSON file (#200) T27.809, 67 DSS IP # The nationally defined DSS Intermediate Product Number designated to the patient care product. PRIORITY T27.809, 68 ENROLLMENT PRIORITY group and the enrollment priority group and the enrollment priority group and the enrollment fine #27.11. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: "I" FOR GROUP 1 "2" FOR GROUP 2 "3" FOR GROUP 3 "4" FOR GROUP 4 "5" FOR GROUP 5 "6" FOR GROUP 6 "7" FOR GROUP 6 "7" FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: "a" FOR 1 "c" FOR 3 "e" FOR 5 "g" FOR 5 "g" FOR 7 Data is obtained from a call to SSENKSBGRP*DGENAS (DFN) using the				
the BCMA MEDICATION LOG file (#53.79). Currently this field is NULL. 727.809, 65 BCMA ICU FLAG BCMA ICU FLAG ORDERING PERSON CLASS The VA code of the Person Class of the Ordering Provider as of the date of this extract record. Class of the Ordering Provider as of the date of this extract record. The nationally defined DSS Intermediate Product Number designated to the patient care product. The nationally defined DSS Intermediate Product Number designated to the patient care product. The nationally defined DSS Intermediate Product Number designated to the patient care product. The nationally defined DSS Intermediate Product Number designated to the patient care product. The nationally defined DSS Intermediate Product Number designated to the patient care product. The nationally defined DSS Intermediate Product Number designated to the patient care product. The nationally defined DSS Intermediate Product Number designated to the patient care product. The nationally defined DSS Intermediate Product Number designated to the patient care product. The nationally defined DSS Intermediate Product Number designated to the patient care product. The nationally defined DSS Intermediate Product Number designated to the patient care product. The nationally defined DSS Intermediate Product Number designated to the patient care product. The nationally defined DSS Intermediate Product field contains the enrollment priority group and the enrollment priority group and the enrollment priority subgroup from the Patient Enrollment file #27.11. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: "I' FOR GROUP 3 "I' FOR GROUP 3 "I' FOR GROUP 4 "S' FOR GROUP 4 "S' FOR GROUP 4 "S' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: "a' FOR 1 "c' FOR 3 "e' FOR 5 "g' FOR 7 Data is obtained from a call to SSENIKSBGRP*DGENAS (DFN) using the	ADMINISTRATIO			ADMINISTRATION field (#.04) of the
727.809, 65 BCMA ICU FLAG 727.809, 66 ORDERING PERSON CLASS Provider as of the date of this extract record. The nationally defined DSS Intermediate Product Number designated to the patient care product. This field contains the enrollment priority group and the enrollment priority group and the enrollment priority subgroup. ENROLLMENT PRIORITY The nationally defined DSS Intermediate Product Number designated to the patient care product. This field contains the enrollment priority group and the enrollment priority group and the enrollment priority group and the enrollment priority subgroup form the Patient Enrollment file #27.11. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: 1 'FOR GROUP 4 5' FOR GROUP 4 5' FOR GROUP 4 5' FOR GROUP 5 6' FOR GROUP 6 7' FOR GROUP 7 8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: a' FOR 1 c' FOR 3 c' FOR 3 c' FOR 3 c' FOR 5 g' FOR 7 Data is obtained from a call to SSENNSBGRP*DGENAS (DFN) using the	N			DISPENSED DRUG multiple (#53.795) of
727.809, 65				the BCMA MEDICATION LOG file
727.809, 65 BCMA ICU FLAG TZ7.809, 66 ORDERING PERSON CLASS The VA code of the Person Class of the Ordering PERSON CLASS PERSON CLASS The voicer as of the date of this extract record. The nationally defined DSS Intermediate Product Number designated to the patient care product. This field contains the enrollment priority subgroup. The nationally defined DSS Intermediate Product Number designated to the patient care product. This field contains the enrollment priority group and the enrollment priority subgroup. The nationally defined DSS Intermediate Product Number designated to the patient care product. This field contains the enrollment priority group and the enrollment priority group and the enrollment priority subgroup from the Patient Enrollment file #27.11. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 3 '4' FOR GROUP 3 '4' FOR GROUP 6 '7' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'c' FOR 5 'g' FOR 7 Data is obtained from a call to SSENRSBGRPDGENAS (DFN) using the				(#53.79).
BCMA ICU FLAG 727.809, 66 ROBERING PERSON CLASS PERSON CLASS The VA code of the Person Class of the Grdering Provider as of the date of this extract record. The VA code of the Description of this extract record. The VA code of the Person Class of the Grdering Provider as of the date of this extract record. The PROVIDER PERSON CLASS is the Active Person which is determined by \$56GET^*XUA4A72(PERS,DATE), where PERS is the Person which is determined by \$56GET^*XUA4A72(PERS,DATE), where PERS is the Person of the graph of this extract record. The nationally defined DSS Intermediate Product Number designated to the patient care product. This field contains the enrollment priority group and the enrollment file #27.11. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'c' FOR 5 'g' FOR 7 Data is obtained from a call to \$55ENRSBGRP^DGENAS (DFN) using the				Currently this field is NULL.
The VA code of the Person Class of the Ordering Class of the Ordering Provider as of the date of this extract record. ORDERING PROVIDER PERSON CLASS format of the field will be V999999, where the 9999999 will be six numeric digits. ORDERING PROVIDER PERSON CLASS is the Active Person which is determined by \$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from NEW PERSON file (#200)	,	Enter the ICU flag		Currently Null
Class of the Ordering Provider as of the date of this extract record. Class of the Ordering Provider as of the date of this extract record. Cornering Provider as of the date of this extract record. Cornering Provider as of the date of this extract record. Cornering Provider as of the date of this extract record. Cornering Provider Press on which is determined by SSGET"XUA4A72(PERS,DATE), where Press is the IEN from NEW PERSON file (#200) For the Unit Dose Local extract, the DSS IP# field is null. This field contains the enrollment priority group and the enrollment priority subgroup. This field contains the enrollment priority subgroup from the Patient Enrollment file #27.11. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: 1' For GROUP 2 3' FOR GROUP 3 4' FOR GROUP 4 5' FOR GROUP 6 7' FOR GROUP 6 7' FOR GROUP 7 8' FOR GROUP 7 8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: a' FOR 1 c' FOR 3 c' FOR 3 c' FOR 3 c' FOR 5 g' FOR 7 Data is obtained from a call to SSENRSBGRP*DGENA\$ (DFN) using the		The VA code of the Person		ODDEDING DROVIDED DEDSON CLASS
PERSON CLASS Provider as of the date of this extract record. Provider as of the date of this extract record. Provider as of the date of this extract record. Provider as of the date of this extract record. Provider as of the date of this extract record. Provider as of the date of this extract record. PERS is the LEN from NEW PERSON CLASS is the Active Person which is determined by \$\$5GET^XUA4A72(PERS,DATE), where PERS is the IEN from NEW PERSON file (#200) PRIORITY PRIORITY	*			
this extract record. this extract record. CRDERING PROVIDER PERSON CLASS is the Active Person which is determined by \$SGET*XUA4A72[PERS,DATE], where PERS is the IEN from NEW PERSON file (#200) T27,809, 67 DSS IP # The nationally defined DSS Intermediate Product Number designated to the patient care product. T27,809, 68 ENROLLMENT PRIORITY This field contains the enrollment priority group and the enrollment priority group and the enrollment priority subgroup from the Patient Enrollment file #27,11. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 5 '6' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR I 'c' FOR 3 'c' FOR 3 'c' FOR 5 'g' FOR 7 Data is obtained from a call to \$SSENRSBGRP^DGENAS (DFN) using the				
\$\$GET^XUA4A72(PERS,DATE), where PERS is the IEN from NEW PERSON file (#200) 727.809, 67 DSS IP # The nationally defined DSS Intermediate Product Number designated to the patient care product. 727.809, 68 ENROLLMENT PRIORITY This field contains the enrollment priority group and the enrollment priority group and the enrollment priority subgroup. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: 11 FOR GROUP 2 12 FOR GROUP 2 13 FOR GROUP 4 15 FOR GROUP 5 16 FOR GROUP 5 16 FOR GROUP 5 16 FOR GROUP 7 18 FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 16 FOR GROUP 5 17 FOR GROUP 6 18 FOR GROUP 7 18 FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 18 FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 19 FOR 3 20 FOR 5 21 FOR 5 22 FOR 5 23 FOR 7 Data is obtained from a call to \$\$\$ENRSBGRP^DGENAS (DFN) using the				
PERS is the IEN from NEW PERSON file (#200) 727.809, 67 DSS IP # The nationally defined DSS Intermediate Product Number designated to the patient care product. 727.809, 68 ENROLLMENT PRIORITY PRIORITY PRIORITY PRIORITY ENROLLMENT PRIORITY Groups determined for a patient enrollment priority subgroup in the enrollment priority group and the enrollment priority subgroup in the patient file #27.11. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 4 '5' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 7 '8' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENAS (DFN) using the				is the Active Person which is determined by
727.809, 67 DSS IP # The nationally defined DSS Intermediate Product Number designated to the patient care product. This field contains the enrollment priority group and the enrollment priority subgroup. This field contains the enrollment priority group and the enrollment priority subgroup. ENROLLMENT PRIORITY for ups determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 7 '8' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR S 'c' FOR 3 'c' FOR 5 'g' FOR 7 Data is obtained from a call to \$\$\$ENRSBGRP^DGENA\$ (DFN) using the				
727.809, 67 DSS IP # The nationally defined DSS Intermediate Product Number designated to the patient care product. 727.809, 68 ENROLLMENT PRIORITY This field contains the enrollment priority group and the enrollment priority subgroup. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: 1'1' FOR GROUP 1 2' FOR GROUP 2 3' FOR GROUP 4 5' FOR GROUP 4 5' FOR GROUP 5 6' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 1' FOR GROUP 1 2' FOR GROUP 5 6' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 1' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 1' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 1' FOR 1 1' FOR 3 1' FOR 5 1' FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENA\$ (DFN) using the				PERS is the IEN from NEW PERSON file
DSS IP # Intermediate Product Number designated to the patient care product. 727.809, 68 ENROLLMENT PRIORITY and the enrollment priority group and the enrollment priority group and the enrollment priority subgroup. ENROLLMENT PRIORITY of the enrollment priority group and the enrollment priority subgroup from the Patient Enrollment file #27.11. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 2 '3' FOR GROUP 2 '3' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'c' FOR 5 'g' FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENA\$ (DFN) using the				
Number designated to the patient care product. 727.809, 68 ENROLLMENT PRIORITY This field contains the enrollment priority group and the enrollment priority group and the enrollment priority subgroup. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: 11 FOR GROUP 1 22 FOR GROUP 2 33 FOR GROUP 3 44 FOR GROUP 4 55 FOR GROUP 4 56 FOR GROUP 6 77 FOR GROUP 7 88 FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 10 FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 10 FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 11 FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 12 FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 13 FOR 1 25 FOR 3 26 FOR 5 27 FOR 5 28 FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENA\$ (DFN) using the				
Patient care product. 727.809, 68 ENROLLMENT PRIORITY field contains the enrollment priority group and the enrollment priority subgroup. ENROLLMENT PRIORITY and the enrollment priority subgroup from the Patient Enrollment file #27.11. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 4 '5' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 3 'e' FOR 5 'g' FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENA\$ (DFN) using the	DSS IF #			Held is hull.
T27.809, 68 ENROLLMENT PRIORITY This field contains the enrollment priority group and the enrollment priority subgroup. ENROLLMENT PRIORITY field contains the enrollment priority subgroup and the enrollment priority subgroup from the Patient Enrollment file #27.11. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 5 '6' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENA\$ (DFN) using the				
PRIORITY and the emollment priority subgroup. enrollment priority subgroup from the Patient Enrollment file #27.11. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENA\$ (DFN) using the		This field contains the		
Enrollment file #27.11. ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENA\$ (DFN) using the				
ENROLLMENT PRIORITY Groups determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENA\$ (DFN) using the	PRIORITY			
determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENA\$ (DFN) using the		subgroup.		Enrollment file #27.11.
determined for a patient enrollment include: '1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENA\$ (DFN) using the				ENROLLMENT PRIORITY Groups
'1' FOR GROUP 1 '2' FOR GROUP 2 '3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENA\$ (DFN) using the				determined for a patient enrollment include:
'3' FOR GROUP 3 '4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENA\$ (DFN) using the				
'4' FOR GROUP 4 '5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENA\$ (DFN) using the				
'5' FOR GROUP 5 '6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENA\$ (DFN) using the				
'6' FOR GROUP 6 '7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENA\$ (DFN) using the				
'7' FOR GROUP 7 '8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENA\$ (DFN) using the				
'8' FOR GROUP 8 ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENA\$ (DFN) using the				
ENROLLMENT PRIORITY Subgroups determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENA\$ (DFN) using the				
determined for a patient enrollment include: 'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENA\$ (DFN) using the				ENDOLL MENT PRICE STORY
'a' FOR 1 'c' FOR 3 'e' FOR 5 'g' FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENA\$ (DFN) using the				U 1
'c' FOR 3 'e' FOR 5 'g' FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENA\$ (DFN) using the				
'e' FOR 5 'g' FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENA\$ (DFN) using the				
'g' FOR 7 Data is obtained from a call to \$\$ENRSBGRP^DGENA\$ (DFN) using the				
\$\$ENRSBGRP^DGENA\$ (DFN) using the				
\$\$ENRSBGRP^DGENA\$ (DFN) using the				Data is obtained from a call to
Datient & Dity.				patient's DFN.

Field # and Name	Description	Values	Technical Description
727.809, 69	Indicates whether a Veteran	'U' FOR USER	User enrollee is determined by checking the
USER ENROLLEE	has User Enrollee status for	ENROLLED	Patient Enrollment (#27.11) file. When a
	the current or future fiscal		user has a current or future fiscal year in the
	year.		VistA User Enrollee Status (#.04) field the
			value is set to 'U' and Null if no date or a
			past year's value is contained. Determined by
			the use of an API: I \$\$UESTAT^EASUER where the Patient Identifier (DFN) is passed
			in.
727.809, 70	Refers to the various types	'AC' FOR Active Duty	PATIENT TYPE is derived from a call to
PATIENT TYPE	of patient, which may be	'AL' FOR Allied Veteran	TYPE^ECXUTL5 (DFN). Using the
	seen at a VA facility. Every	'CO' FOR Collateral	patient's DFN, the NAME field (#.01) of the
	patient in the system must	'EM' FOR Employee	TYPE OF PATIENT file (#391) as pointed to
	have a TYPE specified.	'IN' FOR Ineligible	by the TYPE field (#391) of the PATIENT
		'MI' FOR Military Retiree	file (#2) is shortened to the first two
		'NO' FOR Non-Veteran	characters to determine the value stored in
		(Other) 'NS' FOR NSC Veteran	the PATIENT TYPE field (#70).
		'SC' FOR SC Veteran	
		'TR' FOR Tricare	
727.809, 71	Records if a veteran served	'Y' FOR YES	CV STATUS ELIGIBILITY is determined
CV STATUS	on active duty in a theatre	'E' FOR ELIGIBILITY	by the use of API \$\$CVEDT^DGCV (DFN.
ELIGIBILITY	of combat operations during	EXPIRED	DATE) that checks the COMBAT VET END
	a period of war after the		DATE field (#.5295) from the PATIENT file
	Persian Gulf War or in		(#2) to determine CV Status. API returns
	combat against a hostile force during a period of		three pieces (i.e. 1^20010106^0) and the first piece is resolved as follows.
	hostilities after November		piece is resolved as follows.
	11, 1998.		1 -veteran qualifies as a CV
	,		0 - veteran does not qualify as a CV
			-1 - bad DFN
			Based on this result the field will be set to
			'Y' for YES or 'E' for 'ELIGIBILITY EXPIRED' or 'NULL' for not eligible.
727.809, 72	Records the Combat		CV ELIGIBILITY END DATE is
CV ELIGIBILITY	Veteran eligibility		determined by the use of API
END DATE	expiration date of the		\$\$CVEDT^DGCV (DFN,DATE) that checks
	veteran who served on		the COMBAT VET END DATE field
	active duty in a theatre of		(#.5295) from the PATIENT file (#2) to
	combat operations during a		determine CV Status. API returns three
	period of war after the		pieces (i.e. 1^20010106^0). The 2 nd piece is
	Persian Gulf War or in		the COMBAT VET END DATE in HL7
	combat against a hostile force during a period of		format.
	hostilities after November		
	11, 1998.		
727.809, 73	Records if a veteran served	'Y' FOR YES	ENCOUNTER CV is determined by the use
ENCOUNTER CV	on active duty in a theatre		of API \$\$CVEDT^DGCV (DFN,DATE) that
	of combat operations during		checks the COMBAT VET END DATE field
	a period of war after the		(#.5295) from the PATIENT file (#2) to
	Persian Gulf War or in		determine CV Status. API returns three
	combat against a hostile force during a period of		pieces (i.e. 1^20010106^0). The third piece returns:
	hostilities after November		returns.
	11, 1998.		1 - vet was eligible on date specified
	,		0 - vet was not eligible on date specified
			Based on these returns, the value for this
			field shall be Y for Yes if value is 1 or left
			blank if 0 to indicate ineligibility.

Field # and Name	Description	Values	Technical Description
727.809, 74	This field records whether	'Y' FOR YES	The NATIONAL PATIENT RECORD
NATIONAL	the patient's record contains		FLAG field is set based on the results of the
PATIENT	1 or more active Category 1		\$\$GETACT^DGPFAPI (DFN,TARGET
RECORD FLAG	(National) Patient Record		ARRAY) call. This call looks at the category
1200121210	Flags.		1 national patient record flags as recorded in
	Tiugo.		the PRF NATIONAL FLAG file (#26.15).
			The resulting value of this call is the number
			of active category I record flags assigned to
			this patient. This filed is set to Y (YES) if
			the result is greater than zero. A value of
			zero causes this field to be left null.
727.809, 75	This field identifies patients		This field is extracted from the
ERI	from impacted zip code		EMERGENCY RESPONSE INDICATOR
	areas designated by the		field (#.181) located in the PATIENT file
	Federal Emergency		(#2). Values are:
	Management Agency		"K" = Hurricane Katrina
	(FEMA).		Null
727.809, 76	This field is used to indicate	'Y' FOR YES	This field is derived from the SOUTHWEST
SW ASIA	if this visit represents	'N' FOR NO	ASIA CONDITIONS? field (#.322013) in
CONDITIONS	treatment of a VA patient	'U' FOR UNKNOWN	the PATIENT file (#2) using the patient's
	claiming exposure to		DFN. The status indicator is returned by
	Southwest Asia conditions.		SVC^VADPT. The SVC^VADPT called is
			made from routine PAT^ECXUTL3. The
			field values are:
			Y = YES
			N = NO
			U = UNKNOWN
727.809, 77	The Military Operation in		The Military Operation in which the patient
OEF/OIF	which the patient was in		was in combat during the specified time
	combat during the specified		period. This field is a length of nine
	time period. This field is a		characters and reflects the OEF or OIF where
	length of nine characters		this patient was in combat. The value of this
	and reflects the OEF or OIF		field is derived from the LOCATION OF
	where this patient was in		SERVICE field (#.01) from SERVICE [OEF
	combat.		OR OIF] sub-file (#2.3215) of field (#.3215)
			located in the PATIENT File (#2). DSS will
			capture once, each location where the veteran
			served. In order to accommodate multiple
			locations, the values for this field are
			concatenated into this 9-character field.
			Possible field values are one or more
			combinations of the following: OEF =
			Operation Enduring Freedom OIF =
			Operation Iraqi Freedom UNK = Unknown
			OEF/OIF.
727.809, 78	The date the veteran left the		The date the veteran left the OEF/OIF area, if
OEF/OIF RETURN	OEF/OIF area. Otherwise,		known. Otherwise, it is the end date of
DATE	it is the end date of military		military pay for this OEF/OIF deployment.
	pay for this OEF/OIF		This date field has a format equal to
	deployment. This date field		YYYYMMDD
	has a format equal to		
	YYYYMMDD		
727.809, 79	A standard, unique life-long		A standard unique life-long identifier of the
ASSOCIATE PC	identifier of the associate		associate primary care provider. This field
PROVIDER NPI	primary care provider. This		has a length of fifteen characters. The
	field has a length of fifteen		qualified identifier is retrieved via the
	characters.		supporting Kernel API: \$\$NPI^XUSNPI.
727.809, 80	A standard, unique life-long		A standard unique life-long identifier of the
PRIMARY CARE	identifier of the primary		primary care provider. This field has a
PROVIDER NPI	care provider. This field has		length of fifteen characters. The qualified
	a length of fifteen		identifier is retrieved via the supporting
	characters.		Kernel API: \$\$NPI^XUSNPI.

Field # and Name	Description	Values	Technical Description
727.809, 81 PROVIDER NPI 727.809, 82 COUNTRY CODE	A standard, unique life-long identifier for individuals providing health care services. This field has a length of fifteen characters. The code for the country associated with the address.		A standard unique life-long identifier of the individuals providing health care services. This field has a length of fifteen characters. The qualified identifier is retrieved via the supporting Kernel API: \$\$NPI^XUSNPI. The three-character alpha identifying code is copied from the CODE (#.01) field of the COUNTRY (#779.004) file.
727.809,83 PATCAT	This is the Patient's category which will be used for FHCC (Federal Health Care Center) Reconciliation. DSS must capture and report DoD patients so that the FHCC reconciliation process can function as designed. "Reconciliation" is the process used within the new FHCC to determine which patients DoD pays for and which VA pays for.	'AD' FOR Active Duty 'ADD' FOR Active Duty Dependent 'FNRS' FOR Former Non-Remarried Spouse 'RET' FOR Retired 'RETD' FOR Retiree Dependent 'RES' FOR Reservist 'REC' FOR Recruit 'TDRL' FOR Temporary Disability 'TFL' FOR TRICARE for Life	If the VistA Patient Type Code (TYPE (#391) field of the Patient (#2) file) = Active Duty, Military Retiree, or TRICARE, then the value(s) in the VistA Other Eligibility multiple (PATIENT ELIGIBILITIES (#361) field of the PATIENT (#2) file), which points to locally modifiable ELIGIBILITY CODE (#8) file should be evaluated. If the value in the ELIGIBILITY CODE is equal to any entry in the set of codes in this field, the value should be placed in this field.