CPRS PATCH OR*3.0*296 (CPRS GUI V.27.90) AND ASSOCIATED PATCHES INSTALLATION GUIDE

AUGUST 2009

Table of Contents

OR*3.0*296 (CPRS GUI v27.90) Installation Requirements and Notes

OR*3.0*296 includes one host file that exports routines, two options, three Remote Procedure Calls (RPCs), and parameters. No data dictionary changes are included.

Required Patches

Before you can install OR*3.0*296 (CPRS GUI v.27.90), you must verify that the following required patches are properly installed on your system:

- ☐ OR*3.0*283
- ☐ OR*3.0*292
- ☐ OR*3.0*301
- ☐ OR*3.0*303
- ☐ OR*3.0*304
- ☐ YS*5.01*98

Related Patches

To fully implement the new features in OR*3.0*296, the following related patches must be installed on your system:

- ☐ GMRC*3.0*65
- ☐ GMRC*3.0*69

Internet Explorer Requirements

Internet Explorer v4.0 (IE4) or later is REQUIRED in order for OR*3.0*296 to run. However, IE5.5 or later is required for PKI functionality.

Installation Compliance Date

The compliance period for installation of OR*3.0*296 is **30** days.

Local Modifications to OR*3.0*296 Source Code

OR*3.0*296 is compiled with Delphi 2006. Modification of OR*3.0*296 Source Code requires Delphi 2006.

Software Retrieval

Download the necessary files from the FTP anonymous directories: download.vista.med.va.gov.

- YS_501_98.KID
- YS_MHA_A.DLL and YS_501_98_SETUP.EXE
- OR_30_296.KID
- OR_30_296.ZIP

Software distributed via the National Patch Module (FORUM) in a packman message.

- GMRC*3.0*65
- GMRC*3.0*69

OR*3.0*296 (CPRS GUI v27.90) and Associated Patches Software Installation Instructions

This patch should be installed during non-peak hours to minimize disruption. No users should be accessing CPRS during the install as this prevents you from replacing CPRSChart.exe. Installation will take approximately 15 minutes or more, depending on the menu structure at your site.

Listed below are general installation instructions for installing the OR*3.0*296 KIDS build and other patches. For specific installation details, refer to the software installation captures below. Additionally, review the National Patch Module messages for each patch for patch-specific information.

1. From the Kernel Installation and Distribution System (KIDS) Menu, select the Installation menu.

2. Use Load a Distribution. You may need to precede the host file name with a directory name.

3. If given the option to run any Environment Check Routine(s), answer "YES."

4. From this menu, you may then elect to use the following options:

   o   Backup a Transport Global
   o   Compare Transport Global to Current System
   o   Verify Checksums in Transport Global

5. When ready, select the Install Packages option.

6. When prompted "Want KIDS to Rebuild Menu Trees Upon Completion of Install? Yes//", respond "YES."

7. When prompted 'Want KIDS to INHIBIT LOGONs during the install? YES//', respond "YES."

8. When prompted 'Want to DISABLE Scheduled Options, Menu Options, and Protocols? YES//', respond YES. When prompted to select the options you would like to place out of order, enter the following:

   OR OE/RR MENU CLINICIAN   CPRS Clinician Menu

   OR OE/RR MENU NURSE   CPRS Nurse Menu

   OR OE/RR MENU WARD CLERK   CPRS Ward Clerk Menu

   OR CPRS GUI CHART

9. When prompted 'Delay Install (Minutes): (0-60): 0//; respond '0.'

OR*3.0*296 (CPRS GUI v27.90) and Associated Patches Software Installation Sequence

1. Make sure all Nationally Released Required patches are installed—

   o OR*3*283
   o OR*3*292
   o OR*3*301
   o OR*3*303
   o OR*3*304

2. Install Mental Health required patch and file:

   o YS*5.01*98.KID
   o YS_MHA_A.DLL (using YS_501_98_SETUP.EXE if appropriate, see step c below)
   a.) Install YS_501_98.KID

   b.) Ensure that the option YS BROKER1 [YS BROKER1] is on the Mental Health users' **secondary menus**, as well as the **secondary menus** of all users who currently have the OR CPRS GUI CHART option.

   c.) Distribute new DLL named YS_MHA_A.DLL in one of the following ways:

   ▪ Install manually on the client workstation: Run YS_501_98_Setup.exe to place the YS_MHA_A.dll in the Common Files directory.

   OR

   ▪ Pushing files to the workstation over the network: If your site uses application distribution software, you can distribute the YS_MHA_A.dll to client workstations. Running the YS_501_98_Setup.exe requires two interactions with the user (to start and to signify finished). To avoid the user/install interaction, the file YS_MHA_A.dll can be copied directly to the *<drive>*\Programs Files\Vista\Common Files directory. This may be the more desirable way to push the dll to many workstations.

Please refer to the YS*5.01*98 Installation Capture below in this document for installation details.

3. Install Patch OR*3.0*296: OR_30_296.KID.

    Please refer to the OR*3.0*296 Installation Capture for installation details.

4. Distribute CPRSCHART.EXE, CPRS.HLP, CPRS.CNT located in OR_30_296.ZIP.

    These three files should be distributed to the same directory as the borlndmm.dll. Usually, these files are located in the CPRS directory.

5. Place the User and Technical Manual files in a location that can be accessed by CPRS users.

6. Install Patch GMRC*3.0*65.

    Please refer to the GMRC*3.0*65 Installation Capture for installation details.

7. Install Patch GMRC*3.0*69.

    Please refer to the GMRC*3.0*69 Installation Capture for installation details.

OR*3.0*296 Changed Help text of Existing Parameter – ORPF ACTIVE ORDERS CONTEXT HRS

- This parameter defines the number of hours that orders remain in the "Active/Current Orders" context after they have been completed.

    Updated Help Values:

    Before:

    VALUE HELP: Number of hours to include completed orders in Active Orders display.

    After:

    VALUE HELP: Enter the number of hours to include terminated orders in the Active Orders view

OR*3.0*296 (CPRS GUI v27.90) Associated Software and Documentation

Required Patches:

PATCH	SUPPORTED FUNCTIONALITY
OR*3.0*283	--Event Delayed Orders --Releases Two Copies
OR*3.0*292	--Locking and Parameter Help Text Problem
OR*3*301	-- Changes the ORB PROCESSING FLAG Parameter -- Updates CPRS v27 Release Notes and Technical Manual -- Adds new option, Convert IV Inpatient QO to Infusion QO [OR CONVERT INP TO QO]
OR*3*303	--Corrects Display of DCd Med Orders --Removes CR from Reason for Study field --Corrects "Invalid Rate" error in Renewed Orders --Fixes <SUBSCRIPT>GUI+13^ORCDLR2
YS*5.01*98 Exports three files: YS_501_98.KID YS_501_98_SETUP.EXE YS_MHA_A.DLL	--Distributes new MH DLL --Stores Temporary file in VistA not on Client

Related Patches:

PATCH	SUPPORTED FUNCTIONALITY
GMRC*3*65	GWOT COMBAT VET INDICATORS
GMRC*3*69	REFORMATS LONG COMMENTS

OR_30_296.ZIP:

FILE	VERSION	CONTENTS
CPRSChart.exe	1.0.27.90	CPRS GUI v27.90
CPRSGUIUM.doc	N/A	CPRS GUI User Manual
CPRSLMTM.doc	N/A	CPRS ListManager Technical Manual
CPRSGUITM.doc	N/A	CPRS GUI Technical Manual
OR_30_296IG.doc	N/A	CPRS Patch OR*3*296 (CPRS GUI V.27.90) and Associated Patches Installation Guide
OR_30_296RN.doc	N/A	OR*3.0*296 Release Notes
CPRS.cnt	N/A	CPRS help contents file
CPRS.hlp	N/A	CPRS help file
CPRSGUIUM.pdf	N/A	CPRS GUI User Manual
CPRSLMTM.pdf	N/A	CPRS ListManager Technical Manual
CPRSGUITM.pdf	N/A	CPRS GUI Technical Manual
OR_30_296ig.pdf	N/A	CPRS Patch OR*3*296 (CPRS GUI V.27.90) and Associated Patches Installation Guide
OR_30_296RN.pdf	N/A	OR*3.0*296 Release Notes

YS*5.01*98 Installation Capture

1. Install the YS*5.01*98.KID patch. See example capture below.

Example

```
    1       Load a Distribution
    2       Verify Checksums in Transport Global
    3       Print Transport Global
    4       Compare Transport Global to Current System
    5       Backup a Transport Global
    6       Install Package(s)
            Restart Install of Package(s)
            Unload a Distribution

Select Installation Option: 6  Install Package(s)

Select INSTALL NAME: YS*5.01*98

Select Installation Option: 1  Load a Distribution
Enter a Host File: [LEXPLT]YS_501_98.KID;1

KIDS Distribution saved on Aug 28, 2008@11:10:33
Comment: CPRS V27 SUPPORT

This Distribution contains Transport Globals for the following Package(s):
   YS*5.01*98
Distribution OK!

Want to Continue with Load? YES//
Loading Distribution...

   YS*5.01*98
Use INSTALL NAME: YS*5.01*98 to install this Distribution.

    1       Load a Distribution
    2       Verify Checksums in Transport Global
    3       Print Transport Global
    4       Compare Transport Global to Current System
    5       Backup a Transport Global
    6       Install Package(s)
            Restart Install of Package(s)
            Unload a Distribution

Select Installation Option: 6  Install Package(s)
Select INSTALL NAME: YS*5.01*98      Loaded from Distribution  6/22/09@11:52:35
     => CPRS V27 SUPPORT  ;Created on Aug 28, 2008@11:10:33

This Distribution was loaded on Jun 22, 2009@11:52:35 with header of
   CPRS V27 SUPPORT  ;Created on Aug 28, 2008@11:10:33
   It consisted of the following Install(s):
     YS*5.01*98
Checking Install for Package YS*5.01*98

Install Questions for YS*5.01*98

Incoming Files:

   601.94    MH CR SCRATCH

Want KIDS to Rebuild Menu Trees Upon Completion of Install? NO// NO

Want KIDS to INHIBIT LOGONs during the install? NO// NO
Want to DISABLE Scheduled Options, Menu Options, and Protocols? NO// NO

Enter the Device you want to print the Install messages.
You can queue the install by enter a 'Q' at the device prompt.
Enter a '^' to abort the install.

DEVICE: HOME//   TELNET TERMINAL
Complete
```

2. Ensure that the option YS BROKER1 [YS BROKER1] is on the Mental Health users' **secondary menus**, as well as the **secondary menus** of all users who currently have the OR CPRS GUI CHART option.

3. After installation of the KIDS build, download the YS_501_98_Setup.exe and YS_MHA_A.dll file located in the Anonymous Software directory.

4. Distribute new DLL named YS_MHA_A.DLL in one of the following ways:

   o Install manually on the client workstation: Run YS_501_98_Setup.exe to place the YS_MHA_A.dll in the Common Files directory.

   NOTE: Do NOT queue the installation, because this installation contains questions requiring a response, and queuing will stop the installation.

   OR

   o Pushing files to the workstation over the network: If your site uses application distribution software, you can distribute the YS_MHA_A.dll to client workstations. Running the YS_501_98_Setup.exe requires two interactions with the user (to start and to signify finished). To avoid the user/install interaction, the file YS_MHA_A.dll can be copied directly to the *<drive>*\Programs Files\Vista\Common Files directory. This may be the more desirable way to push the dll to many workstations.

   Please refer to the YS*5.01*98 Installation Capture below in this document and the *MENTAL HEALTH ASSISTANT DLL used by CPRS Clinical Reminders INSTALLATION GUIDE: PATCH YS*5.01*98* for installation details.

OR*3.0*296 Checksum Value Verification

```
     1        Load a Distribution
     2        Verify Checksums in Transport Global
     3        Print Transport Global
     4        Compare Transport Global to Current System
     5        Backup a Transport Global
     6        Install Package(s)
              Restart Install of Package(s)
              Unload a Distribution

Select Installation Option: 2  Verify Checksums in Transport Global
Select INSTALL NAME: OR*3.0*296
PACKAGE: OR*3.0*296     Jun 22, 2009 11:11 am                          PAGE 1
-------------------------------------------------------------------------

OR3CONV   Calculated   57296998
OR3CONV1  Calculated   41773160
ORB3      Calculated   93373249
ORCDLR1   Calculated   81262557
ORCDPSIV  Calculated   96653807
ORCMEDT0  Calculated   17670670
ORCMEDT1  Calculated   45036674
ORCMEDT5  Calculated   35418320
ORCSEND   Calculated   65578810
ORINQIV   Calculated  192421660
ORMARKER  Calculated     978608
ORMRA     Calculated   62138554
ORPRPM    Calculated   64231033
ORWDX     Calculated   67409395
ORWDX1    Calculated   52053311
ORWDXM3   Calculated   72094070
ORWDXM4   Calculated   32166098
ORWOD     Calculated   72302805
ORWOD1    Calculated   38695937
ORWORB    Calculated   69468448
ORWTPUA   Calculated    2236253
ORY296    Calculated    1180350
ORYCHKE   Calculated    2490043

   23 Routines checked, 0 failed.
```

```
    1       Load a Distribution
    2       Verify Checksums in Transport Global
    3       Print Transport Global
    4       Compare Transport Global to Current System
    5       Backup a Transport Global
    6       Install Package(s)
            Restart Install of Package(s)
            Unload a Distribution

Select Installation Option: 3  Print Transport Global
Select INSTALL NAME: OR*3.0*296
PACKAGE: OR*3.0*296    Jun 22, 2009 11:13 am                            PAGE 1
---------------------------------------------------------------------------TYPE:
SINGLE PACKAGE                              TRACK NATIONALLY: YES
NATIONAL PACKAGE: ORDER ENTRY/RESULTS REPORTING  ALPHA/BETA TESTING: NO


DESCRIPTION:

ENVIRONMENT CHECK:                             DELETE ENV ROUTINE:
 PRE-INIT ROUTINE: PRE^ORY296                 DELETE PRE-INIT ROUTINE: No
POST-INIT ROUTINE: POST^ORY296              DELETE POST-INIT ROUTINE: No
PRE-TRANSPORT RTN:

                                       UP    SEND  DATA                USER
                                       DATE  SEC.  COMES   SITE  RSLV  OVER
FILE #      FILE NAME                  DD    CODE  W/FILE  DATA  PTRS  RIDE
---------------------------------------------------------------------------

101.41     ORDER DIALOG                NO    NO    YES     OVER  YES   NO
  DATA SCREEN: I Y=130

ROUTINE:                                   ACTION:
  OR3CONV                                    SEND TO SITE
  OR3CONV1                                   SEND TO SITE
  ORB3                                       SEND TO SITE
  ORCDLR1                                    SEND TO SITE
  ORCDPSIV                                   SEND TO SITE
  ORCMEDT0                                   SEND TO SITE
  ORCMEDT1                                   SEND TO SITE
  ORCMEDT5                                   SEND TO SITE
  ORCSEND                                    SEND TO SITE
  ORINQIV                                    SEND TO SITE
  ORMARKER                                   SEND TO SITE
  ORMRA                                      SEND TO SITE
  ORPRPM                                     SEND TO SITE
  ORWDX                                      SEND TO SITE
  ORWDX1                                     SEND TO SITE
  ORWDXM3                                    SEND TO SITE
  ORWDXM4                                    SEND TO SITE
  ORWOD                                      SEND TO SITE
  ORWOD1                                     SEND TO SITE
  ORWORB                                     SEND TO SITE
  ORWTPUA                                    SEND TO SITE
  ORY243                                     DELETE AT SITE
  ORY2430                                    DELETE AT SITE
  ORY24301                                   DELETE AT SITE
  ORY24302                                   DELETE AT SITE
  ORY24303                                   DELETE AT SITE
  ORY24304                                   DELETE AT SITE
  ORY24305                                   DELETE AT SITE
  ORY24306                                   DELETE AT SITE
  ORY24307                                   DELETE AT SITE
  ORY24308                                   DELETE AT SITE
  ORY24309                                   DELETE AT SITE
  ORY2431                                    DELETE AT SITE
  ORY2432                                    DELETE AT SITE
```

```
    ORY2433                                   DELETE AT SITE
    ORY2434                                   DELETE AT SITE
    ORY243A                                   DELETE AT SITE
    ORY243ES                                  DELETE AT SITE
    ORY243R                                   DELETE AT SITE
    ORY296                                    SEND TO SITE
    ORYCHKE                                   SEND TO SITE


OPTION:                                 ACTION:
    OR CPRS GUI CHART                         SEND TO SITE
    OR MEDICATION QO CHECKER                  SEND TO SITE


PARAMETER DEFINITION:                   ACTION:
    ORPF ACTIVE ORDERS CONTEXT HRS            SEND TO SITE
    ORWRP TIME/OCC LIMITS INDV                SEND TO SITE


REMOTE PROCEDURE:                       ACTION:
    GMV CLOSEST READING                       SEND TO SITE
    OR GET COMBAT VET                         SEND TO SITE
    ORWDX UNLKOTH                             SEND TO SITE


INSTALL QUESTIONS:

 Default Rebuild Menu Trees Upon Completion of Install: NO
 Default INHIBIT LOGONs during the install: NO
 Default DISABLE Scheduled Options, Menu Options, and Protocols: NO

REQUIRED BUILDS:                              ACTION:
    YS*5.01*98                                Don't install, leave global
    OR*3.0*292                                Don't install, leave global
    OR*3.0*283                                Don't install, leave global
    OR*3.0*301                                Don't install, leave global
    OR*3.0*303                                Don't install, leave global
    OR*3.0*304                                Don't install, leave global
```

OR*3*296 Installation Capture

```
Select OPTION NAME: XPD MAIN         Kernel Installation & Distribution System

           Edits and Distribution ...
           Utilities ...
           Installation ...
           Patch Monitor Main Menu ...

Select Kernel Installation & Distribution System Option: INSTALLation

   1      Load a Distribution
   2      Verify Checksums in Transport Global
   3      Print Transport Global
   4      Compare Transport Global to Current System
   5      Backup a Transport Global
   6      Install Package(s)
          Restart Install of Package(s)
          Unload a Distribution

Select Installation Option: 6  Install Package(s)
Select INSTALL NAME: or*3.0*296      Loaded from Distribution  6/22/09@10:50:58
     => OR*3.0*296 KIDS BUILD  ;Created on May 07, 2009@11:54:07

This Distribution was loaded on Jun 22, 2009@10:50:58 with header of
   OR*3.0*296 KIDS BUILD  ;Created on May 07, 2009@11:54:07
   It consisted of the following Install(s):
     OR*3.0*296
Checking Install for Package OR*3.0*296

Install Questions for OR*3.0*296

Incoming Files:

   101.41   ORDER DIALOG  (including data)
Note:  You already have the 'ORDER DIALOG' File.
I will OVERWRITE your data with mine.

Want KIDS to Rebuild Menu Trees Upon Completion of Install? YES// YES


Want KIDS to INHIBIT LOGONs during the install? YES//
Want to DISABLE Scheduled Options, Menu Options, and Protocols? YES//

Enter options you wish to mark as 'Out Of Order': OR OE/RR MENU CLINICIAN
CPRS Clinician Menu

Enter options you wish to mark as 'Out Of Order': OR OE/RR MENU NURSE       CPRS
 Nurse Menu

Enter options you wish to mark as 'Out Of Order': OR OE/RR MENU WARD CLERK
 CPRS Ward Clerk Menu

Enter options you wish to mark as 'Out Of Order': OR CPRS GUI CHART       CPRSCh
art version 1.0.27.83

Enter options you wish to mark as 'Out Of Order':

Enter protocols you wish to mark as 'Out Of Order':

Delay Install (Minutes):  (0-60): 0//

Enter the Device you want to print the Install messages.
You can queue the install by enter a 'Q' at the device prompt.
Enter a '^' to abort the install.

DEVICE: HOME//   TELNET TERMINAL

                              OR*3.0*296
```

```
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

 Installing OPTION

 Installing PARAMETER DEFINITION
             Jun 22, 2009@14:05:48

 Running Post-Install Routine: POST^ORY296

 Updating Routine file...

 Updating KIDS files...

Menu Rebuild Complete:  Jun 22, 2009@11:53:46
~


 OR*3.0*296 Installed.
             Jun 22, 2009@14:05:48

 Not a production UCI

 NO Install Message sent

                        Rebuilding Menus
...............................................................................
WVMENU              Women's Health Menu       1       03/21/06   05/27/09
LRLOINC             LOINC Main Menu           1       02/27/07   05/27/09
RMPO-MENU-MAIN      Home Oxygen Main Menu     2       03/05/07   05/27/09
ZPSJU DENVER RPH    Inpatient Medication Menu... 29   03/05/07   05/27/09
452 CONTRACT TRANSCRIPTION
                    Contract Transcription Menu 11    03/05/07   05/27/09
AGING RECEIVABLE    AGING RECEIVABLE          3       03/05/07   05/27/09
OIG                 OIG                       2       07/13/06   05/27/09
NON-MCCF MENU       MON-MCCF MENU             1       01/24/07   05/27/09
ASSHRCFPCC          HRC First Party CC        204     03/05/07   05/27/09
MQAS AUDIT          MQAS AUDIT MENU           3       02/28/06   05/27/09
ARS BRONX NURSE     ARS BRONX NURSE           23      03/05/07   05/27/09


Building secondary menu trees....

Merging.... done.


        R,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,T
  100%  .              25            50            75                .
Complete  F,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,G

Install Completed
```

GMRC*3*65 Installation Capture

```
    1        Load a Distribution
    2        Verify Checksums in Transport Global
    3        Print Transport Global
    4        Compare Transport Global to Current System
    5        Backup a Transport Global
    6        Install Package(s)
             Restart Install of Package(s)
             Unload a Distribution

You have 6 new messages.  (Last arrival: 08/06/08@12:46)
Select Installation Option: 6  Install Package(s)
Select INSTALL NAME: GMRC*3.0*65     Loaded from Distribution  6/23/09@10:01:38
     => GMRC*3*65

This Distribution was loaded on Jun 23, 2009@10:01:38 with header of
   GMRC*3*65
   It consisted of the following Install(s):
    GMRC*3.0*65
Checking Install for Package GMRC*3.0*65

Install Questions for GMRC*3.0*65



Want KIDS to INHIBIT LOGONs during the install? NO//
Want to DISABLE Scheduled Options, Menu Options, and Protocols? NO//

Enter the Device you want to print the Install messages.
You can queue the install by enter a 'Q' at the device prompt.
Enter a '^' to abort the install.

DEVICE: HOME//   TELNET TERMINAL


                                GMRC*3.0*65
''''''''''''''''''''''''''''''''''''''''''''''''''''''''''''''''''''''''''''''
 Install Started for GMRC*3.0*65 :
              Jun 23, 2009@10:02:34

Build Distribution Date: Sep 15, 2008

 Installing Routines:
              Jun 23, 2009@10:02:34

 Updating Routine file...

 Updating KIDS files...

 GMRC*3.0*65 Installed.
              Jun 23, 2009@10:02:35

 Not a production UCI

 NO Install Message sent
''''''''''''''''''''''''''''''''''''''''''''''''''''''''''''''''''''''''''''''''
          R,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,T
  100%   .                25              50               75              .
Complete  F,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,G


Install Completed
```

GMRC*3*69 Installation Capture

```
   1      Load a Distribution
   2      Verify Checksums in Transport Global
   3      Print Transport Global
   4      Compare Transport Global to Current System
   5      Backup a Transport Global
   6      Install Package(s)
          Restart Install of Package(s)
          Unload a Distribution

Select Installation Option: 6  Install Package(s)
Select INSTALL NAME: GMRC*3.0*69      Loaded from Distribution  3/11/09@15:24:5
2
     => GMRC*3*69

This Distribution was loaded on Mar 11, 2009@15:24:52 with header of
   GMRC*3*69
   It consisted of the following Install(s):
     GMRC*3.0*69
Checking Install for Package GMRC*3.0*69

Install Questions for GMRC*3.0*69



Want KIDS to INHIBIT LOGONs during the install? NO//
Want to DISABLE Scheduled Options, Menu Options, and Protocols? NO//

Enter the Device you want to print the Install messages.
You can queue the install by enter a 'Q' at the device prompt.
Enter a '^' to abort the install.

DEVICE: HOME//   HOME

 Install Started for GMRC*3.0*69 :
               Mar 11, 2009@15:25:45

Build Distribution Date: Mar 11, 2009

 Installing Routines:
               Mar 11, 2009@15:25:45

 Running Pre-Install Routine: PRE^GMRCYP69

 Running Post-Install Routine: POST^GMRCYP69

Post-install queued as task #322367

If any records are locked, task will re-run 5 minutes after completion.

 Updating Routine file...

 Updating KIDS files...

 GMRC*3.0*69 Installed.
               Mar 11, 2009@15:25:45

 Not a production UCI

 NO Install Message sent

Install Completed
```