

Incomplete Records Tracking (IRT) Installation Guide

Version 1.0

April 2002

Department of Veterans Affairs **V**IST**A** Software Design & Development

Table of Contents

Introduction	1
Package Integration	2
Installation	
Installation Dialogue	5
Routines	
Routine List	10
Routine Checksums	

i

Introduction

There are no major changes in this version from PIMS V. 5.3. The purpose of this version is to create Incomplete Records Tracking into its own namespace (DGJ) separate from the Registration package (DG).

This version does send out one new parameter - Default Medical Record Type field (#100.3) - found in the Medical Center Division file (#40.8). Populating this field may be done through the Set Up IRT Parameters option and will be useful at integrated sites with different names for their Medical Record file rooms.

Package Integration

The following package versions (or higher) MUST be installed PRIOR to loading this version of Incomplete Records Tracking.

Package Version 5.3

Installation

Step Description

- The files containing the KIDS installation file and documentation can be found on the ANONYMOUS.SOFTWARE directory:

 DGJ1_0_IG.PDF DGJ1_0_TM.PDF DGJ1_0_UM.PDF DGJ1_0.KID
- Print out/review the existing IRT parameters for each division. These are fields (#100.01-100.09, 100.1, and 100.2) found in the Medical Center Division (#40.8) file. Print out/review the IRT Short Form List Group (mail group) (#513) field found in the MAS Parameters (#43) file.
- 3 Backup system(s).
- In order to minimize the impact of protocol [DGPM MOVEMENT EVENTS], install during a non-peak time, disabling the Bed Control [DG BED CONTROL] option. Advise your users not to do any admission, discharges, or transfers during the short time the package is installed.
- 5 Sign into UCI where package is to be loaded. (Use 28k partition for MSM.)
- Prior to loading the Incomplete Records Tracking V. 1.0 host file, it is important to delete the Additional Prefix 'DGJ' entry from the Registration package. (See Installation Dialogue Section of this documentation for description.)
- 7 Load Incomplete Records Tracking V. 1.0 host file. (See Installation Dialogue Section of this document for description.)
- 8 Verify that DUZ, DT, DTIME, and U are defined and DUZ(0)="@". DUZ variable must be defined as an active user number and DUZ(0) variable must equal "@" in order to initialize.
- 9 Please answer all initialization questions carefully. We also recommend you slave print the initialization processes. Data that is printed out during the post-inits should be reviewed.
- 10 Move DGJ* routines to all systems, as appropriate.
- Bring systems back on line.

Step Description

- 12 **(Optional)** Running the Build Primary Menu Trees option on the Menu Management Menu after the install may improve system performance during the first day of operation.
- Review the IRT Parameters and IRT Short Form List Group entries from Step 2.
- (Optional) Populate the DEFAULT MEDICAL RECORD TYPE (#100.3) field in the MEDICAL CENTER DIVISION (#40.8) file. This may also be done through the Set Up IRT Parameters option. If the field is left blank, MEDICAL RECORDS record type will be used (compatible with pre-installation functionality). This field will be useful to integrated sites which may have different names for the Medical Records departments.

Installation Dialogue

```
Select OPTION NAME:
>D P^DI
VA FileMan 22.0
Select OPTION: ENTER OR EDIT FILE ENTRIES
INPUT TO WHAT FILE: PACKAGE//
EDIT WHICH FIELD: ALL// ADDITIONAL PREFIXES (multiple)
  EDIT WHICH ADDITIONAL PREFIXES SUB-FIELD: ALL//
THEN EDIT FIELD:
Select PACKAGE NAME: REGISTRATION
Select ADDITIONAL PREFIXES: VIC// DGJ
 ADDITIONAL PREFIXES: DGJ// @
  SURE YOU WANT TO DELETE THE ENTIRE 'DGJ' ADDITIONAL PREFIXES? Y (Yes)
Select ADDITIONAL PREFIXES:
Select PACKAGE NAME:
Select OPTION:
>S DUZ(0)="@"
>ZW
%H=58694,54947
DT=3010912
DTIME=9999
DUZ=100884
DUZ(0)=@
DUZ(1) =
DUZ(2) = 500
DUZ( "AG")=V
DUZ("BUF")=1
DUZ("LANG")=
IO(0)=_TNA1436:
U=^
MNT, VBB>D ^XUP
Setting up programmer environment
Terminal Type set to: C-VT320
You have 1 new message.
Select OPTION NAME: XPD MAIN Kernel Installation & Distribution System
Select Kernel Installation & Distribution System Option: Installation
```

```
Select Installation Option: LOad a Distribution
Enter a Host File: DGJ1_0.KID;1
KIDS Distribution saved on Mar 12, 2002@09:11:56
Comment: Incomplete Records Tracking (DGJ) V.1.0
This Distribution contains Transport Globals for the following Package(s):
Distribution OK!
Want to Continue with Load? YES// <ret>
Loading Distribution...
Build DGJ 1.0 has an Environmental Check Routine
Want to RUN the Environment Check Routine? YES// <ret>
  DGJ 1.0
Will first run the Environment Check Routine, DGJ1INIT
   Environment check complete and okay.
Use INSTALL NAME: DGJ 1.0 to install this Distribution.
Select Installation Option: VERify Checksums in Transport Global
Select INSTALL NAME: DGJ 1.0 Loaded from Distribution 3/12/02@09:15:23
     => Incomplete Records Tracking (DGJ) V.1.0 ; Created on Mar 12,
2002@09:11:56
This Distribution was loaded on Mar 12, 2002@09:15:23 with header of
   Incomplete Records Tracking (DGJ) V.1.0 ; Created on Mar 12, 2002@09:11:56
   It consisted of the following Install(s):
       DGJ 1.0
DEVICE: HOME// UCX/TELNET
                                    PAGE 1
PACKAGE: DGJ1.0 Mar 12,2002 4:25pm
37 Routine checked, 0 failed.
Select Installation Option: Install Package(s)
Select INSTALL NAME: DGJ 1.0 Loaded from Distribution 3/12/02@09:15:23
    => Incomplete Records Tracking (DGJ) V.1.0 ; Created on Mar 12,
2002@09:11:56
This Distribution was loaded on Mar 12, 2002@09:15:23 with header of
   Incomplete Records Tracking (DGJ) V.1.0 ; Created on Mar 12, 2002@09:11:56
It consisted of the following Install(s):
       DGJ 1.0
Checking Install for Package DGJ 1.0
Will first run the Environment Check Routine, DGJ1INIT
>> Environment check complete and okay.
```

Install Questions for DGJ 1.0

Incoming Files:

- 40.8 MEDICAL CENTER DIVISION (Partial Definition) Note: You already have the 'MEDICAL CENTER DIVISION' File.
- 43 MAS PARAMETERS (Partial Definition)
 Note: You already have the 'MAS PARAMETERS' File.
- 393 INCOMPLETE RECORDS

 Note: You already have the 'INCOMPLETE RECORDS' File.
- 393.1 MAS SERVICE
 Note: You already have the 'MAS SERVICE' File.
- 393.2 IRT STATUS
 Note: You already have the 'IRT STATUS' File.
- 393.3 IRT TYPE OF DEFICIENCY
 Note: You already have the 'IRT TYPE OF DEFICIENCY' File.
- 393.41 TYPE OF CATEGORY
 Note: You already have the 'TYPE OF CATEGORY' File.
- 405 PATIENT MOVEMENT (Partial Definition)
 Note: You already have the 'PATIENT MOVEMENT' File.

Want KIDS to Rebuild Menu Trees Upon Completion of Install? YES// NO

Want KIDS to INHIBIT LOGONs during the install? YES// NO Want to DISABLE Scheduled Options, Menu Options, and Protocols? YES// <ret>

Enter options you wish to mark as 'Out Of Order': **DGJ IRT MENU** Incomplete Records Tracking Menu

Enter options you wish to mark as 'Out Of Order': DG BED CONTROL

- 1 DG BED CONTROL Bed Control Menu
- 2 DG BED CONTROL EXTENDED Extended Bed Control

Enter options you wish to mark as 'Out Of Order':

Enter protocols you wish to mark as 'Out Of Order':

Delay Install (Minutes): (0-60): 0//

Enter the Device you want to print the Install messages. You can queue the install by enter a 'Q' at the device prompt. Enter a ' $^{\prime}$ ' to abort the install.

DEVICE: HOME// <select printer>

Install Started for DGJ 1.0 :

Mar 12, 2002@09:17:38

Build Distribution Date: Mar 12, 2002

Installing Routines:

Mar 12, 2002@09:17:59

Installing Data Dictionaries:

Mar 12, 2002@09:17:45

Installing PACKAGE COMPONENTS:

Installing SECURITY KEY

Installing INPUT TEMPLATE

Installing PROTOCOL

Installing LIST TEMPLATE

Installing OPTION

Mar 12, 2002@09:17:56

Running Post-Install Routine: POST^DGJ1INIT

Updating PACKAGE File...

SHORT DESCRIPTION field complete.

DESCRIPTION field complete.

FILE field complete.

FIELD field complete.

Updating Routine file...

```
The following Routines were created during this install:
   DGJXE
   DGJXE1
   DGJXE2
   DGJXE3
   DGJXE4
   DGJXE5
                          DGJ 1.0
   DGJXE6
   DGJXE7
   DGJXA
   DGJXA1
   DGJXA2
   DGJXA3
   DGJXA4
   DGJXA5
   DGJXA6
   DGJXA7
   DGJXA8
Updating KIDS files...
DGJ 1.0 Installed.
          Mar 12, 2002@09:18:03
Install Message sent #346465
 100% | 25 50 75 |
Complete +-----+
```

Install Completed

Routines

Routine List

DGJ1INIP	DGJ1INIT	DGJBGJ	DGJBGJ1	DGJHELP	DGJOPRT	DGJOPRT1	DGJOPRT2
DGJOPRT3	DGJOTP	DGJOTP1	DGJOTP2	DGJOTP3	DGJOTPUL	DGJPAR	DGJPAR1
DGJPDEF	DGJPDEF1	DGJPDEF2	DGJPDEF3	DGJSUM	DGJTADD	DGJTDEL	DGJTEE
DGJTEE1	DGJTEE2	DGJTEE3	DGJTEVT	DGJTHLP	DGJTHLP1	DGJTUDIS	DGJTUTL
DGJTVW	DGJTVW1	DGJTVW2	DGJTVW3	DGJUTO			

37 routines

Routine Checksums

Routine Name	Before Checksums Registration V.5.3	After Checksums Incomplete Records Tracking V.1.0
========	=======================================	
DCHINID	NA	2661051
DGJ1INIP DGJ1INIT	NA NA	3661951 2927055
DGJIINII	17101435	17762236
DGJBGJ1	2253965	5098676
DGJHELP	NA	366520
DGJOPRT	7505571	7513428
DGJOPRT1	17222524	17414780
DGJOPRT2	17969394	18118175
DGJOPRT2 DGJOPRT3	12014305	12015556
DGJOPK 13 DGJOTP	12014303	12149351
DGJOTP1	21768333	21783529
DGJOTP1 DGJOTP2	12122814	12122814
DGJOTP2 DGJOTP3	16936956	16936956
DGJOTPUL	9915514	9915514
DGJPAR	186014	186014
DGJPAR1	14281443 13686744	14281443
DGJPDEF		13695852
DGJPDEF1	20529386	20545218
DGJPDEF2	18436653	18831133
DGJPDEF3	16267378	16267378
DGJSUM	8005282	8005282
DGJTADD	2567747	2567747
DGJTDEL	4511597	4511597
DGJTEE	19305246	19309237
DGJTEE1	12655066	12655066
DGJTEE2	12161478	12161478
DGJTEE3	14306643	14306643
DGJTEVT	11333449	11333449
DGJTHLP	9134861	9134861
DGJTHLP1	8799972	8799972
DGJTUDIS	4651950	4651950
DGJTUTL	16684941	16684941
DGJTVW	5612957	5612957
DGJTVW1	17594153	17687460
DGJTVW2	8809719	8809719
DGJTVW3	12907948	13001255
DGJUTQ	NA	4363497