# **Kernel Unwinder Installation Guide**



# Department of Veterans Affairs Office of Information and Technology (OI&T)

### Version 7.1

Original Software Release: August 1994

**Revised Documentation Release: February 2015** 

# **Revision History**

| Date    | Description   | Author   |
|---------|---|--|
| 2/27/15 | Converted document to MS-Word 2007 format and incorporated <u>some</u> format changes from the ProPath User Guide Template. | Infrastructure Technical<br>Writer, Oakland, OIFO      |
| 8/1994  | Original release titled "Unwinder (XQOR)"   | Information Systems<br>Center, Salt Lake City,<br>Utah |

Original: August 1994
Revised: February 2015

Kernel Unwinder 7.1
Installation Guide

# **Preface**

This document describes the installation of the XQOR routines. These routines are used in conjunction with the Protocol file to create modular building blocks for applications. The *Unwinder Installation Guide* is intended for DHCP IRM (Information Resource Management) personnel at VAMCs.

#### **Related Manuals:**

Unwinder Technical Manual

Original: August 1994 Kernel Unwinder 7.1 Revised: February 2015 iii Installation Guide

## **Unwinder Installation**

- **n** NO files, options, security keys, etc. are exported with this utility.
- **n** The following XQOR routines are exported:

```
XQOR
        XQOR1
                 XQOR2
                          XQOR3
                                   XQOR4
                                           XQORD
                                                    XQORD1
XQORIO01 XQORINI1 XQORINI2 XQORINI3 XQORINI4 XQORINI5 XQORINIS
XQORINIT XQORM
                 XQORM1 XQORM2
                                   XQORM3
                                           XQORM4
                                                    XQORM5
XQORM6
        XQORMX
                 XQORNTEG XQORO
```

**n** Required DHCP packages:

| <b>Package</b> | <u>Version</u> |                                  |
|----------------|----------------|----------------------------------|
| Kernel         |                | 7.1                              |
| Toolkit        |                | 7.2 (including patch # XT*7.2*5) |
| OE/RR          |                | 2.5                              |

1. Run XQORINIT. This init does nothing except create a package file entry. (NO files, options, security keys, etc. are exported with the inits.)

- 2. Delete init routines (XQORI\*).
- **3**. On DSM systems, the XQOR routines should be mapped (except for XQOto make for smoother extensively by OE/RR, Problem List, Discharge Summary, Health Summary, etc.