

OUTPATIENT PHARMACY

TECHNICIAN'S USER MANUAL

Version 7.0 December 1997

(Revised December 2008)

Department of Veterans Affairs
 Office of Information & Technology
 Office of Enterprise Development

Revision History

Each time this manual is updated, the Title Page lists the new revised date and this page describes the changes. If the Revised Pages column lists "All," replace the existing manual with the reissued manual. If the Revised Pages column lists individual entries (e.g., 25, 32), either update the existing manual with the Change Pages Document or print the entire new manual.

Date	Revised Pages	Patch Number	Description	
12/08	v-vi, 37a-37f	PSO*7*303	Added text for Tricare functionality.	
			(M. Anthony, PM; G. O'Connor, S. B. Scudder, Tech	
			Writers)	
08/08	4, 41, 47, 50, 53,	PSO*7*225	The following changes are included in this patch.	
	54		The Environmental Indicator, "Environmental	
			Contaminant," has been replaced with "Southwest Asia Conditions" or "SW Asia Conditions."	
			"Was treatment related to PROJ 112/SHAD?" has been added.	
			The Service Connected question has been	
			updated.	
			Original provider comments no longer being	
			carried over to renewal orders has been noted.	
			(S. Templeton, PM; S. B. Scudder, Tech Writer)	
10/07	27, 36-38	PSO*7*260	Included updates for the ePharmacy Phase 4 project. For	
			more information, see the <i>ePharmacy/ECME</i>	
			Enhancements Release Notes.	
			(S. Spence, S. Krakosky, Tech Writer)	
10/07	All	PSO*7*264	Re-numbered pages; removed headers and section breaks.	
			Incorporated changes for FY07Q4 release; for specific	
			updates, see the Release Notes.	
			(E. Williamson, PM; S. Krakosky, Tech Writer)	

i

(This page included for two-sided copying.)

Table of Contents

Chapter 1: Introduction	1
Documentation Conventions	1
Getting Help	
Related Manuals	
Chapter 2: List Manager	3
Using List Manager with Outpatient Pharmacy	
Entering Actions	
Outpatient Pharmacy Hidden ActionsSpeed Actions	
Other Outpatient Pharmacy ListMan Actions	
Other Screen Actions	
Chapter 3: Using the Pharmacy Technician's Menu	11
Chapter 4: Using the Bingo Board User Menu	13
Bingo Board User	13
Enter New Patient	
Display Patient's Name on MonitorRemove Patient's Name from Monitor	
Status of Patient's Order	
Chapter 5: Changing the Label Printer	
Change Label Printer	17
Chapter 6: Creating, Editing, and Printing a DUE Answer Sheet	19
DUE User	19
Enter a New Answer Sheet	
Edit an Existing Answer Sheet	
Chapter 7: Using the Medication Profile	
· -	
Medication Profile	
Medication Profile: Long Format	
Chapter 8: Processing a Prescription	
Patient Prescription Processing	
Entering a New Order	
Entering a New Order – ePharmacy (Third Party Billable)	
Using the Copy Action	
Copying an ePharmacy Order	
Renewing a Prescription	
·	
Chapter 9: Pull Early from Suspense	
Pull Early from Suspense	51

Chapter 10: Queue CMOP Prescription		
Queue CMOP Prescription	51	
Chapter 11: Releasing Medication	53	
Release Medication	53	
Changes to Releasing Orders Function - Digitally Signed Orders Only	56	
Changes to Releasing Orders function - ScripTalk®	56	
Changes to Releasing Orders function – HIPAA NCPDP Global	57	
Chapter 12: Updating a Patient's Record	59	
Update Patient Record	59	
Glossary	61	
Index	67	

Example: Handling a Rejected New Order for ePharmacy Billing (continued)

```
Reason for Service Code : ER - OVERUSE PRECAUTION
Professional Service Code: RT RECOMMENDED LABORATORY TEST
Result of Service Code : 1G
                                     FILLED, WITH PRESCRIBER APPROVAL
     Reason for Service Code : ER - OVERUSE PRECAUTION
     Professional Service Code: RT - RECOMMENDED LABORATORY TEST
Result of Service Code : 1G - FILLED, WITH PRESCRIBER APPROVAL
     Confirm? ? YES// <Enter>
Prescription 99999999 successfully submitted to ECME for claim generation.
Claim Status:
IN PROGRESS-Waiting to start
IN PROGRESS-Waiting for packet build
IN PROGRESS-Packet being built
IN PROGRESS-Waiting for transmit
IN PROGRESS-Transmitting
IN PROGRESS-Waiting to process response
E PAYABLE
```

For Refill Too Soon rejects, the same choices apply.

Example: Handling a Tricare Rejected New Order for ePharmacy Billing

Rejected Tricare claims will be denoted with "TRICARE" during submission to ECME and within the subsequent reject notification screen. Also, the reject codes will be displayed in both places. The following example shows a prescription being submitted to ECME and this process occurs directly following the "Is this correct? YES//" prompt during finish. Where DUR or RTS are one of the reject codes, the user will be able to select from (D)iscontinue the prescription, submit (O)verride codes, or (Q)uit which sends the rejection to the Third Party Payer Rejects - Worklist. A tricare rejection may not be (I)gnored.

```
TRICARE Prescription 101110 submitted to ECME for claim generation.
Claim Status:
IN PROGRESS-Waiting to start
IN PROGRESS-Building the claim
IN PROGRESS-Transmitting
IN PROGRESS-Processing response
E REJECTED
   79 - Refill Too Soon
   14 - M/I Eligibility Clarification Code
            *** REJECT RECEIVED FOR TRICARE PATIENT ***
  DOB: OCT 18,1963(44)
  Reject(s): REFILL TOO SOON (79), 14 - M/I Eligibility Clarification Code (14).
            Received on MAR 03, 2008@14:40:57.
  Insurance : TRICARE
                                            Contact:
  Group Name : TRICARE PRIME
                                      Group Number: 123123
  Cardholder ID: SI9844532
    Select one of the following:
                 (O) VERRIDE - RESUBMIT WITH OVERRIDE CODES
                  (D)iscontinue - DO NOT FILL PRESCRIPTION
                  (Q)UIT - SEND TO WORKLIST (REQUIRES INTERVENTION)
(0)verride,(D)iscontinue,(Q)uit: Q//
```

Example: Handling a non-DUR/RTS or non-clinical Tricare rejected New Order for ePharmacy Billing

For Tricare prescription rejections that have non-DUR/RTS or non-clinical rejects, the user will be able to select from (D)iscontinue the prescription or (Q)uit which sends it to the Third Party Payer Rejects - Worklist. Tricare prescriptions with these type rejects cannot be filled until the rejection is resolved. Example:

```
TRICARE Prescription 101113 submitted to ECME for claim generation.
Claim Status:
IN PROGRESS-Waiting to start
IN PROGRESS-Building the claim
IN PROGRESS-Building the HL7 packet
IN PROGRESS-Transmitting
E REJECTED
   07 - M/I Cardholder ID Number
   14 - M/I Eligibility Clarification Code
              *** REJECT RECEIVED FOR TRICARE PATIENT ***
  DOB: OCT 18,1963(44)
  Reject(s): M/I Eligibility Clarification Code (14), M/I Cardholder ID
            Number (07). Received on MAR 03, 2008@14:43:42.
  Insurance : TRICARE
                                            Contact:
  Group Name : TRICARE PRIME
                                      Group Number: 123123
  Cardholder ID: SI9844532
    Select one of the following:
             (D)iscontinue - DO NOT FILL PRESCRIPTION
                (Q)UIT - SEND TO WORKLIST (REQUIRES INTERVENTION)
(D)iscontinue,(Q)uit: Q//
```

For non-billable Tricare prescriptions, an abbreviated version of the reject notification screen will be displayed. Because the prescription is non-billable, the insurance and ECME information that's currently provided for DUR/RTS rejects will not be displayed (i.e. insurance, group name, group #, ECME #, contact, cardholder ID). In this case, the prescription must be discontinued.

```
*** TRICARE - NON-BILLABLE ***

Division: ALBANY ISC NPI#:
Patient: OPTRICARE,ONE(666-55-4789) Sex: M DOB: OCT 18,1963(44)
Rx/Drug: 102058/0 - ABSORBABLE GELATIN S
Date/Time: AUG 27, 2008@16:49:46
Reason: Drug not billable.

This is a non-billable Tricare prescription. It cannot be filled or sent to the reject worklist. It must be discontinued.

Press <RETURN> to continue...
Nature of Order: SERVICE CORRECTION// S

Requesting PROVIDER: OPHARM OPPHARM,ONE OO
```

Labels will not print for discontinued Tricare prescriptions., and reprint label will not be allowed for Tricare rejected prescriptions.

```
Select Rx (Prescriptions) Option: REPrint an Outpatient Rx Label
Reprint Prescription Label: 101113
                                    SIMETHICONE 40MG TAB
Number of Copies? : (1-99): 1//
Print adhesive portion of label only? ? No// NO
Do you want to resend to Dispensing System Device? No// NO
Comments: REPRINT
RX # 101113 03/03/08
OPTRICARE, ONE
                    #180
ONE MOUTH TWICE A DAY
SIMETHICONE 40MG TAB
                        OPPHARM, ONE
OPPHARM, ONE
# of Refills: 3
Select LABEL DEVICE: NULL Bit Bucket
No Label(s) printed.
Reprint Prescription Label:
```

Suspended Tricare prescriptions will remain on suspense when a reject occurs, when the Rx is non-billable, or when the third party claim remains in an 'IN PROGRESS' status in ECME. Labels will not print. Once the reject is resolved, the user may pull the Rx early from suspense or wait for the next scheduled Print from Suspense option runs at which time labels will print accordingly. This includes CMOP and local suspense.

```
TRICARE Prescription 101607 submitted to ECME for claim generation.
Claim Status:
IN PROGRESS-Building the claim
IN PROGRESS-Transmitting
IN PROGRESS-Parsing response
                 *** TRICARE - 'IN PROGRESS' ECME status ***
   Division : ALBANY ISC
                                                    NPI#: 5000000021
   Patient : OPTRICARE, ONE (666-55-4789) Sex: M
                                                     DOB: OCT 18,1963(44)
   Rx/Drug : 101607/0 - ACETAZOLAMIDE 250MG
   Date/Time: APR 20, 2008@20:11:17
  Reason : ECME Status is in an 'IN PROGRESS' state and cannot be filled
This prescription will be suspended. After the third party claim is resolved,
it may be printed or pulled early from suspense.
Press <RETURN> to continue...
```

Rejected Tricare prescription may not have a partial fill ordered until the reject is resolved.

```
OP Medications (SUSPENDED) Apr 18, 2008@19:10:16
                                                           Page: 1 of
OPTRICARE, ONE
                                                 Ht(cm): _____(___)
Wt(kg): _____(___)
 PID: 666-55-4789
 DOB: OCT 18,1963 (44)
              Rx #: 101526e
 (1) *Orderable Item: ACETAZOLAMIDE PILL
 (2)
              Drug: ACETAZOLAMIDE 500MG SEQUELS
              Verb: TAKE
            *Dosage: 1 PILL
 (3)
             *Route: ORAL
          *Schedule: BID
 (4)Pat Instructions:
               SIG: TAKE 1 PILL BY MOUTH TWICE A DAY
 (5) Patient Status: OTHER FEDERAL
 (6) Issue Date: 04/18/08
                                          (7) Fill Date: 04/19/08
     Last Fill Date: 04/19/08 (Window)
  Last Release Date:
                                          (8)
                                                   Lot #:
           Expires: 04/19/09
                                                     MFG:
DC Discontinue
                        PR Partial RF (Refill)
                                              RL Release
RN Renew
ED Edit
Select Action: Next Screen// p Partial
OP Medications (SUSPENDED) Apr 18, 2008@19:10:16
                                                         Page: 1 of
OPTRICARE, ONE
                                                 Ht(cm): _____(___)
Wt(kg): ____(___)
 PID: 666-55-4789
 DOB: OCT 18,1963 (44)
               Rx #: 101526e
 (1) *Orderable Item: ACETAZOLAMIDE PILL
             Drug: ACETAZOLAMIDE 500MG SEQUELS
 (2)
               Verb: TAKE
            *Dosage: 1 PILL
 (3)
             *Route: ORAL
          *Schedule: BID
 (4)Pat Instructions:
```

```
SIG: TAKE 1 PILL BY MOUTH TWICE A DAY

(5) Patient Status: OTHER FEDERAL

(6) Issue Date: 04/18/08 (7) Fill Date: 04/19/08

Last Fill Date: 04/19/08 (Window)

Last Release Date: (8) Lot #:

Expires: 04/19/09 MFG:

+ Partial cannot be filled on Tricare non-payable Rx

DC Discontinue PR Partial RL Release

ED Edit RF (Refill) RN Renew

Select Action: Next Screen//
```

If ECME's status on the claim remains in an "In Progress" state past the processing timeout during finish of the prescription, Tricare prescriptions will not be allowed to be filled. Instead it will be placed on suspense until the rejection is resolved. Below is an example of this screen:

```
TRICARE Prescription 101607 submitted to ECME for claim generation.

Claim Status:
IN PROGRESS-Building the claim
IN PROGRESS-Transmitting
IN PROGRESS-Parsing response

*** TRICARE - 'IN PROGRESS' ECME status ***

Division: ALBANY ISC
Patient: OPTRICARE, ONE (666-55-4789) Sex: M DOB: OCT 18,1963(44)
Rx/Drug: 101607/0 - ACETAZOLAMIDE 250MG
Date/Time: APR 20, 2008@20:11:17
Reason: ECME Status is in an 'IN PROGRESS' state and cannot be filled

This prescription will be suspended. After the third party claim is resolved, it may be printed or pulled early from suspense.

Press <RETURN> to continue...
```

If a pharmacy is active for ePharmacy processing but an insurance plan is not linked or not active, Tricare prescription will be allowed to be filled without third party claim submission. The phrase "Inactive ECME Tricare" will be displayed during Finish and an ECME log entry will be added stating such.

Example of message during finish:

Inactive ECME Tricare

Example of ECME Activity Log entry:

ECME Log:				
#	Date/Time	Rx Ref	Initiator Of Activity	
===	.=========			
1	8/27/08@11:07:45	ORIGINAL	OPPHARM, ONE	
Comments: TRICARE-Inactive ECME Tricare				