

Correction to: 2023 ESC Guidelines for the management of endocarditis: Developed by the task force on the management of endocarditis of the European Society of Cardiology (ESC) *Endorsed by the European Association for Cardio-Thoracic Surgery (EACTS) and the European Association of Nuclear Medicine (EANM)* Free

European Heart Journal, Volume 46, Issue 11, 14 March 2025, Page 1082,

<https://doi.org/10.1093/eurheartj/ehae877>

Published:

18 January 2025

This is a correction to: Victoria Delgado, Nina Ajmone Marsan, Suzanne de Waha, Nikolaos Bonaros, Margarita Brida, Haran Burri, Stefano Caselli, Torsten Doenst, Stephane Ederhy, Paola Anna Erba, Dan Foldager, Emil L Fosb  l, Jan Kovac, Carlos A Mestres, Owen I Miller, Jose M Miro, Michal Pazdernik, Maria Nazarena Pizzi, Eduard Quintana, Trine Bernholdt Rasmussen, Arsen D Risti  , Josep Rod  s-Cabau, Alessandro Sionis, Liesl Joanna Z  hlke, Michael A Borger, ESC Scientific Document Group, 2023 ESC Guidelines for the management of endocarditis: Developed by the task force on the management of endocarditis of the European Society of Cardiology (ESC) *Endorsed by the European Association for Cardio-Thoracic Surgery (EACTS) and the European Association of Nuclear Medicine (EANM)*, *European Heart Journal*, Volume 44, Issue 39, 14 October 2023, Pages 3948  4042, <https://doi.org/10.1093/eurheartj/ehad193>

The following corrections have been made online:

Table 6 Prophylactic antibiotic regimen for high-risk dental procedures, under the heading

  Single-dose 30  60 min before procedure   the information regarding

  Children   dosage has been corrected.

Recommendation Table 7    Recommendations for antibiotic treatment of infective endocarditis due to oral streptococci and *Streptococcus gallolyticus* group, under the heading   Penicillin-susceptible oral streptococci and *Streptococcus gallolyticus* group. Standard treatment: 4-week duration in NVE or 6-week duration in PVE   the information regarding the Amoxicillin dosage and route has been corrected.

Under the heading **Penicillin-susceptible oral streptococci and Streptococcus gallolyticus group. Standard treatment: 2-week duration (not applicable to PVE)** the information regarding the Amoxicillin dosage and route has been corrected.

Under the heading **Oral streptococci and Streptococcus gallolyticus group susceptible, increased exposure or resistant to penicillin** the information regarding the Amoxicillin dosage and route has been corrected.

Recommendation Table 8 Recommendations for antibiotic treatment of infective endocarditis due to Staphylococcus spp, under the heading **IE caused by methicillin-susceptible staphylococci**, the information regarding the paediatric antibiotic dosage and route for Cefazolin and Rifampin have been corrected.

Under the heading **Allergy to beta-lactams**, the information regarding the paediatric antibiotic dosage and route for Cefazolin and Rifampin have been corrected.

Recommendation Table 9 Recommendations for antibiotic treatment of infective endocarditis due to Enterococcus spp, under the heading **Beta-lactam and gentamicin-susceptible strains** the information regarding the Amoxicillin and Ampicillin dosage and routes have been corrected. A new line has been added for paediatric antibiotic dosage and route Amoxicillin 200 - 300 mg/kg/day i.v. in 4-6 doses, up to maximum of 12 g/day.

Under the heading **High-level aminoglycoside resistance** the information regarding the Amoxicillin and Ampicillin dosage and routes have been corrected.

Under the heading **Vancomycin-resistant Enterococcus spp.** The information regarding the Ampicillin dosage and routes has been changed.

Recommendation Table 10 Recommendations for antibiotic regimens for initial empirical treatment of infective endocarditis (before pathogen identification), the information regarding the dosage and routes for Ampicillin has been corrected.

Under **paediatric antibiotic dosage and route** Rifampin and Cefazolin have been corrected.

Table 14 **What to do** and **What not to do**, antibiotic dosage and routes have been updated according to the above corrections.

© The European Society of Cardiology 2025. All rights reserved. For commercial re-use, please contact reprints@oup.com for reprints and translation rights for reprints. All other permissions can be obtained through our RightsLink service via the Permissions link on the article page on our site for further information please contact journals.permissions@oup.com.

