

# PinoyFlix Database Design Document (DDD)

Version 2.0

Prepared by: Almadrones, Kurt Justine Calub, John Paul Dela Paz, Lance Kenneth Liwanag, Heaven Jameel

# Table of Contents

| 1 |     | INTE     | RODUCTION   | 1 |
|---|-----|----------|---|---|
|   | 1.1 | Docu     | JMENT OBJECTIVES                                  |   |
|   | 1.2 | INTE     | NDED AUDIENCES                                    |   |
| 2 |     | DET      | AILED DATABASE DESIGN                             | 2 |
|   | 2.1 | ENTI     | TY RELATIONSHIP DIAGRAM (ERD)                     |   |
|   | 2   |          | Data dictionary3                                  |   |
|   |     | 2.1.1.1  | Data dictionary for Element: User Table           | 3 |
|   |     | 2.1.1.2  | Data dictionary for Element: Subscription Table   | 3 |
|   |     | 2.1.1.3  | Data dictionary for Element: Payment Method Table | 3 |
|   |     | 2.1.1.4  | Data dictionary for Element: Transaction Table    | 4 |
|   |     | 2.1.1.5  | Data dictionary for Element: Content Rating Table | 4 |
|   |     | 2.1.1.6  | Data dictionary for Element: TV Shows Table       | 4 |
|   |     | 2.1.1.7  | Data dictionary for Element: Movies Table         | 5 |
|   |     | 2.1.1.8  | Data dictionary for Element: Show Ratings         | 6 |
|   |     | 2.1.1.9  | Data dictionary for Element: Movie Ratings        | 6 |
|   |     | 2.1.1.10 | Data dictionary for Element: Genre Table          | 7 |
|   |     | 2.1.1.11 | Data dictionary for Element: Genre TV Shows Table | 7 |
|   |     | 2.1.1.12 | Data dictionary for Element: Genre Movies Table   | 7 |
|   | 2.2 | SQLi     | TE DATABASE DESIGN (RELATIONAL DATABASE)          |   |
|   | 2.2 | 2.1      | Conceptual diagram8                               |   |
|   | 2.2 | 2.2 1    | Description8                                      |   |
|   | 2.2 | 2.3 I    | Purpose of Tables8                                |   |
|   |     | 2.2.3.1  | Purpose of TV Shows Table                         | 8 |
|   |     | 2.2.3.2  | Purpose of Movies Table                           | 9 |
|   |     | 2.2.3.3  | Purpose of User Table                             | 9 |
|   |     | 2.2.3.4  | Purpose of Subscription Table                     | 9 |
|   | 2.2 | 2.4 I    | Relations 9                                       |   |

#### 1 Introduction

This document outlines the Database Design Document (DDD) for PinoyFlix, a streaming platform tailored for Filipino audiences, offering a diverse selection of local and international movies, TV shows, and exclusive content. Inspired by platforms like Netflix, PinoyFlix aims to provide an immersive and seamless streaming experience through a well-structured and optimized database system.

#### 1.1 Document Objectives

The objectives of this DDD are:

- To describe the design of databases for PinoyFlix.
- To serve as a blueprint for implementing the database, ensuring it meets the requirements of the platform.
- To provide visibility into the database design for developers, testers, and users.

#### 1.2 Intended Audiences

This document is intended for:


- Panelists and supervisors who will evaluate the quality of the design.
- PinoyFlix developers, including:
  - o Designers: To ensure the design aligns with the database structure.
  - o Programmers: To implement the database as per the design.
  - o Testers: To validate the database against the requirements.

# 2 Detailed Database Design

This section outlines the database design for PinoyFlix, including both the Entity-Relationship Diagram (ERD) and the Relational (SQLite) Database structure.

# 2.1 Entity Relationship Diagram (ERD)

Figure 1: Database design



This ERD shows a sample data set and their relationships with other objects. For the propose of the object please refer to the section 2.2.3.

# 2.1.1 Data dictionary

# 2.1.1.1 Data dictionary for Element: User Table

| Name                 | Data Type    | Constrain                        | Description   |
|----------------------|--------------|----------------------------------|---|
| UserID (Primary Key) | INT          | AUTO_INCREMEN<br>T, PRIMARY KEY  | Unique identifier for each user.                            |
| Username             | VARCHAR(50)  | UNIQUE NOT,<br>NULL              | The username of the user.                                   |
| FirstName            | VARCHAR(50)  | NOT NULL                         | The first name of the user.                                 |
| LastName             | VARCHAR(50)  | NOT NULL                         | The last name of the user.                                  |
| Email                | VARCHAR(100) | UNIQUE NOT,<br>NULL              | The email address of the user.                              |
| Created              | DATETIME     | DEFAULT<br>CURRENT_TIMES<br>TAMP | Date and time of creation of account.                       |
| PaymentID            | INT          | FOREIGN KEY                      | Reference for Payment of user (Cash, Gcash, etc.)           |
| SubscriptionID       | INT          | FOREIGN KEY                      | Reference for Subscrption of user (Standard, Premium, etc.) |

# 2.1.1.2 Data dictionary for Element: Subscription Table

| Name           | Data Type     | Constrain                      | Description  |
|----------------|---------------|--------------------------------|--|
| SubscriptionID | INT           | AUTO_INCREMENT,<br>PRIMARY KEY | Unique Identifier for each subscription plan.                          |
| PlanType       | VARCHAR(50)   | NOT NULL                       | The type of subscription plan (e.g., Mobile, Basic Standard, Premium). |
| Price          | DECIMAL(10,2) | NOT NULL                       | Prices of each<br>Subscriptions.                                       |

#### 2.1.1.3 Data dictionary for Element: Payment Method Table

| Name          | Data Type   | Constrain | Description   |
|---------------|-------------|-----------|---|
| PaymentID     | 1111        |           | Unique identifier for each payment method.                  |
| PaymentMethod | VARCHAR(50) | NOT NULL  | The details of the payment method (e.g., Card, GCash, Maya) |

# 2.1.1.4 Data dictionary for Element: Transaction Table

| Name                         | Data Type | Constrain                    | Description  |
|------------------------------|-----------|------------------------------|--|
| TransactionID                | INT       | PRIMARY KEY                  | Unique identifier for each transaction.                  |
| UserID (Foreign Key)         | INT       | FOREIGN KEY                  | References the UserID in the User Table.                 |
| PaymentID (Foreign<br>Key)   | INT       | FOREIGN KEY                  | References the PaymentID in the Payment Method Table.    |
| SubscriptionID (Foreign Key) | INT       | FOREIGN KEY                  | References the SubscriptionID in the Subscription Table. |
| Transaction Date             | DATETIME  | DEFAULT<br>CURRENT_TIMESTAMP | The date when the transaction occurred.                  |

# 2.1.1.5 Data dictionary for Element: Content Rating Table

| Name            | Data Type   | Constrain       | Description  |
|-----------------|-------------|-----------------|--|
| ContentRatingID | INT         | PRIMARY KEY     | Unique identifier for each content rating.                       |
| Classification  | VARCHAR(10) | NOT NULL UNIQUE | The classification of the content (e.g., PG, PG-13, R-16, R-18). |

# 2.1.1.6 Data dictionary for Element: TV Shows Table

| Name                 | Data<br>Type     | Constrain                      | Description  |
|----------------------|------------------|--------------------------------|--|
| ShowID (Primary Key) | INT              | PRIMARY KEY,<br>AUTO_INCREMENT | Unique identifier for each TV show.                          |
| Title                | VARCHA<br>R(255) | NOT NULL                       | The title of the TV show.                                    |
| ReleaseDate          | DATE             |                                | The release date of the TV show.                             |
| ContentRatingID      | INT              | FOREIGN KEY                    | References the content rating classification of the TV show. |

| PopularityScore | INT | The popularity score of the TV show. |  |
|-----------------|-----|--------------------------------------|--|
|                 |     |                                      |  |

# 2.1.1.7 Data dictionary for Element: Movies Table

| Name                  | Data<br>Type     | Constrain                      | Description                                     |
|-----------------------|------------------|--------------------------------|---|
| MovieID (Primary Key) | INT              | PRIMARY KEY,<br>AUTO_INCREMENT | Unique identifier for each movie.               |
| Title                 | VARCHA<br>R(255) | NOT NULL                       | The title of the movie.                         |
| ReleaseDate           | DATE             | UNIQUE                         | The release date of the movie.                  |
| ContentRatingID       | INT              | FOREIGN KEY                    | The content rating classification of the movie. |
| PopularityScore       | INT              |                                | The popularity score of the movie.              |

# 2.1.1.8 Data dictionary for Element: Genre Table

| Name      | Data Type    | Constrain                         | Description  |
|-----------|--------------|-----------------------------------|--|
| GenreID   | INT          | AUTO_INCREME<br>NT PRIMARY<br>KEY | Unique identifier for each genre.                    |
| GenreName | VARCHAR(100) |                                   | The name of the genre (e.g., Action, Comedy, Drama). |

# 2.1.1.9 Data dictionary for Element: Genre Shows Table


| Name                  | Data<br>Type | Constrain   | Description                                  |
|-----------------------|--------------|-------------|--|
| ShowID                | Integer      | FOREIGN KEY | References the ShowID in the TV Shows Table. |
| GenreID (Foreign Key) | Integer      | FOREIGN KEY | References the GenreID in the Genre Table.   |

# 2.1.1.10 Data dictionary for Element: Genre Movies Table

| Name                  | Data<br>Type | Constrain   | Description                                 |
|-----------------------|--------------|-------------|---|
| MovieID (Foreign Key) | Integer      | FOREIGN KEY | References the MovieID in the Movies Table. |
| GenreID (Foreign Key) | Integer      | FOREIGN KEY | References the GenreID in the Genre Table.  |

#### 2.2 Database Design (Relational database)

#### 2.2.1 Conceptual diagram



#### 2.2.2 Description

This diagram is all about how Pinoyflix works behind the scenes it's like the blueprint that keeps everything running smoothly. At the heart of it are the users, each with their own account where we store basics like their name, email, and a unique UserID. Users pick a subscription plan like basic or premium which decides what kind of content they can watch. Over in the TVShows and Movies sections, we keep track of all the content details: titles, release dates, genres, and ratings, with each show and movie having its own unique ID (ShowID or MovieID) to avoid any mix-ups. The Subscription section handles the different plans and payment details, making sure users get access to the right content based on what they've signed up for. Everything's connected in a way that just works users log in, browse their favorite shows or movies, and enjoy without a hitch. In short, this diagram is the foundation that keeps Pinoyflix organized and ready to deliver a great experience for everyone.

#### 2.2.3 Purpose of Tables

#### 2.2.3.1 Purpose of TVShows Table

This table stores information about the TV shows available on Pinoyflix. Each show has a unique ShowID, along with details like the title, release date, genre, and rating. This table helps organize and manage the TV show content that users can access based on their subscription plans.

7 | Page

#### 2.2.3.2 Purpose of Movies Table

This table stores information about the movies available on Pinoyflix. Each movie has a unique MovieID, along with details like the title, release date, and rating. This table ensures that movie content is properly organized and accessible to users based on their subscription type.

#### 2.2.3.3 Purpose of User Table

This table stores the details of users registered on Pinoyflix. Each user has a unique UserID, along with their name and email address. The email address serves as a key identifier for the user. This table also links users to their subscription plans, ensuring they have access to the appropriate content.

#### 2.2.3.4 Purpose of Subscription Table

This table manages the subscription plans available on Pinoyflix. Each subscription has a unique SubscriptionID, along with details like the plan type (e.g., basic, premium) and payment information. This table ensures that users are granted access to content based on their chosen subscription plan

#### 2.2.4 Relations

| From Table   | To Table     | Relation   |
|--------------|--------------|--|
| User         | Subscription | A user has one subscription plan.                                  |
| Subscription | User         | A subscription plan deterimenes what subscription type of account. |
| Payment      | User         | A payment method deterimenes what payment type of account.         |
| User         | TVShows      | A user can see TV Shows in the table                               |
| User         | Movies       | A user can see Movies in the table                                 |
| User         | Payment      | A user will choose a Payment<br>Method                             |
| Genre        | TVShows      | A Tvshows can have multiple Genres.                                |
| Genre        | Movies       | A Movie can have multiple<br>Genres.                               |