AHOPPA: Agentic Humanoid Operation through Perception, Planning, and Action

Kingston Kuan[1] **Samuel J Chew**[2] **Brandon Ong**[1]
[1]Hebbian Robotics [2]Carnegie Mellon University

https://hebbian-robotics.github.io/AHOPPA/

Abstract: We report online humanoid operation results obtained in the last few weeks following frontier model releases. AHOPPA connects multimodal models to the fixed SONIC controller on a simulated Unitree G1. Using cameras, a map and a revisable plan, the model inspects four drawers, pushes open drawers shut and returns home through head/wrist and locomotion commands. Physics continues during inference; a simulator evaluator checks completion. Across 64 episodes with four models at two reasoning efforts, GPT-6 Astra succeeded in 12/14 task attempts, taking 615 to 1492 s. Falls, timeouts and incorrect completion claims expose limits in simulation.

Keywords: Humanoid control, multimodal agents, online evaluation




Figure 1: Top: the agent loop with recorded inputs and commands. Bottom: selected original observations from the same successful Astra (low) episode, with A and D initially open. Labels give elapsed seconds; the completion declaration followed at 955 s.

1 Online humanoid operation

We test whether frontier models can inspect cabinets, navigate, make contact and decide when to stop through visual feedback and numerical SONIC references [1].

Prior work uses grounded skills [2, 3, 4], code [5, 6], feedback [7, 8], spatial representations [9, 10, 11] or learned action tokens [12].

Model	Success	Physical	Closed	Seen	False	Control	Est. $	Episode (s)	Decision (s)
Astra (low)	6/7	6	9	5	0	1/1	9.30 / 10.57	817 / 926	9.2 / 9.4
Astra (high)	6/7	6	8	6	0	0/1	7.65 / 8.78	998 / 1145	21.4 / 21.8
Sol (low)	4/7	4	4	5	1	0/1	1.72 / 1.96	829 / 940	10.4 / 10.4
Sol (high)	3/7	5	9	6	0	0/1	1.74 / 1.59	1235 / 1162	21.5 / 21.8
Opus (low)	2/7	3	5	4	2	1/1	4.78 / 6.23	762 / 1028	13.2 / 13.5
Opus (high)	3/7	3	6	3	1	1/1	7.22 / 8.36	1392 / 1563	36.1 / 34.5
Gemini (low)	0/7	0	0	1	0	0/1	1.29 / –*	737 / –*	32.3 / –*
Gemini (high)	0/7	0	2	1	0	0/1	1.59 / –*	1332 / –*	136.7 / –*

Table 1: Seven scheduled task attempts per row; all-closed controls are separate. Other counts use completed episodes. *Physical*: closed, home, upright; *Seen*: all fronts viewed; *False*: declarations without physical completion. Pairs show all / successful attempts: mean cost and episode time, median per-attempt median decision latency. Costs use published rates [19, 20, 21]. *: no successful attempt observed. API-error starts stay in denominators.

2 Task, interface and evaluation

Scene. Newton [13] in Isaac Lab [14] runs at 200 Hz with SONIC at 50 Hz. Four Sektion cabinets [15] stand in NVIDIA's Simple Room [16, 17]: A and B behind 2.1 m lockers [18], C and D behind home. No drawer front is visible initially. Passive drawers close through contact, with 5 N dry friction and critically damped stops; the robot uses a flat ground collider. Eight conditions open zero, one or two drawers by 0.20 m under the same map and instruction.

Interface. Four head/wrist keyframes, walking/posture commands and binary hand presets drive SONIC (Fig. 1); facing stays within 15° of measured heading during turns. Decisions receive onboard RGB-D, external RGB, robot kinematics, depth queries, map, plan and feedback. Drawer joints, contacts and scores remain private; no task skills are provided.

Scoring. Closed means within 2 cm of shut and still for 1 s. Force sensors distinguish hand pushes from other contact. Success requires all drawers closed, a supported standing hold within 25 cm of home and the model's completion declaration. We separately record physical completion, disturbed drawers, contact attribution, falls, timeouts, infrastructure errors and all-closed controls.

Protocol. After pilots, we froze the setup, prompts, evaluator, source and 1800 s budget. GPT-6.1 Sol, GPT-6 Astra, Claude Opus 5.5 and Gemini 4 Argon each ran one seeded episode per condition at low and high effort, four at a time with pinned host placement.

3 Results

Table 1 retains all 64 starts; Fig. 1 shows one success. All 43 closures were by hand; no initially closed drawer was disturbed. Astra succeeded in 6/7 tasks at each effort (615 to 1492 s), usually checking every drawer. Sol succeeded in 4/7 and 3/7, Opus 2/7 and 3/7, Gemini none. High effort lengthened decisions without consistent gains; eight episodes timed out. Fifteen of 51 completed task starts ended in falls, one before any model command; four declarations lacked physical completion. In this sweep, Astra high cost less despite more output tokens because cached reads covered 50% of its input, versus 29% at low.

Timing. Median peak physics lag was 192 ms. Only 17/58 completed episodes, including 7 successes, met the 100 ms limit; the results retain timing-limited episodes. Falls rarely followed lag spikes.

Limits. One simulated layout, drawer interaction and trial per model/effort/condition limit generalization. Friction, damping and ground support are modeling choices. Reliability, gains and transfer need repeated trials, older-model baselines and hardware experiments.

References

[1] Z. Luo, Y. Yuan, T. Wang, C. Li, F. Castañeda, S. Chen, Z.-A. Cao, J. Li, D. Minor, Q. Ben, J. Park, D. Sami, Z. Wang, X. Da, R. Ding, C. Hogg, L. Song, E. Lim, E. Jeong, T. He, H. Xue, W. Xiao, S. Yuen, J. Kautz, Y. Chang, U. Iqbal, L. Fan, and Y. Zhu. SONIC: Supersizing motion tracking for natural humanoid whole-body control. *Science Robotics*, 11(117):eaed4592, 2026. doi:10.1126/scirobotics.aed4592. URL https://nvlabs.github.io/GEAR-SONIC/.

[2] M. Ahn, A. Brohan, N. Brown, Y. Chebotar, O. Cortes, B. David, C. Finn, C. Fu, K. Gopalakrishnan, K. Hausman, A. Herzog, D. Ho, J. Hsu, J. Ibarz, B. Ichter, A. Irpan, E. Jang, R. J. Ruano, K. Jeffrey, S. Jesmonth, N. J. Joshi, R. Julian, D. Kalashnikov, Y. Kuang, K.-H. Lee, S. Levine, Y. Lu, L. Luu, C. Parada, P. Pastor, J. Quiambao, K. Rao, J. Rettinghouse, D. Reyes, P. Sermanet, N. Sievers, C. Tan, A. Toshev, V. Vanhoucke, F. Xia, T. Xiao, P. Xu, S. Xu, M. Yan, and A. Zeng. Do As I Can, Not As I Say: Grounding Language in Robotic Affordances, 2022. URL https://arxiv.org/abs/2204.01691.

[3] G. Huh, C. Gu, T. E. Truong, C. K. Liu, and G. Tevet. HomeBody: A humanoid that explores, remembers, and acts on its own, 2026. URL https://tml.stanford.edu/homebody/.

[4] J. Sun, Q. Zhang, Y. Duan, X. Jiang, C. Cheng, and R. Xu. Prompt, Plan, Perform: LLM-based Humanoid Control via Quantized Imitation Learning, 2024. URL https://arxiv.org/abs/2309.11359.

[5] J. Liang, W. Huang, F. Xia, P. Xu, K. Hausman, B. Ichter, P. Florence, and A. Zeng. Code as Policies: Language Model Programs for Embodied Control, 2023. URL https://arxiv.org/abs/2209.07753.

[6] S. Choi, S. Ye, N. Bui, A. Shrivastava, K. Ryu, D. Tirumala, M. Wulfmeier, and N. Mehr. HuGo: LLMs as whole-body policy code designers for humanoid loco-manipulation, 2026. URL https://arxiv.org/abs/2609.30594.

[7] W. Huang, F. Xia, T. Xiao, H. Chan, J. Liang, P. Florence, A. Zeng, J. Tompson, I. Mordatch, Y. Chebotar, P. Sermanet, N. Brown, T. Jackson, L. Luu, S. Levine, K. Hausman, and B. Ichter. Inner Monologue: Embodied Reasoning through Planning with Language Models, 2022. URL https://arxiv.org/abs/2207.05608.

[8] S. Nasiriany, F. Xia, W. Yu, T. Xiao, J. Liang, I. Dasgupta, A. Xie, D. Driess, A. Wahid, Z. Xu, Q. Vuong, T. Zhang, T.-W. E. Lee, K.-H. Lee, P. Xu, S. Kirmani, Y. Zhu, A. Zeng, K. Hausman, N. Heess, C. Finn, S. Levine, and B. Ichter. PIVOT: Iterative visual prompting elicits actionable knowledge for VLMs. In *Proceedings of the 41st International Conference on Machine Learning*, volume 235 of *Proceedings of Machine Learning Research*, pages 37321–37341. PMLR, 2024. URL https://proceedings.mlr.press/v235/nasiriany24a.html.

[9] W. Huang, C. Wang, R. Zhang, Y. Li, J. Wu, and L. Fei-Fei. VoxPoser: Composable 3D Value Maps for Robotic Manipulation with Language Models, 2023. URL https://arxiv.org/abs/2307.05973.

[10] K. Rana, J. Haviland, S. Garg, J. Abou-Chakra, I. Reid, and N. Suenderhauf. SayPlan: Grounding large language models using 3D scene graphs for scalable robot task planning. In *Proceedings of The 7th Conference on Robot Learning*, volume 229 of *Proceedings of Machine Learning Research*, pages 23–72. PMLR, 2023. URL https://proceedings.mlr.press/v229/rana23a.html.

[11] W. Huang, C. Wang, Y. Li, R. Zhang, and L. Fei-Fei. Rekep: Spatio-temporal reasoning of relational keypoint constraints for robotic manipulation. In *Proceedings of The 8th Conference on Robot Learning*, volume 270 of *Proceedings of Machine Learning Research*, pages 4573–4602. PMLR, 2025. URL https://proceedings.mlr.press/v270/huang25g.html.

[12] B. Zitkovich, T. Yu, S. Xu, P. Xu, T. Xiao, F. Xia, J. Wu, P. Wohlhart, S. Welker, A. Wahid, Q. Vuong, V. Vanhoucke, H. Tran, R. Soricut, A. Singh, J. Singh, P. Sermanet, P. R. Sanketi, G. Salazar, M. S. Ryoo, K. Reymann, K. Rao, K. Pertsch, I. Mordatch, H. Michalewski, Y. Lu, S. Levine, L. Lee, T.-W. E. Lee, I. Leal, Y. Kuang, D. Kalashnikov, R. Julian, N. J. Joshi, A. Irpan, B. Ichter, J. Hsu, A. Herzog, K. Hausman, K. Gopalakrishnan, C. Fu, P. Florence, C. Finn, K. A. Dubey, D. Driess, T. Ding, K. M. Choromanski, X. Chen, Y. Chebotar, J. Carbajal, N. Brown, A. Brohan, M. G. Arenas, and K. Han. Rt-2: Vision-language-action models transfer web knowledge to robotic control. In *Proceedings of The 7th Conference on Robot Learning*, volume 229 of *Proceedings of Machine Learning Research*, pages 2165–2183. PMLR, 2023. URL https://proceedings.mlr.press/v229/zitkovich23a.html.

[13] The Newton Contributors. Newton: GPU-accelerated physics simulation for robotics and simulation research, 2025. URL https://github.com/newton-physics/newton.

[14] M. Mittal, P. Roth, J. Tigue, A. Richard, O. Zhang, P. Du, A. Serrano-Muñoz, X. Yao, R. Zurbrügg, N. Rudin, L. Wawrzyniak, M. Rakhsha, A. Denzler, E. Heiden, A. Borovicka, O. Ahmed, I. Akinola, A. Anwar, M. T. Carlson, J. Y. Feng, A. Garg, R. Gasoto, L. Gulich, Y. Guo, M. Gussert, A. Hansen, M. Kulkarni, C. Li, W. Liu, V. Makoviychuk, G. Malczyk, H. Mazhar, M. Moghani, A. Murali, M. Noseworthy, A. Poddubny, N. Ratliff, W. Rehberg, C. Schwarke, R. Singh, J. L. Smith, B. Tang, R. Thaker, M. Trepte, K. V. Wyk, F. Yu, A. Millane, V. Ramasamy, R. Steiner, S. Subramanian, C. Volk, C. Chen, N. Jawale, A. V. Kuruttukulam, M. A. Lin, A. Mandlekar, K. Patzwaldt, J. Welsh, H. Zhao, F. Anes, J.-F. Lafleche, N. Moënne-Loccoz, S. Park, R. Stepinski, D. V. Gelder, C. Amevor, J. Carius, J. Chang, A. H. Chen, P. de Heras Ciechomski, G. Daviet, M. Mohajerani, J. von Muralt, V. Reutskyy, M. Sauter, S. Schirm, E. L. Shi, P. Terdiman, K. Vilella, T. Widmer, G. Yeoman, T. Chen, S. Grizan, C. Li, L. Li, C. Smith, R. Wiltz, K. Alexis, Y. Chang, D. Chu, L. J. Fan, F. Farshidian, A. Handa, S. Huang, M. Hutter, Y. Narang, S. Pouya, S. Sheng, Y. Zhu, M. Macklin, A. Moravanszky, P. Reist, Y. Guo, D. Hoeller, and G. State. Isaac Lab: A GPU-Accelerated Simulation Framework for Multi-Modal Robot Learning, 2025. URL https://arxiv.org/abs/2511.04831.

[15] Isaac Lab Project Developers. *Available Environments: Isaac-Open-Drawer-Franka-v0*, 2026. URL https://isaac-sim.github.io/IsaacLab/main/source/overview/environments.html.

[16] NVIDIA. *Environment Assets*. NVIDIA, 2026. URL https://docs.isaacsim.omniverse.nvidia.com/latest/assets/usd_assets_environments.html.

[17] NVIDIA. *NVIDIA Isaac Sim Additional Software and Materials License*. NVIDIA, 2025. URL https://www.nvidia.com/en-us/agreements/enterprise-software/isaac-sim-additional-software-and-materials-license/.

[18] NVIDIA. *SimReady Assets*. NVIDIA, 2026. URL https://huggingface.co/datasets/nvidia/simready-assets.

[19] OpenAI. API Pricing and Prompt Caching, 2026. URL https://developers.openai.com/api/docs/pricing.

[20] Anthropic. Claude Opus 5.5: Pricing, 2026. URL https://platform.claude.com/docs/en/models/opus-5-5/overview.

[21] Google. Gemini API Pricing, 2026. URL https://ai.google.dev/gemini-api/docs/pricing.