Social network analysis

Hector Marina



Social Networks

- A **social network** can be constructed from relational data and can be defined as a set of social entities, such as people, groups, and organizations, with some relationships or interactions between them. These networks are usually modelled by graphs, where vertices represent the social entities and edges represent the relationships established between them



(Tabassum et al., 2018)

What is SNA?

- **Social network analysis** studies structures of relationships linking individuals and interdependencies in behaviour or attitudes related to configurations of social relations



(Freslon et al., 2019)

SNA applications



SNA applications in animals



(Rocha et al., 2020)



(Chen et al., 2015)



(Martínez-López et al., 2009)



(Freslon et al., 2019)

Part of the networks



Ways to represent networks

Adjacency matrix

	a	b	c	d
a	0	1	0	1
b	0	0	0	1
c	1	0	0	1
d	1	0	0	0

Graph



Notation

$G = \{(a, b), (a, d), (b, d), (c, a), (c, d), (d, a)\}$

(Martínez-López et al., 2009)

Ways to represent networks

A	B
A	C
A	D
A	E
A	F
E	F
F	G



	A	B	C	D	E	F	G
A	0	1	1	1	1	1	0
B	1	0	0	0	0	0	0
C	1	0	0	0	0	0	0
D	1	0	0	0	0	0	0
E	1	0	0	0	0	1	0
F	1	0	0	0	1	0	1
G	0	0	0	0	0	1	0

Network analysis software



Cytoscape



sna igraph network

networkX igraph

Session: New Session

File Edit View Select Layout Apps Tools Help

Enter search term...

Network

Enter search terms for NDEx...

Drag network files here

Welcome to Cytoscape

Recent Sessions

Cytoscape_Edge_table...

Sample Sessions

Affinity Purification

Import & Save

Ivacaftor Coauthor

Styles Demo

TCGA Colorectal Cancer

Yeast Gene Interactions

Yeast Perturbation

Tutorials News

Node Table

Drag table files here

Command Line

Node Table Edge Table Network Table

Style Filter Annotation Layout Tools

Ways to analyze the information

individual- level models

focuses on an **individual-level outcome, network data are used to define explanatory variables**



relational-level models

focuses on an **dyad-level,** analyse the **relationship** rather than a characteristic of particular individuals



(O´Malley et al., 2008)

Network dimensions

Unidimensional data



Multidimensional data



Longitudinal data



Time

Descriptive properties of networks



- ***Y*** is the adjacency matrix
- $\mathbf{y_{ij}}$: relationship from actor *i* to actor *j*
- Binary-valued
- Self-relations are usually undefined

(O´Malley et al., 2008)

Descriptive properties of networks

1) Size and density of the network

$L/(N(N-1))$

$(L = \sum_{i,j} y_{ij})$



2) Degree and the degree distribution





Descriptive properties of networks

3) Geodesic distance:





Descriptive properties of networks

4) Centrality parameters:

Degree:

- The simplest is based on an actor's degree
- Reflects an actor's level of network activity or involvement



Descriptive properties of networks

4) Centrality parameters:

Betweenness:

- Number of times a node acts as a bridge along the shortest path between two other nodes

Shortest path from s->t
that cross through v

$$g(v) = \sum_{s \neq v \neq t} \frac{\sigma_{st}(v)}{\sigma_{st}}$$

Shortest path from s->t



Descriptive properties of networks

4) Centrality parameters:

Closeness:

- Sum of the length of the shortest paths between the node and all other nodes in the graph

$$C(v) = \frac{N-1}{\sum_u d(u,v)}.$$

← Number of nodes in the graph

← Distance between vertices u and v



Descriptive properties of networks

4) Centrality parameters:

Eigenvector:

- Principal eigenvector using the adjacency matrix
- Measures a node's importance while giving consideration to the importance of its neighbors



Descriptive properties of networks

5) Homophily:

- Represents the propensity of individuals to interact with others of similar characteristics

Homophily



Heterophily



Relational or dyad-level models

- Exponential random graph models (ERGMs):



- ***Y*** is the adjacency matrix
- $\mathbf{y_{ij}}$: relationship from actor *i* to actor *j*
- Binary-valued
- Self-relations are usually undefined

Relational or dyad-level models

- Exponential random graph models (ERGMs):

y_{ij}



Absence

Presence

$$\text{logit}\mathrm{P}(Y_{ij} = 1) = \mu + \beta x_{ij}$$

Intercept

Logistic regression

Covariable

Relational or dyad-level models



Parity [1, 2 or 3+]
Days in milk [Early, Mid or Late]
Breed [Holstein, Red Dairy Cattle or Crossbred]

Time spent per Area

Relational or dyad-level models

- Exponential random graph models (ERGMs):



	Parity		TimeInArea	AGEnet
	Match	Factor	Cov	Cov
$Y_{ij} = 0$	1	0 0	0.22+0.43	1
$Y_{ik} = 0$	0	0 1	0.22+0.33	0
$Y_{jk} = 1$	0	1 1	0.56+0.33	0
$Y_{im} = 1$	1	0 0	0.22+0.13	0



Social interactions

Essential feature of cattle behavior

Meaningful social relationships

Social interactions

Ultra-Wide Band technology

- Collecting positions of all cows every second
- Spatial interactions
- Real time information

Spatial interactions

Real-time Location System







(Hansson et al., 2023)

Interpolation



(Ren et al., 2021)



Spatial contacts





Cow: 1

Cow: 2

Spatial interaction

Spatial contacts

What was consider as social contact?



Spatial contacts



Cow: 1

Cow: 2

Spatial interaction

Spatial contacts

0	1	1	0	1	1	0	0	1
1	0	1	1	0	0	1	0	0
1	1	0	1	1	0	0	0	1
0	1	1	0	1	0	1	1	1
1	0	1	1	0	1	1	0	1
1	0	0	0	1	0	1	0	0
0	1	0	1	1	1	0	0	1
0	0	0	1	0	0	0	0	1
1	0	1	1	1	0	1	1	0



Absence

Presence


hands
on

Recommended literature

1. O'Malley, A.J., and P. V. Marsden. 2008. The Analysis of Social Networks. Health Serv. Outcomes Res. Methodol. 8:222. doi: https://doi.org/10.1007/S10742-008-0041-Z
2. de Freslon, I., Martínez-López, B., Belkhiria, J., Strappini, A., Monti, G., 2019. Use of social network analysis to improve the understanding of social behaviour in dairy cattle and its impact on disease transmission. Appl. Anim. Behav. Sci. 213, 47–54. https://doi.org/10.1016/J.APPLANIM.2019.01.006
3. Tabassum, S, Pereira, FSF, Fernandes, S, Gama, J. Social network analysis: An overview. WIREs Data Mining Knowl Discov. 2018; 8:e1256. https://doi.org/10.1002/widm.1256
4. Martínez-López, B., Perez, A.M. and Sánchez-Vizcaíno, J.M. (2009), Social Network Analysis. Review of General Concepts and Use in Preventive Veterinary Medicine. Transboundary and Emerging Diseases, 56: 109-120. https://doi.org/10.1111/j.1865-1682.2009.01073.x
5. Chen, S., Ilany, A., White, B.J., Sanderson, M.W., Lanzas, C., 2015. Spatial-Temporal Dynamics of High-Resolution Animal Networks: What Can We Learn from Domestic Animals? PLoS One 10, e0129253. https://doi.org/10.1371/JOURNAL.PONE.0129253
6. Rocha, L.E.C., Terenius, O., Veissier, I., Meunier, B., Nielsen, P.P., 2020. Persistence of sociality in group dynamics of dairy cattle. Appl. Anim. Behav. Sci. 223, 104921. https://doi.org/10.1016/J.APPLANIM.2019.104921
7. Hansson, I., Silvera, A., Ren, K., Woudstra, S., Skarin, A., Fikse, W.F., Nielsen, P.P., Rönnegård, L., 2023. Cow characteristics associated with the variation in number of contacts between dairy cows. J. Dairy Sci. 106, 2685–2699. https://doi.org/10.3168/JDS.2022-21915

SLU

SCIENCE AND EDUCATION FOR SUSTAINABLE LIFE

Publications