Comandos git para subir archivos


```
MINGW64:/c/Users/mexmo/Dropbox/Mi PC (BravoGamer)/Desktop/LaunchX     —     □     ✕

PPBravo@BravoGamer MINGW64 ~/Dropbox/Mi PC (BravoGamer)/Desktop/LaunchX
$ git init
Initialized empty Git repository in C:/Users/mexmo/Dropbox/Mi PC (BravoGamer)/De
sktop/LaunchX/.git/

PPBravo@BravoGamer MINGW64 ~/Dropbox/Mi PC (BravoGamer)/Desktop/LaunchX (master)
$ git status
On branch master

No commits yet

nothing to commit (create/copy files and use "git add" to track)

PPBravo@BravoGamer MINGW64 ~/Dropbox/Mi PC (BravoGamer)/Desktop/LaunchX (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        Kata-01.ipynb
```



```
MINGW64:/c/Users/mexmo/Dropbox/Mi PC (BravoGamer)/Desktop/LaunchX     —     □     ✕

nothing added to commit but untracked files present (use "git add" to track)

PPBravo@BravoGamer MINGW64 ~/Dropbox/Mi PC (BravoGamer)/Desktop/LaunchX (master)
$ git add .
warning: LF will be replaced by CRLF in Kata-01.ipynb.
The file will have its original line endings in your working directory

PPBravo@BravoGamer MINGW64 ~/Dropbox/Mi PC (BravoGamer)/Desktop/LaunchX (master)
$ git commit -m "Add: Kata-01"
Author identity unknown

*** Please tell me who you are.

Run

  git config --global user.email "you@example.com"
  git config --global user.name "Your Name"

to set your account's default identity.
Omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'PPBravo@BravoGamer.(none)')

PPBravo@BravoGamer MINGW64 ~/Dropbox/Mi PC (BravoGamer)/Desktop/LaunchX (master)
```

```
fatal: unable to auto-detect email address (got 'PPBravo@BravoGamer.(none)')

PPBravo@BravoGamer MINGW64 ~/Dropbox/Mi PC (BravoGamer)/Desktop/LaunchX (master)
$ git config --global user.email "viajero08307@innovaccion.mx"

PPBravo@BravoGamer MINGW64 ~/Dropbox/Mi PC (BravoGamer)/Desktop/LaunchX (master)
$ git commit -m "Add: Kata-01"
[master (root-commit) 2749469] Add: Kata-01
 1 file changed, 310 insertions(+)
 create mode 100644 Kata-01.ipynb

PPBravo@BravoGamer MINGW64 ~/Dropbox/Mi PC (BravoGamer)/Desktop/LaunchX (master)
$ git add remote add origin https://github.com/HectorGbravo/Onboarding-LaunchX.g
it
fatal: pathspec 'remote' did not match any files

PPBravo@BravoGamer MINGW64 ~/Dropbox/Mi PC (BravoGamer)/Desktop/LaunchX (master)
$ git add remote add origin https://github.com/HectorGbravo/Onboarding-LaunchX.g
it/Kata-01.ipynb
fatal: pathspec 'remote' did not match any files

PPBravo@BravoGamer MINGW64 ~/Dropbox/Mi PC (BravoGamer)/Desktop/LaunchX (master)
$ git remote add origin https://github.com/HectorGbravo/Onboarding-LaunchX.git
```

```
$ git add remote add origin https://github.com/HectorGbravo/Onboarding-LaunchX.g
it/Kata-01.ipynb
fatal: pathspec 'remote' did not match any files

PPBravo@BravoGamer MINGW64 ~/Dropbox/Mi PC (BravoGamer)/Desktop/LaunchX (master)
$ git remote add origin https://github.com/HectorGbravo/Onboarding-LaunchX.git

PPBravo@BravoGamer MINGW64 ~/Dropbox/Mi PC (BravoGamer)/Desktop/LaunchX (master)
$ git push origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 5.96 KiB | 2.98 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'master' on GitHub by visiting:
remote:      https://github.com/HectorGbravo/Onboarding-LaunchX/pull/new/master
remote:
To https://github.com/HectorGbravo/Onboarding-LaunchX.git
 * [new branch]      master -> master

PPBravo@BravoGamer MINGW64 ~/Dropbox/Mi PC (BravoGamer)/Desktop/LaunchX (master)
$
```