```sql
INSERT INTO correos.Provincia
      VALUES ("Madrid"),("No aplica");

INSERT INTO correos.Municipio
      VALUES ("Alcobendas","Madrid"),("Alcorcón","Madrid"),("No aplica","No aplica");

INSERT INTO correos.Calle
      VALUES ("Paseo de la chopera","Alcobendas"),("Avenida de
América","Alcorcón"),("No aplica","No aplica"),("Avenida de España","Alcobendas" ),("Paseo
de los Ciruelos","Alcorcón");

INSERT INTO correos.Direccion(numero,
      piso,
      letra,
      Portal,
      nombreCalle,
      nombreMunicipio)
      VALUES ("1","1","a","1","Paseo de la chopera","Alcobendas"),("1","1","b","1","Paseo
de la chopera","Alcobendas"),("1","2","a","1","Paseo de la chopera","Alcobendas"),
      ("1","2","b","1","Paseo de la chopera","Alcobendas"),("No aplica","No aplica","No
Aplica","No Aplica","No aplica","No aplica"),("1","1","a","2","Paseo de la
chopera","Alcobendas"),
      ("1","0","no aplica","1","Avenida de América","Alcorcón"),("1","0","no
aplica","1","Paseo de la chopera","Alcobendas"),("1","0","no aplica","1","Avenida de
España","Alcobendas"),
      ("1","0","no aplica","1","Paseo de los Ciruelos","Alcorcón");

INSERT INTO correos.CentroDeClasificacion
      VALUES
("CC-MAD-01","AlcobendasEnvios",2000,30000,"Alcobendas"),("CC-MAD-02","AlcorcónExp
ress",900,13000,"Alcorcón");

INSERT INTO correos.Oficina
      VALUES
  ("OF-MAD-01","CC-MAD-01",8),
  ("OF-MAD-02","CC-MAD-02",7),
      ("OF-MAD-03","CC-MAD-02",10),
  ("OF-MAD-04","CC-MAD-01",9);




INSERT INTO correos.AreaDeEnvio (id, codOficina)
      VALUES
("AR-MAD-01","OF-MAD-01"),("AR-MAD-02","OF-MAD-01"),("AR-MAD-03","OF-MAD-02"),("
AR-MAD-04","OF-MAD-02");

INSERT INTO correos.AreaIncluyeArea
      VALUES ("AR-MAD-02","AR-MAD-01");
```

```sql
INSERT INTO correos.Cartero
        VALUES ("00000001X","JoseManuel","Teva
Pérez"),("00000002X","JoseMiguel","Moreno
Jimenez"),("00000003X","MariaMontserrat","Moreno Jimenez"),
        ("00000004X","Lusis","Ruiz Gresco"),("00000005X","Lucia","Saiz
Muñoz"),("00000006X","Maria","Maqueda Ruiz"),("00000007X","Juan","Engenios
Blanco"),("00000008X","Carlos","Teva Moreno"),
        ("00000009X","Marta","De Lara Belasco"),("00000010X","Inés","Luke
Molina"),("00000011X","Maria","Romero Jimenez");

INSERT INTO correos.Turno
        VALUES
("MediaMañana","07:00:00","11:00:00","OF-MAD-01"),("MediaMedioDia","11:00:00","15:00:0
0","OF-MAD-01"),("Completa","07:00:00","15:00:00","OF-MAD-01"),

("MediaMañana","07:00:00","11:00:00","OF-MAD-02"),("MediaMedioDia","11:00:00","15:00:0
0","OF-MAD-02"),("Completa","07:00:00","15:00:00","OF-MAD-02"),("Extra","07:00:00","15:0
0:00","OF-MAD-02");
INSERT INTO correos.Trabaja
        VALUES
("1998-03-12","00000001X","OF-MAD-01","Completa"),("2001-06-15","00000002X","OF-MA
D-01","MediaMañana"),("2004-08-02","00000003X","OF-MAD-01","MediaMedioDia"),

("2005-06-12","00000004X","OF-MAD-02","Completa"),("1995-09-05","00000005X","OF-MA
D-02","MediaMañana"),("1999-01-13","00000002X","OF-MAD-02","MediaMedioDia");


INSERT INTO correos.UsuarioCertificado
        VALUES
   ("10000000X",NULL,"Alfonso@xxxx.xx","Alfonso","Villalba Castellón",1),
        ("20000000X","10000000X","Fernando@xxxx.xx","Fernando","Salgado
Sepúlveda",2),
        ("30000000X",NULL,"Andy@xxxx.xx","Andy","Rumano Michmich",3),
        ("40000000X",NULL,"Victor@xxxx.xx","Victor","Waka Waka",4);

INSERT INTO correos.UsuarioGenerico (nombre,apellido,idDireccion)
        VALUES ("Sara","Nostromo Castaño",6),
        ("Alfonso","Villalba Castellón",1),
        ("Fernando","Salgado Sepúlveda",2),
        ("Abril","Genesis Rubio",5);

INSERT INTO correos.Ruta ()
        VALUES (),(),(),(),(),();

INSERT INTO correos.Coche
```

```sql
        VALUES ("0001 XXX",60000,"OF-MAD-01"),("0002
XXX",60000,"OF-MAD-01"),("0003 XXX",60000,"OF-MAD-01"),("0004
XXX",60000,"OF-MAD-01"),
        ("0005 XXX",80000,"OF-MAD-02"),("0006 XXX",80000,"OF-MAD-02"),("0007
XXX",80000,"OF-MAD-02"),("0008 XXX",80000,"OF-MAD-02");

INSERT INTO correos.Reparto (fecha,idRuta,matriculaCoche,dniCartero)
        VALUES ("2022-11-19",1,"0001 XXX","00000001X"),("2022-11-18",1,"0002
XXX","00000002X"),("2022-11-20",2,"0003 XXX","00000001X"),("2022-11-17",2,"0004
XXX","00000002X"),
        ("2022-11-19",3,"0005 XXX","00000004X"),("2022-11-18",4,"0006
XXX","00000004X"),
    ("2022-11-20",3,"0007 XXX","00000005X"),
    ("2022-11-17",4,"0008 XXX","00000002X"),
     ("2022-11-26",3,"0007 XXX","00000005X");

INSERT INTO correos.Carta
        VALUES
("CT1234567890","2022-11-20","A4",1,2,"00000001X",1),("CT1234567899","2022-11-21","A
4",1,2,"00000002X",2);

INSERT INTO correos.Paquete
        VALUES ("PQ1234567890",20,5,5,"2022-11-20","Entregado en
buzón",1,2,"00000001X",1),("PQ1234567891",70,10,10,"2022-11-20","Entregado en
buzón",1,2,"00000001X",1);

INSERT INTO correos.CartaCertificada
        VALUES ("CE01234567890",3,"30000000X","10000000X","00000001X",1);

INSERT INTO correos.EntregaCertificada
        VALUES ("11:12","2022-11-20","00000001X","CE01234567890","20000000X");

INSERT INTO correos.Recogida (fecha,idDireccion,dniCartero,dniUsuario)
        VALUES ("2022-11-20",3,"00000002X","30000000X"),
("2022-11-21",3,"00000002X","30000000X");

INSERT INTO correos.SegmentoDeCalle
        VALUES (1,1,100,"Avenida de América","Alcorcón"),(2,100,200,"Avenida de
América","Alcorcón"),(1, 1, 3, "Paseo de la chopera","Alcobendas");

INSERT INTO correos.RutaIncluyeSegmento
        VALUES (3,1,"1-2-3-4....","Avenida de
América","Alcorcón"),(3,2,"100-102-103-104....","Avenida de
América","Alcorcón"),(4,1,"1-2-3","Paseo de la chopera","Alcobendas");


INSERT INTO correos.CarteroRecorreAreaDeEnvio
        VALUES ("00000003X","AR-MAD-01");
```

```sql
INSERT INTO correos.AreaIncluyeSegmento
    VALUES ("AR-MAD-03",1),("AR-MAD-03",2);
```