

Paso 1: Get inside the thecmdchallenge/ directory

```
gitpod /workspace/exercise-terminal-challenge (master) $ cd thecmdchallenge
gitpod /workspace/exercise-terminal-challenge/thecmdchallenge (master) $
```

Paso 2 : Print current directory path

```
gitpod /workspace/exercise-terminal-challenge (master) $ cd thecmdchallenge
gitpod /workspace/exercise-terminal-challenge/thecmdchallenge (master) $ echo $(pwd)
/workspace/exercise-terminal-challenge/thecmdchallenge
gitpod /workspace/exercise-terminal-challenge/thecmdchallenge (master) $ pwd
/workspace/exercise-terminal-challenge/thecmdchallenge
gitpod /workspace/exercise-terminal-challenge/thecmdchallenge (master) $
```

Paso 3: List all the files from the current directory including the hidden ones

```
gitpod /workspace/exercise-terminal-challenge/thecmdchallenge (master) $ ls -a
. .. boringfolder console_master.md funcode kamehameha small-name
gitpod /workspace/exercise-terminal-challenge/thecmdchallenge (master) $ ls -la
total 16
drwxr-xr-x 6 gitpod gitpod 102 Jan 31 20:32 .
drwxr-xr-x 7 gitpod gitpod 4096 Jan 31 20:32 ..
drwxr-xr-x 3 gitpod gitpod 4096 Jan 31 20:32 boringfolder
-rw-r--r-- 1 gitpod gitpod 853 Jan 31 20:32 console_master.md
drwxr-xr-x 4 gitpod gitpod 4096 Jan 31 20:32 funcode
drwxr-xr-x 2 gitpod gitpod 34 Jan 31 20:32 kamehameha
drwxr-xr-x 3 gitpod gitpod 37 Jan 31 20:32 small-name
```

Paso 4: Now list all the files inside the project, recursively (all files in the hierarchy).

```
gitpod /workspace/exercise-terminal-challenge/thecmdchallenge (master) $ ls -R
console_master.md

boringfolder:
babel.png breathecode.shadow.png c9.png css3.png dropzone.js event-more-boring hello.txt html5.png jquery.png js.png sass.png scale.fix.js webpack.png

funcode:
baby.jpg          einstein.1.png  frame.html      kids.1.jpg      regexer.1.js    scared-baby.1.jpg  view-source_projects.breathecode.local_p_php_senior_mysql_mysql-tester_.htm
baby.success.1.jpg einstein.png    images          kids.jpg        regexer.css     scared-baby.jpg    script.js
baby.success.jpg  forms.1.html   invalid.png     mouse.1.html    regexer.js      the-most-funny
borat.success.1.jpg forms.html      keyboard.1.html mouse.html       rigoberto.1.jpg  valid.png
borat.success.jpg frame.1.html    keyboard.html   regexer.1.css   rigoberto.jpg

kamehameha:
dragon-ball-jokes.md

small-name:
bigger-name-than-before
```

```
gitpod /workspace/exercise-terminal-challenge/the-cmdchallenge/funcode (master) $ cd the-most-funny && mkdir not-that-funny
gitpod /workspace/exercise-terminal-challenge/the-cmdchallenge/funcode/the-most-funny (master) $ cd the-most-funny && mkdir not-that-funny
bash: cd: the-most-funny: No such file or directory
gitpod /workspace/exercise-terminal-challenge/the-cmdchallenge/funcode/the-most-funny (master) $
```

Paso 9: Create a copy of the-mostboring-text.txt (you can find it within /boringfolder/'s children) and name it lol.txt

```
gitpod /workspace/exercise-terminal-challenge/theCmdchallenge/boringfolder (master) $ cd event-more-boring/i-can-believe-how-boring/the-ultimate-boring-inception/
gitpod /workspace/exercise-terminal-challenge/theCmdchallenge/boringfolder/event-more-boring/i-can-believe-how-boring/the-ultimate-boring-inception (master) $ cp the-mostboring-text.txt lol.txt
gitpod /workspace/exercise-terminal-challenge/theCmdchallenge/boringfolder/event-more-boring/i-can-believe-how-boring/the-ultimate-boring-inception (master) $ █
```

Paso 10: Move funcode/kids.jpg inside funcode/images/hello/

```
gitpod /workspace/exercise-terminal-challenge/theCmdchallenge (master) $ cd funcode
gitpod /workspace/exercise-terminal-challenge/theCmdchallenge/funcode (master) $ mv kids.jpg images/hello
gitpod /workspace/exercise-terminal-challenge/theCmdchallenge/funcode (master) $ █
```

Paso 11: Remove the “small-name” directory.

```
gitpod /workspace/exercise-terminal-challenge/theCmdchallenge/funcode (master) $ cd ..
gitpod /workspace/exercise-terminal-challenge/theCmdchallenge (master) $ rm -r small-name
gitpod /workspace/exercise-terminal-challenge/theCmdchallenge (master) $ █
```

Paso 12: Print in the command line the content of the-ultimate-joke.txt.

```
gitpod /workspace/exercise-terminal-challenge/theCmdchallenge (master) $ find . -name the-ultimate-joke.txt
./funcode/the-most-funny/lol/the-ultimate-joke.txt
gitpod /workspace/exercise-terminal-challenge/theCmdchallenge (master) $ cd funcode/the-most-funny/lol
gitpod /workspace/exercise-terminal-challenge/theCmdchallenge/funcode/the-most-funny/lol (master) $ cat the-ultimate-joke.txt
what do you call a programmer from Findland? ..... NERD!C!
Got it?? :)gitpod /workspace/exercise-terminal-challenge/theCmdchallenge/funcode/the-most-funny/lol (master) $ █
```

Paso 13: Remove all the contents from the boringfolder, they are extremely boring...

```
gitpod /workspace/exercise-terminal-challenge/theCmdchallenge/boringfolder (master) $ cd ..
gitpod /workspace/exercise-terminal-challenge/theCmdchallenge (master) $ rm -r boringfolder/*
gitpod /workspace/exercise-terminal-challenge/theCmdchallenge (master) $ █
```

Paso 14: Open the file kamehameha/dragon-ball-jokes.md using the VI command line text editor

```
gitpod /workspace/exercise-terminal-challenge/theCmdchallenge (master) $ vim ka
meameha/dragon-ball-jokes.md █
```

Paso 15: Update the file kamehameha/dragon-ball-jokes.md by removing the first joke you read on the file, finally save and close the text editor.
i para insert

```
unable to ~
his time ~
is available ~
reversion ~
commercial ~
~
cated has ~
0.3: this ~
no longer ~
~
cated file ~
latten in :wp
```

for save and close ↗/update