

# CAP-EVENTS AT A GLANCE

## CERTIFICATE

*This is to certify that Miss Asfi Fatma,  
Miss Heema Priya, Miss Shivanshi  
Porwal and Miss Sneha Srivastava of  
BSc (H) Computer Science  
Department have satisfactorily  
completed their In-house Internship  
Project and the title of this project is  
CAP-Events At A Glance under the  
guidance of Mrs. Urmil Bharti and Mrs.  
Deepali Bajaj.*



## Acknowledgement

*We would like to express our special thanks of gratitude to our project mentors "Mrs. Urmil Bharti" and "Mrs Deepali Bajaj" for their able guidance and support in satisfactorily completing our internship project.*

## TABLE OF CONTENTS

Sl No.	Format
1.	Abstract
2.	Introduction
3.	Software Used



4.	Project Features (a) Project Scope (b) Feature Details (c) Project Flow
5.	Project Interfaces
6.	Implementation
7.	Conclusion
8.	Bibliography
9.	Appendices

\*\*\*\*\*

## ● Abstract:-

The purpose of this project is to automate the process of providing information regarding our college events. CAP-Events At A Glance is developed to provide one platform for getting deets regarding all events happening in our college.

This web application is ingenious to use as it is simple in appearance and user friendly. Hence, it promotes the extra curriculum for students and at the same time it persuades them to take interest in our various college events, workshops etc.



## ● Introduction:-

Presently class representative of respective departments circulate the details of all upcoming events. Sometimes it happens that these enlightenment do not reach to students on time as this way is somehow manual.

So , to reduce this dependency we came up with this project idea as "CAP- event at a glance " to help college students and various college groups ( Societies , initiatives , departments , cells and committee ).

There are three categories of users:

- 1) Student
- 2) Society executive (President, vice president, teacher in-charge,core committee member)
- 3) Admin:-Id and password of society executive will be generated by admin.

They can post and update event details. Any student can view event details posted by society executive.

Comment section is available where student can put up the queries The admin can delete/ block the account

## ● Software Used:-

### Developer end:-

H/W

✓ Computer



Edit with WPS Office

✓ Internet

### S/W

✓ Xampp Server

✓ MySQL database

✓ Notepad++ editor

✓ Google chrome browser

✓ Codeigniter-PHP

### User end:-

### H/W

✓ PC, Laptop, Smartphones

✓ Internet

### S/W

✓ Google chrome

✓ Android,windows:-o/s

## ● Project Features:-

### ➤ Project Scope:

- CAP(College Automation System) is a web based application aims to connect students to the various extra-curriculum fields of



college(societies, initiatives, departments, cells and committee).

- Presently class representatives of respective departments circulate the event details, but sometimes it happens these enlightenments do not reach to students on time, due to which students miss the dates of important events.
- It provides an automated platform where society executive(President, Vice-President, Teacher in-charge, Cor committee members) of college groups can effortlessly put updates of all events which will happen.
- User(Students) have access to view the details of events, and if they have any query regarding any event they can comment their queries by signing up to the application.
- User(Society Executive) of college groups have access to view, insert, update, and delete the details, and also they can directly interact with students by answering to their queries. ID's and passwords of society executive will be generated manually by admin.
- User(Admin) can view the details of events, they can also comment to the queries raised by students and have all rights to delete/block any account.



- This platform is more efficient and convenient for the college.
- If all the event details will be uploaded in a common platform, then it would be easy for students to recognize the important information and dates.
- Moreover storing and retrieving information is easy in this platform, so work can be done speedily and in time.


## ➤ Feature Details:



- CAP empowers you to:-
  - Manage event details efficiently.
  - Record event details like events of various societies and clubs, important notices of departments, webinar & seminar details, e.t.c.
  - Add, Update and Delete event details, comments and accounts.
  - Trace event details.
  - Manage security by providing authorized ID's and passwords to society executives.
- User-friendly platform.




- Event details get uploaded easily.
- Computer-operator control.
- Easy searching of all events information of respective societies, clubs, initiatives, departments and cells of college.
- Minimize redundancy.
- Easy to use.

## ➤ Project Flow:







## ● Project Interfaces:-

### 1) SIGN UP PAGE

CAP

EVENTS AT A GLANCE

**Sign Up**

Please fill in this form to create an account.

NAME  
Mohita

college  
srcasv

Email  
mohita12@gmail.com

Password  
....

Select your field of interest

**Sign Up**


### 2)SIGNUP SUCCESSFUL



Edit with WPS Office

CAP


EVENTS AT A GLANCE



### 3) LOGIN PAGE

CAP

EVENTS AT A GLANCE



### 4) HOME PAGE



Edit with WPS Office

## CAP

EVENTS AT A GLANCE—Hello!!! Mohita

[Logout](#)

### SOCIETIES




### CLUBS



### INITIATIVES



### DEPARTMENTS



### COLLEGE COUNCIL



## 5) SOCIETY PAGE

### CAP

EVENTS AT A GLANCE—Hello!!! Mohita

#### AHAARYA



#### PHILYRA



#### ELVIRA



#### MUKHAUTA



#### GLAMFIRE



#### INKLINGS



#### SHUFFLESHOTS



Edit with WPS Office

## 6) AHAARYA PAGE



## 7) COMMENTS PAGE OF AHAARYA

## CAP

EVENTS AT A GLANCE—Hello!!! Mohita

WILL IT BE IN ONLINE MODE?

Mohita.  
HELLO AHAARYA! WHEN WILL ANNUAL FEST OF AHAARYA BE HELD?

ahaarya.  
hey anandi.

anandi.  
hey ahaarya.


ahaarya.  
hello sneha.

sneha Srivastava.  
hello ahaarya.

## 8)GUI AFTER A SOCIETY EXECUIVE LOGS IN



Edit with WPS Office



## 9)ADD NEW EVENT PAGE

ENTER EVENT NUMBER-(event\_number-group\_name)  
Eg:20-ahaarya  
24-ahaarya

TYPE MESSAGE  
Enter department dance competition on 24th of march 2021  
Stay tuned!

SELECT FILE  
Choose File No file chosen

ADD

A screenshot of the "Add New Event" page. It features a text input field for "EVENT NUMBER" containing "24-ahaarya". Below it is a text area for "MESSAGE" with the text "Enter department dance competition on 24th of march 2021" and "Stay tuned!". There is also a "SELECT FILE" section with a "Choose File" button and a message stating "No file chosen". At the bottom is a prominent blue "ADD" button.

## 10)AFTER INSERTION

CAP

EVENTS AT A GLANCE

Event details were inserted!  
To view changes goto home  
To add delete update another event [go back](#)

CAP


EVENTS AT A GLANCE--Hello!!! ahaarya

[Home](#) Comment

DATE OF UPLOAD :2021-03-21

EVENT NO. IS: 24-ahaarya.

EVENT DETAIL IS: Inter department dance competition on 24th of march 2021  
Stay tuned!



ready

ready

ready



Edit with WPS Office

## 11)UPDATE PAGE

**CAP**  
EVENTS AT A GLANCE--Hello!! ahaarya

Enter event number to be updated  
24-ahaarya

Enter updated text  
[Enter department will held on 2 April 2021, after mid semester break.]

UPDATE


## 12)AFTER UPDATION

**CAP**  
EVENTS AT A GLANCE

 Event number-24-ahaarya was updated successfully.  
To view changes goto home  
To add delete/update another event [go back](#)



Edit with WPS Office




## 13) COMMENT SECTION OF SOCIETY EXECUTIVE

A screenshot of a CAP comment section. It starts with a placeholder "Comment...and enter". Below it, several messages are listed:

- ahaarya.  
hello! yes it annual fest 2021 will be held in online mode.
- Mohita.  
WILL IT BE IN ONLINE MODE?
- Mohita.  
HELLO AHAARYA! WHEN WILL ANNUAL FEST OF AHAARYA BE HELD?
- ahaarya.  
hey anandi.
- anandi.  
hey ahaarya.
- ahaarya.  
hello sneha.

## 14)ADMIN SECTION





## ● Implementation:-

The modules encompassed in our system are as follows :-

1) LOGIN PAGE = This is the first module of our system which is used for authentication. In this user have to enter his/her id and password. If these details provided by user are invalid then system will return the user to login page itself but if he/she provided correct details then it will redirect to the next GUI.

2) SIGN UP PAGE = Signup is an action to register yourself

for a new account. If the user's account is already created then he/she be able to access our system otherwise system will redirect user to signup page for creating a new account.

3) HOME PAGE = This is the third module of our system. This module contains buttons to explore events as uploaded by various societies , clubs , councils etc.

4) SOCIETY EXECUTIVE PAGE = In this module , society executive can perform 4 processes that are they can add , view , update and delete any event and can also comment to student queries.

5) ADMIN PAGE= This module is handled by admin. Admin may able to add an account , delete and account and update an account.

## ● Conclusion:-

CAP-Events At A Glance aims to automate the process of information sharing by various societies ,clubs and departments. It focuses on reducing the dependencies on intermediate actors and establishes a direct contact between students and society executives, necessary for a healthy and a fast flow of information.

Likewise, in future it will not only strengthen information providing system but will encourage more students towards their passion.

## ● Bibliography:-

- <https://www.researchgate.net>
- <https://ijsceonline.org>



- <https://www.w3schools.com/>
- <https://devdocs.io/>
- <https://www.freecodecamp.org/news/>
- <https://stackoverflow.com/>
- <http://www.tizag.com/phpT/>
- <https://www.tutorialspoint.com/php/>
- <https://devguru.com/technologies/javascript/home.asp>
- <http://blooberry.com/indexdot/html/index.html>
- <https://www.sitepoint.com/javascript/>
- <https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference>
- <https://www.ijirst.org>
- <https://www.academia.edu>
- <https://www.ijcrt.org>
- <https://www.irjet.net>

## ● Appendices:-

CODE:-

### PART-1) STUDENT LOGIN

#### 1)MAIN.PHP -LOGIN PAGE



Edit with WPS Office

```
<?php
session_start();
?>
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<style>
body, html {
    height: 100%;
    font-family: Arial, Helvetica, sans-serif;
}

* {
    box-sizing: border-box;
}

.bg-img {
    /* The image used */
    background-image: url("mainbackground.png");
    margin-top: 0px;
    min-height: 700px;

    /* Center and scale the image nicely */
    background-position: center;
    background-repeat: no-repeat;
    background-size: cover;
    position: relative;
}

.topinfo {
```



```
background-size: cover;  
background: #581845;  
}  
.container{  
max-width:500px;  
background-color: white;  
//margin-left: 400px;  
margin: auto;  
padding: 50px;  
border: 3px solid #73AD21;  
}  
/* Full-width input fields */  
input[type=text], input[type=password] {  
width: 100%;  
padding: 15px;  
margin: 5px 0 22px 0;  
border: none;  
background: #f1f1f1;  
}  
  
input[type=text]:focus, input[type=password]:focus {  
background-color: #ddd;  
outline: none;  
}  
.btn:hvr{  
opacity: 1;  
}  
/* Set a style for the submit button */  
.btn {  
background-color: #4CAF50;
```



```
color: white;  
padding: 16px 20px;  
border: none;  
cursor: pointer;  
width: 100%;  
opacity: 0.9;  
}  
  
</style>  
</head>  
<body>  
<div class="topinfo">  
<font size="35" color="white" align="centre">CAP</font><br><br>  
<font size="3" color="white" >EVENTS AT A GLANCE</font>  
</div><br>  
<div class="bg-img">  
 <form action="checkuserlogin.php" method="post" class="container">  
 <font size="20" align="center">LOGIN</font><br>  
 <hr>  
 <?php  
 if(isset($_SESSION['error']))  
 {  
 $error=$_SESSION['error'];  
 echo "<span>$error</span>";  
 }  
 ?>  
 <br>  
 <br>  
 <label for="email">Email</label>
```



```
<input type="text" placeholder="Enter Email" name="email" required><br><br>

<label for="psw">Password</label>

<input type="password" placeholder="Enter Password" name="psw" required><br><br>

<button type="submit" class="btn">Login</button><br><br><br>

<hr>

<p> Not a registered user? <a href="signup.html">SIGNUP</a> </P>

</form>

</div>

</body>

</html>

<?php

    unset($_SESSION['error']);

?>
```

## 2)SIGNUP.HTML

```
<!DOCTYPE html>

<html>

<style>

body {font-family: Arial, Helvetica, sans-serif;}

* {box-sizing: border-box}

/* Full-width input fields */

input[type=text], input[type=password] {

width: 100%;

padding: 15px;

margin: 5px 0 22px 0;

display: inline-block;

border: none;
```



Edit with WPS Office

```
background: #f1f1f1;  
}  
  
  
input[type=text]:focus, input[type=password]:focus {  
background-color: #ddd;  
outline: none;  
}  
  
  
hr {  
border: 1px solid #f1f1f1;  
margin-bottom: 25px;  
}  
  
  
/* Set a style for all buttons */  
button {  
background-color: #4CAF50;  
color: white;  
padding: 14px 20px;  
margin: 8px 0;  
border: none;  
cursor: pointer;  
width: 100%;  
opacity: 0.9;  
}  
  
  
button:hover {  
opacity:1;  
}
```



```
/* Extra styles for the cancel button
.cancelbtn {
    padding: 14px 20px;
    background-color: #f44336;
} */

/* Float cancel and signup buttons and add an equal width */
//.cancelbtn,
.signupbtn {
    float: left;
    width: 50%;
}

/* Add padding to container elements */
.container {
    padding: 16px;
}

/* Clear floats */
.clearfix::after {
    content: "";
    clear: both;
    display: table;
}

.topinfo {
    background-size: cover;
    background: #581845;
```



```
}
```

```
/* Change styles for cancel button and signup button on extra small screens */
```

```
@media screen and (max-width: 300px) {
```

```
  // .cancelbtn,
```

```
  .signupbtn {
```

```
    width: 100%;
```

```
  }
```

```
}
```

```
</style>
```

```
<body>
```

```
<div class="topinfo">
```

```
  <font size="35" color="white" align="centre">CAP</font><br><br>
```

```
  <font size="3" color="white" >EVENTS AT A GLANCE</font>
```

```
</div><br>
```

```
<form action="aftersignup.php" method="post" style="border:1px solid #ccc">
```

```
  <div class="container">
```

```
    <h1>Sign Up</h1>
```

```
    <p>Please fill in this form to create an account.</p>
```

```
    <hr>
```

```
    <label for="name"><b>NAME</b></label>
```

```
    <input type="text" placeholder="Enter name" name="name" required>
```

```
    <label for="college"><b>college</b></label>
```

```
    <input type="text" placeholder="Enter college name" name="college" required>
```



Edit with WPS Office

```

<label for="email"><b>Email</b></label>
<input type="text" placeholder="Enter Email" name="email" required>

<label for="psw"><b>Password</b></label>
<input type="password" placeholder="Enter Password" name="psw" required>

<label for="interest"><b>Select your field of interest</b></label><br>
<select id="interest" name="interest">
    <option value="dance">Dance</option>
    <option value="singing">Singing</option>
    <option value="literature">Literature</option>
    <option value="photography">Photography</option>
    <option value="fashion">Fashion</option>
    <option value="theatre">Theatre</option>
    <option value="other">other</option>
</select>

<div class="clearfix">
    <!--<button type="button" class="cancelbtn">Cancel</button>-->
    <button type="submit" class="signupbtn">Sign Up</button>
</div>
</div>
</form>

</body>
</html>

```

### 3)AFTER SIGNUP

```
<?php
```



Edit with WPS Office

```
session_start();

?>

<!DOCTYPE html>

<html>
<head>

<meta name="viewport" content="width=device-width, initial-scale=1">

<style>

.bg-img {
    /* The image used */
    background-image: url("mainbackground.png");
    margin-top: 0px;
    min-height: 700px;
}

.container{
    max-width:500px;
    background-color: white;
    //margin-left: 400px;
    margin: auto;
    padding: 50px;
    border: 3px solid #73AD21;
}

.topinfo {
    background-size: cover;
    background: #581845;
}

</style>
</head>
```



```
<body>

<div class="topinfo">
<font size="35" color="white">CAP</font><br><br>
<font size="3" color="white" >EVENTS AT A GLANCE</font>
</div><br>
<?php
$host="localhost";
$user="root";
$pass="";
$dbname="seoproject";

$name=$_POST['name'];
$college=$_POST['college'];
$email=$_POST['email'];
$psw=$_POST['psw'];
$interest=$_POST['interest'];
if(!filter_var($email,FILTER_VALIDATE_EMAIL))
{
?>
<div class="bg-img">
<div class="container">
<font size="20" color="black" >YOUR EMAIL IS <b>NOT</b> VALID TRY AGAIN : <a href="signup.html">Try again</a></font>
</div>
</div>
<?php
```



```

}

else

{

$conn=mysqli_connect($host,$user,$pass);

$conn1=mysqli_connect($host,$user,$pass,$dbname);

$sql="INSERT INTO signupfile( name, college, email, password, interest)

VALUES ('$name', '$college', '$email', '$psw', '$interest') ";

if(mysqli_query($conn1,$sql))

{

?>

<div class="bg-img">

<div class="container">

<font size="20" color="black" >YOU HAVE REGISTERED SUCCESSFULLY!!</font>

<a href="main.php">GOTO LOGIN</a>

</div>

</div>

<?php

}

else

echo "There was some error in your registration".mysqli_error($conn1);

$sql1="INSERT INTO users( email,name,password)

VALUES ('$email','$name','$psw') ";

if(!mysqli_query($conn1,$sql1))

echo "There was some error in your registration".mysqli_error($conn1);

}

?>

```



```
</body>
```

```
</html>
```

## **4) DEMO.PHP-HOME PAGE**

```
<?php  
session_start();  
?>
```

```
<!DOCTYPE html>  
<html>  
<head>  
<meta name="viewport" content="width=device-width, initial-scale=1">  
<META HTTP-EQUIV="CACHE-CONTROL" CONTENT="NO-CACHE">  
<style>  
body {font-family: Arial;  
background: #581845}  
.button  
{  
background-color: white;  
border:4px solid #555555;  
color:black;  
width:300px;  
height:300px;  
padding:20px 35px;  
text-align: left;  
font-size:30px;  
cursor:pointer;
```



Edit with WPS Office

```
}

.button:hover

{

background-colour: blue;

}

/* Style the tab */

.tab {

overflow: hidden;

border: 1px solid #ccc;

background-color: #f1f1f1;

}

/* Style the buttons inside the tab */

.tab button {

background-color: inherit;

float: left;

border: none;

outline: none;

cursor: pointer;

padding: 14px 16px;

transition: 0.3s;

font-size: 17px;

}

/* Change background color of buttons on hover */

.tab button:hover {

background-color: #ddd;
```



```
}
```

```
/* Create an active/current tablink class */
```

```
.tab button.active {
```

```
background-color: #ccc;
```

```
}
```

```
/* Style the tab content */
```

```
.tabcontent {
```

```
display: none;
```

```
padding: 6px 12px;
```

```
border: 1px solid #ccc;
```

```
border-top: none;
```

```
}
```

```
input[type="submit"]
```

```
{
```

```
width:170px;
```

```
height:40px;
```

```
border: none;
```

```
text-align: left;
```

```
font-size: 18px;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<?php
```



Edit with WPS Office

```
if(isset($_SESSION["user"]))
{
?>

<font size="10" color= white align="center">CAP</font><br>

<font size="3" color="white" >EVENTS AT A GLANCE--Hello!!! <?php echo $_SESSION["user"];
?></font>

<div class="tab">
<form method="post">

<input type="submit" name="logout" value="Logout" />
</form>
</div><br><br>
<?php
if(isset($_POST['logout']))
{
header("Location: logout.php");
}
?>
```



Edit with WPS Office

```
<script>

/*function logoutpageredirect()
{
var r = confirm("Do you really want to logout?");
if(r== true)
location.replace("main.php");
}*/



function sepageredirect()
{
window.location.href="sepage.html";
}

function socpageredirect()
{
window.location.href="soc.php";
}

function clubpageredirect()
{
window.location.href="club.php";
}

function initiativespageredirect()
{
window.location.href="initiative.php";
}

function departmentspageredirect()
```



```
{  
window.location.href="department.php";  
}  
  
function collegecouncilpageredirect()  
{  
window.location.href="collegecouncil.php";  
}  
  
</script>  
  
<button class="button" value="rabbit" onclick="socpageredirect()">SOCIETIES  
<image src="societylogo.png"  
height="200"  
width="200"/>  
</button>  
  
<button class="button" value="rabbit" onclick="clubpageredirect()">CLUBS  
<image src="clublogo.png"  
height="200"  
width="200"/></button>  
  
<button class="button" value="rabbit" onclick="initiativespageredirect()">INITIATIVES  
<image src="initiativelogo.png"  
height="200"  
width="200"/></button>  
  
<button class="button" value="rabbit" onclick="departmentspageredirect()">DEPARTMENTS  
<image src="deptlogo.png"  
height="200"  
width="200"/></button>
```



```
<button class="button" value="rabbit" onclick="collegecouncilpageredirect()">COLLEGE  
COUNCIL  
  
<image src="collegecouncilimage.png"  
height="200"  
width="200"/></button>  
  
  
<?php  
}  
  
else echo "<p style='color:white;'>You are not logged in. Please login first</p>";  
?  
</body>  
</html>
```

## 5)SOC.PHP-SOCIETY PAGE

```
<?php  
session_start();  
?  
  
<!DOCTYPE html>  
<html>  
<head>  
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-  
awesome/4.7.0/css/font-awesome.min.css">  
  
<style>  
body {font-family: Arial;  
background: #581845}
```



```
.button  
{  
background-color: white;  
border:4px solid #555555;;  
color:black;  
width:300px;  
height:300px;  
padding:20px 30px;  
text-align:left;  
font-size:20px;  
cursor:pointer;  
}  
.button:hover  
{  
background-colour: blue;  
}  
/* Style the tab */  
.tab {  
overflow: hidden;  
border: 1px solid #ccc;  
background-color: #f1f1f1;  
}  
/* Style the buttons inside the tab */  
.tab button {  
background-color: inherit;  
float: left;  
border: none;  
outline: none;
```



```
cursor: pointer;  
padding: 14px 16px;  
transition: 0.3s;  
font-size: 17px;  
}  
  
/* Change background color of buttons on hover */  
.tab button:hover {  
background-color: #ddd;  
}  
  
/* Create an active/current tablink class */  
.tab button.active {  
background-color: #ccc;  
}  
/* Style the tab content */  
.tabcontent {  
display: none;  
padding: 6px 12px;  
border: 1px solid #ccc;  
border-top: none;  
}  
  
</style>  
</head>  
<body>  
<?php  
if(isset($_SESSION["user"]))
```





```
}

function glamfirepageredirect()
{
    window.location.href="glamfirepage.php";
}

function shuffleshotspageredirect()
{
    window.location.href="shuffleshotspage.php";
}

function mukhautapageredirect()
{
    window.location.href="mukhautapage.php";
}

function inklingspageredirect()
{
    window.location.href="inklingspage.php";
}

function philyrapageredirect()
{
    window.location.href="philyrapage.php";
}

function sepageredirect()
{
    window.location.href="sepage.html";
}

</script>
```



```
<button class="button" onclick="ahraaryapageredirect()" >AHAARYA  
<image src="ahaaryaimage.png"  
height="200"  
width="200"/></button>  
  
<button class="button" onclick="philyrapageredirect()" >PHILYRA  
<image src="philyraimage.png"  
height="200"  
width="200"/></button>  
  
<button class="button" onclick="elvirapageredirect()" >ELVIRA  
<image src="elviraimage.png"  
height="200"  
width="200"/></button>  
  
<button class="button" onclick="mukhautapageredirect()" >MUKHAUTA  
<image src="mukhautaimage.png"  
height="200"  
width="200"/></button>  
  
<button class="button" onclick="glamfirepageredirect()" >GLAMFIRE  
<image src="glamfireimage.png"  
height="200"  
width="200"/></button>  
  
<button class="button" onclick="inklingspageredirect()" >INKLINGS  
<image src="inklingsimage.png"  
height="200"  
width="200"/></button>  
  
<button class="button" onclick="shuffleshotspageredirect()" >SHUFFLESHOTS  
<image src="shuffleshotsimage.png"  
height="200"  
width="200"/></button>
```



```
<?php  
}  
  
else  
  
header("Location: main.php");  
  
?>  
  
</body>  
</html>
```

## 6)AHAARYAUPDATES.PHP

```
<?php  
session_start();  
?  
<!DOCTYPE html>  
<html>  
<head>  
<meta name="viewport" content="width=device-width, initial-scale=1">  
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">  
<style>
```

```
.display{  
background-color: white;  
border: 15px solid black;  
padding: 10px;  
overflow: scroll;  
margin: 20 px;
```



Edit with WPS Office

```
}
```

```
.topinfo {
```

```
background-size: cover;
```

```
background: #581845;
```

```
width: 100%;
```

```
}
```

```
.bg-img {
```

```
/* The image used */
```

```
background-image: url("mainbackground.png");
```

```
margin-top: 0px;
```

```
min-height: 700px;
```

```
width: 100%;
```

```
}
```

```
.tab {
```

```
overflow: hidden;
```

```
width: 100%;
```

```
border: 1px solid #ccc;
```

```
background-color: #f1f1f1;
```

```
}
```

```
/* Style the buttons inside the tab */
```

```
.tab button {
```

```
background-color: inherit;
```

```
float: left;
```

```
border: none;
```



Edit with WPS Office

```
outline: none;  
cursor: pointer;  
padding: 14px 16px;  
transition: 0.3s;  
font-size: 17px;  
}  
  
/* Change background color of buttons on hover */  
.tab button:hover {  
background-color: #ddd;  
}  
  
/* Create an active/current tablink class */  
.tab button.active {  
background-color: #ccc;  
}  
  
/* Style the tab content */  
.tabcontent {  
display: none;  
padding: 6px 10px;  
border: 1px solid #ccc;  
border-top: none;  
}  
  
input[type="button"]  
{  
width:150px;  
height:40px;
```



```
border: none;  
text-align: center;  
font-size: 18px;  
  
}  
</style>  
</head>  
<body>  
<?php  
if(isset($_SESSION["user"]))  
{  
?>  
<div class="topinfo">  
<font size="35" color="white" align="centre">CAP</font><br><br>  
<font size="3" color="white" >EVENTS AT A GLANCE–Hello!!! <?php echo $_SESSION["user"];  
$_SESSION["groupstype"]="ahaarya"; ?></font><br><br>  
</div>  
  
<div class="tab">  
<form name="form1" action="ahaaryacomment.php" method="post">  
<input type="button" style="float:right" onclick="commentpageredirect()"  
name="ahaaryacomment" value="Comment">  
<i class="fa fa-home" style="font-size:24px" onclick="gohome()"></i>  
  
</div><br><br>  
<div class="bg-img">
```



```

<?php

//getting data from database and displaying it on page

$r=5;

$host="localhost";

$user="root";

$pass="";

$groupypename="ahaarya";

$conn=mysqli_connect($host, $user, $pass);

mysqli_select_db($conn,"seoproject");

$result=mysqli_query($conn,"select * from eventdetails where groupype='".$groupypename'");

if(mysqli_num_rows($result)>0)

{

while($row=mysqli_fetch_assoc($result))

{

$eno=$row["eventno"];

$n=$row["textdetails"];

$date=$row["date"];

$image=$row["image"];

$imimage='uploads/'.$image;

?>

<div class="display">

<?php

echo"DATE OF UPLOAD\t\t :".$date."<br><br>";

echo"EVENT NO. IS: $eno.<br><br>";

echo "EVENT DETAIL IS: $n.<br><br>";

if($image!='no image')

{

```



```
?>

<img src=<?php echo $imimage; ?>" alt="No image" style='height: 300px ; width: 300px;" />

<?php

}

?>

</div><br><br><br>

<?php

}

}

?>

</div>

<script>

function commentpageredirect()

{

form1.submit()

}

function gohome()

{

location.replace("demo.php");

}

</script>

<?php

}
```



```
else
header("Location: main.php");
?>
</body>
</html>
```

## 7)PHILYRAUPDATES.PHP

```
<?php
session_start();
?>
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-
scale=1">
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<style>
.display{
background-color: white;
border: 15px solid black;
padding: 10px;
overflow: scroll;
```



```
margin: 20px;  
}  
  
.topinfo {  
background-size: cover;  
background: #581845;  
}  
  
  
.bg-img {  
/* The image used */  
background-image: url("mainbackground.png");  
margin-top: 0px;  
min-height: 700px;  
}  
  
  
  
  
.tab {  
overflow: hidden;  
border: 1px solid #ccc;  
background-color: #f1f1f1;  
}  
  
  
  
  
/* Style the buttons inside the tab */
```



```
.tab button {  
background-color: inherit;  
float: left;  
border: none;  
outline: none;  
cursor: pointer;  
padding: 14px 16px;  
transition: 0.3s;  
font-size: 17px;  
}  
  
/* Change background color of buttons on hover */  
.tab button:hover {  
background-color: #ddd;  
}  
  
/* Create an active/current tablink class */  
.tab button.active {  
background-color: #ccc;  
}  
  
/* Style the tab content */
```



```
.tabcontent {  
    display: none;  
    padding: 6px 10px;  
    border: 1px solid #ccc;  
    border-top: none;  
}  
  
input[type="button"]  
{  
    width:150px;  
    height:40px;  
    border: none;  
    text-align: center;  
    font-size: 18px;  
  
}  
</style>  
</head>  
<body>  
<?php  
if(isset($_SESSION["user"]))  
{  
?>
```



```
<div class="topinfo">  
<font size="35" color="white"  
align="centre">CAP</font><br><br>  
<font size="3" color="white" >EVENTS AT A GLANCE--Hello!!!  
<?php echo $_SESSION["user"];  
$_SESSION["grouptype"]="ahaarya"; ?></font><br><br>  
</div>
```

```
<div class="tab">  
<form name="form1" action="philyracomment.php"  
method="post">  
<input type="button" style="float:right"  
onclick="commentpageredirect()" name="philyracomment"  
value="Comment">  
<i class="fa fa-home" style="font-size:24px"  
onclick="gohome()"></i>  
  
</div><br><br>
```

```
<div class="bg-img">  
<?php  
//getting data from database and displaying it on page  
$r=5;
```



Edit with WPS Office

```
$host="localhost";
$user="root";
$pass="";
$groupypename="Philyra";
$conn=mysqli_connect($host, $user, $pass);
mysqli_select_db($conn,"seproject");
$result=mysqli_query($conn,"select * from eventdetails where
groupype='$groupypename' order by eventno desc ");
if(mysqli_num_rows($result)>0)
{
while($row=mysqli_fetch_assoc($result))
{
$eno=$row["eventno"];
$n=$row["textdetails"];
$date=$row["date"];
$image=$row["image"];
$imimage='uploads/'.$image;
?>
<div class="display">
<?php
echo"DATE OF UPLOAD\t\t :".$date."<br><br>";
echo"EVENT NO. IS: $eno.<br><br>";
```



```
echo "EVENT DETAIL IS: $n.<br><br>";
if($image!='no image')
{
?>
<img src=<?php echo $imimage; ?>" alt="No image"
height="400" width="400" />
<?php
}
?>
</div><br><br><br>
<?php
}
}

?>
</div>

<script>
function commentpageredirect()

```



```
{  
form1.submit()  
}  
  
function gohome()  
{  
location.replace("demo.php");  
}  
</script>  
<?php  
}  
  
else  
header("Location: main.php");  
?  
</body>  
</html>
```

## 8)ELVIRAUPDATES.PHP

```
<?php  
session_start();  
?>
```



Edit with WPS Office

```
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
<style>
.display{
background-color: white;
overflow: scroll;
border: 15px solid black;
margin: 20 px;
}
.topinfo {
background-size: cover;
background: #581845;
width: 100%;
}
.bg-img {
/* The image used */
background-image: url("mainbackground.png");
```



```
margin-top: 0px;  
min-height: 700px;  
width: 100%;  
}
```

```
.tab {  
    overflow: hidden;  
    border: 1px solid #ccc;  
    background-color: #f1f1f1;  
    width: 100%;  
}
```

```
/* Style the buttons inside the tab */
```

```
.tab button {  
    background-color: inherit;  
    float: left;  
    border: none;  
    outline: none;  
    cursor: pointer;  
    padding: 14px 16px;  
    transition: 0.3s;
```



```
font-size: 17px;  
}  
  
/* Change background color of buttons on hover */  
.tab button:hover {  
background-color: #ddd;  
}  
  
/* Create an active/current tablink class */  
.tab button.active {  
background-color: #ccc;  
}  
  
/* Style the tab content */  
.tabcontent {  
display: none;  
padding: 6px 10px;  
border: 1px solid #ccc;  
border-top: none;  
}  
  
input[type="button"]  
{
```



```
width:150px;  
height:40px;  
border: none;  
text-align: center;  
font-size: 18px;  
  
}  
</style>  
</head>  
<body>  
<?php  
if(isset($_SESSION["user"]))  
{  
?>  
<div class="topinfo">  
<font size="35" color="white"  
align="centre">CAP</font><br><br>  
<font size="3" color="white" >EVENTS AT A GLANCE--Hello!!!  
<?php echo $_SESSION["user"];  
$_SESSION["grouptype"]="ahaarya"; ?></font><br><br>  
</div>  
  
<div class="tab">
```



```
<form name="form1" action="elviracomment.php"
method="post">

<input type="button" style="float:right"
onclick="commentpageredirect()" name="elviracomment"
value="Comment">

<i class="fa fa-home" style="font-size:24px"
onclick="gohome()"></i>
```

```
</div><br><br>
```

```
<div class="bg-img">

<?php

//getting data from database and displaying it on page

$r=5;

$host="localhost";

$user="root";

$pass="";

$groupypename="elvira";

$conn=mysqli_connect($host, $user, $pass);

mysqli_select_db($conn,"seproject");

$result=mysqli_query($conn,"select * from eventdetails where
groupype='$groupypename' order by eventno desc ");

if(mysqli_num_rows($result)>0)
```



```
{  
while($row=mysqli_fetch_assoc($result))  
{  
$eno=$row["eventno"];  
$n=$row["textdetails"];  
$date=$row["date"];  
$image=$row["image"];  
$imimage='uploads/'.$image;  
?>  
<div class="display">  
<?php  
echo"DATE OF UPLOAD\t\t :".$date."  
<br><br>";  
echo"EVENT NO. IS: $eno.  
<br><br>";  
echo "EVENT DETAIL IS: $n.  
<br><br>";  
if($image!='no image')  
{  
?>  
  
<?php  
}  
?>
```



```
</div><br><br><br>

<?php

}

}

?

</div>

<script>

function commentpageredirect()
{
form1.submit()
}

function gohome()
{
location.replace("http://localhost:8080/se%20project/demo.php");
}

</script>
```



```
<?php  
}  
else  
header("Location: main.php");  
?  
</body>  
</html>
```

## 9)MUKHAUTAUPDATES.PHP

```
<?php  
session_start();  
?  
<!DOCTYPE html>  
<html>  
<head>  
<meta name="viewport" content="width=device-width, initial-  
scale=1">  
<link rel="stylesheet"  
href="https://cdnjs.cloudflare.com/ajax/libs/font-  
awesome/4.7.0/css/font-awesome.min.css">  
<style>
```



```
.display{  
background-color: white;  
border: 15px solid black;  
padding: 10px;  
overflow: scroll;  
margin: 20 px;  
}  
.topinfo {  
background-size: cover;  
background: #581845;  
}  
  
.bg-img {  
/* The image used */  
background-image: url("mainbackground.png");  
margin-top: 0px;  
min-height: 700px;  
}  
.tab {  
overflow: hidden;
```



```
border: 1px solid #ccc;  
background-color: #f1f1f1;  
}  
  
/* Style the buttons inside the tab */  
.tab button {  
background-color: inherit;  
float: left;  
border: none;  
outline: none;  
cursor: pointer;  
padding: 14px 16px;  
transition: 0.3s;  
font-size: 17px;  
}  
  
/* Change background color of buttons on hover */  
.tab button:hover {  
background-color: #ddd;  
}  
  
/* Create an active/current tablink class */
```



```
.tab button.active {  
background-color: #ccc;  
}  
  
/* Style the tab content */
```

```
.tabcontent {  
display: none;  
padding: 6px 10px;  
border: 1px solid #ccc;  
border-top: none;  
}  
  
input[type="button"]
```

```
{  
width:150px;  
height:40px;  
border: none;  
text-align: center;  
font-size: 18px;
```

```
}
```

```
</style>
```

```
</head>
```



```
<body>

<?php

if(isset($_SESSION["user"]))

{

?>

<div class="topinfo">

<font size="35" color="white"
align="centre">CAP</font><br><br>

<font size="3" color="white" >EVENTS AT A GLANCE--Hello!!!<br>
<?php echo $_SESSION["user"];
$_SESSION["grouptype"]="ahaarya"; ?></font><br><br>

</div>

<div class="tab">

<form name="form1" action="mukhautacomment.php"
method="post">

<input type="button" style="float:right"
onclick="commentpageredirect()" name="mukhautacomment"
value="Comment">

<i class="fa fa-home" style="font-size:24px"
onclick="gohome()"></i>

</div><br><br>
```



```
<div class="bg-img">  
<?php  
//getting data from database and displaying it on page  
$r=5;  
$host="localhost";  
$user="root";  
$pass="";  
$grouptypename="Mukhauta";  
$conn=mysqli_connect($host, $user, $pass);  
mysqli_select_db($conn,"seproject");  
$result=mysqli_query($conn,"select * from eventdetails where  
grouptype='$grouptypename' order by eventno desc ");  
if(mysqli_num_rows($result)>0)  
{  
while($row=mysqli_fetch_assoc($result))  
{  
$eno=$row["eventno"];  
$n=$row["textdetails"];  
$date=$row["date"];  
$image=$row["image"];  
$imimage='uploads/'.$image;
```



```
?>

<div class="display">

<?php

echo"DATE OF UPLOAD\t\t :".$date."<br><br>";

echo"EVENT NO. IS: $eno.<br><br>";

echo "EVENT DETAIL IS: $n.<br><br>";

if($image!='no image')

{

?>



<?php

}

?>

</div><br><br><br>

<?php

}

}
```



```
?>

</div>

<script>
function commentpageredirect()
{
form1.submit()
}

function gohome()
{
location.replace("demo.php");
}

</script>
<?php
}
else
header("Location: main.php");
?>
</body>
</html>
```



## 10)GLAMFIREUPDATES.PHP

```
<?php
session_start();
?>
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-
scale=1">
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<style>
.display{
background-color: white;
border: 1px solid black;
padding: 10px;
overflow: scroll;
margin: 20px;
}
.topinfo {
background-size: cover;
```



```
background: #581845;  
}  
  
.bg-img {  
    /* The image used */  
    background-image: url("mainbackground.png");  
    margin-top: 0px;  
    min-height: 700px;  
}  
  
.tab {  
    overflow: hidden;  
    border: 1px solid #ccc;  
    background-color: #f1f1f1;  
}  
  
/* Style the buttons inside the tab */  
.tab button {  
    background-color: inherit;  
    float: left;  
    border: none;
```



```
outline: none;  
cursor: pointer;  
padding: 14px 16px;  
transition: 0.3s;  
font-size: 17px;  
}  
  
/* Change background color of buttons on hover */
```

```
.tab button:hover {  
background-color: #ddd;  
}
```

```
/* Create an active/current tablink class */  
.tab button.active {  
background-color: #ccc;  
}
```

```
/* Style the tab content */  
.tabcontent {  
display: none;  
padding: 6px 10px;  
border: 1px solid #ccc;
```



```
border-top: none;  
}  
  
input[type="button"]  
{  
width:150px;  
height:40px;  
border: none;  
text-align: center;  
font-size: 18px;  
  
}  
</style>  
</head>  
<body>  
<?php  
if(isset($_SESSION["user"]))  
{  
?>  
<div class="topinfo">  
<font size="35" color="white"  
align="centre">CAP</font><br><br>  
<font size="3" color="white" >EVENTS AT A GLANCE--Hello!!!  
<?php echo $_SESSION["user"];
```



```
$_SESSION["groupstype"]="ahaarya"; ?></font><br><br>
</div>

<div class="tab">
<form name="form1" action="glamfirecomment.php"
method="post">
<input type="button" style="float:right"
onclick="commentpageredirect()" name="glamfirecomment"
value="Comment">
<i class="fa fa-home" style="font-size:24px"
onclick="gohome()"></i>
</div><br><br>

<div class="bg-img">
<?php
//getting data from database and displaying it on page
$r=5;
$host="localhost";
$user="root";
$pass="";
$groupypename="glamfire";
```



```
$conn=mysqli_connect($host, $user, $pass);
mysqli_select_db($conn,"seoproject");

$result=mysqli_query($conn,"select * from eventdetails where
groupotype='{$groupotypename}' order by eventno desc ");

if(mysqli_num_rows($result)>0)

{
while($row=mysqli_fetch_assoc($result))

{
$eno=$row["eventno"];
$n=$row["textdetails"];
$date=$row["date"];
$image=$row["image"];
$imimage='uploads/'.$image;

?>

<div class="display">
<?php
echo"DATE OF UPLOAD\t\t :".$date."<br><br>";
echo"EVENT NO. IS: $eno.<br><br>";
echo "EVENT DETAIL IS: $n.<br><br>";
if($image!='no image')
{
?>
```



```
<img src=<?php echo $imimage; ?>" alt="No image"
height="400" width="400" />

<?php

}

?>

</div><br><br><br>

<?php

}

}

?>

</div>
```

```
<script>

function commentpageredirect()
{
    form1.submit()
}

function gohome()
```



```
{  
location.replace("demo.php");  
}  
</script>  
<?php  
}  
else  
header("Location: main.php");  
?  
</body>  
</html>
```

## 11)INKLINGSUPDATES.PHP

```
<?php  
session_start();  
?  
<!DOCTYPE html>  
<html>  
<head>  
<meta name="viewport" content="width=device-width, initial-
```



Edit with WPS Office

```
scale=1">

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">

<style>

.display{

background-color: white;
border: 15px solid black;
padding: 10px;
overflow: scroll;
margin: 20 px;
}

.topinfo {

background-size: cover;
background: #581845;
}

.bg-img {

/* The image used */
background-image: url("mainbackground.png");
margin-top: 0px;
min-height: 700px;
}
```



```
.tab {  
    overflow: hidden;  
    border: 1px solid #ccc;  
    background-color: #f1f1f1;  
}  
  
/* Style the buttons inside the tab */  
.tab button {  
    background-color: inherit;  
    float: left;  
    border: none;  
    outline: none;  
    cursor: pointer;  
    padding: 14px 16px;  
    transition: 0.3s;  
    font-size: 17px;  
}  
  
/* Change background color of buttons on hover */  
.tab button:hover {
```



```
background-color: #ddd;  
}  
  
/* Create an active/current tablink class */  
.tab button.active {  
background-color: #ccc;  
}  
  
/* Style the tab content */  
.tabcontent {  
display: none;  
padding: 6px 10px;  
border: 1px solid #ccc;  
border-top: none;  
}  
input[type="button"]  
{  
width:150px;  
height:40px;  
border: none;  
text-align: center;  
font-size: 18px;
```



```
}

</style>

</head>

<body>

<?php

if(isset($_SESSION["user"]))

{

?>

<div class="topinfo">

<font size="35" color="white"
align="centre">CAP</font><br><br>

<font size="3" color="white" >EVENTS AT A GLANCE--Hello!!!
<?php echo $_SESSION["user"];

$_SESSION["groupstype"]="ahaarya"; ?></font><br><br>

</div>

<div class="tab">

<form name="form1" action="inklingscomment.php"
method="post">

<input type="button" style="float:right"
onclick="commentpageredirect()" name="inklingscomment"
value="Comment">

<i class="fa fa-home" style="font-size:24px"
```



```
onclick="gohome()"></i>
```

```
</div><br><br>
```

```
<div class="bg-img">  
<?php  
//getting data from database and displaying it on page  
$r=5;  
$host="localhost";  
$user="root";  
$pass="";  
$groupypename="Inklings";  
$conn=mysqli_connect($host, $user, $pass);  
mysqli_select_db($conn,"seproject");  
$result=mysqli_query($conn,"select * from eventdetails where  
groupype='$groupypename' order by eventno desc ");  
if(mysqli_num_rows($result)>0)  
{  
while($row=mysqli_fetch_assoc($result))  
{  
$eno=$row["eventno"];
```



```
$n=$row["textdetails"];
$date=$row["date"];
$image=$row["image"];
$imimage='uploads/'.$image;
?>
<div class="display">
<?php
echo"DATE OF UPLOAD\t\t :".$date."<br><br>";
echo"EVENT NO. IS: $eno.<br><br>";
echo "EVENT DETAIL IS: $n.<br><br>";
if($image!='no image')
{
?>

<?php
}
?>
</div><br><br><br>
<?php
}
}
```



```
}

?>

</div>

<script>

function commentpageredirect()
{
    form1.submit()
}

function gohome()
{
    location.replace("demo.php");
}

</script>

<?php

}

else

header("Location: main.php");

?>

</body>
```



```
</html>
```

## 12)SHUFFLESHOTSUPDATES.PHP

```
<?php
session_start();
?>
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-
scale=1">
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<style>
.display{
background-color: white;
border: 15px solid black;
padding: 10px;
overflow: scroll;
margin: 20 px;
```



Edit with WPS Office

```
}

.topinfo {
background-size: cover;
background: #581845;
}

.bg-img {
/* The image used */
background-image: url("mainbackground.png");
margin-top: 0px;
min-height: 700px;
}

.tab {
overflow: hidden;
border: 1px solid #ccc;
background-color: #f1f1f1;
}

/* Style the buttons inside the tab */

.tab button {
```



```
background-color: inherit;  
float: left;  
border: none;  
outline: none;  
cursor: pointer;  
padding: 14px 16px;  
transition: 0.3s;  
font-size: 17px;  
}  
  
/* Change background color of buttons on hover */
```

```
.tab button:hover {  
background-color: #ddd;  
}
```

```
/* Create an active/current tablink class */  
.tab button.active {  
background-color: #ccc;  
}
```

```
/* Style the tab content */  
.tabcontent {
```



```
display: none;  
padding: 6px 10px;  
border: 1px solid #ccc;  
border-top: none;  
}  
  
input[type="button"]  
{  
width:150px;  
height:40px;  
border: none;  
text-align: center;  
font-size: 18px;  
  
}  
</style>  
</head>  
<body>  
<?php  
if(isset($_SESSION["user"]))  
{  
?>  
<div class="topinfo">
```



```
<font size="35" color="white"  
align="centre">CAP</font><br><br>  
<font size="3" color="white" >EVENTS AT A GLANCE--Hello!!!  
<?php echo $_SESSION["user"];  
$_SESSION["grouptype"]="ahaarya"; ?></font><br><br>  
</div>
```

```
<div class="tab">  
  
<form name="form1" action="shuffleshotscomment.php"  
method="post">  
  
<input type="button" style="float:right"  
onclick="commentpageredirect()"  
name="shuffleshotscomment" value="Comment">  
  
<i class="fa fa-home" style="font-size:24px"  
onclick="gohome()"></i>  
  
</div><br><br>
```

```
<div class="bg-img">  
  
<?php  
  
//getting data from database and displaying it on page  
  
$r=5;  
  
$host="localhost";
```



```
$user="root";
$pass="";
$groupypename="Shuffleshots";
$conn=mysqli_connect($host, $user, $pass);
mysqli_select_db($conn,"seproject");
$result=mysqli_query($conn,"select * from eventdetails where
groupype='$groupypename' order by eventno desc ");
if(mysqli_num_rows($result)>0)
{
while($row=mysqli_fetch_assoc($result))
{
$eno=$row["eventno"];
$n=$row["textdetails"];
$date=$row["date"];
$image=$row["image"];
$imimage='uploads/'.$image;
?>
<div class="display">
<?php
echo"DATE OF UPLOAD\t\t :".$date."<br><br>";
echo"EVENT NO. IS: $eno.<br><br>";
echo "EVENT DETAIL IS: $n.<br><br>";

```



```
if($image!='no image')
{
?>

<img src=<?php echo $imimage; ?>" alt="No image"
height="400" width="400" />

<?php
}

?>

</div><br><br><br>

<?php

}

}

?>

</div>

<script>
function commentpageredirect()
{

```



```
form1.submit()  
}  
  
function gohome()  
{  
location.replace("demo.php");  
}  
  
</script>  
  
<?php  
}  
  
else  
  
header("Location: main.php");  
?  
  
</body>  
  
</html>
```

### 13) AHAARYA COMMENTS.PHP

```
<?php  
session_start();  
?  
<!DOCTYPE html>  
<html>
```



Edit with WPS Office

```
<head>

<meta name="viewport" content="width=device-width, initial-
scale=1">

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">

<style>

.display{

overflow: scroll;
background-color: white;
width: 100%;
border: 3px solid #ddd;

margin: 20 px;

}

.topinfo {

background-size: cover;
background: #581845;

}

.tab {

overflow: hidden;
border: 1px solid #ccc;
background-color: #f1f1f1;
```



```
}
```

```
/* Style the buttons inside the tab */
```

```
.tab button {  
background-color: inherit;  
float: left;  
border: none;  
outline: none;  
cursor: pointer;  
padding: 14px 16px;  
transition: 0.3s;  
font-size: 17px;  
}
```

```
/* Change background color of buttons on hover */
```

```
.tab button:hover {  
background-color: #ddd;  
}
```

```
/* Create an active/current tablink class */
```

```
.tab button.active {  
background-color: #ccc;
```



Edit with WPS Office

```
}
```

```
/* Style the tab content */
```

```
.tabcontent {
```

```
    display: none;
```

```
    padding: 6px 10px;
```

```
    border: 1px solid #ccc;
```

```
    border-top: none;
```

```
}
```

```
input[type=text]
```

```
{
```

```
    width:100%;
```

```
    box-sizing: border-box;
```

```
    border: 2px solid #ccc;
```

```
    border-radius: 4px;
```

```
    font-size: 16px;
```

```
    background-color: white;
```

```
    background-position: 10px 10px;
```

```
    background-repeat: no-repeat;
```

```
    padding: 12px 20px 12px 40px;
```

```
}
```

```
</style>
```



Edit with WPS Office

```
</head>

<body>

<?php

if(isset($_SESSION["user"]))

{

?>

<div class="topinfo">

<font size="35" color="white"
align="centre">CAP</font><br><br>

<font size="3" color="white" >EVENTS AT A GLANCE--Hello!!!<br>
<?php echo $_SESSION["user"]; ?></font><br><br>

</div>

<div class="tab">

<i class="fa fa-home" style="font-size:24px"
onclick="gohome()"></i>

</div><br><br>

<form method="post">

<input type="text" name="comment"
placeholder="Comment..and enter">

</form>

<br>
```



```
<script>
function gohome()
{
location.replace("demo.php");
}
</script>
</body>
</html>
<?php
$host="localhost";
$user="root";
$pass="";
$dbname="seoproject";
$conn1=mysqli_connect($host,$user,$pass,$dbname);
$grouptype="ahaarya";
if(isset($_POST["comment"]))
{
$usercomment=$_POST["comment"];
$useris=$_SESSION["user"];
$sql2="INSERT INTO comment (name, comm, grouptype)
VALUES ('$useris', '$usercomment','$grouptype')";
if(!mysqli_query($conn1,$sql2))
```



```
echo "  row insertion failed".mysqli_error($conn1);

}

$result=mysqli_query($conn1,"select * from comment where
groupType='{$groupType}' order by cno desc ");

if(mysqli_num_rows($result)>0)

while($row=mysqli_fetch_assoc($result))

{

$name=$row["name"];

$comm=$row["comm"];

?>

<div class="display">

<?php

echo"$name.<br>";

echo"$comm.<br><br>";

?>

</div><br>

<?php

}

?>

<script>

if(window.history.replaceState)

{
```



```
window.history.replaceState(null,null,window.location.href);  
}  
</script>
```

```
<?php  
}  
else  
header("Location: main.php");  
?>
```

## 14)PHILYRA COMMENTS.PHP

```
<?php  
session_start();  
?>  
<!DOCTYPE html>  
<html>  
<head>  
<meta name="viewport" content="width=device-width, initial-  
scale=1">  
<link rel="stylesheet"  
href="https://cdnjs.cloudflare.com/ajax/libs/font-
```



```
awesome/4.7.0/css/font-awesome.min.css">
```

```
<style>
```

```
.display{  
    overflow: scroll;  
    width: 100%;  
    background-color: white;  
    border: 3px solid #ddd;  
    margin: 20 px;  
}
```

```
.topinfo {  
    background-size: cover;  
    background: #581845;  
}
```

```
.tab {  
    overflow: hidden;  
    border: 1px solid #ccc;  
    background-color: #f1f1f1;  
}
```

```
/* Create an active/current tablink class */
```

```
.tab button.active {
```



Edit with WPS Office

```
background-color: #ccc;  
}  
  
/* Style the tab content */  
.tabcontent {  
display: none;  
padding: 6px 10px;  
border: 1px solid #ccc;  
border-top: none;  
}  
  
input[type=text]  
{  
width:100%;  
box-sizing: border-box;  
border: 2px solid #ccc;  
border-radius: 4px;  

```



```
</style>

</head>

<body>

<?php

if(isset($_SESSION["user"]))

{

?>

<div class="topinfo">

<font size="35" color="white"
align="centre">CAP</font><br><br>

<font size="3" color="white" >EVENTS AT A GLANCE--Hello!!!

<?php echo $_SESSION["user"]; ?></font><br><br>

</div>
```

```
<div class="tab">

<i class="fa fa-home" style="font-size:24px"
onclick="gohome()"></i>

</div><br><br>

<form method="post">

<input type="text" name="comment"
placeholder="Comment..and enter">

</form>

<br>
```



```
<script>
function gohome()
{
location.replace("demo.php");
}
</script>
</body>
</html>
<?php
$host="localhost";
$user="root";
$pass="";
$dbname="seoproject";
$conn1=mysqli_connect($host,$user,$pass,$dbname);
$grouptype="Philyra";
if(isset($_POST["comment"]))
{
$usercomment=$_POST["comment"];
$useris=$_SESSION["user"];
$sql2="INSERT INTO comment (name, comm, grouptype)
VALUES ('$useris', '$usercomment','$grouptype')";
```



```
if(!mysqli_query($conn1,$sql2))
echo "  row insertion failed".mysqli_error($conn1);

}

$result=mysqli_query($conn1,"select * from comment where
groupType='{$groupType}' order by cno desc ");

if(mysqli_num_rows($result)>0)
while($row=mysqli_fetch_assoc($result))

{
$name=$row["name"];
$comm=$row["comm"];
?>

<div class="display">
<?php
echo"$name.<br>";
echo"$comm.<br><br>";
?>
</div><br>
<?php
}
?>
<script>
if(window.history.replaceState)
```



```
{  
window.history.replaceState(null,null,window.location.href);  
}  
</script>
```

```
<?php  
}  
else  
header("Location: main.php");  
?>
```

## 15) ELVIRACOMMENTS.PHP

```
<?php  
session_start();  
?  
<!DOCTYPE html>  
<html>  
<head>  
<meta name="viewport" content="width=device-width, initial-  
scale=1">
```



```
<link rel="stylesheet"
      href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">

<style>

.display{
    overflow: scroll;
    width: 100%;
    background-color: white;
    border: 3px solid #ddd;
    margin: 20 px;
}

.topinfo {
    background-size: cover;
    background: #581845;
}

.tab {
    overflow: hidden;
    border: 1px solid #ccc;
    background-color: #f1f1f1;
}

/* Create an active/current tablink class */
```



```
.tab button.active {  
    background-color: #ccc;  
}  
  
/* Style the tab content */  
.tabcontent {  
    display: none;  
    padding: 6px 10px;  
    border: 1px solid #ccc;  
    border-top: none;  
}  
  
input[type=text]  
{  
    width:100%;  
    box-sizing: border-box;  
    border: 2px solid #ccc;  
    border-radius: 4px;  
    font-size: 16px;  
    background-color: white;  
    background-position: 10px 10px;  
    background-repeat: no-repeat;  
    padding: 12px 20px 12px 40px;
```



```
}

</style>

</head>

<body>

<?php

if(isset($_SESSION["user"]))

{

?>

<div class="topinfo">

<font size="35" color="white"
align="centre">CAP</font><br><br>

<font size="3" color="white" >EVENTS AT A GLANCE--Hello!!!
<?php echo $_SESSION["user"]; ?></font><br><br>

</div>

<div class="tab">

<i class="fa fa-home" style="font-size:24px"
onclick="gohome()"></i>

</div><br><br>

<form method="post">

<input type="text" name="comment"
placeholder="Comment..and enter">

</form>
```



```
<br>

<script>
function gohome()
{
location.replace("http://localhost:8080/se%20project/demo.php");
}
</script>
</body>
</html>
<?php
$host="localhost";
$user="root";
$pass="";
$dbname="seproject";
$conn1=mysqli_connect($host,$user,$pass,$dbname);
$groupstype="elvira";
if(isset($_POST["comment"]))
{
$usercomment=$_POST["comment"];
$useris=$_SESSION["user"];
```



```
$sql2="INSERT INTO comment (name, comm, grouptype)
VALUES ( '$useris', '$usercomment','$grouptype')";
if(!mysqli_query($conn1,$sql2))
echo "  row insertion failed".mysqli_error($conn1);
}

$result=mysqli_query($conn1,"select * from comment where
grouptype='$grouptype' order by cno desc ");
if(mysqli_num_rows($result)>0)
while($row=mysqli_fetch_assoc($result))
{
$name=$row["name"];
$comm=$row["comm"];
?>
<div class="display">
<?php
echo"$name.<br>";
echo"$comm.<br><br>";
?>
</div><br>
<?php
}
?>
```



```
<script>  
if(window.history.replaceState)  
{  
    window.history.replaceState(null,null,window.location.href);  
}  
</script>
```

```
<?php  
}  
else  
header("Location: main.php");  
?>
```

## 16) MUKHAUTACOMMENTS.PHP

```
<?php  
session_start();  
?  
<!DOCTYPE html>  
<html>  
<head>  
<meta name="viewport" content="width=device-width, initial-
```



```
scale=1">

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">

<style>

.display{

overflow: scroll;

width: 100%;

background-color: white;

border: 3px solid #ddd;

margin: 20 px;

}

.topinfo {

background-size: cover;

background: #581845;

}

.tab {

overflow: hidden;

border: 1px solid #ccc;

background-color: #f1f1f1;

}
```



```
/* Create an active/current tablink class */  
.tab button.active {  
background-color: #ccc;  
}  
  
/* Style the tab content */
```

```
.tabcontent {  
display: none;  
padding: 6px 10px;  
border: 1px solid #ccc;  
border-top: none;  
}  
  
input[type=text]
```

```
{  
width:100%;  
box-sizing: border-box;  
border: 2px solid #ccc;  
border-radius: 4px;  
font-size: 16px;  
background-color: white;  
background-position: 10px 10px;  
background-repeat: no-repeat;
```



```
padding: 12px 20px 12px 40px;  
}  
</style>  
</head>  
<body>  
<?php  
if(isset($_SESSION["user"]))  
{  
?>  
<div class="topinfo">  
<font size="35" color="white"  
align="centre">CAP</font><br><br>  
<font size="3" color="white" >EVENTS AT A GLANCE--Hello!!!  
<?php echo $_SESSION["user"]; ?></font><br><br>  
</div>  
  
<div class="tab">  
<i class="fa fa-home" style="font-size:24px"  
onclick="gohome()"></i>  
</div><br><br>  
<form method="post">  
    <input type="text" name="comment"  
placeholder="Comment..and enter">
```



```
</form>

<br>

<script>
function gohome()
{
location.replace("demo.php");
}
</script>
</body>
</html>
<?php
$host="localhost";
$user="root";
$pass="";
$dbname="seoproject";
$conn1=mysqli_connect($host,$user,$pass,$dbname);
$grouptype="Mukhauta";
if(isset($_POST["comment"]))
{
$usercomment=$_POST["comment"];
$useris=$_SESSION["user"];
```



```
$sql2="INSERT INTO comment (name, comm, grouptype)
VALUES ( '$useris', '$usercomment','$grouptype')";
if(!mysqli_query($conn1,$sql2))
echo "  row insertion failed".mysqli_error($conn1);
}

$result=mysqli_query($conn1,"select * from comment where
grouptype='$grouptype' order by cno desc ");
if(mysqli_num_rows($result)>0)
while($row=mysqli_fetch_assoc($result))
{
$name=$row["name"];
$comm=$row["comm"];
?>
<div class="display">
<?php
echo"$name.<br>";
echo"$comm.<br><br>";
?>
</div><br>
<?php
}
?>
```



```
<script>  
if(window.history.replaceState)  
{  
    window.history.replaceState(null,null,window.location.href);  
}  
</script>
```

```
<?php  
}  
else  
header("Location: main.php");  
?>
```

## 17) GLAMFIRECOMMENTS.PHP

```
<?php  
session_start();  
?  
<!DOCTYPE html>  
<html>  
<head>
```



Edit with WPS Office

```
<meta name="viewport" content="width=device-width, initial-scale=1">

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">

<style>

.display{
    overflow: scroll;
    width: 100%;
    background-color: white;
    border: 3px solid #ddd;
    margin: 20 px;
}

.topinfo {
    background-size: cover;
    background: #581845;
}

.tab {
    overflow: hidden;
    border: 1px solid #ccc;
    background-color: #f1f1f1;
}


```



```
/* Create an active/current tablink class */

.tab button.active {
    background-color: #ccc;
}

/* Style the tab content */

.tabcontent {
    display: none;
    padding: 6px 10px;
    border: 1px solid #ccc;
    border-top: none;
}

input[type=text]
{
    width:100%;
    box-sizing: border-box;
    border: 2px solid #ccc;
    border-radius: 4px;
    font-size: 16px;
    background-color: white;
    background-position: 10px 10px;
```



```
background-repeat: no-repeat;  
padding: 12px 20px 12px 40px;  
}  
</style>  
</head>  
<body>  
<?php  
if(isset($_SESSION["user"]))  
{  
?>  
<div class="topinfo">  
<font size="35" color="white"  
align="centre">CAP</font><br><br>  
<font size="3" color="white" >EVENTS AT A GLANCE--Hello!!!  
<?php echo $_SESSION["user"]; ?></font><br><br>  
</div>  
  
<div class="tab">  
<i class="fa fa-home" style="font-size:24px"  
onclick="gohome()"></i>  
</div><br><br>  
<form method="post">  
<input type="text" name="comment"
```



```
placeholder="Comment..and enter">
</form>
<br>

<script>
function gohome()
{
location.replace("demo.php");
}
</script>
</body>
</html>
<?php
$host="localhost";
$user="root";
$pass="";
$dbname="seoproject";
$conn1=mysqli_connect($host,$user,$pass,$dbname);
$grouptype="glamfire";
if(isset($_POST["comment"]))
{
$usercomment=$_POST["comment"];

```



```
$useris=$_SESSION["user"];  
$sql2="INSERT INTO comment (name, comm, grouptype)  
VALUES ('$useris', '$usercomment','$grouptype')";  
if(!mysqli_query($conn1,$sql2))  
echo "  row insertion failed".mysqli_error($conn1);  
}  
  
$result=mysqli_query($conn1,"select * from comment where  
grouptype='$grouptype' order by cno desc ");  
if(mysqli_num_rows($result)>0)  
while($row=mysqli_fetch_assoc($result))  
{  
$name=$row["name"];  
$comm=$row["comm"];  
?>  
<div class="display">  
<?php  
echo"$name.<br>";  
echo"$comm.<br><br>";  
?>  
</div><br>  
<?php  
}  
}
```



```
?>

<script>

if(window.history.replaceState)

{

window.history.replaceState(null,null,window.location.href);

}

</script>
```

```
<?php

}

else

header("Location: main.php");

?>
```

## 18) INKLINGSCOMMENTS.PHP

```
<?php

session_start();

?>

<!DOCTYPE html>

<html>
```



Edit with WPS Office

```
<head>

<meta name="viewport" content="width=device-width, initial-
scale=1">

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">

<style>

.display{

overflow: scroll;

width: 100%;

background-color: white;

border: 3px solid #ddd;

margin: 20 px;

}

.topinfo {

background-size: cover;

background: #581845;

}

.tab {

overflow: hidden;

border: 1px solid #ccc;

background-color: #f1f1f1;

}
```



```
/* Create an active/current tablink class */

.tab button.active {
    background-color: #ccc;
}

/* Style the tab content */

.tabcontent {
    display: none;
    padding: 6px 10px;
    border: 1px solid #ccc;
    border-top: none;
}

input[type=text]
{
    width:100%;
    box-sizing: border-box;
    border: 2px solid #ccc;
    border-radius: 4px;
    font-size: 16px;
    background-color: white;
}
```



```
background-position: 10px 10px;  
background-repeat: no-repeat;  
padding: 12px 20px 12px 40px;  
}  
</style>  
</head>  
<body>  
<?php  
if(isset($_SESSION["user"]))  
{  
?>  
<div class="topinfo">  
<font size="35" color="white"  
align="centre">CAP</font><br><br>  
<font size="3" color="white" >EVENTS AT A GLANCE--Hello!!!  
<?php echo $_SESSION["user"]; ?></font><br><br>  
</div>  
  
<div class="tab">  
<i class="fa fa-home" style="font-size:24px"  
onclick="gohome()"></i>  
</div><br><br>  
<form method="post">
```



```
<input type="text" name="comment"
placeholder="Comment..and enter">
</form>
<br>

<script>
function gohome()
{
location.replace("demo.php");
}
</script>
</body>
</html>
<?php
$host="localhost";
$user="root";
$pass="";
$dbname="seoproject";
$conn1=mysqli_connect($host,$user,$pass,$dbname);
$groupstype="Inklings";
if(isset($_POST["comment"]))
{

```



```
$usercomment=$_POST["comment"];
$useris=$_SESSION["user"];
$sql2="INSERT INTO comment (name, comm, grouptype)
VALUES ('$useris', '$usercomment','$grouptype')";
if(!mysqli_query($conn1,$sql2))
echo "  row insertion failed".mysqli_error($conn1);
}
$result=mysqli_query($conn1,"select * from comment where
grouptype='$grouptype' order by cno desc ");
if(mysqli_num_rows($result)>0)
while($row=mysqli_fetch_assoc($result))
{
$name=$row["name"];
$comm=$row["comm"];
?>
<div class="display">
<?php
echo"$name.<br>";
echo"$comm.<br><br>";
?>
</div><br>
<?php
```



```
}

?>

<script>

if(window.history.replaceState)

{

window.history.replaceState(null,null,window.location.href);

}

</script>
```

```
<?php

}

else

header("Location: main.php");

?>
```

## 19) SHUFFLESHOTSCOMMENTS.PHP

```
<?php

session_start();

?>

<!DOCTYPE html>
```



Edit with WPS Office

```
<html>

<head>

<meta name="viewport" content="width=device-width, initial-scale=1">

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">

<style>

.display{

overflow: scroll;

width: 100%;

background-color: white;

border: 3px solid #ddd;

margin: 20 px;

}

.topinfo {

background-size: cover;

background: #581845;

}

.tab {

overflow: hidden;

border: 1px solid #ccc;

background-color: #f1f1f1;
```



```
}
```

```
/* Create an active/current tablink class */
```

```
.tab button.active {
```

```
background-color: #ccc;
```

```
}
```

```
/* Style the tab content */
```

```
.tabcontent {
```

```
display: none;
```

```
padding: 6px 10px;
```

```
border: 1px solid #ccc;
```

```
border-top: none;
```

```
}
```

```
input[type=text]
```

```
{
```

```
width:100%;
```

```
box-sizing: border-box;
```

```
border: 2px solid #ccc;
```

```
border-radius: 4px;
```

```
font-size: 16px;
```



```
background-color: white;  
background-position: 10px 10px;  
background-repeat: no-repeat;  
padding: 12px 20px 12px 40px;  
}  
</style>  
</head>  
<body>  
<?php  
if(isset($_SESSION["user"]))  
{  
?>  
<div class="topinfo">  
<font size="35" color="white"  
align="centre">CAP</font><br><br>  
<font size="3" color="white" >EVENTS AT A GLANCE--Hello!!!  
<?php echo $_SESSION["user"]; ?></font><br><br>  
</div>  
  
<div class="tab">  
<i class="fa fa-home" style="font-size:24px"  
onclick="gohome()"></i>  
</div><br><br>
```



```
<form method="post">  
    <input type="text" name="comment"  
placeholder="Comment..and enter">  
</form>  
<br>  
  
<script>  
function gohome()  
{  
location.replace("demo.php");  
}  
</script>  
</body>  
</html>  
<?php  
$host="localhost";  
$user="root";  
$pass="";  
$dbname="seoproject";  
$conn1=mysqli_connect($host,$user,$pass,$dbname);  
$grouptype="Shuffleshots";  
if(isset($_POST["comment"]))
```



```
{  
$usercomment=$_POST["comment"];  
$useris=$_SESSION["user"];  
$sql2="INSERT INTO comment (name, comm, grouptype)  
VALUES ('$useris', '$usercomment','$grouptype');  
if(!mysqli_query($conn1,$sql2))  
echo "  row insertion failed".mysqli_error($conn1);  
}  
  
$result=mysqli_query($conn1,"select * from comment where  
grouptype='$grouptype' order by cno desc ");  
if(mysqli_num_rows($result)>0)  
while($row=mysqli_fetch_assoc($result))  
{  
$name=$row["name"];  
$comm=$row["comm"];  
?>  
<div class="display">  
<?php  
echo"$name.<br>";  
echo"$comm.<br><br>";  
?>  
</div><br>
```



```
<?php  
}  
?>  
<script>  
if(window.history.replaceState)  
{  
    window.history.replaceState(null,null,window.location.href);  
}  
</script>
```

```
<?php  
}  
else  
header("Location: main.php");  
?>
```

20)CLUBS.PHP

```
<?php  
session_start();
```



Edit with WPS Office

?>

```
<!DOCTYPE html>

<html>

<head>

<meta name="viewport" content="width=device-width, initial-
scale=1">

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">

<style>

body {font-family: Arial;
background: #581845}

.button
{
background-color: white;
border: 4px solid #555555;
margin: 10px;
color: black;
width: 300px;
height: 300px;
padding: 20px 30px;
```



Edit with WPS Office

```
text-align:left;  
font-size:20px;  
cursor:pointer;  
}  
  
.button:hover  
{  
background-colour: blue;  
}  
  
/* Style the tab */  
  
.tab {  
overflow: hidden;  
border: 1px solid #ccc;  
background-color: #f1f1f1;  
}  
  
/* Style the buttons inside the tab */  
  
.tab button {  
background-color: inherit;  
float: left;  
border: none;  
outline: none;  
cursor: pointer;  
padding: 14px 16px;
```



```
transition: 0.3s;  
font-size: 17px;  
}  
  
/* Change background color of buttons on hover */  
.tab button:hover {  
background-color: #ddd;  
}  
  
/* Create an active/current tablink class */  
.tab button.active {  
background-color: #ccc;  
}  
/* Style the tab content */  
.tabcontent {  
display: none;  
padding: 6px 12px;  
border: 1px solid #ccc;  
border-top: none;  
}  
  
</style>
```



```
</head>

<body>

<?php

if(isset($_SESSION["user"]))

{

?>

<font size="10" color= white align="center">CAP</font><br>

<font size="3" color= white align="center">EVENTS AT A  
GLANCE--Hello! <?php echo $_SESSION["user"]; ?></font>

<div class="tab">

<i class="fa fa-home" style="font-size:24px"  
onclick="gohome()"></i>

</div><br><br>

<script>

function gohome()
```



```
{  
location.replace("demo.php");  
}  
  
function ecoclubpageredirect()  
{  
window.location.href="ecoclubpage.php";  
}  
  
function roboticsclubpageredirect()  
{  
window.location.href="roboticsclubpage.php";  
}  
  
function movieclubpageredirect()  
{  
window.location.href="movieclubpage.php";  
}  
  
}  
  
</script>  
  
<button class="button" onclick="ecoclubpageredirect()" position=absolute left=80px right=100px >ECO CLUB  
<image src="ecoclubimage.png"  
height="200"
```



```
width="200"/></button>

<button class="button" onclick="roboticsclubpageredirect()"
>ROBOTICS CLUB

<image src="roboticsclubimage.png"
height="200"
width="200"/></button>

<button class="button" onclick="movieclubpageredirect()"
>MOVIE CLUB

<image src="movieclubimage.png"
height="200"
width="200"/></button>

<?php
}

else
header("Location: main.php");
?>

</body>
</html>
```

## 21)INITIATIVES.PHP



Edit with WPS Office

```
<?php  
session_start();  
?  
  
<!DOCTYPE html>  
<html>  
<head>  
<meta name="viewport" content="width=device-width, initial-  
scale=1">  
<link rel="stylesheet"  
href="https://cdnjs.cloudflare.com/ajax/libs/font-  
awesome/4.7.0/css/font-awesome.min.css">  
  
<style>  
body {font-family: Arial;  
background: #581845}  
.button  
{  
background-color: white;  
border:4px solid #555555;  
margin:10px;  
color:black;  
width:300px;
```



```
height:300px;  
padding:20px 30px;  
text-align:left;  
font-size:20px;  
cursor:pointer;  
}  
  
.button:hover  
{  
background-colour: blue;  
}  
  
/* Style the tab */  
  
.tab {  
overflow: hidden;  
border: 1px solid #ccc;  
background-color: #f1f1f1;  
}  
  
/* Style the buttons inside the tab */  
  
.tab button {  
background-color: inherit;  
float: left;  
border: none;  
outline: none;
```



```
cursor: pointer;  
padding: 14px 16px;  
transition: 0.3s;  
font-size: 17px;  
  
}  
  
  
/* Change background color of buttons on hover */  
.tab button:hover {  
background-color: #ddd;  
}  
  
  
/* Create an active/current tablink class */  
.tab button.active {  
background-color: #ccc;  
}  
  
/* Style the tab content */  
.tabcontent {  
display: none;  
padding: 6px 12px;  
border: 1px solid #ccc;  
border-top: none;  
}
```



```
</style>

</head>

<body>

<?php

if(isset($_SESSION["user"]))

{

?>

<font size="10" color= white align="center">CAP</font><br>
<font size="3" color= white align="center">EVENTS AT A
GLANCE--Hello! <?php echo $_SESSION["user"]; ?></font>

<div class="tab">
<i class="fa fa-home" style="font-size:24px"
onclick="gohome()"></i>
</div><br><br>
```



```
<script>

function gohome()
{
location.replace("demo.php");

}

function clppageredirect()
{
window.location.href="clppage.php";

}

function dehpageredirect()
{
window.location.href="dehpage.php";

}

function ubapageredirect()
{
window.location.href="ubapage.php";

}

function nsspageredirect()
{
window.location.href="nsspage.php";

}

function enactuspageredirect()
```



```
{  
    window.location.href="enactuspage.php";  
}  
  
</script>  
  
<button class="button" onclick="clppageredirect()" position=absolute left=80px right=100px >COMPUTER LITERACY PROGRAM( CLP )  
  
<image src="clpimage.png"  
height="200"  
width="200"/></button>  
  
<button class="button" onclick="dehpagedirect()" >DIGITAL EMPOWERMENT FOR HOMEMAKERS( DEH )  
  
<image src="societylogo.png"  
height="200"  
width="200"/></button>  
  
<button class="button" onclick="ubapagedirect()" >UNNAT BHARAT ABHIYAN  
  
<image src="ubaimage.png"  
height="200"  
width="200"/></button>  
  
<button class="button" onclick="nsspageredirect()" >NATIONAL SERVICE SCHEME( NSS )
```

```
<image src="nssimage.png"
height="200"
width="200"/></button>

<button class="button" onclick="enactuspageredirect()"
>ENACTUS

<image src="enactusimage.png"
height="200"
width="200"/></button>
```

```
<?php
}

else
header("Location: main.php");
?>
```

```
</body>
</html>
```

22)DEPARTMENTS.PHP

```
<?php
```



Edit with WPS Office

```
session_start();  
?>  
  
<!DOCTYPE html>  
  
<html>  
  
<head>  
  
<meta name="viewport" content="width=device-width, initial-  
scale=1">  
  
<link rel="stylesheet"  
href="https://cdnjs.cloudflare.com/ajax/libs/font-  
awesome/4.7.0/css/font-awesome.min.css">  
  
<style>  
  
body {font-family: Arial;  
background: #581845}  
  
.button  
  
{  
  
background-color: white;  
border:4px solid #555555;  
margin:10px;  
color:black;  
width:300px;  
height:300px;
```



```
padding:20px 30px;  
text-align:left;  
font-size:20px;  
cursor:pointer;  
}  
  
.button:hover  
{  
background-colour: blue;  
}  
  
/* Style the tab */  
  
.tab {  
overflow: hidden;  
border: 1px solid #ccc;  
background-color: #f1f1f1;  
}  
  
/* Style the buttons inside the tab */  
  
.tab button {  
background-color: inherit;  
float: left;  
border: none;  
outline: none;  
cursor: pointer;
```



```
padding: 14px 16px;  
transition: 0.3s;  
font-size: 17px;  
}  
  
/* Change background color of buttons on hover */  
.tab button:hover {  
background-color: #ddd;  
}  
  
/* Create an active/current tablink class */  
.tab button.active {  
background-color: #ccc;  
}  
/* Style the tab content */  
.tabcontent {  
display: none;  
padding: 6px 12px;  
border: 1px solid #ccc;  
border-top: none;  
}
```



```
</style>

</head>

<body>

<?php

if(isset($_SESSION["user"]))

{

?>

<font size="10" color= white align="center">CAP</font><br>

<font size="3" color= white align="center">EVENTS AT A  
GLANCE--Hello! <?php echo $_SESSION["user"]; ?></font>

<div class="tab">

<i class="fa fa-home" style="font-size:24px"  
onclick="gohome()"></i>

</div><br><br>

<script>
```



Edit with WPS Office

```
function gohome()
{
location.replace("demo.php");
}

function biochemistrypageredirect()
{
window.location.href="biochemistrypage.php";
}

function biomedicalsciencepageredirect()
{
window.location.href="biomedicalsciencepage.php";
}

function chemistrypageredirect()
{
window.location.href="chemistrypage.php";
}

function computersciencepageredirect()
{
window.location.href="computersciencepage.php";
}

function electronicspageredirect()
{
```



```
window.location.href="electronicspage.php";  
}  
  
function foodtechnologypageredirect()  
{  
    window.location.href="foodtechnologypage.php";  
}  
  
function instrumentationpageredirect()  
{  
    window.location.href="instrumentationpage.php";  
}  
  
function physicspageredirect()  
{  
    window.location.href="physicspage.php";  
}  
  
function psychologypageredirect()  
{  
    window.location.href="psychologypage.php";  
}  
  
function physicaleducationpageredirect()  
{  
    window.location.href="physicaleducationpage.php";  
}
```



```
function managementstudiespageredirect()
{
    window.location.href="managementstudiespage.php";
}

function mathematicspageredirect()
{
    window.location.href="mathematicspage.php";
}

function microbiologypageredirect()
{
    window.location.href="microbiologypage.php";
}

function statisticspageredirect()
{
    window.location.href="statisticspage.php";
}

</script>

<button class="button" onclick="biochemistrypageredirect()"
position=absolute left=80px right=100px >BIOCHEMISTRY

<image src="societylogo.png"
```



height="200"  
width="200"/>></button>  
  
<button class="button" onclick="biomedicalsocietypageredirect()">BIO-MEDICAL  
SCIENCE  
  
<image src="societylogo.png"  
height="200"  
width="200"/>></button>  
  
<button class="button" onclick="chemistrypageredirect()">CHEMISTRY  
  
<image src="societylogo.png"  
height="200"  
width="200"/>></button>  
  
<button class="button" onclick="computersciencepageredirect()">COMPUTER  
SCIENCE  
  
<image src="societylogo.png"  
height="200"  
width="200"/>></button>  
  
<button class="button" onclick="electronicspageredirect()">ELECTRONICS  
  
<image src="societylogo.png"  
height="200"  
width="200"/>></button>

```
<button class="button" onclick="foodtechnologypageredirect()"  
>FOOD TECHNOLOGY  
  
<image src="societylogo.png"  
height="200"  
width="200"/></button>  
  
<button class="button" onclick="instrumentationpageredirect()"  
>INSTRUMENTATION  
  
<image src="societylogo.png"  
height="200"  
width="200"/></button>  
  
<button class="button" onclick="physicspageredirect()"  
>PHYSICS  
  
<image src="societylogo.png"  
height="200"  
width="200"/></button>  
  
<button class="button" onclick="psychologypageredirect()"  
>PSYCHOLOGY  
  
<image src="societylogo.png"  
height="200"  
width="200"/></button>  
  
<button class="button"  
onclick="physicaleducationpageredirect()" >PHYSICAL  
EDUCATION  
  
<image src="societylogo.png"
```

```
height="200"
width="200"/></button>

<button class="button"
onclick="managementstudiespageredirect()" >MANAGEMENT
STUDIES

<image src="societylogo.png"
height="200"
width="200"/></button>

<button class="button" onclick="mathematicspageredirect()"
>MATHEMATICS

<image src="societylogo.png"
height="200"
width="200"/></button>

<button class="button" onclick="microbiologypageredirect()"
>MICRO-BIOLOGY

<image src="societylogo.png"
height="200"
width="200"/></button>

<button class="button" onclick="statisticspageredirect()"
>STATISTICS

<image src="societylogo.png"
height="200"
width="200"/></button>
```



```
<?php  
}  
else  
header("Location: main.php");  
?  
  
</body>  
</html>
```

23)COLLEGECOUNCIL.PHP

```
<?php  
session_start();  
?  
<!DOCTYPE html>  
<html>  
<head>  
<meta name="viewport" content="width=device-width, initial-  
scale=1">  
<link rel="stylesheet"  
href="https://cdnjs.cloudflare.com/ajax/libs/font-  
awesome/4.7.0/css/font-awesome.min.css">  
<style>
```



```
.display{  
background-color: white;  
border: 15px solid black;  
padding: 10px;  
overflow: scroll;  
margin: 20 px;  
}  
.topinfo {  
background-size: cover;  
background: #581845;  
}  
  
.bg-img {  
/* The image used */  
background-image: url("mainbackground.png");  
margin-top: 0px;  
min-height: 700px;  
}  
.tab {  
overflow: hidden;
```



```
border: 1px solid #ccc;  
background-color: #f1f1f1;  
}  
  
/* Style the buttons inside the tab */  
.tab button {  
background-color: inherit;  
float: left;  
border: none;  
outline: none;  
cursor: pointer;  
padding: 14px 16px;  
transition: 0.3s;  
font-size: 17px;  
}  
  
/* Change background color of buttons on hover */  
.tab button:hover {  
background-color: #ddd;  
}  
  
/* Create an active/current tablink class */
```



```
.tab button.active {  
background-color: #ccc;  
}  
  
/* Style the tab content */
```

```
.tabcontent {  
display: none;  
padding: 6px 10px;  
border: 1px solid #ccc;  
border-top: none;  
}  
  
input[type="button"]
```

```
{  
width:150px;  
height:40px;  
border: none;  
text-align: center;  
font-size: 18px;
```

```
}
```

```
</style>
```

```
</head>
```



```
<body>
<?php
if(isset($_SESSION["user"]))
{
?>
<div class="topinfo">
<font size="35" color="white"
align="centre">CAP</font><br><br>
<font size="3" color="white" >EVENTS AT A GLANCE--Hello!!!
<?php echo $_SESSION["user"];
$_SESSION["grouptype"]="ahaarya"; ?></font><br><br>
</div>

<div class="tab">
<form name="form1" action="collegecouncilcomment.php"
method="post">
<input type="button" style="float:right"
onclick="commentpageredirect()"
name="collegecouncilcomment" value="Comment">
<i class="fa fa-home" style="font-size:24px"
onclick="gohome()"></i>
</div><br><br>
```



```
<div class="bg-img">  
<?php  
//getting data from database and displaying it on page  
$r=5;  
$host="localhost";  
$user="root";  
$pass="";  
$groupypename="collegecouncil";  
$conn=mysqli_connect($host, $user, $pass);  
mysqli_select_db($conn,"seproject");  
$result=mysqli_query($conn,"select * from eventdetails where  
groupype='$groupypename' order by eventno desc ");  
if(mysqli_num_rows($result)>0)  
{  
while($row=mysqli_fetch_assoc($result))  
{  
$eno=$row["eventno"];  
$n=$row["textdetails"];  
$date=$row["date"];  
$image='uploads/'.$row["image"];  
?>
```



```
<div class="display">  
<?php  
echo"DATE OF UPLOAD\t\t :".$date."<br><br>";  
echo"EVENT NO. IS: $eno.<br><br>";  
echo "EVENT DETAIL IS: $n.<br><br>";  
?>  
  
</div><br><br><br>  
<?php  
  
// $im = $row["image"];  
// echo "<img src=' $im ' >";  
}  
}  
  
?  
</div>  
  
<script>  
function commentpagedirect()
```



```
{  
form1.submit()  
}  
  
function gohome()  
{  
location.replace("demo.php");  
}  
</script>  
<?php  
}  
  
else  
header("Location: main.php");  
?  
</body>  
</html>
```

## PART-2)SOCIETY EXECUTIVE LOGIN

24)societyexecutiveoptions.php

```
<?php  
session_start();  
?>
```



Edit with WPS Office

```
<!DOCTYPE html>

<html>
  <head>
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet"
      href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
  </head>
  <body>
    <style>
      body {font-family: Arial;
            background: #581845}

.tab {
  overflow: hidden;
  border: 1px solid #ccc;
  background-color: #f1f1f1;
}

/* Style the buttons inside the tab */
.tab button {
  background-color: inherit;
```



```
float: left;  
border: none;  
outline: none;  
cursor: pointer;  
padding: 14px 16px;  
transition: 0.3s;  
font-size: 17px;  
}  
  
/* Change background color of buttons on hover */
```

```
.tab button:hover {  
background-color: #ddd;  
}
```

```
/* Create an active/current tablink class */  
.tab button.active {  
background-color: #ccc;  
}
```

```
/* Style the tab content */  
.tabcontent {  
display: none;
```



```
padding: 6px 10px;  
border: 1px solid #ccc;  
border-top: none;  
}
```

```
input[type="submit"]
```

```
{  
height: 120px;  
width: 300px;  
border: 4px solid #ccc;  
text-align: center;  
font-size: 27px;  
margin: 50px;  
}
```

```
</style>
```

```
</head>
```

```
<font size="10" color="white" align="center">CAP</font><br>
```



Edit with WPS Office



```
</form>
```

```
<script>
function gohome()
{
window.location.href="demo.php";
}
</script>
```

```
<?php
}
else
header("Location: main.php");
?>
```

```
</body>
</html>
```

25) societyexecutiveafterlogin.php



Edit with WPS Office

```
<?php  
session_start();  
?  
  
<!DOCTYPE html>  
<html>  
<head>  
<meta name="viewport" content="width=device-width, initial-  
scale=1">  
<link rel="stylesheet"  
href="https://cdnjs.cloudflare.com/ajax/libs/font-  
awesome/4.7.0/css/font-awesome.min.css">  
  
<style>  
body {font-family: Arial;  
background: #581845}  
  
.tab {  
overflow: hidden;  
border: 1px solid #ccc;  
background-color: #f1f1f1;  
}  
?
```



```
/* Style the buttons inside the tab */  
  
.tab button {  
background-color: inherit;  
float: left;  
border: none;  
outline: none;  
cursor: pointer;  
padding: 14px 16px;  
transition: 0.3s;  
font-size: 17px;  
}  
  
/* Change background color of buttons on hover */  
  
.tab button:hover {  
background-color: #ddd;  
}
```

```
/* Create an active/current tablink class */  
  
.tab button.active {  
background-color: #ccc;  
}
```



```
/* Style the tab content */  
.tabcontent {  
display: none;  
padding: 6px 10px;  
border: 1px solid #ccc;  
border-top: none;  
</style>
```

```
</head>
```

```
<font size="10" color= white align="center">CAP</font><br>
```

```
<?php  
if(isset($_SESSION["user"]))  
{  
  
if(isset($_POST["edoption"]))  
{ //trial  
$edoption=$_POST["edoption"];  
?  
}
```



Edit with WPS Office

```
<font size="3" color="white" >EVENTS AT A GLANCE--Hello!!!
<?php echo $_SESSION["user"]; ?></font>
```

```
<div class="tab">
<i class="fa fa-home" style="font-size:24px"
onclick="gohome()"></i><br>
</div><br>
```

```
<body>
```

```
<?php
if(isset($edoption) && $edoption=="Add new event")
{
?>
<form action="ahaarya1.php" method="post"
enctype="multipart/form-data">
<font size="3" color= white align="center">ENTER EVENT
NUMBER-(event_number-group_name)</font><br>
<font size="3" color= white align="center">Eg-20-
ahaarya</font><br>
<input type="text" name="eno" required><br><br>
<font size="4" color= white align="center" >TYPE
```



MESSAGE</font><br>

```
<textarea name="news" rows="30" cols="100" required>
</textarea>

<br><br>

<font size="4" color= white align="center" >SELECT
FILE</font><br>

<input type="file" name="file" />
<br><br>

<input type="submit" name="upload" value="ADD" ><br>

</form>

<?php

}

else if(isset($edoption) && $edoption=="Delete event")

{

?>

<form action="deleteevent.php" method="post">

<font size="3" color= white align="center">Enter event number
to be deleted</font><br>

<input type="text" name="eno" required><br><br>

<input type="submit" value="DELETE"><br>
```



```
<?php  
}  
  
else if(isset($edoption) && $edoption=="Update previous event")  
{  
?>  
  
<form action="updateevent.php" method="post">  
  
    <font size="3" color= white align="center">Enter event number  
    to be updated</font><br>  
  
    <input type="text" name="eno" required><br><br>  
  
    <font size="4" color= white align="center" >Enter updated  
    text</font><br>  
  
    <textarea name="news" rows="30" cols="100" required>  
  
    </textarea>  
  
    <br><br>  
  
    <input type="submit" value="UPDATE"><br>  
  
  
  
<?php  
}  
  
}  
  
else  
  
header("Location: societyexecutiveoptions.php");  
?>
```



```
<script>
function gohome()
{
window.location.href="demo.php";
}
</script>

<?php
}
else
header("Location:main.php");
?>

</body>
</html>
<script>
if(window.history.replaceState)
{
window.history.replaceState(null,null>window.location.href);
}
```



```
</script>
```

## 26)ADD NEW EVENT.PHP

```
<?php
session_start();
?>
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-
scale=1">
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<style>
.topinfo {
background-size: cover;
background: #581845;
}
.tab {
```



Edit with WPS Office

```
overflow: hidden;  
border: 1px solid #ccc;  
background-color: #f1f1f1;  
}
```

```
/* Style the buttons inside the tab */
```

```
.tab button {  
background-color: inherit;  
float: left;  
border: none;  
outline: none;  
cursor: pointer;  
padding: 14px 16px;  
transition: 0.3s;  
font-size: 17px;  
}
```

```
/* Change background color of buttons on hover */
```

```
.tab button:hover {  
background-color: #ddd;  
}
```



```
/* Create an active/current tablink class */

.tab button.active {
    background-color: #ccc;
}

/* Style the tab content */

.tabcontent {
    display: none;
    padding: 6px 10px;
    border: 1px solid #ccc;
    border-top: none;
}

</style>

</head>

<body>

<?php

if(isset($_SESSION["user"]))
{
?>

<div class="topinfo">
<font size="35" color="white"
align="centre">CAP</font><br><br>
```



```
<font size="3" color="white" >EVENTS AT A GLANCE</font>
</div><br>
<div class="tab">
<i class="fa fa-home" style="font-size:24px"
onclick="gohome()"></i><br>
</div><br>

<?php
if(isset($_POST["news"]))
{
//ahaarya data insertion into database
$host="localhost";
$user="root";
$pass="";
$date=date("Y-m-d");
$eveno=$_REQUEST["eno"];
$edetail=$_REQUEST["news"];
$groupstype=$_SESSION["user"];
$eedetail=str_replace("\n","<br>",$edetail);
```



```
$conn=mysqli_connect($host, $user, $pass);
mysqli_select_db($conn,"seoproject");
$eedetail=addcslashes($eedetail, " ' ");
$filenewname="no image";

if(isset($_POST["upload"]))
{
    $file=$_FILES["file"];

    $filename=$_FILES["file"]["name"];
    $filetmpname=$_FILES["file"]["tmp_name"];
    $filesize=$_FILES["file"]["size"];
    $fileerror=$_FILES["file"]["error"];
    $filetype=$_FILES["file"]["type"];

    $fileext=explode('.',$filename);
    $fileactualext=strtolower(end($fileext));

    $allowed=array('jpg','jpeg','png');
    if(in_array($fileactualext,$allowed))
    {
        if($fileerror==0)
```



```
{  
    $filenewname=uniqid("",true).".". $fileactualext;  
    $filedestination='uploads/'.$filenewname;  
    move_uploaded_file($filetmpname,$filedestination);  
}  
  
else  
{  
    echo "there was an error uploading your file";  
}  
}  
  
}
```

```
$sql2="INSERT INTO eventdetails(eventno,date,  
textdetails,grouptype, image)  
VALUES('$eveno','$date','$eedetail','$grouptype',  
'$filenewname');  
if(mysqli_query($conn,$sql2))  
{  
echo " Event details were inserted!.<br>";  
echo" To view changes goto home";  
}
```



```
else  
echo " An error occurred. This event number already exists!";  
} //newly added
```

```
?>
```

```
<br>  
<form>  
To add/delete/update another event <input type="button"  
value="go back!" onclick="history.go(-2)">  
</form>  
<script>  
function gohome()  
{  
window.location.href="demo.php";  
}  
</script>  
<?php  
}  
else  
header("Location: main.php");  
?>
```



Edit with WPS Office

```
</body>
</html>
<script>
if(window.history.replaceState)
{
    window.history.replaceState(null,null,window.location.href);
}
</script>
```

## 27)DELETEEVENT.PHP

```
<?php
session_start();
?>
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
<style>
```



```
.topinfo {  
background-size: cover;  
background: #581845;  
}  
.tab {  
overflow: hidden;  
border: 1px solid #ccc;  
background-color: #f1f1f1;  
}  
</style>  
</head>  
<body>  
<?php  
if(isset($_SESSION["user"]))  
{  
?>  
  
<div class="topinfo">  
<font size="35" color="white"  
align="centre">CAP</font><br><br>  
<font size="3" color="white" >EVENTS AT A GLANCE</font>  
</div><br>
```



```
<div class="tab">  
<i class="fa fa-home" style="font-size:24px"  
onclick="gohome()"></i><br>  
</div><br>  
<?php  
if(isset($_POST["eno"]))  
{  
$host="localhost";  
$user="root";  
$pass="";  
$dbname="seoproject";  
$conn=mysqli_connect($host,$user,$pass);  
$conn1=mysqli_connect($host,$user,$pass,$dbname);  
$deleteevent=$_POST["eno"];  
$result=mysqli_query($conn1,"delete from eventdetails where  
eventno ='$deleteevent' ");  
if($result)  
{  
if(mysqli_affected_rows($conn1))  
{  
echo"Event number-$deleteevent was deleted  
successully.<br>";  
echo" To view changes goto home";
```



```
}

else echo" There was an error deleting this event ";

}

else

{

echo"There was some error in
deletion".mysqli_error($conn1)."<br>";

}

//newly added

?>

<script>

function gohome()

{

window.location.href="demo.php";

}

</script>

<form>

To add/delete/update another event <input type="button"
value="go back!" onclick="history.go(-2)">

</form>

<?php
```



```
}

else

header("Location: main.php");

?>

</body>

</html>

<script>

if(window.history.replaceState)

{

window.history.replaceState(null,null>window.location.href);

}

</script>
```

## 28)UPDATEEVENT.PHP

```
<?php

session_start();

?>

<!DOCTYPE html>

<html>

<head>

<meta name="viewport" content="width=device-width, initial-
```



Edit with WPS Office

```
scale=1">

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">

<style>

.topinfo {
background-size: cover;
background: #581845;

}

.tab {
overflow: hidden;
border: 1px solid #ccc;
background-color: #f1f1f1;

}

</style>

</head>

<body>

<?php

if(isset($_SESSION["user"]))

{

?>

<div class="topinfo">
```



```
<font size="35" color="white"  
align="centre">CAP</font><br><br>  
<font size="3" color="white" >EVENTS AT A GLANCE</font>  
</div><br>  
</div><br>  
<div class="tab">  
<i class="fa fa-home" style="font-size:24px"  
onclick="gohome()"></i><br>  
</div><br>  
<?php
```

```
if(isset($_POST["eno"]))  
{  
$host="localhost";  
$user="root";  
$pass="";  
$dbname="seoproject";  
$conn=mysqli_connect($host,$user,$pass);  
$conn1=mysqli_connect($host,$user,$pass,$dbname);  
if(isset($_POST["eno"]))  
$updateevent=$_POST["eno"];  
$date=date("Y-m-d");  
if(isset($_REQUEST["news"]))
```



```
$edetail=$_REQUEST["news"];
$eedetail=str_replace("\n","<br>",$edetail);
$eeedetail=addcslashes($eedetail," ' ");
$result=mysqli_query($conn1,"update eventdetails SET
textdetails='$eeedetail', date='$date' where
eventno='$updateevent' ");
if($result)
{
if(mysqli_affected_rows($conn1))
{
echo"Event number-$updateevent was updated
successully.<br>";
echo" To view changes goto home";
}
else echo" There was an error updating event details";
}
else
{
echo"There was some error in updatation".mysqli_error($conn1);

}

} //newly added
```



```
?>

<br>

<script>

function gohome()

{

window.location.href="demo.php";

}

</script>

<form>

To add/delete/update another event <input type="button"
value="go back!" onclick="history.go(-2)">

</form>

<?php

}

else

header("Location: main.php");

?>

</body>

</html>

<script>

if(window.history.replaceState)
```



```
{  
    window.history.replaceState(null,null,window.location.href);  
}  
</script>
```

## PART-3) ADMIN LOGIN

29)ADMIN.PHP

```
<?php  
session_start()  
?  
<!DOCTYPE html>  
<html>  
<head>  
<meta name="viewport" content="width=device-width, initial-  
scale=1">  
<link rel="stylesheet"  
href="https://cdnjs.cloudflare.com/ajax/libs/font-  
awesome/4.7.0/css/font-awesome.min.css">  
<meta name="viewport" content="width=device-width, initial-  
scale=1">  
<style>  
.bg-img {
```



Edit with WPS Office

```
/* The image used */
background-image: url("adminbackground.png");
margin-top: 0px;
min-height: 700px;
/* Center and scale the image nicely */
background-position: center;
background-repeat: no-repeat;
background-size: cover;
position: relative;

}

.topinfo {
background-size: cover;
background: #581845;
}

/* Style the tab */
.tab {
overflow: hidden;
border: 1px solid #ccc;
background-color: #f1f1f1;
}
```



```
/* Style the buttons inside the tab */  
.tab button {  
background-color: inherit;  
float: left;  
border: none;  
outline: none;  
cursor: pointer;  
padding: 14px 16px;  
transition: 0.3s;  
font-size: 17px;  
}  
  
/* Change background color of buttons on hover */  
.tab button:hover {  
background-color: #ddd;  
}  
  
/* Create an active/current tablink class */  
.tab button.active {  
background-color: #ccc;  
}
```



```
/* Style the tab content */
```

```
.tabcontent {
```

```
    display: none;
```

```
    padding: 6px 10px;
```

```
    border: 1px solid #ccc;
```

```
    border-top: none;
```

```
}
```

```
input[type="submit"]
```

```
{
```

```
    width:170px;
```

```
    height:40px;
```

```
    border: none;
```

```
    font-size: 18px;
```

```
}
```

```
input[type="submit"]
```

```
{
```

```
    height: 120px;
```

```
    width: 300px;
```

```
    border: 4px solid #ccc;
```

```
    text-align: center;
```



Edit with WPS Office

```
font-size: 27px;  
margin:50px;  
}  
  
</style>  
</head>  
<body>  
<?php  
if(isset($_SESSION["user"]))  
{  
?>  
<div class="topinfo">  
<font size="10" color= white  
align="center">CAP</font><br><br>  
<font size="3" color="white" >EVENTS AT A GLANCE--Hello!  
<?php echo $_SESSION["user"]; ?></font><br><br>  
</div>  
  
<div class="tab">  
<i class="fa fa-home" style="font-size:24px"  
onclick="gohome()"></i>  
</div>
```



```
<form action="adminafteroptions.php" method="post">  
<input type="submit" name="accoption" value="Add new  
account" />  
<input type="submit" name="accoption" value="Delete account"  
/>>  
<input type="submit" name="accoption" value="Update  
account" />  
</form>
```

```
<?php  
}  
else header("Location: main.php");
```

```
?>  
<script>  
function gohome()  
{  
location.replace("demo.php");  
}  
</script>  
</body>
```



```
</html>
```

### 30) ADMINAFTEROPTIONS.PHP

```
<?php  
session_start();  
?>
```

```
<!DOCTYPE html>  
<html>  
<head>  
<meta name="viewport" content="width=device-width, initial-  
scale=1">  
<link rel="stylesheet"  
href="https://cdnjs.cloudflare.com/ajax/libs/font-  
awesome/4.7.0/css/font-awesome.min.css">
```

```
<style>  
body {font-family: Arial;  
background: #581845}
```

```
.tab {
```



Edit with WPS Office

```
overflow: hidden;  
border: 1px solid #ccc;  
background-color: #f1f1f1;  
}
```

```
/* Style the buttons inside the tab */  
.tab button {  
background-color: inherit;  
float: left;  
border: none;  
outline: none;  
cursor: pointer;  
padding: 14px 16px;  
transition: 0.3s;  
font-size: 17px;  
}
```

```
/* Change background color of buttons on hover */  
.tab button:hover {  
background-color: #ddd;  
}
```



```
/* Create an active/current tablink class */  
.tab button.active {  
background-color: #ccc;  
}  
  
/* Style the tab content */
```

```
.tabcontent {  
display: none;  
padding: 6px 10px;  
border: 1px solid #ccc;  
border-top: none;  
</style>  
</head>
```

```
<font size="10" color= white align="center">CAP</font><br>
```

```
<?php  
if(isset($_SESSION["user"]))  
{  
  
if(isset($_POST["acception"]))
```



```
{ //trial  
$accoption=$_POST["accoption"];  
?  
  
<font size="3" color="white" >EVENTS AT A GLANCE--Hello!!!  
<?php echo $_SESSION["user"]; ?></font>
```

```
<div class="tab">  
<i class="fa fa-home" style="font-size:24px"  
onclick="gohome()"></i><br>  
</div><br>
```

```
<body>
```

```
<?php  
if(isset($accoption) && $accoption=="Add new account")  
{  
?  
<form action="addaccount.php" method="post" >  
<font size="3" color= white align="center">ENTER EMAIL /  
USERNAME</font><br>
```



Edit with WPS Office

```
<input type="text" name="email" required><br><br>
<font size="4" color= white align="center" >ENTER
NAME</font><br>

<input type="text" name="name" required><br><br>
<font size="4" color= white align="center" >ENTER
PASSWORD</font><br>

<input type="text" name="password" required><br><br>
<font size="4" color= white align="center" >ENTER
USERTYPE(admin/society executive/student)</font><br>

<input type="text" name="usertype" required><br><br>
<input type="submit" name="addaccount" value="ADD" ><br>

</form>

<?php

}

else if(isset($acception) && $acception=="Delete account")
{
?>

<form action="deleteaccount.php" method="post">
<font size="3" color= white align="center">Enter
email/username of the account to be deleted</font><br>
<input type="text" name="email" required><br><br>
<input type="submit" value="DELETE"><br>
```



```
<?php  
}  
else if(isset($acception) && $acception=="Update account")  
{  
?>  
<form action="updateaccount.php" method="post">  
    <font size="3" color= white align="center">Enter  
    email/username of the account to be updated</font><br>  
    <input type="text" name="email" required><br><br>  
    <font size="4" color= white align="center" >Enter  
    name</font><br>  
    <input type="text" name="name" required><br><br>  
    <font size="4" color= white align="center" >Enter  
    password</font><br>  
    <input type="text" name="password" required><br><br>  
    <font size="4" color= white align="center" >Enter  
    usertype</font><br>  
    <input type="text" name="usertype" required><br><br>  
    <input type="submit" value="UPDATE"><br>  
  
<?php  
}
```



```
}
```

```
else
```

```
header("Location: admin.php");
```

```
?>
```

```
<script>
```

```
function gohome()
```

```
{
```

```
window.location.href="demo.php";
```

```
}
```

```
</script>
```

```
<?php
```

```
}
```

```
else
```

```
header("Location: main.php");
```

```
?>
```

```
</body>
```

```
</html>
```



Edit with WPS Office

```
<script>
if(window.history.replaceState)
{
window.history.replaceState(null,null,window.location.href);
}
</script>
```

### 31)ADDACCOUNT.PHP

```
<?php
session_start();
?>
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-
scale=1">
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<style>
.topinfo {
background-size: cover;
```



```
background: #581845;  
}  
  
.tab {  
    overflow: hidden;  
    border: 1px solid #ccc;  
    background-color: #f1f1f1;  
}  
  
/* Style the buttons inside the tab */  
.tab button {  
    background-color: inherit;  
    float: left;  
    border: none;  
    outline: none;  
    cursor: pointer;  
    padding: 14px 16px;  
    transition: 0.3s;  
    font-size: 17px;  
}  
  
/* Change background color of buttons on hover */  
.tab button:hover {
```



```
background-color: #ddd;  
}  
  
/* Create an active/current tablink class */  
.tab button.active {  
background-color: #ccc;  
}  
  
/* Style the tab content */  
.tabcontent {  
display: none;  
padding: 6px 10px;  
border: 1px solid #ccc;  
border-top: none;  
}  
</style>  
</head>  
<body>  
<?php  
if(isset($_SESSION["user"]))  
{  
?>
```



```
<div class="topinfo">  
<font size="35" color="white"  
align="centre">CAP</font><br><br>  
<font size="3" color="white" >EVENTS AT A GLANCE</font>  
</div><br>  
<div class="tab">  
<i class="fa fa-home" style="font-size:24px"  
onclick="gohome()"></i><br>  
</div><br>
```

```
<?php  
if(isset($_POST["email"]))  
{  
//ahaarya data insertion into database  
$host="localhost";  
$user="root";  
$pass="";  
$email=$_POST["email"];  
$newname=$_POST["name"];  
$newpassword=$_POST["password"];  
$newusertype=$_POST["usertype"];
```



```
$conn=mysqli_connect($host, $user, $pass);
mysqli_select_db($conn,"seproject");

$sql2="INSERT INTO users(email,name,password,userstype)
VALUES('$email','$newname','$newpassword','$newusertype')";
if(mysqli_query($conn,$sql2))
{
echo " Account created!<br>";
}
else
echo " An error occurred. This account already exists!";
} //newly added

?>

<br>
<form>
To add/delete/update another account <input type="button"
value="go back!" onclick="history.go(-2)">
</form>
```



```
<script>

function gohome()
{
    window.location.href="demo.php";
}

</script>

<?php

}

else

header("Location: main.php");

?>

</body>

</html>

<script>

if(window.history.replaceState)
{
    window.history.replaceState(null,null>window.location.href);
}

</script>
```



## 32)DELETEACCOUNT.PHP

```
<?php  
session_start();  
?>  
<!DOCTYPE html>  
<html>  
<head>  
<meta name="viewport" content="width=device-width, initial-  
scale=1">  
<link rel="stylesheet"  
href="https://cdnjs.cloudflare.com/ajax/libs/font-  
awesome/4.7.0/css/font-awesome.min.css">  
<style>  
.topinfo {  
background-size: cover;  
background: #581845;  
}  
.tab {  
overflow: hidden;  
border: 1px solid #ccc;  
background-color: #f1f1f1;  
}  
</style>
```



```
</head>

<body>

<?php

if(isset($_SESSION["user"]))

{

?>

<div class="topinfo">

<font size="35" color="white"
align="centre">CAP</font><br><br>

<font size="3" color="white" >EVENTS AT A GLANCE</font>

</div><br>

<div class="tab">

<i class="fa fa-home" style="font-size:24px"
onclick="gohome()"></i><br>

</div><br>

<?php

if(isset($_POST["email"]))

{

$host="localhost";

$user="root";

$pass="";

$dbname="seoproject";
```



```
$conn=mysqli_connect($host,$user,$pass);
$conn1=mysqli_connect($host,$user,$pass,$dbname);
$email=$_POST["email"];
$result=mysqli_query($conn1,"delete from users where email
='$email' ");
if($result)
{
    if(mysqli_affected_rows($conn1))
    {
        echo"Account-$email was deleted successully.<br>";
    }
    else echo" There was an error deleting this account ";
}
else
{
    echo"There was some error in
deletion".mysqli_error($conn1)."<br>";
}

}//newly added
?>
<script>
function gohome()
```



```
{  
window.location.href="demo.php";  
}  
</script>  
<form>  
To add/delete/update another account <input type="button"  
value="go back!" onclick="history.go(-2)">  
</form>  
  
<?php  
}  
else  
header("Location: main.php");  
?  
</body>  
</html>  
<script>  
if(window.history.replaceState)  
{  
window.history.replaceState(null,null>window.location.href);  
}  
</script>
```



### 33)UPDATEACCOUNT.PHP

```
<?php
session_start();
?>
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-
scale=1">
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<style>
.topinfo {
background-size: cover;
background: #581845;
}
.tab {
overflow: hidden;
border: 1px solid #ccc;
```



```
background-color: #f1f1f1;  
}  
</style>  
</head>  
<body>  
<?php  
if(isset($_SESSION["user"]))  
{  
?>  
  
<div class="topinfo">  
<font size="35" color="white"  
align="centre">CAP</font><br><br>  
<font size="3" color="white" >EVENTS AT A GLANCE</font>  
</div><br>  
</div><br>  
<div class="tab">  
<i class="fa fa-home" style="font-size:24px"  
onclick="gohome()"></i><br>  
</div><br>  
<?php  
if(isset($_POST["email"]))
```



```
{  
$host="localhost";  
$user="root";  
$pass="";  
$dbname="seoproject";  
$conn=mysqli_connect($host,$user,$pass);  
$conn1=mysqli_connect($host,$user,$pass,$dbname);  
if(isset($_POST["email"]))  
{$email=$_POST["email"];  
$newname=$_POST["name"];  
$newpassword=$_POST["password"];  
$newusertype=$_POST["usertype"];  
  
$result=mysqli_query($conn1,"update users SET  
name='$newname', password='$newpassword',  
usertype='$newusertype' where email='$email' ");  
if($result)  
{  
if(mysqli_affected_rows($conn1))  
{  
echo"Acoount-$email was updated successully.<br>";  
}  
else echo" There was an error updating account";
```



```
}

else

{

echo"There was some error in updation".mysqli_error($conn1);

}

} //newly added

?>

<br>

<script>

function gohome()

{

window.location.href="demo.php";

}

</script>

<form>

To add/delete/update another account <input type="button"  
value="go back!" onclick="history.go(-2)">

</form>

<?php
```



```
}

else

header("Location: main.php");

?>

</body>

</html>

<script>

if(window.history.replaceState)

{

window.history.replaceState(null,null>window.location.href);

}

</script>
```

### 34)LOGOUT.PHP

```
<?php

session_start();

unset($_SESSION["user"]);

header("Location: main.php");

?>
```

### 35)LOGOUT.HTML



Edit with WPS Office

```
<html>
<body>
WebSecurity.Logout();
Response.Redirect("http://localhost:8080/se%20project/main.php");
</html>
</body>
```

