DevOrbit

EPIC Breakdown

A structured grouping of the 58 revised user stories

PURPOSE

Group related user stories into coherent product capabilities, while preserving the original story IDs and MoSCoW priorities.

13 EPICs | 58 USER STORIES | ORIGINAL PRIORITIES PRESERVED

Course project planning document

1. EPIC Overview

The EPICs below group the existing user stories by user-facing capability and product outcome. All 58 source stories (US-01 to US-58) are assigned exactly once. Story IDs, acceptance criteria, and MoSCoW priorities remain unchanged.

EPIC ID	EPIC name	Count	Included story IDs
EPIC-01	Account Access & Authentication	4 stories	US-01, US-02, US-03, US-04
EPIC-02	User Profiles, Skills & Privacy	3 stories	US-05, US-06, US-07
EPIC-03	Project Workspace & Membership Governance	8 stories	US-08, US-09, US-10, US-11, US-12, US-13, US-14, US-15
EPIC-04	Project Communication & Messaging	4 stories	US-16, US-17, US-18, US-19
EPIC-05	Task, Milestone & Kanban Management	9 stories	US-20, US-21, US-22, US-23, US-24, US-25, US-26, US-27, US-28
EPIC-06	Project Activity Feed & Notifications	2 stories	US-29, US-30
EPIC-07	GitHub Integration & Development Activity	4 stories	US-31, US-32, US-33, US-34
EPIC-08	Project Decisions, Files & Documentation	4 stories	US-35, US-36, US-37, US-38
EPIC-09	Project Dashboard & Health Monitoring	2 stories	US-39, US-40
EPIC-10	AI Project Intelligence: Copilot & Catch Me Up	4 stories	US-41, US-42, US-43, US-44
EPIC-11	Project Discovery, Joining & Portfolio	5 stories	US-45, US-46, US-47, US-48, US-49
EPIC-12	Public Social Feed & Engagement	5 stories	US-50, US-51, US-52, US-53, US-54
EPIC-13	Content Moderation & Platform Administration	4 stories	US-55, US-56, US-57, US-58

Important planning principle: an EPIC groups related product work; a Sprint schedules a selected set of user stories. An EPIC does not have to equal one Sprint, and one Sprint can include stories from multiple EPICs.

MoSCoW priority key: Must = 34 | Should = 23 | Could = 1

EPIC-01 | Account Access & Authentication

EPIC goal Provide a secure and dependable way for people to create a DevOrbit account, sign in, sign out, and recover access when they DevOrbitt their password.

Expected value Users can access protected DevOrbit capabilities with clear session and account-recovery behaviour.

Story ID	User story title (from source)	Priority
US-01	Register an account	Must
US-02	Log in	Must
US-03	Log out	Must
US-04	Reset a forgotten password	Should

Requirement traceability FR-1, FR-28

EPIC-02 | User Profiles, Skills & Privacy

EPIC goal Let registered users maintain their identity, communicate their skills, view other people's public profiles, and choose how discoverable their information should be.

Expected value Users can present relevant experience and control profile visibility while supporting collaboration and professional identity.

Story ID	User story title (from source)	Priority
US-05	Edit my profile	Must
US-06	View another user's profile	Should
US-07	Set privacy preferences	Could

Requirement traceability FR-2, FR-19, FR-21, FR-26, FR-29

EPIC-03 | Project Workspace & Membership Governance

EPIC goal Create project workspaces and manage project membership, roles, invitations, join requests, member removal/exit, and project completion.

Expected value Each project has a clear home, defined membership, and permission rules for who can view or change project work.

Story ID	User story title (from source)	Priority
US-08	Create a project	Must
US-09	Assign project roles	Must
US-10	Invite an existing user	Should
US-11	Accept or decline an invitation	Should
US-12	Approve or reject join requests	Should
US-13	Remove a member	Should
US-14	Leave a project	Should
US-15	Mark a project complete	Should

Requirement traceability FR-3, FR-4, FR-18, FR-20, FR-21, FR-31

EPIC-04 | Project Communication & Messaging

EPIC goal Enable structured team communication through project channels, message threads, mentions, and private direct messages.

Expected value Project discussions stay organized, teammates can be addressed directly, and private conversations remain separate from project channels.

Story ID	User story title (from source)	Priority
US-16	Send messages in project channels	Must
US-17	Reply in a thread	Should
US-18	Mention a teammate	Must

Story ID	User story title (from source)	Priority
US-19	Send direct messages	Must

Requirement traceability FR-5, FR-6; related notifications: FR-10

EPIC-05 | Task, Milestone & Kanban Management

EPIC goal Capture work as tasks, assign responsibilities and due dates, organize tasks under milestones, and track progress using a Kanban board.

Expected value Teams can see what needs to be done, who owns the work, when it is due, and how far the project has progressed.

Story ID	User story title (from source)	Priority
US-20	Comment on a task	Should
US-21	Create a task	Must
US-22	Assign a task	Must
US-23	Set a task due date	Should
US-24	Update task status	Must
US-25	Create a milestone	Must
US-26	Group tasks under a milestone	Must
US-27	View the Kanban board	Must
US-28	Move tasks by dragging	Must

Requirement traceability FR-7, FR-7a, FR-7b, FR-7c, FR-8, FR-10, FR-15, FR-32

EPIC-06 | Project Activity Feed & Notifications

EPIC goal Show project messages, task changes, and GitHub events in one chronological feed, and notify users about important mentions, assignments, and approaching deadlines.

Expected value Members can quickly see what happened in a project and do not need to manually check every module for important updates.

Story ID	User story title (from source)	Priority
US-29	View the project Activity Feed	Must
US-30	Receive in-app notifications	Must

Requirement traceability FR-9, FR-10, FR-33

EPIC-07 | GitHub Integration & Development Activity

EPIC goal Let a project owner authorize GitHub, connect a repository, manage that connection, and display relevant commits, issues, and pull requests in project context.

Expected value Code activity becomes visible alongside team discussions and tasks, making project progress easier to understand.

Story ID	User story title (from source)	Priority
US-31	Authorize GitHub	Must
US-32	Connect a repository	Must
US-33	Manage the GitHub connection	Should
US-34	See GitHub events in the feed	Must

Requirement traceability FR-11, FR-12, FR-35

EPIC-08 | Project Decisions, Files & Documentation

EPIC goal Preserve the reasoning behind project choices and give project members a place to upload files and maintain lightweight Markdown documentation.

Expected value Important decisions and reference material remain attached to the project rather than being lost in chat or external folders.

Story ID	User story title (from source)	Priority
US-35	Record a decision	Must
US-36	View and update decisions	Must
US-37	Upload a project file	Should
US-38	Write a documentation page	Should

Requirement traceability FR-13, FR-14a, FR-14b, FR-34

EPIC-09 | Project Dashboard & Health Monitoring

EPIC goal Summarize milestone progress, open work, upcoming deadlines, overdue or blocked tasks, and recent project activity in a project-level overview.

Expected value Project members and managers can understand project status and spot problems without manually combining information from multiple pages.

Story ID	User story title (from source)	Priority
US-39	View the project dashboard	Should
US-40	View project health	Should

Requirement traceability FR-15, FR-22

EPIC-10 | AI Project Intelligence: Copilot & Catch Me Up

EPIC goal Provide project-aware AI answers grounded in accessible project data, transparently handle missing information, and summarize activity since a user's previous login.

Expected value Users can find project information and catch up on changes without searching every message, task, decision, and GitHub event manually.

Story ID	User story title (from source)	Priority
US-41	Ask the Copilot a question	Must
US-42	Get answers grounded in project data	Must
US-43	Be told when data is insufficient	Must
US-44	Catch Me Up	Must

Requirement traceability FR-16a, FR-16b, FR-16c, FR-17, FR-36

EPIC-11 | Project Discovery, Joining & Portfolio

EPIC goal Help people discover relevant public projects, inspect read-only project pages, request membership, find collaborators by skills, and present verified project contributions through a portfolio.

Expected value DevOrbit supports both finding meaningful work and demonstrating the experience gained from completing it.

Story ID	User story title (from source)	Priority
US-45	Browse and filter public projects	Should
US-46	View a public project page	Should
US-47	Request to join a public project	Should
US-48	Find a collaborator by skill	Should
US-49	Generate my portfolio	Should

Requirement traceability FR-18, FR-19, FR-20, FR-21, FR-29, FR-30

EPIC-12 | Public Social Feed & Engagement

EPIC goal Allow users to publish project-independent public posts, edit or remove their own content, vote once on posts, discover trending content, and follow other users.

Expected value Makes DevOrbit a social platform, not only a project-collaboration workspace, by supporting public content discovery and visible community engagement.

Story ID	User story title (from source)	Priority
US-50	Create a public post	Must
US-51	Edit or delete my post	Should
US-52	Vote on a post	Must
US-53	Browse the trending feed	Must
US-54	Follow users and see public counts	Must

Requirement traceability FR-23, FR-24, FR-25, FR-26

EPIC-13 | Content Moderation & Platform Administration

EPIC goal Provide a controlled process for reporting public posts, reviewing reports, assigning trusted moderators, and suspending or reactivating user accounts.

Expected value The public social layer has basic accountability mechanisms and platform-level controls for harmful content or abusive accounts.

Story ID	User story title (from source)	Priority
US-55	Report a public post	Must
US-56	Moderate reported posts	Must
US-57	Assign and revoke moderators	Must
US-58	Suspend and reactivate accounts	Should

Requirement traceability FR-27; platform-admin stakeholder definition; NFR-19 to NFR-22

2. Cross-Cutting Requirements & Coordination

The source user-story document explicitly treats non-functional requirements (NFRs) as measurable system qualities rather than independent user stories. Keep these requirements attached to the relevant EPICs and acceptance criteria rather than creating a separate “NFR EPIC.”

NFR theme	Relevant EPICs	How it applies
Security and authorization	EPIC-01, EPIC-02, EPIC-03, EPIC-07, EPIC-10, EPIC-13	Password/session security, role permissions, server-side access checks, privacy boundaries.
Performance and responsiveness	EPIC-04, EPIC-05, EPIC-06, EPIC-10, EPIC-12	Message latency, feed load time, notification latency, Kanban responsiveness, AI response/loading feedback.
Data integrity and validation	EPIC-01, EPIC-03, EPIC-05, EPIC-08, EPIC-12, EPIC-13	Server-side validation, conflict detection, one vote per user/post, atomic vote handling, meaningful errors.
Resilience and availability	EPIC-07, EPIC-10, all deployed modules	Webhook retries and rate limits; AI outages should not disable chat, tasks, or feeds; clear deployment/loading feedback.
Usability and consistency	All EPICs	Responsive layout, consistent interaction patterns, and loading/progress indicators for longer operations.
Maintainability and quality	All EPICs / team-wide	Modular boundaries, automated tests, CI checks, documented API endpoints, and coding conventions.

3. Cross-EPIC Dependencies

Dependency	Relationship	Coordination note
Foundation first	EPIC-01 and EPIC-03	Authentication, user/project models, membership, and permissions are prerequisites for most project features.
Shared event stream	EPIC-04 + EPIC-05 + EPIC-07 → EPIC-06	Communication, task, and GitHub events need a shared project Activity Feed/event model.
Project context for AI	EPIC-04 + EPIC-05 + EPIC-06 + EPIC-07 + EPIC-08 → EPIC-10	Copilot/Catch Me Up require accessible, permission-filtered context from the underlying project modules.
Portfolio and discovery	EPIC-02 + EPIC-03 + EPIC-05 + EPIC-08 → EPIC-11	Discovery/portfolio needs public visibility, skill tags, project completion, and contribution data.
Social moderation	EPIC-12 → EPIC-13	Reports and moderation actions depend on the public post/vote/follow subsystem and platform-level authorization.

4. Scope & Use Notes

- This document reorganizes the 58 stories already present in DevOrbit_User_Stories_Final.pdf. It does not add new user stories or change their acceptance criteria.
- The existing Must / Should / Could priorities have been preserved exactly as listed in the source. Any priority change should be reviewed by the team rather than made silently during EPIC grouping.
- The source marks some stories as “New (review)” and notes that proposed numeric values and assumptions need team confirmation; grouping a story into an EPIC does not approve these open items.
- Plan Sprints from individual stories after considering priority, dependencies, estimates, capacity, and the Sprint goal. Do not automatically assign one complete EPIC to one Sprint.