SLITHER STEP 3: INHERITANCE GRAPH & C3 LINEARIZATION (raffle-fun Solidity 0.8.36)

Raffle (src/Raffle.sol) [Owned]

Inherits: ERC721, ReentrancyGuard,
  VRFV2PlusWrapperConsumerBase, IRaffle, IERC721Receiver
Overrides: name(), symbol(), _update(),
  fulfillRandomWords()
State Vars: 31 public + 2 private (_ticketRanges,
  _requestInFlight)
Zero state variable shadowing across 9 bases

ERC721 (OZ v5.1.0)

1: Context
2: ERC165
3: IERC721
4: IERC721Metadata
5: IERC721Errors

ReentrancyGuard (OZ v5.1.0)

_status (NOT_ENTERED=1, ENTERED=2)
nonReentrant modifier
Note: clone starts at 0 (!= 2)

VRFV2PlusWrapperConsumerBase

Immutable: i_vrfV2PlusWrapper
Immutable: i_linkToken (via link())
rawFulfillRandomWords -> fulfillRandomWords
requestRandomnessPayInNative()

IRaffle & IERC721Receiver

IRaffle (src/interfaces/IRaffle.sol)
  Pure interface (Status enum, events,
  errors, function signatures)
IERC721Receiver (onERC721Received)

Context & ERC165 -> IERC165

Context: _msgSender(), _msgData()
ERC165: supportsInterface(bytes4)
IERC721 / IERC721Metadata / IERC6093

RaffleFactory (src/RaffleFactory.sol) [Owned]

Inherits: ReentrancyGuard (1), IRaffleFactory (2)
Deploys: master Raffle implementation in constructor
Clones: Clones.clone(raffleImplementation) in createRaffle()
State: quoteToken, vrfWrapper, protocolTreasury, callbackGasLimit,
  requestConfirmations, raffleCount, raffleById, idByRaffle, isRaffle

RaffleConstants (src/libraries/RaffleConstants.sol) [Owned]

Standalone Library (no inheritance)
ENTRY_PRICE = 1e6 | PROTOCOL_FEE_BPS = 100 | BPS_DENOMINATOR = 10_000
MIN_SALE_DURATION = 1 hours | MAX_SALE_DURATION = 30 days
DRAW_REQUEST_TIMEOUT = 2 days | DRAW_CALLBACK_TIMEOUT = 2 days
MIN_CALLBACK_GAS_LIMIT = 200_000 | MAX_ENTRIES_PER_PURCHASE = 1_000
MAX_REFUND_TICKET_BATCH_SIZE = 100