8/21/24, 10:43 AM index.html

index.html

```
<!DOCTYPE html>
    <html lang="en">
 3
    <head>
 5
        <meta charset="UTF-8">
 6
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
 7
        <title>Selectors in CSS</title>
        <link rel="stylesheet" href="style.css">
 8
    </head>
10
11
    <body>
12
13
        <!-- CSS Selectors and Backgrounds -->
14
15
        <h1 id="main-heading">Selectors in CSS</h1>
16
        CSS selectors target the HTML elements on your pages, allowing you to add styles based on their
17
        ID, class, type, attribute, and more.
18
19
20
        <h2 class="sub-heading">Various types of selectors are: ID selector, Class selector, universal
21
        selector, tag selector etc.</h2>
22
23
        An ID selector uniquely identifies an HTML element. The symbol used is #
24
25
        A class selector is used when we want to apply the same style to multiple HTML elements. The
26
        symbol used is .
27
        \langle p \rangleA universal selector targets all HTML elements in the document. The symbol used is *\langle p \rangle
28
29
30
        A tag selector targets all HTML elements with the same tag name. The symbol used is the name of
31
        the tag itself.
32
33
        <h1 id="background-heading">Backgrounds in CSS</h1>
34
35
        <strong class="description">The CSS background property is a shorthand for setting multiple
        background properties in one declaration, including background color, image, position, size, repeat,
36
```

8/21/24, 10:43 AM index.html

```
37
       origin, clip, and attachment. This property is essential for customizing the visual appearance of
38
       elements.</strong>
39
40
       <h2 id="background-properties">Background Properties in CSS:</h2>
41
42
       <u1>
           background-color
43
           background-image
44
           background-position
45
           background-repeat
46
           background-attachment
47
           background-size
48
49
       50
51
       <!--
52
       background-color has certain values like "white", "black", "red", "green", "blue", etc.
53
54
55
       background-image has certain values like "none", "url", "linear-gradient", "radial-gradient",
       "repeating-linear-gradient", "repeating-radial-gradient"
56
57
       background-repeat has certain values like "repeat", "repeat-x", "repeat-y", "no-repeat"
58
59
60
       background-attachment has certain values like "scroll", "fixed", "local"
61
       background-position has certain values like "top", "bottom", "left", "right", "center"
62
63
64
       background-size has certain values like "auto", "cover", "contain"
65
66
       -->
67
68
    </body>
69
70
   </html>
```