

TASK 2

Host one static website on S3 with cloudfront.

AWS

Search

[Alt+S]

Asia Pacific (Mumbai)Heetakh20

Amazon S3> Buckets> Create bucket

Create bucket

Info

Buckets are containers for data stored in S3.

General configuration

AWS Region
Asia Pacific (Mumbai) ap-south-1

Bucket type

General purpose
Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.

Directory
Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.

Bucket name

s2-website-aws

Bucket name must be unique within the global namespace and follow the bucket naming rules. [See rules for bucket naming](#)

Copy settings from existing bucket - optional
Only the bucket settings in the following configuration are copied.

Choose bucket

Format: s3://bucket/prefix

Object Ownership

Info

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

AWS

Search

[Alt+S]

Asia Pacific (Mumbai)Heetakh20

Amazon S3> Buckets> s3-website-aws

s3-website-aws

Info

Objects

Properties

Permissions

Metrics

Management

Access Points

Objects (2)

Info

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 Inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

<input type="checkbox"/>	Name	Type	Last modified	Size	Storage class
<input type="checkbox"/>	img/	Folder	-	-	-
<input type="checkbox"/>	index.html	html	January 11, 2025, 16:39:52 (UTC+05:30)	2.7 KB	Standard

