

# Python第7次(第8周)作业 (参考答案)

考试形式: 开卷

考试时间: 2024-4-15

院系: 东吴学院 年级: 2023 专业: 非计算机专业

学号: \_\_\_\_\_ 姓名: \_\_\_\_\_ 分数: \_\_\_\_\_

## 一、选择题 (每小题1.0分, 共20.0分)

- |       |       |       |       |       |
|-------|-------|-------|-------|-------|
| 01. C | 02. C | 03. C | 04. B | 05. D |
| 06. A | 07. C | 08. B | 09. C | 10. A |
| 11. C | 12. D | 13. A | 14. A | 15. C |
| 16. A | 17. B | 18. A | 19. A | 20. B |

## 二、填空题 (每空2.0分, 共20.0分)

01. 'c'
02. 'a,b,c,d'
03. 6
04. 'hello world'
05. ['abc','efg']
06. 123426[或]'123426'
07. False
08. 17
09. False
10. r[或]R

## 三、编程题 (每小题6.0分, 共60.0分)

01. (6.0分) 答:

```
str1=input()
str_list=str1.split('|')
d={}
for s in str_list:
    key,value=s.split(':')
    d[key]=int(value)
print(sum(d.values()))
```

02. (6.0分) 答:

```
s=input()
s1=s[::-1]
if s==s1:
    print("Yes")
else:
    print("No")
```

03. (6.0分) 答:

```

s1=input()
s2=input()
new=[]
for i in s1:
    if i.isalpha() and i in s2:
        new.append(i)
if new:
    new=set(new)
    new=sorted(new)
    print(''.join(new))
else:
    print('None')
04. (6.0分) 答:
ip=input()
IP=ip.split('.')
flag=1
if len(IP)!=4:
    flag=0
else:
    for i in IP:
        if int(i) not in range(256):
            flag=0
            break
if flag:
    print("合法")
else:
    print("不合法")
05. (6.0分) 答:
s=input()
a=0;b=0
if s[0].isupper() and s.isalnum():
    for x in s:
        if x.isdigit():
            a=1
        elif x.isalpha():
            b=1
        else:
            break
if a+b==2:
    print('Yes')
else:
    print('No')
06. (6.0分) 答:

```

```

s=input()
s_upper=[]
s_lower=[]
for x in s:
    if x.isupper():
        s_upper.append(x)
    elif x.islower():
        s_lower.append(x)
s_upper=list(set(s_upper))
s_lower=list(set(s_lower))
s_upper.sort()
s_lower.sort()
for x in s_upper:
    x_lower=x.lower()
    if x_lower in s_lower:
        s_lower.insert(s_lower.index(x_lower),x)
    else:
        for i in s_lower:
            if x_lower<i:
                s_lower.insert(s_lower.index(i),x)
                break
        else:
            s_lower.append(x)
print(''.join(s_lower))

```

07. (6.0分) 答:

```

s=input()
ls1=s.split()[::-1]
ls2=[]
for i in ls1:
    ls2.append(i[::-1])
print(' '.join(ls2))

```

08. (6.0分) 答:

```

s1=input()
s2=input()
for i in s1:
    if i.isalpha() and i not in s2:
        print('No')
        break
else:
    print('Yes')

```

09. (6.0分) 答:

```

s=input()
m,n=eval(input())

```

```
ls=[]
for i in s:
    if s.count(i)==n:
        ls.append(i)
if ls:
    print(ls[m-1])
else:
    print(None)
10. (6.0分) 答:
s1=input()
s2=input()
findpos=-1
while 1:
    pos=s2.find(s1,findpos+1)
    if pos==-1:
        print(findpos)
        break
    findpos=pos
```