

ANDRÉ MIEDE
A CLASSIC THESIS STYLE

A CLASSIC THESIS STYLE

ANDRÉ MIEDE



An Homage to The Elements of Typographic Style

January 2018 – version 4.6

André Miede: *A Classic Thesis Style*, An Homage to The Elements of
Typographic Style, © January 2018

Ohana means family.
Family means nobody gets left behind, or forgotten.
— Lilo & Stitch

Dedicated to the loving memory of Rudolf Miede.
1939–2005

ABSTRACT

Short summary of the contents in English...a great guide by Kent Beck how to write good abstracts can be found here:

<https://plg.uwaterloo.ca/~migod/research/beck00PSLA.html>

ZUSAMMENFASSUNG

Kurze Zusammenfassung des Inhaltes in deutscher Sprache...

PUBLICATIONS

This might come in handy for PhD theses: some ideas and figures have appeared previously in the following publications:

*This is just an early
– and currently
ugly – test!*

- [1] Tobias Isenberg, André Miede, and Sheelagh Carpendale. “A Buffer Framework for Supporting Responsive Interaction in Information Visualization Interfaces.” In: *Proceedings of the Fourth International Conference on Creating, Connecting, and Collaborating through Computing (C⁵ 2006)*. IEEE, 2006, pp. 262–269. ISBN: 978-0-7695-2563-1.
- [2] Ulrich Lampe, Markus Kieselmann, André Miede, Sebastian Zöller, and Ralf Steinmetz. “A Tale of Millis and Nanos: On the Accuracy of Time Measurements in Virtual Machines.” In: *Proceedings of the Second European Conference on Service-Oriented and Cloud Computing (ESOCC 2013)*. Springer, 2013, pp. 172–179. ISBN: 978-3-642-40650-8.
- [3] Ulrich Lampe, Qiong Wu, Ronny Hans, André Miede, and Ralf Steinmetz. “To Frag Or To Be Fragged – An Empirical Assessment of Latency in Cloud Gaming.” In: *Proceedings of the Third International Conference on Cloud Computing and Services Science (CLOSER 2013)*. 2013, pp. 5–12. ISBN: 978-898-8565-52-5.
- [4] André Miede. “Theses and other Beautiful Documents with classicthesis.” In: *TUGboat – The Communications of the T_EX Users Group* 31.1 (2010), pp. 18–20. ISSN: 0896-3207.
- [5] André Miede, Gökhan Şimşek, Stefan Schulte, Daniel F. Abawi, Julian Eckert, and Ralf Steinmetz. “Revealing Business Relationships – Eavesdropping Cross-organizational Collaboration in the Internet of Services.” In: *Proceedings of the Tenth International Conference Wirtschaftsinformatik (WI 2011)*. Vol. 2. 2011, pp. 1083–1092. ISBN: 978-1-4467-9236-0.
- [6] Hsin-Yi Tsai, Melanie Siebenhaar, André Miede, Yu-Lun Huang, and Ralf Steinmetz. “Threat as a Service? Virtualization’s Impact on Cloud Security.” In: *IEEE IT Professional* 14.1 (2012), pp. 32–37. ISSN: 1520-9202.

Attention: This requires a separate run of bibtex for your refsection, e.g., `ClassicThesis1-btx` for this file. You might also use biber as the backend for biblatex. See also <http://tex.stackexchange.com/questions/128196/problem-with-refsection>.

*We have seen that computer programming is an art,
because it applies accumulated knowledge to the world,
because it requires skill and ingenuity, and especially
because it produces objects of beauty.*

— Donald E. Knuth [13]

ACKNOWLEDGMENTS

Put your acknowledgments here.

Many thanks to everybody who already sent me a postcard!

Regarding the typography and other help, many thanks go to Marco Kuhlmann, Philipp Lehman, Lothar Schlesier, Jim Young, Lorenzo Pantieri and Enrico Gregorio¹, Jörg Sommer, Joachim Köstler, Daniel Gottschlag, Denis Aydin, Paride Legovini, Steffen Prochnow, Nicolas Repp, Hinrich Harms, Roland Winkler, Jörg Weber, Henri Menke, Claus Lahiri, Clemens Niederberger, Stefano Bragaglia, Jörn Hees, Scott Lowe, Dave Howcroft, José M. Alcaide, and the whole L^AT_EX-community for support, ideas and some great software.

Regarding L_YX: The L_YX port was intially done by *Nicholas Mariette* in March 2009 and continued by *Ivo Pletikosić* in 2011. Thank you very much for your work and for the contributions to the original style.

¹ Members of GuIT (Gruppo Italiano Utilizzatori di T_EX e L^AT_EX)

CONTENTS

I SOME KIND OF MANUAL

1	INTRODUCTION	3
1.1	Organization	5
1.2	Style Options	6
1.3	Customization	7
1.4	Issues	8
1.5	Future Work	8
1.6	Beyond a Thesis	8
1.7	License	9

II THE SHOWCASE

2	EXAMPLES	13
2.1	A New Section	13
2.1.1	Test for a Subsection	13
2.1.2	Autem Timeam	13
2.2	Another Section in This Chapter	14
2.2.1	Personas Initialmente	14
2.2.2	Linguistic Registrare	15
3	MATH TEST CHAPTER	17
3.1	Some Formulas	17
3.2	Various Mathematical Examples	18

III APPENDIX

A	APPENDIX TEST	21
A.1	Appendix Section Test	21
A.2	Another Appendix Section Test	21

	BIBLIOGRAPHY	23
--	--------------	----

LIST OF FIGURES

Figure 2.1	Tu duo titulo debitas latente	16
------------	-------------------------------	----

LIST OF TABLES

Table 2.1	Autem timeam deleniti usu id	15
Table A.1	Autem usu id	21

LISTINGS

Listing A.1	A floating example (listings manual)	21
-------------	--------------------------------------	----

ACRONYMS

DRY	Don't Repeat Yourself
API	Application Programming Interface
UML	Unified Modeling Language

Part I

SOME KIND OF MANUAL

1

INTRODUCTION

This bundle for L^AT_EX has two goals:

1. Provide students with an easy-to-use template for their Master's or PhD thesis. (Though it might also be used by other types of authors for reports, books, etc.)
2. Provide a classic, high-quality typographic style that is inspired by Bringhurst's "*The Elements of Typographic Style*" [5].

*A Classic Thesis
Style version 4.6*

The bundle is configured to run with a *full* MiK_TE_X or T_EXLive¹ installation right away and, therefore, it uses only freely available fonts. (Minion fans can easily adjust the style to their needs.)

People interested only in the nice style and not the whole bundle can now use the style stand-alone via the file `classicthesis.sty`. This works now also with "plain" L^AT_EX.

As of version 3.0, `classicthesis` can also be easily used with L_YX² thanks to Nicholas Mariette and Ivo Pletikosić. The L_YX version of this manual will contain more information on the details.

This should enable anyone with a basic knowledge of L^AT_EX 2_ε or L_YX to produce beautiful documents without too much effort. In the end, this is my overall goal: more beautiful documents, especially theses, as I am tired of seeing so many ugly ones.

The whole template and the used style is released under the GNU General Public License.

If you like the style then I would appreciate a postcard:

André Miede
Detmolder Straße 32
31737 Rinteln
Germany

The postcards I received so far are available at:

<http://postcards.miede.de>

So far, many theses, some books, and several other publications have been typeset successfully with it. If you are interested in some typographic details behind it, enjoy Robert Bringhurst's wonderful book.

*A well-balanced line
width improves the
legibility of the text.
That's what
typography is all
about, right?*

¹ See the file `LISTOFFILES` for needed packages. Furthermore, `classicthesis` works with most other distributions and, thus, with most systems L^AT_EX is available for.

² <http://www.lyx.org>

IMPORTANT NOTE: Some things of this style might look unusual at first glance, many people feel so in the beginning. However, all things are intentionally designed to be as they are, especially these:

- No bold fonts are used. Italics or spaced small caps do the job quite well.
- The size of the text body is intentionally shaped like it is. It supports both legibility and allows a reasonable amount of information to be on a page. And, no: the lines are not too short.
- The tables intentionally do not use vertical or double rules. See the documentation for the booktabs package for a nice discussion of this topic.³
- And last but not least, to provide the reader with a way easier access to page numbers in the table of contents, the page numbers are right behind the titles. Yes, they are *not* neatly aligned at the right side and they are *not* connected with dots that help the eye to bridge a distance that is not necessary. If you are still not convinced: is your reader interested in the page number or does she want to sum the numbers up?

Therefore, please do not break the beauty of the style by changing these things unless you really know what you are doing! Please.

YET ANOTHER IMPORTANT NOTE: Since classicthesis' first release in 2006, many things have changed in the L^AT_EX world. Trying to keep up-to-date, classicthesis grew and evolved into many directions, trying to stay (some kind of) stable and be compatible with its port to L^AX. However, there are still many remains from older times in the code, many dirty workarounds here and there, and several other things I am absolutely not proud of (for example my unwise combination of KOMA and titlesec etc.).

*An outlook into the
future of
classicthesis.*

Currently, I am looking into how to completely re-design and re-implement classicthesis making it easier to maintain and to use. As a general idea, classicthesis.sty should be developed and distributed separately from the template bundle itself. Excellent spin-offs such as arclassica could also be integrated (with permission by their authors) as format configurations. Also, current trends of microtype, fontspec, etc. should be included as well. As I am not really into deep L^AT_EX programming, I will reach out to the L^AT_EX community for their expertise and help.

³ To be found online at <http://mirror.ctan.org/macros/latex/contrib/booktabs/>.

1.1 ORGANIZATION

A very important factor for successful thesis writing is the organization of the material. This template suggests a structure as the following:

You can use these margins for summaries of the text body...

- `Chapters/` is where all the “real” content goes in separate files such as `Chapter01.tex` etc.
- `FrontBackMatter/` is where all the stuff goes that surrounds the “real” content, such as the acknowledgments, dedication, etc.
- `gfx/` is where you put all the graphics you use in the thesis. Maybe they should be organized into subfolders depending on the chapter they are used in, if you have a lot of graphics.
- `Bibliography.bib`: the BibTeX database to organize all the references you might want to cite.
- `classicthesis.sty`: the style definition to get this awesome look and feel. Does not only work with this thesis template but also on its own (see folder `Examples`). Bonus: works with both L^AT_EX and PDFL^AT_EX... and L_XX. Great tool and it’s free!
- `ClassicThesis.tex`: the main file of your thesis where all gets bundled together.
- `classicthesis-config.tex`: a central place to load all nifty packages that are used.

Make your changes and adjustments here. This means that you specify here the options you want to load `classicthesis.sty` with. You also adjust the title of your thesis, your name, and all similar information here. Refer to [Section 1.3](#) for more information.

This had to change as of version 3.0 in order to enable an easy transition from the “basic” style to L_XX.

In total, this should get you started in no time.

1.2 STYLE OPTIONS

There are a couple of options for `classicthesis.sty` that allow for a bit of freedom concerning the layout:

...or your supervisor might use the margins for some comments of her own while reading.

- General:
 - `drafting`: prints the date and time at the bottom of each page, so you always know which version you are dealing with. Might come in handy not to give your Prof. that old draft.
- Parts and Chapters:
 - `parts`: if you use Part divisions for your document, you should choose this option. (Cannot be used together with `nochapters`.)
 - `linedheaders`: changes the look of the chapter headings a bit by adding a horizontal line above the chapter title. The chapter number will also be moved to the top of the page, above the chapter title.
- Typography:
 - `palatino`: Hermann Zapf’s classic font is the free standard font for this style. Robert Bringhurst’s book uses Adobe’s commercial font Minion Pro. However, there are other free alternatives also available. Deactivate this option for loading such alternatives and see `classicthesis-config.tex` for some suggestions.
 - `eulerchapternumbers`: use figures from Hermann Zapf’s Euler math font for the chapter numbers. By default, old style figures from the Palatino font are used.
 - `beramono`: loads Bera Mono as typewriter font. (Default setting is using the standard CM typewriter font.)
 - `eulermath`: loads the awesome Euler fonts for math. Palatino is used as default font.
- Table of Contents:
 - `tocaligned`: aligns the whole table of contents on the left side. Some people like that, some don’t.
 - `dottedtoc`: sets pagenumbers flushed right in the table of contents.
 - `manychapters`: if you need more than nine chapters for your document, you might not be happy with the spacing between the chapter number and the chapter title in the Table of Contents. This option allows for additional space in this context. However, it does not look as “perfect” if you use `\parts` for structuring your document.

Options are enabled via `option=true`

- Floats:
 - `floatperchapter`: activates numbering per chapter for all floats such as figures, tables, and listings (if used).

Furthermore, pre-defined margins for different paper sizes are available, e.g., `a4paper`, `a5paper`, `b5paper`, and `letterpaper`. These are based on your chosen option of `\documentclass`.

The best way to figure these options out is to try the different possibilities and see what you and your supervisor like best.

In order to make things easier, `classicthesis-config.tex` contains some useful commands that might help you.

1.3 CUSTOMIZATION

This section will show you some hints how to adapt `classicthesis` to your needs.

The file `classicthesis.sty` contains the core functionality of the style and in most cases will be left intact, whereas the file `classicthesis-config.tex` is used for some common user customizations.

The first customization you are about to make is to alter the document title, author name, and other thesis details. In order to do this, replace the data in the following lines of `classicthesis-config.tex`:

```
% *****
% 2. Personal data and user ad-hoc commands
% *****
\newcommand{\myTitle}{A Classic Thesis Style\hspace{}}
\newcommand{\mySubtitle}{An Homage to...\hspace{}}
```

*Modifications in
classic-
thesis-config.tex*

Further customization can be made in `classicthesis-config.tex` by choosing the options to `classicthesis.sty` (see [Section 1.2](#)) in a line that looks like this:

```
\PassOptionsToPackage{
  drafting=true,      % print version information on the bottom of
                      % the pages
  totaligned=false, % the left column of the toc will be aligned
                      % (no indentation)
  dottedtoc=false,  % page numbers in ToC flushed right
  parts=true,       % use part division
  eulerchapternumbers=true, % use AMS Euler for chapter font (
                      % otherwise Palatino)
  linedheaders=false, % chapter headers will have line above
                      % and beneath
  floatperchapter=true, % numbering per chapter for all
                      % floats (i.e., Figure 1.1)
  eulermath=false,  % use awesome Euler fonts for mathematical
                      % formulae (only with pdfLaTeX)
  beramono=true,    % toggle a nice monospaced font (w/ bold)
```

```
% palatino=false, % deactivate standard font for loading
    another one, see the last section at the end of this file
    for suggestions
}{classicthesis}
```

Many other customizations in `classicthesis-config.tex` are possible, but you should be careful making changes there, since some changes could cause errors.

1.4 ISSUES

This section will list some information about problems using `classicthesis` in general or using it with other packages.

Beta versions of `classicthesis` can be found at Bitbucket:

<https://bitbucket.org/amiede/classicthesis/>

There, you can also post serious bugs and problems you encounter.

1.5 FUTURE WORK

So far, this is a quite stable version that served a couple of people well during their thesis time. However, some things are still not as they should be. Proper documentation in the standard format is still missing. In the long run, the style should probably be published separately, with the template bundle being only an application of the style. Alas, there is no time for that at the moment... it could be a nice task for a small group of \LaTeX ncians.

Please do not send me email with questions concerning \LaTeX or the template, as I do not have time for an answer. But if you have comments, suggestions, or improvements for the style or the template in general, do not hesitate to write them on that postcard of yours.

1.6 BEYOND A THESIS

The layout of `classicthesis.sty` can be easily used without the framework of this template. A few examples where it was used to typeset an article, a book or a curriculum vitae can be found in the folder `Examples`. The examples have been tested with `latex` and `pdflatex` and are easy to compile. To encourage you even more, PDFs built from the sources can be found in the same folder.

1.7 LICENSE

GNU GENERAL PUBLIC LICENSE: This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but *without any warranty*; without even the implied warranty of *merchantability* or *fitness for a particular purpose*. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; see the file COPYING. If not, write to the Free Software Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

CLASSICHTHESIS AUTHORS' NOTE: There have been some discussions about the GPL's implications on using classicthesis for theses etc. Details can be found here:

<https://bitbucket.org/amiede/classicthesis/issues/123/>

We chose (and currently stick with) the GPL because we would not like to compete with proprietary modified versions of our own work. However, the whole template is free as free beer and free speech. We will not demand the sources for theses, books, CVs, etc. that were created using classicthesis.

Postcards are still highly appreciated.

Part II

THE SHOWCASE

You can put some informational part preamble text here. Illo principalmente su nos. Non message *occidental* anglo-romanica da. Debitas effortio simplicate sia se, auxiliar summarios da que, se avantiate publicationes via. Pan in terra summarios, capital interlingua se que. Al via multo esser specimen, campo responder que da. Le usate medical addresses pro, europa origine sanctificate nos se.

2

EXAMPLES

Ei choro aeterno antiopam mea, labitur bonorum pri no Taleb [22]. His no decore nemore graecis. suavitate interpretaris eu, vix eu libris efficiantur. Some interesting books in order to get a multi-page bibliography: [1–3, 6, 9–12, 15–19, 21, 23]

2.1 A NEW SECTION

Illo principalmente su nos. Non message *occidental* angloromanic da. Debitas effortio simplicate sia se, auxiliar summarios da que, se avantiate publicationes via. Pan in terra summarios, capital interlingua se que. Al via multo esser specimen, campo responder que da. Le usate medical addresses pro, europa origine sanctificate nos se.

Examples: *Italics*, ALL CAPS, SMALL CAPS, LOW SMALL CAPS.

Acronym testing: Unified Modeling Language (UML) – UML – Unified Modeling Language (UML) – UMLs

2.1.1 Test for a Subsection

Lorem ipsum at nusquam appellantur his, ut eos erant homero concludaturque. Albucius appellantur deterruisset id eam, vivendum partiendo dissentiet ei ius. Vis melius facilisis ea, sea id convenire referrentur, takimata adolescens ex duo. Ei harum argumentum per. Eam vidit exerci appetere ad, ut vel zzril intellegam interpretaris.

Errem omnium ea per, pro UML con populo ornatus cu, ex qui dicant nemore melius. No pri diam iriure euismod. Graecis eleifend appellantur quo id. Id corpora inimicus nam, facer nonummy ne pro, kasd repudiandae ei mei. Mea menandri mediocrem dissentiet cu, ex nominati imperdiet nec, sea odio duis vocent ei. Tempor everti appareat cu ius, ridens audiam an qui, aliquid admodum conceptam ne qui. Vis ea melius nostrum, mel alienum euripidis eu.

nemore graecis. In eos meis nominavi, liber soluta vim cu.

Note: The content of this chapter is just some dummy text. It is not a real language.

2.1.2 Autem Timeam

Nulla fastidii ea ius, exerci suscipit instructor te nam, in ullum postulant quo. Congue quaestio philosophia his at, sea odio autem voluptate ex. Cu usu mucius iisque voluptua. Sit maiorum propriae at, ea

cum Application Programming Interface (API) primis intellegat. Hinc cotidieque reprehendunt eu nec. Autem timeam deleniti usu id, in nec nibh altera.

2.2 ANOTHER SECTION IN THIS CHAPTER

Non vices medical da. Se qui peano distinguer demonstrate, personas internet in nos. Con ma presenta instruction initialmente, non le toto gymnasios, clave effortio primarimente su del.¹

Sia ma sine svedese americas. Asia Bentley [4] representantes un nos, un altere membros qui.² Medical representantes al uso, con lo unic vocabulos, tu peano essentialmente qui. Lo malo laborava anteriormente uso.

description-label test: Illo secundo continentes sia il, sia russo distinguer se. Contos resultado preparation que se, uno national historiettas lo, ma sed etiam parolas latente. Ma unic quales sia. Pan in patre altere summario, le pro latino resultado.

basate americano sia: Lo vista ample programma pro, uno europee addresses ma, abstracte intention al pan. Nos duce infra publicava le. Es que historia encyclopedia, sed terra celos avantiate in. Su pro effortio appellate, o.

Tu uno veni americano sanctificate. Pan e union linguistic Cormen et al. [7] simplicate, traducite linguistic del le, del un apprendere denomination.

2.2.1 Personas Initialmente

Uno pote summario methodicamente al, uso debe nomina hereditage ma. Iala rapide ha del, ma nos esser parlar. Maximo dictionary sed al.

2.2.1.1 A Subsubsection

Deler utilitate methodicamente con se. Technic scribe uso in, via appellate instruite sanctificate da, sed le texto inter encyclopedia. Ha iste americas que, qui ma tempore capital. Dueck [8]

A. Enumeration with small caps (alpha)

B. Second item

¹ Uno il nomine integre, lo tote tempore anglo-romanica per, ma sed practica philologos historiettas.

² De web nostre historia angloromana.

LABITUR BONORUM PRI NO	QUE VISTA	HUMAN
fastidii ea ius	germano	demonstratea
suscipit instructor	titulo	personas
quaestio philosophia	facto	demonstrated Knuth

Table 2.1: Autem timeam deleniti usu id. Knuth

A PARAGRAPH EXAMPLE Uno de membros summario preparation, es inter disuso qualcunque que. Del hodie philologos occidental al, como publicate litteratura in web. Veni americano Knuth [14] es con, non internet millennios secundarimente ha. Titulo utilitate tentation duo ha, il via tres secundarimente, uso americano initialmente ma. De duo deler personas initialmente. Se duce facite westeuropee web, Table 2.1 nos clave articulos ha.

Medio integre lo per, non Sommerville [20] es linguas integre. Al web altere integre periodicos, in nos hodie basate. Uno es rapide tentation, usos human synonymo con ma, parola extrahite greco-latin ma web. Veni signo rapide nos da.

2.2.2 Linguistic Register

Veni introduction es pro, qui finalmente demonstrate il. E tamben an-glese programma uno. Sed le debitas demonstrate. Non russo existe o, facite linguistic registrate se nos. Gymnasios, e.g., sanctificate sia le, publicate Figure 2.1 methodicamente e qui.


Lo sed apprende instruite. Que altere responder su, pan ma, i.e., signo studio. Figure 2.1b Instruite preparation le duo, asia altere tentation web su. Via unic facto rapide de, iste questiones methodicamente o uno, nos al.



(a) Asia personas duo.



(b) Pan ma signo.



(c) Methodicamente o uno.



(d) Titulo debitas.

Figure 2.1: Tu duo titulo debitas latente. [DRY](#)

3

MATH TEST CHAPTER

Ei choro aeterno antiopam mea, labitur bonorum pri no. His no de-
core nemore graecis. In eos meis nominavi, liber soluta vim cu. Sea
commune suavitate interpretaris eu, vix eu libris efficiantur.

3.1 SOME FORMULAS

Due to the statistical nature of ionisation energy loss, large fluctuations can occur in the amount of energy deposited by a particle traversing an absorber element¹. Continuous processes such as multiple scattering and energy loss play a relevant role in the longitudinal and lateral development of electromagnetic and hadronic showers, and in the case of sampling calorimeters the measured resolution can be significantly affected by such fluctuations in their active layers. The description of ionisation fluctuations is characterised by the significance parameter κ , which is proportional to the ratio of mean energy loss to the maximum allowed energy transfer in a single collision with an atomic electron:

$$\kappa = \frac{\xi}{E_{\max}} \quad (3.1)$$

E_{\max} is the maximum transferable energy in a single collision with an atomic electron.

You might get unexpected results using math in chapter or section heads. Consider the pdfspacing option.

$$E_{\max} = \frac{2m_e\beta^2\gamma^2}{1 + 2\gamma m_e/m_x + (m_e/m_x)^2} ,$$

where $\gamma = E/m_x$, E is energy and m_x the mass of the incident particle, $\beta^2 = 1 - 1/\gamma^2$ and m_e is the electron mass. ξ comes from the Rutherford scattering cross section and is defined as:

$$\xi = \frac{2\pi z^2 e^4 N_{\text{Av}} Z \rho \delta x}{m_e \beta^2 c^2 A} = 153.4 \frac{z^2 Z}{\beta^2 A} \rho \delta x \quad \text{keV},$$

where

¹ Examples taken from Walter Schmidt's great gallery:
<http://home.vrweb.de/~was/mathfonts.html>

z	charge of the incident particle
N_{Av}	Avogadro's number
Z	atomic number of the material
A	atomic weight of the material
ρ	density
δx	thickness of the material

κ measures the contribution of the collisions with energy transfer close to E_{\max} . For a given absorber, κ tends towards large values if δx is large and/or if β is small. Likewise, κ tends towards zero if δx is small and/or if β approaches 1.

The value of κ distinguishes two regimes which occur in the description of ionisation fluctuations:

1. A large number of collisions involving the loss of all or most of the incident particle energy during the traversal of an absorber.

As the total energy transfer is composed of a multitude of small energy losses, we can apply the central limit theorem and describe the fluctuations by a Gaussian distribution. This case is applicable to non-relativistic particles and is described by the inequality $\kappa > 10$ (i.e., when the mean energy loss in the absorber is greater than the maximum energy transfer in a single collision).

2. Particles traversing thin counters and incident electrons under any conditions.

The relevant inequalities and distributions are $0.01 < \kappa < 10$, Vavilov distribution, and $\kappa < 0.01$, Landau distribution.

3.2 VARIOUS MATHEMATICAL EXAMPLES

If $n > 2$, the identity

$$t[u_1, \dots, u_n] = t[t[u_1, \dots, u_{n-1}], t[u_n, \dots, u_n]]$$

defines $t[u_1, \dots, u_n]$ recursively, and it can be shown that the alternative definition

$$t[u_1, \dots, u_n] = t[t[u_1, u_2], \dots, t[u_{n-1}, u_n]]$$

gives the same result.

Part III

APPENDIX



APPENDIX TEST

Lorem ipsum at nusquam appellantur his, ut eos erant homero concludaturque. Albucius appellantur deterruisset id eam, vivendum partiendo dissentiet ei ius. Vis melius facilisis ea, sea id convenire referrentur, takimata adolescens ex duo. Ei harum argumentum per. Eam vidit exerci appetere ad, ut vel zzril intellegam interpretaris.

More dummy text.

A.1 APPENDIX SECTION TEST

Test: [Table A.1](#) (This reference should have a lowercase, small caps A if the option floatperchapter is activated, just as in the table itself → however, this does not work at the moment.)

LABITUR BONORUM PRI NO	QUE VISTA	HUMAN
fastidii ea ius	germano	demonstratea
suscipit instructor	titulo	personas
quaestio philosophia	facto	demonstrated

Table A.1: Autem usu id.

A.2 ANOTHER APPENDIX SECTION TEST

Equidem detraxit cu nam, vix eu delenit periculis. Eos ut vero constituto, no vidit propriae complectitur sea. Diceret nonummy in has, no qui eligendi recteque consetetur. Mel eu dictas suscipiantur, et sed placerat oporteat. At ipsum electram mei, ad aequae atomorum mea. There is also a useless Pascal listing below: [Listing A.1](#).

Listing A.1: A floating example (listings manual)

```
for i:=maxint downto 0 do
begin
{ do nothing }
end;
```


BIBLIOGRAPHY

- [1] Scott Adams. *The Dilbert Principle*. New York, NY, USA: Harper Business, 1996.
- [2] Scott Adams. *How to Fail at Almost Everything and Still Win Big: Kind of the Story of My Life*. London, United Kingdom: Portfolio Penguin, 2013.
- [3] Marcus Aurelius. *Meditations (A New Translation)*. New York, NY, USA: Modern Library, 2002.
- [4] Jon Bentley. *Programming Pearls*. 2nd ed. Boston, MA, USA: Addison–Wesley, 1999.
- [5] Robert Bringhurst. *The Elements of Typographic Style*. Version 4.0: 20th Anniversary Edition. Point Roberts, WA, USA: Hartley & Marks Publishers, 2013.
- [6] Robert B. Cialdini. *Influence: The Psychology of Persuasion*. New York, NY, USA: Harper Business, 1984.
- [7] Thomas H. Cormen, Charles E. Leiserson, Ronald L. Rivest, and Clifford Stein. *Introduction to Algorithms*. 3rd ed. Cambridge, MA, USA: The MIT Press, 2009.
- [8] Gunter Dueck. *Dueck's Trilogie 2.1: Omnisophie – Supramanie – Topothesie*. Berlin, Germany: Springer, 2013.
- [9] Timothy Ferriss. *Tools of Titans: The Tactics, Routines, and Habits of Billionaires, Icons, and World-Class Performers*. Boston, MA, USA: Houghton Mifflin Harcourt, 2016.
- [10] Richard P. Feynman. *Surely You're Joking, Mr. Feynman: Adventures of a Curious Character*. New York, NY, USA: W. W. Norton, 1985.
- [11] Viktor E. Frankl. *Man's Search for Meaning*. Boston, MA, USA: Beacon Press, 1959.
- [12] Glenn Greenwald. *No Place to Hide: Edward Snowden, the NSA, and the Surveillance State*. New York, NY, USA: Metropolitan Books, 2014.
- [13] Donald E. Knuth. "Computer Programming as an Art." In: *Communications of the ACM* 17.12 (1974), pp. 667–673.
- [14] Donald E. Knuth. "Big Omicron and Big Omega and Big Theta." In: *SIGACT News* 8.2 (1976), pp. 18–24.
- [15] Charles T. Munger. *Poor Charlie's Almanack: The Wit and Wisdom of Charles T. Munger*. Ed. by Peter D. Kaufman. 3rd ed. Virginia Beach, VA, USA: Donning Company, 2008.

- [16] George Orwell. *Nineteen Eighty-Four*. London, United Kingdom: Secker & Warburg, 1949.
- [17] Randy Pausch. *The Last Lecture*. Ed. by Jeffrey Zaslow. London, United Kingdom: Hodder & Stoughton, 2008.
- [18] Neil Postman. *Amusing Ourselves to Death: Public Discourse in the Age of Show Business (20th Anniversary Edition)*. New York, NY, USA: Penguin Books, 2005.
- [19] Lucius Seneca. *Letters from a Stoic: Epistulae Morales ad Lucilium*. Harmondsworth, United Kingdom: Penguin, 1969.
- [20] Ian Sommerville. *Software Engineering*. 10th ed. Boston, MA, USA: Addison-Wesley, 2015.
- [21] Nassim Nicholas Taleb. *The Black Swan: The Impact of the Highly Improbable*. New York, NY, USA: Random House, 2010.
- [22] Nassim Nicholas Taleb. *Antifragile: Things That Gain from Disorder*. New York, NY, USA: Random House, 2012.
- [23] Donald J. Trump and Tony Schwartz. *Trump: The Art of the Deal*. New York, NY, USA: Random House, 1987.

DECLARATION

Put your declaration here.

Saarbrücken, January 2018

André Miede

COLOPHON

This document was typeset using the typographical look-and-feel `classicthesis` developed by André Miede and Ivo Pletikosić. The style was inspired by Robert Bringhurst’s seminal book on typography “*The Elements of Typographic Style*”. `classicthesis` is available for both \LaTeX and \LyX :

<https://bitbucket.org/amiede/classicthesis/>

Happy users of `classicthesis` usually send a real postcard to the author, a collection of postcards received so far is featured here:

<http://postcards.miede.de/>

Thank you very much for your feedback and contribution.