Go2 SDK Development Guide

Search article titles

About Go2
Remote Controller
SDK Concepts 3
Application Development 7
Obtain SDK
Quick Start
Creating Customer Application
App Binding
Payload
Expansion Dock Configuration
TouchScreen RC Supporting Instructio
Software Interface Services 19
Case reference 8
DDS Communication
High Motion Control
Basic Motion Control
Deployment Framework
Light Control
Get Remote Control Status
RL Control Routine
Exapmle of motor errors
Debugging Specification
FAQ

App Binding

Last Updated On：2023-12-26 19:58:54

Unitree Go is an application tailored for Unitree Technology quadruped robots. Equipped with rich teaching resources, it helps you q uickly understand and master the operating skills of quadruped robots, bringing endless fun. The Android and IOS system platforms support two control methods: touch screen and dedicated joystick. This section takes the Unitree Go App as an example to explain, a nd the specific interface is displayed on the corresponding platform.

Function

High definition image transmission: It can ensure smooth 720p 60fps high-definition image transmission in a non-interference and unobstructed environment (depending on phone performance).
Basic remote control: It can control the robot to complete actions such as walking, running, climbing stairs, lying down, standing up, dancing, etc.
Data View：Real time display of various sensor data, including IMU information, dog leg information, and foot sensors.

Download address

https://www.unitree.com/app/go2

Binding a machine dog

Register to log in

Download and open the Unitree Go App, register an account using email on the homepage login page, and log in.

Add robot

Click on the homepage to add a robot

Turn on the Go2 power, turn on the Bluetooth on your phone, and select the device you want to add for binding.

Set robot information

Connecting robots

Go2 needs to establish a connection with the app. After binding the robot, you can see two modes of connection: AP router and Wi-F i. Please connect according to your needs.

AP router mode

Mobile connection to Go2 hotspot

Run the Unitree Go App, select AP router mode to establish a connection, and follow the prompts to set the hotspot name (GO2-XXX XXX) and 8-digit password.

Open the mobile wireless LAN, select the Wi Fi name you just set, and enter the password to complete the connection.

After connecting, return to the Unitree Go App and click - I have completed, indicating that Go2 and App have successfully connecte d.

Wi-Fi connection mode

Connect your phone to Go2 through a router

Run the Unitree Go App, select Wi Fi mode to establish a connection, select an existing Wi Fi network, and enter a password.

Wait for the connection to complete.

After the Wi-Fi connection is completed, return to the homepage of the Unitree Go App, indicating that the connection between Go2 and the App is successful.

Service status

You can view the current service status of the dog here, and click to turn on or off the specified service.

View corresponding sensor data

This page contains content

Reviewing the sport_clie...
Creating the Application F...
Compiling the Application...
Running the Application
More Applications

Helpful
Feedback