


c) Registre las rutas en api.php dentro del grupo autenticado:

- POST /logout -> acceso: cualquier usuario autenticado
- POST /refresh -> acceso: cualquier usuario autenticado

Administrador

1. Login



2. Refresh

The screenshot shows the Postman interface for the 'Administrador (Refresh)' endpoint. The URL is `http://127.0.0.1:8000/api/refresh`. The 'Auth Type' is set to 'Bearer Token'. The 'Token' field contains a long alphanumeric string. The 'Body' tab is selected, showing a JSON response with a status of '200 OK'.

```
1 <br />
2 <b>Deprecated</b>: Constant PDO: :MYSQL_ATTR_SSL_CA is deprecated since 8.5, use Pdo\Mysql: :ATTR_SSL_CA
3 {
4   "message": "Token renovado correctamente",
5   "token": "eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJodHRwOlwwXC8xMjc4LjE6ODAwMFwvYXBpXC9yZWZ",
6   "user": {
7     "id": 1,
8     "name": "Administrador",
9     "email": "admin@api.com",
10    "role": "admin",
11    "email_verified_at": null,
12    "created_at": "2026-03-12T01:19:01.000000Z",
13    "updated_at": "2026-03-12T01:22:31.000000Z"
14  }
15 }
```


3. Logout

The screenshot shows the Postman interface for the 'Administrador (Logout)' endpoint. The URL is `http://127.0.0.1:8000/api/logout`. The 'Auth Type' is set to 'Bearer Token'. The 'Token' field contains a long alphanumeric string. The 'Body' tab is selected, showing a JSON response with a status of '200 OK'.


```
1 <br />
2 <b>Deprecated</b>: Constant PDO: :MYSQL_ATTR_SSL_CA is deprecated since 8.5, use Pdo\Mysql: :ATTR_SSL_CA
3 {
4   "message": "Sesi3n cerrada correctamente"
5 }
```

Usuario


1. Login



2. Refresh




3. Logout



Operador

1. Login



2. Refresh

The screenshot shows the Postman interface for a workspace named "Maria Paz Puerta Acevedo's Works...". The left sidebar displays a collection of API endpoints under "TallerApiProductos", with "Punto 6" expanded to show "POST Operador (Refresh)". The main panel shows the details of this request:

- Method:** POST
- URL:** http://127.0.0.1:8000/api/refresh
- Auth Type:** Bearer Token
- Token:** A masked token is displayed in a yellow box.
- Body:** The response is shown in JSON format, indicating a successful refresh with a new token and user details.

```
1 <br />
2 <b>Deprecated</b>: Constant PDO::MYSQL_ATTR_SSL_CA is deprecated since 8.5, use PDO::MYSQL_ATTR_SSL_CA
3 {
4   "message": "Token renovado correctamente",
5   "token": "eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJodHRwOiwwXC8xMjcucMC4wLjE6ODAwMFwvYXBpXC9yZWZ
6   "user": {
7     "id": 3,
8     "name": "Operador",
9     "email": "operador@api.com",
10    "role": "operador",
11    "email_verified_at": null,
12    "created_at": "2026-03-12T01:19:01.000000Z",
13    "updated_at": "2026-03-12T01:22:31.000000Z"
14  }
15 }
```

3. Logout

The screenshot shows the Postman interface for the same workspace, with the left sidebar expanded to "Punto 6" and "POST Operador (Logout)" selected. The main panel shows the details of this request:

- Method:** POST
- URL:** http://127.0.0.1:8000/api/logout
- Auth Type:** Bearer Token
- Token:** A masked token is displayed in a yellow box.
- Body:** The response is shown in JSON format, indicating a successful logout with a message.

```
1 <br />
2 <b>Deprecated</b>: Constant PDO::MYSQL_ATTR_SSL_CA is deprecated since 8.5, use PDO::MYSQL_ATTR_SSL_CA
3 {
4   "message": "Sesi3n cerrada correctamente"
5 }
```