



A RStudio terminal to configure global settings



```
gittest@argonaut:~$ git config --global user.email "email@email.com"
gittest@argonaut:~$ git config --global user.name "testgit-healthy"
```

B



Directory name: myproject

Create project as subdirectory of: ~

☒ Create a git repository

☐ Use packrat with this project

R version 3.6.1 ☒ Open in new session

Create Project Cancel


Create New Project

Check:
Create a git repository

Test file

Git tab

C



Tick to commit


Commit tab

Environment History Connections Git

Files Plots Packages Help Viewer

Name	Size	Modified
.gitignore	40 B	Aug 14, 2019, 12:45 PM
myproject.Rproj	205 B	Aug 14, 2019, 12:45 PM
test_script.R	23 B	Aug 14, 2019, 12:45 PM

D



Changes History (no branch) Stage Revert Ignore Pull Push

Staged	Status	Path
<input type="checkbox"/>	?	.gitignore
<input type="checkbox"/>	?	myproject.Rproj
<input checked="" type="checkbox"/>	A	test_script.R

Commit message

My first commit

Amend previous commit

Commit

Tick to commit

Commit message

Commit

Pull / push greyed

Show Staged Unstaged Context 5 line Ignore Whitespace Unstage All

```
@@ -0,0 +1,1 @@
1 # This is a test script
   No newline at end of file
```