



A RStudio terminal to configure global settings



```
gittest@argonaut:~$ git config --global user.email "email@email.com"
gittest@argonaut:~$ git config --global user.name "testgit-healthyr"
```

B



Back Create New Project

Directory name: myproject

Create project as subdirectory of: ~ Browse...

☒ Create a git repository

☐ Use packrat with this project

R version 3.6.1 ☒ Open in new session

Create Project Cancel


Create New Project

Check:
Create a git repository

Test file

Git tab

C



test_script.R

```
1 # This is a test script
```

Environment History Connections Git

Staged Status Path

- .gitignore
- myproject.Rproj
- test_script.R

Name	Size	Modified
.gitignore	40 B	Aug 14, 2019, 12:45 PM
myproject.Rproj	205 B	Aug 14, 2019, 12:45 PM
test_script.R	23 B	Aug 14, 2019, 12:45 PM

R version 3.4.4 (2018-03-15) -- "Someone to Lean On"
Copyright (C) 2018 The R Foundation for Statistical Computing
Platform: x86_64-pc-linux-gnu (64-bit)

R is free software and comes with ABSOLUTELY NO WARRANTY.
You are welcome to redistribute it under certain conditions.
Type 'license()' or 'licence()' for distribution details.

Natural language support but running in an English locale

R is a collaborative project with many contributors.
Type 'contributors()' for more information and
'citation()' on how to cite R or R packages in publications.

Type 'demo()' for some demos, 'help()' for on-line help, or
'help.start()' for an HTML browser interface to help.