



```
MINGW64/c/Users/Ibrahim/Desktop/WDL
Ibrahim@DESKTOP-ONFAHKL MINGW64 ~/Desktop/WDL (Ibrahim)
$ git
usage: git [--version] [--help] [-C <path>] [-c <name>=<value>]
      [--exec-path<path>] [--html-path] [--man-path] [--info-path]
      [-p] [--paginate] [-P] [--no-pager] [--no-replace-objects] [--bare]
      [--git-dir<path>] [--work-tree<path>] [--namespace<name>]
      <command> [<args>]

These are common Git commands used in various situations:

start a working area (see also: git help tutorial)
  clone      Clone a repository into a new directory
  init       Create an empty Git repository or reinitialize an existing one

work on the current change (see also: git help everyday)
  add        Add file contents to the index
  mv         Move or rename a file, a directory, or a symlink
  restore    Restore working tree files
  rm         Remove files from the working tree and from the index

examine the history and state (see also: git help revisions)
  bisect     Use binary search to find the commit that introduced a bug
  diff       Show changes between commits, commit and working tree, etc
  grep       Print lines matching a pattern
  log        Show commit logs
  show       Show various types of objects
  status     Show the working tree status

grow, mark and tweak your common history
  branch     List, create, or delete branches
  commit     Record changes to the repository
  merge      Join two or more development histories together
  rebase     Reapply commits on top of another base tip
  reset      Reset current HEAD to the specified state
  switch     Switch branches
  tag        Create, list, delete or verify a tag object signed with GPG

collaborate (see also: git help workflows)
  fetch      Download objects and refs from another repository
  pull       Fetch from and integrate with another repository or a local branch
  push       Update remote refs along with associated objects

'git help -a' and 'git help -g' list available subcommands and some
concept guides. See 'git help <command>' or 'git help <concept>'
to read about a specific subcommand or concept.
See 'git help git' for an overview of the system.

Ibrahim@DESKTOP-ONFAHKL MINGW64 ~/Desktop/WDL (Ibrahim)
$
```

```
MINGW64/c/Users/Ibrahim/Desktop/WDL
Ibrahim@DESKTOP-ONFAHKL MINGW64 ~/Desktop/WDL (Ibrahim)
$ browser-sync
bin.js [command]

Commands:
  bin.js start    Start the server
  bin.js init     Create a configuration file
  bin.js reload   Send a reload event over HTTP protocol
  bin.js recipe   Generate the files for a recipe

Options:
  --help          Show help                                [boolean]
  --version       Show version number                      [boolean]

For help running a certain command, type <command> --help
  bin.js start --help

You can run a static server by providing a path(s) directly
  bin.js app/src app/tmp

If the directory contains a 'index.html' file, you can omit any input
  bin.js

You can run the proxy in this manner too
  bin.js https://example.com

To run a proxy, whilst also serving static files
  bin.js https://example.com htdocs/themes/example

Ibrahim@DESKTOP-ONFAHKL MINGW64 ~/Desktop/WDL (Ibrahim)
$
```