

1 Szalami project létrehozása windowson, majd VSC megnyitása

```
Parancssor
- Installing phpspec/prophecy (v1.15.0): Extracting archive
- Installing phar-io/version (3.1.1): Extracting archive
- Installing phar-io/manifest (2.0.3): Extracting archive
- Installing myclabs/deep-copy (1.10.2): Extracting archive
- Installing phpunit/phpunit (9.5.13): Extracting archive
- Installing spatie/backtrace (1.2.1): Extracting archive
- Installing spatie/flare-client-php (1.0.1): Extracting archive
- Installing spatie/ignition (1.0.2): Extracting archive
- Installing spatie/laravel-ignition (1.0.4): Extracting archive
73 package suggestions were added by new dependencies, use `composer suggest` to see details.
Generating optimized autoload files
> Illuminate\Foundation\ComposerScripts::postAutoloadDump
> @php artisan package:discover --ansi
Discovered Package: fruitcake/laravel-cors
Discovered Package: laravel/sail
Discovered Package: laravel/sanctum
Discovered Package: laravel/tinker
Discovered Package: nesbot/carbon
Discovered Package: nunomaduro/collision
Discovered Package: spatie/laravel-ignition
Package manifest generated successfully.
78 packages you are using are looking for funding.
Use the `composer fund` command to find out more!
> @php artisan vendor:publish --tag=laravel-assets --ansi --force
No publishable resources for tag [laravel-assets].
Publishing complete.
> @php artisan key:generate --ansi
Application key set successfully.

C:\Users\User>
```

2 Adatbázis konfigurálása

The screenshot displays a Windows desktop environment with three main windows open:

- File Explorer:** Shows the directory structure of a user named 'szalami' on a local drive (C:). The file '.env' is selected in the 'vendor' directory.
- Terminal Window:** Displays the output of a command, showing the installation of various Laravel packages and their versions. The output includes:

```
Lock file operations: 23 installs, 0 updates, 0 removals
- Locking doctrine/inflector (2.0.4)
- Locking illuminate/collections (v9.0.2)
- Locking illuminate/conditionable (v9.0.2)
- Locking illuminate/container (v9.0.2)
- Locking illuminate/contracts (v9.0.2)
- Locking illuminate/database (v9.0.2)
- Locking illuminate/macroable (v9.0.2)
- Locking illuminate/support (v9.0.2)
- Locking laravel/sanctum (v2.14.0)
- Locking nesbot/carbon (2.56.0)
- Locking psr/container (2.0.2)
- Locking psr/simple-cache (3.0.0)
```
- .env File Editor:** Shows the configuration for the application, including database settings and logging options. The configuration includes:

```
APP_NAME=Laravel
APP_ENV=local
APP_KEY=base64:fJbncpZ5oF4mMMddPi6t1AiqASYpHz4iOR58/A3Jc0Y=
APP_DEBUG=true
APP_URL=http://localhost

LOG_CHANNEL=stack
LOG_DEPRECATIONS_CHANNEL=null
LOG_LEVEL=debug

DB_CONNECTION=mysql
DB_HOST=127.0.0.1
DB_PORT=3306
DB_DATABASE=szalami
DB_USERNAME=root
DB_PASSWORD=

BROADCAST_DRIVER=log
CACHE_DRIVER=file
FILESYSTEM_DISK=local
QUEUE_CONNECTION=sync
SESSION_DRIVER=file
SESSION_LIFETIME=120
```

The taskbar at the bottom shows the system clock as 18:57 on 2022.02.12, along with other standard Windows icons.


3 LSPackage telepítése

Parancssor

```
- Locking symfony/service-contracts (v3.0.0)
- Locking symfony/string (v6.0.3)
- Locking symfony/translation (v6.0.3)
- Locking symfony/translation-contracts (v3.0.0)
- Locking voku/portable-ascii (2.0.0)
Writing lock file
Installing dependencies from lock file (including require-dev)
Package operations: 23 installs, 0 updates, 0 removals
- Downloading illuminate/macroable (v9.0.2)
- Downloading illuminate/contracts (v9.0.2)
- Downloading illuminate/conditionable (v9.0.2)
- Downloading illuminate/collections (v9.0.2)
- Downloading illuminate/container (v9.0.2)
- Downloading illuminate/support (v9.0.2)
- Downloading illuminate/database (v9.0.2)
- Installing doctrine/inflector (2.0.4): Extracting archive
- Installing illuminate/macroable (v9.0.2): Extracting archive
- Installing psr/simple-cache (3.0.0): Extracting archive
- Installing psr/container (2.0.2): Extracting archive
- Installing illuminate/contracts (v9.0.2): Extracting archive
- Installing illuminate/conditionable (v9.0.2): Extracting archive
- Installing illuminate/collections (v9.0.2): Extracting archive
- Installing illuminate/container (v9.0.2): Extracting archive
- Installing voku/portable-ascii (2.0.0): Extracting archive
- Installing symfony/translation-contracts (v3.0.0): Extracting archive
- Installing symfony/polyfill-mbstring (v1.24.0): Extracting archive
- Installing symfony/translation (v6.0.3): Extracting archive
- Installing symfony/polyfill-php80 (v1.24.0): Extracting archive
- Installing nesbot/carbon (2.56.0): Extracting archive
- Installing illuminate/support (v9.0.2): Extracting archive
- Installing symfony/polyfill-intl-normalizer (v1.24.0): Extracting archive
- Installing symfony/polyfill-intl-grapheme (v1.24.0): Extracting archive
- Installing symfony/polyfill-ctype (v1.24.0): Extracting archive
- Installing symfony/string (v6.0.3): Extracting archive
- Installing symfony/service-contracts (v3.0.0): Extracting archive
- Installing symfony/console (v6.0.3): Extracting archive
- Installing illuminate/database (v9.0.2): Extracting archive
- Installing laravel/sanctum (v2.14.0): Extracting archive
24 package suggestions were added by new dependencies, use `composer suggest` to see details.
Generating autoload files
13 packages you are using are looking for funding.
Use the `composer fund` command to find out more!
```

C:\Users\User>

4 Sanctum beüzemelése belépés VSC-ba




The screenshot shows a Windows desktop environment. In the foreground, there is a dark-themed terminal window titled "Parancssor" (Command Prompt). The terminal shows the following commands and output:

```
C:\Users\User>cd szalami
C:\Users\User\szalami>php artisan vendor:publish --provider="Laravel\Sanctum\SanctumServiceProvider"
Copied Directory [\vendor\laravel\sanctum\database\migrations] To [\database\migrations]
Publishing complete.
C:\Users\User\szalami>code .
C:\Users\User\szalami>
```

Below the terminal window, a Visual Studio Code window titled "Release Notes: 1.64.2 - szalami - Visual Studio Code" is open. It displays the release notes for Visual Studio Code version 1.64.2, dated January 2022. The release notes are in Hungarian and mention various improvements and bug fixes.

The Windows taskbar is visible at the bottom, showing the Start button, a search bar, and several pinned application icons including Edge, Word, and the Visual Studio Code icon. The system tray on the right shows the date and time as 19:04 on 2022.02.12.

5 Sanctum engedélyezése



The screenshot shows the Visual Studio Code editor with the file `Kernel.php` open. The Explorer sidebar on the left shows the project structure, with `Kernel.php` selected under the `Http` directory. The main editor displays the code for the `Kernel.php` file, specifically the `$middlewareGroups` property. The code is as follows:

```
23 \Illuminate\Foundation\Http\Middleware\ConvertEmptyStringsToNull::class,  
24 ];  
25  
26 /**  
27  * The application's route middleware groups.  
28  *  
29  * @var array<string, array<int, class-string|string>>  
30  */  
31 protected $middlewareGroups = [  
32     'web' => [  
33         \App\Http\Middleware\EncryptCookies::class,  
34         \Illuminate\Cookie\Middleware\AddQueuedCookiesToResponse::class,  
35         \Illuminate\Session\Middleware\StartSession::class,  
36         // \Illuminate\Session\Middleware\AuthenticateSession::class,  
37         \Illuminate\View\Middleware\ShareErrorsFromSession::class,  
38         \App\Http\Middleware\VerifyCsrfToken::class,  
39         \Illuminate\Routing\Middleware\SubstituteBindings::class,  
40     ],  
41  
42     'api' => [  
43         \Laravel\Sanctum\Http\Middleware\EnsureFrontendRequestsAreStateful::class,  
44         'throttle:api',  
45         \Illuminate\Routing\Middleware\SubstituteBindings::class,  
46     ],  
47 ];  
48  
49 /**  
50  * The application's route middleware.  
51  *  
52  * These middleware may be assigned to groups or used individually.  
53  *  
54  * @var array<string, class-string|string>  
55  */
```

The status bar at the bottom indicates the current position is Line 43, Column 13, with 4 spaces, UTF-8 encoding, LF line endings, and PHP syntax highlighting. The system tray shows the date and time as 19:08 on 2022.02.12.

6 Migráció

Parancssor

```
C:\Users\User>cd szalami

C:\Users\User\szalami>php artisan vendor:publish --provider="Laravel\Sanctum\SanctumServiceProvider"
Copied Directory [\vendor\laravel\sanctum\database\Migrations] To [\database\Migrations]
Publishing complete.


C:\Users\User\szalami>code .

C:\Users\User\szalami>php artisan migrate
Migration table created successfully.
Migrating: 2014_10_12_000000_create_users_table
Migrated: 2014_10_12_000000_create_users_table (125.82ms)
Migrating: 2014_10_12_100000_create_password_resets_table
Migrated: 2014_10_12_100000_create_password_resets_table (63.35ms)
Migrating: 2019_08_19_000000_create_failed_jobs_table
Migrated: 2019_08_19_000000_create_failed_jobs_table (93.55ms)
Migrating: 2019_12_14_000001_create_personal_access_tokens_table
Migrated: 2019_12_14_000001_create_personal_access_tokens_table (115.90ms)


C:\Users\User\szalami>php artisan make:migration create_szalamis_table
Created Migration: 2022_02_12_181705_create_szalamis_table

C:\Users\User\szalami>
```


7 Adat hozzáadása migrációs fájlhoz



8 app/Models/Szalami fájl



9 Resources feltöltése



```
1  <?php
2
3  namespace App\Http\Resources;
4
5  use Illuminate\Http\Resources\Json\JsonResource;
6
7  class Szalami extends JsonResource
8  {
9      /**
10       * Transform the resource into an array.
11       *
12       * @param \Illuminate\Http\Request $request
13       * @return array|\Illuminate\Contracts\Support\Arrayable|\JsonSerializable
14       */
15      public function toArray($request)
16      {
17          return [
18              'id' => $this->id,
19              'termék neve' => $this->name,
20              'termék ára' => $this->ar,
21              'termék alapanyaga' => $this->alapanyag,
22              'termék gyártási ideje' => $this->gyartas,
23              'created_at' => $this->created_at->format('d/m/Y'),
24              'updated_at' => $this->updated_at->format('d/m/Y'),
25          ];
26      }
27  }
28
```

10 Vezérlők létrehozása

```
Parancssor

C:\Users\User\szalami>php artisan make:model Szalami
Model created successfully.

C:\Users\User\szalami>php artisan migrate
Nothing to migrate.

C:\Users\User\szalami>php artisan make:controller AuthController
Controller created successfully.

C:\Users\User\szalami>php artisan make:controller BaseController
Controller created successfully.

C:\Users\User\szalami>php artisan make:controller SzalamiController
Controller created successfully.

C:\Users\User\szalami>
```

Írjon ide a kereséshez

20:34

11 BaseController feltöltése

```
File Edit Selection View Go Run Terminal Help
BaseController.php - szalami - Visual Studio Code

EXPLORER
SZALAMI
└─ app
   └─ Http
      └─ Controllers
         └─ BaseController.php
            └─ Controller.php
               └─ SzalamiController.php
                  └─ Middleware
                     └─ Resources
                        └─ Szalami.php
                           └─ Kernel.php
                              └─ Models
                                 └─ Szalami.php
                                    └─ User.php
                                       └─ Providers
                                          └─ bootstrap
                                             └─ config
                                                └─ database
                                                   └─ factories
                                                      └─ migrations
                                                         └─ 2014_10_12_000000_create_users_table.php
                                                            └─ 2014_10_12_100000_create_password_res...
                                                               └─ 2019_08_19_000000_create_failed_jobs_ta...
                                                                  └─ 2019_12_14_000001_create_personal_acce...
                                                                     └─ 2022_02_12_181705_create_szalamis_table...

app > Http > Controllers > BaseController.php
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use Illuminate\Http\Request;
6  use App\Http\Controllers\Controller as Controller;
7
8  class BaseController extends Controller
9  {
10     public function sendResponse($result, $message)
11     {
12         $response = [
13             'success' => true,
14             'data' => $result,
15             'message' => $message,
16         ];
17         return response()->json($response, 200);
18     }
19
20     public function sendError($error, $errorMessages = [], $code = 404)
21     {
22         $response = [
23             'success' => false,
24             'message' => $error,
25         ];
26         if(!empty($errorMessages)){
27             $response['data'] = $errorMessages;
28         }
29         return response()->json($response, $code);
30     }
31 }
32
33
```

Ln 29, Col 42 Spaces: 4 UTF-8 LF PHP

Írjon ide a kereséshez

10°C 17:14 2022. 02. 16.

12 AuthController feltöltése 2. dián

Visual Studio Code interface showing the `AuthController.php` file in the `app/Http/Controllers/API` directory. The code defines the `AuthController` class, which extends `BaseController` and implements the `login` and `register` methods.

```
2
3 namespace App\Http\Controllers\API;
4
5 use Illuminate\Http\Request;
6 use Illuminate\Support\Facades\Auth;
7 use App\Http\Controllers\API\BaseController as BaseController;
8 use App\Models\User;
9 use Validator;
10
11 class AuthController extends BaseController
12 {
13     public function login(Request $request)
14     {
15         if(Auth::attempt(['email' => $request->email, 'password' => $request->password])){
16             $authUser = Auth::user();
17             $success['token'] = $authUser->createToken('LaravelSanctumAuth')->plainTextToken;
18             $success['name'] = $authUser->name;
19
20             return $this->sendResponse($success, 'Felhasználó bejelentkezve!');
21         }
22         else{
23             return $this->sendError('Jogosulatlan.', ['error'=>'Jogosulatlan']);
24         }
25     }
26     public function register(Request $request)
27     {
28         $validator = Validator::make($request->all(), [
29             'name' => 'required',
30             'email' => 'required|email',
31             'password' => 'required',
32             'confirm_password' => 'required|same:password',
33         ]);
```

Ln 36, Col 56 Spaces: 4 UTF-8 LF PHP

Visual Studio Code interface showing the file explorer on the left, the code editor in the center, and the status bar at the bottom.

File Explorer (Left):

- EXPLORED
- ▼ SZALAMI
 - ▼ app
 - > Console
 - > Exceptions
 - ▼ Http
 - ▼ Controllers
 - AuthController.php
 - BaseController.php
 - Controller.php
 - SzalamiController.php
 - > Middleware
 - ▼ Resources
 - Szalami.php
 - Kernel.php
 - ▼ Models
 - Szalami.php
 - User.php
 - > Providers
 - > bootstrap
 - > config
 - ▼ database
 - > factories
 - ▼ migrations
 - 2014_10_12_000000_create_users_table.php
 - 2014_10_12_100000_create_password_res...
 - 2019_08_19_000000_create_failed_jobs_ta...
 - 2019_12_14_000001_create_personal_acce...
 - 2022_02_12_181705_create_szalamis_table...
 - > OUTLINE

Code Editor (Center):

app > Http > Controllers > AuthController.php

```
34
35     if($validator->fails()){
36         return $this->sendError('Validálási hiba', $validator->errors());
37     }
38
39     $input = $request->all();
40     $input['password'] = bcrypt($input['password']);
41     $user = User::create($input);
42     $success['token'] = $user->createToken('LaravelSanctumAuth')->plainTextToken;
43     $success['name'] = $user->name;
44
45     return $this->sendResponse($success, 'Felhasználó sikeresen regisztrált!');
46 }
47
48
49
```


Status Bar (Bottom):

Ln 36, Col 56 Spaces: 4 UTF-8 LF PHP

Taskbar (Bottom):

- Windows Start button
- Search bar: Írjon ide a kereséshez
- Taskbar icons: File Explorer, Microsoft Word, Google Chrome, Visual Studio Code, Telegram, PowerPoint
- System tray: 10°C, 17:21, 2022. 02. 16.

13 SzalamiController feltöltése 3 dián



The screenshot displays the Visual Studio Code editor interface. The Explorer panel on the left shows the project structure, with the `SzalamiController.php` file selected under the `API` directory. The main editor window shows the code for `SzalamiController.php`, which extends `BaseController` and implements the `index()` and `store()` methods. The `index()` method returns a success message, and the `store()` method handles the creation of a new `Szalami` resource with validation.

```
1 <?php // átnézni a leíráshoz
2
3 namespace App\Http\Controllers\API;
4
5 use Illuminate\Http\Request;
6 use App\Http\Controllers\API\BaseController as BaseController;
7 use App\Http\Resources\Szalami as SzalamiResource;
8 use App\Models\Szalami;
9 use Validator;
10
11 class SzalamiController extends BaseController
12 {
13
14     public function index()
15     {
16         $szalamis = Szalami::all();
17         return $this->sendResponse(SzalamiResource::collection($szalamis), 'Összes termék lekérése sikeres');
18     }
19
20     public function store(Request $request)
21     {
22         $input = $request->all();
23         $validator = Validator::make($input, [
24             'title' => 'required',
25             'description' => 'required'
26         ]);
27
28         if($validator->fails()){
29             return $this->sendError($validator->errors());
30         }
31
32         $szalami = Szalami::create($input);
33     }
34 }
```

The status bar at the bottom indicates the current cursor position is at line 73, column 21, with 4 spaces, in UTF-8 encoding, editing a PHP file.

Visual Studio Code interface showing the SzalamiController.php file in the Szalami project.

EXPLORER:

- ▼ SZALAMI
 - ▼ app
 - > Console
 - > Exceptions
 - ▼ Http
 - ▼ Controllers
 - ▼ API
 - AuthController.php
 - BaseController.php
 - SzalamiController.php**
 - Controller.php
 - > Middleware
 - ▼ Resources
 - Szalami.php
 - Kernel.php
 - ▼ Models
 - Szalami.php
 - User.php
 - > Providers
 - > bootstrap
 - > config
 - ▼ database
 - > factories
 - ▼ migrations
 - 2014_10_12_000000_create_users_table.php
 - 2014_10_12_100000_create_password_res...
 - 2019_08_19_000000_create_failed_jobs_ta...
 - 2019_12_14_000001_create_personal_acce...
 - > OUTLINE

Code Editor (SzalamiController.php):

```
33     $szalami = Szalami::create($input);
34
35     return $this->sendResponse(new SzalamiResource($szalami), 'Termék létrehozva!');
36 }
37
38 public function show($id)
39 {
40     $szalami = Szalami::find($id);
41     if (is_null($szalami)) {
42         return $this->sendError('Termékk nem található!');
43     }
44     return $this->sendResponse(new SzalamiResource($szalami), 'Termék sikeresen lekérve.');
```

STATUS BAR: Ln 73, Col 21 | Spaces: 4 | UTF-8 | LF | PHP

Taskbar: 19:16, 2022. 02. 16., 7°C

Visual Studio Code interface showing the SzalamiController.php file in the Szalami application.

EXPLORER

- ▼ SZALAMI
 - ▼ app
 - Console
 - Exceptions
 - ▼ Http
 - ▼ Controllers
 - AuthController.php
 - BaseController.php
 - SzalamiController.php**
 - Controller.php
 - Middleware
 - ▼ Resources
 - Szalami.php
 - Kernel.php
 - ▼ Models
 - Szalami.php
 - User.php
 - Providers
 - bootstrap
 - config
 - ▼ database
 - factories
 - ▼ migrations
 - 2014_10_12_000000_create_users_table.php
 - 2014_10_12_100000_create_password_res...
 - 2019_08_19_000000_create_failed_jobs_ta...
 - 2019_12_14_000001_create_personal_acce...
 - OUTLINE

Code Editor

app > Http > Controllers > API > SzalamiController.php

```
65  
66         return $this->sendResponse(new SzalamiResource($szalami), 'A termék adatainak módosítása sikeres!');  
67     }  
68  
69     public function destroy(Szalami $szalami)  
70     {  
71         $szalami->delete();  
72  
73         return $this->sendResponse([], 'A termék törölve!');  
74     }  
75 }  
76  
77
```

Status Bar


Ln 73, Col 21 Spaces: 4 UTF-8 LF PHP

Taskbar

Írjon ide a kereséshez

19:17 2022. 02. 16.

14 REST API útvonalak feltöltése



The screenshot shows the Visual Studio Code editor with the file `api.php` open. The Explorer sidebar on the left shows the project structure for `SZALAMI`, with `api.php` selected under the `routes` folder. The main editor area displays the content of `api.php`, which defines API routes for an application. The code includes comments and route definitions for login, register, index, store, show, update, and destroy actions, along with a middleware for authentication.

```
1 <?php
2
3 use Illuminate\Http\Request;
4 use Illuminate\Support\Facades\Route;
5 use App\Http\Controllers\API\SzalamiController;
6 use App\Http\Controllers\API\AuthController;
7
8 /*
9  |-----
10 | API Routes
11 |-----
12 |
13 | Here is where you can register API routes for your application. These
14 | routes are loaded by the RouteServiceProvider within a group which
15 | is assigned the "api" middleware group. Enjoy building your API!
16 |
17 */
18 Route::post('login', [AuthController::class, 'login']);
19 Route::post('register', [AuthController::class, 'register']);
20 Route::get('szalamis', [SzalamiController::class, 'index']);
21 Route::post('szalamis', [SzalamiController::class, 'store']);
22 Route::get('szalamis/{szalami}', [SzalamiController::class, 'show']);
23 Route::put('szalamis/{szalami}', [SzalamiController::class, 'update']);
24 Route::delete('szalamis/{szalami}', [SzalamiController::class, 'destroy']);
25
26 Route::middleware('auth:sanctum')->get('/user', function (Request $request) {
27     return $request->user();
28 });
29
30
31
```

The status bar at the bottom indicates the current position is Line 31, Column 1, with 4 spaces, UTF-8 encoding, LF line endings, and PHP syntax highlighting.

Teszt: Regisztráció

The screenshot displays the Postman application interface. The top navigation bar includes 'File', 'Edit', 'View', and 'Help'. Below it, there are tabs for 'Home', 'Workspaces', 'Reports', and 'Explore'. A search bar labeled 'Search Postman' is present. On the right, there are buttons for 'Sign In' and 'Create Account', with a 'Kis méret' (Small size) label above the 'Create Account' button.

The main workspace is titled 'Scratch Pad' and shows a new request setup. The request is a POST to 'http://localhost:8000/api/register'. The 'Body' tab is selected, showing form data with the following fields:

Key	Value	Description
email	het@gmail.com	
password	het	
confirm_password	het	

The response is displayed in the 'Body' tab, showing a successful registration with the following JSON:

```
1 {
2   "success": true,
3   "data": {
4     "token": "1|lxzt03iH5PA6G1v23AfeZoKoXPw9JoiW78XXChyY",
5     "name": "Ria"
6   },
7   "message": "Felhasználó sikeresen regisztrált!"
8 }
```

The status bar at the bottom indicates 'Status: 200 OK', 'Time: 828 ms', and 'Size: 460 B'. The Windows taskbar at the very bottom shows the time as 16:16 on 2022.02.20.

Bejelentkezés

The screenshot displays the Postman application interface. The top navigation bar includes 'File', 'Edit', 'View', and 'Help'. Below it, there are tabs for 'Home', 'Workspaces', 'Reports', and 'Explore'. A search bar labeled 'Search Postman' is present. On the right, there are buttons for 'Sign In' and 'Create Account'. A yellow banner indicates 'Working locally in Scratch Pad. Switch to a Workspace'.

The main interface is divided into several sections. On the left, the 'Scratch Pad' section shows a message: 'You don't have any collections. Collections let you group related requests, making them easier to access and run. Create Collection'. Below this are icons for 'Collections', 'APIs', 'Environments', 'Mock Servers', 'Monitors', and 'History'.

The central part of the interface shows a request configuration for a POST method to the endpoint 'http://localhost:8000/api/login'. The 'Authorization' tab is selected, showing a message: 'The authorization header will be automatically generated when you send the request. Learn more about authorization'. The 'Body' tab is also visible, showing a JSON response:

```
1 {
2   "success": true,
3   "data": {
4     "token": "2|4rP2CAqrSmIrFwc2QJkjdRtwcWm0c0YZk8MqhVf7",
5     "name": "Ria"
6   },
7   "message": "Felhasználó bejelentkezve!"
8 }
```

The bottom status bar shows 'Status: 200 OK', 'Time: 941 ms', and 'Size: 447 B'. There is a 'Save Response' button. The Windows taskbar at the bottom shows the system clock as 16:20 on 2022.02.20.

Bearer Token

The screenshot displays the Postman application interface. The top navigation bar includes 'File', 'Edit', 'View', and 'Help'. Below it, the main menu has 'Home', 'Workspaces', 'Reports', and 'Explore'. A search bar labeled 'Search Postman' is present. On the right, there are links for 'Sign In' and 'Create Account'.

A yellow banner at the top of the workspace area states: 'Working locally in Scratch Pad. Switch to a Workspace'.

The left sidebar contains a 'Scratch Pad' section with 'New' and 'Import' buttons. Below this is a 'Collections' section with a '+', a menu icon, and a '...' button. The sidebar also lists 'APIs', 'Environments', 'Mock Servers', 'Monitors', and 'History'.

The main workspace area shows a request configuration for a POST request to 'http://localhost:8000/api/login'. The 'Authorization' tab is selected, showing 'Type' as 'Bearer To...' and a 'Token' field containing '4rP2CAqrSmIrFwc2QJkDdRtwcWm0cOYZk1...'. A warning message states: 'Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. Learn more about variables >'. The 'Body' tab is also visible, showing a JSON response.

The response is displayed in the 'Body' tab, showing a JSON object with the following structure:

```
1 {
2   "success": true,
3   "data": {
4     "token": "3|DLXkClHKaU3DYFjMsx9Qjc7iCANjAEjgocGEgnXQ",
5     "name": "Ria"
6   },
7   "message": "Felhasználó bejelentkezve!"
8 }
```

The status bar at the bottom shows 'Status: 200 OK', 'Time: 625 ms', and 'Size: 447 B'. There is a 'Save Response' button. The Windows taskbar at the very bottom shows the search bar with the text 'Írjon ide a kereséshez' and various application icons.

Termék felvétele

The screenshot shows the Postman interface with a POST request to `http://localhost:8000/api/szalamis`. The request body is a JSON object with the following fields:

Key	Value	Description
<input checked="" type="checkbox"/> termék_ar	500	
<input checked="" type="checkbox"/> termék_alapanyag	sertes	
<input checked="" type="checkbox"/> gyartasi_ido	2022.02.20	

The response is a JSON object with the following structure:

```
1 {
2   "success": true,
3   "data": {
4     "id": 1,
5     "termek_nev": "virsli",
6     "termek_ar": "500",
7     "termek_alapanyag": "sertes",
```

The status bar at the bottom shows the status as 200 OK, time as 500 ms, and size as 532 B. The response is saved.

Termék felvétele

Legutóbbi Kedvencek

- performance_schema
- phpmyadmin
- szalami
 - új
 - failed_jobs
 - migrations
 - password_resets
 - personal_access_tokens
 - szalamis
 - Indexek
 - új
 - PRIMARY
 - Oszlopok
 - új
 - created_at (timestamp)
 - gyartasi_ido (date)
 - id (PRI, bigint)
 - termek_alapanyag (varchar)
 - termek_ar (int)
 - termek_nev (varchar)

Kiszolgáló: 127.0.0.1 » Adatbázis: szalami » Tábla: szalamis

Tartalom Szerkezet SQL Keresés Beszúrás Exportálás Importálás Jogok Műveletek Több

✓ Sorok megjelenítése 0-0 (összesen 1, A lekérdezés 0,0012 másodpercig tartott.)

```
SELECT * FROM `szalamis`
```

☐ Adatgyűjtés [Szerkesztés helyben] [Módosítás] [Az SQL magyarázata] [PHP-kód létrehozása] [Frissítés]

☐ Összes megjelenítése | Sorok száma: 25 | Sorok szűrése: Keresés a táblában

+ Beállítások

	id	termek_nev	termek_ar	termek_alapanyag	gyartasi_ido	created_at	updated_at
<input type="checkbox"/>	1	virslí	500	sertes	2022-02-20	2022-02-20 15:37:22	2022-02-20 15:37:22

☐ Összes bejelölése A kijelöltekkel végzendő művelet:

☐ Összes megjelenítése | Sorok száma: 25 | Sorok szűrése: Keresés a táblában

Műveletek a lekérdezési eredménnyel

Az SQL-lekérdezés hozzáadása a könyvjelzőkhöz

Konzol

Írjon ide a kereséshez

17:37 2022. 02. 20.

1 termék lekérdezése

The screenshot shows the Postman application interface. The top bar includes the Postman logo, menu items (File, Edit, View, Help), navigation tabs (Home, Workspaces, Reports, Explore), a search bar, and user options (Sign In, Create Account). A yellow banner indicates "Working locally in Scratch Pad. Switch to a Workspace".

The left sidebar shows the "Scratch Pad" section with options for "New" and "Import". Below this are icons for Collections, APIs, Environments, Mock Servers, Monitors, and History. A message states: "You don't have any collections. Collections let you group related requests, making them easier to access and run. Create Collection".

The main workspace displays a GET request to `http://localhost:8000/api/szalamis/1`. The request is saved, and the "Send" button is visible. The "Authorization" tab is selected, showing a message: "This request is not inheriting any authorization helper at the moment. Save it in a collection to use the parent's authorization helper." The "Body" tab is also visible, showing the response in "Pretty" format.

The response is a JSON object with the following structure:

```
1 {
2   "success": true,
3   "data": {
4     "id": 1,
5     "termek_nev": "virsli",
6     "termek_ar": 500,
7     "termek_alapanyag": "sertes",
8     "gyartasi_ido": "2022-02-20",
9     "created_at": "20/02/2022",
10    "updated_at": "20/02/2022"
11  },
12   "message": "Termék sikeresen lekérve."
13 }
```

The status bar at the bottom shows "Status: 200 OK", "Time: 3.26 s", and "Size: 537 B". The Windows taskbar at the bottom includes the Start button, search bar, and various application icons.

Összes termék lekérdezése

The screenshot shows the Postman application interface. The top navigation bar includes 'Home', 'Workspaces', 'Reports', and 'Explore'. A search bar is present. The main area displays a request to 'http://localhost:8000/api/szalamis' using the GET method. The 'Authorization' tab is selected, showing a message: 'This request is not inheriting any authorization helper at the moment. Save it in a collection to use the parent's authorization helper.' The 'Body' tab is also selected, showing the response in 'Pretty' format:

```
1  {
2    "success": true,
3    "data": [
4      {
5        "id": 1,
6        "termek_nev": "virsli",
7        "termek_ar": 500,
8        "termek_alapanyag": "sertes",
9        "gyartasi_ido": "2022-02-20",
10       "created_at": "20/02/2022",
11       "updated_at": "20/02/2022"
12     }
13   ],
14 }
```

The status bar at the bottom shows 'Status: 200 OK', 'Time: 413 ms', and 'Size: 555 B'. The Windows taskbar at the very bottom shows the date '2022. 02. 20.' and time '17:43'.

Módosítás

Postman

File Edit View Help

Home Workspaces Reports Explore

Search Postman

Sign In Create Account

Working locally in Scratch Pad. Switch to a Workspace

Scratch Pad New Import Overview PUT http://localhost:80...

Collections

APIs

Environments

Mock Servers

Monitors

History

You don't have any collections.

Collections let you group related requests, making them easier to access and run.

Create Collection

PUT http://localhost:8000/api/szalamis/1?termek_nev=virslis&termek_ar=600&termek_alapanyag=szarnyas&gyartasi_ido=2022.02.20

Save

Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

termek_nev	virslis
termek_ar	600
termek_alapanyag	szarnyas
gyartasi_ido	2022.02.20

Body Cookies Headers (10) Test Results

Status: 200 OK Time: 426 ms Size: 564 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "success": true,
3   "data": {
4     "id": 1,
5     "termek_nev": "virslis",
6     "termek_ar": "600",
7     "termek_alapanyag": "szarnyas",
8     "gyartasi_ido": "2022.02.20",
9     "created_at": "20/02/2022",
10    "updated_at": "20/02/2022"
11  }
```

Find and Replace Console

Runner Trash

17:53 2022. 02. 20.

Törlés

Postman

File Edit View Help

Home Workspaces Reports Explore

Search Postman

Sign In Create Account

Working locally in Scratch Pad. Switch to a Workspace

Scratch Pad New Import Overview

DEL http://localhost:80...

No Environment

http://localhost:8000/api/szalamis/1

Save

DELETE http://localhost:8000/api/szalamis/1 Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

Type Inherit a...

The authorization header will be automatically generated when you send the request. [Learn more about authorization](#)

This request is not inheriting any authorization helper at the moment. Save it in a collection to use the parent's authorization helper.

Body Cookies Headers (10) Test Results

Status: 200 OK Time: 562 ms Size: 378 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "success": true,
3   "data": [],
4   "message": "A termék törölve!"
5 }
```

Find and Replace Console

Runner Trash

Írjon ide a kereséshez

9°C 17:55 2022. 02. 20.