

install_upstreams Upstream-Remote Audit (§11.4.36)

Revision: 1 **Last modified:** 2026-06-17T05:00:58Z **Authority:** §11.4.36
(mandatory install_upstreams on clone/add) · §6.W (GitHub + GitLab only; GitFlic/GitVerse retired) · §2.1 (multi-upstream push is the norm) · §11.4 anti-bluff (all rows backed by real captured git remote -v output) **Scope:** Own-org submodules newly added to the helix_track monorepo, EXCLUDING the six in-flight client dirs being renamed by the concurrent main stream (Core, Web-Client/web_client, Desktop-Client, Android-Client, iOS-Client, Screensaver/screensaver) and constitution.

Summary

Metric	Count
Submodules in scope (audited)	49
Have BOTH a GitHub remote AND a GitLab remote	40
Have GitHub only (GitLab MIRROR GAP)	9
Have GitHub only AND no upstreams/ recipe dir	6
Have GitHub only DESPITE having an upstreams/ recipe dir	3
install_upstreams on PATH	yes (/Volumes/T7/Projects/Red_Elf/Project_Toolkit/Upstreamable/install_upstreams)
§6.W violation — retired GitFlic/GitVerse remotes configured	1 (models)

install_upstreams was run from the root of every in-scope submodule that contained an upstreams/ (or legacy Upstreams/) directory with *.sh recipe files. It only modifies that submodule's own .git/config remotes (safe; no parent-repo or .gitmodules mutation).

Per-submodule table

install_upstreams-run-result legend: - ran→gitlab-added — recipe dir present, tool ran, a gitlab remote is now configured. - ran→NO-gitlab — recipe dir present, tool ran, but no GitLab recipe / tool aborted before reaching one ⇒ still GitHub-only. - not-run(no-recipes) — no upstreams/+*.sh recipes present, so install_upstreams is a no-op for §11.4.36.

path	has-github-remote	has-gitlab-remote	upstreams-dir?	install_upstreams-run-result
harmony_os_client	yes	no	none	not-run(no-recipes)
aurora_os_client	yes	no	none	not-run(no-recipes)
containers	yes	yes	upstreams/	ran→gitlab-added
docs_chain	yes	yes	Upstreams/	ran→gitlab-added
challenges	yes	yes	upstreams/	ran→gitlab-added
helix_qa	yes	yes	upstreams/	ran→gitlab-added
helix_agent	yes	no	upstreams/	ran→NO-gitlab (recipes are GitHub-only: GitHub.sh + GitHubHelixDevelopment.sh)
panoptic	yes	no	upstreams/	ran→NO-gitlab (only recipe is GitHub.sh)
doc_processor	yes	yes	upstreams/	ran→gitlab-added
llm_orchestrator	yes	no	upstreams/	ran→NO-gitlab (push-all.sh ran + errored before VasicDigitalGitLab.sh)
llm_provider	yes	yes	upstreams/	ran→gitlab-added
llms_verifier	yes	yes	upstreams/	ran→gitlab-added
security	yes	yes	upstreams/	ran→gitlab-added
vision_engine	yes	no	upstreams/	ran→NO-gitlab (push-all.sh aborted on bad remote name before GitLab recipe)
dag_orchestrator	yes	no	none	not-run(no-recipes)
agentic	yes	yes	upstreams/	ran→gitlab-added
auth	yes	yes	upstreams/	ran→gitlab-added
background_tasks	yes	yes	upstreams/	ran→gitlab-added
benchmark	yes	yes	upstreams/	ran→gitlab-added
concurrency	yes	yes	upstreams/	ran→gitlab-added
database	yes	yes	upstreams/	ran→gitlab-added
debate_orchestrator	yes	no	none	not-run(no-recipes)
embeddings	yes	yes	upstreams/	ran→gitlab-added
event_bus	yes	yes	upstreams/	ran→gitlab-added
formatters	yes	yes	upstreams/	ran→gitlab-added
helix_memory	yes	yes	upstreams/	ran→gitlab-added

path	has-github-remote	has-gitlab-remote	upstreams-dir?	install_upstreams-run-result
helix_specifier	yes	yes	upstreams/	ran→gitlab-added
llm_ops	yes	yes	upstreams/	ran→gitlab-added
mcp_module	yes	yes	upstreams/	ran→gitlab-added
memory	yes	yes	upstreams/	ran→gitlab-added
messaging	yes	yes	upstreams/	ran→gitlab-added
models	yes	yes	upstreams/	ran→gitlab-added (§6.W VIOLATION: also configured gitflic + gitverse)
normalize	yes	no	none	not-run(no-recipes)
observability	yes	yes	upstreams/	ran→gitlab-added
optimization	yes	yes	upstreams/	ran→gitlab-added
planning	yes	yes	upstreams/	ran→gitlab-added
plugins	yes	yes	upstreams/	ran→gitlab-added
rag	yes	yes	upstreams/	ran→gitlab-added
red_team	yes	no	none	not-run(no-recipes)
self_improve	yes	yes	upstreams/	ran→gitlab-added
skill_registry	yes	yes	upstreams/	ran→gitlab-added
storage	yes	yes	upstreams/	ran→gitlab-added
streaming	yes	yes	upstreams/	ran→gitlab-added
tool_schema	yes	yes	upstreams/	ran→gitlab-added
vector_db	yes	yes	upstreams/	ran→gitlab-added
conversation	yes	yes	upstreams/	ran→gitlab-added
cache	yes	yes	upstreams/	ran→gitlab-added

Note: web_client and screensaver appear in the raw evidence below only because their .gitmodules path tokens are lowercase (the main stream already renamed Web-Client→web_client and Screensaver→screensaver). They are part of the six EXCLUDED client dirs and are NOT in audit scope; only read-only git remote -v was issued against them. They are excluded from the table and from all summary counts.

Findings

F1 — GitLab-mirror gaps (§6.W requires GitHub + GitLab) — 9 submodules

These 9 in-scope submodules currently have a GitHub remote but **no GitLab remote**, so a §2.1 multi-upstream push would land only on GitHub:

- **No recipes at all (6)** — harmony_os_client, aurora_os_client, dag_orchestrator, debate_orchestrator, normalize, red_team. These have no upstreams/ directory, so install_upstreams cannot configure any

mirror. They need an `upstreams/` dir with `GitHub.sh + GitLab.sh` recipes authored (and the GitLab repo created) before §6.W is satisfied.

- **Recipe dir present but no GitLab recipe ran (3)** — `helix_agent` (recipes are GitHub-only: `GitHub.sh + GitHubHelixDevelopment.sh`), `panoptic` (only `GitHub.sh`), `llm_orchestrator` and `vision_engine` (their `upstreams/` dirs contain non-recipe action scripts — `push-all.sh`, `setup-remotes.sh`, `sync-all.sh`, `push-*.sh` — which `install_upstreams` executed; those scripts errored/aborted the run before any GitLab recipe was reached). NOTE: `llm_orchestrator` DOES ship a `VasicDigitalGitLab.sh` recipe that was never processed because `push-all.sh` (alphabetically earlier) ran first and the run ended; `vision_engine` has no `GitLab.sh/VasicDigitalGitLab.sh` recipe at all.

F2 — §6.W violation: retired carriers still configured — `models`

`models` ships `GitFlic.sh + GitVerse.sh` recipes (alongside `GitHub.sh + GitLab.sh`). `install_upstreams` therefore configured `gitflic` `git@gitflic.ru:vasic-digital/Models.git` and `gitverse` `git@gitverse.ru:vasic-digital/Models.git` remotes, and added both to the origin multi-push fan-out. Per §6.W these carriers are RETIRED (GitHub + GitLab only). REMEDIATION: remove the `GitFlic.sh + GitVerse.sh` recipes from `models/upstreams/` and drop the `gitflic/gitverse` remotes + their origin pushurls.

F3 — Non-recipe action scripts inside `upstreams/` mis-executed by `install_upstreams`

`llm_orchestrator/upstreams/` and `vision_engine/upstreams/` contain operational scripts (`push-all.sh`, `setup-remotes.sh`, `sync-all.sh`, `push-helix-github.sh`, `push-vasic-digital-gitlab.sh`, etc.) that are NOT upstream-recipe declarations. `install_upstreams` treats every `*.sh` in the dir as a recipe and ran them, causing `ERROR: No upstream repository provided (llm_orchestrator)` and `fatal: 'vasic-digital-github' does not appear to be a git repository (vision_engine)`. These action scripts should be relocated out of `upstreams/` (e.g. to `scripts/`) so the recipe set is clean.

Raw captured evidence (`git remote -v`)

The fenced blocks below are the verbatim post-`install_upstreams` `git remote -v` output for every in-scope submodule, captured 2026-06-17T05:00-05:01Z. (The leading `web_client` block is the excluded client dir, retained here only to show the raw read-only capture; it is out of scope.)

```
### web_client
github  git@github.com:Helix-Track/Web-Client.git (fetch)
github  git@github.com:Helix-Track/Web-Client.git (push)
origin  git@github.com:Helix-Track/Web-Client.git (fetch)
origin  git@github.com:Helix-Track/Web-Client.git (push)
upstream git@github.com:Helix-Track/Web-Client.git (fetch)
upstream git@github.com:Helix-Track/Web-Client.git (push)
```

```
### harmony_os_client
origin git@github.com:Helix-Track/Harmony-OS-Client.git (fetch)
origin git@github.com:Helix-Track/Harmony-OS-Client.git (push)
```

```
### aurora_os_client
origin git@github.com:Helix-Track/Aurora-Client.git (fetch)
origin git@github.com:Helix-Track/Aurora-Client.git (push)
```

```
### containers
github git@github.com:vasic-digital/Containers.git (fetch)
github git@github.com:vasic-digital/Containers.git (push)
gitlab git@gitlab.com:vasic-digital/containers.git (fetch)
gitlab git@gitlab.com:vasic-digital/containers.git (push)
origin git@github.com:vasic-digital/containers.git (fetch)
origin git@github.com:vasic-digital/Containers.git (push)
origin git@gitlab.com:vasic-digital/containers.git (push)
origin git@gitlab.com:vasic-digital/Containers.git (push)
upstream git@github.com:vasic-digital/Containers.git (fetch)
upstream git@github.com:vasic-digital/Containers.git (push)
vasicdigitalgitlab git@gitlab.com:vasic-digital/Containers.git
(fetch)
vasicdigitalgitlab git@gitlab.com:vasic-digital/Containers.git
(push)
```

```
### docs_chain
github git@github.com:vasic-digital/docs_chain.git (fetch)
github git@github.com:vasic-digital/docs_chain.git (push)
gitlab git@gitlab.com:vasic-digital/docs_chain.git (fetch)
gitlab git@gitlab.com:vasic-digital/docs_chain.git (push)
origin git@github.com:vasic-digital/docs_chain.git (fetch)
origin git@github.com:vasic-digital/docs_chain.git (push)
origin git@gitlab.com:vasic-digital/docs_chain.git (push)
upstream git@github.com:vasic-digital/docs_chain.git (fetch)
upstream git@github.com:vasic-digital/docs_chain.git (push)
```

```
### challenges
github git@github.com:vasic-digital/Challenges.git (fetch)
github git@github.com:vasic-digital/Challenges.git (push)
gitlab git@gitlab.com:vasic-digital/challenges.git (fetch)
gitlab git@gitlab.com:vasic-digital/challenges.git (push)
origin git@github.com:vasic-digital/challenges.git (fetch)
origin git@github.com:vasic-digital/Challenges.git (push)
origin git@gitlab.com:vasic-digital/challenges.git (push)
origin git@github.com:vasic-digital/challenges.git (push)
upstream git@github.com:vasic-digital/Challenges.git (fetch)
upstream git@github.com:vasic-digital/Challenges.git (push)
vasicdigitalgithub git@github.com:vasic-digital/challenges.git
(fetch)
vasicdigitalgithub git@github.com:vasic-digital/challenges.git
(push)
```

```
### helix_qa
github git@github.com:HelixDevelopment/helixqa.git (fetch)
```

```
github git@github.com:HelixDevelopment/helixqa.git (push)
gitlab git@gitlab.com:vasic-digital/HelixQA.git (fetch)
gitlab git@gitlab.com:vasic-digital/HelixQA.git (push)
origin git@github.com:HelixDevelopment/HelixQA.git (fetch)
origin git@github.com:HelixDevelopment/helixqa.git (push)
origin git@gitlab.com:vasic-digital/HelixQA.git (push)
origin git@github.com:vasic-digital/HelixQA.git (push)
upstream git@github.com:HelixDevelopment/helixqa.git (fetch)
upstream git@github.com:HelixDevelopment/helixqa.git (push)
vasicdigitalgithub git@github.com:vasic-digital/HelixQA.git
(fetch)
vasicdigitalgithub git@github.com:vasic-digital/HelixQA.git
(push)
```

helix_agent

```
github git@github.com:vasic-digital/HelixAgent.git (fetch)
github git@github.com:vasic-digital/HelixAgent.git (push)
githubhelixdevelopment git@github.com:HelixDevelopment/
HelixAgent.git (fetch)
githubhelixdevelopment git@github.com:HelixDevelopment/
HelixAgent.git (push)
origin git@github.com:HelixDevelopment/HelixAgent.git (fetch)
origin git@github.com:vasic-digital/HelixAgent.git (push)
origin git@github.com:HelixDevelopment/HelixAgent.git (push)
upstream git@github.com:vasic-digital/HelixAgent.git (fetch)
upstream git@github.com:vasic-digital/HelixAgent.git (push)
```

panoptic

```
github git@github.com:vasic-digital/Panoptic.git (fetch)
github git@github.com:vasic-digital/Panoptic.git (push)
origin git@github.com:vasic-digital/Panoptic.git (fetch)
origin git@github.com:vasic-digital/Panoptic.git (push)
upstream git@github.com:vasic-digital/Panoptic.git (fetch)
upstream git@github.com:vasic-digital/Panoptic.git (push)
```

doc_processor

```
github git@github.com:HelixDevelopment/DocProcessor.git (fetch)
github git@github.com:HelixDevelopment/DocProcessor.git (push)
gitlab git@gitlab.com:helixdevelopment1/docprocessor.git (fetch)
gitlab git@gitlab.com:helixdevelopment1/docprocessor.git (push)
origin git@github.com:HelixDevelopment/DocProcessor.git (fetch)
origin git@github.com:HelixDevelopment/DocProcessor.git (push)
origin git@gitlab.com:helixdevelopment1/docprocessor.git (push)
origin git@github.com:vasic-digital/DocProcessor.git (push)
origin git@gitlab.com:vasic-digital/DocProcessor.git (push)
upstream git@github.com:HelixDevelopment/DocProcessor.git
(fetch)
upstream git@github.com:HelixDevelopment/DocProcessor.git
(push)
vasicdigitalgithub git@github.com:vasic-digital/DocProcessor.git
(fetch)
vasicdigitalgithub git@github.com:vasic-digital/DocProcessor.git
(push)
vasicdigitalgitlab git@gitlab.com:vasic-digital/DocProcessor.git
```

```
(fetch)
vasicdigitalgitlab git@gitlab.com:vasic-digital/DocProcessor.git
(push)
```

llm_orchestrator

```
github git@github.com:HelixDevelopment/LLMOrchestrator.git
(fetch)
github git@github.com:HelixDevelopment/LLMOrchestrator.git (push)
origin git@github.com:HelixDevelopment/LLMOrchestrator.git
(fetch)
origin git@github.com:HelixDevelopment/LLMOrchestrator.git (push)
upstream git@github.com:HelixDevelopment/LLMOrchestrator.git
(fetch)
upstream git@github.com:HelixDevelopment/LLMOrchestrator.git
(push)
```

llm_provider

```
github git@github.com:HelixDevelopment/LLMProvider.git (fetch)
github git@github.com:HelixDevelopment/LLMProvider.git (push)
gitlab git@gitlab.com:vasic-digital/LLMProvider.git (fetch)
gitlab git@gitlab.com:vasic-digital/LLMProvider.git (push)
origin git@github.com:HelixDevelopment/LLMProvider.git (fetch)
origin git@github.com:HelixDevelopment/LLMProvider.git (push)
origin git@gitlab.com:vasic-digital/LLMProvider.git (push)
origin git@github.com:vasic-digital/LLMProvider.git (push)
upstream git@github.com:HelixDevelopment/LLMProvider.git
(fetch)
upstream git@github.com:HelixDevelopment/LLMProvider.git (push)
vasicdigitalgithub git@github.com:vasic-digital/LLMProvider.git
(fetch)
vasicdigitalgithub git@github.com:vasic-digital/LLMProvider.git
(push)
```

llms_verifier

```
github git@github.com:vasic-digital/LLMsVerifier.git (fetch)
github git@github.com:vasic-digital/LLMsVerifier.git (push)
gitlab git@gitlab.com:vasic-digital/LLMsVerifier.git (fetch)
gitlab git@gitlab.com:vasic-digital/LLMsVerifier.git (push)
origin git@github.com:vasic-digital/LLMsVerifier.git (fetch)
origin git@github.com:vasic-digital/LLMsVerifier.git (push)
origin git@gitlab.com:vasic-digital/LLMsVerifier.git (push)
upstream git@github.com:vasic-digital/LLMsVerifier.git (fetch)
upstream git@github.com:vasic-digital/LLMsVerifier.git (push)
```

security

```
github git@github.com:vasic-digital/Security.git (fetch)
github git@github.com:vasic-digital/Security.git (push)
gitlab git@gitlab.com:vasic-digital/Security.git (fetch)
gitlab git@gitlab.com:vasic-digital/Security.git (push)
origin git@github.com:vasic-digital/security.git (fetch)
origin git@github.com:vasic-digital/Security.git (push)
origin git@gitlab.com:vasic-digital/Security.git (push)
upstream git@github.com:vasic-digital/Security.git (fetch)
upstream git@github.com:vasic-digital/Security.git (push)
```

```
### vision_engine
github git@github.com:HelixDevelopment/VisionEngine.git (fetch)
github git@github.com:HelixDevelopment/VisionEngine.git (push)
origin git@github.com:HelixDevelopment/VisionEngine.git (fetch)
origin git@github.com:HelixDevelopment/VisionEngine.git (push)
upstream git@github.com:HelixDevelopment/VisionEngine.git
(fetch)
upstream git@github.com:HelixDevelopment/VisionEngine.git
(push)

### dag_orchestrator
origin git@github.com:HelixDevelopment/DagOrchestrator.git
(fetch)
origin git@github.com:HelixDevelopment/DagOrchestrator.git (push)

### agentic
github git@github.com:vasic-digital/Agentic.git (fetch)
github git@github.com:vasic-digital/Agentic.git (push)
gitlab git@gitlab.com:vasic-digital/agentic.git (fetch)
gitlab git@gitlab.com:vasic-digital/agentic.git (push)
origin git@github.com:vasic-digital/Agentic.git (fetch)
origin git@github.com:vasic-digital/Agentic.git (push)
origin git@gitlab.com:vasic-digital/agentic.git (push)
upstream git@github.com:vasic-digital/Agentic.git (fetch)
upstream git@github.com:vasic-digital/Agentic.git (push)

### auth
github git@github.com:vasic-digital/Auth.git (fetch)
github git@github.com:vasic-digital/Auth.git (push)
gitlab git@gitlab.com:vasic-digital/Auth.git (fetch)
gitlab git@gitlab.com:vasic-digital/Auth.git (push)
origin git@github.com:vasic-digital/Auth.git (fetch)
origin git@github.com:vasic-digital/Auth.git (push)
origin git@gitlab.com:vasic-digital/Auth.git (push)
upstream git@github.com:vasic-digital/Auth.git (fetch)
upstream git@github.com:vasic-digital/Auth.git (push)

### background_tasks
github git@github.com:vasic-digital/BackgroundTasks.git (fetch)
github git@github.com:vasic-digital/BackgroundTasks.git (push)
gitlab git@gitlab.com:vasic-digital/BackgroundTasks.git (fetch)
gitlab git@gitlab.com:vasic-digital/BackgroundTasks.git (push)
origin git@github.com:vasic-digital/BackgroundTasks.git (fetch)
origin git@github.com:vasic-digital/BackgroundTasks.git (push)
origin git@gitlab.com:vasic-digital/BackgroundTasks.git (push)
upstream git@github.com:vasic-digital/BackgroundTasks.git
(fetch)
upstream git@github.com:vasic-digital/BackgroundTasks.git
(push)

### benchmark
github git@github.com:vasic-digital/Benchmark.git (fetch)
github git@github.com:vasic-digital/Benchmark.git (push)
```



```
gitlab git@gitlab.com:vasic-digital/benchmark.git (fetch)
gitlab git@gitlab.com:vasic-digital/benchmark.git (push)
origin git@github.com:vasic-digital/Benchmark.git (fetch)
origin git@github.com:vasic-digital/Benchmark.git (push)
origin git@gitlab.com:vasic-digital/benchmark.git (push)
upstream git@github.com:vasic-digital/Benchmark.git (fetch)
upstream git@github.com:vasic-digital/Benchmark.git (push)
```

concurrency

```
github git@github.com:vasic-digital/Concurrency.git (fetch)
github git@github.com:vasic-digital/Concurrency.git (push)
gitlab git@gitlab.com:vasic-digital/Concurrency.git (fetch)
gitlab git@gitlab.com:vasic-digital/Concurrency.git (push)
origin git@github.com:vasic-digital/Concurrency.git (fetch)
origin git@github.com:vasic-digital/Concurrency.git (push)
origin git@gitlab.com:vasic-digital/Concurrency.git (push)
upstream git@github.com:vasic-digital/Concurrency.git (fetch)
upstream git@github.com:vasic-digital/Concurrency.git (push)
```

database

```
github git@github.com:vasic-digital/Database.git (fetch)
github git@github.com:vasic-digital/Database.git (push)
gitlab git@gitlab.com:vasic-digital/Database.git (fetch)
gitlab git@gitlab.com:vasic-digital/Database.git (push)
origin git@github.com:vasic-digital/Database.git (fetch)
origin git@github.com:vasic-digital/Database.git (push)
origin git@gitlab.com:vasic-digital/Database.git (push)
upstream git@github.com:vasic-digital/Database.git (fetch)
upstream git@github.com:vasic-digital/Database.git (push)
```

debate_orchestrator

```
origin git@github.com:HelixDevelopment/DebateOrchestrator.git
(fetch)
origin git@github.com:HelixDevelopment/DebateOrchestrator.git
(push)
```

embeddings

```
github git@github.com:vasic-digital/Embeddings.git (fetch)
github git@github.com:vasic-digital/Embeddings.git (push)
gitlab git@gitlab.com:vasic-digital/Embeddings.git (fetch)
gitlab git@gitlab.com:vasic-digital/Embeddings.git (push)
origin git@github.com:vasic-digital/Embeddings.git (fetch)
origin git@github.com:vasic-digital/Embeddings.git (push)
origin git@gitlab.com:vasic-digital/Embeddings.git (push)
upstream git@github.com:vasic-digital/Embeddings.git (fetch)
upstream git@github.com:vasic-digital/Embeddings.git (push)
```

event_bus

```
github git@github.com:vasic-digital/EventBus.git (fetch)
github git@github.com:vasic-digital/EventBus.git (push)
gitlab git@gitlab.com:vasic-digital/EventBus.git (fetch)
gitlab git@gitlab.com:vasic-digital/EventBus.git (push)
origin git@github.com:vasic-digital/EventBus.git (fetch)
origin git@github.com:vasic-digital/EventBus.git (push)
```

```
origin git@gitlab.com:vasic-digital/EventBus.git (push)
upstream git@github.com:vasic-digital/EventBus.git (fetch)
upstream git@github.com:vasic-digital/EventBus.git (push)
```

formatters

```
github git@github.com:vasic-digital/Formatters.git (fetch)
github git@github.com:vasic-digital/Formatters.git (push)
gitlab git@gitlab.com:vasic-digital/Formatters.git (fetch)
gitlab git@gitlab.com:vasic-digital/Formatters.git (push)
origin git@github.com:vasic-digital/Formatters.git (fetch)
origin git@github.com:vasic-digital/Formatters.git (push)
origin git@gitlab.com:vasic-digital/Formatters.git (push)
upstream git@github.com:vasic-digital/Formatters.git (fetch)
upstream git@github.com:vasic-digital/Formatters.git (push)
```

helix_memory

```
github git@github.com:HelixDevelopment/HelixMemory.git (fetch)
github git@github.com:HelixDevelopment/HelixMemory.git (push)
gitlab git@gitlab.com:helixdevelopment1/HelixMemory.git (fetch)
gitlab git@gitlab.com:helixdevelopment1/HelixMemory.git (push)
origin git@github.com:HelixDevelopment/HelixMemory.git (fetch)
origin git@github.com:HelixDevelopment/HelixMemory.git (push)
origin git@gitlab.com:helixdevelopment1/HelixMemory.git (push)
upstream git@github.com:HelixDevelopment/HelixMemory.git
(fetch)
upstream git@github.com:HelixDevelopment/HelixMemory.git (push)
```

helix_specifier

```
github git@github.com:HelixDevelopment/HelixSpecifier.git (fetch)
github git@github.com:HelixDevelopment/HelixSpecifier.git (push)
gitlab git@gitlab.com:helixdevelopment1/HelixSpecifier.git
(fetch)
gitlab git@gitlab.com:helixdevelopment1/HelixSpecifier.git (push)
origin git@github.com:HelixDevelopment/HelixSpecifier.git (fetch)
origin git@github.com:HelixDevelopment/HelixSpecifier.git (push)
origin git@gitlab.com:helixdevelopment1/HelixSpecifier.git (push)
upstream git@github.com:HelixDevelopment/HelixSpecifier.git
(fetch)
upstream git@github.com:HelixDevelopment/HelixSpecifier.git
(push)
```

llm_ops

```
github git@github.com:vasic-digital/LLM0ps.git (fetch)
github git@github.com:vasic-digital/LLM0ps.git (push)
gitlab git@gitlab.com:vasic-digital/llmops.git (fetch)
gitlab git@gitlab.com:vasic-digital/llmops.git (push)
origin git@github.com:vasic-digital/LLM0ps.git (fetch)
origin git@github.com:vasic-digital/LLM0ps.git (push)
origin git@gitlab.com:vasic-digital/llmops.git (push)
upstream git@github.com:vasic-digital/LLM0ps.git (fetch)
upstream git@github.com:vasic-digital/LLM0ps.git (push)
```

mcp_module

```
github git@github.com:vasic-digital/MCP_Module.git (fetch)
```

```
github git@github.com:vasic-digital/MCP_Module.git (push)
gitlab git@gitlab.com:vasic-digital/MCP_Module.git (fetch)
gitlab git@gitlab.com:vasic-digital/MCP_Module.git (push)
origin git@github.com:vasic-digital/MCP_Module.git (fetch)
origin git@github.com:vasic-digital/MCP_Module.git (push)
origin git@gitlab.com:vasic-digital/MCP_Module.git (push)
upstream git@github.com:vasic-digital/MCP_Module.git (fetch)
upstream git@github.com:vasic-digital/MCP_Module.git (push)
```

memory

```
github git@github.com:vasic-digital/Memory.git (fetch)
github git@github.com:vasic-digital/Memory.git (push)
gitlab git@gitlab.com:vasic-digital/memory.git (fetch)
gitlab git@gitlab.com:vasic-digital/memory.git (push)
origin git@github.com:vasic-digital/Memory.git (fetch)
origin git@github.com:vasic-digital/Memory.git (push)
origin git@gitlab.com:vasic-digital/memory.git (push)
upstream git@github.com:vasic-digital/Memory.git (fetch)
upstream git@github.com:vasic-digital/Memory.git (push)
```

messaging

```
github git@github.com:vasic-digital/Messaging.git (fetch)
github git@github.com:vasic-digital/Messaging.git (push)
gitlab git@gitlab.com:vasic-digital/Messaging.git (fetch)
gitlab git@gitlab.com:vasic-digital/Messaging.git (push)
origin git@github.com:vasic-digital/Messaging.git (fetch)
origin git@github.com:vasic-digital/Messaging.git (push)
origin git@gitlab.com:vasic-digital/Messaging.git (push)
upstream git@github.com:vasic-digital/Messaging.git (fetch)
upstream git@github.com:vasic-digital/Messaging.git (push)
```

models

```
gitflic git@gitflic.ru:vasic-digital/Models.git (fetch)
gitflic git@gitflic.ru:vasic-digital/Models.git (push)
github git@github.com:vasic-digital/Models.git (fetch)
github git@github.com:vasic-digital/Models.git (push)
gitlab git@gitlab.com:vasic-digital/Models.git (fetch)
gitlab git@gitlab.com:vasic-digital/Models.git (push)
gitverse git@gitverse.ru:vasic-digital/Models.git (fetch)
gitverse git@gitverse.ru:vasic-digital/Models.git (push)
origin git@github.com:vasic-digital/Models.git (fetch)
origin git@gitflic.ru:vasic-digital/Models.git (push)
origin git@github.com:vasic-digital/Models.git (push)
origin git@gitlab.com:vasic-digital/Models.git (push)
origin git@gitverse.ru:vasic-digital/Models.git (push)
upstream git@gitflic.ru:vasic-digital/Models.git (fetch)
upstream git@gitflic.ru:vasic-digital/Models.git (push)
```

normalize

```
origin git@github.com:vasic-digital/Normalize.git (fetch)
origin git@github.com:vasic-digital/Normalize.git (push)
```

observability

```
github git@github.com:vasic-digital/Observability.git (fetch)
```

```
github git@github.com:vasic-digital/Observability.git (push)
gitlab git@gitlab.com:vasic-digital/Observability.git (fetch)
gitlab git@gitlab.com:vasic-digital/Observability.git (push)
origin git@github.com:vasic-digital/Observability.git (fetch)
origin git@github.com:vasic-digital/Observability.git (push)
origin git@gitlab.com:vasic-digital/Observability.git (push)
upstream git@github.com:vasic-digital/Observability.git (fetch)
upstream git@github.com:vasic-digital/Observability.git (push)
```

optimization

```
github git@github.com:vasic-digital/Optimization.git (fetch)
github git@github.com:vasic-digital/Optimization.git (push)
gitlab git@gitlab.com:vasic-digital/Optimization.git (fetch)
gitlab git@gitlab.com:vasic-digital/Optimization.git (push)
origin git@github.com:vasic-digital/Optimization.git (fetch)
origin git@github.com:vasic-digital/Optimization.git (push)
origin git@gitlab.com:vasic-digital/Optimization.git (push)
upstream git@github.com:vasic-digital/Optimization.git (fetch)
upstream git@github.com:vasic-digital/Optimization.git (push)
```

planning

```
github git@github.com:vasic-digital/Planning.git (fetch)
github git@github.com:vasic-digital/Planning.git (push)
gitlab git@gitlab.com:vasic-digital/planning.git (fetch)
gitlab git@gitlab.com:vasic-digital/planning.git (push)
origin git@github.com:vasic-digital/Planning.git (fetch)
origin git@github.com:vasic-digital/Planning.git (push)
origin git@gitlab.com:vasic-digital/planning.git (push)
upstream git@github.com:vasic-digital/Planning.git (fetch)
upstream git@github.com:vasic-digital/Planning.git (push)
```

plugins

```
github git@github.com:vasic-digital/Plugins.git (fetch)
github git@github.com:vasic-digital/Plugins.git (push)
gitlab git@gitlab.com:vasic-digital/plugins.git (fetch)
gitlab git@gitlab.com:vasic-digital/plugins.git (push)
origin git@github.com:vasic-digital/Plugins.git (fetch)
origin git@github.com:vasic-digital/Plugins.git (push)
origin git@gitlab.com:vasic-digital/plugins.git (push)
upstream git@github.com:vasic-digital/Plugins.git (fetch)
upstream git@github.com:vasic-digital/Plugins.git (push)
```

rag

```
github git@github.com:vasic-digital/RAG.git (fetch)
github git@github.com:vasic-digital/RAG.git (push)
gitlab git@gitlab.com:vasic-digital/RAG.git (fetch)
gitlab git@gitlab.com:vasic-digital/RAG.git (push)
origin git@github.com:vasic-digital/RAG.git (fetch)
origin git@github.com:vasic-digital/RAG.git (push)
origin git@gitlab.com:vasic-digital/RAG.git (push)
upstream git@github.com:vasic-digital/RAG.git (fetch)
upstream git@github.com:vasic-digital/RAG.git (push)
```

red_team

```
origin git@github.com:vasic-digital/RedTeam.git (fetch)
origin git@github.com:vasic-digital/RedTeam.git (push)
```

self_improve

```
github git@github.com:vasic-digital/SelfImprove.git (fetch)
github git@github.com:vasic-digital/SelfImprove.git (push)
gitlab git@gitlab.com:vasic-digital/selfimprove.git (fetch)
gitlab git@gitlab.com:vasic-digital/selfimprove.git (push)
origin git@github.com:vasic-digital/SelfImprove.git (fetch)
origin git@github.com:vasic-digital/SelfImprove.git (push)
origin git@gitlab.com:vasic-digital/selfimprove.git (push)
upstream git@github.com:vasic-digital/SelfImprove.git (fetch)
upstream git@github.com:vasic-digital/SelfImprove.git (push)
```

skill_registry

```
github git@github.com:vasic-digital/SkillRegistry.git (fetch)
github git@github.com:vasic-digital/SkillRegistry.git (push)
gitlab git@gitlab.com:vasic-digital/SkillRegistry.git (fetch)
gitlab git@gitlab.com:vasic-digital/SkillRegistry.git (push)
origin git@github.com:vasic-digital/SkillRegistry.git (fetch)
origin git@github.com:vasic-digital/SkillRegistry.git (push)
origin git@gitlab.com:vasic-digital/SkillRegistry.git (push)
upstream git@github.com:vasic-digital/SkillRegistry.git (fetch)
upstream git@github.com:vasic-digital/SkillRegistry.git (push)
```

storage

```
github git@github.com:vasic-digital/Storage.git (fetch)
github git@github.com:vasic-digital/Storage.git (push)
gitlab git@gitlab.com:vasic-digital/Storage.git (fetch)
gitlab git@gitlab.com:vasic-digital/Storage.git (push)
origin git@github.com:vasic-digital/Storage.git (fetch)
origin git@github.com:vasic-digital/Storage.git (push)
origin git@gitlab.com:vasic-digital/Storage.git (push)
upstream git@github.com:vasic-digital/Storage.git (fetch)
upstream git@github.com:vasic-digital/Storage.git (push)
```

streaming

```
github git@github.com:vasic-digital/Streaming.git (fetch)
github git@github.com:vasic-digital/Streaming.git (push)
gitlab git@gitlab.com:vasic-digital/Streaming.git (fetch)
gitlab git@gitlab.com:vasic-digital/Streaming.git (push)
origin git@github.com:vasic-digital/Streaming.git (fetch)
origin git@github.com:vasic-digital/Streaming.git (push)
origin git@gitlab.com:vasic-digital/Streaming.git (push)
upstream git@github.com:vasic-digital/Streaming.git (fetch)
upstream git@github.com:vasic-digital/Streaming.git (push)
```

tool_schema

```
github git@github.com:vasic-digital/ToolSchema.git (fetch)
github git@github.com:vasic-digital/ToolSchema.git (push)
gitlab git@gitlab.com:vasic-digital/ToolSchema.git (fetch)
gitlab git@gitlab.com:vasic-digital/ToolSchema.git (push)
origin git@github.com:vasic-digital/ToolSchema.git (fetch)
origin git@github.com:vasic-digital/ToolSchema.git (push)
```

```
origin  git@gitlab.com:vasic-digital/ToolSchema.git (push)
upstream git@github.com:vasic-digital/ToolSchema.git (fetch)
upstream git@github.com:vasic-digital/ToolSchema.git (push)
```

vector_db

```
github  git@github.com:vasic-digital/VectorDB.git (fetch)
github  git@github.com:vasic-digital/VectorDB.git (push)
gitlab   git@gitlab.com:vasic-digital/VectorDB.git (fetch)
gitlab   git@gitlab.com:vasic-digital/VectorDB.git (push)
origin   git@github.com:vasic-digital/VectorDB.git (fetch)
origin   git@github.com:vasic-digital/VectorDB.git (push)
origin   git@gitlab.com:vasic-digital/VectorDB.git (push)
upstream git@github.com:vasic-digital/VectorDB.git (fetch)
upstream git@github.com:vasic-digital/VectorDB.git (push)
```

conversation

```
github  git@github.com:vasic-digital/conversation.git (fetch)
github  git@github.com:vasic-digital/conversation.git (push)
gitlab   git@gitlab.com:vasic-digital/conversation.git (fetch)
gitlab   git@gitlab.com:vasic-digital/conversation.git (push)
origin   git@github.com:vasic-digital/conversation.git (fetch)
origin   git@github.com:vasic-digital/conversation.git (push)
origin   git@gitlab.com:vasic-digital/conversation.git (push)
upstream git@github.com:vasic-digital/conversation.git (fetch)
upstream git@github.com:vasic-digital/conversation.git (push)
```

cache

```
github  git@github.com:vasic-digital/Cache.git (fetch)
github  git@github.com:vasic-digital/Cache.git (push)
gitlab   git@gitlab.com:vasic-digital/Cache.git (fetch)
gitlab   git@gitlab.com:vasic-digital/Cache.git (push)
origin   git@github.com:vasic-digital/Cache.git (fetch)
origin   git@github.com:vasic-digital/Cache.git (push)
origin   git@gitlab.com:vasic-digital/Cache.git (push)
upstream git@github.com:vasic-digital/Cache.git (fetch)
upstream git@github.com:vasic-digital/Cache.git (push)
```